## CONNECTICUT

## AGRICULTURAL EXPERIMENT STATION

NEW HAVEN, CONN.

## BULLETIN 138, APRIL, 1902.

# Commercial Feeding Stuffs in the Connecticut Market.

#### CONTENTS.

	Page
Cotton Seed Meal	3
Linseed Meal	4
Wheat Feeds	4
Adulterated Wheat Feed	7
Corn Meal	. 8
Gluten Meal and Gluten Feeds	9
Other Corn Feeds	10
Factory Mixed Feeds	11
Condimental and Medicinal Feeds	13
Digestion Coefficients	14
On the Purchase of Feeding Stuffs	15
Weight of One Quart of Various Feeds	18
Summary	18
Tables of Analyses	20
•	

The Bulletins of this Station are mailed free to all citizens of Connecticut who apply for them, and to others as far as the limited editions permit.

## CONNECTICUT AGRICULTURAL EXPERIMENT STATION.

OFFICERS AND STAFF.

#### STATE BOARD OF CONTROL.

Ex officio.

His Excellency George P. McLean, President.

Appointed by Connecticut State Agricultural Society:
B. W. COLLINS, Meriden.

Appointed by Board of Trustees of Wesleyan University:
Prof. W. O. Atwater, Middletown.

Appointed by Governor and Senate:
EDWIN HOYT, New Canaan.
JAMES H. WEBB, Hamden.

Appointed by Board of Agriculture: T. S. Gold, West Cornwall, Vice-President.

Appointed by Governing Board of Sheffield Scientific School: W. H. Brewer, New Haven, Secretary.

Ex officio.

E. H. Jenkins, New Haven, Director and Treasurer.

#### STATION STAFF.

Chemists.

E. H. Jenkins, Ph.D., Director.

T. B. OSBORNE, PH.D. A. W. OGDEN, PH.B.

A. L. WINTON, PH.B. I. F. HARRIS, B.S.

į

33

M. SILVERMAN, PH.B.

Botanist.

Entomologist.
W. E. BRITTON, B.S.

In charge of Forestry Work.
Walter Mulford, F.E.

Grass Gardener.

JAMES B. OLCOTT, South Manchester.

Stenographers and Clerks.

Miss V. E. Cole. Miss L. M. Brautlecht.

In charge of Buildings and Grounds.
WILLIAM VEITCH.

Laboratory Helpers.

HUGO LANGE.

WILLIAM POKROB.

Sampling Agent.
V. L. CHURCHILL, New Haven.

## THE COMPOSITION OF THE COMMERCIAL FEED-ING STUFFS SOLD IN CONNECTICUT.\*

During the autumn of 1901, agents of this Station collected in forty-one towns and villages of this State two hundred and sixty-four samples of commercial feeding stuffs.

The analyses of these feeds appear in Table IV, pages 20-39, This table shows:

- (1) The chemical composition of each of the samples as determined by the methods of analysis adopted by the Association of Official Agricultural Chemists.
- (2) The average composition as determined by these analyses.
- (3) The digestible nutrients of these feeds. These are calculated by the use of the digestion coefficients compiled by Jordan in Bulletin 77 of the office of Experiment Stations, and which, so far as they apply to the feeds discussed in this report, are given in Table I on page 14.

## COTTON SEED MEAL.

The six samples analyzed were of excellent quality, the percentage of protein ranging from 43.1 to 45.7, and averaging 44.4; in every case being fully up to the manufacturer's guarantee.

The minimum percentage of protein is equivalent to 6.89 per cent. of nitrogen. A considerable number of samples of cotton seed meal analyzed in March, 1902, contained less nitrogen than this. The cotton-seed oil producers, in convention at New Orleans, prescribed that either "choice" or 'prime" cotton seed meal should contain not less than 6.58 per cent. of nitrogen (8 per cent. of ammonia).

The average percentages of protein and fat, and the average prices, for the last three years have been:

			1899	1900	1901
No. Sam	ples .		10 .	4	6
Percenta	ge of	Protein	46.4	43.9	44.4
- 44	**	Fat	10.4	8.6	9.8
Average	price		\$24.00	27.00	28.80

<sup>\*</sup>The microscopic work in connection with the analyses of these feeds was done by Mr. A. L. Winton; the chemical analyses were made by Messrs. Winton, Ogden and Silverman. The results were prepared for publication by the Director.

#### LINSEED MEAL.

Confusion still exists in the use of the terms, "old process" and "new process."

By the "old process" the oil is removed by hydraulic pressure, while the "new process" extracts the oil by a solvent, usually benzine. New process meal commonly has less than 21/2 per cent. of oil remaining in it, while old process meal has three or more times that amount. The analyses show that samples 4283, 4302, 4413 and 4545 are old process meals, while 4320, 4317, 4309 and 2439 are new process, although 4309 was sold as "old process" meal.

The samples analysed this year were of good quality, one of them containing 44 per cent. of protein, an abnormally high percentage. The average percentages of protein and fat found in linseed meal, with the prices for the last three years, are as follows:

	1	800	10	000	10	OI .
Process,	New.	899 Old.	New.	Old.	New.	Old.
No. of Samples	4	8	2	3	3	4
Percentage of Protein	37.7	33.8	38.4	31.3	39.0	34.4
" ' Fat	2.4	7.7	24	6.7	1.8	7.7
Average price	\$28.10	29.00	32.50	31.00	30.00	30.50

New process meal has from four to seven per cent. more of protein, and from four to five per cent. less of fat, than the old process meal.

## Guarantees.

Samples 4320, 4309, 2439 were guaranteed to contain 38 per cent. of protein and I per cent. of fat, and fully met this guarantee.

The composition of samples 4413, guaranteed 32 per cent. of protein and 5 of fat, and 4545, guaranteed 34 per cent. of protein and 6 of fat, fully met the guarantees.

Samples 4317 and 4283 had no guarantees.

## WHEAT FEEDS.

These are by-products in the manufacture of wheat flour. Several different processes of milling are in common use, yielding by-products which are not entirely alike in composition.

There are also differences in composition between the products from winter wheat and those from spring wheat.

Wheat Bran consists of the outer layers of the wheat berry, which are dark in color and do not easily pulverize.

Wheat Middlings, as found in the feed market, consist of inner layers of the covering of the berry, which are lighter in color and more easily pulverized than bran, and of other parts from which fine white flour cannot be made.

Red Dog Flour is the poorest grade of flour; off color and often sold as a cattle food. It is also used for paste and in making "pancake leather"—composed of leather scraps and flour paste compacted by hydraulic pressure, stated to be made up into soles for children's shoes.

Many mills do not sell bran and middlings separately, but run them together, often with other waste wheat products, and sell the mixture as "Mixed Feed."

With a single exception the samples of wheat feed were not accompanied with any statements of guaranteed composition.

In the table which follows, the wheat products from the mills named below are classed as winter wheat.

Acme Milling Co., Indianapolis, Ind. American Cereal Co., Chicago. Blish Milling Co., Seymour, Ind. Cole, H. C. Milling Co., Chester, Ill. Eldred Mill Co., Jackson, Mich. Evans, Geo. F., Hoosier Mills, Indianapolis, Ind. Hannibal Milling Co., Hannibal, Mo. Harter, Isaac, & Co., Galena, O. Hecker-Jones-Jewell Milling Co., N. Y. Holly Milling Co. Hunter Bros., St. Louis. Jenks, J., & Co., Sand Beach, Mich. Kane Mill Co., Atchison, Kansas. Kehlor Bros., St. Louis, Mo. Lawrenceburg Roller Mills Co., "Snowflake," Lawrenceburg, Ind. Lexington Roller Mill Co., Lexington,

Maumee Valley Milling Co., Defiance, McDaniel & Pitman Co., Franklin, Ind. Meyer, J. T., & Co., Clinton, Mo. Miles & Son, Frankfort, Ky. Model Roller Mills, Nashville, Tenn. Moore, R. P., Milling Co., Princeton, Ind. Rex Milling Co., Kansas City, Mo. Saginaw Milling Co., Saginaw, Mich. Stock, F. W., Hillsdale, Mich. Scott's Flour Mills, Detroit, Mich. Taylor Bros. Milling Co., Quincy, Ill. Valley City Milling Co., Grand Rapids, Mich. Voigt Milling Co., Grand Rapids, Mich. Walsh De Roo Milling Co., Holland, Mich.

The wheat products from the following mills are classed as from spring wheat.

Anchor Milling Co., Superior, Wis. Andrews & Co., Minneapolis. Banner Milling Co., Buffalo, N. Y. Bay State Milling Co., Winona, Wis. Berger, Anderson Co., Milwaukee. Daisy Roller Mill Co., Milwaukee, Wis. Davis Co., J. G. Duluth Imperial Mill Co., Duluth. Freemen Milling Co., Superior, Wis. Grafton Roller Mills, Grafton, N. D. Imperial Mill Co., Duluth, Minn. Lake Superior Mills, Superior, Wis. Listman, Wm., Milling Co., Superior, Miner-Hillard Milling Co., Wilkes Barre, Penn. Minkota Milling Co., Superior, Wis.

Moseley & Motley Milling Co., Rochester, N. Y. New Prague Milling Co., New Prague,

Minn.

North Dakota Milling Association, No. Dakota.

North Western Consolidated Milling Co., Minneapolis.

Pillsbury-Washburn Co., Minneapolis. Russell & Miller Milling Co., Superior, Wis.

Sheffield Milling Co., Faribault, Minn. Star & Crescent Milling Co., Chicago. Urban Roller Milling Co., Buffalo, N. Y. Washburn-Crosby Co., Minneapolis. Whitney & Wilson, Rochester, N. Y. Woodworth & Co., E. S., Minneapolis.

## Bran from Winter Wheat.

The six samples examined show considerable range in the percentage of protein, from 14.75, in Canadian bran, to 18.06. All appear to be free from adulteration.

## Bran from Spring Wheat.

The eighteen samples examined were all of excellent quality as judged by chemical composition.

## Middlings.

All the samples, both of winter and of spring wheat middlings, were of good quality, the spring middlings containing considerably more protein.

## Mixed Feed.

In the table are included 26 analyses of winter wheat mixed feed, and nine of spring wheat feed. In every case the feed is, judged by chemical analyses alone, of excellent quality.

Average Composition of the Various Wheat Products.

The average composition of the various wheat feeds as sold in Connecticut in the last three years, with their prices, are given in the following table: AVERAGE COMPOSITION AND PRICE OF WHEAT FEEDS IN CONNECTICUT IN 1899, 1900 AND 1901.

1899	Winter.	n. Spring.	Winter.	llings. Spring.	Mixed Winter.	Feed. Spring.
Protein	15.9	- 15.6	15.8	15.6	16.8	16.8
Fat	4.3	4.7	4.4	4.7	4.5	5.1
Ton price	\$19.80	19.14	19.00	19.25	19.44	19.25
1900.						and and
Protein	16.1	16.5	17.7	19.1	18.1	17.6
Fat	4.6	5.0	4.7	5.5	4.7	5.3
Ton price	\$21.09	20.00	21.00	21.50	21.00	20.80
1901.						
Protein	16.3	17.3	18.0	19.7	17.5	18.5
Fat	4.5	4.7	5.0	5.5	4.7	5.1
Ton price	\$21.80	21.06	22.75	22.10	22.20	22.20

This table indicates that

- The spring wheat products, as a rule, have somewhat higher percentages, both of protein and fat, than the winter wheat products.
- 2. This difference is rather more striking in the case of middlings than in that of either bran or mixed feed.
- 3. The percentages of protein and of fat in bran are rather lower than in either middlings or mixed feed.
- 4. On the average the winter wheat products sell at a slightly higher price than the spring wheat products.

#### Guarantees.

Of all the samples of wheat feeds examined, only one had a guarantee of composition. This was a middlings from N. L. Berry & Co., Providence, R. I., in which 16.85 per cent. of protein and 5.2 per cent. of fat were guaranteed. The sample contained 18.5 per cent. of protein and 4.66 per cent. of fat.

## ADULTERATED MIXED FEED.

Three samples of mixed feed have been found to be grossly adulterated with ground corn-cobs. Two of these samples, Nos. 4295 and 4406, bore the brand, "Choice Eclipse Mixed Feed." Both were traced to the W. R. Mumford Co., feed dealers of Chicago, but could be traced no further; no reply, regarding these adulterated feeds, being received to letters of

inquiry which were correctly addressed to this firm and were delivered.

The third sample, 4470, was stated to be sold by D. C. Comstock, Providence, R. I., under the name "C" mixed feed. Letters sent to that address were returned, as no such person could be found. We have since heard that he has left Providence and has gone out of business.

The fragments of corn-cob were easily and certainly identified by Mr. Winton with the microscope. The chemical composition also establishes the fact of adulteration. There follows the average composition of winter and spring mixed feed and for comparison the analyses of the adulterated samples.

	Pt	ire.	Adı	Cobs.	
	Winter Wheat Feed.	Spring Wheat Feed.	Choice Mixe 4295	Eclipse d Feed 4406	C. Mixed Feed 4470
Water	9.11	9.22	8.62	8.23	8.07
Ash	5.64	5.26	4.53	4.74	4.73
Protein	17.51	18.54	12.50	12.44	13.75
Fiber	7.70	8.31	14.59	17.07	13.54
Non-nitrogenous Extract	55.36	53.56	56.27	54.17	56.34
Fat	4.68	5.11	3.49	3-35	3.57
	100.00	100.00	100.00	100.00	100.00

Calculation shows that a mixture of 75 pounds of wheat feed and 25 pounds of ground corn-cobs would have the same composition as these "Choice Eclipse" and "C" frauds.

They are frauds because sold under a name applied, by the produce exchanges and dealers and purchasers alike, only to feeds consisting wholly of wheat products, being a mixture of bran and middlings or of all the waste portion of the wheat used for the flour manufacture. They are also sold for the same price as genuine mixed feed.

## MAIZE AND MAIZE PRODUCTS.

#### Corn Meal.

The two samples, of which analyses are given in the table, have the average composition. They were not sold with a guarantee.

#### Gluten Meal.

The Atlantic Gluten Meal, made at Westport, Conn., is a wheat gluten containing 42.75 per cent. of protein, much more than the corn glutens contain, and its composition is fully up to what is guaranteed.

Only two other brands of gluten meal were found by our sampling agents: Cream Gluten Meal, made by the Chas. Pope Glucose Co., and Chicago Gluten Meal, made by the Glucose Sugar Refining Co., both of Chicago.

The average percentages of protein in the two samples of Cream Gluten agreed with the guarantee, but the amount of fat was nearly two per cent. below the guarantee. The guarantee of 39 per cent. of protein and 2 per cent of fat in Chicago Gluten Meal is understood to refer to a dry basis. The three samples analyzed contained, on the average, 8.73 per cent. of moisture, 35.98 of protein and 3.42 of fat, which calculated to a dry basis, is 39.4 per cent. of protein and 3.7 per cent. of fat.

#### Gluten Feed.

The table contains analyses of a considerable number of brands of gluten feed. The average composition of each brand is given below with the guarantee.

	Pr	rotein.		Fat.
	Found.	Guaranteed.	Found.	Guaranteed.
Buffalo Gluten Feed	26.60	28.0	3.51	3.0
Pekin " "	26.15	27.5	3.50	3.3
Davenport " "	25.68	27.0	4.23	30
Marshalltown Gluten Feed	27.66	27.0	3.61	3.0
Waukegan " "	26.62	27.3	4.22	3.4
Geneva " "	26.19	27.0	3.76	3.0
Nat'l. Starch Co.'s Gluten Feed	25.37	31.7	3.06	4.3

The Buffalo, Davenport and Marshalltown Gluten Feeds are made by the Glucose Sugar Refining Co. of Chicago. If their guarantees refer to water-free basis, then the goods sampled were above the manufacturer's guarantee in composition, but if not, both the Buffalo and Davenport feeds are below it.

## Germ Oil Meal.

Made from corn germs by the Glucose Sugar Refining Co. of Chicago, contains, in the dry substance, the guaranteed percentage of protein, 25.5, and of fat, 10.5.

## Corn Bran Sugar Feed.

This material, apparently sold without guarantee, contains only about one per cent. more of protein than corn meal and is not, therefore, by any means a concentrated feed which can be profitably used for supplying protein to balance a ration.

## Hominy Feed and Hominy Chop.

Twenty-one samples of this feed are given in the table. The percentage composition is quite uniform. This feed, which has sold for about the same price as wheat bran, contains about five per cent. less of protein and three or four per cent. more of fat than the wheat feeds. It is, therefore, a more costly feed to use. Generally it is sold without a guarantee.

The Niagara Hominy Meal has, however, a guarantee of 11 per cent. of protein and 8 of fat, which is fully met in the three samples analyzed.

Hunter Bros. Hominy Feed is guaranteed to contain 11 per cent. of protein and 7.70 per cent. of fat, and the single analysis shows somewhat more than these percentages.

## Cerealine Feed.

This is a corn product, not greatly differing from hominy chop in composition, containing three fourths of a per cent. more of protein, about one and a half per cent. less of fat and two and a half less of fiber.

#### RYE FEED.

Analyses of six samples are given in the table. One of them, 4391, is very different from the others in composition and quite inferior to them, having four per cent. less of protein. The other five samples have the usual composition of rye feed. No guarantees of composition were given with these feeds.

## BUCKWHEAT PRODUCTS.

## Buckwheat Middlings.

This feed, which has been made and sold for years by the Quinnebaug Store of Danielson, is richer in protein than the gluten feeds, is moderate in price and is said to give excellent results as a feed for milch cows.

#### Buckwheat Shucks.

As the analysis shows, have very little, if any, feeding value.

#### FACTORY MIXED FEEDS.

#### Provender.

Of the twenty-seven samples, of which the analyses are given in the table on pages 34-35, one, 4335, is stated to contain wheat middlings which explains its higher percentage of protein.

A single sample, 4537, stated to be ground by M. L. Crittenden, at Buffalo, N. Y., is inferior, containing only 8.75 per cent. of protein; the others, most of them ground at local mills in this State, have the average composition and are of good quality.

Provender ground at the small mills in this State is generally of better quality than that which is brought in from the West.

The Sterling Provender, 4537, above referred to, has a guarantee of 7.9 per cent. protein and 6.3 per cent. It is far below guarantee in both particulars.

Sample 4490, made by E. C. Dennis, has a guarantee of 12 per cent. protein and 2.5 per cent. of fat. The protein found is nearly 2 per cent. less than the guarantee.

The provenders with guaranteed composition are:

		Protein.		Fat.	
		Guaranteed.	Found.	Guaranteed.	Found.
4537	M. L. Crittenden, Buffalo	9.9	8.75	6.3	2.40
4490	E. C. Dennis	12.0	10.19	2.5	4.27
4426	Narragansett Milling Co	10.5	18.01	4.3	4.25
4390	Miner, Hillard	10.5	10.12	4.3	4.28

## OAT FEEDS, AND CORN AND OAT FEEDS.

These appear under various names, Monarch Chop Feed, Boss Corn and Oat Feed, Vim Oat Feed, Royal Oat Feed, De-Fi Corn and Oat Feed, etc. The Vim Oat Feed and Royal Oat Feed consist largely of oat hulls, as is shown both by chemical and microscopic examination. Victor Corn and Oat Feed also contains some wheat. None of these things need any special discussion.

The "corn and oat feeds" as a rule consist of manufacturing rubbish and cannot be used economically for feeding purposes.

## CORN, OATS AND BARLEY.

This mixture, put up by the American Cereal Co. of Chicago, judged from the five analyses in the table, has a fairly uniform composition, and is sold under a guarantee of 10.8 per cent. of protein and 3.5 per cent. of fat. All of the samples contained considerably more than the guaranteed amounts.

#### PROPRIETARY FEEDS.

These are mixtures sold under trade names which are supposed to be copyrighted.

The Quaker Dairy Feed and American Poultry Food, made by the American Cereal Co. of Chicago; the Dairy Feed, Horse Feed and Poultry Food, made by the H. O. Co. of Buffalo, N. Y., have a fairly uniform composition.

The average composition of these brands, with their guarantees, are as follows:

	Protein.			
	Found.	Guaran- teed.	Found.	Guaran- teed.
American Cereal Co.'s Quaker Dairy Feed	13.60	12.0	3.33	2.50
American Poultry Food	14.37	14.0	6.85	5.50
H. O. Co.'s H. O. Dairy Feed	19.69	18.0	4.10	4.50
H. O. Horse Feed	13.03	12.0	4.33	4.50
H. O. Poultry Food	17.93	17.0	5.23	5.50

The Quaker Dairy Feed is a mixture of corn and wheat products; H. O. Dairy Feed contains oats, wheat, corn and cotton seed; H. O. Horse Feed is made of oats, corn, wheat and linseed; the H. O. Poultry Food is a mixture of corn, oats and wheat, and the American Poultry Food contains corn and wheat.

Blatchford's Calf Meal has practically the same composition as was found last year. It was found to be a mixture of ground carob beans, linseed, a wheat product, cotton seed and fenugreek, containing about the same percentages of protein, fat and nitrogen-free extracts as the gluten feeds.

The analyses of six animal meals, and other poultry feeds, are also given in the table, and at the end are analyses of four condimental foods or medicines.

#### CONDIMENTAL AND MEDICINAL CATTLE FOODS.

Poultriotone is a mixture of wheat offal, corn, bone, salt and charcoal.

Pasture Stock Food contains corn, linseed, a wheat product, ginger, charcoal and salt.

Imperial Egg Food contains a wheat product, bone, carbonate of lime, red pepper, with 6 per cent. of sand.

Wilbur's Seed Meal Horse and Cattle Food contains gluten meal, wheat, linseed, charcoal and salt.

Regarding these condimental foods we can only repeat what was said last year.

The claims that by the use of condiments and spices the digestibility of food can be increased and in this way a saving of feed can be effected, have no basis in fact. No experiments have demonstrated or made even probable such an effect. Stock feeders will be very slow to believe that cotton-seed meal, linseed meal, wheat feeds, or corn products can be made more easily digestible or even more acceptable to healthy cattle by mixing with them Epsom salts, charcoal, ginger or fenugreek.

The Prices of Condimental Feeds. The cheapest of those collected in this state in 1901 cost about 20 cents per pound, the most expensive 25 cents.

As foods, pure and simple, such prices are ridiculous and prohibitive. If in large lots they can be bought at half or a quarter of the rates for small packages; even such a discount would make them twice as costly as our most expensive standard feeds, and no one of them is as concentrated a feed as either cotton-seed meal, linseed meal or gluten meal.

In buying medicines mixed at a drug store one pays very much more in proportion than he would for the ingredients singly, in bulk, and in much larger quantity. He pays for the convenience of having all of them accessible in one place in as small amount as he desires, mixed accurately according to his written directions and put up to be conveniently carried.

There is, however, absolutely no sense in buying at a very high price a lot of drugs of rather mild medicinal properties, of unknown kinds and in unknown proportions, which claim to take the place of a part of the food and to cure almost every ill and defect that cattle and fowls are heir to.

Salt, charcoal, Epsom salts, sulphur, fenugreek, gentian, cavenne and ginger:-they can all be bought probably in any village in Connecticut, they are already in the stables of many dairy farmers and are used by them, their value is well known, and also their uselessness for the treatment of serious illnesses.

Table I.—Digestion Coefficients, or Percentages of the FOOD INGREDIENTS, FOUND BY ANALYSIS, WHICH ARE DIGESTIBLE BY NEAT CATTLE.

(Jordan's Compilation, Office of Experiment Stations, Bulletin 77.)

	Protein.	Fiber.	Nitrogen-free Extract.	Fat.
Cotton Seed Meal	88	56	61	93
Linseed Meal, new process	85	80	86	97
Linseed Meal, old process	89	57	78	89
Corn Meal	68		95	92
Gluten Meal	88		90	94
Gluten Feed	86	78	89	84
Wheat Bran	78	29	69	68
Wheat Middlings	80	33	81	86
Wheat Mixed Feed	80	25	78	78
Rye Meal	84	MIIO 2	92	64
Malt Sprouts	80	33	68	100
H. O. Dairy Feed	78	41	70	86
H. O. Horse Feed	74	35	79	84
Quaker Oat Feed	81	43	67	89
Victor Corn and Oat Feed	71	48	83	87

The use of the above table is quite simple. Suppose analysis shows a certain sample of cotton-seed meal to contain 43.5 per cent. of protein; that is, 43.5 pounds of protein in 100 pounds of the meal. It is desired to know how much digestible protein are contained in 100 pounds of meal. The table of "digestion coefficients" shows that of every 100 pounds of crude protein

in cotton-seed meal 88 pounds are digestible. It follows by the rule of three (100 is to 88 as 43.5 is to 38.28), that of the 43.5 pounds of protein, 38.28 pounds are digestible. To apply the table, multiply the percentage found on analysis by the proper coefficient taken from the table and divide the product by 100. The result will be the percentage amount of digestible protein, fiber, etc., as the case may be.

## REGARDING THE PURCHASE OF COMMERCIAL FEEDING-STUFFS.

It needs to be constantly borne in mind that feeding-stuffs are bought to supply a deficiency of protein in those which are usually raised on the farm.

Hay, corn fodder, ensilage and stover form the basis and make up the bulk of the cattle food and should supply all the coarse feed, as well as most of the starch, sugar and fat which are needed.

They are, however, deficient in protein. The feeder's aim then is, or should be, to buy digestible protein at as low a price as he can, in forms relished by his stock. He is not in the market to buy mixtures of cattle medicine and food, nor starchy foods, nor woody fiber, nor the many wastes of factories, where so-called "breakfast goods" for human use are made.

It will very rarely pay him to buy anything which contains as little protein as corn meal. Corn meal he can raise much cheaper than he can usually buy it—and corn meal fed with hay or ensilage needs the addition of some feed richer in protein, in order to avoid waste of starchy matter in feeding.

Table II is a list of the commercial feeding-stuffs mentioned in this Bulletin with the percentages of protein and fat in them, and their average prices, arranged according to the per cent. of protein, the ingredient which the buyer is chiefly concerned with.

Study of the table shows that we have five or six distinct groups of feeding-stuffs:

- Cotton-seed meal and Atlantic gluten with over 40 per cent. of protein and costing respectively \$28.80 and \$30.00 per ton.
- 2. The linseed and gluten meals and buckwheat middlings, containing between 30 and 40 per cent. of protein, the prices ranging from \$20.00 to \$33.30 per ton.

- The gluten feeds containing from 20 to 30 per cent. of protein, prices ranging from \$23.00 to \$25.00 per ton.
- 4. The wheat feeds, H. O. dairy feed and rye feed, having between 15 and 20 per cent. of protein and costing from \$21.00 to \$25.00 per ton.
- Lower grade feeds which the feeder of dairy stock need not consider at all in buying protein to balance a ration made up of home-grown fodder.

It will also be noticed that the percentages of fat in these feeds are not very unlike, ranging between 1.4 and 5.5 per cent., with the exception of cotton-seed meal, old process linseed meal, hominy chops and buckwheat middlings, so that a rough comparison of the feeds can be made, taking account of protein alone, as that is the ingredient which the feeder is chiefly concerned in getting.

Such a comparison would show the following:

If 20 pounds of Pre	otein in (	Cotton Seed Meal cost	\$0.65
Then 20 pounds of	Protein	in Atlantic Gluten Meal costs about	.70
de is 'not in the	"5	Linseed Meals " "	.82
out, nor starciny	biffs on	other Gluten Meals " "	.88
incipines, whiere	io thing	Gluten Feeds " "	-93
"shein	216 210	Wheat and Rye Feeds and H. O.	
		Dairy Feed cost about	1.23
con thise much	neal he	Corn and Oat Feeds costs about 2.	54-2.91

The above is not intended to do more than make a rough but practically just statement of the *comparative* cost of protein in the several classes of feeding-stuffs. Of course all feeds contain other valuable food ingredients besides protein and fat, but they are not ingredients which the feeder needs to buy.

As a general rule, he cannot afford to buy anything belonging in class 5. Home-grown corn meal makes anything in this group superfluous.

It is the part of economy to raise all the corn meal which is needed at home, not to buy anything to balance the cattle ration containing less protein than wheat feeds, and to let all condimental and medicinal cattle foods alone. "Cheap" and low grade oat feeds do not contain what the feeder needs to buy for his stock, and they are therefore worthless to him.

TABLE II. — COMMERCIAL FEEDS ARRANGED ACCORDING TO THE PER-CENTAGES OF PROTEIN IN THEM.

ch is almost universally used	Protein. Per cent.	Fat. Per cent.	Cost. Per ton.
Cotton Seed Meal	44.4	9.8	\$28.80
Atlantic Gluten Meal	42.8	1.4	30.00
New Process Linseed Meal	39.0	1.8	30.00
Chicago Gluten Meal	36.0	3.4	33.30
Cream Gluten Meal	34.5	1.3	28.50
Old Process Linseed Meal	34.4	7.7	30.50
Buckwheat Middlings	30.7	8.2	20.00
Marshalltown Gluten Feed	27.7	3.6	25.00
Buffalo Gluten Feed	26.6	3.5	24.70
Waukegan Gluten Feed	26.6	4.2	25.00
Pekin Gluten Feed	26.2	3.5	24.00
Geneva Gluten Feed	26.2	3.8	24.00
Davenport Gluten Feed	25.7	4.2	23.00
Nat'l. Starch Co.'s Gluten Feed.	25.4	3.1	25.00
Spring Wheat Middlings	19.7	5.5	22.10
H. O. Dairy Feed	19.7	4.1	25.30
Spring Wheat Mixed Feed	18.5	5.1	22.20
Winter Wheat Middlings	18.0	5.0	22.75
Winter Wheat Mixed Feed	17.5	4.7	22.20
Spring Wheat Bran	17.3	4.7	21.06
Winter Wheat Bran	16.3	4.5	21.80
Rye Feed	15.8	3.0	24.10
Quaker Dairy Feed	13.6	3.3	22.00
H. O. Horse Feed	13.0	4.3	25.00
Corn, Oats and Barley	12.6	4.9	25.20
Hominy Feed	11.4	8.5	24 45
Corn Bran Sugar Feed	11.0	4.1	19.75
Provender	10.6	4.3	24.00
Victor Corn and Oat Feed	10.3	4.1	23.25
Corn Meal	9.7	4.1	26.70
De-Fi Oat Feed	9.3	3.1	23.66
Boss Corn and Oat Feed	8.9	3.5	26.00
Vim Oat Feed	7.9	2.9	18.00
Royal Oat Feed	6.3	2.2	17.00

## THE WEIGHT OF ONE QUART OF VARIOUS FEED-ING-STUFFS.

The following table gives the weight of one quart of the feeds named, and is useful to calculate the weight of grain ration fed, from the measure which is almost universally used on farms.

This table was prepared by Mr. H. G. Manchester of West Winsted.

TABLE III.—THE AVERAGE WEIGHT OF ONE QUART OF EACH OF THE FEEDS NAMED.

#### BY H. G. MANCHESTER, WEST WINSTED.

	Pounds.
Cotton Seed Meal	I.5
Linseed Meal, old process	
Gluten Meal	1.7
Gluten Feed	1.2
Wheat Bran, coarse	0.5
Wheat Middlings, coarse	0.8
Wheat Middlings, fine	1.1
Mixed Wheat Feed	0.6
Corn Meal	1.5
Oats	1.2
Rye Bran	0.6
H. O. Dairy Feed	0.7
Victor Corn and Oat Feed	0.7

#### SUMMARY.

It appears from the foregoing discussion and tables of analyses,

- I. Cotton-seed meal, linseed meal, the gluten meals and feeds, and the factory mixed feeds of the American Cereal Co. and the H. O. Company are, as a rule, sold with a guaranteed percentage of protein and fat as is required by the state law. On the other hand, the wheat feeds, and the corn feeds—other than those named above—as well as most other feeds, are, as a rule, sold without guarantees, which is contrary to law.
- 2. The only evidence of deliberate fraud in the feed market which is shown by the analyses, is the mixing of finely ground

corn cobs with wheat feed. The brand of one of these mixtures of cobs and wheat is "Choice Eclipse Mixed Feed," sold by the W. R. Mumford Co., 528 Rialto Bldg., Chicago, Ill. The other, "C Mixed Feed," was sold by D. C. Comstock, Providence, R. I.

3. There are in the feed market a considerable number of very inferior oat feeds, and mixed corn and oat feeds, which contain a large proportion of hulls and chaff, and which cannot profitably be used by the stock feeder at any price.

4. The dairyman's chief concern in buying feeds to supplement his farm supply of corn, stover, hay, etc., should be to buy, on the most reasonable terms, protein in digestible and palatable forms. Seldom will it pay him to buy any feed containing less than 12 to 15 per cent. of crude protein.

\_st\_\_\_capinintO

Banner Milling Co. But • Inlo. N. V. 2011 Buy State Milling Co.

## TABLE IV.—ANALYSES OF COMMERCIAL FEEDS.

Commence of the contract of the		
Name of Feed.	Manufacturer or Jobber.	Retail Dealer.
siderable number of		til sassonell .g
daidy about no bus	the and mixed corn	very interior oat it
	17	contain a large prop
Cotton Seed Meal		Bridgeport, Wm. Terry & Co
a solid An	I. E. Soper & Co., Boston.	Bridgeport, win. Terry & Co
fing freeds to supple-	Mass.	Middletown, Meech & Stoddard
of od bloods	G. B. Robinson, Jr., New	N W B C D
tim to diescible and		New Haven, R. G. Davis
that you and of m		Abner Hendee
" "Dixie Brand	Humphreys, Goodwin &	The state of the s
Thatout Anna		New Milford, T. Soule & Co
		Williamskie H A Bushes
Bally State Street	Brinkley, Ark	Willimantic, H. A. Bugbee Average of the above 6 analyses
New Process Linseed Meal.		Average digestible
Linseed (Oil) Meal	Not known	Bridgeport, W. M. Terry & Co
	1207	Wheeler & Howe
		Hamden, Ira W. Beers
(Oii) Mear	Not known	New Haven, R. G. Davis
Linseed Meal, Old Process.	Alma .	
Lins'd Meal, Square Brand	Not known	New Haven, J. T. Benham
		Abner Hendee
0010-00-00-00-0		New London, Arnold Rudd
"		Trew Bondon, Illinoid Ruddill.
	falo, N. Y	Rockville, Edward White
		Average of the above 4 analyses
		of New Process linseed meal. Average digestible
The Part of the Pa	OF THE PRINCIPLE	Average of the above 4 analyses
		of Old Process linseed meal.
	Selection of	Average digestible
		Handan In W Boom
	C. M. Cox & Co., Boston.	Hamden, Ira W. Beers New Haven, J. T. Benham
	Stott's Flour Mills, De-	Tron Marca, J. M. Donnamillion
	troit, Mich.	Yantic, A. R. Manning & Co
" Michigan		New Milford, Ackley, Hatch &
" Choice		Marsh
Choice		Waterbury, Platt's Mill Co
and the state of the state of	Impidot Patomitation	Average of the above 5 analyses
		Average digestible
Bran from Spring Wheat.		Constille B H Below
	Banner Milling Co. Buf	Greenville, B. H. Palmer
Daniel		Willimantic, W. D. Grant
"	Bay State Milling Co.,	
	Winona, Minn	Norwich, A. A. Beckwith
" Badger	Bergen Anderson Co.,	
	" "Dixie Brand "  New Process Linseed Meal. Linseed (Oil) Meal " (Oil) Meal Linseed Meal, Old Process. Lins'd Meal, Square Brand " "  "  WHEAT PRODUCTS. Bran from Winter Wheat. Bran, Canadian " White " Winter Wheat " Michigan " Choice  Bran from Spring Wheat. Bran " Banner " Banner	Cotton Seed Meal.  Cotton Seed Meal.  " " J. E. Soper & Co., Boston, Mass.  " " " Independent Cotton Oil Co., Memphis

SAMPLED IN 1901.

,	Analyses.							
Station No.	Water.	Ash.	Protein.	Fiber.	Nitrogen-free Extract. (Starch, gum, etc.)	Ether Extract.	Price per to	
			-nit(	D. S. oralin	no al aparel		Bun	
4319	8.46	7.31	45-75	9.90	19.08	9.50	\$28.0	
4524	7.74	6.40	45-37	5.39	25.94	9.16	29.0	
2438	8.51	6.41	43.12	6.69	26.42	8.85	28.0	
4303	8.56	7.27	43.56	5.46	23.79	11.36	32.0	
4362	8.07	7.16	45.31	6.45	22.72	10.29	28.0	
4515	6.74 8.01	7.26 <b>6.97</b>	43.25 44.39 39.07	9.07 7.16 4.01	23.64 23.60 - 14.40	9.87 9.17	28.00	
4320 4317	10.19	5.35 5.30	44.00 37.31	5.24 9.74	33.69 36.03	1.53	30.0 35.0	
4309 2439	9.87 10.41	5.40 5.58	39.87 39.81	8.46 8.35	34.02 34.42	2.38	26.0	
4283	9.84	5.42	30.81	9.56	36.82	7.55	29.0	
4302	10.16	5.40	30.75	9.71	35.93	8.05	32.0	
4413	9.47	4.80	37.81	8.14	32.19	7.59	31.0	
4545	9.22	4.69	38.25	7.64	32.79	7.41	36.0	
ordon	10.15	5.41	40.25 34.21	7.95 6.36	34·54 29.70	1.70 1.55	MANUE.	
oursing Imore	9.67	5.08	34.41 30.62	8.76 4.99	34·43 26.86	7.65 6.81		
4307 4290	8.94 9.40	6.04 6.01	14.75 15.25	10.24 9.04	55.59 55.66	4.44 4.64	22.0	
4451	9.15	5.73	15.87	9.66	55.32	4.27	22.0	
4350	9.36	6.38	18.06	8.51	53.07	4.62	21.0	
4397	8.76 9.12	5.87 <b>6.01</b>	17.37 16.26 12.68	8.39 9.17 2.66	55.04 <b>54.93</b> 37.89	4.57 4.51 3.07	23.0	
4447	8.37	6.15	16.87	11.29	52.36	4.96	22.0	
4487	8.45	5.57	17.50	9.81	53.74	4.93	19.0	
4440	8.27	6.59	18.44	11.79	49.59	5.32	22.00	
4287	9.36	6.12	17.56	10.54	51.50	4.92	19.50	

TABLE IV .- Continued. Analyses of Commercial Feeds.

Station No.	errii Water	Name of Feed.	Manufacturer or Jobber.	Retail Dealer.
4478	Bran		L. Christian & Co., Minneapolis	Putnam, Bosworth Bros
4436			New Prague Milling Co., Minnesota	Norwich, Norwich Grain Co
4474			New Prague Milling Co., Minnesota	Danielson, Quinnebaug Store
4471	"		Parker-Leland Mill Co., Winnebago, Minn	Waldo Bros
4359	46		Pillsbury, Minneapolis	New Milford, F. R. Green
4333	**		"	Stamford, Ingersoll & Bro
4372	"	Coarse	Sheffield Milling Co., Faribault, Minn	Bethel, Judd & Judd
4308	"		Simpson, Hendee & Co., N. Y.	
4384	"	Coarse	Washburn-Crosby Co., Minneapolis	Litchfield, Marsh & Newcomb.
4288	"		Washburn-Crosby Co., Minneapolis	New Haven, J. T. Benham
4412	"		Washburn-Crosby Co., Minneapolis	New London, Arnold Rudd
4363	"		Washburn-Crosby Co., Minneapolis	New Milford, T. Soule & Co
4466	"	Snow's Flaky	E. S. Woodworth & Co., Minneapolis	
		ran, unclassified.		Average digestible
4314	Bran	"F"	Narragansett Middling	Bridgeport, Wheeler & Howe
	14:33	The second second		Stonington, S. H. Chesebro
9000	Miaa	lings, Winter Wheat.		
VV 751 753		20.7	N. L. Berry & Co., Providence. R. I.	New London, E. H. Caulkins
4386			Dow & King, Pittsfield, Ill.	Litchfield, Marsh & Newcomb
4407			Isaac Harter Co., Toledo, Ohio	Guilford, G. F. Walter
4421			Hecker-Jones-Jewell Co., New York	The pool of the the Ton Sept. I co
4416			Hecker-Jones-Jewell Co.,	
4411			New York Hecker-Jones-Jewell Co.,	Beebe & Bragan
4334			New York	Arnold Rudd
4414			New York Hunter Bros., St. Louis	Stamford, Ingersoll & Bro New London, Arnold Rudd
4311			Simpson, Hendee & Co., New York	Hamden, Ira W. Beers
1225			Stott's Flour Mills, De- troit, Mich	Yantic, A. R. Manning & Co
4435	Choic	e	Valley City Mill Co., Grand Rapids	Norwich, Norwich Grain Co
4396			Voigt Milling Co., Grand Rapids	Waterbury, Platt's Mill Co Average of above 12 analyses Average digestible

SAMPLED IN 1901.

9 4478 4436 4474	Water.  8.55 8.22 8.21	Ash. 6.77 6.85	Protein.	Fiber.	Nitrogen-free Extract. (Starch, gum, etc.)	Ether Extract,	Price per ton
4436	8.22	F Kalley	18.62				
The second		6.85		10.31	50.61	5.14	\$22.00
4474	8.21		17.50	11.96	50.27	5.20	23.00
Design Value		6.58	18.12	10.99	50.95	5.15	21.00
4477	8.00	FOT	17.01	10.76	5404	3.89	27.00
447I 4359	9.44	5.91 6.03	17.31	11.11	54.04 51.35	4.88	21.00
4333	8.96	7.50	16,56	11.49	50.81	4.68	21.00
4372	8.87	6.26	16.62	12.56	51.85	3.84	22.00
- Disperience	ar I be are	6.65	W	Carrier	Wall and the same of the same		
4308	9.28	To silve	16.31	9.51	53.79	4.46	20.50
4384	8.96	6.20	17.06	10.79	52.26	4.73	23.00
4288	9.21	6.28	17.62	10.25	51.44	5.20	20.00
4412	8.65	6.25	16.87	11.54	52.14	4-55	20.00
4363	8.72	6.92	17.44	11.89	51.12	3.91	21.00
4466	8.53	6.51	16.62	11.45	52.27	4.62	20.00
4400	8.71	6.42	17.31	11.06	51.77	4.73	20.00
	0.,-	0.42	13.50	3.21	35.71	3.22	
4314	9.50	6.35	17.81	9.69	51.62	5.03	20.00
4429	8.22	6.23	17.25	11.64	51.74	4.92	22.00
4419	9.75	3.91	18.50	4.99	58.19	4.66	23.00
4386	9.18	4.52	17.19	6.39	57.78	4.94	24.00
4407	9.68	3.95	17.06	5.51	59.04	4.76	23.00
4421	8.89	5.13	18.81	8.21	53.81	5.15	21.00
4416	8.80	4.90	18.62	9.29	53.04	5-35	21.00
4411	9.15	4.99	17.75	9.46	53.50	5.15	21.00
4334	9.71	4.68	18.87	7.24	54.67	4.83	22.00
4414	9.20	4.20	17.19	5.16	58.06	6.19	24.00
4311	10.13	4.05	17.87	5.34	57.91	4.70	23.00
4450	10.10	3.75	18.69	3.86	58.63	4.97	23.00
4435	9.87	4.87	17.50	5.29	57.74	4.73	23.00
4396	10.27	4.07	17.50	5.16	58.47	4.53	25.00
	9.56	4.42	17.96	6.32	56.75 45.96	4.99	-

TABLE IV .- Continued. ANALYSES OF COMMERCIAL FEEDS.

		All Allert A. L.	
Station No.	Name of Feed.	Manufacturer or Jobber.	Retail Dealer.
	Middlings, Spring Wheat.		The section of the se
		Bay State Milling Co., Winona, Minn	Norwich, A. A. Beckwith
		L. Christian & Co., Min- neapolis	Putnam, Bosworth Bros
	Daisy	Daisy Roller Mills, Mil- waukee	Jewett City, J. E. Leonard & Son.
		J. G. Davis Co., Rochester, N. Y.	Danielson, Quinnebaug Store
4423	Colonial	Miner-Hillard Mill Co., Wilkesbarre	Groton, Groton Grain Co
		New Prague Milling Co., New Prague, Minn.	
4433		Northwestern Con. Milling Co., Minn	Mystic, J. L. Manning & Co
4284	22	Northwestern Con. Mill-	
4492		ing Co., Minn.	New Haven, J. T. Benham
	"B"	ing Co., Minn	Willimantic, E. A Buck & Co Danbury, O. H. Meeker
4448		The " office " party	New Milford, T. Soule & Co
4360	" A "		F. R. Green
4345		" " "	West Cornwall, Smith & Sons
4367		Sheffield Milling Co., Faribault, Minn	Bethel, Johnston & Morrison
4382	***************************************	Sheffield Milling Co., Faribault, Minn	Danbury, O. H. Meeker
4310		Simpson, Hendee & Co.,	
4459		New York Urban Roller Mill Co., Buffalo	Jewett City, J. E. Leonard & Son
4453	Standard	Washburn-Crosby Co., Minneapolis	Yantic, A. R. Manning & Co
4370	Snow's Cream Flour	Woodworth & Co., Min- neapolis	
	15 1.25 E 15.6	neapons	Average of above 20 analyses
4321	Middlings, unclassified.		Average digestible Bridgeport, W. M. Terry & Co
4318			Wheeler & Howe
4376	Dexter	Chapin & Co	Danbury, F. C. Benjamin & Co
4476	Standard		Danielson, Quinnebaug Store
			New Haven, Abner Hendee
		D. W. Comstock & Co., New York	Plainfield, J. P. Kingsley & Son_
4332	6 C C C C C C C C C C C C C C C C C C C	C. M. Cox, Boston	So. Norwalk, M. T. Hatch
4428	Sec. 1. 10.1. 1. 10.1	Naragansett Milling Co., R. I.	Stonington, S. H. Cheseboro
· a	Mixed Feed from Winter Wheat.	1 645 1 983	Car Syle when
4544	Acme Feed	Acme Milling Co., Indian-	Rockville, Edward White
4449	"	Acme Milling Co., Indian- apolis	Yantic, A. R. Manning & Co
			and the same of th

SAMPLED IN 1901.

,	Analyses.						
Station No.	Water.	Ash.	Protein.	Fiber.	Nitrogen-free Extract. (Starch, gum, etc.)	Ether Extract.	Price per to
	me¥46.	montalm,	Cont. In D	antalk tro	sawora Tara Jane		n skruti
4439	8.69	5.28	21.25	7.24	51.14	6.40	\$22.0
4484	9.16	6.33	20.19	7.94	50.91	5.47	21.0
4457	9.74	4.70	19.69	6.39	54.64	4.84	23.0
4477	9.75	3-55	19.50	4.84	57.76	4.60	21.0
4423	8.52	3.63	21.19	6.04	52.87	7.75	24.0
4519	9.52	4.87	19.56	8.36	52.42	5.27	22.0
4433	9.07	5.02	18.19	9.01	53.27	5.44	23.0
4284	9.59	4.85	18.69	9.04	52.30	5.53	20.0
4492	8.67	5.27	17.12	11.14	52.37	5.43	21.0
4381	9.28	5.07	18.37	9.76	52.62	4.90	21.0
4448	8.80	5.27	18.44	10.04	52.09	5.36	22.0
4366	9.17	4.47	19.75	8.94	52.41	5.26	21.0
4360	9.25	4.25	19.87	6.26	54.94	5.43	23.0
4345	10.17	4.13	19.69	6.49	54-49	5.03	24.0
4367	10.18	3.78	20.50	4.71	55-34	5.49	24.0
4382	9.95	3.90	20.19	4.36	56.02	5.58	22.0
4310	10.22	4.41	19.94	7.74	51.82	5.87	21.0
4459	9.71	4.01	19.31	6.04	55.89	5.04	22.0
4453	9.29	4.78	19.94	7.76	53.01	5.22	21.0
4370	10.12	3.74	22.19	3.61	54.86	5.48	24.0
457-	9.44	4.57	19.68	7.29	53.55	5.47	
	mind de	111111111111111111111111111111111111111	15.74	2.43	43.38	4.70	besille
4321	9.55	4.39	18.69	9.64	52.83	4.90	22.5
4318	9.03	4.48	18.06	6.79	56.59	5.05	21.0
4376	8.95	4.82	20.25	7.06	53.25	5.67	22.0
4476	9.58	4.77	19.75	8.26	52.61	5.03	21.0
4301	8.71	4.57	19.19	6.71	55-45	5.37	25.0
4462	9.11	5.04	19.25	7.44	53.99	5.17	20.0
4332	9.46	3.32	21.87	3.24	56.92	5.19	25.0
4428	9.03	4.90	18.62	7.56	54.92	4.97	23.0
4544	8.19	5-73	17.50	7.71	56.01	4.86	23.0
4449	8.49	5.53	17.25	7.31	56.40	5.02	22.0

## TABLE IV .- Continued. ANALYSES OF COMMERCIAL FEEDS.

,		attack.	
Station No.	Name of Feed.	Manufacturer or Jobber,	Retail Dealer.
4465 4347 4485	Buckeye Wheat Feed	American Cereal Co	Danielson, C. A. Young
	Fancy Mixed Feed	E. W. Bailey & Co., Mont- pelier, Vt.	
4399	Hoosier Mill Feed	Geo. T. Evans, Indianap-	Ansonia, Ansonia Flour & Feed
4403	Mixed Feed	Isaac Harter Co., Toledo, Ohio	Co. Ansonia, Ansonia Flour & Feed Co.
4409		Isaac Harter Co., Toledo, Ohio	
2437	"	Isaac Harter Co., Toledo, Ohio	
4331	"	Isaac Harter Co., Toledo, Ohio	So. Norwalk, M. T. Hatch
4286	"	Hecker-Jones-Jewell Co.,	New Haven, J. T. Benham
2436	*	Hecker-Jones-Jewell Co., N. Y.	
4304	rie " " joy k	Hecker-Jones-Jewell Co., N. Y.	Abner Hendee
4550	Michigan Mixed Feed	Abner Hendee, New Ha-	Avon, J. & H. Woodford
	Sunshine	Hunter Bros., St. Louis Kehlor Bros	Putnam, Bosworth Bros
4463	Snow Flake	Lawrenceburg Roller Mills Co., Ind	Danielson, C. A. Young
4354	" 8 J	Lawrenceburg Roller Mills Co., Ind	New Milford, Ackley, Hatch & Marsh
4518	· · · · · · · · · · · · · · · · · · ·	Lawrenceburg Roller Mills Co., Ind	Willimantic, H. A. Bugbee
4404		Lexington Roller Mills	Ansonia, Ansonia Flour & Feed
4539	· · · · · · · · · · · · · · · · · · ·	J. E. M. Milling Co., Frankfort, Ky	New Britain, Hugh Reynolds
4534	King Feed	R. P. Moore Milling Co., Princeton, Ind.	Wallingford, E. E. Hall
	Mixed Feed Farmers' Favorite	Valley City Milling Co., Grand Rapids, Mich.	West Cornwall, Smith & Sons New Milford, Ackley, Hatch & Marsh
4491	"	Valley City Milling Co., Grand Rapids, Mich	Stafford, E. C. Dennis
	Mixed Feed from Spring Wheat.	To the state of th	Average digestible
4375	Boston	Imperial Milling Co., Duluth, Minn.	Danbury, F. C. Benjamin & Co
4540	Jersey		New Britain, M. D. Stanley
4475		New Prague Milling Co., Minn.	
4358 4343	Fancy	Pillsbury, Minneapolis	New Milford, F. R. Green West Cornwall, Smith & Sons
4380	Superior	Washburn-Crosby Co	Danbury, O. H. Meeker

SAMPLED IN 1901.

			An	VALYSES.	Mark Line	II The state of	
Station No.	Water.	Ash.	Protein.	Fiber.	Nitrogen-free Extract. (Starch, gum, etc.)	Ether Extract.	Price per to
4465	9.41	4.84	18.31	7.11	55.87	4.46	\$22.0
4347	9.67	5.08	17.75	7.49	55.97	4.04	23.0
4485	8.66	5.30	18.56	7.26	55.48	4.74	21.0
4452	9.01	5.89	18.50	7.76	53.96	4.88	22.0
4399	8.85	5.71	17.44	7.69	55.85	4.46	22.00
4403	8.75	5.52	17.50	7.51	56.19	4.53	22.00
4409	9.07	5.90	17.56	7.91	54-75	4.81	23.00
2437	9.57	5.92	17.00	7.36	55.17	4.98	22.00
4331	8.95	5.93	17.87	7.74	54-79	4.72	22.0
4286	9.61	5.38	17.37	8.89	54.18	4.57	21.00
2436	9.85	5.79	17.37	8.69	53.42	4.88	22.0
4304	9.83	5.41	18.12	8.06	53.76	4.82	21,00
4550	8.71	5.80	17.12	3.20	55.69	4.39	22.00
4479	8.69	4.88	17.50	6.86	57.39	4.39 4.68	23.00
4547	8.63	6.33	17.37	8.31	54.80	4.56	24.0
4463	9.08	5.73	18.25	7.16	54.88	4.90	22.0
4354	9.29	6.12	18.12	7.51	54.21	4.75	23.0
4518	9.04	5.84	18.00	7.76	54-55	4.81	22.0
4404	9-37	5-53	15.87	7.31	57.01	4.91	22.0
4539	8.44	6.18	16.81	6.89	57.00	4.68	22.0
4534	8.55	5.60	17.31	7.14	56.63	4.77	22.0
4348	10.15	5.90	17.19	8.71	53.84	4.21	23.0
4351	9.60	5.37	16.75	8.26	55.44	4.58	22.0
4491	9.34	5.33	16.94	7.41	56.35	4.63	22.0
	9.11	5.64	17.51	7.70	55.36 43.18	4.68 3.65	
1050	6.00	all entre			64.40		22.0
4375 4540	9.88 8.91	4.72 5.16	18.75 18.62	7.71 8.46	54.40 54.04	4.54	24.0
4475	8.62	5.69	19.44	8.84	51.49	5.92	22.0
4358	9.80	4.75	18.62	7.09	54.88	4.86	22.0
4343	9.50	4.76	18.87	6.94	54-33	5.60	22.0
4380	8.67	5.88	17.19	8.79	54.14	5.33	22.0

## TABLE IV .- Continued. ANALYSES OF COMMERCIAL FEEDS.

-			A CONTRACTOR OF THE PARTY OF TH	
Station No.	alvi Visio	Name of Feed.	Manufacturer or Jobber.	Retail Dealer.
4357 4488	Mixed	i Feed. unclassi fied.	* 44	
4373 2447	J. L. C	od Crescent.	Chapin & Co., Boston	North Haven, Co-op. Feed Co
4514 4306	Mixed	Feed	E. Crosby & Co Simpson, Hendee & Co.,	Willimantic, E. A. Buck & Co
4406	Choice Choice Feed	Eclipse Mixed	W. R. Mumford, Chicago	Branford, S. V. Osborn
	"C" N	Aixed Feed  ORN PRODUCTS.  Corn Meal	D. C. Comstock, Providence, R. I.	
2312 4434	Corn N	Meal	Ira W. Beers, Hamden J. L. Manning & Co., Mystic	Mystic, J. L. Manning & Co Average of the above 2 analyses
4520	OFF	ic Gluten Meal  Gluten Meal.	Atlantic Starch Works, Westport, Conn.	Middletown, Meech & Stoddard. Digestible
	Cream	Gluten Meal	Chas. Pope Glucose Co., Chicago, Ill. Chas. Pope Glucose Co., Chicago, Ill.	Groton, Groton Grain Co.
4456	Chicag	o Gluten Meal	Glucose Sugar Refining	Average of the above 2 analyses. Average digestible
4352		"	Co., Chicago, Ill	Jewett City, J. E. Leonard & Sor New Milford, Ackley, Hatch & Marsh
4395	"	Gluten Feed.	Glucose Sugar Refining Co., Chicago, Ill	Waterbury, The Platt Mills Co. Average of the above 3 analyses Average digestible
4315	Buffalo	Gluten Feed	Glucose Sugar Refining Co., Chicago, Ill	
4408			Glucose Sugar Refining	Guilford, G. F. Walter
4305	2.504	SOLE " .EL	Glucose Sugar Refining	Hamden, Ira W. Beers

SAMPLED IN 1901.

	Analyses,							
Station No.	Water.	Ash.	Protein.	Fiber.	Nitrogen-free Extract. (Starch, gum, etc.)	Ether Extract,	Price per ton	
4385	8.80	5.80	17.69	9.29	53.08	5.34	\$23.00	
4357	9.56	5.58	18.44	9.34	52.31	4.77	22.00	
4357 4488	9.28	5.05	19.25	8.29	53.27	4.86	21.00	
	9.22	5.26	18.54	8.31	53.56	5.11		
			14.83	2.08	41.78	3.99	1 23	
4542	9.23	4.68	13.94	6.36	56.35	4.44	25.00	
4373	9.62	4-59	19.44	5.81	55.99	4.55	23.00	
2447	9.90	4.77	17.12	6.74	57.10	4.37	22.00	
	old line	b ognov	*- 0-					
2444	9.95	4.44	17.87	5.94	57.45	4-35	22.00	
4514	9.29	4.85	18.56	7.89	54.43	4.98	21.00	
4306	9.34	5.94	18.19	7.71	54.00	4.82	21.00	
4295	8.62	4.53	12.50	14.59	56.27	3.49	22.00	
4406	8.23	4.74	12.44	17.07	54.17	3-35	23.00	
4470	8.07	4.73	13.75	13.54	56.34	3.57	22.00	
2312	11.61	1.32	9.50	1.95	71.57	4.05	25.50	
4434	10.85	1.34	9.87	1.65	72.19	4.10	28.00	
4434	11.23	1.33	9.68	1.80	71.89		20.00	
combine	Abnorla	1.33	6.57	Y	68.29	4.07 3.74	100	
4520	7.71	1.01	42.75	1.67	45.48	1.38	30.00	
45=5	A Beer	dediene	37.62	al Starch	40.93	1.30	30.00	
4422	10.11	0.89	36.75	0.84	49-95	1.46	29.00	
2448	9.17	0.89	32.31	1.36	55.04	1.23	28.00	
THE REAL PROPERTY.	9.64	0.89	34-53	1.10	52.50	1.34		
	Waldo He	nowbine	30.38	Li mingrist	47.25	1.25	11518	
4456	8.61	0.99	35.25	1.49	50.02	3.64	35.00	
4352	8.71	1.36	35.75	1.99	48.36	3.83	30.00	
4395	8.87	0.87	36.94	1.79	48.74	2.79	35.00	
	8.73	1.07	35.98	1.76	49.04	3.42	77.4	
	A 10 10 10 10	Setupot .	31.66	daSi papu	44.14	3.21	W 103	
4315	8.83	1.89	25.87	7.26	52.89	3.26	25.00	
4408	8.72	2.24	26.75	7.29	51.30	3.70	25.00	
			TRALEGISSI.	THE REAL PROPERTY.	THE PARTY OF THE P		12	

TABLE IV .- Continued. ANALYSES OF COMMERCIAL FEEDS.

		PERMIT		
Station No.	Name of Feed.	Manufacturer or ]	Jobber.	Retail Dealer.
4522	Buffalo Gluten Feed	Glucose Sugar	Refining	offic a on a series
4285		Co., Chicago, I Glucose Sugar		Middletown, Meech & Stoddard.
4415	. 900 "	Co., Chicago, I Glucose Sugar	Refining	New Haven, J. T. Benham
4516	2 m   m   m   20.00	Co., Chicago, I Glucose Sugar		New London, Beebe & Bragan
100	62 () 254 - 01/20 Es () 254 - 01/20	Co., Chicago, I		Willimantic, H. A. Bugbee Average of the above 7 analyses Average digestible
4530	Davenport Gluten Feed	Glucose Sugar Co., Chicago, I	Refining	East Haven, Hawkins & Forbes.
2445		Glucose Sugar	Refining	
		Co., Chicago, I	11,	North Haven, Co-op Feed Co Average of the above 2 analyses_ Average digestible
	Marshalltown Gluten Feed	Glucose Sugar Co., Chicago, I	11	Avon, J. & H. Woodford
4536	Marshalltown Gluten Feed	Glucose Sugar Co., Chicago, I		Meriden, S. A. Billings
4294	Gluten Feed	National Starch	Co., Glen	Average digestible
2435	"	Cove, N. Y National Starch (	Co., Glen	Branford, S. V. Osborn
4300	" 70.4	Cove, N. Y National Starch (	Co., Glen	New Haven, R. G. Davis
4410	"	Cove, N. Y National Starch (	Co., Glen	Abner Hendee
4443	" " " " " " " " " " " " " " " " " " " "	National Starch		New London, Arnold Rudd
1 = 3	or Out 1000	Cove, N. Y		Norwich, A. A. Beckwith
4379	Waukegan Gluten Feed	U. S. Sugar Refin	ning Co	
4468	" NEA " 02X	Waukegan, Ill. U. S. Sugar Refii	ning Co.,	Danbury, O. H. Meeker
60	20 h/s mos	Waukegan, Ill.	20.22	Danielson, Waldo Bros.  Average of the above 2 analyses  Average digestible
4417	Geneva Gluten Feed	Chapin & Co., Mass.	Boston,	New London, E. H. Caulkins Average digestiblé
4469	Pekin Gluten Feed	Ill. Sugar Refin		Danielson, Waldo Bros.
4383		Ill. Sugar Refin	ing Co.,	
		Pekin, Ill		Litchfield, Marsh & Newcomb Average of the above 2 analyses. Average digestible
2446	Germ Oil Meal	Glucose Sugar Co., Chicago, I		North Haven, Co-op Feed Co
4535	#	Glocose Sugar Co., Chicago, I	Refining	Wallingford, E. E. Hall

SAMPLED IN 1901.

	Analyses.							
Station No.	Water.	Ash.	Protein.	Fiber.	Nitrogen-free Extract. (Starch, gum, etc.)	Ether Extract.	Price per to	
4522	8.21	2.16	27.81	7.19	51.09	3.54	\$27.0	
4285	9.10	1.77	26.62	7-54	51.47	3.50	23.0	
4415	8.47	1.77	26.62	7.46	51.85	3.83	24.0	
4516	8.16 <b>8.6</b> 9	2.64 2.05	26.19 26.60 22.87	7.26 7.28 5.68	52.16 51.87 46.15	3.59 3.51 2.93	25.0	
4530	8.90	2.14	26.25	6.14	52.31	4.26	23.0	
2445	9.62 9.26	1.76 1.95	25.12 25.68 22.08	6.9.1 6.54 5.10	52.37 52.34 46.58	4.19 4.23 3.55	23.0	
4548	8.71	1.40	26.87	7.11	52.27	3.64	24.0	
4536	7.75 8.23	2.80 2.10	28.44 27.66 23.78	7.11 7.11 5.55	50.31 51.29 45.65	3.59 3.61 3.03	26.0	
4294	9.09	0.63	25.37	5.64	56.37	2.90	25.0	
2435	8.78	0.63	23.62	5.74	58.21	3.02	24.0	
4300	8.39	0.67	23.37	5.84	59.19	2.54	25.0	
4410	7.47	0.56	23.69	7.45	57.92	2.91	25.0	
4443	9.94 <b>8.7</b> 4	0.76 <b>0.65</b>	30.81 25.37 21.81	4.69 5.87 4.57	49.86 <b>56.31</b> 50.11	3.94 3.06 2.57	25.0	
4379	8.62	1.19	26.69	6.76	52.57	4.17	25.0	
4468	8.65 <b>8.64</b>	1.32 1.26	26.56 26.62 22.89	7.16 <b>6.96</b> 5.43	52.03 52.30 46.54	4.28 4.22 3.54	25.0	
4417	7.91	0.96	26.19 22.52	8.31 6.48	52.87 47.05	3.76 3.16	24.0	
4469	7.41	0.88	25.56	7.76	55-44	2.95	25.0	
4383	6.85 7.13	0.92	26.75 26.15 22.43	7.24 7.50 5.85	54.19 54.82 48.78	4.05 3.50 2.94	23.0	
2446	10.15	2.35	22.25	9.19	46.53	9-53	25.0	
4535	9.49	2.37 2.36	22.00 22.12	9.31	47.43 46.98	9.40 9.47	24.0	

TABLE IV .- Continued. Analyses of Commercial Feeds.

ó	and the same	
Name of Feed.	Manufacturer or Jobber.	Retail Dealer.
4400 Corn Bran Sugar Feed -	Mass	Ansonia, Ansonia Flour & Grain
4526 " " "	J. E. Soper & Co., Boston, Mass.	Middletown, Meech & Stoddard.
Hominy Feed.	Mass.	New Haven, R. G. Davis Average of the above 3 analyses_
4461 Hominy Chop	M. F. Barringer, Phila., PaChapin & Co., Boston,	Plainfield, J. P. Kingsley & Son.
4418 " "	Mass. Chapin & Co., Boston,	Mystic, J. L. Manning & Co
2443 " "	Mass. Chapin & Co., Boston, Mass.	New London, E. H. Caulkins North Haven, Co-op. Feed Co
4533 Diamond Hominy Feed	Chapin & Co., Boston, Mass.	Wallingford, E. E. Hall
4538 Hominy Feed	C. M. Cox, Boston, Mass. Hollister, Chase & Co.,	Berlin, J. C. Lincoln Danielson, C. A. Young
4521 Hominy Chop	New York Hollister, Chase & Co., New York	Bridgeport, Wheeler & Co Middletown, Meech & Stoddard
4546 Hominy Feed		East Hartford, W. J. Cox
4353 "	falo, N. Y	New Milford, Ackley, Hatch & Marsh
4330 "	T. F. Lane & Co., New	Middletown, Coles & Co
4336 "	York. T. F. Lane & Co., New York.	So. Norwalk, Manuel T. Hatch Stamford, E. E. Scofield
4388 Hominy Meal	Miner-Hillard Milling Co., Wilkesbarre	Thomaston, L. E. Blackmer
4393	Miner-Hillard Milling Co., Wilkesbarre	Waterbury, D. L. Dickinson
4427 "	Mills, Pa Narragansett Milling Co.,	Jewett City, J. E. Leonard & Son
2441 . "	W. M. Payne, Harlem,	Stonington, S. H. Chesebro  New Haven, R. G. Davis
4424 "	D. S. Shellburger, Decatur, Ill.	Groton, Groton Grain Co
4512 "	1 10 10 10 10 10 10 10 10 10 10 10 10 10	Willimantic, E. A. Buck & Co Average of the above 21 analyses Average digestible
4460 Cerelene Feed No. 2	M. F. Barringer, Phila.,	Plainfield, J. P. Kingsley & Son. Ansonia, Ansonia Flour & Grain
4401 Rye Feed	Rochester, N. Y.	Co

SAMPLED IN 1901.

	Analyses.						
Station No.	Water.	Ash.	Protein.	Fiber.	Nitrogen-free Extract. (Starch, gum, etc.)	Ether Extract.	Price per ton
4400	8.85	0.98	11.50	11.90	61.62	5.15	\$20,00
4526	6.56	0.95	10.62	13.65	65.04	3.18	20.00
2442	9.16 8.19	0.82	11.00 11.04	11.70 12.42	63.51 63.39	3.81 4.05	19.00
4461	8.35	2.82	11.50	4.34	63.93	9.06	22.50
4430	7.67	2.73	11.56	4.04	65.38	8.62	25.00
4418	7.41	2.86	11.81	5.19	63.21	9.52	24.00
2443	9.41	2.66	11.25	4.33	63.64	8.71	23.00
4533 4538 4464	8.48 8.12 8.69	2.43 2.87 2.56	10.56 10.94 10.94	4.59 5.02 4.89	66.41 65.75 65.37	7.53 7.30 7.55	24.00 25.00 23.00
4326	9.05	2.53	10.87	4.21	65.14	8.20	25.00
4521	8.42	2.83	11.69	4.64	63.35	9.07	25.00
4546	7.03	2.97	11.25	4.54	65.38	8.83	24.00
4353	7.84	2.61	11.12	5.46	64.97	8.00	26.00
4528	8.65	2.82	11.69	4.49	63.47	8.88	24.00
4330	9.32	2.53	11.50	4.56	63.79	8.30	25.00
4336	9.86	2.52	11.44	4.41	63.58	8.19	24.00
4388	8.90	2.52	11.25	4.19	64.95	8.19	26.00
4393	9.23	2.81	11.75	4.69	62.51	9.01	27.00
4455	9.27	2.90	12.00	2.84	63.80	9.19	24.00
4427	8.58	2.83	11.56	4.04	63.72	9.27	25.00
2441	9.48	2.71	11.50	4.55	63.22	8.54	24.00
4424 4512	7.88 <b>8.66</b>	2.22 2.76 2.69	10.62 11.56 11.35 8.74	4.41 4.29 4.46 3.66	64.54 64.20 <b>64.30</b> 61.09	8.07 9.31 <b>8.54</b> 6.92	25.00 23.00
4460	9.44	2.21	12.00	2.11	67.09	7.15	23.00
4401	9.98	3.26	15.75	3.54	64.46	3.01	25.00

TABLE IV .- Continued. Analyses of Commercial Feeds.

ö		and the same of th	
Station No.	Name of Feed.	Manufacturer or Jobber.	Retail Dealer,
1206	Rye Feed	Abner Hendee, New Ha-	less and revolves a supply
in		ven	Branford, S. V. Osborn
1289			New Haven, J. T. Benham
297	"	H. D. Stone Milling Co., Rochester, N. Y	Abner Hendee
450		Smith, Northam & Co.,	Tibliet Hendee 111
	TOTAL TOTAL	Hartford	North Haven, Jos. Pierpont
1391	"	F. C. Slade & Son, Oak- ville	Oakville, F. C. Slade & Son
		Ville I I I I I I I I I I I I I I I I I I	Average of the above 5 analyses Digestible
1529	Malt Sprouts		
1170	Buckwheat Shucks	Ouinnehous Mills Don	Digestible
14/3	Buckwheat Shucks	Quinnebaug Mills, Dan- ielson	Danielson, Quinnebaug Store.
4472	Buckwheat Middlings		Daniel Marine and Stores
		ielson	"
1102	Various Mixed Feeds. Provender	Ansonia Flour & Grain	Ansonia, Ansonia Flour & Grai
++0-	1 Tovelider 222222	Co., Ansonia	Co
1371	" "	Johnston & Morrison,	
		S. V. Osborn & Co., Bran-	Bethel, Johnston & Morrison
4292		ford	Branford, S. V. Osborn & Co
4322	* * * * * * * * * * * * * * * * * * * *	W. M. Terry, Bridgeport.	Bridgeport, W. M. Terry
4329	"	Wheeler & Co., Bridge-	
4313	"	Wheeler & Howe, Bridge-	Wheeler & Co
43-3	12 10 10 10 10 10 10 10 10 10 10 10 10 10	port	Wheeler & Howe
4467		C. A. Young, Danielson.	Danielson, C. A. Young
4446		B. H. Palmer, Greenville.	Greenville, B. H. Palmer
4458	41.	Jewett City	
4387	" "	Marsh & Newcomb, Litch-	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	S. U. D.	field	Litchfield, Marsh & Newcomb
4537	Sterling Provender	N. Y.	Meriden, Meriden Grain & Fee
4527	Provender		Middletown, Coles & Co
4525	"	Meech & Stoddard, Mid-	
		dletown New Milford	Meech & Stoddard New Milford, F. R. Green
4361 4365		T. Soule & Co., New Mill-	
10-0	A STATE OF THE STA	ford	T. Soule & Co
2449	"	Smith, Northam & Co.,	
4445		Hartford	North Haven, Jos. Pierpont Norwich, A. A. Beckwith
4445 4437		Cutler Co., No. Wilbra-	Norwich, A. A. Beckwith
	440		
4483		Bosworth Bros., Putnam.	Norwich Grain Co Putnam, Bosworth Bros
4490			Stafford, E. C. Dennis Stamford, Ingersoll & Bro
4335		The Narragansett Milling	
1,1-		Co., R. I.	Stonington, S. H. Chesebro

## SAMPLED IN 1901.

	Analyses,						
Station No.	Water.	Ash,	Protein.	Fiber.	Nitrogen-free Extract. (Starch, gum, etc.)	Ether Extract.	Price per to
			Laitgnille		mante and the		mail's
4296	11.03	3.34	15.50	3.81	63.33	2.99	\$25.0
4289	10.34	3.39	15.75	3.84	63 52	3.16	22.0
4297	11.20	3.27	16.52	3.79	62.47	2.75	22.5
2450	10.97	3-59	15.50	3.71	63 17	3.06	24.0
4391	11.95	1.99	11.87	2.37	70.14	1.68	26.00
4391	10.70	3.37	15.80	3.74	63.39	3.00	20.0
	-0.70	3.31	13.27	3.74	58.33	1.82	
4529	8.33	5.11	27.94	10.36	47.14	1.12	16.7
-(-)	Artalpon W	Trining bil	22.32	3.45	32.06	1.12	Yanis His
4473	7.26	2.20	3.94	44.24	41.38	0.98	2 0157
4472	11.85	4.98	30.69	3.09	41.17	8.22	20.0
4402	10.32	1.87	10.56	4.11	68.74	4.40	29.00
4371	9.84	1.69	10.62	3 14	70.46	4 25	30.00
1202	TOOL	1.86	10.75	201	60.15	4.00	30.0
4292 4322	10.91	1.79	10.75	3 04 6.99	65.62	4.29 3.87	27.00
13-					And the second	3.07	
4329	10.58	1.62	10.25	3.16	70.28	4.11	28.00
4313	10.67	1.93	10.50	3.81	68.13	4.96	28 00
4467	9.42	2.66	10.94	7.04	66.33	3.61	28.00
4446	10.06	1.86	10.75	3 41	69,52	4.40	28.00
4458	9.23	2.69	11.44	5.79	66.32	4.53	25.00
4387	10.85	1.72	10.56	3.11	69.59	4.17	28.00
4537	8.33	3.60	8.75	12.80	64.03	2.40	24.00
4527	10.08	2.16	10.25	4.61	68.55	4.35	28.00
4525	9.86	1.98	10.81	4.24	68.86	4.25	29.00
4361	9.84	2.10	11.50	4.71	67.53	4.32	30.00
4365	10.46	1.70	10.56	3.84	69.00	4.44	28.00
2449	10.88	1.91	10.62	4.61	67.68	4.30	28.00
4445	10.59	1.75	10.62	3.51	69.28	4.25	28.00
4437	9.86	2.04	10.87	4.11	68.72	4.40	29.00
4483	10.18	1.82	10.94	4 04	68.58	4 44	28.00
4490	10.64	1.58	10.19	2.99	70.33	4.27	28.00
4335	10.87	2.69	12.50	4.86	64.53	4.55	29 00
4426	9.77	1.90	10.81	4.26	69.01	4.25	29.00

## TABLE IV .- Continued. ANALYSES OF COMMERCIAL FEEDS.

-		-			
Station No.		Name of I	Feed.	Manufacturer or Jobber.	Retail Dealer.
100	ende	r		Miner-Hillard Milling Co., Wilkesbarre	Thomaston, L. E. Blackmer
4513		der		Smith & Sons, West Corn- wall E. A. Buck & Co., Willi-	West Cornwall, Smith & Sons
4454				mantic	Willimantic, E. A. Buck & Co
		nd Oats		YanticHawkins & Forbes, East	Yantic, A. R. Manning & Co
4534	Coin a	nu Oats	41.4	Haven	East Haven, Hawkins & Forbes_ Average of the above 26 analyses*
4327	Corn a	nd Oat	Feed	Hollister-Chase & Co., N. Y.	Bridgeport, Wheeler & Co
4543	Boss C	orn and	Oats Feed	The Akron Cereal Co., Akron, Ohio	Rockville, Edward White
4374	Vim O	at Feed		American Cereal Co., Chicago	Danbury, F. C. Benjamin & Co.
4299	Royal (	Dat Fee	db	Akron Cereal Co., Akron, Ohio	New Haven, Abner Hendee
4377	Victor	Corn &	Oat Feed.	American Cereal Co., Chicago	Danbury, F. C. Benjamin & Co.
4405	"	"	"	American Cereal Co., Chicago	Derby, Peterson, Hendee & Co.
4364	" I	"	"	American Cereal Co., Chicago	New Milford, T. Soule & Co
4346	"	"	"	American Cereal Co., Chicago	West Cornwall, Smith & Sons
- 31		h Chop		Husted Milling Co., Buffalo, N. Y	New Milford, Ackley, Hatch & Marsh
4549	De-Fi	Corn &	Oat Feed.	Ellsworth & Co., Buffalo, N. Y.	Avon, J. & H. Woodford
4523	"	"		Ellsworth & Co., Buffalo N. Y.	Middletown, Meech & Stoddard.
4541	"	"	" -	Ellsworth & Co., Buffalo, N. Y.	New Britain, C. W. Lines
			Fodder	Hollister, Chase & Co., New York	Bridgeport, Wheeler & Howe
4378	Corn, C	ats and	Barley	American Cereal Co., Chicago, Ill.	Danbury, O. H. Meeker
4356	"	"		American Cereal Co., Chicago, Ill.	New Milford, F. R. Green
4389				American Cereal Co., Chicago, Ill.	Thomaston, L. E. Blackmer
4392	131			American Cereal Co., Chicago, Ill.	Waterbury, D. L. Dickinson
4486				American Cereal Co., Chicago, Ill.	Willimantic, W. D. Grant
4368		Dairy I		American Cereal Co.,	Average of the above 5 analyses
4291		"		American Cereal Co.,	Bethel, Johnston & Morrison
4328	"			Chicago, Ill.	Branford, S. V. Osborn
1				Chicago, Ill.	Bridgeport, Wheeler & Co

SAMPLED IN 1901.

	Analyses,						100
Station No.	Water.	Ash.	Protein.	Fiber.	Nitrogen-free Extract. (Starch, gum, etc.)	Ether Extract.	Price per ton
4390	10.50	2.04	10.12	3.86	69.20	4.28	\$28.00
4344	10.76	1.98	10.75	4.61	67.44	4.46	29.00
4513	9.52	2 44	11.37	4.81	67.20	4.66	27.00
4454	9.95	1.94	11.00	4.34	68.48	4.29	28.00
4532	10.10	1.61	10.37 10.63	2.67 4.53	70.56 <b>68.40</b>	4.69 <b>4.26</b>	24.00
4327	8.94	1.72	8.56	11.14	65.67	3.97	22.00
4543	7.38	3 63	8.87	12.74	63.89	3.49	26,00
4374	10.49	6 83	7.87	24.31	47.59	2.91	18.00
4299	7.12	6.42	6.31	25.96	51.97	2.22	17.00
4377	7.43	4.15	10.31	11.56	62.12	4.43	22.00
4405	8.00	4.07	12.56	11.47	59.64	4.26	23.00
4364	8.30	4.25	9.37	10.99	62.77	4.32	24.00
4346	8.89	3.11	9.00	11.20	64.28	3.52	24.00
4349	8.70	2.78	7.87	12 46	65.11	3.08	24.00
4549	7.95	4.49	9.25	14.39	60.65	3.27	24.00
4523	7.71	4.60	9.25	14.81	59.96	3.67	26.00
4541	7.77	4.31	9.25	14.34	61,90	2.43	21.00
4316	8.70	3.81	9.06	13.51	62.28	2.64	19.00
4378	7.46	4.55	12.62	10.36	60.14	4.87	22.00
4356	7.50	4.68	12.75	10.94	58.82	5.31	28.00
4389	8.47	4.36	12.19	10.76	59.66	4.56	26.00
4392	7.85	4.94	13.19	11.34	57.52	5.16	27.00
4486	7.81 7.82	4.80	12.06 12.56	10.90	59.68 59.16	4.56 <b>4.89</b>	23.00
4368	6.88	5.15	14.37	17.49	52.58	3.53	22.00
4291	7.32	5.40	. 14.12	17.14	52.52	3.50	22.00
4328	7.10	5.32	14.06	16.39	53.58	3.55	22.00

TABLE IV .- Continued. ANALYSES OF COMMERCIAL FEEDS.

Station No.	artic.	Name of Feed.	Manufacturer or Jobbe	r. Retail Dealer.
4531	Qual	cer Dairy Feed	American Cereal C	0.,
2440	"	E 34.	Chicago, Ill	East Haven, Hawkins & Forbes
18	die.	364 2 443	Chicago, Ill.	New Haven, R. G. Davis
4420	itte.	381 00.0	American Cereal C Chicago, Ill.	
4444	"	"	American Cereal C Chicago, Ill.	0.,
4489	"		American Cereal C	0.,
	NC.		Chicago, Ill.	Average of the above 8 analyses
		Dairy Feed	H-O Co., Buffalo, N.	Y Bridgeport, H. H. Bennett
4438		"		Norwich, Norwich Grain Co Stamford, E. E. Scofield
	102			Average of the above 3 analyses Digestible
		Horse Feed	H-O Co., Buffalo, N.	Y Bridgeport, H. H. Bennett
4425				Groton, Groton Grain Co Stamford, E. E. Scofield
4517		"		" - Willimantic, H. A. Bugbee
	100		The second of the la	Average of the above 8 analyses Digestible
		Poultry Food	H-O Co., Buffalo, N.	Y Bridgeport, H. H. Bennett
4432 4338		"		Mystic, J. L. Manning & Co Stamford, E. E. Scofield
1260	Ame	rican Poultry Food	American Cereal C	Average of the above 3 analyses
		, , , , , , , , , , , , , , , , , , ,	Chicago, Ill.	Bethel, Johnston & Morrison
4293			American Cereal C Chicago, Ill.	
4355	Blate	chford's Calf Meal	J. W. Barwell, Wauke	
4398	- 100	" "	J. W. Barwell, Wauke	egan,
4431	Bow	ker's Animal Meal	The Bowker Co., Bo	Waterbury, Platt's Mill Co
			Mass.	Mystic, J. L. Manning
4394	1874		The Bowker Co., Bo	
4298	Poul	try Food	Lederer & Co., New ven, Conn	
4480	Poul	try Meal	John C. Dow Co., Bo	ston,
4482	Dow	's Beef Scrap	John C. Dow Co., Bo	oston Putnam, Bosworth Bros
		try Feed.	D. W. Romaine, J.	ersey
4340	Imp	erial Egg Food	F. C. Sturtevant, I	Hart-
		triotone	ford, Conn W. D. Carpenter, Chie	Blidgeport, H. H. Bennett
			Ill	" "
4441	Past	ure Stock Food	Pasture Stock Food Chicago, Ill.	
4442			Wilbur Seed Meal	Co.,
	FC	od	Milwaukee, Wis.	Waterbury, W. H. Richmond

SAMPLED IN 1901.

	Analyses.						
Station No.	Water,	Ash,	Protein.	Fiber.	Nitrogen-free Extract. (Starch, gum, etc.)	Ether Extract,	Price per ton
4531	6.63	5.07	14.19	15.89	54-37	3.85	\$22.00
2440	8.13	5.27	13.12	16.19	54.71	2.58	21.00
4420	7.30	5.17	13.56	17.64	52.73	3.60	23.00
4444	6.86	5.12	14.12	16.21	54.06	3.63	22.00
4489	7.65	4.24	11.25	16.96	57-53	2.37	20.00
	7.23	5.09	13.60	16.74			20.00
4324	8.25		20.00		54.01	3.33	
		3.75		11.69	52.26	4.05	24.00
4438	7.49	3.90	19.37	12.27	52.83	4.14	27.00
4337	8.51	4 40	19.69	11.24	52.06	4.10	25.00
	8.08	4.02	19.69	11.73	52.38	4.10	
			15.36	4.81	36.67	3.52	
4323	8.05	3.57	12.87	8.86	62.13	4.52	25.00
4425	8.80	3.85	13.44	10.00	59.66	4.16	25.00
4342	8.39	3.51	13.12	9.69	60.55		26.00
4517	8.14	3.58	12.69			4.74	
431/		3.50		10.34	61.36	3.89	25 00
	8.35	3.63	13.03	9.74	60.92	4.33	
0.000	AMEN'	1000000	9.64	3.41	48.13	3.64	
4325	9.14	2.77	18.12	4.81	59.97	5.19	35.00
4432	8.92	2.59	16.87	4.61	61.95	5.06	29.00
4338	9.09	2.70	18.81	5.14	58.83	5.43	33.00
	9.05	2.69	17.93	4.85	60.25	5.23	
4369	8.98	2.75	14.50	5.26	61.75	6.76	30.00
4293	9.10	2.75	14.25	4.71	62.26	6.93	28.00
4355	9.84	4.40	24.81	4.39	51.53	5.03	70.00
4398	9.11	4.65	26.19	4.11	50.96	4.98	70.00
4431	5.46	45.23	39.00	1.09	1.12	8.10	40.00
4394	5.76	45.95	38.25	1.55	0.83	7.66	50.00
4298	6.17	22.50	53.00			13.75	42.00
4480	7.18	39 82	31.75	2.91	8.29	10.05	40.00
4482	8.82	23.05	50.37	2.29	1,20	14.27	43.00
4481	4.45	24.52	37.56	5.41	6.42	21.64	35.00
4340	3.49	57.00	9.69	5.89	22.58	1.35	
4339	6.36	18.45	16.87	7.51	47-33	3.48	
4441	6.57	12.82	17.12	6.56	53.65	3.28	
4442	6.18	9.40	22.37	9.24	48.52		