

Daniel F. Caruso
Chairman

STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051


Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

Internet: ct.gov/csc

January 29, 2008

TO: Parties and Intervenors


FROM: S. Derek Phelps, Executive Director 

RE: **DOCKET NO. 349** – Global Signal Acquisitions II application for a Certificate of Environmental Compatibility and Public Need for the re-location, construction, maintenance and operation of a telecommunications facility located at 1919 Boston Post Road, Guilford, Connecticut.

Notice is hereby given that the transcript of the hearing was received at the office of the Connecticut Siting Council on January 22, 2008.

SDP/CDM/cm

c: Council Members



Daniel F. Caruso
Chairman

STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

Internet: ct.gov/csc

January 29, 2008

Janice G. Teft
Town Clerk
Town of Guilford
31 Park Street
Guilford, CT 06437

RE: **DOCKET NO. 349** – Global Signal Acquisitions II application for a Certificate of Environmental Compatibility and Public Need for the re-location, construction, maintenance and operation of a telecommunications facility located at 1919 Boston Post Road, Guilford, Connecticut.


Dear Ms. Teft:

Pursuant to General Statutes § 16-50o(b), “ A copy of the transcript of testimony at the hearing shall be filed at an appropriate public office, as determined by the Council, in each county in which the facility or any part thereof is to be located.”

The Council has determined that the Town Clerk’s Office in the Guilford Town Hall is an appropriate public office for filing a copy of the transcript in New Haven County.

Enclosed please find the transcript on the subject docket dated January 15, 2008.

Yours very truly,



St. Derek Phelps
Executive Director

SDP/cm

c: Parties & Intervenors

Enclosure (1)