

**STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL**

RE: APPLICATION BY T-MOBILE
NORTHEAST, LLC FOR A
CERTIFICATE OF ENVIRONMENTAL
COMPATIBILITY AND PUBLIC NEED
FOR A TELECOMMUNICATIONS FACILITY
AT 232 SHORE ROAD IN THE TOWN
OF OLD LYME, CONNECTICUT

DOCKET NO. 391

Date: February 22, 2010

SUPPLEMENTAL PRE-FILED TESTIMONY OF SCOTT M. CHASSE

The following pre-filed testimony supplements my pre-filed testimony filed on January 28, 2010, in connection with the above-captioned matter.

Q12. What is the distance between the proposed Facility and the nearest public school?

A12. The distance between the proposed Facility and the nearest public school is approximately 1,500 feet. The nearest public ball fields are approximately 750 and 1,100 feet. Please see aerial photo with distances appended hereto as Attachment A.



Scott M. Chasse

Sworn and subscribed to before me this
22 th day of February, 2010.



Notary Public
My Commission expires

ROBIN S. CHASSE
NOTARY PUBLIC
MY COMMISSION EXPIRES JUNE 30, *2014*

ATTACHMENT A

ALL-POINTS TECHNOLOGY CORPORATION, P.C.

3 SADDLEBROOK DRIVE
KILLINGWORTH, CT. 06419
PHONE: (860)-663-1697
FAX: (860)-663-0935
www.allpointstech.com



APT FILING NUMBER: CT-255T-330

DISTANCES TO SCHOOL AND FIELDS

SCALE: 1" = 500'

DRAWN BY: RCB

DATE: 02/10/10

CHECKED BY: SMC

T-Mobile

35 GRIFFIN ROAD
BLOOMFIELD, CT 06002
OFFICE: (860)-692-7100

T-MOBILE SITE NUMBER
CTNL803

SOUTH SHORE LANDING
232 SHORE ROAD
OLD LYME, CT 06371-2086



SITE



AERIAL MAP

SCALE : 1" = 500'-0"

GRAPHIC SCALE



(IN FEET)
1 inch = 500 ft.

**STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL**

RE: APPLICATION BY T-MOBILE
NORTHEAST, LLC FOR A
CERTIFICATE OF ENVIRONMENTAL
COMPATIBILITY AND PUBLIC NEED
FOR A TELECOMMUNICATIONS FACILITY
AT 232 SHORE ROAD IN THE TOWN
OF OLD LYME, CONNECTICUT

DOCKET NO. 391

Date: February 23, 2010

SUPPLEMENTAL PRE-FILED TESTIMONY OF MICHAEL CHUN


The following pre-filed testimony supplements my pre-filed testimony filed on January 28, 2010, in connection with the above-captioned matter.

Q13. Would the proposed Facility be located in a floodplain?


A13. No, the proposed Facility would not be located in a 100 year flood plain.

Q14. Is your flood plain analysis based upon the most recent data?

A14. Yes. The flood plain analysis for the Facility is based upon the most recent mapping from the National Flood Hazard Layer ("NFHL"). The NFHL is a computer database that contains the flood hazard mapping from Flood Map Modernization Program implemented by the Federal Emergency Management Agency ("FEMA"). Reliance on the NFHL ensures that the most recent data is used to determine whether a particular location sits within a flood hazard area as designated by FEMA. The Facility would not be located within a flood hazard area.


Michael Chun

Sworn and subscribed to before me this
23 day of February, 2010.



Notary Public
My Commission expires

CRAIG WEXLER
NOTARY PUBLIC, STATE OF NEW YORK
Registration No. 01WE6071493
Qualified in New York County
Commission Expires March 18, 2010

**STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL**

RE: APPLICATION BY T-MOBILE
NORTHEAST, LLC FOR A
CERTIFICATE OF ENVIRONMENTAL
COMPATIBILITY AND PUBLIC NEED
FOR A TELECOMMUNICATIONS FACILITY
AT 232 SHORE ROAD IN THE TOWN
OF OLD LYME, CONNECTICUT

DOCKET NO. 391

Date: February 22, 2010

SUPPLEMENTAL PRE-FILED TESTIMONY OF RAYMOND M. VERGATI

The following pre-filed testimony supplements my pre-filed testimony filed on January 28, 2010, in connection with the above-captioned matter.

Q12. Has T-Mobile offered the Town of Old Lyme the opportunity to co-locate its emergency services equipment on the Facility?

A12. Yes. T-Mobile has expressed to the Town of Old Lyme ("Town") its willingness to provide, free of charge, space on the proposed Facility for municipal public safety communications antennas. I spoke to David W. Roberge, the Town's Fire Marshal, via telephone and electronic mail. On Tuesday, January 19, 2010, Mr. Roberge indicated to me over the telephone that the town would be interested in co-locating its equipment on the Facility at a height between 150 and 180 feet. Please see the email correspondence appended hereto as Attachment A.

Q13. Did you communicate with the Town regarding the opportunity to co-locate its emergency equipment on the Facility after the hearing on February 4, 2010?

A13. Yes. I communicated with David W. Roberge, the Town's Fire Marshal, via telephone and electronic mail. I asked the Town whether it had an interest in co-locating its emergency service antennae on the Facility. Although the Town has

expressed some interest, it has not provided a definitive response and supporting documentation as of yet. Please see the email correspondence appended hereto as Attachment B.



Raymond M. Vergati

Sworn and subscribed to before me this
22nd day of February, 2010.



Notary Public
My Commission expires 05/31/12

ATTACHMENT A

From: Ray Vergati [mailto:rvergati@hpcdevelop.com]
Sent: Friday, January 08, 2010 11:18 AM
To: firemarshal@oldlyme-ct.gov
Subject: Town emergency spec info for T-Mobile proposed towers

Hi Dave,

Following up on our prior meeting/conversations regarding the receipt of the town's communication specs/needs. You mentioned that you should have this information available to me next week, please forward once you have received so T-Mobile can review.

In the interim, should you need any further information on the (3) proposed T-Mobile sites from me, please do not hesitate to contact me.

Best Regards,

Ray

Raymond Vergati
Vice President of Operations, New England
HPC Development, LLC
12 Maltby Lane
Northford, CT 06472
Cell: (203) 605-9646
Fax: (203) 797-1137
Email: rvergati@hpcdevelop.com
www.hpcdevelop.com

CONFIDENTIALITY NOTICE:

This message originates from the firm of HPC Development LLC. The information contained in this e-mail and any files transmitted with it may be a confidential communication or may otherwise be privileged and confidential and part of the work product doctrine. If the reader of this message, regardless of the address or routing, is not an intended recipient, you are hereby notified that you have received this transmittal in error and any review, use, distribution, dissemination or copying is strictly prohibited. If you have received this message in error, please delete this e-mail and all files transmitted with it from your system and immediately notify HPC Development LLC by sending a reply e-mail to the sender of this message. Thank you.

From: Ray Vergati [mailto:rvergati@hpcdevelop.com]
Sent: Tuesday, January 19, 2010 2:35 PM
To: firemarshal@oldlyme-ct.gov
Subject: FW: Town emergency spec info for T-Mobile proposed towers
Importance: High

Hi Dave.

Can you please call me when you receive this email. I wanted to follow up on our discussions.

Regards,

Ray

Raymond Vergati
Vice President of Operations, New England
HPC Development, LLC
12 Maltby Lane
Northford, CT 06472
Cell: (203) 605-9646
Fax: (203) 797-1137
Email: rvergati@hpcdevelop.com
www.hpcdevelop.com

CONFIDENTIALITY NOTICE:

This message originates from the firm of HPC Development LLC. The information contained in this e-mail and any files transmitted with it may be a confidential communication or may otherwise be privileged and confidential and part of the work product doctrine. If the reader of this message, regardless of the address or routing, is not an intended recipient, you are hereby notified that you have received this transmittal in error and any review, use, distribution, dissemination or copying is strictly prohibited. If you have received this message in error, please delete this e-mail and all files transmitted with it from your system and immediately notify HPC Development LLC by sending a reply e-mail to the sender of this message. Thank you.

From: Ray Vergati
Sent: Friday, January 08, 2010 11:18 AM
To: firemarshal@oldlyme-ct.gov
Subject: Town emergency spec info for T-Mobile proposed towers

Hi Dave,

Following up on our prior meeting/conversations regarding the receipt of the town's communication specs/needs. You mentioned that you should have this information available to me next week, please forward once you have received so T-Mobile can review.

In the interim, should you need any further information on the (3) proposed T-Mobile sites from me, please do not hesitate to contact me.

Best Regards,

Ray

Raymond Vergati
Vice President of Operations, New England
HPC Development, LLC
12 Maltby Lane
Northford, CT 06472
Cell: (203) 605-9646
Fax: (203) 797-1137
Email: rvergati@hpcdevelop.com
www.hpcdevelop.com

CONFIDENTIALITY NOTICE:

This message originates from the firm of HPC Development LLC. The information contained in this e-mail and any files transmitted with it may be a confidential communication or may otherwise be privileged and confidential and part of the work product doctrine. If the reader of this message, regardless of the address or routing, is not an intended recipient, you are hereby notified that you have received this transmittal in error and any review, use, distribution, dissemination or copying is strictly prohibited. If you have received this message in error, please delete this e-mail and all files transmitted with it from your system and immediately notify HPC Development LLC by sending a reply e-mail to the sender of this message. Thank you.

ATTACHMENT B

From: Ray Vergati [mailto:rvergati@hpcdevelop.com]
Sent: Tuesday, February 16, 2010 2:07 PM
To: firemarshal@oldlyme-ct.gov
Subject: Town Emergency equipment needs on T-Mobile towers
Importance: High

Dave,

If the town were to co-locate on T-Mobile proposed tower at the 232 Shore Rd (self storage facility) in the vicinity of 140' – 160', 2 questions for you.

1. Would the town co-locate their emergency equipment on the Button Ball Rd proposed tower site and if so, what height would be needed?
2. Would the town co-locate their emergency equipment at the Laundry mat proposed tower site and if so, what height would be needed?

Please advise...Ray

Raymond Vergati
Vice President of Operations, New England
HPC Development, LLC
12 Maltby Lane
Northford, CT 06472
Cell: (203) 605-9646
Fax: (203) 797-1137
Email: rvergati@hpcdevelop.com
www.hpcdevelop.com

CONFIDENTIALITY NOTICE:

This message originates from the firm of HPC Development LLC. The information contained in this e-mail and any files transmitted with it may be a confidential communication or may otherwise be privileged and confidential and part of the work product doctrine. If the reader of this message, regardless of the address or routing, is not an intended recipient, you are hereby notified that you have received this transmittal in error and any review, use, distribution, dissemination or copying is strictly prohibited. If you have received this message in error, please delete this e-mail and all files transmitted with it from your system and immediately notify HPC Development LLC by sending a reply e-mail to the sender of this message. Thank you.

From: David Roberge [mailto:firemarshal@oldlyme-ct.gov]
Sent: Thursday, February 18, 2010 1:28 PM
To: Ray Vergati
Subject: Re: Town Emergency equipment needs on T-Mobile towers

Ray

We could consider those sights but would need to redo our propagation study to include those locations.

Fire Marshal
David W. Roberge

Director-Emergency Management
Town of Old Lyme
52 Lyme Street
Old Lyme CT 06371

860.434.1605 ext 231
860.434.4135 fax

From: Ray Vergati [mailto:rvergati@hpcdevelop.com]
Sent: Thursday, February 18, 2010 1:46 PM
To: David Roberge
Subject: RE: Town Emergency equipment needs on T-Mobile towers

Let us know how your propagation maps come out on the other two sites.

Raymond Vergati

Vice President of Operations, New England

HPC Development, LLC

12 Maltby Lane

Northford, CT 06472

Cell: (203) 605-9646

Fax: (203) 797-1137

Email: rvergati@hpcdevelop.com

www.hpcdevelop.com

CONFIDENTIALITY NOTICE:

This message originates from the firm of HPC Development LLC. The information contained in this e-mail and any files transmitted with it may be a confidential communication or may otherwise be privileged and confidential and part of the work product doctrine. If the reader of this message, regardless of the address or routing, is not an intended recipient, you are hereby notified that you have received this transmittal in error and any review, use, distribution, dissemination or copying is strictly prohibited. If you have received this message in error, please delete this e-mail and all files transmitted with it from your system and immediately notify HPC Development LLC by sending a reply e-mail to the sender of this message. Thank you.

From: David Roberge [mailto:firemarshal@oldlyme-ct.gov]
Sent: Thursday, February 18, 2010 1:28 PM
To: Ray Vergati
Subject: Re: Town Emergency equipment needs on T-Mobile towers

Ray

We could consider those sights but would need to redo our propagation study to include those locations.

Fire Marshal
David W. Roberge

Director-Emergency Management
Town of Old Lyme
52 Lyme Street
Old Lyme CT 06371

860.434.1605 ext 231
860.434.4135 fax

From: Ray Vergati [mailto:rvergati@hpcdevelop.com]
Sent: Friday, February 19, 2010 9:01 AM
To: David Roberge
Subject: RE: Town Emergency equipment needs on T-Mobile towers
Importance: High

The next siting council meeting is March 2nd and they are most likely going to ask us if the town has a need for these sites. I'd like to provide them a yes or no answer. Are you able to redo your propagation study prior to the hearing?

Please advise.

Raymond Vergati

Vice President of Operations, New England

HPC Development, LLC

12 Maltby Lane

Northford, CT 06472

Cell: (203) 605-9646

Fax: (203) 797-1137

Email: rvergati@hpcdevelop.com

www.hpcdevelop.com

CONFIDENTIALITY NOTICE:

This message originates from the firm of HPC Development LLC. The information contained in this e-mail and any files transmitted with it may be a confidential communication or may otherwise be privileged and confidential and part of the work product doctrine. If the reader of this message, regardless of the address or routing, is not an intended recipient, you are hereby notified that you have received this transmittal in error and any review, use, distribution, dissemination or copying is strictly prohibited. If you have received this message in error, please delete this e-mail and all files transmitted with it from your system and immediately notify HPC Development LLC by sending a reply e-mail to the sender of this message. Thank you.

From: David Roberge [mailto:firemarshal@oldlyme-ct.gov]
Sent: Thursday, February 18, 2010 1:28 PM
To: Ray Vergati
Subject: Re: Town Emergency equipment needs on T-Mobile towers

Ray

We could consider those sights but would need to redo our propagation study to include those locations.

Fire Marshal
David W. Roberge

Director-Emergency Management
Town of Old Lyme
52 Lyme Street
Old Lyme CT 06371

860.434.1605 ext 231
860.434.4135 fax

From: David Roberge [mailto:firemarshal@oldlyme-ct.gov]
Sent: Friday, February 19, 2010 5:23 PM
To: Ray Vergati
Subject: Re: Town Emergency equipment needs on T-Mobile towers

"Ray Vergati" <rvergati@hpcdevelop.com> writes:

The next siting council meeting is March 2nd and they are most likely going to ask us if the town has a need for these sites. I'd like to provide them a yes or no answer. Are you able to redo your propagation study prior to the hearing?

Ray

I dont have the funding to do the studies for other locations. My other data (dated 2004), shows propagation from the location at 125 Mile Creek. The topography calculations are similar with Shore Road.

Besides, I believe that the laundromat location is the site with biggest public opposition.

Dave

David Roberge [mailto:firemarshal@oldlyme-ct.gov]
Sent: Thursday, February 18, 2010 1:28 PM
To: Ray Vergati
Subject: Re: Town Emergency equipment needs on T-Mobile towers

Ray

We could consider those sights but would need to redo our propagation study to include those locations.

Fire Marshal
David W. Roberge

Director-Emergency Management
Town of Old Lyme
52 Lyme Street

Old Lyme CT 06371

860.434.1605 ext 231

860.434.4135 fax

Fire Marshal
David W. Roberge

Director-Emergency Management
Town of Old Lyme
52 Lyme Street
Old Lyme CT 06371

860.434.1605 ext 231

860.434.4135 fax