



STATE OF CONNECTICUT
CONNECTICUT SITING COUNCIL

Ten Franklin Square, New Britain, CT 06051

Phone: (860) 827-2935 Fax: (860) 827-2950

E-Mail: siting.council@ct.gov

www.ct.gov/csc

VIA ELECTRONIC MAIL

April 4, 2013

Lucia Chiocchio, Esq.
Cuddy & Feder LLP
445 Hamilton Avenue, 14th Floor
White Plains, New York 10601

RE: **DOCKET NO. 434** – Cellco Partnership d/b/a Verizon Wireless Application for a Certificate of Environmental Compatibility and Public Need for the construction, maintenance, and operation of a relocated telecommunications facility at 139 North Main Street, West Hartford, Connecticut.

Dear Attorney Chiocchio:

The Connecticut Siting Council (Council) requests your responses to the enclosed questions no later than April 18, 2013. To help expedite the Council's review, please file individual responses as soon as they are available.

Please forward an original and 15 copies to this office, as well as, sending a copy via electronic mail. In accordance with the State Solid Waste Management Plan and in accordance with Section 16-50j-12 of the Regulations of Connecticut State Agencies the Council is requesting that all filings be submitted on recyclable paper, primarily regular weight white office paper. Please avoid using heavy stock paper, colored paper, and metal or plastic binders and separators. A list of parties and intervenors can be found on the Council's pending proceedings website. Fewer copies of bulk material may be provided as appropriate.

Yours very truly,

Linda Roberts
Executive Director

LR/MP

c: Parties and Intervenors

Docket No. 434
Pre-Hearing Questions
Set Two – AT&T

1. In New Cingular Wireless, PCS LLC's (AT&T) response to question 11 of the first set of interrogatories, AT&T notes that its minimum antennas centerline height is 60 feet. However, as indicated in the response to question number 7, AT&T's proposed antenna centerline height is 44.5 feet. Reconcile this discrepancy.
2. In AT&T's response to question 10, AT&T notes that the secondary road coverage is 4 miles. Provide a breakdown of the second road coverage distances by street.
3. Provide the numerical data for column three of the following matrix.

		Existing Gallaudet Hall facility
Population Coverage (persons)	At in-building signal strength or higher	
Population Coverage (persons)	At in-vehicle signal strength or higher	
Area Covered (square miles)	At in-building signal strength or higher	
Area Covered (square miles)	At in-vehicle signal strength or higher	
Roadway Coverage (miles)	Main Roads	
Roadway Coverage (miles)	Secondary Roads	
Roadway Coverage (miles)	Total Roads (i.e. main + secondary)	