



## *A County Report of Connecticut's Endangered, Threatened and Special Concern Species*

|                          |
|--------------------------|
| <b>New London County</b> |
|--------------------------|

### Amphibians

| Scientific Name              | Common Name             | Protection Status |
|------------------------------|-------------------------|-------------------|
| <i>Ambystoma laterale</i>    | Blue-spotted salamander | E/SC              |
| <i>Scaphiopus holbrookii</i> | Eastern spadefoot       | E                 |

### Birds

| Scientific Name              | Common Name                                | Protection Status |
|------------------------------|--|-------------------|
| <i>Ammodramus caudacutus</i> | Saltmarsh sharp-tailed sparrow             | SC                |
| <i>Ammodramus henslowii</i>  | Henslow's sparrow                          | SC*               |
| <i>Ammodramus maritimus</i>  | Seaside sparrow                            | T                 |
| <i>Ammodramus savannarum</i> | Grasshopper sparrow                        | E                 |
| <i>Ardea alba</i>            | Great egret                                | T                 |
| <i>Asio flammeus</i>         | Short-eared owl                            | T                 |
| <i>Asio otus</i>             | Long-eared owl                             | E                 |
| <i>Bartramia longicauda</i>  | Upland sandpiper                           | E                 |
| <i>Botaurus lentiginosus</i> | American bittern                           | E                 |
| <i>Caprimulgus vociferus</i> | Whip-poor-will                             | SC                |
| <i>Charadrius melodus</i>    | Piping plover                              | T                 |
| <i>Circus hudsonius</i>      | Northern harrier ( <i>Circus cyaneus</i> ) | E                 |
| <i>Cistothorus platensis</i> | Sedge wren                                 | E                 |
| <i>Dolichonyx oryzivorus</i> | Bobolink                                   | SC                |
| <i>Egretta caerulea</i>      | Little blue heron                          | SC                |
| <i>Egretta thula</i>         | Snowy egret                                | T                 |
| <i>Empidonax alnorum</i>     | Alder flycatcher                           | SC                |
| <i>Eremophila alpestris</i>  | Horned lark                                | E                 |
| <i>Falco peregrinus</i>      | Peregrine falcon                           | T                 |

|                          |
|--------------------------|
| <b>New London County</b> |
|--------------------------|

### Birds

| <b>Scientific Name</b>                         | <b>Common Name</b>                   | <b>Protection Status</b> |
|--|--------------------------------------|--------------------------|
| <i>Gallinula galeata</i>                       | Common moorhen (Gallinula chloropus) | E                        |
| <i>Gavia immer</i>                             | Common loon                          | SC                       |
| <i>Haematopus palliatus</i>                    | American oystercatcher               | T                        |
| <i>Haliaeetus leucocephalus</i>                | Bald eagle                           | T                        |
| <i>Icteria virens</i>                          | Yellow-breasted chat                 | E                        |
| <i>Ixobrychus exilis</i>                       | Least bittern                        | T                        |
| <i>Melanerpes erythrocephalus</i>              | Red-headed woodpecker                | E                        |
| <i>Passerculus sandwichensis</i>               | Savannah sparrow                     | SC                       |
| <i>Passerculus sandwichensis ssp. princeps</i> | Ipswich sparrow                      | SC                       |
| <i>Plegadis falcinellus</i>                    | Glossy ibis                          | SC                       |
| <i>Progne subis</i>                            | Purple martin                        | SC                       |
| <i>Rallus elegans</i>                          | King rail                            | E                        |
| <i>Setophaga americana</i>                     | Northern parula                      | SC                       |
| <i>Setophaga cerulea</i>                       | Cerulean warbler                     | SC                       |
| <i>Sterna dougallii</i>                        | Roseate tern                         | E                        |
| <i>Sterna hirundo</i>                          | Common tern                          | SC                       |
| <i>Sternula antillarum</i>                     | Least tern                           | T                        |
| <i>Sturnella magna</i>                         | Eastern meadowlark                   | T                        |
| <i>Toxostoma rufum</i>                         | Brown thrasher                       | SC                       |
| <i>Tyto alba</i>                               | Barn owl                             | E                        |

### Fish

| <b>Scientific Name</b>                 | <b>Common Name</b> | <b>Protection Status</b> |
|--|--------------------|--------------------------|
| <i>Acipenser brevirostrum</i>          | Shortnose sturgeon | E                        |
| <i>Acipenser oxyrinchus oxyrinchus</i> | Atlantic sturgeon  | E                        |
| <i>Alosa aestivalis</i>                | Blueback herring   | SC                       |
| <i>Enneacanthus obesus</i>             | Banded sunfish     | SC                       |
| <i>Notropis bifrenatus</i>             | Bridle shiner      | SC                       |

|                          |
|--------------------------|
| <b>New London County</b> |
|--------------------------|

### Invertebrates

| <b>Scientific Name</b>              | <b>Common Name</b>        | <b>Protection Status</b> |
|-------------------------------------|---------------------------|--------------------------|
| <i>Abagrotis nefascia benjamini</i> | Coastal heathland cutworm | T                        |
| <i>Agrotis stigmosa</i>             | Spotted dart moth         | SC                       |
| <i>Alasmidonta varicosa</i>         | Brook floater             | E                        |
| <i>Apamea inordinata</i>            | Apamea moth               | T                        |
| <i>Apamea lintneri</i>              | Sand wainscot moth        | SC                       |
| <i>Argyrostromis anilis</i>         | Short-lined chocolate     | SC                       |
| <i>Bombus affinis</i>               | Rusty-patched bumble bee  | SC*                      |
| <i>Bombus terricola</i>             | Yellow-banded bumble bee  | T                        |
| <i>Brachinus cyanipennis</i>        | Bombardier beetle         | SC                       |
| <i>Brachinus patruelis</i>          | Bombardier beetle         | SC                       |
| <i>Callophrys henrici</i>           | Henry's elfin             | SC                       |
| <i>Callophrys hesseli</i>           | Hessel's hairstreak       | E                        |
| <i>Callophrys irus</i>              | Frosted elfin             | T                        |
| <i>Calopteryx dimidiata</i>         | Sparkling jewelwing       | T                        |
| <i>Catocala pretiosa pretiosa</i>   | Precious underwing moth   | SC*                      |
| <i>Chaetagnaea cerata</i>           | Waxed sallow              | SC                       |
| <i>Cicindela formosa generosa</i>   | Big sand tiger beetle     | SC                       |
| <i>Cicindela hirticollis</i>        | Hairy-necked tiger beetle | SC                       |
| <i>Cicindela marginata</i>          | Saltmarsh tiger beetle    | SC                       |
| <i>Cicindela purpurea</i>           | Purple tiger beetle       | SC*                      |
| <i>Cicindela tranquebarica</i>      | Dark-bellied tiger beetle | T                        |
| <i>Citheronia regalis</i>           | Regal moth                | SC*                      |
| <i>Coccinella novemnotata</i>       | Nine-spotted lady beetle  | SC                       |
| <i>Cordulegaster erronea</i>        | Tiger spiketail           | T                        |
| <i>Dargida rubripennis</i>          | Pink streak               | T                        |
| <i>Dichagyris acclivis</i>          | Noctuid moth              | SC                       |
| <i>Drasteria graphica atlantica</i> | False heather underwing   | T                        |
| <i>Eacles imperialis imperialis</i> | Imperial moth             | SC                       |

|                          |
|--------------------------|
| <b>New London County</b> |
|--------------------------|

### Invertebrates

| <b>Scientific Name</b>             | <b>Common Name</b>            | <b>Protection Status</b> |
|------------------------------------|-------------------------------|--------------------------|
| <i>Enallagma doubledayi</i>        | Atlantic bluet                | T                        |
| <i>Enallagma minusculum</i>        | Little bluet                  | SC                       |
| <i>Enallagma pictum</i>            | Scarlet bluet                 | SC                       |
| <i>Epeoloides pilosula</i>         | Macropis cuckoo               | E                        |
| <i>Erynnis brizo</i>               | Sleepy duskywing              | T                        |
| <i>Erynnis horatius</i>            | Horace's duskywing            | SC                       |
| <i>Erynnis persius persius</i>     | Persius duskywing             | E                        |
| <i>Eubranchipus holmanii</i>       | Fairy shrimp                  | E                        |
| <i>Exyra fax</i>                   | Pitcher plant moth            | T                        |
| <i>Fossaria rustica</i>            | Lymnaeid snail                | SC                       |
| <i>Gomphus adelphus</i>            | Mustached clubtail            | SC                       |
| <i>Gomphus fraternus</i>           | Midland clubtail              | T                        |
| <i>Gomphus vastus</i>              | Cobra clubtail                | SC                       |
| <i>Gomphus ventricosus</i>         | Skillet clubtail              | SC                       |
| <i>Grammia phyllira</i>            | Phyllira tiger moth           | E                        |
| <i>Hybomitra frosti</i>            | Horse fly                     | SC                       |
| <i>Hybomitra trepida</i>           | Horse fly                     | T                        |
| <i>Hybomitra typhus</i>            | Horse fly                     | T                        |
| <i>Ladona deplanata</i>            | Blue corporal dragonfly       | SC                       |
| <i>Leptodea ochracea</i>           | Tidewater mucket              | SC                       |
| <i>Ligumia nasuta</i>              | Eastern pondmussel            | SC                       |
| <i>Lomamyia flavicornis</i>        | Yellow-horned beaded lacewing | SC                       |
| <i>Lycaena epixanthe</i>           | Bog copper                    | SC                       |
| <i>Macropis ciliata</i>            | Fringed loosestrife oil-bee   | SC                       |
| <i>Margaritifera margaritifera</i> | Eastern pearlshell            | SC                       |
| <i>Merycomyia whitneyi</i>         | Tabanid fly                   | T                        |
| <i>Papaipema appassionata</i>      | Pitcher plant borer           | T                        |

## New London County

### Invertebrates

| Scientific Name               | Common Name                  | Protection Status |
|-------------------------------|------------------------------|-------------------|
| <i>Papaipema duovata</i>      | Seaside goldenrod stem borer | T                 |
| <i>Progomphus obscurus</i>    | Common sanddragon            | T                 |
| <i>Psectraglaea carnosa</i>   | Pink sallow                  | T                 |
| <i>Schinia gracilentia</i>    | Slender flower moth          | E                 |
| <i>Schinia spinosae</i>       | Spinose flower moth          | SC                |
| <i>Somatochlora georgiana</i> | Coppery emerald              | T                 |
| <i>Sphodros niger</i>         | Purse web spider             | SC                |
| <i>Stagnicola catascopium</i> | Woodland pondsnail           | SC                |
| <i>Stylurus amnicola</i>      | Riverine clubtail            | T                 |
| <i>Sympistis perscripta</i>   | Scribbled sallow moth        | SC                |
| <i>Sympistis riparia</i>      | Dune sympistis               | SC                |
| <i>Tabanus fulvicallus</i>    | Horse fly                    | T                 |
| <i>Williamsonia lintneri</i>  | Ringed boghaunter            | E                 |
| <i>Zale obliqua</i>           | Oblique zale                 | SC                |

### Mammals

| Scientific Name                  | Common Name              | Protection Status |
|----------------------------------|--------------------------|-------------------|
| <i>Lasionycteris noctivagans</i> | Silver-haired bat        | SC                |
| <i>Lasiurus borealis</i>         | Red bat                  | SC                |
| <i>Lasiurus cinereus</i>         | Hoary bat                | SC                |
| <i>Myotis leibii</i>             | Eastern small-footed bat | E                 |
| <i>Myotis lucifugus</i>          | Little brown bat         | E                 |
| <i>Myotis septentrionalis</i>    | Northern long-eared bat  | E                 |
| <i>Perimyotis subflavus</i>      | Tri-colored bat          | E                 |
| <i>Synaptomys cooperi</i>        | Southern bog lemming     | SC                |

### Plants

| Scientific Name           | Common Name         | Protection Status |
|---------------------------|---------------------|-------------------|
| <i>Acalypha virginica</i> | Virginia copperleaf | SC                |

|                          |
|--------------------------|
| <b>New London County</b> |
|--------------------------|

**Plants**

| <b>Scientific Name</b>                        | <b>Common Name</b>         | <b>Protection Status</b> |
|---|----------------------------|--------------------------|
| <i>Agalinis acuta</i>                         | Sandplain agalinis         | E                        |
| <i>Ageratina aromatica</i>                    | Small white snakeroot      | E                        |
| <i>Alopecurus aequalis</i>                    | Short-awned meadow foxtail | T                        |
| <i>Angelica lucida</i>                        | Sea-coast angelica         | E                        |
| <i>Aplectrum hyemale</i>                      | Puttyroot                  | SC*                      |
| <i>Arethusa bulbosa</i>                       | Dragon's-mouth             | SC*                      |
| <i>Aristida longespica var. geniculata</i>    | Needlegrass                | SC                       |
| <i>Aristida purpurascens</i>                  | Arrowfeather               | E                        |
| <i>Asclepias purpurascens</i>                 | Purple milkweed            | SC                       |
| <i>Asclepias variegata</i>                    | White milkweed             | SC*                      |
| <i>Asplenium montanum</i>                     | Mountain spleenwort        | SC                       |
| <i>Atriplex glabriuscula</i>                  | Bracted orache             | SC                       |
| <i>Bidens beckii</i>                          | Beck's water-marigold      | SC                       |
| <i>Bidens eatonii</i>                         | Eaton's beggarticks        | E                        |
| <i>Bolboschoenus maritimus ssp. paludosus</i> | Bayonet grass              | SC                       |
| <i>Bolboschoenus novae-angliae</i>            | Salt marsh bulrush         | SC                       |
| <i>Calystegia spithamea</i>                   | Low bindweed               | SC*                      |
| <i>Carex alata</i>                            | Broadwing sedge            | E                        |
| <i>Carex bushii</i>                           | Bush's sedge               | SC                       |
| <i>Carex buxbaumii</i>                        | Brown bog sedge            | E                        |
| <i>Carex crawfordii</i>                       | Crawford sedge             | SC*                      |
| <i>Carex cumulata</i>                         | Clustered sedge            | T                        |
| <i>Carex davisii</i>                          | Davis' sedge               | T                        |
| <i>Carex nigromarginata</i>                   | Black-edge sedge           | SC*                      |
| <i>Carex oligosperma</i>                      | Few-seeded sedge           | SC*                      |
| <i>Carex polymorpha</i>                       | Variable sedge             | E                        |
| <i>Carex sterilis</i>                         | Dioecious sedge            | SC                       |
| <i>Carex tuckermanii</i>                      | Tuckerman's sedge          | SC                       |

## New London County

### Plants

| Scientific Name                                 | Common Name                     | Protection Status |
|---|---------------------------------|-------------------|
| <i>Carex typhina</i>                            | Cattail sedge                   | SC                |
| <i>Castilleja coccinea</i>                      | Indian paintbrush               | E                 |
| <i>Celastrus scandens</i>                       | American bittersweet            | SC                |
| <i>Chenopodium rubrum</i>                       | Red goosefoot                   | SC*               |
| <i>Cirsium horridulum</i>                       | Yellow thistle                  | E                 |
| <i>Coeloglossum viride</i>                      | Long-bracted green orchid       | E                 |
| <i>Coleataenia longifolia ssp. elongata</i>     | Long-leaved redtop-panicgrass   | SC*               |
| <i>Corallorhiza trifida</i>                     | Early coral root                | SC                |
| <i>Crassula aquatica</i>                        | Pygmyweed                       | E                 |
| <i>Crocanthemum dumosum</i>                     | Bushy frostweed                 | SC*               |
| <i>Crocanthemum propinquum</i>                  | Low frostweed                   | SC                |
| <i>Cuphea viscosissima</i>                      | Blue waxweed                    | SC*               |
| <i>Cuscuta coryli</i>                           | Hazel dodder                    | SC*               |
| <i>Cypripedium parviflorum</i>                  | Yellow lady's-slipper           | SC                |
| <i>Deschampsia cespitosa</i>                    | Tufted hairgrass                | SC                |
| <i>Desmodium glabellum</i>                      | Dillenius' tick-trefoil         | SC                |
| <i>Desmodium sessilifolium</i>                  | Sessile-leaf tick-trefoil       | SC*               |
| <i>Dichanthelium ovale ssp. pseudopubescens</i> | Stiff-leaved rosette-panicgrass | SC*               |
| <i>Dichanthelium scabriusculum</i>              | Tall swamp rosette-panicgrass   | E                 |
| <i>Draba reptans</i>                            | Whitlow-grass                   | SC                |
| <i>Eleocharis equisetoides</i>                  | Horsetail spikesedge            | E                 |
| <i>Eleocharis microcarpa var. filiculmis</i>    | Small-fruited spikesedge        | SC*               |
| <i>Eleocharis quadrangulata var. crassior</i>   | Square-stemmed spikesedge       | E                 |
| <i>Endodeca serpentaria</i>                     | Virginia snakeroot              | SC                |
| <i>Equisetum palustre</i>                       | Marsh horsetail                 | SC*               |
| <i>Eriocaulon parkeri</i>                       | Parker's pipewort               | E                 |
| <i>Eupatorium album</i>                         | White thoroughwort              | E                 |

|                          |
|--------------------------|
| <b>New London County</b> |
|--------------------------|

**Plants**

| <b>Scientific Name</b>                    | <b>Common Name</b>              | <b>Protection Status</b> |
|---|---------------------------------|--------------------------|
| <i>Eurybia radula</i>                     | Rough aster                     | E                        |
| <i>Eurybia spectabilis</i>                | Showy aster                     | T                        |
| <i>Gamochaeta purpurea</i>                | Purple cudweed                  | SC*                      |
| <i>Gaultheria hispidula</i>               | Creeping snowberry              | SC                       |
| <i>Honckenya peploides</i>                | Seabeach sandwort               | SC                       |
| <i>Hottonia inflata</i>                   | Featherfoil                     | SC                       |
| <i>Houstonia longifolia</i>               | Longleaf bluet                  | T                        |
| <i>Hudsonia ericoides</i>                 | Golden-heather                  | E                        |
| <i>Hudsonia tomentosa</i>                 | Woolly beach-heather            | T                        |
| <i>Hydrocotyle umbellata</i>              | Water pennywort                 | E                        |
| <i>Hydrocotyle verticillata</i>           | Whorled pennywort               | E                        |
| <i>Hypericum adpressum</i>                | Creeping St. John's-wort        | SC*                      |
| <i>Ilex glabra</i>                        | Inkberry                        | T                        |
| <i>Isotria medeoloides</i>                | Small whorled pogonia           | E                        |
| <i>Juncus debilis</i>                     | Weak rush                       | SC*                      |
| <i>Lachnanthes caroliniana</i>            | Carolina redroot                | E                        |
| <i>Leptochloa fusca ssp. fascicularis</i> | Saltpond Grass                  | E                        |
| <i>Lespedeza repens</i>                   | Creeping bush-clover            | SC                       |
| <i>Liatris novae-angliae</i>              | New England blazing-star        | SC                       |
| <i>Ligusticum scoticum</i>                | Scotch lovage                   | E                        |
| <i>Lilaeopsis chinensis</i>               | Lilaeopsis                      | SC                       |
| <i>Limosella australis</i>                | Mudwort                         | SC                       |
| <i>Linnaea borealis ssp. americana</i>    | Twinflower                      | E                        |
| <i>Linum intercursum</i>                  | Sandplain flax                  | SC*                      |
| <i>Liparis liliifolia</i>                 | Lily-leaved twayblade           | E                        |
| <i>Ludwigia sphaerocarpa</i>              | Globe-fruited false-loosestrife | E                        |
| <i>Lycopus amplexans</i>                  | Clasping-leaved water-horehound | SC                       |
| <i>Lygodium palmatum</i>                  | Climbing fern                   | SC                       |



|                          |
|--------------------------|
| <b>New London County</b> |
|--------------------------|

**Plants**

| <b>Scientific Name</b>                          | <b>Common Name</b>         | <b>Protection Status</b> |
|---|----------------------------|--------------------------|
| <i>Malaxis unifolia</i>                         | Green adder's-mouth        | E                        |
| <i>Moneses uniflora</i>                         | One-flower wintergreen     | E                        |
| <i>Myriophyllum pinnatum</i>                    | Cutleaf water-milfoil      | E                        |
| <i>Nuphar microphylla</i>                       | Small yellow pond lily     | SC*                      |
| <i>Oclemena nemoralis</i>                       | Bog aster                  | E                        |
| <i>Ophioglossum vulgatum</i>                    | Southern adder's-tongue    | E                        |
| <i>Opuntia humifusa</i>                         | Eastern prickly pear       | SC                       |
| <i>Orontium aquaticum</i>                       | Golden club                | SC                       |
| <i>Orthilia secunda</i>                         | One-sided pyrola           | SC*                      |
| <i>Oxalis violacea</i>                          | Violet wood-sorrel         | SC                       |
| <i>Panax quinquefolius</i>                      | American ginseng           | SC                       |
| <i>Panicum amarum var. amarum</i>               | Bitter panicgrass          | T                        |
| <i>Paspalum laeve</i>                           | Field paspalum             | T                        |
| <i>Paspalum setaceum var. psammophilum</i>      | Thin paspalum              | SC*                      |
| <i>Pedicularis lanceolata</i>                   | Swamp lousewort            | T                        |
| <i>Phaseolus polystachios var. polystachios</i> | Wild kidney bean           | SC*                      |
| <i>Phragmites americanus</i>                    | American reed              | SC                       |
| <i>Piptatherum pungens</i>                      | Slender mountain ricegrass | E                        |
| <i>Pityopsis falcata</i>                        | Sickle-leaved golden aster | E                        |
| <i>Plantago virginica</i>                       | Hoary plantain             | SC                       |
| <i>Platanthera ciliaris</i>                     | Yellow-fringed orchid      | E                        |
| <i>Platanthera flava var. herbiola</i>          | Pale green orchid          | SC                       |
| <i>Platanthera hookeri</i>                      | Hooker's orchid            | SC*                      |
| <i>Platanthera orbiculata</i>                   | Large round-leaved orchid  | SC*                      |
| <i>Polygala ambigua</i>                         | Alternate milkwort         | SC                       |
| <i>Polygala cruciata</i>                        | Field milkwort             | E                        |
| <i>Polygala nuttallii</i>                       | Nuttall's milkwort         | T                        |

|                          |
|--------------------------|
| <b>New London County</b> |
|--------------------------|

**Plants**

| <b>Scientific Name</b>                       | <b>Common Name</b>             | <b>Protection Status</b> |
|--|--------------------------------|--------------------------|
| <i>Polygonum glaucum</i>                     | Seabeach knotweed              | SC                       |
| <i>Populus heterophylla</i>                  | Swamp cottonwood               | T                        |
| <i>Potamogeton confervoides</i>              | Tuckerman's pondweed           | E                        |
| <i>Potamogeton gemmiparus</i>                | Capillary pondweed             | T                        |
| <i>Potamogeton vaseyi</i>                    | Vasey's pondweed               | T                        |
| <i>Prunus alleghaniensis</i>                 | Alleghany plum                 | SC*                      |
| <i>Puccinellia pumila</i>                    | Goose grass                    | SC*                      |
| <i>Ranunculus ambigens</i>                   | Water-plantain spearwort       | E                        |
| <i>Ranunculus cymbalaria</i>                 | Seaside crowfoot               | E                        |
| <i>Ranunculus pensylvanicus</i>              | Bristly buttercup              | SC                       |
| <i>Rhynchospora macrostachya</i>             | Tall beaksedge                 | T                        |
| <i>Rotala ramosior</i>                       | Toothcup                       | T                        |
| <i>Rubus cuneifolius</i>                     | Sand blackberry                | SC                       |
| <i>Rumex persicarioides</i>                  | Sea-side dock                  | SC*                      |
| <i>Sabatia stellaris</i>                     | Marsh pink                     | E                        |
| <i>Sagittaria subulata</i>                   | Awl-leaved arrowhead           | SC                       |
| <i>Salix exigua</i>                          | Sandbar willow                 | E                        |
| <i>Salix petiolaris</i>                      | Slender willow                 | SC                       |
| <i>Saururus cernuus</i>                      | Lizard's tail                  | E                        |
| <i>Scheuchzeria palustris ssp. americana</i> | Pod grass                      | E                        |
| <i>Schoenoplectus torreyi</i>                | Torrey bulrush                 | T                        |
| <i>Scleria pauciflora var. caroliniana</i>   | Few-flowered nutrush           | E                        |
| <i>Scleria triglomerata</i>                  | Whip nutrush                   | E                        |
| <i>Scutellaria integrifolia</i>              | Hyssop skullcap                | E                        |
| <i>Senna hebecarpa</i>                       | Wild senna                     | T                        |
| <i>Silene stellata</i>                       | Starry campion                 | T                        |
| <i>Solidago aestivalis</i>                   | Early wrinkle-leaved goldenrod | SC*                      |
| <i>Solidago latissimifolia</i>               | Elliott's goldenrod            | SC*                      |

|                          |
|--------------------------|
| <b>New London County</b> |
|--------------------------|

### Plants

| <b>Scientific Name</b>             | <b>Common Name</b>         | <b>Protection Status</b> |
|------------------------------------|----------------------------|--------------------------|
| <i>Spergularia canadensis</i>      | Canada sand-spurry         | T                        |
| <i>Sporobolus clandestinus</i>     | Rough dropseed             | E                        |
| <i>Sporobolus cryptandrus</i>      | Sand dropseed              | T                        |
| <i>Sporobolus neglectus</i>        | Small dropseed             | E                        |
| <i>Stachys hispida</i>             | Hispid hedge-nettle        | T                        |
| <i>Stachys hyssopifolia</i>        | Hyssop-leaf hedge-nettle   | E                        |
| <i>Symphotrichum prenanthoides</i> | Crooked-stem aster         | SC*                      |
| <i>Triphora trianthophora</i>      | Nodding pogonia            | E                        |
| <i>Utricularia resupinata</i>      | Resupinate bladderwort     | E                        |
| <i>Uvularia grandiflora</i>        | Large-flowered bellwort    | E                        |
| <i>Valerianella radiata</i>        | Beaked corn-salad          | SC*                      |
| <i>Verbena simplex</i>             | Narrow-leaved vervain      | SC*                      |
| <i>Viburnum nudum</i>              | Possum haw                 | SC*                      |
| <i>Xyris montana</i>               | Northern yellow-eyed grass | T                        |
| <i>Xyris smalliana</i>             | Small's yellow-eyed        | E                        |
| <i>Zizia aptera</i>                | Golden Alexanders          | E                        |

### Reptiles

| <b>Scientific Name</b>              | <b>Common Name</b>            | <b>Protection Status</b> |
|-------------------------------------|-------------------------------|--------------------------|
| <i>Caretta caretta</i>              | Loggerhead                    | T                        |
| <i>Chelonia mydas</i>               | Atlantic green turtle         | T                        |
| <i>Clemmys guttata</i>              | Spotted turtle                | SC                       |
| <i>Crotalus horridus</i>            | Timber rattlesnake            | E                        |
| <i>Dermochelys coriacea</i>         | Leatherback                   | E                        |
| <i>Glyptemys insculpta</i>          | Wood turtle                   | SC                       |
| <i>Heterodon platirhinos</i>        | Eastern hognose snake         | SC                       |
| <i>Lepidochelys kempii</i>          | Atlantic ridley               | E                        |
| <i>Malaclemys terrapin terrapin</i> | Northern diamondback terrapin | SC                       |

|                          |
|--------------------------|
| <b>New London County</b> |
|--------------------------|

**Reptiles**

| <b>Scientific Name</b>             | <b>Common Name</b>   | <b>Protection Status</b> |
|------------------------------------|----------------------|--------------------------|
| <i>Opheodrys vernalis</i>          | Smooth green snake   | SC                       |
| <i>Terrapene carolina carolina</i> | Eastern box turtle   | SC                       |
| <i>Thamnophis sauritus</i>         | Eastern ribbon snake | SC                       |

E = Endangered, T = Threatened, SC = Special Concern, \* Believed Extirpated

*State of Connecticut  
Department of Energy and Environmental Protection  
Bureau of Natural Resources, Wildlife Division  
79 Elm St., Hartford, CT 06106*