

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Total								
Injury and Violence								
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else			11.4	9.1	9.4	9.2	No	No
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol			29.7	27.3	26.7	25.2	Yes	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol			11.0	10.2	8.7	6.9	Yes	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days			6.4	5.5	3.9	6.6	No	Yes
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school			7.4	5.5	4.9	5.3	Yes	No
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months			9.1	7.7	7.0	6.8	Yes	No
Percentage of students who were in a physical fight one or more times during the past 12 months			32.7	31.4	28.3	25.1	Yes	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months			10.5	10.5	9.6	8.7	No	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months			16.0	13.4	9.9	8.2	Yes	No
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to				9.7	7.4	7.3	Yes	No
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months			24.8	22.8	25.0	24.4	No	No
Percentage of students who seriously considered attempting suicide during the past 12 months			15.1	13.1	14.1	14.6	No	No
Percentage of students who actually attempted suicide one or more times during the past 12 months			12.1	9.8	7.4	6.7	Yes	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Total								
Tobacco Use								
Percentage of students who smoked cigarettes on one or more of the past 30 days			18.1	21.1	17.8	15.9	No	Yes
Percentage of students who smoked cigarettes on 20 or more of the past 30 days			7.5	8.9	6.2	5.4	Yes	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Total								
Alcohol and Other Drug Use								
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years			21.3	18.3	17.6	15.6	Yes	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days			45.3	46.0	43.5	41.5	No	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days			27.8	26.2	24.2	22.3	Yes	No
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days			6.6	5.6	5.0	4.6	Yes	No
Percentage of students who used marijuana one or more times during their life			39.8	38.6	37.6	39.6	No	No
Percentage of students who tried marijuana for the first time before age 13 years			8.5	8.5	5.8	6.3	Yes	No
Percentage of students who used marijuana one or more times during the past 30 days			23.1	23.2	21.8	24.1	No	No
Percentage of students who used marijuana on school property one or more times during the past 30 days			5.1	5.9	6.2	5.2	No	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life			7.8	8.3	5.4	5.0	Yes	No
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life			11.1	11.2	10.6	9.0	No	No
Percentage of students who used heroin one or more times during their life			4.3	4.1	3.2	2.9	No	No
Percentage of students who used methamphetamines one or more times during their life			5.9	5.6	3.3	3.2	Yes	No
Percentage of students who used ecstasy one or more times during their life			6.4	6.6	5.0	6.3	No	No
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months			31.5	30.5	28.9	27.8	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Total								
Sexual Behaviors								
Percentage of students who ever had sexual intercourse			46.0	42.4	40.5	42.7	No	No
Percentage of students who had sexual intercourse for the first time before age 13 years			5.5	5.9	4.6	4.9	No	No
Percentage of students who had sexual intercourse with four or more people during their life			14.2	12.4	10.5	10.6	Yes	No
Percentage of students who had sexual intercourse with one or more people during the past three months				31.8	29.6	30.5	No	No
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse				27.9	24.8	18.8	Yes	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse				62.7	59.4	60.5	No	No
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse				26.2	24.1	22.3	No	No
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse				1.3	2.9	4.1	Yes	No
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse				27.6	27.0	26.4	No	No
				8.0	7.8	8.1	No	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy				8.0	7.8	8.1	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Total								
Weight Management and Dietary Behaviors								
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**			14.5	13.1	14.3	14.1	No	No
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**			11.1	12.2	10.1	12.5	No	No
Percentage of students who described themselves as slightly or very overweight			28.8	28.7	26.0	28.7	No	No
Percentage of students who were trying to lose weight			46.7	45.2	46.4	47.1	No	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days			12.1	11.2	9.1	8.9	Yes	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days			81.1	81.7	82.3	80.0	No	No
Percentage of students who ate fruit one or more times during the past seven days			84.8	87.4	88.0	87.7	Yes	No
Percentage of students who ate green salad one or more times during the past seven days			69.8	70.2	68.0	67.1	No	No
Percentage of students who ate potatoes one or more times during the past seven days			66.2	65.2	66.4	68.7	No	No
Percentage of students who ate carrots one or more times during the past seven days			47.7	52.6	51.8	50.1	No	No
Percentage of students who ate other vegetables one or more times during the past seven days			80.9	83.6	83.9	83.6	No	No
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days			21.8	21.5	21.0	19.7	No	No
Percentage of students who ate fruits two or more times per day and ate vegetables three or more times per day during the past seven days			9.7	10.4	9.1	7.2	Yes	No
Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days			33.8	33.6	35.6	35.2	No	No
Percentage of students who ate vegetables three or more times per day during the past seven days			14.2	14.7	12.9	11.1	Yes	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Total								
Physical Activity								
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days				45.1	45.2	49.5	Yes	No
Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days				14.5	14.0	11.5	Yes	No
Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days				24.2	24.6	26.0	No	No
Percentage of students who watched three or more hours per day of TV on an average school day			33.5	30.1	30.2	27.1	Yes	No
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day				27.6	27.9	30.5	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Male								
Injury and Violence								
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else			15.0	10.6	10.0	10.9	Yes	Yes
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol			27.5	27.0	24.9	25.0	No	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol			13.5	11.8	10.5	9.1	Yes	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days			9.5	8.1	5.5	9.8	No	No
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school			8.5	4.4	5.1	6.1	No	Yes
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months			12.2	10.1	7.9	8.8	Yes	No
Percentage of students who were in a physical fight one or more times during the past 12 months			38.5	37.9	35.7	32.4	Yes	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months			13.7	13.6	13.0	12.4	No	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months			17.8	13.8	10.7	9.3	Yes	No
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to				7.9	6.3	4.4	Yes	No
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months			18.3	16.4	17.2	18.0	No	No
Percentage of students who seriously considered attempting suicide during the past 12 months			12.3	9.7	11.7	11.9	No	No
Percentage of students who actually attempted suicide one or more times during the past 12 months			12.0	10.2	7.5	5.2	Yes	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Male								
Tobacco Use								
Percentage of students who smoked cigarettes on one or more of the past 30 days			17.8	19.5	19.0	17.3	No	No
Percentage of students who smoked cigarettes on 20 or more of the past 30 days			8.6	8.6	7.1	6.2	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Male								
Alcohol and Other Drug Use								
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years			24.6	21.0	19.3	18.2	Yes	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days			45.0	46.7	43.2	41.3	No	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days			28.7	27.8	26.0	25.4	No	No
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days			7.3	6.4	6.0	5.8	No	No
Percentage of students who used marijuana one or more times during their life			42.2	39.9	41.3	43.7	No	No
Percentage of students who tried marijuana for the first time before age 13 years			11.7	9.9	7.9	8.3	Yes	No
Percentage of students who used marijuana one or more times during the past 30 days			25.9	24.4	25.3	27.3	No	No
Percentage of students who used marijuana on school property one or more times during the past 30 days			6.8	6.8	8.2	7.0	No	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life			10.2	9.0	6.6	6.3	Yes	No
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life			10.9	11.2	10.7	8.7	No	No
Percentage of students who used heroin one or more times during their life			6.9	4.8	4.1	4.2	Yes	No
Percentage of students who used methamphetamines one or more times during their life			8.1	6.3	4.4	4.4	Yes	No
Percentage of students who used ecstasy one or more times during their life			8.6	6.8	6.2	7.5	No	No
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months			33.9	33.8	32.7	32.3	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Male								
Sexual Behaviors								
Percentage of students who ever had sexual intercourse			47.0	43.1	42.9	43.7	No	No
Percentage of students who had sexual intercourse for the first time before age 13 years			9.2	8.2	6.1	6.5	Yes	No
Percentage of students who had sexual intercourse with four or more people during their life			16.6	15.1	12.5	12.6	Yes	No
Percentage of students who had sexual intercourse with one or more people during the past three months				30.2	28.9	29.2	No	No
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse				33.9	28.3	19.4	Yes	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse				67.4	62.9	68.5	No	No
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse				21.7	22.7	19.6	No	No
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse				0.5	1.6	2.9	No	No
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse				22.2	24.3	22.5	No	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy				7.1	5.9	7.7	No	No
				7.1	5.9	7.7	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Male								
Weight Management and Dietary Behaviors								
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**			16.3	14.8	16.7	16.5	No	No
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**			13.8	16.0	13.6	16.5	No	No
Percentage of students who described themselves as slightly or very overweight			23.8	23.6	23.8	26.2	No	No
Percentage of students who were trying to lose weight			31.6	31.1	31.6	34.7	No	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days			8.2	7.7	6.2	6.2	No	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days			81.5	84.3	82.6	80.8	No	No
Percentage of students who ate fruit one or more times during the past seven days			82.1	85.7	85.4	85.0	No	No
Percentage of students who ate green salad one or more times during the past seven days			66.2	65.6	64.7	62.3	No	No
Percentage of students who ate potatoes one or more times during the past seven days			68.0	66.2	68.8	70.2	No	No
Percentage of students who ate carrots one or more times during the past seven days			48.9	53.9	54.6	50.2	No	Yes
Percentage of students who ate other vegetables one or more times during the past seven days			78.3	80.4	82.8	81.3	No	No
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days			24.9	22.9	22.5	20.9	No	No
Percentage of students who ate fruits two or more times per day and ate vegetables three or more times per day during the past seven days			11.0	10.4	10.2	7.7	Yes	No
Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days			36.5	34.8	37.3	36.4	No	No
Percentage of students who ate vegetables three or more times per day during the past seven days			15.1	14.5	13.7	11.3	Yes	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Male								
Physical Activity								
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days				52.7	56.1	57.9	No	No
Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days				11.3	11.0	10.0	No	No
Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days				31.1	34.6	34.8	No	No
Percentage of students who watched three or more hours per day of TV on an average school day			35.3	31.5	30.8	27.5	Yes	No
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day				30.8	29.6	32.9	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Female								
Injury and Violence								
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else			7.5	7.5	8.5	7.3	No	No
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol			31.9	27.4	28.2	25.4	Yes	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol			8.2	8.4	6.6	4.6	Yes	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days			3.0	2.8	2.2	3.4	No	No
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school			5.9	6.4	4.6	4.3	No	No
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months			5.6	5.0	5.9	4.6	No	No
Percentage of students who were in a physical fight one or more times during the past 12 months			26.6	24.7	20.7	17.6	Yes	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months			7.0	7.2	5.9	4.8	Yes	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months			14.1	12.7	9.1	7.0	Yes	No
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to				11.5	8.4	10.2	No	Yes
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months			31.4	29.3	32.9	31.0	No	No
Percentage of students who seriously considered attempting suicide during the past 12 months			18.0	16.5	16.6	17.3	No	No
Percentage of students who actually attempted suicide one or more times during the past 12 months			11.8	9.2	7.3	8.2	Yes	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Female								
Tobacco Use								
Percentage of students who smoked cigarettes on one or more of the past 30 days			18.2	22.6	16.5	14.4	Yes	Yes
Percentage of students who smoked cigarettes on 20 or more of the past 30 days			6.3	9.2	5.2	4.7	No	Yes

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Female								
Alcohol and Other Drug Use								
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years			17.6	15.3	15.6	12.7	Yes	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days			45.5	45.3	43.8	42.1	No	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days			26.6	24.5	22.5	19.3	Yes	No
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days			5.7	4.8	4.0	3.4	Yes	No
Percentage of students who used marijuana one or more times during their life			37.2	37.2	33.7	35.7	No	No
Percentage of students who tried marijuana for the first time before age 13 years			5.1	6.9	3.5	4.4	No	No
Percentage of students who used marijuana one or more times during the past 30 days			20.0	22.0	18.2	21.0	No	No
Percentage of students who used marijuana on school property one or more times during the past 30 days			3.0	5.0	4.1	3.3	No	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life			4.9	7.4	3.9	3.6	No	No
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life			11.0	11.0	10.2	9.1	No	No
Percentage of students who used heroin one or more times during their life			1.3	3.0	2.0	1.7	No	No
Percentage of students who used methamphetamines one or more times during their life			3.3	4.5	1.8	2.1	Yes	No
Percentage of students who used ecstasy one or more times during their life			3.5	6.2	3.6	5.1	No	No
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months			28.8	27.0	25.1	23.3	Yes	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Female								
Sexual Behaviors								
Percentage of students who ever had sexual intercourse			45.0	41.8	38.0	41.8	No	No
Percentage of students who had sexual intercourse for the first time before age 13 years			1.8	3.7	2.8	3.3	No	No
Percentage of students who had sexual intercourse with four or more people during their life			11.6	9.8	8.4	8.6	Yes	No
Percentage of students who had sexual intercourse with one or more people during the past three months				33.3	30.3	31.9	No	No
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse				22.7	21.5	18.2	No	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse				58.7	56.1	53.3	No	No
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse				30.2	25.6	24.8	No	No
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse				2.0	4.2	5.2	No	No
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse				32.2	29.7	30.0	No	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy				8.7	9.7	8.5	No	No
				8.7	9.7	8.5	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Female								
Weight Management and Dietary Behaviors								
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**			12.7	11.3	11.9	11.7	No	No
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**			8.2	8.1	6.5	8.4	No	No
Percentage of students who described themselves as slightly or very overweight			33.8	34.2	28.3	31.0	Yes	No
Percentage of students who were trying to lose weight			62.5	59.8	61.6	59.8	No	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days			15.9	14.6	12.0	11.6	Yes	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days			80.8	79.5	82.1	79.3	No	No
Percentage of students who ate fruit one or more times during the past seven days			87.7	89.4	90.6	90.5	Yes	No
Percentage of students who ate green salad one or more times during the past seven days			73.5	75.3	71.4	72.0	No	No
Percentage of students who ate potatoes one or more times during the past seven days			64.2	64.2	64.1	67.1	No	No
Percentage of students who ate carrots one or more times during the past seven days			46.5	51.2	49.1	50.1	No	No
Percentage of students who ate other vegetables one or more times during the past seven days			83.6	87.0	85.2	85.9	No	No
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days			18.7	20.0	19.3	18.6	No	No
Percentage of students who ate fruits two or more times per day and ate vegetables three or more times per day during the past seven days			8.4	10.1	7.9	6.7	No	No
Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days			31.1	32.3	33.7	34.1	No	No
Percentage of students who ate vegetables three or more times per day during the past seven days			13.4	14.8	11.9	10.9	Yes	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Female								
Physical Activity								
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days				37.4	34.2	41.1	No	Yes
Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days				17.8	17.0	13.2	Yes	No
Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days				17.2	14.6	17.0	No	No
Percentage of students who watched three or more hours per day of TV on an average school day			31.6	28.7	29.4	26.7	Yes	No
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day				24.4	26.2	28.0	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
White*								
Injury and Violence								
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else			9.1	6.2	7.5	7.3	No	No
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol			29.6	27.9	27.3	24.7	Yes	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol			12.7	11.5	9.5	7.0	Yes	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days			4.9	4.6	3.4	5.7	No	No
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school			6.0	4.4	3.8	4.7	No	No
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months			8.1	5.7	6.2	5.8	No	No
Percentage of students who were in a physical fight one or more times during the past 12 months			31.0	28.5	26.5	23.1	Yes	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months			8.4	8.9	8.6	7.8	No	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months			15.1	12.4	9.5	7.8	Yes	No
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to				8.0	5.8	5.5	Yes	No
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months			22.1	19.7	22.1	22.4	No	No
Percentage of students who seriously considered attempting suicide during the past 12 months			14.3	11.8	13.4	13.1	No	No
Percentage of students who actually attempted suicide one or more times during the past 12 months			11.5	8.8	6.1	5.5	Yes	No

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
White*								
Tobacco Use								
Percentage of students who smoked cigarettes on one or more of the past 30 days			19.9	22.4	20.3	16.9	No	Yes
Percentage of students who smoked cigarettes on 20 or more of the past 30 days			8.9	10.0	7.3	5.6	Yes	No

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
White*								
Alcohol and Other Drug Use								
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years			18.5	16.4	14.4	13.8	Yes	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days			49.0	50.6	45.6	44.8	No	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days			31.2	30.8	27.3	24.8	Yes	No
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days			6.5	5.4	4.6	4.1	Yes	No
Percentage of students who used marijuana one or more times during their life			38.8	40.1	38.5	39.5	No	No
Percentage of students who tried marijuana for the first time before age 13 years			6.5	7.4	4.8	5.6	No	No
Percentage of students who used marijuana one or more times during the past 30 days			23.8	25.1	23.1	25.1	No	No
Percentage of students who used marijuana on school property one or more times during the past 30 days			4.8	5.9	7.0	4.9	No	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life			8.4	9.0	5.8	4.6	Yes	No
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life			11.4	11.3	10.8	8.0	Yes	No
Percentage of students who used heroin one or more times during their life			3.9	3.1	2.7	2.5	No	No
Percentage of students who used methamphetamines one or more times during their life			5.6	4.7	3.1	2.8	Yes	No
Percentage of students who used ecstasy one or more times during their life			6.1	5.4	4.9	6.2	No	No
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months			31.6	29.9	29.8	27.1	Yes	No

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
White*								
Sexual Behaviors								
Percentage of students who ever had sexual intercourse			41.5	38.3	35.9	38.5	No	No
Percentage of students who had sexual intercourse for the first time before age 13 years			3.3	3.0	2.0	2.5	No	No
Percentage of students who had sexual intercourse with four or more people during their life			11.2	9.4	7.6	7.7	Yes	No
Percentage of students who had sexual intercourse with one or more people during the past three months				29.7	26.8	28.3	No	No
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse				30.5	28.6	19.8	Yes	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse				60.9	60.8	62.2	No	No
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse				32.9	29.2	27.2	No	No
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse				1.7	2.1	3.6	No	No
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse				34.7	31.3	30.8	No	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy				9.9	9.5	9.2	No	No
				9.9	9.5	9.2	No	No

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
White*								
Weight Management and Dietary Behaviors								
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**			13.6	12.1	13.6	12.3	No	No
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**			9.1	9.4	8.5	9.8	No	No
Percentage of students who described themselves as slightly or very overweight			29.0	27.5	25.9	27.1	No	No
Percentage of students who were trying to lose weight			46.8	46.4	46.9	45.7	No	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days			11.1	10.3	8.3	8.0	Yes	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days			80.7	82.6	82.7	79.0	No	Yes
Percentage of students who ate fruit one or more times during the past seven days			87.2	89.8	90.6	90.3	No	No
Percentage of students who ate green salad one or more times during the past seven days			75.8	76.5	73.8	72.6	No	No
Percentage of students who ate potatoes one or more times during the past seven days			70.8	68.7	70.9	72.6	No	No
Percentage of students who ate carrots one or more times during the past seven days			53.6	58.2	58.4	57.0	No	No
Percentage of students who ate other vegetables one or more times during the past seven days			85.9	87.9	88.9	87.3	No	No
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days			21.7	20.7	20.6	19.8	No	No
Percentage of students who ate fruits two or more times per day and ate vegetables three or more times per day during the past seven days			9.6	10.2	9.2	7.4	No	No
Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days			32.0	32.6	35.8	35.1	No	No
Percentage of students who ate vegetables three or more times per day during the past seven days			14.5	14.4	13.2	11.4	No	No

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
White*								
Physical Activity								
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days				50.5	50.5	54.7	No	No
Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days				11.1	9.1	10.0	No	No
Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days				26.6	27.3	28.8	No	No
Percentage of students who watched three or more hours per day of TV on an average school day			27.1	23.6	23.5	22.1	Yes	No
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day				26.6	26.6	27.3	No	No

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Black*								
Injury and Violence								
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else			18.0	16.5	13.5	10.5	No	No
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol			27.1	19.4	21.6	24.5	No	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol			6.1	3.9	4.7	4.9	No	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days			11.3	5.6	4.2	9.2	No	Yes
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school			10.6	5.1	6.2	3.8	Yes	No
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months			12.5	8.3	7.7	5.7	Yes	No
Percentage of students who were in a physical fight one or more times during the past 12 months			35.5	38.3	35.5	27.0	No	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months			15.0	14.5	13.1	10.9	No	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months			17.1	12.0	11.6	8.6	Yes	No
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to				12.3	9.2	9.7	No	No
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months			30.5	25.1	28.7	21.2	Yes	No
Percentage of students who seriously considered attempting suicide during the past 12 months			16.4	14.3	13.3	16.1	No	No
Percentage of students who actually attempted suicide one or more times during the past 12 months			11.5	10.3	9.0	6.2	Yes	No

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Black*								
Tobacco Use								
Percentage of students who smoked cigarettes on one or more of the past 30 days			11.2	9.4	9.6	10.6	No	No
Percentage of students who smoked cigarettes on 20 or more of the past 30 days			3.8	1.9	1.6	5.6	No	Yes

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Black*								
Alcohol and Other Drug Use								
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years			27.2	20.6	25.5	16.7	No	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days			31.9	26.3	38.1	28.1	No	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days			18.2	7.7	13.7	12.3	No	No
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days			9.7	1.9	4.4	5.0	No	Yes
Percentage of students who used marijuana one or more times during their life			44.8	32.6	36.9	38.7	No	Yes
Percentage of students who tried marijuana for the first time before age 13 years			15.2	8.3	7.5	6.9	Yes	No
Percentage of students who used marijuana one or more times during the past 30 days			23.6	15.7	20.5	20.3	No	No
Percentage of students who used marijuana on school property one or more times during the past 30 days			7.6	3.2	3.7	4.0	No	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life			7.0	3.4	1.7	3.9	No	Yes
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life			11.8	7.3	8.2	10.2	No	No
Percentage of students who used heroin one or more times during their life			6.2	3.6	2.8	2.0	Yes	No
Percentage of students who used methamphetamines one or more times during their life			7.2	4.5	2.5	3.9	No	No
Percentage of students who used ecstasy one or more times during their life			6.8	5.1	3.4	1.9	Yes	No
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months			31.5	29.6	22.5	24.5	No	No

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Black*								
Sexual Behaviors								
Percentage of students who ever had sexual intercourse			60.9	51.4	57.9	55.1	No	No
Percentage of students who had sexual intercourse for the first time before age 13 years			12.4	11.8	13.7	11.3	No	No
Percentage of students who had sexual intercourse with four or more people during their life			26.2	23.4	21.7	20.9	Yes	No
Percentage of students who had sexual intercourse with one or more people during the past three months				37.6	39.3	42.3	No	No

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Black*								
Weight Management and Dietary Behaviors								
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**			16.5	11.5	16.6	19.9	No	No
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**			15.3	20.7	12.4	24.0	No	No
Percentage of students who described themselves as slightly or very overweight			24.3	24.7	21.9	36.6	Yes	Yes
Percentage of students who were trying to lose weight			41.0	34.2	43.8	54.8	No	Yes
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days			19.6	11.5	8.8	8.4	Yes	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days			81.5	80.8	85.5	83.1	No	No
Percentage of students who ate fruit one or more times during the past seven days			76.7	81.2	79.9	81.0	No	No
Percentage of students who ate green salad one or more times during the past seven days			49.0	52.7	51.3	50.0	No	No
Percentage of students who ate potatoes one or more times during the past seven days			49.6	52.0	51.6	60.8	Yes	No
Percentage of students who ate carrots one or more times during the past seven days			34.2	36.5	34.2	34.2	No	No
Percentage of students who ate other vegetables one or more times during the past seven days			70.7	78.4	74.9	74.5	No	No
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days			22.8	24.6	24.1	21.7	No	No
Percentage of students who ate fruits two or more times per day and ate vegetables three or more times per day during the past seven days			10.7	11.4	8.8	5.5	No	No
Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days			43.7	35.4	37.0	34.0	No	No
Percentage of students who ate vegetables three or more times per day during the past seven days			13.5	15.9	11.8	9.5	No	No

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Black*								
Physical Activity								
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days				34.4	37.1	34.1	No	No
Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days				22.0	27.7	18.7	No	Yes
Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days				20.2	20.0	16.7	No	No
Percentage of students who watched three or more hours per day of TV on an average school day			59.1	56.8	54.1	46.0	Yes	No
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day				33.1	31.2	35.4	No	No

*Non-Hispanic.

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Hispanic/Latino								
Injury and Violence								
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else			15.1	11.5	13.6	13.8	No	No
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol			32.9	32.0	28.9	28.4	Yes	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol			6.6	9.2	8.4	7.7	No	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days			8.0	9.3	5.6	8.5	No	No
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school			10.0	10.4	8.3	8.0	No	No
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months			8.6	12.2	6.8	10.6	No	No
Percentage of students who were in a physical fight one or more times during the past 12 months			36.7	38.9	31.1	32.3	No	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months			15.4	14.3	9.3	11.5	Yes	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months			17.6	17.1	9.6	8.4	Yes	No
Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to				12.1	12.8	11.8	No	No
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months			32.2	31.5	33.3	33.5	No	No
Percentage of students who seriously considered attempting suicide during the past 12 months			16.3	17.0	16.0	17.1	No	No
Percentage of students who actually attempted suicide one or more times during the past 12 months			14.8	10.7	12.0	11.0	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Hispanic/Latino								
Tobacco Use								
Percentage of students who smoked cigarettes on one or more of the past 30 days			15.0	22.7	15.5	16.5	No	No
Percentage of students who smoked cigarettes on 20 or more of the past 30 days			3.8	10.4	5.8	4.7	No	Yes

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Hispanic/Latino								
Alcohol and Other Drug Use								
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years			29.3	26.0	22.2	20.7	Yes	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days			38.8	42.7	42.5	40.7	No	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days			19.6	23.8	23.4	21.1	No	No
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days			3.6	8.6	6.1	5.5	No	No
Percentage of students who used marijuana one or more times during their life			41.0	37.0	36.6	40.1	No	No
Percentage of students who tried marijuana for the first time before age 13 years			11.4	12.8	7.6	8.4	Yes	No
Percentage of students who used marijuana one or more times during the past 30 days			19.1	20.7	19.8	23.2	No	No
Percentage of students who used marijuana on school property one or more times during the past 30 days			3.0	7.8	5.7	7.5	No	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life			4.2	7.6	4.3	7.1	No	No
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life			7.8	11.3	9.3	10.5	No	No
Percentage of students who used heroin one or more times during their life			3.5	4.4	3.7	4.6	No	No
Percentage of students who used methamphetamines one or more times during their life			4.9	6.4	2.6	3.7	No	No
Percentage of students who used ecstasy one or more times during their life			5.6	9.8	5.5	9.2	No	No
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months			29.3	31.0	29.5	33.2	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Hispanic/Latino								
Sexual Behaviors								
Percentage of students who ever had sexual intercourse			55.5	58.2	50.0	51.8	Yes	No
Percentage of students who had sexual intercourse for the first time before age 13 years			10.1	14.1	8.5	8.6	No	No
Percentage of students who had sexual intercourse with four or more people during their life			18.5	18.8	14.9	15.7	No	No
Percentage of students who had sexual intercourse with one or more people during the past three months				41.2	36.6	33.7	Yes	No
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse				22.5	17.8	18.9	No	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse				59.1	50.6	54.1	No	No
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse				14.6	16.4	18.5	No	No
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse				1.0	3.4	3.9	No	No
Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse				15.5	19.8	22.4	No	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy				4.6	4.3	6.8	No	No
				4.6	4.3	6.8	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Hispanic/Latino								
Weight Management and Dietary Behaviors								
Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**			18.2	19.4	16.1	16.0	No	No
Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**			17.7	17.4	16.8	15.2	No	No
Percentage of students who described themselves as slightly or very overweight			32.4	36.0	31.0	30.5	No	No
Percentage of students who were trying to lose weight			53.5	50.1	48.2	49.3	No	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days			9.8	13.8	12.1	11.9	No	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days			84.0	79.5	78.6	82.6	No	No
Percentage of students who ate fruit one or more times during the past seven days			81.9	81.8	84.8	83.8	No	No
Percentage of students who ate green salad one or more times during the past seven days			59.3	56.1	56.3	58.8	No	No
Percentage of students who ate potatoes one or more times during the past seven days			60.0	60.3	58.7	62.8	No	No
Percentage of students who ate carrots one or more times during the past seven days			29.6	36.6	36.9	37.3	No	No
Percentage of students who ate other vegetables one or more times during the past seven days			65.4	67.0	67.1	74.1	No	No
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days			20.2	21.7	17.0	18.3	No	No
Percentage of students who ate fruits two or more times per day and ate vegetables three or more times per day during the past seven days			8.9	9.2	5.3	8.1	No	No
Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days			34.1	35.0	32.8	34.9	No	No
Percentage of students who ate vegetables three or more times per day during the past seven days			12.5	12.1	8.2	10.5	No	No

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Connecticut High School Survey
Ten Year Trend Analysis Report (2001-2011)**

Question	Prevalence Survey Year						Linear Change	Quadratic Change
	2001	2003	2005	2007	2009	2011		
Hispanic/Latino								
Physical Activity								
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days				32.3	33.1	38.9	No	No
Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days				21.8	21.6	14.3	Yes	No
Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days				18.5	19.4	19.0	No	No
Percentage of students who watched three or more hours per day of TV on an average school day			42.6	39.5	39.2	32.4	Yes	No
Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day				28.3	28.3	36.4	Yes	No