

# Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex All Residents, 1992

Page

## Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, All Residents, 1992

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

## Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, All Residents, 1992

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Resident DEATHS, 1992  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1992*****				*****1992*****				*****1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR
*****Causes of Death*****															
All causes	28,224	861.3	441.5	0	444.8	14,047	884.2	579.4	0	580.6	14,177	839.8	331.3	0	338.0
Infectious diseases and parasitic disease (1-139)	912	27.8	19.6	0	17.4	559	35.2	28.4	0	25.3	353	20.9	11.2	0	10.2
..Septicemia (038)	395	12.1	5.8	0	5.3	173	10.9	6.9	0	6.6	222	13.2	4.8	0	4.4
....Septicemia-related (038)	1,374	41.9	20.7	0	22.1	650	40.9	25.7	0	27.5	724	42.9	16.8	0	17.9
..HIV infection (042-044)	428	13.1	12.0	0	9.9	339	21.3	19.2	0	15.6	89	5.3	4.9	0	4.5
All cancer (140-208)	7,122	217.3	125.8	0	126.7	3,652	229.9	152.6	0	152.3	3,470	205.5	107.1	0	109.2
..Oral cavity or pharynx (140.0-149.9)	111	3.4	2.2	0	3.1	66	4.2	3.2	0	4.8	45	2.7	1.3	0	1.6
..Colorectal cancer (153.0-154.3,154.8,159.0)	808	24.7	12.6	0	13.3	413	26.0	16.3	0	16.1	395	23.4	9.9	0	11.3
....Colon cancer (153)	652	19.9	10.1	0	11.2	330	20.8	12.9	0	13.5	322	19.1	8.0	0	9.5
....Rectal cancer (154)	141	4.3	2.3	0	2.0	78	4.9	3.2	0	2.4	63	3.7	1.7	0	1.8
..Pancreatic cancer (157)	378	11.5	6.2	0	5.7	153	9.6	6.6	0	6.4	225	13.3	5.7	0	5.3
..Lung and other respiratory cancer (160-165)	1,917	58.5	36.5	0	36.5	1,139	71.7	49.1	0	50.5	778	46.1	27.1	0	26.1
....Lung cancer (162.2-.9)	1,852	56.5	35.1	0	35.0	1,089	68.6	46.8	0	48.1	763	45.2	26.6	0	25.5
..Malignant melanoma of skin (172)	98	3.0	2.0	0	1.9	53	3.3	2.4	0	2.7	45	2.7	1.7	0	1.3
..Female breast cancer (174)	588	.	.	.	.	.	.	.	.	.	588	34.8	21.1	0	22.5
..Cervical cancer (180)	36	.	.	.	.	.	.	.	.	.	36	2.1	1.5	0	2.4
..Endometrial cancer (182)	37	.	.	.	.	.	.	.	.	.	37	2.2	1.1	0	1.4
..Ovarian cancer (183)	180	.	.	.	.	.	.	.	.	.	180	10.7	5.8	0	6.3
..Prostate cancer (185)	486	.	.	.	.	486	30.6	16.5	0	15.1	.	.	.	.	.
..Bladder cancer (188)	176	5.4	2.4	0	2.5	108	6.8	3.9	0	3.9	68	4.0	1.2	0	1.6
..Brain & other CNS cancer (191-192)	171	5.2	3.7	0	3.5	97	6.1	5.0	0	4.5	74	4.4	2.6	0	2.6
..Leukemia (204-208)	255	7.8	4.6	0	4.7	132	8.3	5.7	0	5.8	123	7.3	3.7	0	3.8
Diabetes mellitus (250)	511	15.6	8.2	0	8.0	221	13.9	9.2	0	9.5	290	17.2	7.4	0	6.6
..Diabetes-related (250)	2,336	71.3	34.7	0	34.5	1,060	66.7	41.4	0	40.7	1,276	75.6	29.6	0	29.6
..Diabetic ketoacidosis (DKA) (250.1)	3	0.1	.	.	.	1	0.1	.	.	.	2	0.1	.	.	.
Alzheimer's diseases (331.0)	186	5.7	1.8	0	2.0	75	4.7	2.3	0	2.1	111	6.6	1.5	0	2.0
Cardiovascular disease (390-459)	12,168	371.3	159.7	0	160.4	5,637	354.8	212.7	0	215.9	6,531	386.9	118.4	0	117.4
..Diseases of the heart (390-398,402,404-429)	9,695	295.9	130.6	0	130.3	4,639	292.0	178.2	0	179.5	5,056	299.5	93.1	0	92.1
....Heart disease-related (390-398,402,404-429)	15,906	485.4	219.8	0	222.7	7,659	482.1	293.9	0	299.1	8,247	488.5	163.0	0	164.6
....Coronary heart disease (CHD) (402,410-414,429.2)	7,144	218.0	96.0	0	95.3	3,557	223.9	137.0	0	134.2	3,587	212.5	63.7	0	64.9
....Congestive heart failure (CHF) (428.0)	461	14.1	4.7	0	4.2	162	10.2	5.1	0	4.7	299	17.7	4.4	0	3.9
..Hypertension with or without renal disease (401,403)	131	4.0	1.8	0	1.7	55	3.5	2.1	0	2.2	76	4.5	1.6	0	1.3
....Hypertension-related (401,403)	1,695	51.7	22.7	0	21.8	677	42.6	26.0	0	24.7	1,018	60.3	19.7	0	18.8
..Cerebrovascular disease (430-438)	1,740	53.1	20.1	0	20.4	664	41.8	22.7	0	23.4	1,076	63.7	18.2	0	18.1
..Atherosclerosis (440)	193	5.9	1.8	0	2.3	65	4.1	2.0	0	2.5	128	7.6	1.6	0	2.0
....Atherosclerosis-related (440)	1,011	30.9	10.3	0	10.6	403	25.4	12.9	0	13.1	608	36.0	8.5	0	8.8
..Aortic aneurysm (441)	210	6.4	2.9	0	3.2	122	7.7	4.5	0	4.9	88	5.2	1.8	0	1.8
Pneumonia & influenza (480-487)	1,144	34.9	12.1	0	11.4	514	32.4	16.5	0	15.3	630	37.3	9.3	0	8.9

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.  
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Resident DEATHS, 1992  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1992*****				*****1992*****				*****1992*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,156	35.3	15.7	1	13.7	604	38.0	21.2	0	18.1	552	32.7	12.4	0	11.1
..COPD-related (490-496)	2,568	78.4	35.3	0	32.6	1,378	86.7	48.8	0	44.8	1,190	70.5	26.6	0	25.1
..Asthma (493)	50	1.5	0.9	0	0.7	15	0.9	0.7	0	.	35	2.1	1.1	0	0.6
Chronic liver disease and cirrhosis (571)	286	8.7	6.6	0	6.8	182	11.5	9.4	0	9.6	104	6.2	4.2	0	4.3
Nephritis, nephrotic syndrome/nephrosis (580-589)	320	9.8	4.2	0	4.7	169	10.6	5.9	0	6.2	151	8.9	3.1	0	3.6
..Nephritis-related (580-589)	1,684	51.4	24.2	0	24.0	887	55.8	32.8	0	32.0	797	47.2	18.5	0	18.6
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	360	11.0	4.7	0	5.2	188	11.8	6.6	0	7.0	172	10.2	3.5	0	4.0
Unintentional injuries (E800-E949)	910	27.8	21.7	0	20.8	593	37.3	33.3	0	30.2	317	18.8	10.6	0	12.1
..Motor vehicle accidents (E810-E825)	331	10.1	9.8	0	10.0	234	14.7	14.9	0	13.9	97	5.7	4.8	0	6.3
..Falls and fall related injuries (E880-E888)	179	5.5	2.4	0	2.2	85	5.4	3.4	0	3.3	94	5.6	1.5	0	1.4
..Drowning (E830,E832,E910)	39	1.2	1.2	0	1.2	31	2.0	1.9	0	2.4	8	0.5	.	.	.
..Residential fires (E890-E899)	24	0.7	0.6	1	1.3	14	0.9	.	.	1.2	10	0.6	.	.	1.3
Suicide (E950-E959)	308	9.4	8.5	0	9.6	257	16.2	14.7	0	16.1	51	3.0	2.7	0	3.4
Homicide and legal intervention (E960-E978)	183	5.6	6.2	0	6.1	145	9.1	10.0	0	9.9	38	2.3	2.2	0	2.3
..Homicide (E960-E969)	181	5.5	6.1	0	6.1	143	9.0	9.9	0	9.9	38	2.3	2.2	0	2.3
All injury (E800-E999)	1,445	44.1	37.6	0	38.3	1,023	64.4	59.7	0	58.8	422	25.0	16.3	0	18.7
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	325	9.9	9.7	0	9.8	229	14.4	14.6	0	13.4	96	5.7	4.8	0	6.2
..All falls (E880-E886,E888,E957,E968.1,E987)	145	4.4	2.2	0	2.2	76	4.8	3.3	0	3.2	69	4.1	1.2	0	1.4
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	272	8.3	8.7	0	8.9	243	15.3	15.8	0	16.1	29	1.7	1.8	0	1.8
....Suicide (E955.0-.4)	136	4.2	3.8	0	4.3	123	7.7	7.1	0	8.1	13	0.8	.	.	.
....Homicide (E965.0-.4)	126	3.8	4.5	0	4.4	113	7.1	8.1	0	7.7	13	0.8	.	.	1.0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	249	7.6	6.8	0	5.4	196	12.3	11.1	1	7.8	53	3.1	2.7	0	3.1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	198	6.0	5.1	0	4.0	145	9.1	7.9	0	6.0	53	3.1	2.5	0	2.1
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	179	5.5	5.0	0	3.9	140	8.8	8.0	1	5.5	39	2.3	2.1	0	2.3

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.  
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Resident DEATHS, 1992  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1992*****				*****1992*****				*****1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR
*****Causes of Death*****															
All causes	28,224	861.3	614.0	0	618.3	14,047	884.2	797.8	0	802.5	14,177	839.8	479.3	0	486.3
Infectious diseases and parasitic disease (1-139)	912	27.8	20.7	0	19.0	559	35.2	28.7	0	26.7	353	20.9	13.2	0	12.3
..Septicemia (038)	395	12.1	8.4	0	8.0	173	10.9	9.6	0	9.9	222	13.2	7.3	0	6.8
....Septicemia-related (038)	1,374	41.9	29.3	0	31.3	650	40.9	36.3	0	38.5	724	42.9	24.5	0	26.1
..HIV infection (042-044)	428	13.1	10.2	0	8.5	339	21.3	16.5	0	13.3	89	5.3	4.2	0	3.9
All cancer (140-208)	7,122	217.3	166.3	0	166.4	3,652	229.9	208.3	0	207.1	3,470	205.5	139.1	0	140.6
..Oral cavity or pharynx (140.0-149.9)	111	3.4	2.7	0	3.8	66	4.2	3.9	0	5.9	45	2.7	1.7	0	2.1
..Colorectal cancer (153.0-154.3,154.8,159.0)	808	24.7	17.9	0	18.6	413	26.0	23.4	0	22.8	395	23.4	14.1	0	15.8
....Colon cancer (153)	652	19.9	14.4	0	15.6	330	20.8	18.7	0	19.1	322	19.1	11.4	0	13.2
....Rectal cancer (154)	141	4.3	3.2	0	2.8	78	4.9	4.4	0	3.4	63	3.7	2.3	0	2.4
..Pancreatic cancer (157)	378	11.5	8.5	0	8.0	153	9.6	8.7	0	9.0	225	13.3	8.1	0	7.4
..Lung and other respiratory cancer (160-165)	1,917	58.5	46.9	0	46.9	1,139	71.7	65.4	0	67.4	778	46.1	34.1	0	32.8
....Lung cancer (162.2-.9)	1,852	56.5	45.2	0	45.1	1,089	68.6	62.5	0	64.3	763	45.2	33.4	0	31.9
..Malignant melanoma of skin (172)	98	3.0	2.4	0	2.2	53	3.3	2.9	0	3.2	45	2.7	2.0	0	1.4
..Female breast cancer (174)	588	.	.	.	.	.	.	.	.	.	588	34.8	25.4	0	27.1
..Cervical cancer (180)	36	.	.	.	.	.	.	.	.	.	36	2.1	1.6	0	2.6
..Endometrial cancer (182)	37	.	.	.	.	.	.	.	.	.	37	2.2	1.5	0	1.9
..Ovarian cancer (183)	180	.	.	.	.	.	.	.	.	.	180	10.7	7.5	0	7.9
..Prostate cancer (185)	486	.	.	.	.	486	30.6	27.0	0	24.5	.	.	.	.	.
..Bladder cancer (188)	176	5.4	3.7	0	3.7	108	6.8	6.1	0	5.8	68	4.0	2.1	0	2.3
..Brain & other CNS cancer (191-192)	171	5.2	4.4	0	4.0	97	6.1	5.8	0	5.1	74	4.4	3.2	0	3.1
..Leukemia (204-208)	255	7.8	6.0	0	5.9	132	8.3	7.5	0	7.5	123	7.3	4.9	0	4.8
Diabetes mellitus (250)	511	15.6	11.4	0	11.1	221	13.9	12.6	0	12.9	290	17.2	10.4	0	9.5
..Diabetes-related (250)	2,336	71.3	50.5	0	50.1	1,060	66.7	59.7	0	58.6	1,276	75.6	43.7	0	43.9
..Diabetic ketoacidosis (DKA) (250.1)	3	0.1	.	.	.	1	0.1	.	.	.	2	0.1	.	.	.
Alzheimer's diseases (331.0)	186	5.7	3.4	0	3.7	75	4.7	4.2	0	3.9	111	6.6	2.9	0	3.6
Cardiovascular disease (390-459)	12,168	371.3	247.7	0	248.8	5,637	354.8	319.9	0	324.7	6,531	386.9	194.8	0	193.8
..Diseases of the heart (390-398,402,404-429)	9,695	295.9	199.6	0	199.9	4,639	292.0	263.9	0	267.2	5,056	299.5	152.2	0	151.1
....Heart disease-related (390-398,402,404-429)	15,906	485.4	330.6	0	335.4	7,659	482.1	434.2	0	442.9	8,247	488.5	257.0	0	259.9
....Coronary heart disease (CHD) (402,410-414,429.2)	7,144	218.0	147.3	0	147.2	3,557	223.9	202.6	0	199.9	3,587	212.5	106.3	0	108.5
....Congestive heart failure (CHF) (428.0)	461	14.1	8.5	0	7.8	162	10.2	9.2	0	8.7	299	17.7	8.1	0	7.3
..Hypertension with or without renal disease (401,403)	131	4.0	2.7	0	2.6	55	3.5	3.1	0	3.3	76	4.5	2.5	0	2.1
....Hypertension-related (401,403)	1,695	51.7	34.9	0	33.0	677	42.6	38.4	0	35.2	1,018	60.3	31.5	0	30.2
..Cerebrovascular disease (430-438)	1,740	53.1	33.6	0	33.6	664	41.8	37.2	0	37.6	1,076	63.7	30.9	0	30.6
..Atherosclerosis (440)	193	5.9	3.4	0	4.2	65	4.1	3.6	0	4.4	128	7.6	3.2	0	3.9
....Atherosclerosis-related (440)	1,011	30.9	18.7	0	19.3	403	25.4	22.6	0	22.7	608	36.0	16.1	0	16.7
..Aortic aneurysm (441)	210	6.4	4.4	0	4.7	122	7.7	6.8	0	7.2	88	5.2	2.8	0	2.9
Pneumonia & influenza (480-487)	1,144	34.9	21.3	0	20.5	514	32.4	29.1	0	27.3	630	37.3	16.9	0	16.7

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.  
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Resident DEATHS, 1992  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1992*****				*****1992*****				*****1992*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,156	35.3	24.1	1	20.9	604	38.0	33.6	0	28.9	552	32.7	18.6	0	16.6
..COPD-related (490-496)	2,568	78.4	53.8	0	49.9	1,378	86.7	77.0	0	71.8	1,190	70.5	40.1	0	37.7
..Asthma (493)	50	1.5	1.2	0	0.8	15	0.9	0.9	0	.	35	2.1	1.4	0	0.8
Chronic liver disease and cirrhosis (571)	286	8.7	7.3	0	7.7	182	11.5	10.4	0	10.9	104	6.2	4.7	0	5.0
Nephritis, nephrotic syndrome/nephrosis (580-589)	320	9.8	6.4	0	6.9	169	10.6	9.4	0	9.4	151	8.9	4.7	0	5.4
..Nephritis-related (580-589)	1,684	51.4	35.5	0	34.6	887	55.8	49.5	0	47.3	797	47.2	27.2	0	26.9
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	360	11.0	7.3	0	7.7	188	11.8	10.5	0	10.5	172	10.2	5.4	0	6.0
Unintentional injuries (E800-E949)	910	27.8	23.0	0	22.3	593	37.3	34.1	0	32.5	317	18.8	12.6	0	13.5
..Motor vehicle accidents (E810-E825)	331	10.1	9.6	0	9.8	234	14.7	14.3	0	13.6	97	5.7	5.0	0	6.1
..Falls and fall related injuries (E880-E888)	179	5.5	3.6	0	3.5	85	5.4	4.9	0	5.1	94	5.6	2.6	0	2.5
..Drowning (E830,E832,E910)	39	1.2	1.1	0	1.3	31	2.0	1.9	0	2.4	8	0.5	.	.	.
..Residential fires (E890-E899)	24	0.7	0.7	0	1.4	14	0.9	.	.	1.4	10	0.6	.	.	1.4
Suicide (E950-E959)	308	9.4	8.1	0	9.1	257	16.2	14.3	0	15.7	51	3.0	2.5	0	3.2
Homicide and legal intervention (E960-E978)	183	5.6	5.6	0	5.6	145	9.1	9.1	0	9.2	38	2.3	2.0	0	2.1
..Homicide (E960-E969)	181	5.5	5.5	0	5.6	143	9.0	9.0	0	9.2	38	2.3	2.0	0	2.1
All injury (E800-E999)	1,445	44.1	37.9	0	38.6	1,023	64.4	59.0	0	59.6	422	25.0	17.9	0	19.6
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	325	9.9	9.4	0	9.5	229	14.4	14.0	0	13.1	96	5.7	5.0	0	6.0
..All falls (E880-E886,E888,E957,E968.1,E987)	145	4.4	3.1	0	3.2	76	4.8	4.3	0	4.6	69	4.1	2.0	0	2.2
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	272	8.3	8.1	0	8.3	243	15.3	14.9	0	15.3	29	1.7	1.6	0	1.6
....Suicide (E955.0-.4)	136	4.2	3.7	0	4.1	123	7.7	7.1	0	7.9	13	0.8	.	.	.
....Homicide (E965.0-.4)	126	3.8	4.1	0	4.0	113	7.1	7.4	0	7.1	13	0.8	.	.	0.9
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	249	7.6	6.0	0	4.9	196	12.3	9.8	1	6.9	53	3.1	2.5	0	2.9
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	198	6.0	5.2	0	4.1	145	9.1	8.2	0	6.3	53	3.1	2.6	0	2.2
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	179	5.5	4.3	0	3.4	140	8.8	6.8	0	4.7	39	2.3	1.9	0	2.1

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.  
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Resident DEATHS, 1992  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1992*****				*****1992*****				*****1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR
*****Causes of Death*****															
All causes	28,224	861.3	837.7	0	840.9	14,047	884.2	1081.0	0	1088.0	14,177	839.8	672.2	0	677.5
Infectious diseases and parasitic disease (1-139)	912	27.8	27.0	0	25.3	559	35.2	37.1	0	35.6	353	20.9	17.6	0	16.7
..Septicemia (038)	395	12.1	11.7	0	11.7	173	10.9	13.2	0	14.6	222	13.2	10.4	0	10.1
....Septicemia-related (038)	1,374	41.9	40.8	0	43.6	650	40.9	51.1	0	53.6	724	42.9	34.3	0	37.1
..HIV infection (042-044)	428	13.1	12.6	0	10.5	339	21.3	20.4	0	16.7	89	5.3	5.0	0	4.5
All cancer (140-208)	7,122	217.3	209.2	0	207.8	3,652	229.9	268.4	0	265.3	3,470	205.5	173.7	0	174.3
..Oral cavity or pharynx (140.0-149.9)	111	3.4	3.4	0	4.4	66	4.2	4.8	0	6.9	45	2.7	2.2	0	2.5
..Colorectal cancer (153.0-154.3,154.8,159.0)	808	24.7	23.8	0	24.4	413	26.0	31.5	0	30.2	395	23.4	19.0	0	20.8
....Colon cancer (153)	652	19.9	19.2	0	20.5	330	20.8	25.3	0	25.1	322	19.1	15.4	0	17.5
....Rectal cancer (154)	141	4.3	4.2	0	3.6	78	4.9	5.8	0	4.5	63	3.7	3.1	0	3.1
..Pancreatic cancer (157)	378	11.5	11.1	0	10.3	153	9.6	10.9	0	11.7	225	13.3	10.7	0	9.5
..Lung and other respiratory cancer (160-165)	1,917	58.5	55.7	0	56.3	1,139	71.7	80.4	0	83.2	778	46.1	39.8	0	38.9
....Lung cancer (162.2-.9)	1,852	56.5	53.8	0	54.1	1,089	68.6	76.8	0	79.6	763	45.2	39.1	0	37.8
..Malignant melanoma of skin (172)	98	3.0	2.9	0	2.6	53	3.3	3.7	0	3.9	45	2.7	2.4	0	1.7
..Female breast cancer (174)	588	.	.	.	.	.	.	.	.	.	588	34.8	30.9	0	32.6
..Cervical cancer (180)	36	.	.	.	.	.	.	.	.	.	36	2.1	2.0	0	3.2
..Endometrial cancer (182)	37	.	.	.	.	.	.	.	.	.	37	2.2	1.8	0	2.2
..Ovarian cancer (183)	180	.	.	.	.	.	.	.	.	.	180	10.7	9.1	0	9.4
..Prostate cancer (185)	486	.	.	.	.	486	30.6	39.8	0	35.7	.	.	.	.	.
..Bladder cancer (188)	176	5.4	5.2	0	5.0	108	6.8	8.5	0	7.9	68	4.0	3.1	0	3.2
..Brain & other CNS cancer (191-192)	171	5.2	5.2	0	4.5	97	6.1	6.7	0	5.9	74	4.4	3.8	0	3.4
..Leukemia (204-208)	255	7.8	7.6	0	7.2	132	8.3	9.9	0	9.2	123	7.3	6.2	0	5.9
Diabetes mellitus (250)	511	15.6	15.1	0	14.8	221	13.9	16.5	0	16.7	290	17.2	13.9	0	13.1
..Diabetes-related (250)	2,336	71.3	68.5	0	68.0	1,060	66.7	80.2	0	79.0	1,276	75.6	60.2	0	60.4
..Diabetic ketoacidosis (DKA) (250.1)	3	0.1	.	.	.	1	0.1	.	.	.	2	0.1	.	.	.
Alzheimer's diseases (331.0)	186	5.7	5.6	0	6.0	75	4.7	6.6	0	6.4	111	6.6	4.9	0	5.8
Cardiovascular disease (390-459)	12,168	371.3	362.8	0	363.4	5,637	354.8	455.5	0	461.7	6,531	386.9	298.5	0	296.3
..Diseases of the heart (390-398,402,404-429)	9,695	295.9	288.7	0	288.9	4,639	292.0	370.9	0	376.4	5,056	299.5	231.3	0	229.5
....Heart disease-related (390-398,402,404-429)	15,906	485.4	473.0	0	479.6	7,659	482.1	611.9	0	623.5	8,247	488.5	380.8	0	385.4
....Coronary heart disease (CHD) (402,410-414,429.2)	7,144	218.0	212.5	0	213.2	3,557	223.9	282.8	0	280.6	3,587	212.5	163.2	0	166.6
....Congestive heart failure (CHF) (428.0)	461	14.1	13.9	0	12.8	162	10.2	14.9	0	14.1	299	17.7	13.3	0	12.1
..Hypertension with or without renal disease (401,403)	131	4.0	3.9	0	3.8	55	3.5	4.5	0	4.7	76	4.5	3.6	0	3.2
....Hypertension-related (401,403)	1,695	51.7	50.1	0	47.0	677	42.6	53.0	0	47.5	1,018	60.3	46.8	0	44.7
..Cerebrovascular disease (430-438)	1,740	53.1	52.3	0	51.8	664	41.8	56.9	0	56.9	1,076	63.7	49.0	0	48.1
..Atherosclerosis (440)	193	5.9	5.9	0	6.9	65	4.1	6.1	0	6.9	128	7.6	5.6	0	6.7
....Atherosclerosis-related (440)	1,011	30.9	30.4	0	31.4	403	25.4	35.6	0	35.3	608	36.0	27.0	0	28.3
..Aortic aneurysm (441)	210	6.4	6.1	0	6.4	122	7.7	9.4	0	9.6	88	5.2	4.1	0	4.3
Pneumonia & influenza (480-487)	1,144	34.9	34.6	0	33.8	514	32.4	47.2	0	45.0	630	37.3	28.1	0	28.1

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.  
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Resident DEATHS, 1992  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1992*****				*****1992*****				*****1992*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,156	35.3	33.6	1	29.0	604	38.0	48.3	0	42.2	552	32.7	25.8	0	22.6
..COPD-related (490-496)	2,568	78.4	74.8	0	69.7	1,378	86.7	110.2	0	104.5	1,190	70.5	55.5	0	51.9
..Asthma (493)	50	1.5	1.5	0	1.0	15	0.9	1.1	0	.	35	2.1	1.7	0	1.1
Chronic liver disease and cirrhosis (571)	286	8.7	8.6	0	9.1	182	11.5	12.3	0	12.9	104	6.2	5.5	0	5.9
Nephritis, nephrotic syndrome/nephrosis (580-589)	320	9.8	9.5	0	9.7	169	10.6	14.3	0	13.4	151	8.9	7.0	0	7.6
..Nephritis-related (580-589)	1,684	51.4	49.7	0	47.6	887	55.8	71.4	0	67.0	797	47.2	37.7	0	36.9
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	360	11.0	10.7	0	10.8	188	11.8	15.8	0	15.1	172	10.2	8.0	0	8.4
Unintentional injuries (E800-E949)	910	27.8	27.1	0	25.4	593	37.3	39.1	0	37.3	317	18.8	16.0	0	15.9
..Motor vehicle accidents (E810-E825)	331	10.1	9.9	0	9.6	234	14.7	14.6	0	13.3	97	5.7	5.4	0	6.2
..Falls and fall related injuries (E880-E888)	179	5.5	5.4	0	5.4	85	5.4	6.9	0	7.7	94	5.6	4.3	0	4.1
..Drowning (E830,E832,E910)	39	1.2	1.2	0	1.3	31	2.0	1.9	0	2.5	8	0.5	.	.	.
..Residential fires (E890-E899)	24	0.7	0.7	0	1.4	14	0.9	.	.	1.4	10	0.6	.	.	1.4
Suicide (E950-E959)	308	9.4	9.1	0	10.0	257	16.2	16.2	0	17.2	51	3.0	2.9	0	3.6
Homicide and legal intervention (E960-E978)	183	5.6	5.4	0	5.5	145	9.1	8.5	0	8.9	38	2.3	2.2	0	2.1
..Homicide (E960-E969)	181	5.5	5.3	0	5.5	143	9.0	8.4	0	8.9	38	2.3	2.2	0	2.1
All injury (E800-E999)	1,445	44.1	42.9	0	42.6	1,023	64.4	65.6	0	66.1	422	25.0	22.0	0	22.6
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	325	9.9	9.7	0	9.4	229	14.4	14.2	0	12.9	96	5.7	5.4	0	6.2
..All falls (E880-E886,E888,E957,E968.1,E987)	145	4.4	4.4	0	4.6	76	4.8	5.8	0	6.8	69	4.1	3.2	0	3.4
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	272	8.3	8.1	0	8.4	243	15.3	14.9	0	15.5	29	1.7	1.7	0	1.7
....Suicide (E955.0-.4)	136	4.2	4.0	0	4.4	123	7.7	7.8	0	8.6	13	0.8	.	.	.
....Homicide (E965.0-.4)	126	3.8	3.8	0	3.8	113	7.1	6.7	0	6.7	13	0.8	.	.	0.9
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	249	7.6	7.3	0	5.6	196	12.3	12.0	1	8.0	53	3.1	3.0	0	3.3
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	198	6.0	6.1	0	4.9	145	9.1	9.6	0	7.5	53	3.1	3.0	0	2.5
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	179	5.5	5.2	0	4.0	140	8.8	8.3	1	5.6	39	2.3	2.3	0	2.4

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.  
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	28,224	6,660	12,695	124,820	219,478	4245.3	4333.5	0	6626.0	6723.7	0
Infectious diseases and parasitic disease (1-139)	912	551	643	13,375	19,270	413.0	349.4	0	559.7	475.1	0
..Septicemia (038)	395	85	158	1,547	2,684	51.3	37.7	0	79.3	61.3	0
...Septicemia-related (038)	1,374	297	579	5,106	9,296	167.8	177.9	0	272.4	293.0	0
..HIV infection (042-044)	428	422	426	10,876	15,116	330.3	280.1	0	435.5	366.8	0
All cancer (140-208)	7,122	1,935	4,122	21,387	51,364	692.3	732.5	0	1449.7	1504.3	0
..Oral cavity or pharynx (140.0-149.9)	111	39	71	463	1,033	15.0	19.4	0	30.0	42.7	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	808	161	372	1,513	4,135	48.1	51.4	0	113.8	119.5	0
...Colon cancer (153)	652	124	297	1,125	3,213	35.6	43.6	0	87.6	100.2	0
...Rectal cancer (154)	141	34	69	340	838	11.1	7.7	0	23.9	18.8	0
..Pancreatic cancer (157)	378	80	200	720	2,090	22.8	18.2	0	56.8	48.4	0
..Lung and other respiratory cancer (160-165)	1,917	567	1,280	4,883	14,090	157.9	165.5	0	390.4	400.0	0
...Lung cancer (162.2-.9)	1,852	546	1,237	4,635	13,513	148.9	158.3	0	372.6	382.9	0
..Malignant melanoma of skin (172)	98	41	70	713	1,240	22.9	18.6	0	36.3	33.1	0
..Female breast cancer (174)	588	232	389	2,855	5,913	.	.	0	.	.	0
..Cervical cancer (180)	36	17	27	298	518	.	.	0	.	.	0
..Endometrial cancer (182)	37	8	21	45	193	.	.	0	.	.	0
..Ovarian cancer (183)	180	53	107	478	1,258	.	.	0	.	.	0
..Prostate cancer (185)	486	40	171	200	1,193	.	.	0	.	.	0
..Bladder cancer (188)	176	20	59	135	528	4.2	6.6	0	13.6	18.3	0
..Brain & other CNS cancer (191-192)	171	83	132	1,088	2,155	35.5	49.2	0	63.8	76.0	0
..Leukemia (204-208)	255	82	143	1,450	2,548	50.0	61.1	0	78.3	90.2	0
Diabetes mellitus (250)	511	118	251	1,330	3,093	42.0	42.4	0	86.4	84.4	0
..Diabetes-related (250)	2,336	397	1,020	3,723	10,540	118.0	115.1	0	285.5	278.7	0
..Diabetic ketoacidosis (DKA) (250.1)	3	2	3	90	113	.	.	0	.	.	0
Alzheimer's diseases (331.0)	186	5	30	18	190	0.5	1.0	0	4.4	5.3	0
Cardiovascular disease (390-459)	12,168	1,695	4,126	19,178	47,195	621.8	600.3	0	1316.5	1289.0	0
..Diseases of the heart (390-398,402,404-429)	9,695	1,450	3,475	16,228	40,091	527.4	489.9	0	1120.3	1070.9	0
...Heart disease-related (390-398,402,404-429)	15,906	2,571	5,915	32,531	73,576	1067.3	1049.4	0	2088.4	2070.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,144	1,029	2,571	9,650	27,135	310.4	298.6	0	744.4	719.1	0
....Congestive heart failure (CHF) (428.0)	461	23	88	198	720	6.7	5.6	0	19.1	14.5	0
..Hypertension with or without renal disease (401,403)	131	21	45	198	538	6.3	6.9	0	14.9	13.7	0
...Hypertension-related (401,403)	1,695	218	612	1,960	5,985	62.4	73.9	0	160.5	169.6	0
..Cerebrovascular disease (430-438)	1,740	162	431	1,980	4,693	63.2	79.4	0	129.8	150.9	0
..Atherosclerosis (440)	193	7	25	58	208	1.8	3.1	0	5.4	9.5	0
...Atherosclerosis-related (440)	1,011	45	183	343	1,403	11.2	11.7	0	36.2	37.4	0
..Aortic aneurysm (441)	210	23	85	270	760	8.6	8.8	0	19.9	21.4	0
Pneumonia & influenza (480-487)	1,144	87	225	1,671	3,141	57.1	46.9	0	92.6	78.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,156	118	435	955	3,598	31.5	27.9	0	93.4	81.4	0
..COPD-related (490-496)	2,568	268	995	2,209	8,222	72.2	66.1	0	213.4	193.4	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
..Asthma (493)	50	18	30	340	575	12.0	8.5	0	18.1	12.8	0
Chronic liver disease and cirrhosis (571)	286	166	230	2,545	4,565	78.4	69.9	0	131.1	121.5	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	320	40	109	692	1,400	21.9	22.2	0	38.8	43.7	0
..Nephritis-related (580-589)	1,684	276	677	3,714	8,327	119.0	139.6	0	232.1	254.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	360	46	124	717	1,537	22.7	24.7	0	42.4	48.8	0
Unintentional injuries (E800-E949)	910	558	663	16,492	22,555	599.8	635.8	0	761.3	788.4	0
..Motor vehicle accidents (E810-E825)	331	263	295	8,540	11,310	329.4	375.5	0	406.9	454.3	0
..Falls and fall related injuries (E880-E888)	179	37	57	568	1,013	20.3	15.7	0	32.1	25.4	0
..Drowning (E830,E832,E910)	39	30	37	1,045	1,373	40.6	42.4	0	49.5	52.0	0
..Residential fires (E890-E899)	24	14	18	488	653	18.0	48.4	0	22.3	57.7	1
Suicide (E950-E959)	308	243	281	6,818	9,448	236.8	278.1	0	306.0	357.1	0
Homicide and legal intervention (E960-E978)	183	174	179	6,458	8,221	251.7	238.4	0	301.5	288.2	0
..Homicide (E960-E969)	181	172	177	6,403	8,146	249.9	238.4	0	299.1	288.2	0
All injury (E800-E999)	1,445	1,015	1,164	30,803	41,660	1122.0	1208.7	0	1412.9	1504.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	325	259	291	8,405	11,135	323.4	369.9	0	399.6	446.5	0
..All falls (E880-E886,E888,E957,E968.1,E987)	145	40	57	705	1,173	24.7	22.7	0	37.0	34.1	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	272	240	260	8,187	10,682	317.2	316.9	0	387.4	389.1	0
....Suicide (E955.0-.4)	136	106	124	3,070	4,215	110.5	129.2	0	141.3	164.5	0
....Homicide (E965.0-.4)	126	125	126	4,805	6,062	194.3	179.7	0	231.0	215.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	249	221	235	6,048	8,333	192.1	158.9	0	249.5	205.4	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	198	143	180	2,563	4,215	78.6	58.5	0	121.9	90.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	179	171	174	4,738	6,460	149.3	119.4	0	192.4	153.0	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	14,047	4,308	7,767	83,621	142,954	5713.1	5668.4	0	8858.6	8800.6	0
Infectious diseases and parasitic disease (1-139)	559	419	465	10,032	14,407	614.6	503.8	0	837.2	695.1	0
..Septicemia (038)	173	55	90	981	1,658	63.2	45.6	0	98.4	75.3	0
...Septicemia-related (038)	650	186	327	3,210	5,673	207.7	216.8	0	337.6	361.9	0
..HIV infection (042-044)	339	336	339	8,496	11,874	516.8	410.6	0	687.2	548.2	0
All cancer (140-208)	3,652	1,016	2,198	11,202	27,207	744.7	756.6	0	1601.2	1619.0	0
..Oral cavity or pharynx (140.0-149.9)	66	33	49	383	798	25.6	31.9	0	49.4	69.1	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	413	94	211	870	2,403	56.8	58.1	0	138.7	136.3	0
...Colon cancer (153)	330	72	166	660	1,860	43.2	49.4	0	107.4	115.1	0
...Rectal cancer (154)	78	21	43	208	528	13.4	8.6	0	30.5	20.2	0
..Pancreatic cancer (157)	153	44	103	420	1,133	27.7	20.4	0	65.9	54.2	0
..Lung and other respiratory cancer (160-165)	1,139	327	757	2,823	8,258	186.8	193.2	0	478.2	494.7	0
...Lung cancer (162.2-.9)	1,089	310	725	2,600	7,788	170.2	182.5	0	447.5	468.3	0
..Malignant melanoma of skin (172)	53	20	38	390	655	25.3	25.6	0	39.1	45.6	0
..Female breast cancer (174)	.	.	.	.	.	.	.	0	.	.	0
..Cervical cancer (180)	.	.	.	.	.	.	.	0	.	.	0
..Endometrial cancer (182)	.	.	.	.	.	.	.	0	.	.	0
..Ovarian cancer (183)	.	.	.	.	.	.	.	0	.	.	0
..Prostate cancer (185)	486	40	171	200	1,193	13.2	12.3	0	63.0	59.7	0
..Bladder cancer (188)	108	16	44	95	395	6.1	5.4	0	21.7	21.2	0
..Brain & other CNS cancer (191-192)	97	58	83	735	1,438	48.2	60.2	0	87.7	94.7	0
..Leukemia (204-208)	132	49	81	988	1,618	69.2	68.3	0	103.0	103.3	0
Diabetes mellitus (250)	221	68	128	755	1,710	48.3	54.3	0	100.0	107.8	0
..Diabetes-related (250)	1,060	225	558	2,113	5,880	136.3	147.7	0	334.7	344.6	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3	.	.	0	.	.	0
Alzheimer's diseases (331.0)	75	3	18	8	115	0.4	0.9	0	5.6	5.5	0
Cardiovascular disease (390-459)	5,637	1,165	2,658	12,928	31,440	849.3	859.9	0	1835.5	1852.1	0
..Diseases of the heart (390-398,402,404-429)	4,639	1,029	2,290	11,326	27,508	745.4	720.0	0	1609.8	1576.7	0
...Heart disease-related (390-398,402,404-429)	7,659	1,730	3,702	21,693	48,083	1430.4	1423.6	0	2836.5	2842.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,557	779	1,773	7,475	19,975	490.0	469.7	0	1159.2	1113.0	0
....Congestive heart failure (CHF) (428.0)	162	15	42	103	380	6.7	5.8	0	21.2	16.1	0
..Hypertension with or without renal disease (401,403)	55	13	25	138	333	8.8	8.5	0	19.3	17.8	0
...Hypertension-related (401,403)	677	134	345	1,235	3,578	81.1	104.8	0	205.1	232.9	0
..Cerebrovascular disease (430-438)	664	86	231	1,010	2,453	65.4	96.7	0	141.0	181.1	0
..Atherosclerosis (440)	65	4	14	40	130	2.6	3.0	0	7.1	10.5	0
...Atherosclerosis-related (440)	403	27	115	208	888	13.9	13.8	0	48.6	48.4	0
..Aortic aneurysm (441)	122	15	61	185	535	12.3	15.0	0	29.7	36.0	0
Pneumonia & influenza (480-487)	514	54	137	1,179	2,067	82.6	64.9	0	128.5	108.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	604	62	242	400	1,880	25.4	35.9	0	100.0	98.1	0
..COPD-related (490-496)	1,378	154	565	1,142	4,630	74.8	79.7	0	252.7	234.1	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
..Asthma (493)	15	8	11	80	178	4.8	.	0	10.1	.	0
Chronic liver disease and cirrhosis (571)	182	116	154	1,795	3,150	113.2	101.1	0	187.7	174.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	169	25	64	460	882	30.0	28.5	0	51.6	57.0	0
..Nephritis-related (580-589)	887	170	392	2,362	5,062	149.4	174.0	0	290.0	317.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	188	28	72	472	957	30.8	31.2	0	55.7	63.4	0
Unintentional injuries (E800-E949)	593	442	502	13,369	18,069	964.7	913.1	0	1218.8	1135.6	0
..Motor vehicle accidents (E810-E825)	234	206	219	6,872	8,990	522.3	519.0	0	641.5	627.6	0
..Falls and fall related injuries (E880-E888)	85	28	41	485	818	35.4	26.9	0	53.6	43.0	0
..Drowning (E830,E832,E910)	31	25	31	918	1,188	70.2	79.3	0	84.8	98.1	0
..Residential fires (E890-E899)	14	8	10	274	369	.	46.2	.	.	54.7	.
Suicide (E950-E959)	257	201	236	5,723	7,915	400.5	462.3	0	518.0	592.3	0
Homicide and legal intervention (E960-E978)	145	140	144	5,227	6,647	410.2	380.1	0	491.4	460.7	0
..Homicide (E960-E969)	143	138	142	5,172	6,572	406.5	380.1	0	486.6	460.7	0
All injury (E800-E999)	1,023	810	909	25,051	33,634	1824.1	1840.5	0	2291.3	2294.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	229	202	215	6,737	8,815	510.6	508.9	0	627.3	613.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	76	31	43	593	953	42.0	35.2	0	61.7	52.2	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	243	213	231	7,343	9,558	568.2	566.4	0	693.8	696.0	0
....Suicide (E955.0-.4)	123	94	111	2,770	3,788	200.7	236.5	0	256.4	301.7	0
....Homicide (E965.0-.4)	113	112	113	4,305	5,433	346.7	316.1	0	412.6	378.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	196	178	189	4,950	6,798	315.1	233.0	0	409.1	300.0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	145	108	131	1,915	3,138	120.1	89.1	0	187.1	137.7	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	140	136	138	3,850	5,220	243.6	174.1	0	312.6	221.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	14,177	2,352	4,928	41,199	76,524	2782.4	3005.7	0	4458.5	4716.2	0
Infectious diseases and parasitic disease (1-139)	353	132	178	3,343	4,863	216.5	200.4	0	290.3	263.5	0
..Septicemia (038)	222	30	68	566	1,026	39.7	30.4	0	61.2	48.5	0
...Septicemia-related (038)	724	111	252	1,896	3,623	129.7	140.5	0	210.8	228.8	0
..HIV infection (042-044)	89	86	87	2,380	3,243	147.9	153.9	0	190.2	191.7	0
All cancer (140-208)	3,470	919	1,924	10,185	24,157	640.7	708.6	0	1312.9	1404.0	0
..Oral cavity or pharynx (140.0-149.9)	45	6	22	80	235	4.9	7.5	0	11.8	18.3	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	395	67	161	643	1,733	39.9	45.0	0	91.4	104.4	0
...Colon cancer (153)	322	52	131	465	1,353	28.4	38.2	0	69.5	86.7	0
...Rectal cancer (154)	63	13	26	133	310	8.8	6.8	0	18.0	17.7	0
..Pancreatic cancer (157)	225	36	97	300	958	18.2	16.1	0	48.3	43.1	0
..Lung and other respiratory cancer (160-165)	778	240	523	2,060	5,833	130.5	139.6	0	312.0	316.0	0
...Lung cancer (162.2-.9)	763	236	512	2,035	5,725	128.9	135.7	0	306.5	307.4	0
..Malignant melanoma of skin (172)	45	21	32	323	585	20.5	11.9	0	33.6	21.4	0
..Female breast cancer (174)	588	232	389	2,855	5,913	173.7	183.1	0	325.8	347.4	0
..Cervical cancer (180)	36	17	27	298	518	18.3	36.8	0	29.4	56.9	0
..Endometrial cancer (182)	37	8	21	45	193	2.9	3.2	0	9.8	11.6	0
..Ovarian cancer (183)	180	53	107	478	1,258	29.5	43.3	0	67.1	86.2	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	68	4	15	40	133	2.4	7.8	0	6.4	16.2	0
..Brain & other CNS cancer (191-192)	74	25	49	353	718	23.6	38.6	0	41.5	58.2	0
..Leukemia (204-208)	123	33	62	463	930	30.5	53.9	0	53.6	78.0	0
Diabetes mellitus (250)	290	50	123	575	1,383	36.5	30.8	0	74.0	62.5	0
..Diabetes-related (250)	1,276	172	462	1,610	4,660	101.1	83.6	0	241.5	217.6	0
..Diabetic ketoacidosis (DKA) (250.1)	2	2	2	90	110	.	.	0	.	.	0
Alzheimer's diseases (331.0)	111	2	12	10	75	0.6	1.0	0	3.3	5.1	0
Cardiovascular disease (390-459)	6,531	530	1,468	6,250	15,755	406.5	352.1	0	841.9	771.0	0
..Diseases of the heart (390-398,402,404-429)	5,056	421	1,185	4,903	12,583	320.9	270.6	0	671.6	606.3	0
...Heart disease-related (390-398,402,404-429)	8,247	841	2,213	10,838	25,493	721.1	689.7	0	1396.9	1355.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,587	250	798	2,175	7,160	140.6	136.5	0	364.9	358.9	0
....Congestive heart failure (CHF) (428.0)	299	8	46	95	340	6.9	5.7	0	17.3	13.2	0
..Hypertension with or without renal disease (401,403)	76	8	20	60	205	3.9	5.5	0	10.6	10.0	0
...Hypertension-related (401,403)	1,018	84	267	725	2,408	44.7	44.2	0	119.7	110.9	0
..Cerebrovascular disease (430-438)	1,076	76	200	970	2,240	61.3	62.5	0	120.3	122.6	0
..Atherosclerosis (440)	128	3	11	18	78	1.1	3.3	0	3.9	8.7	0
...Atherosclerosis-related (440)	608	18	68	135	515	8.7	9.8	0	25.6	28.0	0
..Aortic aneurysm (441)	88	8	24	85	225	4.9	2.7	0	11.0	8.0	0
Pneumonia & influenza (480-487)	630	33	88	492	1,074	30.9	29.5	0	57.1	50.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	552	56	193	555	1,718	38.0	19.6	0	89.7	65.8	0
..COPD-related (490-496)	1,190	114	430	1,067	3,592	70.4	52.5	0	180.8	156.7	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
..Asthma (493)	35	10	19	260	398	19.4	2.6	0	26.4	6.0	0
Chronic liver disease and cirrhosis (571)	104	50	76	750	1,415	45.1	40.3	0	77.4	71.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	151	15	45	233	518	13.7	16.3	0	26.5	31.5	0
..Nephritis-related (580-589)	797	106	285	1,352	3,265	90.1	106.5	0	178.7	195.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	172	18	52	245	580	14.5	18.7	0	29.6	35.6	0
Unintentional injuries (E800-E949)	317	116	161	3,123	4,486	229.9	352.9	1	299.9	437.0	0
..Motor vehicle accidents (E810-E825)	97	57	76	1,668	2,320	132.1	227.6	0	167.5	276.6	0
..Falls and fall related injuries (E880-E888)	94	9	16	83	195	5.1	4.6	0	10.7	8.6	0
..Drowning (E830,E832,E910)	8	5	6	128	185	.	.	.	.	.	.
..Residential fires (E890-E899)	10	6	8	214	284	.	50.4	.	.	60.5	.
Suicide (E950-E959)	51	42	45	1,095	1,533	72.3	92.0	0	94.6	121.0	0
Homicide and legal intervention (E960-E978)	38	34	35	1,231	1,574	88.4	93.0	0	106.2	111.8	0
..Homicide (E960-E969)	38	34	35	1,231	1,574	88.4	93.0	0	106.2	111.8	0
All injury (E800-E999)	422	205	255	5,752	8,027	409.0	565.5	1	525.9	705.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	96	57	76	1,668	2,320	132.1	226.7	0	167.5	275.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	69	9	14	113	220	7.2	10.3	0	12.6	16.4	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	29	27	29	845	1,125	59.9	61.4	0	74.6	76.4	0
....Suicide (E955.0-.4)	13	12	13	300	428	.	.	.	.	.	.
....Homicide (E965.0-.4)	13	13	13	500	630	.	38.8	.	.	47.4	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	53	43	46	1,098	1,535	70.1	85.4	0	92.0	111.7	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	53	35	49	648	1,078	38.6	29.0	0	59.7	46.2	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	39	35	36	888	1,240	55.8	65.3	0	73.4	85.0	0

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	28,224	6,660	12,695	124,820	219,478	4159.2	4255.7	0	6684.4	6793.3	0
Infectious diseases and parasitic disease (1-139)	912	551	643	13,375	19,270	360.3	303.0	0	490.8	414.7	0
..Septicemia (038)	395	85	158	1,547	2,684	50.4	36.7	0	80.4	61.9	0
...Septicemia-related (038)	1,374	297	579	5,106	9,296	161.7	170.8	0	272.6	293.3	0
..HIV infection (042-044)	428	422	426	10,876	15,116	280.6	237.7	0	368.3	309.1	0
All cancer (140-208)	7,122	1,935	4,122	21,387	51,364	687.3	733.3	0	1530.1	1591.5	0
..Oral cavity or pharynx (140.0-149.9)	111	39	71	463	1,033	15.2	19.9	0	31.5	45.7	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	808	161	372	1,513	4,135	48.6	51.0	0	122.9	128.5	0
...Colon cancer (153)	652	124	297	1,125	3,213	36.0	43.4	0	95.2	107.5	0
...Rectal cancer (154)	141	34	69	340	838	11.3	7.5	0	25.6	20.3	0
..Pancreatic cancer (157)	378	80	200	720	2,090	23.1	18.9	0	61.9	53.7	0
..Lung and other respiratory cancer (160-165)	1,917	567	1,280	4,883	14,090	163.3	169.9	0	428.0	435.2	0
...Lung cancer (162.2-.9)	1,852	546	1,237	4,635	13,513	153.5	162.4	0	408.6	416.6	0
..Malignant melanoma of skin (172)	98	41	70	713	1,240	20.8	17.3	0	34.6	32.4	0
..Female breast cancer (174)	588	232	389	2,855	5,913	.	.	0	.	.	0
..Cervical cancer (180)	36	17	27	298	518	.	.	0	.	.	0
..Endometrial cancer (182)	37	8	21	45	193	.	.	0	.	.	0
..Ovarian cancer (183)	180	53	107	478	1,258	.	.	0	.	.	0
..Prostate cancer (185)	486	40	171	200	1,193	.	.	0	.	.	0
..Bladder cancer (188)	176	20	59	135	528	4.3	6.9	0	15.4	20.5	0
..Brain & other CNS cancer (191-192)	171	83	132	1,088	2,155	35.0	48.7	0	65.1	76.7	0
..Leukemia (204-208)	255	82	143	1,450	2,548	50.0	63.0	0	79.6	93.8	0
Diabetes mellitus (250)	511	118	251	1,330	3,093	41.5	40.6	0	90.7	86.7	0
..Diabetes-related (250)	2,336	397	1,020	3,723	10,540	117.9	113.1	0	309.3	300.2	0
..Diabetic ketoacidosis (DKA) (250.1)	3	2	3	90	113	.	.	0	.	.	0
Alzheimer's diseases (331.0)	186	5	30	18	190	0.6	1.1	0	5.4	6.5	0
Cardiovascular disease (390-459)	12,168	1,695	4,126	19,178	47,195	619.8	593.5	0	1400.5	1369.5	0
..Diseases of the heart (390-398,402,404-429)	9,695	1,450	3,475	16,228	40,091	527.1	487.7	0	1193.9	1143.9	0
...Heart disease-related (390-398,402,404-429)	15,906	2,571	5,915	32,531	73,576	1057.7	1033.9	0	2193.3	2171.4	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,144	1,029	2,571	9,650	27,135	314.6	301.4	0	808.5	780.4	0
....Congestive heart failure (CHF) (428.0)	461	23	88	198	720	7.0	5.7	0	21.7	16.3	0
..Hypertension with or without renal disease (401,403)	131	21	45	198	538	6.3	6.4	0	15.9	13.8	0
...Hypertension-related (401,403)	1,695	218	612	1,960	5,985	63.4	73.1	0	176.0	181.5	0
..Cerebrovascular disease (430-438)	1,740	162	431	1,980	4,693	62.2	75.5	0	136.4	154.2	0
..Atherosclerosis (440)	193	7	25	58	208	1.9	3.4	0	6.1	10.8	0
...Atherosclerosis-related (440)	1,011	45	183	343	1,403	11.9	12.3	0	41.5	42.7	0
..Aortic aneurysm (441)	210	23	85	270	760	8.5	8.9	0	21.7	23.7	0
Pneumonia & influenza (480-487)	1,144	87	225	1,671	3,141	59.1	46.1	0	98.3	80.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,156	118	435	955	3,598	31.9	28.3	0	105.2	91.8	0
..COPD-related (490-496)	2,568	268	995	2,209	8,222	74.1	68.3	0	241.1	218.4	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
..Asthma (493)	50	18	30	340	575	11.2	7.8	0	17.4	12.3	0
Chronic liver disease and cirrhosis (571)	286	166	230	2,545	4,565	72.0	65.6	0	125.7	119.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	320	40	109	692	1,400	20.1	21.5	0	38.5	45.3	0
..Nephritis-related (580-589)	1,684	276	677	3,714	8,327	112.7	136.4	0	237.6	262.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	360	46	124	717	1,537	21.0	23.7	0	42.7	50.3	0
Unintentional injuries (E800-E949)	910	558	663	16,492	22,555	561.8	614.9	0	707.5	753.6	0
..Motor vehicle accidents (E810-E825)	331	263	295	8,540	11,310	311.6	361.7	0	380.6	431.1	0
..Falls and fall related injuries (E880-E888)	179	37	57	568	1,013	19.6	13.9	0	32.0	24.0	0
..Drowning (E830,E832,E910)	39	30	37	1,045	1,373	39.4	42.6	0	47.2	51.4	0
..Residential fires (E890-E899)	24	14	18	488	653	19.2	51.2	0	23.6	60.0	0
Suicide (E950-E959)	308	243	281	6,818	9,448	213.6	252.9	0	274.6	322.9	0
Homicide and legal intervention (E960-E978)	183	174	179	6,458	8,221	235.8	223.9	0	277.5	266.3	0
..Homicide (E960-E969)	181	172	177	6,403	8,146	234.3	223.9	0	275.5	266.3	0
All injury (E800-E999)	1,445	1,015	1,164	30,803	41,660	1040.8	1141.5	0	1298.3	1404.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	325	259	291	8,405	11,135	305.7	356.0	0	373.5	423.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	145	40	57	705	1,173	23.1	20.6	0	35.6	32.0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	272	240	260	8,187	10,682	296.9	295.3	0	357.5	357.7	0
....Suicide (E955.0-.4)	136	106	124	3,070	4,215	100.8	116.5	0	128.2	147.4	0
....Homicide (E965.0-.4)	126	125	126	4,805	6,062	184.6	171.0	0	215.5	201.2	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	249	221	235	6,048	8,333	165.2	140.5	0	213.1	180.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	198	143	180	2,563	4,215	70.6	52.9	0	112.8	84.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	179	171	174	4,738	6,460	127.7	103.6	0	163.0	131.4	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	14,047	4,308	7,767	83,621	142,954	5553.7	5513.7	0	8872.7	8827.4	0
Infectious diseases and parasitic disease (1-139)	559	419	465	10,032	14,407	530.8	430.9	0	726.8	600.2	0
..Septicemia (038)	173	55	90	981	1,658	60.6	43.8	0	97.6	75.1	0
...Septicemia-related (038)	650	186	327	3,210	5,673	196.5	206.3	0	332.4	360.5	0
..HIV infection (042-044)	339	336	339	8,496	11,874	439.4	344.7	0	582.2	459.3	0
All cancer (140-208)	3,652	1,016	2,198	11,202	27,207	744.0	761.0	0	1705.4	1731.3	0
..Oral cavity or pharynx (140.0-149.9)	66	33	49	383	798	25.9	32.5	0	51.4	73.5	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	413	94	211	870	2,403	57.5	58.5	0	150.8	147.8	0
...Colon cancer (153)	330	72	166	660	1,860	43.7	49.9	0	116.9	125.0	0
...Rectal cancer (154)	78	21	43	208	528	13.7	8.4	0	32.9	21.6	0
..Pancreatic cancer (157)	153	44	103	420	1,133	28.4	21.3	0	71.8	60.3	0
..Lung and other respiratory cancer (160-165)	1,139	327	757	2,823	8,258	193.5	199.7	0	527.6	544.4	0
...Lung cancer (162.2-.9)	1,089	310	725	2,600	7,788	175.6	188.4	0	494.2	515.3	0
..Malignant melanoma of skin (172)	53	20	38	390	655	22.9	23.6	0	37.0	44.4	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	486	40	171	200	1,193	14.7	13.4	0	75.1	71.3	0
..Bladder cancer (188)	108	16	44	95	395	6.4	5.8	0	24.8	24.9	0
..Brain & other CNS cancer (191-192)	97	58	83	735	1,438	47.1	58.6	0	88.9	94.5	0
..Leukemia (204-208)	132	49	81	988	1,618	69.3	69.0	0	104.2	106.3	0
Diabetes mellitus (250)	221	68	128	755	1,710	47.5	52.6	0	104.6	111.6	0
..Diabetes-related (250)	1,060	225	558	2,113	5,880	136.0	144.9	0	362.8	369.0	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3	.	.	.	.	.	.
Alzheimer's diseases (331.0)	75	3	18	8	115	0.5	1.1	0	7.0	6.7	0
Cardiovascular disease (390-459)	5,637	1,165	2,658	12,928	31,440	846.5	848.5	0	1954.6	1963.4	0
..Diseases of the heart (390-398,402,404-429)	4,639	1,029	2,290	11,326	27,508	744.0	713.4	0	1714.7	1677.5	0
...Heart disease-related (390-398,402,404-429)	7,659	1,730	3,702	21,693	48,083	1410.9	1396.4	0	2971.1	2977.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,557	779	1,773	7,475	19,975	495.8	470.9	0	1254.2	1200.2	0
....Congestive heart failure (CHF) (428.0)	162	15	42	103	380	7.2	5.4	0	24.4	17.5	0
..Hypertension with or without renal disease (401,403)	55	13	25	138	333	8.7	7.8	0	20.3	18.1	0
...Hypertension-related (401,403)	677	134	345	1,235	3,578	82.5	103.6	0	224.6	247.6	0
..Cerebrovascular disease (430-438)	664	86	231	1,010	2,453	64.0	92.1	0	149.2	184.6	0
..Atherosclerosis (440)	65	4	14	40	130	2.5	3.3	0	7.8	12.3	0
...Atherosclerosis-related (440)	403	27	115	208	888	14.8	14.2	0	56.1	55.7	0
..Aortic aneurysm (441)	122	15	61	185	535	12.7	15.4	0	33.3	40.0	0
Pneumonia & influenza (480-487)	514	54	137	1,179	2,067	86.9	62.2	0	137.5	109.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	604	62	242	400	1,880	26.5	36.6	0	116.0	110.5	0
..COPD-related (490-496)	1,378	154	565	1,142	4,630	78.5	82.8	0	290.3	266.0	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
..Asthma (493)	15	8	11	80	178	4.5	.	0	10.3	.	0
Chronic liver disease and cirrhosis (571)	182	116	154	1,795	3,150	105.1	95.8	0	180.6	171.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	169	25	64	460	882	28.0	27.0	0	51.5	58.3	0
..Nephritis-related (580-589)	887	170	392	2,362	5,062	139.0	167.0	0	293.4	324.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	188	28	72	472	957	28.9	29.4	0	56.4	64.8	0
Unintentional injuries (E800-E949)	593	442	502	13,369	18,069	899.3	879.4	0	1126.2	1081.5	0
..Motor vehicle accidents (E810-E825)	234	206	219	6,872	8,990	491.6	501.8	0	596.3	597.9	0
..Falls and fall related injuries (E880-E888)	85	28	41	485	818	33.9	23.7	0	53.0	40.3	0
..Drowning (E830,E832,E910)	31	25	31	918	1,188	68.4	79.3	0	81.0	96.4	0
..Residential fires (E890-E899)	14	8	10	274	369	.	49.0	.	.	57.1	.
Suicide (E950-E959)	257	201	236	5,723	7,915	362.8	421.0	0	467.3	536.6	0
Homicide and legal intervention (E960-E978)	145	140	144	5,227	6,647	383.9	357.8	0	452.3	427.2	0
..Homicide (E960-E969)	143	138	142	5,172	6,572	380.7	357.8	0	448.2	427.2	0
All injury (E800-E999)	1,023	810	909	25,051	33,634	1689.2	1735.0	0	2101.2	2139.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	229	202	215	6,737	8,815	480.0	491.5	0	582.4	583.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	76	31	43	593	953	39.3	32.2	0	59.2	49.3	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	243	213	231	7,343	9,558	531.2	530.1	0	640.0	643.1	0
....Suicide (E955.0-.4)	123	94	111	2,770	3,788	183.5	214.3	0	233.3	272.3	0
....Homicide (E965.0-.4)	113	112	113	4,305	5,433	328.3	301.8	0	383.9	354.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	196	178	189	4,950	6,798	269.6	205.7	0	347.7	262.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	145	108	131	1,915	3,138	108.7	80.6	0	174.1	128.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	140	136	138	3,850	5,220	207.1	150.2	0	263.0	188.8	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	14,177	2,352	4,928	41,199	76,524	2768.1	3003.9	0	4572.4	4840.8	0
Infectious diseases and parasitic disease (1-139)	353	132	178	3,343	4,863	194.6	180.1	0	262.5	237.4	0
..Septicemia (038)	222	30	68	566	1,026	40.7	30.3	0	64.2	49.9	0
...Septicemia-related (038)	724	111	252	1,896	3,623	128.7	136.9	0	216.7	231.3	0
..HIV infection (042-044)	89	86	87	2,380	3,243	125.5	134.7	0	160.1	164.8	0
All cancer (140-208)	3,470	919	1,924	10,185	24,157	631.6	706.1	0	1373.2	1470.3	0
..Oral cavity or pharynx (140.0-149.9)	45	6	22	80	235	5.0	8.0	0	12.9	20.2	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	395	67	161	643	1,733	40.1	43.9	0	98.1	111.1	0
...Colon cancer (153)	322	52	131	465	1,353	28.7	37.2	0	75.6	91.8	0
...Rectal cancer (154)	63	13	26	133	310	9.1	6.7	0	19.1	19.2	0
..Pancreatic cancer (157)	225	36	97	300	958	18.1	16.7	0	52.7	47.9	0
..Lung and other respiratory cancer (160-165)	778	240	523	2,060	5,833	134.7	142.1	0	339.7	339.0	0
...Lung cancer (162.2-.9)	763	236	512	2,035	5,725	132.9	138.1	0	333.5	329.9	0
..Malignant melanoma of skin (172)	45	21	32	323	585	18.6	11.2	0	32.2	21.2	0
..Female breast cancer (174)	588	232	389	2,855	5,913	166.8	178.3	0	328.9	353.9	0
..Cervical cancer (180)	36	17	27	298	518	16.8	34.1	0	27.7	53.5	0
..Endometrial cancer (182)	37	8	21	45	193	3.2	3.6	0	11.4	13.5	0
..Ovarian cancer (183)	180	53	107	478	1,258	30.2	42.6	0	72.3	89.5	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	68	4	15	40	133	2.4	8.0	0	7.0	17.3	0
..Brain & other CNS cancer (191-192)	74	25	49	353	718	23.8	39.2	0	43.1	59.9	0
..Leukemia (204-208)	123	33	62	463	930	30.3	57.1	0	55.0	82.3	0
Diabetes mellitus (250)	290	50	123	575	1,383	36.1	28.9	0	78.2	63.6	0
..Diabetes-related (250)	1,276	172	462	1,610	4,660	101.3	82.5	0	261.9	236.9	0
..Diabetic ketoacidosis (DKA) (250.1)	2	2	2	90	110	.	.	0	.	.	0
Alzheimer's diseases (331.0)	111	2	12	10	75	0.7	1.1	0	4.0	6.2	0
Cardiovascular disease (390-459)	6,531	530	1,468	6,250	15,755	406.0	350.5	0	897.9	827.8	0
..Diseases of the heart (390-398,402,404-429)	5,056	421	1,185	4,903	12,583	322.2	273.3	0	720.2	657.9	0
...Heart disease-related (390-398,402,404-429)	8,247	841	2,213	10,838	25,493	722.1	686.1	0	1480.5	1432.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,587	250	798	2,175	7,160	143.6	141.4	0	403.7	399.7	0
....Congestive heart failure (CHF) (428.0)	299	8	46	95	340	7.0	6.3	0	19.3	15.6	0
..Hypertension with or without renal disease (401,403)	76	8	20	60	205	4.1	5.1	0	11.9	10.0	0
...Hypertension-related (401,403)	1,018	84	267	725	2,408	45.3	43.8	0	132.0	120.5	0
..Cerebrovascular disease (430-438)	1,076	76	200	970	2,240	60.7	59.3	0	125.7	126.0	0
..Atherosclerosis (440)	128	3	11	18	78	1.3	3.4	0	4.6	9.6	0
...Atherosclerosis-related (440)	608	18	68	135	515	9.3	10.4	0	29.1	31.7	0
..Aortic aneurysm (441)	88	8	24	85	225	4.3	2.5	0	11.3	8.8	0
Pneumonia & influenza (480-487)	630	33	88	492	1,074	30.6	30.6	0	59.7	54.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	552	56	193	555	1,718	37.6	19.8	0	97.7	74.6	0
..COPD-related (490-496)	1,190	114	430	1,067	3,592	70.7	53.7	0	200.1	176.0	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
..Asthma (493)	35	10	19	260	398	18.0	2.4	0	24.8	6.2	0
Chronic liver disease and cirrhosis (571)	104	50	76	750	1,415	40.4	36.9	0	73.8	69.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	151	15	45	233	518	12.2	16.5	0	26.0	33.6	0
..Nephritis-related (580-589)	797	106	285	1,352	3,265	87.9	107.1	0	186.9	205.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	172	18	52	245	580	13.1	18.5	0	29.7	37.4	0
Unintentional injuries (E800-E949)	317	116	161	3,123	4,486	218.6	344.5	1	284.8	421.4	0
..Motor vehicle accidents (E810-E825)	97	57	76	1,668	2,320	127.0	217.1	0	160.1	259.9	0
..Falls and fall related injuries (E880-E888)	94	9	16	83	195	5.2	4.2	0	11.4	8.6	0
..Drowning (E830,E832,E910)	8	5	6	128	185	.	.	.	.	.	.
..Residential fires (E890-E899)	10	6	8	214	284	.	53.3	.	.	62.8	.
Suicide (E950-E959)	51	42	45	1,095	1,533	63.3	82.7	0	82.7	108.4	0
Homicide and legal intervention (E960-E978)	38	34	35	1,231	1,574	82.8	86.1	0	97.4	101.5	0
..Homicide (E960-E969)	38	34	35	1,231	1,574	82.8	86.1	0	97.4	101.5	0
All injury (E800-E999)	422	205	255	5,752	8,027	380.8	535.8	1	486.7	660.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	96	57	76	1,668	2,320	127.0	216.2	0	160.1	258.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	69	9	14	113	220	6.8	9.0	0	12.4	15.1	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	29	27	29	845	1,125	56.2	54.3	0	68.8	66.6	0
....Suicide (E955.0-.4)	13	12	13	300	428	.	.	.	.	.	.
....Homicide (E965.0-.4)	13	13	13	500	630	.	35.6	.	.	42.7	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	53	43	46	1,098	1,535	61.6	75.7	0	80.4	98.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	53	35	49	648	1,078	33.9	26.2	0	54.4	43.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	39	35	36	888	1,240	48.9	57.4	0	63.8	74.5	0

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	28,224	6,660	12,695	124,820	219,478	4376.7	4432.3	0	7052.8	7111.4	0
Infectious diseases and parasitic disease (1-139)	912	551	643	13,375	19,270	441.1	372.2	0	595.0	504.5	0
..Septicemia (038)	395	85	158	1,547	2,684	52.9	40.7	0	84.5	68.1	0
...Septicemia-related (038)	1,374	297	579	5,106	9,296	180.7	193.2	0	300.6	325.9	0
..HIV infection (042-044)	428	422	426	10,876	15,116	354.2	298.9	0	461.8	387.2	0
All cancer (140-208)	7,122	1,935	4,122	21,387	51,364	799.1	836.7	0	1693.0	1745.3	0
..Oral cavity or pharynx (140.0-149.9)	111	39	71	463	1,033	18.2	23.3	0	35.9	50.5	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	808	161	372	1,513	4,135	57.3	60.5	0	135.8	142.9	0
...Colon cancer (153)	652	124	297	1,125	3,213	42.3	51.1	0	104.5	119.5	0
...Rectal cancer (154)	141	34	69	340	838	13.5	9.3	0	28.8	22.8	0
..Pancreatic cancer (157)	378	80	200	720	2,090	27.3	21.6	0	68.1	58.0	0
..Lung and other respiratory cancer (160-165)	1,917	567	1,280	4,883	14,090	187.7	198.6	0	464.7	477.5	0
...Lung cancer (162.2-.9)	1,852	546	1,237	4,635	13,513	177.6	189.8	0	444.4	457.1	0
..Malignant melanoma of skin (172)	98	41	70	713	1,240	24.6	22.3	0	39.8	39.2	0
..Female breast cancer (174)	588	232	389	2,855	5,913	.	.	.	.	.	.
..Cervical cancer (180)	36	17	27	298	518	.	.	.	.	.	.
..Endometrial cancer (182)	37	8	21	45	193	.	.	.	.	.	.
..Ovarian cancer (183)	180	53	107	478	1,258	.	.	.	.	.	.
..Prostate cancer (185)	486	40	171	200	1,193	.	.	.	.	.	.
..Bladder cancer (188)	176	20	59	135	528	5.0	7.9	0	16.4	22.1	0
..Brain & other CNS cancer (191-192)	171	83	132	1,088	2,155	41.1	50.6	0	73.8	80.0	0
..Leukemia (204-208)	255	82	143	1,450	2,548	53.0	61.7	0	84.8	93.9	0
Diabetes mellitus (250)	511	118	251	1,330	3,093	48.4	48.8	0	100.7	98.3	0
..Diabetes-related (250)	2,336	397	1,020	3,723	10,540	137.2	134.2	0	338.4	332.1	0
..Diabetic ketoacidosis (DKA) (250.1)	3	2	3	90	113	.	.	.	.	.	.
Alzheimer's diseases (331.0)	186	5	30	18	190	0.6	1.2	0	5.5	6.8	0
Cardiovascular disease (390-459)	12,168	1,695	4,126	19,178	47,195	709.1	684.1	0	1537.8	1506.7	0
..Diseases of the heart (390-398,402,404-429)	9,695	1,450	3,475	16,228	40,091	600.3	559.8	0	1306.2	1253.1	0
...Heart disease-related (390-398,402,404-429)	15,906	2,571	5,915	32,531	73,576	1184.8	1166.9	0	2389.3	2373.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,144	1,029	2,571	9,650	27,135	367.2	355.0	0	888.9	861.2	0
....Congestive heart failure (CHF) (428.0)	461	23	88	198	720	7.3	5.9	0	22.5	17.1	0
..Hypertension with or without renal disease (401,403)	131	21	45	198	538	7.4	7.8	0	17.5	15.8	0
...Hypertension-related (401,403)	1,695	218	612	1,960	5,985	74.4	87.0	0	193.5	202.4	0
..Cerebrovascular disease (430-438)	1,740	162	431	1,980	4,693	73.9	89.3	0	154.6	174.7	0
..Atherosclerosis (440)	193	7	25	58	208	2.2	3.8	0	6.7	11.6	0
...Atherosclerosis-related (440)	1,011	45	183	343	1,403	13.5	14.1	0	44.8	46.4	0
..Aortic aneurysm (441)	210	23	85	270	760	9.4	9.7	0	23.3	25.3	0
Pneumonia & influenza (480-487)	1,144	87	225	1,671	3,141	60.3	50.6	0	102.1	87.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,156	118	435	955	3,598	34.3	30.8	0	110.2	97.5	0
..COPD-related (490-496)	2,568	268	995	2,209	8,222	80.6	75.5	0	254.5	232.5	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (&lt;15).

CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
..Asthma (493)	50	18	30	340	575	11.5	8.3	0	18.0	13.0	0
Chronic liver disease and cirrhosis (571)	286	166	230	2,545	4,565	91.0	83.5	0	150.8	143.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	320	40	109	692	1,400	24.0	25.5	0	44.1	51.1	0
..Nephritis-related (580-589)	1,684	276	677	3,714	8,327	132.1	154.0	0	265.8	289.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	360	46	124	717	1,537	24.9	28.4	0	48.3	56.9	0
Unintentional injuries (E800-E949)	910	558	663	16,492	22,555	563.2	580.6	0	715.6	718.8	0
..Motor vehicle accidents (E810-E825)	331	263	295	8,540	11,310	293.8	329.9	0	361.6	395.5	0
..Falls and fall related injuries (E880-E888)	179	37	57	568	1,013	20.5	15.9	0	33.4	26.7	0
..Drowning (E830,E832,E910)	39	30	37	1,045	1,373	37.3	39.7	0	45.3	48.5	0
..Residential fires (E890-E899)	24	14	18	488	653	17.1	45.3	0	21.3	53.8	1
Suicide (E950-E959)	308	243	281	6,818	9,448	228.9	261.8	0	295.9	336.1	0
Homicide and legal intervention (E960-E978)	183	174	179	6,458	8,221	219.8	209.7	0	259.4	250.5	0
..Homicide (E960-E969)	181	172	177	6,403	8,146	218.0	209.7	0	257.2	250.5	0
All injury (E800-E999)	1,445	1,015	1,164	30,803	41,660	1046.5	1109.7	0	1316.3	1377.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	325	259	291	8,405	11,135	288.9	324.8	0	355.7	388.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	145	40	57	705	1,173	24.7	22.9	0	37.9	35.2	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	272	240	260	8,187	10,682	280.5	282.7	0	339.9	344.7	0
....Suicide (E955.0-.4)	136	106	124	3,070	4,215	103.2	119.7	0	132.2	152.2	0
....Homicide (E965.0-.4)	126	125	126	4,805	6,062	167.1	156.1	0	195.4	184.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	249	221	235	6,048	8,333	198.5	159.0	0	255.9	204.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	198	143	180	2,563	4,215	90.0	67.9	0	138.3	104.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	179	171	174	4,738	6,460	154.3	119.8	0	196.9	152.3	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	14,047	4,308	7,767	83,621	142,954	5874.6	5797.7	0	9400.7	9304.8	0
Infectious diseases and parasitic disease (1-139)	559	419	465	10,032	14,407	668.7	551.5	0	904.0	755.5	0
..Septicemia (038)	173	55	90	981	1,658	66.9	51.5	0	106.5	86.4	0
...Septicemia-related (038)	650	186	327	3,210	5,673	229.0	238.9	0	378.2	407.1	0
..HIV infection (042-044)	339	336	339	8,496	11,874	562.7	450.6	0	739.4	594.1	0
All cancer (140-208)	3,652	1,016	2,198	11,202	27,207	852.6	855.5	0	1867.6	1877.3	0
..Oral cavity or pharynx (140.0-149.9)	66	33	49	383	798	31.0	38.5	0	58.7	81.5	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	413	94	211	870	2,403	67.2	68.0	0	165.1	163.2	0
...Colon cancer (153)	330	72	166	660	1,860	50.6	57.4	0	127.3	137.4	0
...Rectal cancer (154)	78	21	43	208	528	16.4	10.4	0	36.8	24.7	0
..Pancreatic cancer (157)	153	44	103	420	1,133	33.5	23.9	0	79.6	64.7	0
..Lung and other respiratory cancer (160-165)	1,139	327	757	2,823	8,258	221.9	231.8	0	570.8	592.6	0
...Lung cancer (162.2-.9)	1,089	310	725	2,600	7,788	203.4	218.8	0	535.9	560.8	0
..Malignant melanoma of skin (172)	53	20	38	390	655	27.3	30.6	0	43.2	53.8	0
..Female breast cancer (174)	.	.	.	.	.	.	.	0	.	.	0
..Cervical cancer (180)	.	.	.	.	.	.	.	0	.	.	0
..Endometrial cancer (182)	.	.	.	.	.	.	.	0	.	.	0
..Ovarian cancer (183)	.	.	.	.	.	.	.	0	.	.	0
..Prostate cancer (185)	486	40	171	200	1,193	15.6	14.5	0	78.2	75.2	0
..Bladder cancer (188)	108	16	44	95	395	7.1	6.4	0	26.0	26.2	0
..Brain & other CNS cancer (191-192)	97	58	83	735	1,438	56.7	63.7	0	102.2	101.9	0
..Leukemia (204-208)	132	49	81	988	1,618	72.6	68.3	0	110.1	107.4	0
Diabetes mellitus (250)	221	68	128	755	1,710	57.8	62.2	0	119.1	125.1	0
..Diabetes-related (250)	1,060	225	558	2,113	5,880	162.1	170.7	0	402.1	407.8	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3	.	.	0	.	.	0
Alzheimer's diseases (331.0)	75	3	18	8	115	0.5	1.1	0	7.1	6.8	0
Cardiovascular disease (390-459)	5,637	1,165	2,658	12,928	31,440	984.8	988.9	0	2164.4	2172.0	0
..Diseases of the heart (390-398,402,404-429)	4,639	1,029	2,290	11,326	27,508	862.7	831.0	0	1893.6	1851.2	0
...Heart disease-related (390-398,402,404-429)	7,659	1,730	3,702	21,693	48,083	1615.0	1596.8	0	3277.8	3276.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,557	779	1,773	7,475	19,975	584.5	559.5	0	1387.7	1330.7	0
....Congestive heart failure (CHF) (428.0)	162	15	42	103	380	8.0	6.6	0	25.7	19.5	0
..Hypertension with or without renal disease (401,403)	55	13	25	138	333	10.2	9.3	0	22.5	20.3	0
...Hypertension-related (401,403)	677	134	345	1,235	3,578	96.6	122.4	0	246.7	275.1	0
..Cerebrovascular disease (430-438)	664	86	231	1,010	2,453	77.3	109.8	0	169.8	211.0	0
..Atherosclerosis (440)	65	4	14	40	130	3.2	3.5	0	8.9	12.8	0
...Atherosclerosis-related (440)	403	27	115	208	888	16.8	16.5	0	60.4	60.4	0
..Aortic aneurysm (441)	122	15	61	185	535	13.5	16.4	0	35.3	42.2	0
Pneumonia & influenza (480-487)	514	54	137	1,179	2,067	85.2	70.9	0	139.0	122.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	604	62	242	400	1,880	30.0	37.8	0	122.8	115.0	0
..COPD-related (490-496)	1,378	154	565	1,142	4,630	86.7	87.7	0	307.1	278.4	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
..Asthma (493)	15	8	11	80	178	5.5	.	0	11.4	.	0
Chronic liver disease and cirrhosis (571)	182	116	154	1,795	3,150	132.9	121.3	0	217.9	206.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	169	25	64	460	882	31.9	33.9	0	57.5	67.7	0
..Nephritis-related (580-589)	887	170	392	2,362	5,062	168.5	193.3	0	335.4	362.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	188	28	72	472	957	32.9	37.1	0	62.3	75.3	0
Unintentional injuries (E800-E949)	593	442	502	13,369	18,069	903.8	833.7	0	1141.3	1035.7	0
..Motor vehicle accidents (E810-E825)	234	206	219	6,872	8,990	463.7	453.8	0	566.1	543.7	0
..Falls and fall related injuries (E880-E888)	85	28	41	485	818	34.6	27.3	0	54.3	45.0	0
..Drowning (E830,E832,E910)	31	25	31	918	1,188	64.8	74.6	0	77.7	91.9	0
..Residential fires (E890-E899)	14	8	10	274	369	.	43.1	.	.	50.9	.
Suicide (E950-E959)	257	201	236	5,723	7,915	385.9	432.7	0	500.1	554.5	0
Homicide and legal intervention (E960-E978)	145	140	144	5,227	6,647	353.0	334.0	0	416.7	400.7	0
..Homicide (E960-E969)	143	138	142	5,172	6,572	349.5	334.0	0	412.3	400.7	0
All injury (E800-E999)	1,023	810	909	25,051	33,634	1691.8	1688.1	0	2121.3	2099.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	229	202	215	6,737	8,815	454.1	444.7	0	554.6	530.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	76	31	43	593	953	41.6	35.2	0	62.5	53.5	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	243	213	231	7,343	9,558	498.7	503.6	0	604.3	614.8	0
....Suicide (E955.0-.4)	123	94	111	2,770	3,788	185.8	217.9	0	238.0	278.3	0
....Homicide (E965.0-.4)	113	112	113	4,305	5,433	295.7	273.7	0	346.0	322.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	196	178	189	4,950	6,798	324.4	235.8	0	418.0	301.4	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	145	108	131	1,915	3,138	138.0	104.0	0	212.9	159.0	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	140	136	138	3,850	5,220	249.6	176.7	0	317.1	222.8	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	14,177	2,352	4,928	41,199	76,524	2893.5	3083.5	0	4799.0	5015.9	0
Infectious diseases and parasitic disease (1-139)	353	132	178	3,343	4,863	219.7	199.3	0	295.6	263.3	0
..Septicemia (038)	222	30	68	566	1,026	39.4	30.7	0	63.5	51.3	0
...Septicemia-related (038)	724	111	252	1,896	3,623	134.5	149.3	0	227.3	250.5	0
..HIV infection (042-044)	89	86	87	2,380	3,243	150.8	152.3	0	191.9	187.7	0
All cancer (140-208)	3,470	919	1,924	10,185	24,157	746.9	818.3	0	1538.1	1632.9	0
..Oral cavity or pharynx (140.0-149.9)	45	6	22	80	235	6.0	8.9	0	14.5	21.7	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	395	67	161	643	1,733	48.0	53.5	0	109.7	124.9	0
...Colon cancer (153)	322	52	131	465	1,353	34.4	45.2	0	83.9	103.6	0
...Rectal cancer (154)	63	13	26	133	310	10.7	8.2	0	21.5	21.1	0
..Pancreatic cancer (157)	225	36	97	300	958	21.4	19.4	0	57.5	51.9	0
..Lung and other respiratory cancer (160-165)	778	240	523	2,060	5,833	155.3	167.5	0	370.5	376.1	0
...Lung cancer (162.2-.9)	763	236	512	2,035	5,725	153.4	162.8	0	363.9	365.9	0
..Malignant melanoma of skin (172)	45	21	32	323	585	21.9	14.3	0	36.5	25.5	0
..Female breast cancer (174)	588	232	389	2,855	5,913	207.9	220.5	0	384.9	411.5	0
..Cervical cancer (180)	36	17	27	298	518	21.8	43.0	0	34.7	65.5	0
..Endometrial cancer (182)	37	8	21	45	193	3.4	3.8	0	11.7	14.0	0
..Ovarian cancer (183)	180	53	107	478	1,258	35.9	49.4	0	80.4	99.1	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	68	4	15	40	133	3.0	9.4	0	8.0	19.2	0
..Brain & other CNS cancer (191-192)	74	25	49	353	718	26.4	38.0	0	47.2	59.2	0
..Leukemia (204-208)	123	33	62	463	930	33.4	55.3	0	59.7	81.6	0
Diabetes mellitus (250)	290	50	123	575	1,383	39.8	35.9	0	83.9	73.6	0
..Diabetes-related (250)	1,276	172	462	1,610	4,660	114.0	99.1	0	281.5	262.4	0
..Diabetic ketoacidosis (DKA) (250.1)	2	2	2	90	110	.	.	0	.	.	0
Alzheimer's diseases (331.0)	111	2	12	10	75	0.7	1.2	0	4.2	6.8	0
Cardiovascular disease (390-459)	6,531	530	1,468	6,250	15,755	448.0	393.4	0	967.2	898.1	0
..Diseases of the heart (390-398,402,404-429)	5,056	421	1,185	4,903	12,583	351.6	301.8	0	770.0	706.3	0
...Heart disease-related (390-398,402,404-429)	8,247	841	2,213	10,838	25,493	775.1	754.6	0	1572.1	1545.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,587	250	798	2,175	7,160	161.6	161.3	0	434.2	433.8	0
....Congestive heart failure (CHF) (428.0)	299	8	46	95	340	6.8	5.5	0	19.7	15.0	0
..Hypertension with or without renal disease (401,403)	76	8	20	60	205	4.6	6.2	0	12.7	11.7	0
...Hypertension-related (401,403)	1,018	84	267	725	2,408	53.5	53.1	0	145.2	135.1	0
..Cerebrovascular disease (430-438)	1,076	76	200	970	2,240	70.9	69.3	0	141.7	140.9	0
..Atherosclerosis (440)	128	3	11	18	78	1.3	4.0	0	4.7	10.7	0
...Atherosclerosis-related (440)	608	18	68	135	515	10.4	11.9	0	31.4	34.6	0
..Aortic aneurysm (441)	88	8	24	85	225	5.3	3.1	0	12.7	10.0	0
Pneumonia & influenza (480-487)	630	33	88	492	1,074	35.0	31.1	0	66.2	55.8	0
Chronic obstructive pulmonary disease (COPD) (490-496)	552	56	193	555	1,718	38.8	23.7	0	101.0	81.6	0
..COPD-related (490-496)	1,190	114	430	1,067	3,592	75.5	63.3	0	210.4	192.2	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Resident DEATHS, 1992  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
..Asthma (493)	35	10	19	260	398	17.8	3.4	0	24.8	7.6	0
Chronic liver disease and cirrhosis (571)	104	50	76	750	1,415	51.0	47.5	0	87.4	83.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	151	15	45	233	518	16.1	17.7	0	31.5	35.9	0
..Nephritis-related (580-589)	797	106	285	1,352	3,265	97.3	116.2	0	201.8	221.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	172	18	52	245	580	17.0	20.2	0	35.1	40.2	0
Unintentional injuries (E800-E949)	317	116	161	3,123	4,486	219.5	323.7	0	289.1	400.3	0
..Motor vehicle accidents (E810-E825)	97	57	76	1,668	2,320	120.5	202.7	0	153.8	244.1	0
..Falls and fall related injuries (E880-E888)	94	9	16	83	195	6.3	4.7	0	12.9	9.4	0
..Drowning (E830,E832,E910)	8	5	6	128	185	.	.	.	.	.	.
..Residential fires (E890-E899)	10	6	8	214	284	.	47.4	.	.	56.6	.
Suicide (E950-E959)	51	42	45	1,095	1,533	72.1	90.2	0	94.1	118.4	0
Homicide and legal intervention (E960-E978)	38	34	35	1,231	1,574	82.7	82.5	0	98.0	97.7	0
..Homicide (E960-E969)	38	34	35	1,231	1,574	82.7	82.5	0	98.0	97.7	0
All injury (E800-E999)	422	205	255	5,752	8,027	394.5	524.0	0	508.6	651.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	96	57	76	1,668	2,320	120.5	201.6	0	153.8	242.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	69	9	14	113	220	7.8	10.7	0	13.9	17.5	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	29	27	29	845	1,125	57.7	57.6	0	71.4	71.1	0
....Suicide (E955.0-.4)	13	12	13	300	428	.	.	.	.	.	.
....Homicide (E965.0-.4)	13	13	13	500	630	.	35.1	.	.	42.4	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	53	43	46	1,098	1,535	74.2	83.2	0	96.8	108.7	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	53	35	49	648	1,078	43.7	33.1	0	67.2	52.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	39	35	36	888	1,240	60.0	63.7	0	78.3	82.7	0

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).