

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex  
Asian/Pacific Islander Residents, 1996-1998

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Asian/Pacific Islander Residents, 1996-1998 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	2
1970 standard population	4
2000 standard population	6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Asian/Pacific Islander Residents, 1996-1998 Rates calculated using the 1940, 1970 and 2000 standard populations	
1940 standard population	8
1970 standard population	14
2000 standard population	20

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1996-1998*****				1989-	*****1996-1998*****				1989-	*****1996-1998*****				1989-
	No. of deaths	Crude rate	AAMR	Signif-icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1991 AAMR
*****Causes of Death*****															
All causes	312	136.0	169.8	0	151.3	171	152.9	200.7	0	219.1	141	119.9	142.5	0	94.4
Infectious diseases and parasitic disease (1-139)	8	3.5	.	.	.	6	5.4	.	.	.	2	1.7	.	.	.
..Septicemia (038)	2	0.9	.	.	.	2	1.8	.	.	.	.	.	.	.	.
....Septicemia-related (038)	13	5.7	.	.	.	6	5.4	.	.	.	7	6.0	.	.	.
All cancer (140-208)	90	39.2	50.2	0	41.4	46	41.1	57.5	0	63.9	44	37.4	43.8	0	.
..Oral cavity or pharynx (140.0-149.9)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	12	5.2	.	.	.	5	4.5	.	.	.	7	6.0	.	.	.
....Colon cancer (153)	11	4.8	.	.	.	5	4.5	.	.	.	6	5.1	.	.	.
....Rectal cancer (154)	1	0.4	.	.	.	.	.	.	.	.	1	0.9	.	.	.
..Pancreatic cancer (157)	4	1.7	.	.	.	2	1.8	.	.	.	2	1.7	.	.	.
..Lung and other respiratory cancer (160-165)	18	7.8	10.3	0	.	11	9.8	.	.	.	7	6.0	.	.	.
....Lung cancer (162.2-.9)	16	7.0	9.1	0	.	11	9.8	.	.	.	5	4.3	.	.	.
..Female breast cancer (174)	5	.	.	.	.	.	.	.	.	.	5	4.3	.	.	.
..Cervical cancer (180)	2	.	.	.	.	.	.	.	.	.	2	1.7	.	.	.
..Ovarian cancer (183)	1	.	.	.	.	.	.	.	.	.	1	0.9	.	.	.
..Prostate cancer (185)	4	.	.	.	.	4	3.6	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	0.9	.	.	.	.	.	.	.	.	2	1.7	.	.	.
..Leukemia (204-208)	5	2.2	.	.	.	3	2.7	.	.	.	2	1.7	.	.	.
Diabetes mellitus (250)	6	2.6	.	.	.	5	4.5	.	.	.	1	0.9	.	.	.
..Diabetes-related (250)	30	13.1	19.3	0	.	19	17.0	25.4	.	.	11	9.4	.	.	.
Alzheimer's diseases (331.0)	1	0.4	.	.	.	.	.	.	.	.	1	0.9	.	.	.
Cardiovascular disease (390-459)	110	48.0	62.0	0	53.0	56	50.1	69.6	0	65.5	54	45.9	55.1	0	43.2
..Diseases of the heart (390-398,402,404-429)	72	31.4	40.4	0	40.7	39	34.9	47.9	0	53.9	33	28.1	33.9	0	30.6
....Heart disease-related (390-398,402,404-429)	142	61.9	79.7	0	62.6	80	71.5	99.6	0	87.0	62	52.7	62.9	0	43.3
....Coronary heart disease (CHD) (402,410-414,429.2)	51	22.2	30.7	0	30.2	29	25.9	37.6	0	43.7	22	18.7	24.5	0	.
....Congestive heart failure (CHF) (428.0)	2	0.9	.	.	.	.	.	.	.	.	2	1.7	.	.	.
..Hypertension with or without renal disease (401,403)	4	1.7	.	.	.	1	0.9	.	.	.	3	2.6	.	.	.
....Hypertension-related (401,403)	24	10.5	15.1	0	16.4	11	9.8	.	.	.	13	11.1	.	.	.
..Cerebrovascular disease (430-438)	30	13.1	17.1	0	.	13	11.6	.	.	.	17	14.5	17.6	.	.
....Atherosclerosis-related (440)	1	0.4	.	.	.	1	0.9	.	.	.	.	.	.	.	.
Pneumonia & influenza (480-487)	12	5.2	.	.	.	8	7.2	.	.	.	4	3.4	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	1.3	.	.	.	3	2.7	.	.	.	.	.	.	.	.
..COPD-related (490-496)	12	5.2	.	.	.	7	6.3	.	.	.	5	4.3	.	.	.
..Asthma (493)	2	0.9	.	.	.	2	1.8	.	.	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	3	1.3	.	.	.	2	1.8	.	.	.	1	0.9	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	2.6	.	.	.	3	2.7	.	.	.	3	2.6	.	.	.
..Nephritis-related (580-589)	18	7.8	11.0	0	.	10	8.9	.	.	.	8	6.8	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	3.1	.	.	.	4	3.6	.	.	.	3	2.6	.	.	.

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.  
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1996-1998*****				1989-	*****1996-1998*****				1989-	*****1996-1998*****				1989-
	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR
*****Causes of Death*****															
Unintentional injuries (E800-E949)	27	11.8	13.4	0	.	19	17.0	18.8	0	.	8	6.8	.	.	.
..Motor vehicle accidents (E810-E825)	18	7.8	9.2	.	.	12	10.7	.	.	.	6	5.1	.	.	.
..Falls and fall related injuries (E880-E888)	1	0.4	.	.	.	.	.	.	.	.	1	0.9	.	.	.
..Drowning (E830,E832,E910)	3	1.3	.	.	.	3	2.7	.	.	.	.	.	.	.	.
Suicide (E950-E959)	6	2.6	.	.	.	4	3.6	.	.	.	2	1.7	.	.	.
Homicide and legal intervention (E960-E978)	5	2.2	.	.	.	4	3.6	.	.	.	1	0.9	.	.	.
..Homicide (E960-E969)	5	2.2	.	.	.	4	3.6	.	.	.	1	0.9	.	.	.
All injury (E800-E999)	39	17.0	18.2	0	17.5	27	24.1	25.1	0	29.0	12	10.2	.	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	18	7.8	9.2	.	.	12	10.7	.	.	.	6	5.1	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	0.4	.	.	.	.	.	.	.	.	1	0.9	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	2.2	.	.	.	5	4.5	.	.	.	.	.	.	.	.
....Suicide (E955.0-.4)	2	0.9	.	.	.	2	1.8	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	3	1.3	.	.	.	3	2.7	.	.	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.
Drug-induced (292.304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.

0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1996-1998*****					*****1996-1998*****					*****1996-1998*****				
	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR
*****Causes of Death*****															
All causes	312	136.0	234.4	0	217.5	171	152.9	280.1	0	311.4	141	119.9	197.1	0	141.8
Infectious diseases and parasitic disease (1-139)	8	3.5	.	.	.	6	5.4	.	.	.	2	1.7	.	.	.
..Septicemia (038)	2	0.9	.	.	.	2	1.8	.	.	.	.	.	.	.	.
....Septicemia-related (038)	13	5.7	.	.	.	6	5.4	.	.	.	7	6.0	.	.	.
All cancer (140-208)	90	39.2	67.0	0	56.0	46	41.1	79.4	0	87.8	44	37.4	56.4	0	.
..Oral cavity or pharynx (140.0-149.9)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	12	5.2	.	.	.	5	4.5	.	.	.	7	6.0	.	.	.
....Colon cancer (153)	11	4.8	.	.	.	5	4.5	.	.	.	6	5.1	.	.	.
....Rectal cancer (154)	1	0.4	.	.	.	.	.	.	.	.	1	0.9	.	.	.
..Pancreatic cancer (157)	4	1.7	.	.	.	2	1.8	.	.	.	2	1.7	.	.	.
..Lung and other respiratory cancer (160-165)	18	7.8	13.4	0	.	11	9.8	.	.	.	7	6.0	.	.	.
....Lung cancer (162.2-.9)	16	7.0	12.1	0	.	11	9.8	.	.	.	5	4.3	.	.	.
..Female breast cancer (174)	5	.	.	.	.	.	.	.	.	.	5	4.3	.	.	.
..Cervical cancer (180)	2	.	.	.	.	.	.	.	.	.	2	1.7	.	.	.
..Ovarian cancer (183)	1	.	.	.	.	.	.	.	.	.	1	0.9	.	.	.
..Prostate cancer (185)	4	.	.	.	.	4	3.6	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	0.9	.	.	.	.	.	.	.	.	2	1.7	.	.	.
..Leukemia (204-208)	5	2.2	.	.	.	3	2.7	.	.	.	2	1.7	.	.	.
Diabetes mellitus (250)	6	2.6	.	.	.	5	4.5	.	.	.	1	0.9	.	.	.
..Diabetes-related (250)	30	13.1	26.4	0	.	19	17.0	35.3	.	.	11	9.4	.	.	.
Alzheimer's diseases (331.0)	1	0.4	.	.	.	.	.	.	.	.	1	0.9	.	.	.
Cardiovascular disease (390-459)	110	48.0	92.1	0	86.5	56	50.1	100.8	0	104.4	54	45.9	84.6	0	73.5
..Diseases of the heart (390-398,402,404-429)	72	31.4	57.7	0	66.9	39	34.9	67.2	0	86.1	33	28.1	49.9	0	53.1
....Heart disease-related (390-398,402,404-429)	142	61.9	118.5	0	101.0	80	71.5	149.2	0	134.9	62	52.7	94.3	0	75.4
....Coronary heart disease (CHD) (402,410-414,429.2)	51	22.2	42.6	0	48.6	29	25.9	50.4	0	69.4	22	18.7	35.8	0	.
....Congestive heart failure (CHF) (428.0)	2	0.9	.	.	.	.	.	.	.	.	2	1.7	.	.	.
..Hypertension with or without renal disease (401,403)	4	1.7	.	.	.	1	0.9	.	.	.	3	2.6	.	.	.
....Hypertension-related (401,403)	24	10.5	22.6	0	28.7	11	9.8	.	.	.	13	11.1	.	.	.
..Cerebrovascular disease (430-438)	30	13.1	27.2	0	.	13	11.6	.	.	.	17	14.5	28.7	.	.
....Atherosclerosis-related (440)	1	0.4	.	.	.	1	0.9	.	.	.	.	.	.	.	.
Pneumonia & influenza (480-487)	12	5.2	.	.	.	8	7.2	.	.	.	4	3.4	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	1.3	.	.	.	3	2.7	.	.	.	.	.	.	.	.
..COPD-related (490-496)	12	5.2	.	.	.	7	6.3	.	.	.	5	4.3	.	.	.
..Asthma (493)	2	0.9	.	.	.	2	1.8	.	.	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	3	1.3	.	.	.	2	1.8	.	.	.	1	0.9	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	2.6	.	.	.	3	2.7	.	.	.	3	2.6	.	.	.
..Nephritis-related (580-589)	18	7.8	15.6	0	.	10	8.9	.	.	.	8	6.8	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	3.1	.	.	.	4	3.6	.	.	.	3	2.6	.	.	.

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.  
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1996-1998*****				1989-	*****1996-1998*****				1989-	*****1996-1998*****				1989-
	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR
*****Causes of Death*****															
Unintentional injuries (E800-E949)	27	11.8	14.9	0		19	17.0	21.0	0		8	6.8			
..Motor vehicle accidents (E810-E825)	18	7.8	10.0			12	10.7				6	5.1			
..Falls and fall related injuries (E880-E888)	1	0.4									1	0.9			
..Drowning (E830,E832,E910)	3	1.3				3	2.7								
..Suicide (E950-E959)	6	2.6				4	3.6				2	1.7			
..Homicide and legal intervention (E960-E978)	5	2.2				4	3.6				1	0.9			
..Homicide (E960-E969)	5	2.2				4	3.6				1	0.9			
All injury (E800-E999)	39	17.0	19.1	0	20.7	27	24.1	26.3	0	34.8	12	10.2			
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	18	7.8	10.0			12	10.7				6	5.1			
..All falls (E880-E886,E888,E957,E968.1,E987)	1	0.4									1	0.9			
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	2.2				5	4.5								
....Suicide (E955.0-.4)	2	0.9				2	1.8								
....Homicide (E965.0-.4)	3	1.3				3	2.7								
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	0.9				1	0.9				1	0.9			
Drug-induced (292.304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	0.9				1	0.9				1	0.9			

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.  
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1996-1998*****					*****1996-1998*****					*****1996-1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR
*****Causes of Death*****															
All causes	312	136.0	308.8	0	297.5	171	152.9	374.2	0	419.9	141	119.9	259.1	0	201.7
Infectious diseases and parasitic disease (1-139)	8	3.5	.	.	.	6	5.4	.	.	.	2	1.7	.	.	.
..Septicemia (038)	2	0.9	.	.	.	2	1.8	.	.	.	.	.	.	.	.
....Septicemia-related (038)	13	5.7	.	.	.	6	5.4	.	.	.	7	6.0	.	.	.
All cancer (140-208)	90	39.2	85.7	0	73.9	46	41.1	102.1	0	115.0	44	37.4	71.7	0	.
..Oral cavity or pharynx (140.0-149.9)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	12	5.2	.	.	.	5	4.5	.	.	.	7	6.0	.	.	.
....Colon cancer (153)	11	4.8	.	.	.	5	4.5	.	.	.	6	5.1	.	.	.
....Rectal cancer (154)	1	0.4	.	.	.	.	.	.	.	.	1	0.9	.	.	.
..Pancreatic cancer (157)	4	1.7	.	.	.	2	1.8	.	.	.	2	1.7	.	.	.
..Lung and other respiratory cancer (160-165)	18	7.8	16.8	0	.	11	9.8	.	.	.	7	6.0	.	.	.
....Lung cancer (162.2-.9)	16	7.0	15.5	0	.	11	9.8	.	.	.	5	4.3	.	.	.
..Female breast cancer (174)	5	.	.	.	.	.	.	.	.	.	5	4.3	.	.	.
..Cervical cancer (180)	2	.	.	.	.	.	.	.	.	.	2	1.7	.	.	.
..Ovarian cancer (183)	1	.	.	.	.	.	.	.	.	.	1	0.9	.	.	.
..Prostate cancer (185)	4	.	.	.	.	4	3.6	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	0.9	.	.	.	.	.	.	.	.	2	1.7	.	.	.
..Leukemia (204-208)	5	2.2	.	.	.	3	2.7	.	.	.	2	1.7	.	.	.
Diabetes mellitus (250)	6	2.6	.	.	.	5	4.5	.	.	.	1	0.9	.	.	.
..Diabetes-related (250)	30	13.1	32.2	0	.	19	17.0	44.0	.	.	11	9.4	.	.	.
Alzheimer's diseases (331.0)	1	0.4	.	.	.	.	.	.	.	.	1	0.9	.	.	.
Cardiovascular disease (390-459)	110	48.0	128.2	0	128.6	56	50.1	138.5	0	152.8	54	45.9	120.1	0	111.8
..Diseases of the heart (390-398,402,404-429)	72	31.4	78.1	0	99.9	39	34.9	90.2	0	125.7	33	28.1	68.8	0	82.3
....Heart disease-related (390-398,402,404-429)	142	61.9	165.1	0	148.4	80	71.5	209.8	0	192.4	62	52.7	132.0	0	116.5
....Coronary heart disease (CHD) (402,410-414,429.2)	51	22.2	54.1	0	71.0	29	25.9	62.7	0	99.4	22	18.7	46.8	0	.
....Congestive heart failure (CHF) (428.0)	2	0.9	.	.	.	.	.	.	.	.	2	1.7	.	.	.
..Hypertension with or without renal disease (401,403)	4	1.7	.	.	.	1	0.9	.	.	.	3	2.6	.	.	.
....Hypertension-related (401,403)	24	10.5	30.2	0	45.3	11	9.8	.	.	.	13	11.1	.	.	.
..Cerebrovascular disease (430-438)	30	13.1	39.6	0	.	13	11.6	.	.	.	17	14.5	42.2	.	.
....Atherosclerosis-related (440)	1	0.4	.	.	.	1	0.9	.	.	.	.	.	.	.	.
Pneumonia & influenza (480-487)	12	5.2	.	.	.	8	7.2	.	.	.	4	3.4	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	1.3	.	.	.	3	2.7	.	.	.	.	.	.	.	.
..COPD-related (490-496)	12	5.2	.	.	.	7	6.3	.	.	.	5	4.3	.	.	.
..Asthma (493)	2	0.9	.	.	.	2	1.8	.	.	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	3	1.3	.	.	.	2	1.8	.	.	.	1	0.9	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	2.6	.	.	.	3	2.7	.	.	.	3	2.6	.	.	.
..Nephritis-related (580-589)	18	7.8	20.3	0	.	10	8.9	.	.	.	8	6.8	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	3.1	.	.	.	4	3.6	.	.	.	3	2.6	.	.	.

(CONTINUED)

- \* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.  
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1996-1998*****					*****1996-1998*****					*****1996-1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR
*****Causes of Death*****															
Unintentional injuries (E800-E949)	27	11.8	16.3	0	.	19	17.0	23.7	0	.	8	6.8	.	.	.
..Motor vehicle accidents (E810-E825)	18	7.8	11.0	.	.	12	10.7	.	.	.	6	5.1	.	.	.
..Falls and fall related injuries (E880-E888)	1	0.4	.	.	.	.	.	.	.	.	1	0.9	.	.	.
..Drowning (E830,E832,E910)	3	1.3	.	.	.	3	2.7	.	.	.	.	.	.	.	.
..Suicide (E950-E959)	6	2.6	.	.	.	4	3.6	.	.	.	2	1.7	.	.	.
..Homicide and legal intervention (E960-E978)	5	2.2	.	.	.	4	3.6	.	.	.	1	0.9	.	.	.
..Homicide (E960-E969)	5	2.2	.	.	.	4	3.6	.	.	.	1	0.9	.	.	.
All injury (E800-E999)	39	17.0	20.7	0	24.7	27	24.1	29.6	0	41.7	12	10.2	.	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	18	7.8	11.0	.	.	12	10.7	.	.	.	6	5.1	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	0.4	.	.	.	.	.	.	.	.	1	0.9	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	2.2	.	.	.	5	4.5	.	.	.	.	.	.	.	.
....Suicide (E955.0-.4)	2	0.9	.	.	.	2	1.8	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	3	1.3	.	.	.	3	2.7	.	.	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.
Drug-induced (292.304,305.2-.9,E850-E858,E950.0-1.5,E962.0,E980.0-.5)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.  
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	312	156	216	3,441	5,281	1590.3	1483.7	0	2498.3	2193.7	0
Infectious diseases and parasitic disease (1-139)	8	6	7	107	170	.	.	.	.	.	.
..Septicemia (038)	2	2	2	15	35	.	.	.	.	.	.
...Septicemia-related (038)	13	7	8	98	175	.	.	.	.	.	.
All cancer (140-208)	90	49	66	748	1,320	353.2	227.9	0	645.2	445.1	0
..Oral cavity or pharynx (140.0-149.9)	2	2	2	20	40	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	12	4	8	60	120	.	.	.	.	.	.
...Colon cancer (153)	11	4	8	60	120	.	.	.	.	.	.
...Rectal cancer (154)	1	.	.	0	0	.	.	.	.	.	.
..Pancreatic cancer (157)	4	2	2	20	40	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	18	11	14	113	235	57.4	.	0	124.3	.	0
...Lung cancer (162.2-.9)	16	9	12	98	200	48.6	.	0	104.1	.	0
..Female breast cancer (174)	5	3	5	38	83	.	.	.	.	.	.
..Cervical cancer (180)	2	1	2	13	30	.	.	.	.	.	.
..Ovarian cancer (183)	1	.	.	0	0	.	.	.	.	.	.
..Prostate cancer (185)	4	.	1	0	3	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	2	2	80	100	.	.	.	.	.	.
..Leukemia (204-208)	5	5	5	113	163	.	.	.	.	.	.
Diabetes mellitus (250)	6	3	4	18	50	.	.	.	.	.	.
..Diabetes-related (250)	30	10	22	75	235	42.5	.	0	143.5	.	0
Alzheimer's diseases (331.0)	1	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	110	39	66	458	960	213.4	161.6	0	493.5	340.1	0
..Diseases of the heart (390-398,402,404-429)	72	30	49	350	728	161.9	133.1	0	372.0	259.1	0
...Heart disease-related (390-398,402,404-429)	142	52	85	580	1,238	270.7	273.1	0	638.0	486.3	0
...Coronary heart disease (CHD) (402,410-414,429.2)	51	21	38	178	455	93.1	113.9	0	260.6	215.7	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	.	.	.	.
...Hypertension with or without renal disease (401,403)	4	.	3	0	18	.	.	.	.	.	.
...Hypertension-related (401,403)	24	4	14	15	115	9.7	28.5	0	79.4	70.9	0
..Cerebrovascular disease (430-438)	30	8	13	90	188	43.6	.	0	96.7	.	0
...Atherosclerosis-related (440)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	12	2	4	5	35	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	1	1	8	18	.	.	.	.	.	.
..COPD-related (490-496)	12	3	3	13	43	.	.	.	.	.	.
..Asthma (493)	2	1	1	8	18	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	3	1	2	3	15	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	.	3	0	18	.	.	.	.	.	.
..Nephritis-related (580-589)	18	5	12	63	140	27.8	.	0	72.5	.	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	.	3	0	18	.	.	.	.	.	.
Unintentional injuries (E800-E949)	27	21	24	758	990	374.7	.	0	470.9	.	0
..Motor vehicle accidents (E810-E825)	18	13	16	458	610	218.9	.	.	283.3	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Falls and fall related injuries (E880-E888)	1	1	1	48	58	.	.	.	.	.	.
..Drowning (E830,E832,E910)	3	3	3	153	183	.	.	.	.	.	.
Suicide (E950-E959)	6	6	6	220	280	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	5	5	5	138	188	.	.	.	.	.	.
..Homicide (E960-E969)	5	5	5	138	188	.	.	.	.	.	.
All injury (E800-E999)	39	33	36	1,158	1,510	553.9	309.3	0	691.1	418.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	18	13	16	458	610	218.9	.	.	283.3	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	48	58	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	158	208	.	.	.	.	.	.
....Suicide (E955.0-.4)	2	2	2	65	85	.	.	.	.	.	.
....Homicide (E965.0-.4)	3	3	3	93	123	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	1	1	43	53	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	1	1	43	53	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	171	94	120	2,044	3,084	1950.4	2126.4	0	2991.9	3201.2	0
Infectious diseases and parasitic disease (1-139)	6	4	5	40	83	.	.	.	.	.	.
..Septicemia (038)	2	2	2	15	35	.	.	.	.	.	.
...Septicemia-related (038)	6	3	3	38	68	.	.	.	.	.	.
All cancer (140-208)	46	23	33	328	588	326.1	282.1	0	604.0	597.4	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	18	28	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	5	1	3	3	18	.	.	.	.	.	.
...Colon cancer (153)	5	1	3	3	18	.	.	.	.	.	.
...Rectal cancer (154)	.	.	.	.	.	.	.	.	.	.	.
..Pancreatic cancer (157)	2	1	1	3	13	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	11	6	9	60	133	.	.	.	.	.	.
...Lung cancer (162.2-.9)	11	6	9	60	133	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	4	.	1	0	3	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	.	.	.	.	.	.	.	.	.	.	.
..Leukemia (204-208)	3	3	3	78	108	.	.	.	.	.	.
Diabetes mellitus (250)	5	3	3	18	48	.	.	.	.	.	.
..Diabetes-related (250)	19	9	13	63	173	72.1	.	.	210.2	.	.
Alzheimer's diseases (331.0)	.	.	.	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	56	26	36	290	590	293.2	263.9	0	635.5	518.2	0
..Diseases of the heart (390-398,402,404-429)	39	20	28	230	465	225.2	225.7	0	495.2	421.8	0
...Heart disease-related (390-398,402,404-429)	80	34	48	350	745	352.4	507.6	0	810.0	871.5	0
...Coronary heart disease (CHD) (402,410-414,429.2)	29	15	23	148	333	154.1	187.8	0	380.1	330.8	0
...Congestive heart failure (CHF) (428.0)	.	.	.	.	.	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	.	1	0	3	.	.	.	.	.	.
...Hypertension-related (401,403)	11	3	6	13	55	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	13	5	6	43	95	.	.	.	.	.	.
...Atherosclerosis-related (440)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	8	2	3	5	28	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	1	1	8	18	.	.	.	.	.	.
..COPD-related (490-496)	7	1	1	8	18	.	.	.	.	.	.
..Asthma (493)	2	1	1	8	18	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	1	2	3	15	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	3	.	1	0	8	.	.	.	.	.	.
..Nephritis-related (580-589)	10	2	5	30	63	.	.	.	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	4	.	1	0	8	.	.	.	.	.	.
Unintentional injuries (E800-E949)	19	16	17	615	783	613.0	.	0	746.9	.	0
..Motor vehicle accidents (E810-E825)	12	10	11	405	513	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Falls and fall related injuries (E880-E888)	.	.	.	.	.	.	.	.	.	.	.
..Drowning (E830,E832,E910)	3	3	3	153	183	.	.	.	.	.	.
Suicide (E950-E959)	4	4	4	135	175	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	4	4	4	120	160	.	.	.	.	.	.
..Homicide (E960-E969)	4	4	4	120	160	.	.	.	.	.	.
All injury (E800-E999)	27	24	25	870	1,118	834.9	546.7	0	1022.6	722.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	12	10	11	405	513	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	.	.	.	.	.	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	158	208	.	.	.	.	.	.
....Suicide (E955.0-.4)	2	2	2	65	85	.	.	.	.	.	.
....Homicide (E965.0-.4)	3	3	3	93	123	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1	.	.	0	0	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	.	.	0	0	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	141	62	96	1,397	2,197	1238.8	837.0	0	2002.8	1216.4	0
Infectious diseases and parasitic disease (1-139)	2	2	2	67	87	.	.	.	.	.	.
..Septicemia (038)	.	.	.	.	.	.	.	.	.	.	.
...Septicemia-related (038)	7	4	5	60	108	.	.	.	.	.	.
All cancer (140-208)	44	26	33	420	733	374.9	.	0	673.4	.	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	3	13	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	7	3	5	58	103	.	.	.	.	.	.
...Colon cancer (153)	6	3	5	58	103	.	.	.	.	.	.
...Rectal cancer (154)	1	.	.	0	0	.	.	.	.	.	.
..Pancreatic cancer (157)	2	1	1	18	28	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	7	5	5	53	103	.	.	.	.	.	.
...Lung cancer (162.2-.9)	5	3	3	38	68	.	.	.	.	.	.
..Female breast cancer (174)	5	3	5	38	83	.	.	.	.	.	.
..Cervical cancer (180)	2	1	2	13	30	.	.	.	.	.	.
..Ovarian cancer (183)	1	.	.	0	0	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	2	2	80	100	.	.	.	.	.	.
..Leukemia (204-208)	2	2	2	35	55	.	.	.	.	.	.
Diabetes mellitus (250)	1	.	1	0	3	.	.	.	.	.	.
..Diabetes-related (250)	11	1	9	13	63	.	.	.	.	.	.
Alzheimer's diseases (331.0)	1	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	54	13	30	168	370	140.0	59.6	0	357.1	169.6	0
..Diseases of the heart (390-398,402,404-429)	33	10	21	120	263	104.0	42.8	0	257.3	106.9	0
...Heart disease-related (390-398,402,404-429)	62	18	37	230	493	192.7	42.8	0	468.8	125.3	1
...Coronary heart disease (CHD) (402,410-414,429.2)	22	6	15	30	123	36.3	.	0	149.6	.	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	3	.	2	0	15	.	.	.	.	.	.
...Hypertension-related (401,403)	13	1	8	3	60	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	17	3	7	48	93	36.0	.	.	80.1	.	.
...Atherosclerosis-related (440)	.	.	.	.	.	.	.	.	.	.	.
Pneumonia & influenza (480-487)	4	.	1	0	8	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	.	.	.	.	.	.	.	.	.	.	.
..COPD-related (490-496)	5	2	2	5	25	.	.	.	.	.	.
..Asthma (493)	.	.	.	.	.	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	1	.	.	0	0	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	3	.	2	0	10	.	.	.	.	.	.
..Nephritis-related (580-589)	8	3	7	33	78	.	.	.	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	3	.	2	0	10	.	.	.	.	.	.
Unintentional injuries (E800-E949)	8	5	7	143	208	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	6	3	5	53	98	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Falls and fall related injuries (E880-E888)	1	1	1	48	58	.	.	.	.	.	.
..Drowning (E830,E832,E910)	.	.	.	.	.	.	.	.	.	.	.
Suicide (E950-E959)	2	2	2	85	105	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	1	1	1	18	28	.	.	.	.	.	.
..Homicide (E960-E969)	1	1	1	18	28	.	.	.	.	.	.
All injury (E800-E999)	12	9	11	288	393	.	.	.	.	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	6	3	5	53	98	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	48	58	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Suicide (E955.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	.	.	.	.	.	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1	1	1	43	53	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	1	1	43	53	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	312	156	216	3,441	5,281	1602.3	1513.9	0	2584.4	2273.7	0
Infectious diseases and parasitic disease (1-139)	8	6	7	107	170	.	.	.	.	.	.
..Septicemia (038)	2	2	2	15	35	.	.	.	.	.	.
...Septicemia-related (038)	13	7	8	98	175	.	.	.	.	.	.
All cancer (140-208)	90	49	66	748	1,320	358.1	218.4	0	676.1	454.0	0
..Oral cavity or pharynx (140.0-149.9)	2	2	2	20	40	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	12	4	8	60	120	.	.	.	.	.	.
...Colon cancer (153)	11	4	8	60	120	.	.	.	.	.	.
...Rectal cancer (154)	1	.	.	0	0	.	.	.	.	.	.
..Pancreatic cancer (157)	4	2	2	20	40	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	18	11	14	113	235	58.7	.	0	132.6	.	0
...Lung cancer (162.2-.9)	16	9	12	98	200	49.4	.	0	110.6	.	0
..Female breast cancer (174)	5	3	5	38	83	.	.	.	.	.	.
..Cervical cancer (180)	2	1	2	13	30	.	.	.	.	.	.
..Ovarian cancer (183)	1	.	.	0	0	.	.	.	.	.	.
..Prostate cancer (185)	4	.	1	0	3	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	2	2	80	100	.	.	.	.	.	.
..Leukemia (204-208)	5	5	5	113	163	.	.	.	.	.	.
Diabetes mellitus (250)	6	3	4	18	50	.	.	.	.	.	.
..Diabetes-related (250)	30	10	22	75	235	46.1	.	0	165.3	.	0
Alzheimer's diseases (331.0)	1	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	110	39	66	458	960	209.6	168.4	0	527.4	371.9	0
..Diseases of the heart (390-398,402,404-429)	72	30	49	350	728	157.4	137.3	0	395.4	280.1	0
...Heart disease-related (390-398,402,404-429)	142	52	85	580	1,238	268.0	280.8	0	685.7	522.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	51	21	38	178	455	95.6	121.7	0	291.4	236.7	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	4	.	3	0	18	.	.	.	.	.	.
...Hypertension-related (401,403)	24	4	14	15	115	11.4	31.1	0	96.6	79.4	0
..Cerebrovascular disease (430-438)	30	8	13	90	188	44.5	.	0	104.3	.	0
...Atherosclerosis-related (440)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	12	2	4	5	35	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	1	1	8	18	.	.	.	.	.	.
..COPD-related (490-496)	12	3	3	13	43	.	.	.	.	.	.
..Asthma (493)	2	1	1	8	18	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	3	1	2	3	15	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	.	3	0	18	.	.	.	.	.	.
..Nephritis-related (580-589)	18	5	12	63	140	26.5	.	0	78.6	.	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	.	3	0	18	.	.	.	.	.	.
Unintentional injuries (E800-E949)	27	21	24	758	990	367.8	.	0	459.5	.	0
..Motor vehicle accidents (E810-E825)	18	13	16	458	610	204.2	.	.	265.4	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Falls and fall related injuries (E880-E888)	1	1	1	48	58	.	.	.	.	.	.
..Drowning (E830,E832,E910)	3	3	3	153	183	.	.	.	.	.	.
Suicide (E950-E959)	6	6	6	220	280	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	5	5	5	138	188	.	.	.	.	.	.
..Homicide (E960-E969)	5	5	5	138	188	.	.	.	.	.	.
All injury (E800-E999)	39	33	36	1,158	1,510	530.1	298.2	0	655.7	405.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	18	13	16	458	610	204.2	.	.	265.4	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	48	58	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	158	208	.	.	.	.	.	.
....Suicide (E955.0-.4)	2	2	2	65	85	.	.	.	.	.	.
....Homicide (E965.0-.4)	3	3	3	93	123	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	1	1	43	53	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	1	1	43	53	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	171	94	120	2,044	3,084	1951.8	2158.4	0	3068.1	3319.2	0
Infectious diseases and parasitic disease (1-139)	6	4	5	40	83	.	.	.	.	.	.
..Septicemia (038)	2	2	2	15	35	.	.	.	.	.	.
...Septicemia-related (038)	6	3	3	38	68	.	.	.	.	.	.
All cancer (140-208)	46	23	33	328	588	327.6	268.0	0	636.3	619.1	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	18	28	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	5	1	3	3	18	.	.	.	.	.	.
...Colon cancer (153)	5	1	3	3	18	.	.	.	.	.	.
...Rectal cancer (154)	.	.	.	.	.	.	.	.	.	.	.
..Pancreatic cancer (157)	2	1	1	3	13	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	11	6	9	60	133	.	.	.	.	.	.
...Lung cancer (162.2-.9)	11	6	9	60	133	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	4	.	1	0	3	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	.	.	.	.	.	.	.	.	.	.	.
..Leukemia (204-208)	3	3	3	78	108	.	.	.	.	.	.
Diabetes mellitus (250)	5	3	3	18	48	.	.	.	.	.	.
..Diabetes-related (250)	19	9	13	63	173	78.8	.	.	238.9	.	.
Alzheimer's diseases (331.0)	.	.	.	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	56	26	36	290	590	292.2	272.2	0	673.9	560.0	0
..Diseases of the heart (390-398,402,404-429)	39	20	28	230	465	220.5	231.1	0	522.7	453.7	0
...Heart disease-related (390-398,402,404-429)	80	34	48	350	745	353.9	520.0	0	870.6	930.6	0
...Coronary heart disease (CHD) (402,410-414,429.2)	29	15	23	148	333	154.2	200.3	0	413.1	361.4	0
...Congestive heart failure (CHF) (428.0)	.	.	.	.	.	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	.	1	0	3	.	.	.	.	.	.
...Hypertension-related (401,403)	11	3	6	13	55	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	13	5	6	43	95	.	.	.	.	.	.
...Atherosclerosis-related (440)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	8	2	3	5	28	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	1	1	8	18	.	.	.	.	.	.
..COPD-related (490-496)	7	1	1	8	18	.	.	.	.	.	.
..Asthma (493)	2	1	1	8	18	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	1	2	3	15	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	3	.	1	0	8	.	.	.	.	.	.
..Nephritis-related (580-589)	10	2	5	30	63	.	.	.	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	4	.	1	0	8	.	.	.	.	.	.
Unintentional injuries (E800-E949)	19	16	17	615	783	598.4	.	0	721.3	.	0
..Motor vehicle accidents (E810-E825)	12	10	11	405	513	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Falls and fall related injuries (E880-E888)	.	.	.	.	.	.	.	.	.	.	.
..Drowning (E830,E832,E910)	3	3	3	153	183	.	.	.	.	.	.
Suicide (E950-E959)	4	4	4	135	175	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	4	4	4	120	160	.	.	.	.	.	.
..Homicide (E960-E969)	4	4	4	120	160	.	.	.	.	.	.
All injury (E800-E999)	27	24	25	870	1,118	792.2	533.0	0	958.1	703.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	12	10	11	405	513	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	.	.	.	.	.	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	158	208	.	.	.	.	.	.
....Suicide (E955.0-.4)	2	2	2	65	85	.	.	.	.	.	.
....Homicide (E965.0-.4)	3	3	3	93	123	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1	.	.	0	0	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	.	.	0	0	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	141	62	96	1,397	2,197	1258.9	863.9	0	2093.6	1265.1	0
Infectious diseases and parasitic disease (1-139)	2	2	2	67	87	.	.	.	.	.	.
..Septicemia (038)	.	.	.	.	.	.	.	.	.	.	.
...Septicemia-related (038)	7	4	5	60	108	.	.	.	.	.	.
All cancer (140-208)	44	26	33	420	733	384.0	.	0	703.7	.	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	3	13	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	7	3	5	58	103	.	.	.	.	.	.
...Colon cancer (153)	6	3	5	58	103	.	.	.	.	.	.
...Rectal cancer (154)	1	.	.	0	0	.	.	.	.	.	.
..Pancreatic cancer (157)	2	1	1	18	28	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	7	5	5	53	103	.	.	.	.	.	.
...Lung cancer (162.2-.9)	5	3	3	38	68	.	.	.	.	.	.
..Female breast cancer (174)	5	3	5	38	83	.	.	.	.	.	.
..Cervical cancer (180)	2	1	2	13	30	.	.	.	.	.	.
..Ovarian cancer (183)	1	.	.	0	0	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	2	2	80	100	.	.	.	.	.	.
..Leukemia (204-208)	2	2	2	35	55	.	.	.	.	.	.
Diabetes mellitus (250)	1	.	1	0	3	.	.	.	.	.	.
..Diabetes-related (250)	11	1	9	13	63	.	.	.	.	.	.
Alzheimer's diseases (331.0)	1	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	54	13	30	168	370	132.9	65.0	0	384.7	192.9	0
..Diseases of the heart (390-398,402,404-429)	33	10	21	120	263	99.1	45.8	0	275.9	118.8	0
...Heart disease-related (390-398,402,404-429)	62	18	37	230	493	185.2	45.8	0	502.6	141.3	1
...Coronary heart disease (CHD) (402,410-414,429.2)	22	6	15	30	123	40.8	.	0	178.1	.	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	3	.	2	0	15	.	.	.	.	.	.
...Hypertension-related (401,403)	13	1	8	3	60	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	17	3	7	48	93	33.9	.	.	84.7	.	.
...Atherosclerosis-related (440)	.	.	.	.	.	.	.	.	.	.	.
Pneumonia & influenza (480-487)	4	.	1	0	8	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	.	.	.	.	.	.	.	.	.	.	.
..COPD-related (490-496)	5	2	2	5	25	.	.	.	.	.	.
..Asthma (493)	.	.	.	.	.	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	1	.	.	0	0	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	3	.	2	0	10	.	.	.	.	.	.
..Nephritis-related (580-589)	8	3	7	33	78	.	.	.	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	3	.	2	0	10	.	.	.	.	.	.
Unintentional injuries (E800-E949)	8	5	7	143	208	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	6	3	5	53	98	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Falls and fall related injuries (E880-E888)	1	1	1	48	58	.	.	.	.	.	.
..Drowning (E830,E832,E910)	.	.	.	.	.	.	.	.	.	.	.
Suicide (E950-E959)	2	2	2	85	105	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	1	1	1	18	28	.	.	.	.	.	.
..Homicide (E960-E969)	1	1	1	18	28	.	.	.	.	.	.
All injury (E800-E999)	12	9	11	288	393	.	.	.	.	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	6	3	5	53	98	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	48	58	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Suicide (E955.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	.	.	.	.	.	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1	1	1	43	53	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	1	1	43	53	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	312	156	216	3,441	5,281	1597.0	1490.1	0	2614.6	2287.0	0
Infectious diseases and parasitic disease (1-139)	8	6	7	107	170	.	.	.	.	.	.
..Septicemia (038)	2	2	2	15	35	.	.	.	.	.	.
...Septicemia-related (038)	13	7	8	98	175	.	.	.	.	.	.
All cancer (140-208)	90	49	66	748	1,320	400.5	272.7	0	740.0	534.7	0
..Oral cavity or pharynx (140.0-149.9)	2	2	2	20	40	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	12	4	8	60	120	.	.	.	.	.	.
...Colon cancer (153)	11	4	8	60	120	.	.	.	.	.	.
...Rectal cancer (154)	1	.	.	0	0	.	.	.	.	.	.
..Pancreatic cancer (157)	4	2	2	20	40	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	18	11	14	113	235	68.4	.	0	146.3	.	0
...Lung cancer (162.2-.9)	16	9	12	98	200	57.9	.	0	122.8	.	0
..Female breast cancer (174)	5	3	5	38	83	.	.	.	.	.	.
..Cervical cancer (180)	2	1	2	13	30	.	.	.	.	.	.
..Ovarian cancer (183)	1	.	.	0	0	.	.	.	.	.	.
..Prostate cancer (185)	4	.	1	0	3	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	2	2	80	100	.	.	.	.	.	.
..Leukemia (204-208)	5	5	5	113	163	.	.	.	.	.	.
Diabetes mellitus (250)	6	3	4	18	50	.	.	.	.	.	.
..Diabetes-related (250)	30	10	22	75	235	50.5	.	0	174.3	.	0
Alzheimer's diseases (331.0)	1	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	110	39	66	458	960	252.1	175.7	0	590.6	390.2	0
..Diseases of the heart (390-398,402,404-429)	72	30	49	350	728	188.7	142.0	0	440.7	292.7	0
...Heart disease-related (390-398,402,404-429)	142	52	85	580	1,238	321.0	276.9	0	762.7	526.0	0
...Coronary heart disease (CHD) (402,410-414,429.2)	51	21	38	178	455	104.2	126.4	0	306.4	248.9	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	4	.	3	0	18	.	.	.	.	.	.
...Hypertension-related (401,403)	24	4	14	15	115	11.1	33.7	0	97.5	84.8	0
..Cerebrovascular disease (430-438)	30	8	13	90	188	53.8	.	0	118.7	.	0
...Atherosclerosis-related (440)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	12	2	4	5	35	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	1	1	8	18	.	.	.	.	.	.
..COPD-related (490-496)	12	3	3	13	43	.	.	.	.	.	.
..Asthma (493)	2	1	1	8	18	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	3	1	2	3	15	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	.	3	0	18	.	.	.	.	.	.
..Nephritis-related (580-589)	18	5	12	63	140	33.3	.	0	90.0	.	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	7	.	3	0	18	.	.	.	.	.	.
Unintentional injuries (E800-E949)	27	21	24	758	990	330.0	.	0	417.5	.	0
..Motor vehicle accidents (E810-E825)	18	13	16	458	610	191.9	.	.	252.5	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Falls and fall related injuries (E880-E888)	1	1	1	48	58	.	.	.	.	.	.
..Drowning (E830,E832,E910)	3	3	3	153	183	.	.	.	.	.	.
Suicide (E950-E959)	6	6	6	220	280	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	5	5	5	138	188	.	.	.	.	.	.
..Homicide (E960-E969)	5	5	5	138	188	.	.	.	.	.	.
All injury (E800-E999)	39	33	36	1,158	1,510	493.4	298.2	0	616.4	410.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	18	13	16	458	610	191.9	.	.	252.5	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	48	58	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	158	208	.	.	.	.	.	.
....Suicide (E955.0-.4)	2	2	2	65	85	.	.	.	.	.	.
....Homicide (E965.0-.4)	3	3	3	93	123	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	1	1	43	53	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	1	1	43	53	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	171	94	120	2,044	3,084	1924.6	2116.0	0	3072.6	3325.9	0
Infectious diseases and parasitic disease (1-139)	6	4	5	40	83	.	.	.	.	.	.
..Septicemia (038)	2	2	2	15	35	.	.	.	.	.	.
...Septicemia-related (038)	6	3	3	38	68	.	.	.	.	.	.
All cancer (140-208)	46	23	33	328	588	358.0	333.5	0	686.5	717.6	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	18	28	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	5	1	3	3	18	.	.	.	.	.	.
...Colon cancer (153)	5	1	3	3	18	.	.	.	.	.	.
...Rectal cancer (154)	.	.	.	.	.	.	.	.	.	.	.
..Pancreatic cancer (157)	2	1	1	3	13	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	11	6	9	60	133	.	.	.	.	.	.
...Lung cancer (162.2-.9)	11	6	9	60	133	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	4	.	1	0	3	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	.	.	.	.	.	.	.	.	.	.	.
..Leukemia (204-208)	3	3	3	78	108	.	.	.	.	.	.
Diabetes mellitus (250)	5	3	3	18	48	.	.	.	.	.	.
..Diabetes-related (250)	19	9	13	63	173	85.3	.	.	248.1	.	.
Alzheimer's diseases (331.0)	.	.	.	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	56	26	36	290	590	338.8	281.9	0	741.9	583.6	0
..Diseases of the heart (390-398,402,404-429)	39	20	28	230	465	257.3	236.4	0	574.3	469.6	0
...Heart disease-related (390-398,402,404-429)	80	34	48	350	745	407.9	509.3	0	947.9	930.0	0
...Coronary heart disease (CHD) (402,410-414,429.2)	29	15	23	148	333	169.8	205.4	0	436.9	376.4	0
...Congestive heart failure (CHF) (428.0)	.	.	.	.	.	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	.	1	0	3	.	.	.	.	.	.
...Hypertension-related (401,403)	11	3	6	13	55	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	13	5	6	43	95	.	.	.	.	.	.
...Atherosclerosis-related (440)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	8	2	3	5	28	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	1	1	8	18	.	.	.	.	.	.
..COPD-related (490-496)	7	1	1	8	18	.	.	.	.	.	.
..Asthma (493)	2	1	1	8	18	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	1	2	3	15	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	3	.	1	0	8	.	.	.	.	.	.
..Nephritis-related (580-589)	10	2	5	30	63	.	.	.	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	4	.	1	0	8	.	.	.	.	.	.
Unintentional injuries (E800-E949)	19	16	17	615	783	528.2	.	0	640.0	.	0
..Motor vehicle accidents (E810-E825)	12	10	11	405	513	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Falls and fall related injuries (E880-E888)	.	.	.	.	.	.	.	.	.	.	.
..Drowning (E830,E832,E910)	3	3	3	153	183	.	.	.	.	.	.
Suicide (E950-E959)	4	4	4	135	175	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	4	4	4	120	160	.	.	.	.	.	.
..Homicide (E960-E969)	4	4	4	120	160	.	.	.	.	.	.
All injury (E800-E999)	27	24	25	870	1,118	739.3	516.8	0	899.5	695.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	12	10	11	405	513	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	.	.	.	.	.	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	5	5	5	158	208	.	.	.	.	.	.
....Suicide (E955.0-.4)	2	2	2	65	85	.	.	.	.	.	.
....Homicide (E965.0-.4)	3	3	3	93	123	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1	.	.	0	0	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	.	.	0	0	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	141	62	96	1,397	2,197	1275.2	863.1	0	2149.7	1290.2	0
Infectious diseases and parasitic disease (1-139)	2	2	2	67	87	.	.	.	.	.	.
..Septicemia (038)	.	.	.	.	.	.	.	.	.	.	.
...Septicemia-related (038)	7	4	5	60	108	.	.	.	.	.	.
All cancer (140-208)	44	26	33	420	733	436.5	.	0	779.6	.	0
..Oral cavity or pharynx (140.0-149.9)	1	1	1	3	13	.	.	.	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	7	3	5	58	103	.	.	.	.	.	.
...Colon cancer (153)	6	3	5	58	103	.	.	.	.	.	.
...Rectal cancer (154)	1	.	.	0	0	.	.	.	.	.	.
..Pancreatic cancer (157)	2	1	1	18	28	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	7	5	5	53	103	.	.	.	.	.	.
...Lung cancer (162.2-.9)	5	3	3	38	68	.	.	.	.	.	.
..Female breast cancer (174)	5	3	5	38	83	.	.	.	.	.	.
..Cervical cancer (180)	2	1	2	13	30	.	.	.	.	.	.
..Ovarian cancer (183)	1	.	.	0	0	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Brain & other CNS cancer (191-192)	2	2	2	80	100	.	.	.	.	.	.
..Leukemia (204-208)	2	2	2	35	55	.	.	.	.	.	.
Diabetes mellitus (250)	1	.	1	0	3	.	.	.	.	.	.
..Diabetes-related (250)	11	1	9	13	63	.	.	.	.	.	.
Alzheimer's diseases (331.0)	1	.	.	0	0	.	.	.	.	.	.
Cardiovascular disease (390-459)	54	13	30	168	370	171.9	70.6	0	444.0	206.7	0
..Diseases of the heart (390-398,402,404-429)	33	10	21	120	263	125.4	51.0	0	315.7	129.7	0
...Heart disease-related (390-398,402,404-429)	62	18	37	230	493	237.4	51.0	0	579.4	152.6	1
...Coronary heart disease (CHD) (402,410-414,429.2)	22	6	15	30	123	42.6	.	0	184.8	.	0
...Congestive heart failure (CHF) (428.0)	2	.	.	0	0	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	3	.	2	0	15	.	.	.	.	.	.
...Hypertension-related (401,403)	13	1	8	3	60	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	17	3	7	48	93	46.5	.	.	103.6	.	.
...Atherosclerosis-related (440)	.	.	.	.	.	.	.	.	.	.	.
Pneumonia & influenza (480-487)	4	.	1	0	8	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	.	.	.	.	.	.	.	.	.	.	.
..COPD-related (490-496)	5	2	2	5	25	.	.	.	.	.	.
..Asthma (493)	.	.	.	.	.	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	1	.	.	0	0	.	.	.	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	3	.	2	0	10	.	.	.	.	.	.
..Nephritis-related (580-589)	8	3	7	33	78	.	.	.	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	3	.	2	0	10	.	.	.	.	.	.
Unintentional injuries (E800-E949)	8	5	7	143	208	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	6	3	5	53	98	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Asian/Pacific Islander Resident DEATHS, 1996-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..Falls and fall related injuries (E880-E888)	1	1	1	48	58	.	.	.	.	.	.
..Drowning (E830,E832,E910)	.	.	.	.	.	.	.	.	.	.	.
Suicide (E950-E959)	2	2	2	85	105	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	1	1	1	18	28	.	.	.	.	.	.
..Homicide (E960-E969)	1	1	1	18	28	.	.	.	.	.	.
All injury (E800-E999)	12	9	11	288	393	.	.	.	.	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	6	3	5	53	98	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	48	58	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Suicide (E955.0-.4)	.	.	.	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	.	.	.	.	.	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1	1	1	43	53	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	1	1	43	53	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).