

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex
Hispanic Residents, 1992

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables
by Cause of Death and Sex, Hispanic Residents, 1992

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables
by Cause of Death and Sex, Hispanic Residents, 1992

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Hispanic Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1992*****				*****1992*****				*****1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR
*****Causes of Death*****															
All causes	598	263.7	325.3	0	342.4	367	327.3	433.4	0	453.5	231	201.5	229.8	0	242.3
Infectious diseases and parasitic disease (1-139)	86	37.9	37.9	0	37.0	63	56.2	57.9	0	64.3	23	20.1	19.0	0	12.7
..Septicemia (038)	9	4.0	.	.	.	6	5.4	.	.	.	3	2.6	.	.	.
....Septicemia-related (038)	32	14.1	18.6	0	22.7	19	16.9	23.8	0	30.7	13	11.3	.	.	.
..HIV infection (042-044)	72	31.8	31.1	0	26.6	53	47.3	48.1	0	44.1	19	16.6	15.3	0	.
All cancer (140-208)	118	52.0	76.9	0	75.5	63	56.2	98.2	0	89.0	55	48.0	62.1	0	65.9
..Oral cavity or pharynx (140.0-149.9)	4	1.8	.	.	.	4	3.6
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	4.0	.	.	.	6	5.4	.	.	.	3	2.6	.	.	.
....Colon cancer (153)	5	2.2	.	.	.	4	3.6	.	.	.	1	0.9	.	.	.
....Rectal cancer (154)	4	1.8	.	.	.	2	1.8	.	.	.	2	1.7	.	.	.
..Pancreatic cancer (157)	4	1.8	.	.	.	1	0.9	.	.	.	3	2.6	.	.	.
..Lung and other respiratory cancer (160-165)	21	9.3	15.2	0	19.5	17	15.2	29.4	0	30.6	4	3.5	.	.	.
....Lung cancer (162.2-.9)	19	8.4	13.9	0	18.7	15	13.4	26.2	0	28.8	4	3.5	.	.	.
..Malignant melanoma of skin (172)	1	0.4	1	0.9	.	.	.
..Female breast cancer (174)	13	13	11.3	.	.	.
..Cervical cancer (180)	3	3	2.6	.	.	.
..Ovarian cancer (183)	3	3	2.6	.	.	.
..Prostate cancer (185)	5	5	4.5
..Brain & other CNS cancer (191-192)	3	1.3	.	.	.	1	0.9	.	.	.	2	1.7	.	.	.
..Leukemia (204-208)	3	1.3	.	.	.	1	0.9	.	.	.	2	1.7	.	.	.
Diabetes mellitus (250)	14	6.2	.	.	.	2	1.8	.	.	.	12	10.5	.	.	.
..Diabetes-related (250)	59	26.0	38.6	0	32.9	18	16.1	29.6	0	40.5	41	35.8	44.5	0	26.9
Alzheimer's diseases (331.0)	1	0.4	1	0.9	.	.	.
Cardiovascular disease (390-459)	127	56.0	80.3	0	101.4	62	55.3	95.2	0	119.0	65	56.7	67.3	0	86.6
..Diseases of the heart (390-398,402,404-429)	98	43.2	62.6	0	78.9	47	41.9	73.2	0	92.2	51	44.5	53.2	0	68.0
....Heart disease-related (390-398,402,404-429)	219	96.6	130.5	0	143.8	116	103.5	159.7	0	178.0	103	89.9	105.5	0	116.0
....Coronary heart disease (CHD) (402,410-414,429.2)	73	32.2	47.3	0	59.9	37	33.0	59.9	0	69.4	36	31.4	35.6	0	52.4
....Hypertension with or without renal disease (401,403)	4	1.8	.	.	.	2	1.8	.	.	.	2	1.7	.	.	.
....Hypertension-related (401,403)	38	16.8	23.7	0	16.9	9	8.0	.	.	.	29	25.3	28.6	0	.
..Cerebrovascular disease (430-438)	20	8.8	11.8	0	19.0	8	7.1	.	.	24.1	12	10.5	.	.	.
....Atherosclerosis-related (440)	6	2.6	.	.	.	2	1.8	.	.	.	4	3.5	.	.	.
..Aortic aneurysm (441)	2	0.9	.	.	.	2	1.8
Pneumonia & influenza (480-487)	15	6.6	8.6	0	.	10	8.9	.	.	.	5	4.4	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	12	5.3	.	.	.	4	3.6	.	.	.	8	7.0	.	.	.
..COPD-related (490-496)	32	14.1	21.0	0	17.5	12	10.7	.	.	.	20	17.4	23.2	0	16.2
..Asthma (493)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.
Chronic liver disease and cirrhosis (571)	15	6.6	9.6	0	.	10	8.9	.	.	.	5	4.4	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	10	4.4	.	.	.	5	4.5	.	.	.	5	4.4	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1992*****				*****1992*****				*****1992*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR
*****Causes of Death*****															
..Nephritis-related (580-589)	34	15.0	20.2	0	20.1	17	15.2	24.0	0	26.0	17	14.8	17.2	0	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	10	4.4	.	.	.	5	4.5	.	.	.	5	4.4	.	.	.
Unintentional injuries (E800-E949)	39	17.2	17.8	0	23.4	34	30.3	32.0	0	37.4	5	4.4	.	.	.
..Motor vehicle accidents (E810-E825)	13	5.7	.	.	.	11	9.8	.	.	.	2	1.7	.	.	.
..Falls and fall related injuries (E880-E888)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.
Suicide (E950-E959)	14	6.2	.	.	8.1	14	12.5	.	.	12.9
Homicide and legal intervention (E960-E978)	43	19.0	16.9	0	16.3	39	34.8	30.6	0	30.1	4	3.5	.	.	.
..Homicide (E960-E969)	42	18.5	16.5	0	16.3	38	33.9	29.9	0	30.1	4	3.5	.	.	.
All injury (E800-E999)	99	43.7	42.9	0	49.8	90	80.3	79.3	0	83.5	9	7.9	.	.	16.7
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	13	5.7	.	.	.	11	9.8	.	.	.	2	1.7	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	41	18.1	17.1	0	17.9	39	34.8	32.6	0	34.3	2	1.7	.	.	.
....Suicide (E955.0-.4)	7	3.1	.	.	.	7	6.2
....Homicide (E965.0-.4)	32	14.1	13.0	0	12.6	30	26.8	24.2	0	24.8	2	1.7	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	21	9.3	9.2	0	8.4	19	16.9	16.6	0	15.6	2	1.7	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	6.2	.	.	.	11	9.8	.	.	.	3	2.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	22	9.7	9.5	0	8.5	20	17.8	17.1	0	15.9	2	1.7	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1992*****				*****1992*****				*****1992*****						
	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1991 AAMR
*****Causes of Death*****															
All causes	598	263.7	394.3	0	424.3	367	327.3	504.8	0	535.9	231	201.5	299.6	0	325.8
Infectious diseases and parasitic disease (1-139)	86	37.9	33.3	0	32.9	63	56.2	49.3	0	58.3	23	20.1	17.7	0	10.8
..Septicemia (038)	9	4.0	.	.	.	6	5.4	.	.	.	3	2.6	.	.	.
....Septicemia-related (038)	32	14.1	20.6	0	25.6	19	16.9	25.0	0	33.2	13	11.3	.	.	.
..HIV infection (042-044)	72	31.8	25.8	0	22.7	53	47.3	40.5	0	37.4	19	16.6	12.2	0	.
All cancer (140-208)	118	52.0	96.7	0	95.0	63	56.2	128.2	0	114.8	55	48.0	75.7	0	81.1
..Oral cavity or pharynx (140.0-149.9)	4	1.8	.	.	.	4	3.6
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	4.0	.	.	.	6	5.4	.	.	.	3	2.6	.	.	.
....Colon cancer (153)	5	2.2	.	.	.	4	3.6	.	.	.	1	0.9	.	.	.
....Rectal cancer (154)	4	1.8	.	.	.	2	1.8	.	.	.	2	1.7	.	.	.
..Pancreatic cancer (157)	4	1.8	.	.	.	1	0.9	.	.	.	3	2.6	.	.	.
..Lung and other respiratory cancer (160-165)	21	9.3	20.3	0	24.7	17	15.2	39.6	0	40.0	4	3.5	.	.	.
....Lung cancer (162.2-.9)	19	8.4	18.5	0	23.7	15	13.4	35.4	0	37.8	4	3.5	.	.	.
..Malignant melanoma of skin (172)	1	0.4	1	0.9	.	.	.
..Female breast cancer (174)	13	13	11.3	.	.	.
..Cervical cancer (180)	3	3	2.6	.	.	.
..Ovarian cancer (183)	3	3	2.6	.	.	.
..Prostate cancer (185)	5	5	4.5
..Brain & other CNS cancer (191-192)	3	1.3	.	.	.	1	0.9	.	.	.	2	1.7	.	.	.
..Leukemia (204-208)	3	1.3	.	.	.	1	0.9	.	.	.	2	1.7	.	.	.
Diabetes mellitus (250)	14	6.2	.	.	.	2	1.8	.	.	.	12	10.5	.	.	.
..Diabetes-related (250)	59	26.0	54.8	0	48.5	18	16.1	39.2	0	58.8	41	35.8	64.4	0	41.0
Alzheimer's diseases (331.0)	1	0.4	1	0.9	.	.	.
Cardiovascular disease (390-459)	127	56.0	114.4	0	147.5	62	55.3	129.0	0	168.2	65	56.7	101.2	0	131.1
..Diseases of the heart (390-398,402,404-429)	98	43.2	89.4	0	116.0	47	41.9	100.1	0	132.8	51	44.5	79.8	0	103.1
....Heart disease-related (390-398,402,404-429)	219	96.6	177.0	0	200.9	116	103.5	209.3	0	240.9	103	89.9	150.9	0	169.5
....Coronary heart disease (CHD) (402,410-414,429.2)	73	32.2	69.5	0	88.9	37	33.0	80.8	0	102.7	36	31.4	58.2	0	79.2
....Hypertension with or without renal disease (401,403)	4	1.8	.	.	.	2	1.8	.	.	.	2	1.7	.	.	.
....Hypertension-related (401,403)	38	16.8	35.2	0	25.8	9	8.0	.	.	.	29	25.3	43.9	0	.
..Cerebrovascular disease (430-438)	20	8.8	17.8	0	28.3	8	7.1	.	.	33.2	12	10.5	.	.	.
....Atherosclerosis-related (440)	6	2.6	.	.	.	2	1.8	.	.	.	4	3.5	.	.	.
..Aortic aneurysm (441)	2	0.9	.	.	.	2	1.8
Pneumonia & influenza (480-487)	15	6.6	11.7	0	.	10	8.9	.	.	.	5	4.4	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	12	5.3	.	.	.	4	3.6	.	.	.	8	7.0	.	.	.
..COPD-related (490-496)	32	14.1	29.3	0	23.9	12	10.7	.	.	.	20	17.4	30.7	0	22.3
..Asthma (493)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.
Chronic liver disease and cirrhosis (571)	15	6.6	10.1	0	.	10	8.9	.	.	.	5	4.4	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	10	4.4	.	.	.	5	4.5	.	.	.	5	4.4	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1992*****					*****1992*****					*****1992*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR
*****Causes of Death*****															
..Nephritis-related (580-589)	34	15.0	29.8	0	26.1	17	15.2	34.4	0	31.8	17	14.8	26.4	0	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	10	4.4	.	.	.	5	4.5	.	.	.	5	4.4	.	.	.
Unintentional injuries (E800-E949)	39	17.2	18.0	0	23.6	34	30.3	32.1	0	36.5	5	4.4	.	.	.
..Motor vehicle accidents (E810-E825)	13	5.7	.	.	.	11	9.8	.	.	.	2	1.7	.	.	.
..Falls and fall related injuries (E880-E888)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.
Suicide (E950-E959)	14	6.2	.	.	7.4	14	12.5	.	.	11.5
Homicide and legal intervention (E960-E978)	43	19.0	14.7	0	15.4	39	34.8	26.5	0	28.7	4	3.5	.	.	.
..Homicide (E960-E969)	42	18.5	14.5	0	15.4	38	33.9	25.9	0	28.7	4	3.5	.	.	.
All injury (E800-E999)	99	43.7	40.2	0	48.1	90	80.3	73.8	0	79.4	9	7.9	.	.	17.7
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	13	5.7	.	.	.	11	9.8	.	.	.	2	1.7	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	41	18.1	15.3	0	16.7	39	34.8	29.0	0	32.3	2	1.7	.	.	.
....Suicide (E955.0-.4)	7	3.1	.	.	.	7	6.2
....Homicide (E965.0-.4)	32	14.1	11.5	0	11.9	30	26.8	21.3	0	23.8	2	1.7	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	21	9.3	7.7	0	7.2	19	16.9	13.8	0	13.5	2	1.7	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	6.2	.	.	.	11	9.8	.	.	.	3	2.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	22	9.7	7.9	0	7.4	20	17.8	14.1	0	13.9	2	1.7	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1992*****				*****1992*****				*****1992*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR
*****Causes of Death*****															
All causes	598	263.7	501.7	0	541.9	367	327.3	626.7	0	664.8	231	201.5	396.0	0	433.7
Infectious diseases and parasitic disease (1-139)	86	37.9	41.5	0	40.1	63	56.2	60.0	0	72.1	23	20.1	22.9	0	12.2
..Septicemia (038)	9	4.0	.	.	.	6	5.4	.	.	.	3	2.6	.	.	.
....Septicemia-related (038)	32	14.1	23.6	0	31.0	19	16.9	27.6	0	39.7	13	11.3	.	.	.
..HIV infection (042-044)	72	31.8	31.8	0	27.5	53	47.3	49.7	0	46.2	19	16.6	15.2	0	.
All cancer (140-208)	118	52.0	121.3	0	116.5	63	56.2	162.4	0	139.9	55	48.0	95.2	0	100.6
..Oral cavity or pharynx (140.0-149.9)	4	1.8	.	.	.	4	3.6
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	4.0	.	.	.	6	5.4	.	.	.	3	2.6	.	.	.
....Colon cancer (153)	5	2.2	.	.	.	4	3.6	.	.	.	1	0.9	.	.	.
....Rectal cancer (154)	4	1.8	.	.	.	2	1.8	.	.	.	2	1.7	.	.	.
..Pancreatic cancer (157)	4	1.8	.	.	.	1	0.9	.	.	.	3	2.6	.	.	.
..Lung and other respiratory cancer (160-165)	21	9.3	24.9	0	28.9	17	15.2	48.9	0	48.2	4	3.5	.	.	.
....Lung cancer (162.2-.9)	19	8.4	22.6	0	28.0	15	13.4	43.3	0	46.2	4	3.5	.	.	.
..Malignant melanoma of skin (172)	1	0.4	1	0.9	.	.	.
..Female breast cancer (174)	13	13	11.3	.	.	.
..Cervical cancer (180)	3	3	2.6	.	.	.
..Ovarian cancer (183)	3	3	2.6	.	.	.
..Prostate cancer (185)	5	5	4.5
..Brain & other CNS cancer (191-192)	3	1.3	.	.	.	1	0.9	.	.	.	2	1.7	.	.	.
..Leukemia (204-208)	3	1.3	.	.	.	1	0.9	.	.	.	2	1.7	.	.	.
Diabetes mellitus (250)	14	6.2	.	.	.	2	1.8	.	.	.	12	10.5	.	.	.
..Diabetes-related (250)	59	26.0	73.7	0	66.6	18	16.1	49.4	0	80.0	41	35.8	87.9	0	57.4
Alzheimer's diseases (331.0)	1	0.4	1	0.9	.	.	.
Cardiovascular disease (390-459)	127	56.0	157.0	0	206.7	62	55.3	170.1	0	232.7	65	56.7	144.6	0	186.8
..Diseases of the heart (390-398,402,404-429)	98	43.2	122.2	0	163.0	47	41.9	132.5	0	185.9	51	44.5	113.2	0	146.6
....Heart disease-related (390-398,402,404-429)	219	96.6	239.9	0	274.5	116	103.5	278.7	0	322.4	103	89.9	209.9	0	237.9
....Coronary heart disease (CHD) (402,410-414,429.2)	73	32.2	95.6	0	123.9	37	33.0	104.4	0	145.4	36	31.4	85.9	0	110.4
....Hypertension with or without renal disease (401,403)	4	1.8	.	.	.	2	1.8	.	.	.	2	1.7	.	.	.
....Hypertension-related (401,403)	38	16.8	50.3	0	37.7	9	8.0	.	.	.	29	25.3	64.9	0	.
..Cerebrovascular disease (430-438)	20	8.8	26.4	0	39.7	8	7.1	.	.	43.8	12	10.5	.	.	.
....Atherosclerosis-related (440)	6	2.6	.	.	.	2	1.8	.	.	.	4	3.5	.	.	.
..Aortic aneurysm (441)	2	0.9	.	.	.	2	1.8
Pneumonia & influenza (480-487)	15	6.6	16.0	0	.	10	8.9	.	.	.	5	4.4	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	12	5.3	.	.	.	4	3.6	.	.	.	8	7.0	.	.	.
..COPD-related (490-496)	32	14.1	38.6	0	31.6	12	10.7	.	.	.	20	17.4	38.5	0	31.6
..Asthma (493)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.
Chronic liver disease and cirrhosis (571)	15	6.6	11.4	0	.	10	8.9	.	.	.	5	4.4	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	10	4.4	.	.	.	5	4.5	.	.	.	5	4.4	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1992
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1992*****					*****1992*****					*****1992*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR
*****Causes of Death*****															
..Nephritis-related (580-589)	34	15.0	41.8	0	32.9	17	15.2	47.6	0	39.4	17	14.8	37.4	0	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	10	4.4	.	.	.	5	4.5	.	.	.	5	4.4	.	.	.
Unintentional injuries (E800-E949)	39	17.2	21.5	0	26.4	34	30.3	37.6	0	39.8	5	4.4	.	.	.
..Motor vehicle accidents (E810-E825)	13	5.7	.	.	.	11	9.8	.	.	.	2	1.7	.	.	.
..Falls and fall related injuries (E880-E888)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.
Suicide (E950-E959)	14	6.2	.	.	7.6	14	12.5	.	.	11.7
Homicide and legal intervention (E960-E978)	43	19.0	14.1	0	14.8	39	34.8	25.5	0	28.2	4	3.5	.	.	.
..Homicide (E960-E969)	42	18.5	13.8	0	14.8	38	33.9	24.9	0	28.2	4	3.5	.	.	.
All injury (E800-E999)	99	43.7	44.0	0	50.7	90	80.3	80.3	0	82.8	9	7.9	.	.	20.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	13	5.7	.	.	.	11	9.8	.	.	.	2	1.7	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	2	0.9	.	.	.	1	0.9	.	.	.	1	0.9	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	41	18.1	14.7	0	16.0	39	34.8	28.3	0	30.8	2	1.7	.	.	.
....Suicide (E955.0-.4)	7	3.1	.	.	.	7	6.2
....Homicide (E965.0-.4)	32	14.1	10.8	0	11.3	30	26.8	20.2	0	22.7	2	1.7	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	21	9.3	9.5	0	7.8	19	16.9	16.9	0	15.0	2	1.7	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	6.2	.	.	.	11	9.8	.	.	.	3	2.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	22	9.7	9.7	0	8.1	20	17.8	17.2	0	15.6	2	1.7	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1992 AAMR is significantly different (prob<0.05) from the 1991 AAMR.
 0 - The 1992 AAMR is not significantly different (prob>0.05) from the 1991 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	598	409	478	11,797	16,274	5192.5	5270.8	0	7400.2	7478.4	0
Infectious diseases and parasitic disease (1-139)	86	84	84	2,407	3,247	1041.4	964.8	0	1367.9	1282.7	0
..Septicemia (038)	9	8	8	217	297
...Septicemia-related (038)	32	26	28	599	874	271.6	291.9	0	419.4	464.8	0
..HIV infection (042-044)	72	72	72	2,075	2,795	900.6	775.2	0	1173.8	1009.1	0
All cancer (140-208)	118	67	89	1,053	1,853	607.6	574.4	0	1134.1	1068.0	0
..Oral cavity or pharynx (140.0-149.9)	4	4	4	55	95
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	5	6	38	90
...Colon cancer (153)	5	2	2	15	35
...Rectal cancer (154)	4	3	4	23	55
..Pancreatic cancer (157)	4	1	2	18	35
..Lung and other respiratory cancer (160-165)	21	5	14	63	165	44.1	87.4	0	124.0	215.9	0
...Lung cancer (162.2-.9)	19	4	13	50	143	34.3	85.1	0	107.1	205.3	0
..Malignant melanoma of skin (172)	1	.	.	0	0
..Female breast cancer (174)	13	13	13	223	353
..Cervical cancer (180)	3	3	3	83	113
..Ovarian cancer (183)	3	2	2	15	35
..Prostate cancer (185)	5	1	3	18	43
..Brain & other CNS cancer (191-192)	3	.	1	0	8
..Leukemia (204-208)	3	3	3	23	53
Diabetes mellitus (250)	14	6	9	55	128
..Diabetes-related (250)	59	22	34	230	520	151.4	106.3	0	367.3	262.2	0
Alzheimer's diseases (331.0)	1	.	.	0	0
Cardiovascular disease (390-459)	127	49	77	690	1,335	409.8	547.7	0	863.0	1073.9	0
..Diseases of the heart (390-398,402,404-429)	98	37	58	468	965	293.3	417.7	0	652.5	822.5	0
...Heart disease-related (390-398,402,404-429)	219	111	144	2,217	3,509	1122.2	1024.7	0	1902.8	1785.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	73	23	40	223	565	154.0	221.5	0	419.1	516.0	0
..Hypertension with or without renal disease (401,403)	4	1	2	3	20
...Hypertension-related (401,403)	38	13	21	143	303	100.8	80.3	0	215.7	156.3	0
..Cerebrovascular disease (430-438)	20	6	12	100	180	59.1	63.2	0	110.1	151.9	0
...Atherosclerosis-related (440)	6	2	4	20	55
..Aortic aneurysm (441)	2	2	2	92	112
Pneumonia & influenza (480-487)	15	8	11	214	307	94.5	.	0	146.6	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	12	4	8	70	135
..COPD-related (490-496)	32	10	20	160	320	87.0	103.4	0	201.1	202.9	0
..Asthma (493)	2	1	2	18	35
Chronic liver disease and cirrhosis (571)	15	11	15	218	353	116.5	.	0	196.5	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	10	4	5	65	113
..Nephritis-related (580-589)	34	14	17	250	413	132.5	126.5	0	236.4	250.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	10	4	5	65	113

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	39	35	36	1,177	1,529	513.9	850.8	0	648.8	1034.2	0
..Motor vehicle accidents (E810-E825)	13	13	13	480	610
..Falls and fall related injuries (E880-E888)	2	1	1	8	18
Suicide (E950-E959)	14	14	14	450	590	.	281.9	.	.	351.1	.
Homicide and legal intervention (E960-E978)	43	43	43	1,732	2,162	733.1	626.5	0	869.6	755.7	0
..Homicide (E960-E969)	42	42	42	1,694	2,114	718.7	626.5	0	852.2	755.7	0
All injury (E800-E999)	99	95	96	3,421	4,373	1493.0	1838.2	0	1835.5	2235.8	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	13	13	13	480	610
..All falls (E880-E886,E888,E957,E968.1,E987)	2	1	1	8	18
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	41	41	41	1,583	1,993	703.9	728.8	0	844.3	869.4	0
....Suicide (E955.0-.4)	7	7	7	218	288
....Homicide (E965.0-.4)	32	32	32	1,285	1,605	566.8	508.6	0	671.6	606.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	21	21	21	613	823	273.8	270.8	0	354.1	342.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	11	14	243	375
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	22	22	22	650	870	286.6	269.9	0	369.1	343.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	367	279	323	8,283	11,323	7394.6	7682.4	0	10441.8	10793.8	0
Infectious diseases and parasitic disease (1-139)	63	63	63	1,775	2,405	1579.2	1483.2	0	2092.3	2034.5	0
..Septicemia (038)	6	6	6	172	232
...Septicemia-related (038)	19	17	18	375	552	353.1	415.0	0	556.9	648.6	0
..HIV infection (042-044)	53	53	53	1,488	2,018	1332.8	1170.8	0	1758.3	1563.5	0
All cancer (140-208)	63	32	49	495	913	599.5	589.5	0	1223.4	1137.9	0
..Oral cavity or pharynx (140.0-149.9)	4	4	4	55	95
..Colorectal cancer (153.0-154.3,154.8,159.0)	6	3	4	28	60
...Colon cancer (153)	4	2	2	15	35
...Rectal cancer (154)	2	1	2	13	25
..Pancreatic cancer (157)	1	1	1	18	28
..Lung and other respiratory cancer (160-165)	17	4	12	50	140	72.9	127.6	0	231.6	311.4	0
...Lung cancer (162.2-.9)	15	3	11	38	118	51.6	122.7	0	195.1	288.2	0
..Malignant melanoma of skin (172)
..Female breast cancer (174)
..Cervical cancer (180)
..Ovarian cancer (183)
..Prostate cancer (185)	5	1	3	18	43
..Brain & other CNS cancer (191-192)	1	.	.	0	0
..Leukemia (204-208)	1	1	1	3	13
Diabetes mellitus (250)	2	1	2	13	25
..Diabetes-related (250)	18	8	14	90	205	127.7	158.2	0	317.6	373.2	0
Alzheimer's diseases (331.0)
Cardiovascular disease (390-459)	62	30	47	487	885	562.2	713.3	0	1157.3	1386.0	0
..Diseases of the heart (390-398,402,404-429)	47	22	35	310	613	385.9	521.0	0	858.7	1029.2	0
...Heart disease-related (390-398,402,404-429)	116	69	90	1,485	2,297	1505.7	1350.0	0	2529.2	2353.8	0
...Coronary heart disease (CHD) (402,410-414,429.2)	37	17	29	188	438	271.4	304.1	0	689.5	670.2	0
..Hypertension with or without renal disease (401,403)	2	.	1	0	8
...Hypertension-related (401,403)	9	4	8	40	95
..Cerebrovascular disease (430-438)	8	3	6	58	95	.	114.1	.	.	254.9	.
...Atherosclerosis-related (440)	2	1	2	8	25
..Aortic aneurysm (441)	2	2	2	92	112
Pneumonia & influenza (480-487)	10	5	7	63	123
Chronic obstructive pulmonary disease (COPD) (490-496)	4	1	3	8	33
..COPD-related (490-496)	12	3	7	38	93
..Asthma (493)	1	.	1	0	8
Chronic liver disease and cirrhosis (571)	10	8	10	145	240
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	3	3	58	88
..Nephritis-related (580-589)	17	8	10	170	265	173.7	232.2	0	292.2	397.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	5	3	3	58	88

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	34	31	32	1,087	1,399	935.5	1344.7	0	1168.9	1648.4	0
..Motor vehicle accidents (E810-E825)	11	11	11	430	540
..Falls and fall related injuries (E880-E888)	1	1	1	8	18
Suicide (E950-E959)	14	14	14	450	590	.	503.9	.	.	611.0	.
Homicide and legal intervention (E960-E978)	39	39	39	1,555	1,945	1314.5	1095.5	0	1562.1	1333.0	0
..Homicide (E960-E969)	38	38	38	1,517	1,897	1285.3	1095.5	0	1526.9	1333.0	0
All injury (E800-E999)	90	87	88	3,154	4,026	2747.6	3073.0	0	3374.8	3747.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	11	11	11	430	540
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	8	18
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	39	39	39	1,498	1,888	1321.8	1387.5	0	1589.9	1653.4	0
....Suicide (E955.0-.4)	7	7	7	218	288
....Homicide (E965.0-.4)	30	30	30	1,200	1,500	1047.1	978.0	0	1242.3	1167.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	19	19	573	763	511.1	484.2	0	655.4	619.6	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	9	11	188	293
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	20	20	20	610	810	536.6	483.4	0	685.2	621.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	231	130	155	3,514	4,952	3035.3	2907.9	0	4481.1	4286.6	0
Infectious diseases and parasitic disease (1-139)	23	21	21	633	843	531.0	486.4	0	684.5	591.9	0
..Septicemia (038)	3	2	2	45	65
...Septicemia-related (038)	13	9	10	225	322
..HIV infection (042-044)	19	19	19	588	778	491.2	.	0	623.2	.	0
All cancer (140-208)	55	35	40	558	940	618.2	553.2	0	1070.9	1001.2	0
..Oral cavity or pharynx (140.0-149.9)
..Colorectal cancer (153.0-154.3,154.8,159.0)	3	2	2	10	30
...Colon cancer (153)	1	.	.	0	0
...Rectal cancer (154)	2	2	2	10	30
..Pancreatic cancer (157)	3	.	1	0	8
..Lung and other respiratory cancer (160-165)	4	1	2	13	25
...Lung cancer (162.2-.9)	4	1	2	13	25
..Malignant melanoma of skin (172)	1	.	.	0	0
..Female breast cancer (174)	13	13	13	223	353
..Cervical cancer (180)	3	3	3	83	113
..Ovarian cancer (183)	3	2	2	15	35
..Prostate cancer (185)
..Brain & other CNS cancer (191-192)	2	.	1	0	8
..Leukemia (204-208)	2	2	2	20	40
Diabetes mellitus (250)	12	5	7	43	103
..Diabetes-related (250)	41	14	20	140	315	172.6	58.2	0	411.7	163.5	0
Alzheimer's diseases (331.0)	1	.	.	0	0
Cardiovascular disease (390-459)	65	19	30	203	450	265.8	402.3	0	599.5	800.7	0
..Diseases of the heart (390-398,402,404-429)	51	15	23	158	353	207.6	331.8	0	472.2	646.0	0
...Heart disease-related (390-398,402,404-429)	103	42	54	732	1,212	758.6	723.1	0	1329.6	1274.3	0
...Coronary heart disease (CHD) (402,410-414,429.2)	36	6	11	35	128	49.2	148.4	0	186.3	380.7	0
..Hypertension with or without renal disease (401,403)	2	1	1	3	13
...Hypertension-related (401,403)	29	9	13	103	208	130.0	.	0	264.6	.	0
..Cerebrovascular disease (430-438)	12	3	6	43	85
...Atherosclerosis-related (440)	4	1	2	13	30
..Aortic aneurysm (441)
Pneumonia & influenza (480-487)	5	3	4	152	184
Chronic obstructive pulmonary disease (COPD) (490-496)	8	3	5	63	103
..COPD-related (490-496)	20	7	13	123	228	126.8	126.4	0	259.2	224.5	0
..Asthma (493)	1	1	1	18	28
Chronic liver disease and cirrhosis (571)	5	3	5	73	113
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	1	2	8	25
..Nephritis-related (580-589)	17	6	7	80	148	95.4	.	0	185.7	.	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	5	1	2	8	25

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	5	4	4	90	130
..Motor vehicle accidents (E810-E825)	2	2	2	50	70
..Falls and fall related injuries (E880-E888)	1	.	.	0	0
Suicide (E950-E959)
Homicide and legal intervention (E960-E978)	4	4	4	177	217
..Homicide (E960-E969)	4	4	4	177	217
All injury (E800-E999)	9	8	8	267	347	.	591.4	.	.	717.7	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	50	70
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	2	2	2	85	105
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	2	2	2	85	105
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	40	60
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	3	2	3	55	83
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	2	2	40	60

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	598	409	478	11,797	16,274	4935.5	5050.0	0	7128.1	7255.3	0
Infectious diseases and parasitic disease (1-139)	86	84	84	2,407	3,247	867.6	830.8	0	1137.7	1100.7	0
..Septicemia (038)	9	8	8	217	297	.	.	0	.	.	0
...Septicemia-related (038)	32	26	28	599	874	251.6	267.5	0	401.0	441.8	0
..HIV infection (042-044)	72	72	72	2,075	2,795	742.8	662.6	0	963.4	855.9	0
All cancer (140-208)	118	67	89	1,053	1,853	583.9	562.0	0	1147.3	1094.3	0
..Oral cavity or pharynx (140.0-149.9)	4	4	4	55	95	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	5	6	38	90	.	.	0	.	.	0
...Colon cancer (153)	5	2	2	15	35	.	.	0	.	.	0
...Rectal cancer (154)	4	3	4	23	55	.	.	0	.	.	0
..Pancreatic cancer (157)	4	1	2	18	35	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	21	5	14	63	165	45.3	88.1	0	137.6	232.8	0
...Lung cancer (162.2-.9)	19	4	13	50	143	35.2	85.4	0	120.6	220.1	0
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	0	.	.	0
..Female breast cancer (174)	13	13	13	223	353	.	.	0	.	.	0
..Cervical cancer (180)	3	3	3	83	113	.	.	0	.	.	0
..Ovarian cancer (183)	3	2	2	15	35	.	.	0	.	.	0
..Prostate cancer (185)	5	1	3	18	43	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	3	.	1	0	8	.	.	0	.	.	0
..Leukemia (204-208)	3	3	3	23	53	.	.	0	.	.	0
Diabetes mellitus (250)	14	6	9	55	128	.	.	0	.	.	0
..Diabetes-related (250)	59	22	34	230	520	153.6	104.9	0	397.4	282.8	0
Alzheimer's diseases (331.0)	1	.	.	0	0	.	.	0	.	.	0
Cardiovascular disease (390-459)	127	49	77	690	1,335	410.1	538.4	0	913.3	1114.2	0
..Diseases of the heart (390-398,402,404-429)	98	37	58	468	965	294.4	415.0	0	695.3	858.3	0
...Heart disease-related (390-398,402,404-429)	219	111	144	2,217	3,509	1066.1	960.5	0	1890.1	1770.4	0
...Coronary heart disease (CHD) (402,410-414,429.2)	73	23	40	223	565	161.5	226.7	0	465.7	556.8	0
..Hypertension with or without renal disease (401,403)	4	1	2	3	20	.	.	0	.	.	0
...Hypertension-related (401,403)	38	13	21	143	303	104.4	78.8	0	232.4	160.5	0
..Cerebrovascular disease (430-438)	20	6	12	100	180	56.7	62.8	0	112.6	165.0	0
...Atherosclerosis-related (440)	6	2	4	20	55	.	.	0	.	.	0
..Aortic aneurysm (441)	2	2	2	92	112	.	.	0	.	.	0
Pneumonia & influenza (480-487)	15	8	11	214	307	97.5	.	0	153.2	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	12	4	8	70	135	.	.	0	.	.	0
..COPD-related (490-496)	32	10	20	160	320	81.5	102.0	0	210.2	211.2	0
..Asthma (493)	2	1	2	18	35	.	.	0	.	.	0
Chronic liver disease and cirrhosis (571)	15	11	15	218	353	106.4	.	0	188.1	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	10	4	5	65	113	.	.	0	.	.	0
..Nephritis-related (580-589)	34	14	17	250	413	129.6	114.9	0	242.1	249.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	10	4	5	65	113	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	39	35	36	1,177	1,529	474.6	825.8	0	591.5	985.5	0
..Motor vehicle accidents (E810-E825)	13	13	13	480	610
..Falls and fall related injuries (E880-E888)	2	1	1	8	18
Suicide (E950-E959)	14	14	14	450	590	.	263.0	.	.	323.5	.
Homicide and legal intervention (E960-E978)	43	43	43	1,732	2,162	678.4	602.7	0	788.4	715.7	0
..Homicide (E960-E969)	42	42	42	1,694	2,114	666.6	602.7	0	774.4	715.7	0
All injury (E800-E999)	99	95	96	3,421	4,373	1386.6	1763.2	0	1675.9	2108.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	13	13	13	480	610
..All falls (E880-E886,E888,E957,E968.1,E987)	2	1	1	8	18
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	41	41	41	1,583	1,993	659.3	703.2	0	776.0	823.7	0
....Suicide (E955.0-.4)	7	7	7	218	288
....Homicide (E965.0-.4)	32	32	32	1,285	1,605	532.3	492.3	0	618.2	576.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	21	21	21	613	823	236.9	236.6	0	302.2	296.7	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	11	14	243	375
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	22	22	22	650	870	244.9	237.9	0	311.2	299.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	367	279	323	8,283	11,323	6911.5	7257.7	0	9900.6	10317.8	0
Infectious diseases and parasitic disease (1-139)	63	63	63	1,775	2,405	1319.2	1252.7	0	1747.6	1728.6	0
..Septicemia (038)	6	6	6	172	232	.	.	0	.	.	0
...Septicemia-related (038)	19	17	18	375	552	320.0	372.2	0	525.2	601.8	0
..HIV infection (042-044)	53	53	53	1,488	2,018	1104.7	964.8	0	1455.3	1291.6	0
All cancer (140-208)	63	32	49	495	913	581.9	583.7	0	1269.2	1186.8	0
..Oral cavity or pharynx (140.0-149.9)	4	4	4	55	95	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	6	3	4	28	60	.	.	0	.	.	0
...Colon cancer (153)	4	2	2	15	35	.	.	0	.	.	0
...Rectal cancer (154)	2	1	2	13	25	.	.	0	.	.	0
..Pancreatic cancer (157)	1	1	1	18	28	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	17	4	12	50	140	74.9	126.5	0	260.6	333.1	0
...Lung cancer (162.2-.9)	15	3	11	38	118	53.1	120.6	0	223.8	305.3	0
..Malignant melanoma of skin (172)	0	.	.	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	5	1	3	18	43	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	1	.	.	0	0	.	.	0	.	.	0
..Leukemia (204-208)	1	1	1	3	13	.	.	0	.	.	0
Diabetes mellitus (250)	2	1	2	13	25	.	.	0	.	.	0
..Diabetes-related (250)	18	8	14	90	205	128.6	152.9	0	343.8	395.5	0
Alzheimer's diseases (331.0)	0	.	.	0
Cardiovascular disease (390-459)	62	30	47	487	885	553.8	689.8	0	1213.1	1417.3	0
..Diseases of the heart (390-398,402,404-429)	47	22	35	310	613	381.1	515.5	0	909.3	1066.1	0
...Heart disease-related (390-398,402,404-429)	116	69	90	1,485	2,297	1396.3	1251.8	0	2470.1	2316.8	0
...Coronary heart disease (CHD) (402,410-414,429.2)	37	17	29	188	438	282.5	312.1	0	757.8	718.0	0
..Hypertension with or without renal disease (401,403)	2	.	1	0	8	.	.	0	.	.	0
...Hypertension-related (401,403)	9	4	8	40	95	.	.	0	.	.	0
..Cerebrovascular disease (430-438)	8	3	6	58	95	.	110.8	0	.	269.4	0
...Atherosclerosis-related (440)	2	1	2	8	25	.	.	0	.	.	0
..Aortic aneurysm (441)	2	2	2	92	112	.	.	0	.	.	0
Pneumonia & influenza (480-487)	10	5	7	63	123	.	.	0	.	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	4	1	3	8	33	.	.	0	.	.	0
..COPD-related (490-496)	12	3	7	38	93	.	.	0	.	.	0
..Asthma (493)	1	.	1	0	8	.	.	0	.	.	0
Chronic liver disease and cirrhosis (571)	10	8	10	145	240	.	.	0	.	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	3	3	58	88	.	.	0	.	.	0
..Nephritis-related (580-589)	17	8	10	170	265	162.0	206.3	0	286.0	377.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	5	3	3	58	88	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	34	31	32	1,087	1,399	857.5	1289.4	0	1056.3	1553.9	0
..Motor vehicle accidents (E810-E825)	11	11	11	430	540
..Falls and fall related injuries (E880-E888)	1	1	1	8	18
Suicide (E950-E959)	14	14	14	450	590	.	471.8	.	.	560.9	.
Homicide and legal intervention (E960-E978)	39	39	39	1,555	1,945	1208.3	1051.5	0	1406.9	1261.3	0
..Homicide (E960-E969)	38	38	38	1,517	1,897	1184.5	1051.5	0	1378.6	1261.3	0
All injury (E800-E999)	90	87	88	3,154	4,026	2537.8	2931.9	0	3063.7	3515.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	11	11	11	430	540
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	8	18
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	39	39	39	1,498	1,888	1234.5	1341.8	0	1457.0	1570.7	0
....Suicide (E955.0-.4)	7	7	7	218	288
....Homicide (E965.0-.4)	30	30	30	1,200	1,500	980.1	949.5	0	1139.5	1114.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	19	19	573	763	438.3	422.3	0	554.1	536.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	9	11	188	293
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	20	20	20	610	810	454.0	425.8	0	571.5	543.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	231	130	155	3,514	4,952	2996.9	2882.8	0	4480.0	4314.6	0
Infectious diseases and parasitic disease (1-139)	23	21	21	633	843	440.2	446.5	0	564.8	530.8	0
..Septicemia (038)	3	2	2	45	65
...Septicemia-related (038)	13	9	10	225	322
..HIV infection (042-044)	19	19	19	588	778	401.4	.	0	502.6	.	0
All cancer (140-208)	55	35	40	558	940	588.8	534.7	0	1058.0	1008.2	0
..Oral cavity or pharynx (140.0-149.9)
..Colorectal cancer (153.0-154.3,154.8,159.0)	3	2	2	10	30
...Colon cancer (153)	1	.	.	0	0
...Rectal cancer (154)	2	2	2	10	30
..Pancreatic cancer (157)	3	.	1	0	8
..Lung and other respiratory cancer (160-165)	4	1	2	13	25
...Lung cancer (162.2-.9)	4	1	2	13	25
..Malignant melanoma of skin (172)	1	.	.	0	0
..Female breast cancer (174)	13	13	13	223	353
..Cervical cancer (180)	3	3	3	83	113
..Ovarian cancer (183)	3	2	2	15	35
..Prostate cancer (185)
..Brain & other CNS cancer (191-192)	2	.	1	0	8
..Leukemia (204-208)	2	2	2	20	40
Diabetes mellitus (250)	12	5	7	43	103
..Diabetes-related (250)	41	14	20	140	315	175.8	60.9	0	445.1	183.6	0
Alzheimer's diseases (331.0)	1	.	.	0	0
Cardiovascular disease (390-459)	65	19	30	203	450	275.1	407.1	0	648.6	851.5	0
..Diseases of the heart (390-398,402,404-429)	51	15	23	158	353	215.1	332.2	0	510.9	681.6	0
...Heart disease-related (390-398,402,404-429)	103	42	54	732	1,212	754.9	692.4	0	1367.6	1285.9	0
...Coronary heart disease (CHD) (402,410-414,429.2)	36	6	11	35	128	54.0	151.2	0	215.8	415.8	0
..Hypertension with or without renal disease (401,403)	2	1	1	3	13
...Hypertension-related (401,403)	29	9	13	103	208	132.5	.	0	280.8	.	0
..Cerebrovascular disease (430-438)	12	3	6	43	85
...Atherosclerosis-related (440)	4	1	2	13	30
..Aortic aneurysm (441)
Pneumonia & influenza (480-487)	5	3	4	152	184
Chronic obstructive pulmonary disease (COPD) (490-496)	8	3	5	63	103
..COPD-related (490-496)	20	7	13	123	228	118.4	120.4	0	264.3	222.3	0
..Asthma (493)	1	1	1	18	28
Chronic liver disease and cirrhosis (571)	5	3	5	73	113
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	1	2	8	25
..Nephritis-related (580-589)	17	6	7	80	148	101.1	.	0	203.0	.	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	5	1	2	8	25

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	5	4	4	90	130
..Motor vehicle accidents (E810-E825)	2	2	2	50	70
..Falls and fall related injuries (E880-E888)	1	.	.	0	0
Suicide (E950-E959)
Homicide and legal intervention (E960-E978)	4	4	4	177	217
..Homicide (E960-E969)	4	4	4	177	217
All injury (E800-E999)	9	8	8	267	347	.	578.6	.	.	691.4	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	50	70
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	2	2	2	85	105
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	2	2	2	85	105
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	40	60
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	3	2	3	55	83
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	2	2	40	60

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	598	409	478	11,797	16,274	5290.4	5336.7	0	7651.0	7694.9	0
Infectious diseases and parasitic disease (1-139)	86	84	84	2,407	3,247	1089.8	1035.3	0	1416.4	1363.3	0
..Septicemia (038)	9	8	8	217	297	.	.	0	.	.	0
...Septicemia-related (038)	32	26	28	599	874	285.8	332.7	0	444.5	526.9	0
..HIV infection (042-044)	72	72	72	2,075	2,795	943.9	819.9	0	1215.8	1055.2	0
All cancer (140-208)	118	67	89	1,053	1,853	697.4	654.6	0	1303.5	1225.5	0
..Oral cavity or pharynx (140.0-149.9)	4	4	4	55	95	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	9	5	6	38	90	.	.	0	.	.	0
...Colon cancer (153)	5	2	2	15	35	.	.	0	.	.	0
...Rectal cancer (154)	4	3	4	23	55	.	.	0	.	.	0
..Pancreatic cancer (157)	4	1	2	18	35	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	21	5	14	63	165	54.0	104.9	0	152.9	256.8	0
...Lung cancer (162.2-.9)	19	4	13	50	143	42.0	102.3	0	132.9	244.9	0
..Malignant melanoma of skin (172)	1	.	.	0	0	.	.	0	.	.	0
..Female breast cancer (174)	13	13	13	223	353	.	.	0	.	.	0
..Cervical cancer (180)	3	3	3	83	113	.	.	0	.	.	0
..Ovarian cancer (183)	3	2	2	15	35	.	.	0	.	.	0
..Prostate cancer (185)	5	1	3	18	43	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	3	.	1	0	8	.	.	0	.	.	0
..Leukemia (204-208)	3	3	3	23	53	.	.	0	.	.	0
Diabetes mellitus (250)	14	6	9	55	128	.	.	0	.	.	0
..Diabetes-related (250)	59	22	34	230	520	178.8	119.0	0	432.2	304.5	0
Alzheimer's diseases (331.0)	1	.	.	0	0	.	.	0	.	.	0
Cardiovascular disease (390-459)	127	49	77	690	1,335	470.2	614.6	0	1002.5	1223.5	0
..Diseases of the heart (390-398,402,404-429)	98	37	58	468	965	335.6	462.6	0	755.7	927.6	0
...Heart disease-related (390-398,402,404-429)	219	111	144	2,217	3,509	1203.9	1120.6	0	2082.2	1991.9	0
...Coronary heart disease (CHD) (402,410-414,429.2)	73	23	40	223	565	178.0	261.2	0	490.0	607.1	0
..Hypertension with or without renal disease (401,403)	4	1	2	3	20	.	.	0	.	.	0
...Hypertension-related (401,403)	38	13	21	143	303	121.6	94.2	0	259.7	182.1	0
..Cerebrovascular disease (430-438)	20	6	12	100	180	72.1	73.4	0	136.4	181.2	0
...Atherosclerosis-related (440)	6	2	4	20	55	.	.	0	.	.	0
..Aortic aneurysm (441)	2	2	2	92	112	.	.	0	.	.	0
Pneumonia & influenza (480-487)	15	8	11	214	307	104.6	.	0	165.4	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	12	4	8	70	135	.	.	0	.	.	0
..COPD-related (490-496)	32	10	20	160	320	95.8	117.2	0	231.3	233.8	0
..Asthma (493)	2	1	2	18	35	.	.	0	.	.	0
Chronic liver disease and cirrhosis (571)	15	11	15	218	353	138.0	.	0	231.1	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	10	4	5	65	113	.	.	0	.	.	0
..Nephritis-related (580-589)	34	14	17	250	413	137.9	148.9	0	252.6	292.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	10	4	5	65	113	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	39	35	36	1,177	1,529	498.4	786.3	0	627.1	947.2	0
..Motor vehicle accidents (E810-E825)	13	13	13	480	610
..Falls and fall related injuries (E880-E888)	2	1	1	8	18
Suicide (E950-E959)	14	14	14	450	590	.	261.9	.	.	324.2	.
Homicide and legal intervention (E960-E978)	43	43	43	1,732	2,162	641.6	555.6	0	746.7	663.9	0
..Homicide (E960-E969)	42	42	42	1,694	2,114	629.8	555.6	0	732.7	663.9	0
All injury (E800-E999)	99	95	96	3,421	4,373	1391.3	1680.2	0	1696.5	2025.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	13	13	13	480	610
..All falls (E880-E886,E888,E957,E968.1,E987)	2	1	1	8	18
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	41	41	41	1,583	1,993	620.3	641.8	0	733.4	756.1	0
....Suicide (E955.0-.4)	7	7	7	218	288
....Homicide (E965.0-.4)	32	32	32	1,285	1,605	491.2	443.7	0	571.1	522.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	21	21	21	613	823	289.1	254.5	0	369.8	320.0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	11	14	243	375
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	22	22	22	650	870	300.2	257.6	0	382.2	325.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	367	279	323	8,283	11,323	7486.1	7783.0	0	10728.7	11072.1	0
Infectious diseases and parasitic disease (1-139)	63	63	63	1,775	2,405	1676.7	1640.2	0	2197.3	2224.3	0
..Septicemia (038)	6	6	6	172	232	.	.	0	.	.	0
...Septicemia-related (038)	19	17	18	375	552	380.0	482.7	0	600.4	748.4	0
..HIV infection (042-044)	53	53	53	1,488	2,018	1412.9	1266.4	0	1842.8	1669.3	0
All cancer (140-208)	63	32	49	495	913	689.4	658.5	0	1424.1	1290.3	0
..Oral cavity or pharynx (140.0-149.9)	4	4	4	55	95	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	6	3	4	28	60	.	.	0	.	.	0
...Colon cancer (153)	4	2	2	15	35	.	.	0	.	.	0
...Rectal cancer (154)	2	1	2	13	25	.	.	0	.	.	0
..Pancreatic cancer (157)	1	1	1	18	28	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	17	4	12	50	140	89.4	153.1	0	286.1	367.5	0
...Lung cancer (162.2-.9)	15	3	11	38	118	63.5	147.5	0	242.8	341.5	0
..Malignant melanoma of skin (172)	0	.	.	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	5	1	3	18	43	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	1	.	.	0	0	.	.	0	.	.	0
..Leukemia (204-208)	1	1	1	3	13	.	.	0	.	.	0
Diabetes mellitus (250)	2	1	2	13	25	.	.	0	.	.	0
..Diabetes-related (250)	18	8	14	90	205	152.5	172.4	0	379.5	421.1	0
Alzheimer's diseases (331.0)	0	.	.	0
Cardiovascular disease (390-459)	62	30	47	487	885	628.5	816.5	0	1326.4	1589.6	0
..Diseases of the heart (390-398,402,404-429)	47	22	35	310	613	427.3	593.4	0	979.0	1174.3	0
...Heart disease-related (390-398,402,404-429)	116	69	90	1,485	2,297	1599.0	1481.4	0	2750.3	2628.7	0
...Coronary heart disease (CHD) (402,410-414,429.2)	37	17	29	188	438	312.8	355.5	0	805.6	782.1	0
..Hypertension with or without renal disease (401,403)	2	.	1	0	8	.	.	0	.	.	0
...Hypertension-related (401,403)	9	4	8	40	95	.	.	0	.	.	0
..Cerebrovascular disease (430-438)	8	3	6	58	95	.	132.8	0	.	299.6	0
...Atherosclerosis-related (440)	2	1	2	8	25	.	.	0	.	.	0
..Aortic aneurysm (441)	2	2	2	92	112	.	.	0	.	.	0
Pneumonia & influenza (480-487)	10	5	7	63	123	.	.	0	.	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	4	1	3	8	33	.	.	0	.	.	0
..COPD-related (490-496)	12	3	7	38	93	.	.	0	.	.	0
..Asthma (493)	1	.	1	0	8	.	.	0	.	.	0
Chronic liver disease and cirrhosis (571)	10	8	10	145	240	.	.	0	.	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	3	3	58	88	.	.	0	.	.	0
..Nephritis-related (580-589)	17	8	10	170	265	185.1	273.4	0	316.8	462.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	5	3	3	58	88	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	34	31	32	1,087	1,399	900.4	1238.0	0	1119.9	1504.7	0
..Motor vehicle accidents (E810-E825)	11	11	11	430	540
..Falls and fall related injuries (E880-E888)	1	1	1	8	18
Suicide (E950-E959)	14	14	14	450	590	.	463.0	.	.	554.8	.
Homicide and legal intervention (E960-E978)	39	39	39	1,555	1,945	1147.5	980.4	0	1337.7	1185.1	0
..Homicide (E960-E969)	38	38	38	1,517	1,897	1123.6	980.4	0	1309.6	1185.1	0
All injury (E800-E999)	90	87	88	3,154	4,026	2559.2	2810.4	0	3117.0	3397.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	11	11	11	430	540
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	8	18
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	39	39	39	1,498	1,888	1173.6	1216.5	0	1392.2	1431.9	0
....Suicide (E955.0-.4)	7	7	7	218	288
....Homicide (E965.0-.4)	30	30	30	1,200	1,500	913.3	856.7	0	1063.8	1011.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	19	19	573	763	530.9	465.0	0	673.2	591.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	11	9	11	188	293
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	20	20	20	610	810	552.8	472.7	0	697.2	605.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
All causes	231	130	155	3,514	4,952	3159.1	2961.7	0	4736.0	4477.8	0
Infectious diseases and parasitic disease (1-139)	23	21	21	633	843	534.8	477.2	0	682.2	573.0	0
..Septicemia (038)	3	2	2	45	65
...Septicemia-related (038)	13	9	10	225	322
..HIV infection (042-044)	19	19	19	588	778	501.3	.	0	627.4	.	0
All cancer (140-208)	55	35	40	558	940	708.3	643.9	0	1217.5	1164.9	0
..Oral cavity or pharynx (140.0-149.9)
..Colorectal cancer (153.0-154.3,154.8,159.0)	3	2	2	10	30
...Colon cancer (153)	1	.	.	0	0
...Rectal cancer (154)	2	2	2	10	30
..Pancreatic cancer (157)	3	.	1	0	8
..Lung and other respiratory cancer (160-165)	4	1	2	13	25
...Lung cancer (162.2-.9)	4	1	2	13	25
..Malignant melanoma of skin (172)	1	.	.	0	0
..Female breast cancer (174)	13	13	13	223	353
..Cervical cancer (180)	3	3	3	83	113
..Ovarian cancer (183)	3	2	2	15	35
..Prostate cancer (185)
..Brain & other CNS cancer (191-192)	2	.	1	0	8
..Leukemia (204-208)	2	2	2	20	40
Diabetes mellitus (250)	12	5	7	43	103
..Diabetes-related (250)	41	14	20	140	315	202.1	70.1	0	479.3	201.1	0
Alzheimer's diseases (331.0)	1	.	.	0	0
Cardiovascular disease (390-459)	65	19	30	203	450	321.9	436.1	0	716.8	901.6	0
..Diseases of the heart (390-398,402,404-429)	51	15	23	158	353	251.6	351.9	0	563.3	714.7	0
...Heart disease-related (390-398,402,404-429)	103	42	54	732	1,212	831.8	787.5	0	1478.2	1423.7	0
...Coronary heart disease (CHD) (402,410-414,429.2)	36	6	11	35	128	58.3	178.2	0	219.8	454.3	0
..Hypertension with or without renal disease (401,403)	2	1	1	3	13
...Hypertension-related (401,403)	29	9	13	103	208	157.8	.	0	316.7	.	0
..Cerebrovascular disease (430-438)	12	3	6	43	85
...Atherosclerosis-related (440)	4	1	2	13	30
..Aortic aneurysm (441)
Pneumonia & influenza (480-487)	5	3	4	152	184
Chronic obstructive pulmonary disease (COPD) (490-496)	8	3	5	63	103
..COPD-related (490-496)	20	7	13	123	228	136.0	156.2	0	291.3	271.3	0
..Asthma (493)	1	1	1	18	28
Chronic liver disease and cirrhosis (571)	5	3	5	73	113
Nephritis, nephrotic syndrome/nephrosis (580-589)	5	1	2	8	25
..Nephritis-related (580-589)	17	6	7	80	148	95.0	.	0	194.1	.	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	5	1	2	8	25

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1992
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1992			Years of life lost, 1992		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1992	1991	Signif- icance	1992	1991	Signif- icance
*****Causes of Death*****											
Unintentional injuries (E800-E949)	5	4	4	90	130
..Motor vehicle accidents (E810-E825)	2	2	2	50	70
..Falls and fall related injuries (E880-E888)	1	.	.	0	0
Suicide (E950-E959)
Homicide and legal intervention (E960-E978)	4	4	4	177	217
..Homicide (E960-E969)	4	4	4	177	217
All injury (E800-E999)	9	8	8	267	347	.	546.1	.	.	658.0	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	50	70
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	2	2	2	85	105
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	2	2	2	85	105
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	40	60
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	3	2	3	55	83
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	2	2	40	60

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).