

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Hispanic Residents, 1995

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Hispanic Residents, 1995

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Hispanic Residents, 1995

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Hispanic Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1995*****					*****1995*****					*****1995*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR
*****Causes of Death*****															
All causes	805	329.2	402.1	0	400.2	515	425.2	562.2	0	560.9	290	235.0	267.0	0	261.6
Infectious diseases and parasitic disease (1-139)	157	64.2	66.0	0	59.9	122	100.7	106.9	0	91.3	35	28.4	28.1	0	30.3
..Septicemia (038)	12	4.9	.	.	8.1	7	5.8	.	.	.	5	4.1	.	.	.
....Septicemia-related (038)	40	16.4	19.9	0	24.2	28	23.1	32.3	0	23.2	12	9.7	.	.	24.6
..HIV infection (042-044)	132	54.0	54.4	0	44.4	103	85.0	87.9	0	72.0	29	23.5	23.1	0	18.9
All cancer (140-208)	116	47.4	69.5	0	72.8	64	52.8	89.7	0	99.5	52	42.1	55.7	0	52.3
..Oral cavity or pharynx (140.0-149.9)	6	2.5	.	.	.	5	4.1	.	.	.	1	0.8	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	7	2.9	.	.	.	3	2.5	.	.	.	4	3.2	.	.	.
....Colon cancer (153)	5	2.0	.	.	.	2	1.7	.	.	.	3	2.4	.	.	.
....Rectal cancer (154)	2	0.8	.	.	.	1	0.8	.	.	.	1	0.8	.	.	.
..Pancreatic cancer (157)	2	0.8	.	.	.	1	0.8	.	.	.	1	0.8	.	.	.
..Lung and other respiratory cancer (160-165)	16	6.5	11.2	0	12.1	12	9.9	.	.	.	4	3.2	.	.	.
....Lung cancer (162.2-.9)	13	5.3	.	.	10.5	9	7.4	.	.	.	4	3.2	.	.	.
..Female breast cancer (174)	8	8	6.5	.	.	.
..Cervical cancer (180)	2	2	1.6	.	.	.
..Endometrial cancer (182)	1	1	0.8	.	.	.
..Ovarian cancer (183)	2	2	1.6	.	.	.
..Prostate cancer (185)	6	6	5.0
..Bladder cancer (188)	4	1.6	.	.	.	4	3.3
..Brain & other CNS cancer (191-192)	5	2.0	5	4.1	.	.	.
..Leukemia (204-208)	11	4.5	.	.	.	6	5.0	.	.	.	5	4.1	.	.	.
Diabetes mellitus (250)	14	5.7	.	.	10.7	5	4.1	.	.	.	9	7.3	.	.	.
..Diabetes-related (250)	83	33.9	52.9	0	45.3	37	30.5	57.6	0	57.8	46	37.3	48.5	0	34.8
Alzheimer's diseases (331.0)	2	0.8	2	1.6	.	.	.
Cardiovascular disease (390-459)	199	81.4	113.5	0	114.0	110	90.8	150.9	0	155.5	89	72.1	86.0	0	80.8
..Diseases of the heart (390-398,402,404-429)	165	67.5	94.2	0	93.6	94	77.6	127.5	0	125.3	71	57.5	70.2	0	68.5
....Heart disease-related (390-398,402,404-429)	336	137.4	182.3	0	175.7	196	161.8	246.8	0	229.5	140	113.4	133.0	0	130.9
....Coronary heart disease (CHD) (402,410-414,429.2)	113	46.2	65.7	0	65.8	62	51.2	87.5	0	90.4	51	41.3	50.2	0	46.5
....Congestive heart failure (CHF) (428.0)	3	1.2	.	.	.	2	1.7	.	.	.	1	0.8	.	.	.
..Hypertension with or without renal disease (401,403)	1	0.4	1	0.8	.	.	.
....Hypertension-related (401,403)	31	12.7	18.1	0	15.0	15	12.4	20.2	0	.	16	13.0	16.4	0	.
..Cerebrovascular disease (430-438)	28	11.4	15.5	0	15.9	12	9.9	.	.	22.5	16	13.0	14.1	0	.
....Atherosclerosis-related (440)	7	2.9	.	.	.	3	2.5	.	.	.	4	3.2	.	.	.
..Aortic aneurysm (441)	3	1.2	.	.	.	2	1.7	.	.	.	1	0.8	.	.	.
Pneumonia & influenza (480-487)	21	8.6	11.0	0	.	13	10.7	.	.	.	8	6.5	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	16	6.5	8.1	0	10.0	3	2.5	.	.	.	13	10.5	.	.	.
..COPD-related (490-496)	42	17.2	22.1	0	19.6	21	17.3	28.1	0	22.5	21	17.0	18.9	0	17.9
..Asthma (493)	7	2.9	.	.	.	1	0.8	.	.	.	6	4.9	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.
 0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1995*****					*****1995*****					*****1995*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR
*****Causes of Death*****															
Chronic liver disease and cirrhosis (571)	20	8.2	12.0	0	12.2	14	11.6	.	.	.	6	4.9	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	4	1.6	.	.	.	2	1.7	.	.	.	2	1.6	.	.	.
..Nephritis-related (580-589)	44	18.0	22.6	0	20.9	31	25.6	34.1	0	30.2	13	10.5	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	9	3.7	.	.	.	3	2.5	.	.	.	6	4.9	.	.	.
Unintentional injuries (E800-E949)	78	31.9	32.8	0	24.9	63	52.0	53.5	0	40.0	15	12.2	12.7	0	.
..Motor vehicle accidents (E810-E825)	25	10.2	10.4	0	.	20	16.5	17.1	0	.	5	4.1	.	.	.
..Falls and fall related injuries (E880-E888)	4	1.6	.	.	.	3	2.5	.	.	.	1	0.8	.	.	.
..Drowning (E830,E832,E910)	5	2.0	.	.	.	4	3.3	.	.	.	1	0.8	.	.	.
..Residential fires (E890-E899)	4	1.6	.	.	.	2	1.7	.	.	.	2	1.6	.	.	.
Suicide (E950-E959)	18	7.4	7.8	0	8.1	16	13.2	13.6	0	14.4	2	1.6	.	.	.
Homicide and legal intervention (E960-E978)	30	12.3	12.8	0	23.4	26	21.5	23.3	0	40.2	4	3.2	.	.	.
..Homicide (E960-E969)	30	12.3	12.8	0	23.4	26	21.5	23.3	0	40.2	4	3.2	.	.	.
All injury (E800-E999)	129	52.8	54.4	0	56.8	107	88.3	92.0	0	95.4	22	17.8	17.9	0	19.6
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	25	10.2	10.4	0	.	20	16.5	17.1	0	.	5	4.1	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	5	2.0	.	.	.	4	3.3	.	.	.	1	0.8	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	29	11.9	12.3	1	24.2	27	22.3	23.2	0	44.7	2	1.6	.	.	.
....Suicide (E955.0-.4)	6	2.5	.	.	.	6	5.0
....Homicide (E965.0-.4)	22	9.0	9.6	0	18.5	20	16.5	17.9	0	33.1	2	1.6	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	33	13.5	13.0	0	11.9	30	24.8	24.3	0	20.8	3	2.4	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	6.1	8.9	0	8.9	14	11.6	.	.	.	1	0.8	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	32	13.1	12.2	0	13.5	28	23.1	22.2	0	22.6	4	3.2	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.
 0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1995*****				*****1995*****				*****1995*****						
	No. of deaths	Crude rate	AAMR	Signif-icance	1994 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1994 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1994 AAMR
*****Causes of Death*****															
All causes	805	329.2	483.9	0	473.3	515	425.2	661.9	0	645.3	290	235.0	342.5	0	330.4
Infectious diseases and parasitic disease (1-139)	157	64.2	60.6	0	57.0	122	100.7	95.6	0	83.6	35	28.4	28.4	0	31.4
..Septicemia (038)	12	4.9	.	.	11.3	7	5.8	.	.	.	5	4.1	.	.	.
....Septicemia-related (038)	40	16.4	25.2	0	32.3	28	23.1	38.3	0	28.6	12	9.7	.	.	34.0
..HIV infection (042-044)	132	54.0	46.4	0	38.5	103	85.0	74.6	0	63.5	29	23.5	20.1	0	15.5
All cancer (140-208)	116	47.4	89.7	0	88.4	64	52.8	121.1	0	120.9	52	42.1	69.2	0	64.0
..Oral cavity or pharynx (140.0-149.9)	6	2.5	.	.	.	5	4.1	.	.	.	1	0.8	.	.	.
..Colorectal cancer (153.0-154.3,154.8,159.0)	7	2.9	.	.	.	3	2.5	.	.	.	4	3.2	.	.	.
....Colon cancer (153)	5	2.0	.	.	.	2	1.7	.	.	.	3	2.4	.	.	.
....Rectal cancer (154)	2	0.8	.	.	.	1	0.8	.	.	.	1	0.8	.	.	.
..Pancreatic cancer (157)	2	0.8	.	.	.	1	0.8	.	.	.	1	0.8	.	.	.
..Lung and other respiratory cancer (160-165)	16	6.5	14.4	0	15.1	12	9.9	.	.	.	4	3.2	.	.	.
....Lung cancer (162.2-.9)	13	5.3	.	.	13.2	9	7.4	.	.	.	4	3.2	.	.	.
..Female breast cancer (174)	8	8	6.5	.	.	.
..Cervical cancer (180)	2	2	1.6	.	.	.
..Endometrial cancer (182)	1	1	0.8	.	.	.
..Ovarian cancer (183)	2	2	1.6	.	.	.
..Prostate cancer (185)	6	6	5.0
..Bladder cancer (188)	4	1.6	.	.	.	4	3.3
..Brain & other CNS cancer (191-192)	5	2.0	5	4.1	.	.	.
..Leukemia (204-208)	11	4.5	.	.	.	6	5.0	.	.	.	5	4.1	.	.	.
Diabetes mellitus (250)	14	5.7	.	.	13.1	5	4.1	.	.	.	9	7.3	.	.	.
..Diabetes-related (250)	83	33.9	70.3	0	59.9	37	30.5	73.7	0	72.2	46	37.3	66.2	0	48.8
Alzheimer's diseases (331.0)	2	0.8	2	1.6	.	.	.
Cardiovascular disease (390-459)	199	81.4	158.1	0	157.5	110	90.8	211.2	0	207.2	89	72.1	121.4	0	119.4
..Diseases of the heart (390-398,402,404-429)	165	67.5	131.3	0	129.3	94	77.6	180.4	0	167.5	71	57.5	98.4	0	100.2
....Heart disease-related (390-398,402,404-429)	336	137.4	245.5	0	230.3	196	161.8	331.4	0	289.1	140	113.4	184.6	0	183.1
....Coronary heart disease (CHD) (402,410-414,429.2)	113	46.2	93.6	0	93.1	62	51.2	126.8	0	122.3	51	41.3	71.7	0	70.5
....Congestive heart failure (CHF) (428.0)	3	1.2	.	.	.	2	1.7	.	.	.	1	0.8	.	.	.
..Hypertension with or without renal disease (401,403)	1	0.4	1	0.8	.	.	.
....Hypertension-related (401,403)	31	12.7	25.9	0	22.5	15	12.4	29.7	0	.	16	13.0	23.3	0	.
..Cerebrovascular disease (430-438)	28	11.4	21.8	0	22.1	12	9.9	.	.	29.9	16	13.0	20.7	0	.
....Atherosclerosis-related (440)	7	2.9	.	.	.	3	2.5	.	.	.	4	3.2	.	.	.
..Aortic aneurysm (441)	3	1.2	.	.	.	2	1.7	.	.	.	1	0.8	.	.	.
Pneumonia & influenza (480-487)	21	8.6	14.5	0	.	13	10.7	.	.	.	8	6.5	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	16	6.5	10.3	0	12.6	3	2.5	.	.	.	13	10.5	.	.	.
..COPD-related (490-496)	42	17.2	32.2	0	25.4	21	17.3	43.7	0	30.5	21	17.0	25.8	0	22.4
..Asthma (493)	7	2.9	.	.	.	1	0.8	.	.	.	6	4.9	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.
 0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1995*****					*****1995*****					*****1995*****				
	No. of deaths	Crude rate	AAMR	Significance	1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1994 AAMR
*****Causes of Death*****															
Chronic liver disease and cirrhosis (571)	20	8.2	13.7	0	14.3	14	11.6	.	.	.	6	4.9	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	4	1.6	.	.	.	2	1.7	.	.	.	2	1.6	.	.	.
..Nephritis-related (580-589)	44	18.0	29.7	0	27.9	31	25.6	43.4	0	42.0	13	10.5	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	9	3.7	.	.	.	3	2.5	.	.	.	6	4.9	.	.	.
Unintentional injuries (E800-E949)	78	31.9	31.8	0	22.5	63	52.0	48.6	0	36.1	15	12.2	15.1	0	.
..Motor vehicle accidents (E810-E825)	25	10.2	9.3	0	.	20	16.5	15.3	0	.	5	4.1	.	.	.
..Falls and fall related injuries (E880-E888)	4	1.6	.	.	.	3	2.5	.	.	.	1	0.8	.	.	.
..Drowning (E830,E832,E910)	5	2.0	.	.	.	4	3.3	.	.	.	1	0.8	.	.	.
..Residential fires (E890-E899)	4	1.6	.	.	.	2	1.7	.	.	.	2	1.6	.	.	.
Suicide (E950-E959)	18	7.4	7.2	0	7.2	16	13.2	12.4	0	12.7	2	1.6	.	.	.
Homicide and legal intervention (E960-E978)	30	12.3	11.9	0	21.5	26	21.5	21.7	0	37.1	4	3.2	.	.	.
..Homicide (E960-E969)	30	12.3	11.9	0	21.5	26	21.5	21.7	0	37.1	4	3.2	.	.	.
All injury (E800-E999)	129	52.8	51.8	0	51.5	107	88.3	84.2	0	86.6	22	17.8	20.1	0	18.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	25	10.2	9.3	0	.	20	16.5	15.3	0	.	5	4.1	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	5	2.0	.	.	.	4	3.3	.	.	.	1	0.8	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	29	11.9	11.2	1	22.7	27	22.3	21.4	0	41.8	2	1.6	.	.	.
....Suicide (E955.0-.4)	6	2.5	.	.	.	6	5.0
....Homicide (E965.0-.4)	22	9.0	8.9	0	17.3	20	16.5	16.8	0	30.9	2	1.6	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	33	13.5	10.8	0	9.5	30	24.8	20.3	0	16.6	3	2.4	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	6.1	9.3	0	9.3	14	11.6	.	.	.	1	0.8	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	32	13.1	10.1	0	10.8	28	23.1	18.2	0	18.1	4	3.2	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.
 0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1995*****					*****1995*****					*****1995*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1994 AAMR
*****Causes of Death*****															
All causes	805	329.2	610.2	0	587.9	515	425.2	838.3	0	791.5	290	235.0	434.8	0	421.9
Infectious diseases and parasitic disease (1-139)	157	64.2	78.0	0	72.7	122	100.7	122.8	0	103.3	35	28.4	36.8	0	42.1
..Septicemia (038)	12	4.9	.	.	15.8	7	5.8	.	.	5	4.1	.	.	.	
....Septicemia-related (038)	40	16.4	33.9	0	41.6	28	23.1	48.7	0	33.7	12	9.7	.	.	45.4
..HIV infection (042-044)	132	54.0	58.2	0	47.3	103	85.0	94.7	0	78.1	29	23.5	24.2	0	19.0
All cancer (140-208)	116	47.4	109.6	0	103.8	64	52.8	153.3	0	140.7	52	42.1	82.1	0	76.6
..Oral cavity or pharynx (140.0-149.9)	6	2.5	.	.	.	5	4.1	.	.	1	0.8	.	.	.	
..Colorectal cancer (153.0-154.3,154.8,159.0)	7	2.9	.	.	.	3	2.5	.	.	4	3.2	.	.	.	
....Colon cancer (153)	5	2.0	.	.	.	2	1.7	.	.	3	2.4	.	.	.	
....Rectal cancer (154)	2	0.8	.	.	.	1	0.8	.	.	1	0.8	.	.	.	
..Pancreatic cancer (157)	2	0.8	.	.	.	1	0.8	.	.	1	0.8	.	.	.	
..Lung and other respiratory cancer (160-165)	16	6.5	16.4	0	16.9	12	9.9	.	.	4	3.2	.	.	.	
....Lung cancer (162.2-.9)	13	5.3	.	.	15.0	9	7.4	.	.	4	3.2	.	.	.	
..Female breast cancer (174)	8	8	6.5	.	.	.	
..Cervical cancer (180)	2	2	1.6	.	.	.	
..Endometrial cancer (182)	1	1	0.8	.	.	.	
..Ovarian cancer (183)	2	2	1.6	.	.	.	
..Prostate cancer (185)	6	6	5.0	
..Bladder cancer (188)	4	1.6	.	.	.	4	3.3	
..Brain & other CNS cancer (191-192)	5	2.0	5	4.1	.	.	.	
..Leukemia (204-208)	11	4.5	.	.	.	6	5.0	.	.	5	4.1	.	.	.	
Diabetes mellitus (250)	14	5.7	.	.	15.2	5	4.1	.	.	9	7.3	.	.	.	
..Diabetes-related (250)	83	33.9	85.9	0	74.7	37	30.5	85.7	0	82.8	46	37.3	83.8	0	65.6
Alzheimer's diseases (331.0)	2	0.8	2	1.6	.	.	.	
Cardiovascular disease (390-459)	199	81.4	211.2	0	210.7	110	90.8	283.9	0	270.0	89	72.1	163.9	0	166.7
..Diseases of the heart (390-398,402,404-429)	165	67.5	175.7	0	172.2	94	77.6	246.4	0	217.0	71	57.5	131.0	0	138.9
....Heart disease-related (390-398,402,404-429)	336	137.4	328.1	0	300.8	196	161.8	446.2	0	371.2	140	113.4	248.3	0	245.0
....Coronary heart disease (CHD) (402,410-414,429.2)	113	46.2	126.2	0	125.6	62	51.2	174.9	0	156.6	51	41.3	96.1	0	101.8
....Congestive heart failure (CHF) (428.0)	3	1.2	.	.	.	2	1.7	.	.	1	0.8	.	.	.	
..Hypertension with or without renal disease (401,403)	1	0.4	1	0.8	.	.	.	
....Hypertension-related (401,403)	31	12.7	34.3	0	31.6	15	12.4	40.8	0	.	16	13.0	30.5	0	.
..Cerebrovascular disease (430-438)	28	11.4	29.5	0	30.7	12	9.9	.	.	41.3	16	13.0	29.7	0	.
....Atherosclerosis-related (440)	7	2.9	.	.	.	3	2.5	.	.	.	4	3.2	.	.	.
..Aortic aneurysm (441)	3	1.2	.	.	.	2	1.7	.	.	.	1	0.8	.	.	.
Pneumonia & influenza (480-487)	21	8.6	19.1	0	.	13	10.7	.	.	.	8	6.5	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	16	6.5	13.2	0	14.8	3	2.5	.	.	.	13	10.5	.	.	.
..COPD-related (490-496)	42	17.2	45.0	0	30.8	21	17.3	63.4	0	38.5	21	17.0	34.6	0	26.3
..Asthma (493)	7	2.9	.	.	.	1	0.8	.	.	.	6	4.9	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.
 0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1995
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1995*****				*****1995*****				*****1995*****						
	No. of deaths	Crude rate	AAMR	Significance	1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1994 AAMR	No. of deaths	Crude rate	AAMR	Significance	1994 AAMR
*****Causes of Death*****															
Chronic liver disease and cirrhosis (571)	20	8.2	15.7	0	17.0	14	11.6	.	.	.	6	4.9	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	4	1.6	.	.	.	2	1.7	.	.	.	2	1.6	.	.	.
..Nephritis-related (580-589)	44	18.0	40.2	0	34.9	31	25.6	60.5	0	56.0	13	10.5	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	9	3.7	.	.	.	3	2.5	.	.	.	6	4.9	.	.	.
Unintentional injuries (E800-E949)	78	31.9	37.0	0	25.6	63	52.0	55.8	0	42.6	15	12.2	18.0	0	.
..Motor vehicle accidents (E810-E825)	25	10.2	9.5	0	.	20	16.5	16.2	0	.	5	4.1	.	.	.
..Falls and fall related injuries (E880-E888)	4	1.6	.	.	.	3	2.5	.	.	.	1	0.8	.	.	.
..Drowning (E830,E832,E910)	5	2.0	.	.	.	4	3.3	.	.	.	1	0.8	.	.	.
..Residential fires (E890-E899)	4	1.6	.	.	.	2	1.7	.	.	.	2	1.6	.	.	.
Suicide (E950-E959)	18	7.4	7.3	0	8.0	16	13.2	12.5	0	13.9	2	1.6	.	.	.
Homicide and legal intervention (E960-E978)	30	12.3	11.9	0	20.6	26	21.5	22.3	0	35.7	4	3.2	.	.	.
..Homicide (E960-E969)	30	12.3	11.9	0	20.6	26	21.5	22.3	0	35.7	4	3.2	.	.	.
All injury (E800-E999)	129	52.8	57.1	0	54.7	107	88.3	91.7	0	93.1	22	17.8	22.9	0	18.4
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	25	10.2	9.5	0	.	20	16.5	16.2	0	.	5	4.1	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	5	2.0	.	.	.	4	3.3	.	.	.	1	0.8	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	29	11.9	10.9	1	21.7	27	22.3	20.8	0	40.5	2	1.6	.	.	.
....Suicide (E955.0-.4)	6	2.5	.	.	.	6	5.0
....Homicide (E965.0-.4)	22	9.0	8.6	0	16.3	20	16.5	16.4	0	29.6	2	1.6	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	33	13.5	13.1	0	12.7	30	24.8	24.6	0	21.9	3	2.4	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	6.1	10.3	0	11.3	14	11.6	.	.	.	1	0.8	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	32	13.1	12.4	0	14.3	28	23.1	22.5	0	24.1	4	3.2	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1995 AAMR is significantly different (prob<0.05) from the 1994 AAMR.
 0 - The 1995 AAMR is not significantly different (prob>0.05) from the 1994 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	805	536	643	14,730	20,663	6036.0	6634.0	0	8740.6	9401.8	0
Infectious diseases and parasitic disease (1-139)	157	148	150	3,932	5,422	1631.2	1389.5	0	2186.2	1889.1	0
..Septicemia (038)	12	6	7	125	188	.	67.1	.	.	110.8	.
...Septicemia-related (038)	40	24	28	589	849	239.7	264.3	0	358.9	399.6	0
..HIV infection (042-044)	132	132	132	3,527	4,847	1463.9	1162.8	0	1947.7	1556.6	0
All cancer (140-208)	116	62	84	895	1,640	453.7	620.8	0	916.6	1142.6	0
..Oral cavity or pharynx (140.0-149.9)	6	3	4	18	50
..Colorectal cancer (153.0-154.3,154.8,159.0)	7	3	5	13	53
...Colon cancer (153)	5	1	3	8	28
...Rectal cancer (154)	2	2	2	5	25
..Pancreatic cancer (157)	2	2	2	10	30
..Lung and other respiratory cancer (160-165)	16	5	13	38	133	25.0	43.7	0	95.4	125.0	0
...Lung cancer (162.2-.9)	13	4	11	30	113	.	41.5	.	.	108.3	.
..Female breast cancer (174)	8	7	7	48	118
..Cervical cancer (180)	2	1	1	33	43
..Endometrial cancer (182)	1	1	1	8	18
..Ovarian cancer (183)	2	2	2	50	70
..Prostate cancer (185)	6	2	3	15	43
..Bladder cancer (188)	4	3	3	28	58
..Brain & other CNS cancer (191-192)	5	4	5	80	123
..Leukemia (204-208)	11	7	9	213	293
Diabetes mellitus (250)	14	4	9	35	103	.	64.6	.	.	134.5	.
..Diabetes-related (250)	83	34	60	310	795	188.3	231.6	0	527.8	522.9	0
Alzheimer's diseases (331.0)	2	1	1	8	18
Cardiovascular disease (390-459)	199	75	122	1,137	2,144	568.0	694.3	0	1196.8	1342.3	0
..Diseases of the heart (390-398,402,404-429)	165	60	101	902	1,735	456.4	565.0	0	979.6	1107.1	0
...Heart disease-related (390-398,402,404-429)	336	152	224	3,086	4,991	1411.0	1525.4	0	2464.2	2600.0	0
...Coronary heart disease (CHD) (402,410-414,429.2)	113	35	65	423	938	243.0	312.2	0	585.6	700.2	0
...Congestive heart failure (CHF) (428.0)	3	.	1	0	8
..Hypertension with or without renal disease (401,403)	1	1	1	23	33
...Hypertension-related (401,403)	31	10	17	145	288	76.6	72.5	0	170.7	138.0	0
..Cerebrovascular disease (430-438)	28	12	17	202	345	93.5	110.2	0	178.9	192.0	0
...Atherosclerosis-related (440)	7	2	2	10	30
..Aortic aneurysm (441)	3	.	1	0	3
Pneumonia & influenza (480-487)	21	10	15	250	378	105.3	.	0	170.7	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	16	9	12	273	370	121.5	85.7	0	162.1	137.7	0
..COPD-related (490-496)	42	14	24	335	520	152.5	130.8	0	252.8	243.1	0
..Asthma (493)	7	7	7	218	288
Chronic liver disease and cirrhosis (571)	20	15	18	218	380	109.6	119.8	0	202.7	205.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	4	1	1	23	33

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	44	19	30	565	827	232.5	125.5	0	359.4	242.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	9	4	5	85	133
Unintentional injuries (E800-E949)	78	71	74	2,361	3,088	958.4	784.5	0	1217.8	992.4	0
..Motor vehicle accidents (E810-E825)	25	25	25	863	1,113	369.5	.	0	457.7	.	0
..Falls and fall related injuries (E880-E888)	4	3	3	88	118
..Drowning (E830,E832,E910)	5	4	5	135	183
..Residential fires (E890-E899)	4	4	4	221	261
Suicide (E950-E959)	18	18	18	580	760	246.2	253.7	0	313.5	324.1	0
Homicide and legal intervention (E960-E978)	30	30	30	1,049	1,349	439.4	916.4	1	548.2	1109.8	1
..Homicide (E960-E969)	30	30	30	1,049	1,349	439.4	916.4	1	548.2	1109.8	1
All injury (E800-E999)	129	122	125	4,139	5,377	1699.3	1965.8	0	2142.9	2440.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	25	25	25	863	1,113	369.5	.	0	457.7	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	5	4	4	115	155
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	29	29	29	1,033	1,323	445.7	907.1	1	549.3	1110.0	1
....Suicide (E955.0-.4)	6	6	6	235	295
....Homicide (E965.0-.4)	22	22	22	760	980	331.1	707.6	1	412.6	861.5	1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	33	33	33	1,000	1,330	402.1	352.7	0	514.6	456.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	12	15	210	348	103.9	128.3	0	179.8	198.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	32	32	32	977	1,297	386.6	403.5	0	492.6	521.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	515	377	439	10,396	14,511	8758.5	9232.8	0	12600.5	13252.5	0
Infectious diseases and parasitic disease (1-139)	122	118	119	3,115	4,303	2674.7	2145.5	0	3589.2	2935.1	0
..Septicemia (038)	7	6	6	125	185
...Septicemia-related (038)	28	20	23	467	685	399.4	215.5	0	617.2	362.9	0
..HIV infection (042-044)	103	103	103	2,718	3,748	2342.9	1795.2	0	3125.5	2437.2	0
All cancer (140-208)	64	31	45	473	863	486.3	743.3	0	1020.0	1436.2	0
..Oral cavity or pharynx (140.0-149.9)	5	3	4	18	50
..Colorectal cancer (153.0-154.3,154.8,159.0)	3	1	3	3	23
...Colon cancer (153)	2	.	2	0	10
...Rectal cancer (154)	1	1	1	3	13
..Pancreatic cancer (157)	1	1	1	3	13
..Lung and other respiratory cancer (160-165)	12	3	9	28	88
...Lung cancer (162.2-.9)	9	2	7	20	68
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	6	2	3	15	43
..Bladder cancer (188)	4	3	3	28	58
..Brain & other CNS cancer (191-192)
..Leukemia (204-208)	6	5	5	153	203
Diabetes mellitus (250)	5	2	5	20	53
..Diabetes-related (250)	37	18	31	150	408	210.0	289.6	0	616.7	695.9	0
Alzheimer's diseases (331.0)
Cardiovascular disease (390-459)	110	46	74	749	1,364	759.4	1018.6	0	1597.6	1977.0	0
..Diseases of the heart (390-398,402,404-429)	94	37	62	620	1,132	628.6	786.9	0	1323.1	1551.9	0
...Heart disease-related (390-398,402,404-429)	196	100	143	2,179	3,417	2001.9	2175.3	0	3434.1	3669.1	0
...Coronary heart disease (CHD) (402,410-414,429.2)	62	22	39	250	558	323.0	407.3	0	778.1	981.6	0
...Congestive heart failure (CHF) (428.0)	2	.	1	0	8
..Hypertension with or without renal disease (401,403)
...Hypertension-related (401,403)	15	7	8	108	185	115.2	.	0	220.6	.	0
..Cerebrovascular disease (430-438)	12	7	9	120	200	.	191.3	.	.	331.6	.
...Atherosclerosis-related (440)	3	1	1	3	13
..Aortic aneurysm (441)	2	.	1	0	3
Pneumonia & influenza (480-487)	13	8	10	195	285
Chronic obstructive pulmonary disease (COPD) (490-496)	3	2	3	40	63
..COPD-related (490-496)	21	5	11	93	173	84.1	115.2	0	193.1	223.7	0
..Asthma (493)	1	1	1	8	18
Chronic liver disease and cirrhosis (571)	14	12	14	210	340
Nephritis, nephrotic syndrome/nephrosis (580-589)	2	1	1	23	33

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	31	18	24	517	742	430.3	197.4	0	648.6	357.3	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	3	1	1	23	33
Unintentional injuries (E800-E949)	63	61	62	1,974	2,591	1616.9	1120.2	0	2063.3	1454.2	0
..Motor vehicle accidents (E810-E825)	20	20	20	655	855	559.4	.	0	706.9	.	0
..Falls and fall related injuries (E880-E888)	3	3	3	88	118
..Drowning (E830,E832,E910)	4	3	4	128	165
..Residential fires (E890-E899)	2	2	2	129	149
Suicide (E950-E959)	16	16	16	545	705	455.7	461.5	0	572.3	585.5	0
Homicide and legal intervention (E960-E978)	26	26	26	845	1,105	736.5	1506.5	1	938.6	1842.8	0
..Homicide (E960-E969)	26	26	26	845	1,105	736.5	1506.5	1	938.6	1842.8	0
All injury (E800-E999)	107	105	106	3,449	4,506	2880.1	3111.1	0	3657.5	3912.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	20	20	20	655	855	559.4	.	0	706.9	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	4	4	115	155
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	27	27	27	958	1,228	818.4	1609.4	1	1015.0	1986.3	1
....Suicide (E955.0-.4)	6	6	6	235	295
....Homicide (E965.0-.4)	20	20	20	685	885	593.6	1217.6	0	746.8	1495.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	30	30	30	885	1,185	736.3	626.7	0	948.6	807.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	11	14	208	335
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	28	28	28	830	1,110	682.3	671.7	0	875.5	869.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	290	159	204	4,335	6,152	3422.7	4123.3	0	5102.7	5768.3	0
Infectious diseases and parasitic disease (1-139)	35	30	31	817	1,120	646.4	672.3	0	866.5	903.4	0
..Septicemia (038)	5	.	1	0	3
...Septicemia-related (038)	12	4	5	122	165	.	319.4	.	.	446.5	.
..HIV infection (042-044)	29	29	29	810	1,100	636.2	564.3	0	840.8	729.3	0
All cancer (140-208)	52	31	39	423	778	422.0	507.0	0	829.2	888.3	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	4	2	2	10	30
...Colon cancer (153)	3	1	1	8	18
...Rectal cancer (154)	1	1	1	3	13
..Pancreatic cancer (157)	1	1	1	8	18
..Lung and other respiratory cancer (160-165)	4	2	4	10	45
...Lung cancer (162.2-.9)	4	2	4	10	45
..Female breast cancer (174)	8	7	7	48	118
..Cervical cancer (180)	2	1	1	33	43
..Endometrial cancer (182)	1	1	1	8	18
..Ovarian cancer (183)	2	2	2	50	70
..Prostate cancer (185)
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)	5	4	5	80	123
..Leukemia (204-208)	5	2	4	60	90
Diabetes mellitus (250)	9	2	4	15	50
..Diabetes-related (250)	46	16	29	160	388	170.3	179.7	0	455.1	376.7	0
Alzheimer's diseases (331.0)	2	1	1	8	18
Cardiovascular disease (390-459)	89	29	48	388	780	389.0	400.3	0	845.6	786.9	0
..Diseases of the heart (390-398,402,404-429)	71	23	39	283	603	295.6	362.7	0	678.1	718.3	0
...Heart disease-related (390-398,402,404-429)	140	52	81	907	1,575	851.6	923.2	0	1582.0	1633.0	0
...Coronary heart disease (CHD) (402,410-414,429.2)	51	13	26	173	380	173.9	229.9	0	424.2	465.8	0
...Congestive heart failure (CHF) (428.0)	1	.	.	0	0
..Hypertension with or without renal disease (401,403)	1	1	1	23	33
...Hypertension-related (401,403)	16	3	9	38	103	40.5	.	0	122.6	.	0
..Cerebrovascular disease (430-438)	16	5	8	83	145	73.2	.	0	139.9	.	0
...Atherosclerosis-related (440)	4	1	1	8	18
..Aortic aneurysm (441)	1	.	.	0	0
Pneumonia & influenza (480-487)	8	2	5	55	93
Chronic obstructive pulmonary disease (COPD) (490-496)	13	7	9	233	308
..COPD-related (490-496)	21	9	13	243	348	225.1	142.1	0	322.7	258.9	0
..Asthma (493)	6	6	6	210	270
Chronic liver disease and cirrhosis (571)	6	3	4	8	40
Nephritis, nephrotic syndrome/nephrosis (580-589)	2	.	.	0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	13	1	6	48	85
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	3	4	63	100
Unintentional injuries (E800-E949)	15	10	12	387	497	316.1	.	0	397.6	.	0
..Motor vehicle accidents (E810-E825)	5	5	5	208	258
..Falls and fall related injuries (E880-E888)	1	.	.	0	0
..Drowning (E830,E832,E910)	1	1	1	8	18
..Residential fires (E890-E899)	2	2	2	92	112
Suicide (E950-E959)	2	2	2	35	55
Homicide and legal intervention (E960-E978)	4	4	4	204	244
..Homicide (E960-E969)	4	4	4	204	244
All injury (E800-E999)	22	17	19	691	871	526.9	808.0	0	651.0	968.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	5	5	5	208	258
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	2	2	2	75	95
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	2	2	2	75	95
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	3	3	3	115	145
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	3	13
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	4	4	4	147	187

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	805	536	643	14,730	20,663	5668.8	6363.6	0	8365.0	9109.1	0
Infectious diseases and parasitic disease (1-139)	157	148	150	3,932	5,422	1392.9	1204.2	0	1861.1	1637.3	0
..Septicemia (038)	12	6	7	125	188	.	63.1	.	.	107.1	.
...Septicemia-related (038)	40	24	28	589	849	215.7	261.2	0	332.6	403.0	0
..HIV infection (042-044)	132	132	132	3,527	4,847	1252.4	1001.5	0	1654.9	1334.8	0
All cancer (140-208)	116	62	84	895	1,640	447.8	608.7	0	959.7	1175.6	0
..Oral cavity or pharynx (140.0-149.9)	6	3	4	18	50
..Colorectal cancer (153.0-154.3,154.8,159.0)	7	3	5	13	53
...Colon cancer (153)	5	1	3	8	28
...Rectal cancer (154)	2	2	2	5	25
..Pancreatic cancer (157)	2	2	2	10	30
..Lung and other respiratory cancer (160-165)	16	5	13	38	133	27.3	44.6	0	111.0	138.9	0
...Lung cancer (162.2-.9)	13	4	11	30	113	.	41.9	.	.	118.8	.
..Female breast cancer (174)	8	7	7	48	118
..Cervical cancer (180)	2	1	1	33	43
..Endometrial cancer (182)	1	1	1	8	18
..Ovarian cancer (183)	2	2	2	50	70
..Prostate cancer (185)	6	2	3	15	43
..Bladder cancer (188)	4	3	3	28	58
..Brain & other CNS cancer (191-192)	5	4	5	80	123
..Leukemia (204-208)	11	7	9	213	293
Diabetes mellitus (250)	14	4	9	35	103	.	63.9	.	.	141.1	.
..Diabetes-related (250)	83	34	60	310	795	195.9	238.7	0	588.2	564.4	0
Alzheimer's diseases (331.0)	2	1	1	8	18
Cardiovascular disease (390-459)	199	75	122	1,137	2,144	551.1	684.4	0	1249.3	1393.9	0
..Diseases of the heart (390-398,402,404-429)	165	60	101	902	1,735	439.5	557.2	0	1021.1	1155.9	0
...Heart disease-related (390-398,402,404-429)	336	152	224	3,086	4,991	1331.2	1466.4	0	2455.5	2604.9	0
...Coronary heart disease (CHD) (402,410-414,429.2)	113	35	65	423	938	242.4	320.2	0	629.6	755.6	0
...Congestive heart failure (CHF) (428.0)	3	.	1	0	8
..Hypertension with or without renal disease (401,403)	1	1	1	23	33
...Hypertension-related (401,403)	31	10	17	145	288	85.4	76.1	0	192.6	148.1	0
..Cerebrovascular disease (430-438)	28	12	17	202	345	93.2	108.1	0	187.1	192.4	0
...Atherosclerosis-related (440)	7	2	2	10	30
..Aortic aneurysm (441)	3	.	1	0	3
Pneumonia & influenza (480-487)	21	10	15	250	378	97.4	.	0	166.7	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	16	9	12	273	370	113.5	84.8	0	152.7	142.1	0
..COPD-related (490-496)	42	14	24	335	520	142.8	131.3	0	251.9	256.1	0
..Asthma (493)	7	7	7	218	288
Chronic liver disease and cirrhosis (571)	20	15	18	218	380	102.1	114.5	0	200.7	203.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	4	1	1	23	33

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	44	19	30	565	827	215.9	120.8	0	346.4	252.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	9	4	5	85	133
Unintentional injuries (E800-E949)	78	71	74	2,361	3,088	880.2	721.3	0	1105.4	898.7	0
..Motor vehicle accidents (E810-E825)	25	25	25	863	1,113	338.5	.	0	413.5	.	0
..Falls and fall related injuries (E880-E888)	4	3	3	88	118
..Drowning (E830,E832,E910)	5	4	5	135	183
..Residential fires (E890-E899)	4	4	4	221	261
Suicide (E950-E959)	18	18	18	580	760	226.8	227.2	0	286.7	287.7	0
Homicide and legal intervention (E960-E978)	30	30	30	1,049	1,349	415.1	879.1	1	512.0	1046.9	1
..Homicide (E960-E969)	30	30	30	1,049	1,349	415.1	879.1	1	512.0	1046.9	1
All injury (E800-E999)	129	122	125	4,139	5,377	1577.3	1836.4	0	1966.2	2244.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	25	25	25	863	1,113	338.5	.	0	413.5	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	5	4	4	115	155
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	29	29	29	1,033	1,323	414.4	873.9	1	504.9	1053.9	1
....Suicide (E955.0-.4)	6	6	6	235	295
....Homicide (E965.0-.4)	22	22	22	760	980	309.9	684.1	1	382.5	819.9	1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	33	33	33	1,000	1,330	344.3	289.3	0	435.1	369.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	12	15	210	348	95.5	118.7	0	173.7	187.2	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	32	32	32	977	1,297	326.7	331.8	0	410.7	423.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	515	377	439	10,396	14,511	8065.5	8739.5	0	11823.6	12710.3	0
Infectious diseases and parasitic disease (1-139)	122	118	119	3,115	4,303	2270.9	1886.4	0	3037.0	2575.5	0
..Septicemia (038)	7	6	6	125	185	.	.	0	.	.	0
...Septicemia-related (038)	28	20	23	467	685	352.0	215.6	0	567.1	373.6	0
..HIV infection (042-044)	103	103	103	2,718	3,748	1995.0	1571.0	0	2642.9	2124.6	0
All cancer (140-208)	64	31	45	473	863	485.4	711.9	0	1082.8	1474.0	0
..Oral cavity or pharynx (140.0-149.9)	5	3	4	18	50	.	.	0	.	.	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	3	1	3	3	23	.	.	0	.	.	0
...Colon cancer (153)	2	.	2	0	10	.	.	0	.	.	0
...Rectal cancer (154)	1	1	1	3	13	.	.	0	.	.	0
..Pancreatic cancer (157)	1	1	1	3	13	.	.	0	.	.	0
..Lung and other respiratory cancer (160-165)	12	3	9	28	88	.	.	0	.	.	0
...Lung cancer (162.2-.9)	9	2	7	20	68	.	.	0	.	.	0
..Female breast cancer (174)	0	.	.	0
..Cervical cancer (180)	0	.	.	0
..Endometrial cancer (182)	0	.	.	0
..Ovarian cancer (183)	0	.	.	0
..Prostate cancer (185)	6	2	3	15	43	.	.	0	.	.	0
..Bladder cancer (188)	4	3	3	28	58	.	.	0	.	.	0
..Brain & other CNS cancer (191-192)	0	.	.	0
..Leukemia (204-208)	6	5	5	153	203	.	.	0	.	.	0
Diabetes mellitus (250)	5	2	5	20	53	.	.	0	.	.	0
..Diabetes-related (250)	37	18	31	150	408	224.7	296.6	0	696.0	755.7	0
Alzheimer's diseases (331.0)	0	.	.	0
Cardiovascular disease (390-459)	110	46	74	749	1,364	741.6	1001.9	0	1675.6	2050.1	0
..Diseases of the heart (390-398,402,404-429)	94	37	62	620	1,132	600.6	772.7	0	1372.4	1617.2	0
...Heart disease-related (390-398,402,404-429)	196	100	143	2,179	3,417	1867.0	2057.3	0	3385.1	3620.7	0
...Coronary heart disease (CHD) (402,410-414,429.2)	62	22	39	250	558	329.5	415.8	0	844.8	1067.6	0
...Congestive heart failure (CHF) (428.0)	2	.	1	0	8	.	.	0	.	.	0
..Hypertension with or without renal disease (401,403)	0	.	.	0
...Hypertension-related (401,403)	15	7	8	108	185	131.8	.	0	248.4	.	0
..Cerebrovascular disease (430-438)	12	7	9	120	200	.	188.7	0	.	333.4	0
...Atherosclerosis-related (440)	3	1	1	3	13	.	.	0	.	.	0
..Aortic aneurysm (441)	2	.	1	0	3	.	.	0	.	.	0
Pneumonia & influenza (480-487)	13	8	10	195	285	.	.	0	.	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	3	2	3	40	63	.	.	0	.	.	0
..COPD-related (490-496)	21	5	11	93	173	74.0	110.4	0	198.5	233.8	0
..Asthma (493)	1	1	1	8	18	.	.	0	.	.	0
Chronic liver disease and cirrhosis (571)	14	12	14	210	340	.	.	0	.	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	2	1	1	23	33	.	.	0	.	.	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	31	18	24	517	742	393.8	190.9	0	610.5	369.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	3	1	1	23	33
Unintentional injuries (E800-E949)	63	61	62	1,974	2,591	1459.0	994.8	0	1838.9	1280.7	0
..Motor vehicle accidents (E810-E825)	20	20	20	655	855	506.8	.	0	633.2	.	0
..Falls and fall related injuries (E880-E888)	3	3	3	88	118
..Drowning (E830,E832,E910)	4	3	4	128	165
..Residential fires (E890-E899)	2	2	2	129	149
Suicide (E950-E959)	16	16	16	545	705	419.7	410.3	0	522.0	516.3	0
Homicide and legal intervention (E960-E978)	26	26	26	845	1,105	688.2	1435.6	1	870.4	1730.2	0
..Homicide (E960-E969)	26	26	26	845	1,105	688.2	1435.6	1	870.4	1730.2	0
All injury (E800-E999)	107	105	106	3,449	4,506	2634.1	2858.6	0	3308.7	3550.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	20	20	20	655	855	506.8	.	0	633.2	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	4	4	115	155
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	27	27	27	958	1,228	763.1	1542.6	1	936.8	1879.2	1
....Suicide (E955.0-.4)	6	6	6	235	295
....Homicide (E965.0-.4)	20	20	20	685	885	558.7	1170.6	0	697.5	1417.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	30	30	30	885	1,185	622.2	512.3	0	793.5	652.3	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	11	14	208	335
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	28	28	28	830	1,110	569.7	551.1	0	723.0	704.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	290	159	204	4,335	6,152	3368.5	4072.9	0	5124.3	5737.2	0
Infectious diseases and parasitic disease (1-139)	35	30	31	817	1,120	566.9	558.3	0	758.8	755.6	0
..Septicemia (038)	5	.	1	0	3
...Septicemia-related (038)	12	4	5	122	165	.	313.2	.	.	443.2	.
..HIV infection (042-044)	29	29	29	810	1,100	555.3	463.4	0	729.2	595.1	0
All cancer (140-208)	52	31	39	423	778	411.0	514.6	0	856.1	924.1	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	4	2	2	10	30
...Colon cancer (153)	3	1	1	8	18
...Rectal cancer (154)	1	1	1	3	13
..Pancreatic cancer (157)	1	1	1	8	18
..Lung and other respiratory cancer (160-165)	4	2	4	10	45
...Lung cancer (162.2-.9)	4	2	4	10	45
..Female breast cancer (174)	8	7	7	48	118
..Cervical cancer (180)	2	1	1	33	43
..Endometrial cancer (182)	1	1	1	8	18
..Ovarian cancer (183)	2	2	2	50	70
..Prostate cancer (185)
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)	5	4	5	80	123
..Leukemia (204-208)	5	2	4	60	90
Diabetes mellitus (250)	9	2	4	15	50
..Diabetes-related (250)	46	16	29	160	388	171.6	187.7	0	499.5	404.7	0
Alzheimer's diseases (331.0)	2	1	1	8	18
Cardiovascular disease (390-459)	89	29	48	388	780	373.3	397.7	0	880.0	825.8	0
..Diseases of the heart (390-398,402,404-429)	71	23	39	283	603	289.4	361.5	0	717.5	757.3	0
...Heart disease-related (390-398,402,404-429)	140	52	81	907	1,575	824.1	922.5	0	1619.7	1697.4	0
...Coronary heart disease (CHD) (402,410-414,429.2)	51	13	26	173	380	166.8	238.0	0	450.1	498.3	0
...Congestive heart failure (CHF) (428.0)	1	.	.	0	0
..Hypertension with or without renal disease (401,403)	1	1	1	23	33
...Hypertension-related (401,403)	16	3	9	38	103	41.6	.	0	137.7	.	0
..Cerebrovascular disease (430-438)	16	5	8	83	145	65.5	.	0	137.7	.	0
...Atherosclerosis-related (440)	4	1	1	8	18
..Aortic aneurysm (441)	1	.	.	0	0
Pneumonia & influenza (480-487)	8	2	5	55	93
Chronic obstructive pulmonary disease (COPD) (490-496)	13	7	9	233	308
..COPD-related (490-496)	21	9	13	243	348	215.8	147.4	0	316.8	275.3	0
..Asthma (493)	6	6	6	210	270
Chronic liver disease and cirrhosis (571)	6	3	4	8	40
Nephritis, nephrotic syndrome/nephrosis (580-589)	2	.	.	0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	13	1	6	48	85
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	3	4	63	100
Unintentional injuries (E800-E949)	15	10	12	387	497	314.6	.	0	393.0	.	0
..Motor vehicle accidents (E810-E825)	5	5	5	208	258
..Falls and fall related injuries (E880-E888)	1	.	.	0	0
..Drowning (E830,E832,E910)	1	1	1	8	18
..Residential fires (E890-E899)	2	2	2	92	112
Suicide (E950-E959)	2	2	2	35	55
Homicide and legal intervention (E960-E978)	4	4	4	204	244
..Homicide (E960-E969)	4	4	4	204	244
All injury (E800-E999)	22	17	19	691	871	525.1	800.2	0	641.9	937.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	5	5	5	208	258
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	2	2	2	75	95
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	2	2	2	75	95
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	3	3	3	115	145
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	3	13
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	4	4	4	147	187

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	805	536	643	14,730	20,663	6243.9	6841.9	0	9176.9	9824.1	0
Infectious diseases and parasitic disease (1-139)	157	148	150	3,932	5,422	1791.5	1528.1	0	2374.0	2057.0	0
..Septicemia (038)	12	6	7	125	188	.	80.8	.	.	129.8	.
...Septicemia-related (038)	40	24	28	589	849	265.5	271.1	0	397.8	419.0	0
..HIV infection (042-044)	132	132	132	3,527	4,847	1613.2	1266.8	0	2119.6	1678.5	0
All cancer (140-208)	116	62	84	895	1,640	491.8	689.8	0	1019.6	1290.8	0
..Oral cavity or pharynx (140.0-149.9)	6	3	4	18	50
..Colorectal cancer (153.0-154.3,154.8,159.0)	7	3	5	13	53
...Colon cancer (153)	5	1	3	8	28
...Rectal cancer (154)	2	2	2	5	25
..Pancreatic cancer (157)	2	2	2	10	30
..Lung and other respiratory cancer (160-165)	16	5	13	38	133	29.6	53.6	0	115.7	151.5	0
...Lung cancer (162.2-.9)	13	4	11	30	113	.	51.1	.	.	132.0	.
..Female breast cancer (174)	8	7	7	48	118
..Cervical cancer (180)	2	1	1	33	43
..Endometrial cancer (182)	1	1	1	8	18
..Ovarian cancer (183)	2	2	2	50	70
..Prostate cancer (185)	6	2	3	15	43
..Bladder cancer (188)	4	3	3	28	58
..Brain & other CNS cancer (191-192)	5	4	5	80	123
..Leukemia (204-208)	11	7	9	213	293
Diabetes mellitus (250)	14	4	9	35	103	.	75.8	.	.	159.2	.
..Diabetes-related (250)	83	34	60	310	795	224.1	276.2	0	628.1	615.8	0
Alzheimer's diseases (331.0)	2	1	1	8	18
Cardiovascular disease (390-459)	199	75	122	1,137	2,144	658.1	794.0	0	1402.0	1549.8	0
..Diseases of the heart (390-398,402,404-429)	165	60	101	902	1,735	531.6	635.0	0	1152.4	1266.9	0
...Heart disease-related (390-398,402,404-429)	336	152	224	3,086	4,991	1565.9	1692.5	0	2787.3	2924.3	0
...Coronary heart disease (CHD) (402,410-414,429.2)	113	35	65	423	938	292.4	364.1	0	704.9	817.0	0
...Congestive heart failure (CHF) (428.0)	3	.	1	0	8
..Hypertension with or without renal disease (401,403)	1	1	1	23	33
...Hypertension-related (401,403)	31	10	17	145	288	87.2	79.0	0	198.4	153.2	0
..Cerebrovascular disease (430-438)	28	12	17	202	345	104.0	135.8	0	203.1	230.8	0
...Atherosclerosis-related (440)	7	2	2	10	30
..Aortic aneurysm (441)	3	.	1	0	3
Pneumonia & influenza (480-487)	21	10	15	250	378	108.5	.	0	182.3	.	0
Chronic obstructive pulmonary disease (COPD) (490-496)	16	9	12	273	370	117.0	87.7	0	160.1	149.7	0
..COPD-related (490-496)	42	14	24	335	520	154.7	140.8	0	271.2	272.8	0
..Asthma (493)	7	7	7	218	288
Chronic liver disease and cirrhosis (571)	20	15	18	218	380	131.7	141.2	0	238.9	241.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	4	1	1	23	33

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	44	19	30	565	827	257.3	130.0	0	404.7	268.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	9	4	5	85	133
Unintentional injuries (E800-E949)	78	71	74	2,361	3,088	940.3	789.0	0	1191.6	993.4	0
..Motor vehicle accidents (E810-E825)	25	25	25	863	1,113	334.9	.	0	412.0	.	0
..Falls and fall related injuries (E880-E888)	4	3	3	88	118
..Drowning (E830,E832,E910)	5	4	5	135	183
..Residential fires (E890-E899)	4	4	4	221	261
Suicide (E950-E959)	18	18	18	580	760	228.8	251.4	0	290.5	319.4	0
Homicide and legal intervention (E960-E978)	30	30	30	1,049	1,349	406.4	815.8	1	505.0	978.1	1
..Homicide (E960-E969)	30	30	30	1,049	1,349	406.4	815.8	1	505.0	978.1	1
All injury (E800-E999)	129	122	125	4,139	5,377	1622.8	1869.6	0	2040.0	2307.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	25	25	25	863	1,113	334.9	.	0	412.0	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	5	4	4	115	155
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	29	29	29	1,033	1,323	393.8	809.4	1	482.0	983.6	1
....Suicide (E955.0-.4)	6	6	6	235	295
....Homicide (E965.0-.4)	22	22	22	760	980	294.8	625.8	1	366.1	755.7	1
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	33	33	33	1,000	1,330	414.2	390.6	0	525.0	497.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	12	15	210	348	119.6	155.4	0	206.5	236.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	32	32	32	977	1,297	400.2	444.0	0	504.4	565.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	515	377	439	10,396	14,511	9154.0	9659.8	0	13319.7	14024.2	0
Infectious diseases and parasitic disease (1-139)	122	118	119	3,115	4,303	2958.6	2396.8	0	3922.0	3243.0	0
..Septicemia (038)	7	6	6	125	185
...Septicemia-related (038)	28	20	23	467	685	444.1	235.3	0	686.2	402.4	0
..HIV infection (042-044)	103	103	103	2,718	3,748	2604.9	1996.1	0	3429.7	2680.9	0
All cancer (140-208)	64	31	45	473	863	532.2	827.2	0	1149.8	1636.4	0
..Oral cavity or pharynx (140.0-149.9)	5	3	4	18	50
..Colorectal cancer (153.0-154.3,154.8,159.0)	3	1	3	3	23
...Colon cancer (153)	2	.	2	0	10
...Rectal cancer (154)	1	1	1	3	13
..Pancreatic cancer (157)	1	1	1	3	13
..Lung and other respiratory cancer (160-165)	12	3	9	28	88
...Lung cancer (162.2-.9)	9	2	7	20	68
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	6	2	3	15	43
..Bladder cancer (188)	4	3	3	28	58
..Brain & other CNS cancer (191-192)
..Leukemia (204-208)	6	5	5	153	203
Diabetes mellitus (250)	5	2	5	20	53
..Diabetes-related (250)	37	18	31	150	408	250.6	341.0	0	734.3	815.8	0
Alzheimer's diseases (331.0)
Cardiovascular disease (390-459)	110	46	74	749	1,364	870.1	1183.9	0	1864.6	2309.7	0
..Diseases of the heart (390-398,402,404-429)	94	37	62	620	1,132	723.9	900.6	0	1551.4	1800.4	0
...Heart disease-related (390-398,402,404-429)	196	100	143	2,179	3,417	2226.5	2471.1	0	3889.6	4190.9	0
...Coronary heart disease (CHD) (402,410-414,429.2)	62	22	39	250	558	390.5	480.9	0	941.6	1158.7	0
...Congestive heart failure (CHF) (428.0)	2	.	1	0	8
..Hypertension with or without renal disease (401,403)
...Hypertension-related (401,403)	15	7	8	108	185	127.5	.	0	246.1	.	0
..Cerebrovascular disease (430-438)	12	7	9	120	200	.	234.1	.	.	395.8	.
...Atherosclerosis-related (440)	3	1	1	3	13
..Aortic aneurysm (441)	2	.	1	0	3
Pneumonia & influenza (480-487)	13	8	10	195	285
Chronic obstructive pulmonary disease (COPD) (490-496)	3	2	3	40	63
..COPD-related (490-496)	21	5	11	93	173	97.0	124.3	0	231.5	257.7	0
..Asthma (493)	1	1	1	8	18
Chronic liver disease and cirrhosis (571)	14	12	14	210	340
Nephritis, nephrotic syndrome/nephrosis (580-589)	2	1	1	23	33

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	31	18	24	517	742	490.5	207.9	0	741.0	396.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	3	1	1	23	33
Unintentional injuries (E800-E949)	63	61	62	1,974	2,591	1611.8	1163.0	0	2046.9	1503.7	0
..Motor vehicle accidents (E810-E825)	20	20	20	655	855	523.2	.	0	658.6	.	0
..Falls and fall related injuries (E880-E888)	3	3	3	88	118
..Drowning (E830,E832,E910)	4	3	4	128	165
..Residential fires (E890-E899)	2	2	2	129	149
Suicide (E950-E959)	16	16	16	545	705	417.5	447.9	0	521.6	564.8	0
Homicide and legal intervention (E960-E978)	26	26	26	845	1,105	689.1	1335.1	0	877.5	1621.3	0
..Homicide (E960-E969)	26	26	26	845	1,105	689.1	1335.1	0	877.5	1621.3	0
All injury (E800-E999)	107	105	106	3,449	4,506	2776.6	2973.2	0	3512.7	3724.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	20	20	20	655	855	523.2	.	0	658.6	.	0
..All falls (E880-E886,E888,E957,E968.1,E987)	4	4	4	115	155
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	27	27	27	958	1,228	727.2	1442.3	1	897.4	1771.7	1
....Suicide (E955.0-.4)	6	6	6	235	295
....Homicide (E965.0-.4)	20	20	20	685	885	532.6	1079.9	0	669.4	1318.7	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	30	30	30	885	1,185	756.4	682.8	0	965.4	867.4	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	14	11	14	208	335
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	28	28	28	830	1,110	705.6	744.0	0	895.5	948.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
All causes	290	159	204	4,335	6,152	3475.1	4148.1	0	5314.0	5908.6	0
Infectious diseases and parasitic disease (1-139)	35	30	31	817	1,120	695.0	708.2	0	924.1	944.4	0
..Septicemia (038)	5	.	1	0	3
...Septicemia-related (038)	12	4	5	122	165	.	312.9	.	.	446.0	.
..HIV infection (042-044)	29	29	29	810	1,100	683.2	579.4	0	893.3	740.4	0
All cancer (140-208)	52	31	39	423	778	452.8	562.8	0	910.5	995.5	0
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	4	2	2	10	30
...Colon cancer (153)	3	1	1	8	18
...Rectal cancer (154)	1	1	1	3	13
..Pancreatic cancer (157)	1	1	1	8	18
..Lung and other respiratory cancer (160-165)	4	2	4	10	45
...Lung cancer (162.2-.9)	4	2	4	10	45
..Female breast cancer (174)	8	7	7	48	118
..Cervical cancer (180)	2	1	1	33	43
..Endometrial cancer (182)	1	1	1	8	18
..Ovarian cancer (183)	2	2	2	50	70
..Prostate cancer (185)
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)	5	4	5	80	123
..Leukemia (204-208)	5	2	4	60	90
Diabetes mellitus (250)	9	2	4	15	50
..Diabetes-related (250)	46	16	29	160	388	201.9	218.5	0	541.3	448.0	0
Alzheimer's diseases (331.0)	2	1	1	8	18
Cardiovascular disease (390-459)	89	29	48	388	780	461.8	440.2	0	1002.3	887.6	0
..Diseases of the heart (390-398,402,404-429)	71	23	39	283	603	353.4	392.5	0	806.8	802.8	0
...Heart disease-related (390-398,402,404-429)	140	52	81	907	1,575	944.3	971.6	0	1794.9	1782.7	0
...Coronary heart disease (CHD) (402,410-414,429.2)	51	13	26	173	380	207.5	261.8	0	507.6	532.6	0
...Congestive heart failure (CHF) (428.0)	1	.	.	0	0
..Hypertension with or without renal disease (401,403)	1	1	1	23	33
...Hypertension-related (401,403)	16	3	9	38	103	50.0	.	0	151.7	.	0
..Cerebrovascular disease (430-438)	16	5	8	83	145	82.1	.	0	160.2	.	0
...Atherosclerosis-related (440)	4	1	1	8	18
..Aortic aneurysm (441)	1	.	.	0	0
Pneumonia & influenza (480-487)	8	2	5	55	93
Chronic obstructive pulmonary disease (COPD) (490-496)	13	7	9	233	308
..COPD-related (490-496)	21	9	13	243	348	215.5	152.6	0	321.5	285.7	0
..Asthma (493)	6	6	6	210	270
Chronic liver disease and cirrhosis (571)	6	3	4	8	40
Nephritis, nephrotic syndrome/nephrosis (580-589)	2	.	.	0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1995
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1995			Years of life lost, 1995		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1995	1994	Signif- icance	1995	1994	Signif- icance
*****Causes of Death*****											
..Nephritis-related (580-589)	13	1	6	48	85
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	6	3	4	63	100
Unintentional injuries (E800-E949)	15	10	12	387	497	291.5	.	0	369.6	.	0
..Motor vehicle accidents (E810-E825)	5	5	5	208	258
..Falls and fall related injuries (E880-E888)	1	.	.	0	0
..Drowning (E830,E832,E910)	1	1	1	8	18
..Residential fires (E890-E899)	2	2	2	92	112
Suicide (E950-E959)	2	2	2	35	55
Homicide and legal intervention (E960-E978)	4	4	4	204	244
..Homicide (E960-E969)	4	4	4	204	244
All injury (E800-E999)	22	17	19	691	871	490.5	766.9	0	606.5	908.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	5	5	5	208	258
..All falls (E880-E886,E888,E957,E968.1,E987)	1	.	.	0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	2	2	2	75	95
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	2	2	2	75	95
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	3	3	3	115	145
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	3	13
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	4	4	4	147	187

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).