

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex Hispanic Residents, 1996

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, Hispanic Residents, 1996

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, Hispanic Residents, 1996

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Hispanic Resident DEATHS, 1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

*****Causes of Death*****	Both Sexes					Male					Female				
	*****1996*****					*****1996*****					*****1996*****				
	No. of deaths	Crude rate	AAMR	Signif-icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1995 AAMR
All causes	726	288.1	352.6	0	402.1	452	361.6	488.8	0	562.2	274	215.8	238.3	0	267.0
Infectious diseases and parasitic disease (1-139)	105	41.7	43.5	1	66.0	76	60.8	65.8	1	106.9	29	22.8	23.0	0	28.1
..Septicemia (038)	8	3.2	.	.	.	5	4.0	.	.	.	3	2.4	.	.	.
....Septicemia-related (038)	44	17.5	23.5	0	19.9	28	22.4	35.7	0	32.3	16	12.6	14.8	0	.
..HIV infection (042-044)	83	32.9	33.0	1	54.4	61	48.8	50.2	1	87.9	22	17.3	17.0	0	23.1
All cancer (140-208)	118	46.8	64.7	0	69.5	62	49.6	82.2	0	89.7	56	44.1	52.9	0	55.7
..Oral cavity or pharynx (140.0-149.9)	4	1.6	.	.	.	4	3.2
..Colorectal cancer (153.0-154.3,154.8,159.0)	11	4.4	.	.	.	5	4.0	.	.	.	6	4.7	.	.	.
....Colon cancer (153)	9	3.6	.	.	.	5	4.0	.	.	.	4	3.2	.	.	.
....Rectal cancer (154)	2	0.8	2	1.6	.	.	.
..Pancreatic cancer (157)	4	1.6	.	.	.	1	0.8	.	.	.	3	2.4	.	.	.
..Lung and other respiratory cancer (160-165)	17	6.7	10.2	0	11.2	10	8.0	.	.	.	7	5.5	.	.	.
....Lung cancer (162.2-.9)	15	6.0	8.8	0	.	8	6.4	.	.	.	7	5.5	.	.	.
..Malignant melanoma of skin (172)	2	0.8	.	.	.	1	0.8	.	.	.	1	0.8	.	.	.
..Female breast cancer (174)	7	7	5.5	.	.	.
..Cervical cancer (180)	4	4	3.2	.	.	.
..Endometrial cancer (182)	2	2	1.6	.	.	.
..Ovarian cancer (183)	4	4	3.2	.	.	.
..Prostate cancer (185)	6	6	4.8
..Bladder cancer (188)	1	0.4	.	.	.	1	0.8
..Brain & other CNS cancer (191-192)	2	0.8	.	.	.	1	0.8	.	.	.	1	0.8	.	.	.
..Leukemia (204-208)	7	2.8	.	.	.	6	4.8	.	.	.	1	0.8	.	.	.
Diabetes mellitus (250)	29	11.5	17.5	0	.	15	12.0	23.0	.	.	14	11.0	.	.	.
..Diabetes-related (250)	83	32.9	49.6	0	52.9	43	34.4	64.0	0	57.6	40	31.5	38.9	0	48.5
..Diabetic ketoacidosis (DKA) (250.1)	1	0.4	1	0.8	.	.	.
Alzheimer's diseases (331.0)	4	1.6	.	.	.	2	1.6	.	.	.	2	1.6	.	.	.
Cardiovascular disease (390-459)	194	77.0	101.8	0	113.5	101	80.8	128.5	0	150.9	93	73.2	79.7	0	86.0
..Diseases of the heart (390-398,402,404-429)	158	62.7	82.2	0	94.2	81	64.8	102.7	0	127.5	77	60.6	64.9	0	70.2
....Heart disease-related (390-398,402,404-429)	299	118.7	155.9	0	182.3	165	132.0	203.7	0	246.8	134	105.5	118.6	0	133.0
....Coronary heart disease (CHD) (402,410-414,429.2)	95	37.7	52.7	0	65.7	46	36.8	63.0	0	87.5	49	38.6	44.9	0	50.2
....Congestive heart failure (CHF) (428.0)	2	0.8	2	1.6	.	.	.
....Hypertension with or without renal disease (401,403)	1	0.4	.	.	.	1	0.8
....Hypertension-related (401,403)	23	9.1	13.5	0	18.1	11	8.8	.	.	20.2	12	9.5	.	.	16.4
..Cerebrovascular disease (430-438)	28	11.1	14.8	0	15.5	16	12.8	19.8	0	.	12	9.5	.	.	14.1
..Atherosclerosis (440)	1	0.4	.	.	.	1	0.8
....Atherosclerosis-related (440)	7	2.8	.	.	.	4	3.2	.	.	.	3	2.4	.	.	.
..Aortic aneurysm (441)	3	1.2	.	.	.	2	1.6	.	.	.	1	0.8	.	.	.
Pneumonia & influenza (480-487)	16	6.3	8.0	0	11.0	7	5.6	.	.	.	9	7.1	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1996*****					*****1996*****					*****1996*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	19	7.5	9.9	0	8.1	12	9.6	.	.	.	7	5.5	.	.	.
..COPD-related (490-496)	49	19.4	25.9	0	22.1	33	26.4	43.2	0	28.1	16	12.6	14.5	0	18.9
..Asthma (493)	6	2.4	.	.	.	4	3.2	.	.	.	2	1.6	.	.	.
Chronic liver disease and cirrhosis (571)	27	10.7	15.1	0	12.0	22	17.6	26.5	0	.	5	3.9	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	12	4.8	.	.	.	6	4.8	.	.	.	6	4.7	.	.	.
..Nephritis-related (580-589)	44	17.5	25.5	0	22.6	23	18.4	30.6	0	34.1	21	16.5	21.0	0	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	16	6.3	9.3	0	.	8	6.4	.	.	.	8	6.3	.	.	.
Unintentional injuries (E800-E949)	50	19.8	20.6	0	32.8	39	31.2	33.5	0	53.5	11	8.7	.	.	12.7
..Motor vehicle accidents (E810-E825)	19	7.5	8.4	0	10.4	16	12.8	14.9	0	17.1	3	2.4	.	.	.
..Falls and fall related injuries (E880-E888)	3	1.2	.	.	.	2	1.6	.	.	.	1	0.8	.	.	.
..Drowning (E830,E832,E910)	2	0.8	.	.	.	2	1.6
..Residential fires (E890-E899)	6	2.4	.	.	.	3	2.4	.	.	.	3	2.4	.	.	.
Suicide (E950-E959)	13	5.2	.	.	7.8	12	9.6	.	.	13.6	1	0.8	.	.	.
Homicide and legal intervention (E960-E978)	30	11.9	12.1	0	12.8	26	20.8	21.9	0	23.3	4	3.2	.	.	.
..Homicide (E960-E969)	30	11.9	12.1	0	12.8	26	20.8	21.9	0	23.3	4	3.2	.	.	.
All injury (E800-E999)	98	38.9	39.3	0	54.4	82	65.6	68.2	0	92.0	16	12.6	11.9	0	17.9
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	19	7.5	8.4	0	10.4	16	12.8	14.9	0	17.1	3	2.4	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1.2	.	.	.	2	1.6	.	.	.	1	0.8	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	27	10.7	10.1	0	12.3	24	19.2	17.9	0	23.2	3	2.4	.	.	.
....Suicide (E955.0-.4)	3	1.2	.	.	.	3	2.4
....Homicide (E965.0-.4)	24	9.5	9.0	0	9.6	21	16.8	15.6	0	17.9	3	2.4	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	21	8.3	8.0	0	13.0	19	15.2	14.4	0	24.3	2	1.6	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	6.0	8.4	0	8.9	13	10.4	.	.	.	2	1.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	18	7.1	6.8	0	12.2	16	12.8	11.9	0	22.2	2	1.6	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

*****Causes of Death*****	Both Sexes				Male				Female						
	*****1996*****				*****1996*****				*****1996*****						
	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR	No. of deaths	Crude rate	AAMR	Significance	1995 AAMR
All causes	726	288.1	439.5	0	483.9	452	361.6	596.0	0	661.9	274	215.8	315.6	0	342.5
Infectious diseases and parasitic disease (1-139)	105	41.7	40.3	1	60.6	76	60.8	60.0	1	95.6	29	22.8	22.3	0	28.4
..Septicemia (038)	8	3.2	.	.	.	5	4.0	.	.	.	3	2.4	.	.	.
....Septicemia-related (038)	44	17.5	30.5	0	25.2	28	22.4	46.8	0	38.3	16	12.6	19.5	0	.
..HIV infection (042-044)	83	32.9	28.4	1	46.4	61	48.8	43.4	1	74.6	22	17.3	14.6	0	20.1
All cancer (140-208)	118	46.8	87.4	0	89.7	62	49.6	115.9	0	121.1	56	44.1	69.0	0	69.2
..Oral cavity or pharynx (140.0-149.9)	4	1.6	.	.	.	4	3.2
..Colorectal cancer (153.0-154.3,154.8,159.0)	11	4.4	.	.	.	5	4.0	.	.	.	6	4.7	.	.	.
....Colon cancer (153)	9	3.6	.	.	.	5	4.0	.	.	.	4	3.2	.	.	.
....Rectal cancer (154)	2	0.8	2	1.6	.	.	.
..Pancreatic cancer (157)	4	1.6	.	.	.	1	0.8	.	.	.	3	2.4	.	.	.
..Lung and other respiratory cancer (160-165)	17	6.7	14.3	0	14.4	10	8.0	.	.	.	7	5.5	.	.	.
....Lung cancer (162.2-.9)	15	6.0	12.7	0	.	8	6.4	.	.	.	7	5.5	.	.	.
..Malignant melanoma of skin (172)	2	0.8	.	.	.	1	0.8	.	.	.	1	0.8	.	.	.
..Female breast cancer (174)	7	7	5.5	.	.	.
..Cervical cancer (180)	4	4	3.2	.	.	.
..Endometrial cancer (182)	2	2	1.6	.	.	.
..Ovarian cancer (183)	4	4	3.2	.	.	.
..Prostate cancer (185)	6	6	4.8
..Bladder cancer (188)	1	0.4	.	.	.	1	0.8
..Brain & other CNS cancer (191-192)	2	0.8	.	.	.	1	0.8	.	.	.	1	0.8	.	.	.
..Leukemia (204-208)	7	2.8	.	.	.	6	4.8	.	.	.	1	0.8	.	.	.
Diabetes mellitus (250)	29	11.5	23.4	0	.	15	12.0	30.3	.	.	14	11.0	.	.	.
..Diabetes-related (250)	83	32.9	68.5	0	70.3	43	34.4	86.5	0	73.7	40	31.5	55.3	0	66.2
..Diabetic ketoacidosis (DKA) (250.1)	1	0.4	1	0.8	.	.	.
Alzheimer's diseases (331.0)	4	1.6	.	.	.	2	1.6	.	.	.	2	1.6	.	.	.
Cardiovascular disease (390-459)	194	77.0	143.6	0	158.1	101	80.8	173.2	0	211.2	93	73.2	119.5	0	121.4
..Diseases of the heart (390-398,402,404-429)	158	62.7	116.5	0	131.3	81	64.8	137.7	0	180.4	77	60.6	98.6	0	98.4
....Heart disease-related (390-398,402,404-429)	299	118.7	209.9	0	245.5	165	132.0	270.6	0	331.4	134	105.5	164.9	0	184.6
....Coronary heart disease (CHD) (402,410-414,429.2)	95	37.7	75.1	0	93.6	46	36.8	88.2	0	126.8	49	38.6	65.4	0	71.7
....Congestive heart failure (CHF) (428.0)	2	0.8	2	1.6	.	.	.
....Hypertension with or without renal disease (401,403)	1	0.4	.	.	.	1	0.8
....Hypertension-related (401,403)	23	9.1	19.6	0	25.9	11	8.8	.	.	29.7	12	9.5	.	.	23.3
..Cerebrovascular disease (430-438)	28	11.1	20.9	0	21.8	16	12.8	28.1	0	.	12	9.5	.	.	20.7
..Atherosclerosis (440)	1	0.4	.	.	.	1	0.8
....Atherosclerosis-related (440)	7	2.8	.	.	.	4	3.2	.	.	.	3	2.4	.	.	.
..Aortic aneurysm (441)	3	1.2	.	.	.	2	1.6	.	.	.	1	0.8	.	.	.
Pneumonia & influenza (480-487)	16	6.3	11.4	0	14.5	7	5.6	.	.	.	9	7.1	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1996*****				*****1996*****				*****1996*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	19	7.5	13.6	0	10.3	12	9.6	.	.	.	7	5.5	.	.	.
..COPD-related (490-496)	49	19.4	39.1	0	32.2	33	26.4	67.9	0	43.7	16	12.6	21.1	0	25.8
..Asthma (493)	6	2.4	.	.	.	4	3.2	.	.	.	2	1.6	.	.	.
Chronic liver disease and cirrhosis (571)	27	10.7	16.8	0	13.7	22	17.6	28.4	0	.	5	3.9	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	12	4.8	.	.	.	6	4.8	.	.	.	6	4.7	.	.	.
..Nephritis-related (580-589)	44	17.5	30.0	0	29.7	23	18.4	35.3	0	43.4	21	16.5	25.2	0	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	16	6.3	11.7	0	.	8	6.4	.	.	.	8	6.3	.	.	.
Unintentional injuries (E800-E949)	50	19.8	20.6	0	31.8	39	31.2	32.9	0	48.6	11	8.7	.	.	15.1
..Motor vehicle accidents (E810-E825)	19	7.5	8.1	0	9.3	16	12.8	14.5	0	15.3	3	2.4	.	.	.
..Falls and fall related injuries (E880-E888)	3	1.2	.	.	.	2	1.6	.	.	.	1	0.8	.	.	.
..Drowning (E830,E832,E910)	2	0.8	.	.	.	2	1.6
..Residential fires (E890-E899)	6	2.4	.	.	.	3	2.4	.	.	.	3	2.4	.	.	.
Suicide (E950-E959)	13	5.2	.	.	7.2	12	9.6	.	.	12.4	1	0.8	.	.	.
Homicide and legal intervention (E960-E978)	30	11.9	11.4	0	11.9	26	20.8	20.8	0	21.7	4	3.2	.	.	.
..Homicide (E960-E969)	30	11.9	11.4	0	11.9	26	20.8	20.8	0	21.7	4	3.2	.	.	.
All injury (E800-E999)	98	38.9	37.5	0	51.8	82	65.6	64.5	0	84.2	16	12.6	12.4	0	20.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	19	7.5	8.1	0	9.3	16	12.8	14.5	0	15.3	3	2.4	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1.2	.	.	.	2	1.6	.	.	.	1	0.8	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	27	10.7	8.8	0	11.2	24	19.2	15.5	0	21.4	3	2.4	.	.	.
....Suicide (E955.0-.4)	3	1.2	.	.	.	3	2.4
....Homicide (E965.0-.4)	24	9.5	7.9	0	8.9	21	16.8	13.6	0	16.8	3	2.4	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	21	8.3	6.8	0	10.8	19	15.2	12.0	0	20.3	2	1.6	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	6.0	8.6	0	9.3	13	10.4	.	.	.	2	1.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	18	7.1	5.6	0	10.1	16	12.8	9.7	0	18.2	2	1.6	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1996*****				*****1996*****				*****1996*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR
*****Causes of Death*****															
All causes	726	288.1	564.0	0	610.2	452	361.6	756.5	0	838.3	274	215.8	417.3	0	434.8
Infectious diseases and parasitic disease (1-139)	105	41.7	49.7	1	78.0	76	60.8	75.1	1	122.8	29	22.8	26.7	0	36.8
..Septicemia (038)	8	3.2	.	.	.	5	4.0	.	.	.	3	2.4	.	.	.
....Septicemia-related (038)	44	17.5	40.1	0	33.9	28	22.4	61.7	0	48.7	16	12.6	26.1	0	.
..HIV infection (042-044)	83	32.9	34.9	1	58.2	61	48.8	54.0	1	94.7	22	17.3	17.1	0	24.2
All cancer (140-208)	118	46.8	114.5	0	109.6	62	49.6	154.1	0	153.3	56	44.1	90.5	0	82.1
..Oral cavity or pharynx (140.0-149.9)	4	1.6	.	.	.	4	3.2
..Colorectal cancer (153.0-154.3,154.8,159.0)	11	4.4	.	.	.	5	4.0	.	.	.	6	4.7	.	.	.
....Colon cancer (153)	9	3.6	.	.	.	5	4.0	.	.	.	4	3.2	.	.	.
....Rectal cancer (154)	2	0.8	2	1.6	.	.	.
..Pancreatic cancer (157)	4	1.6	.	.	.	1	0.8	.	.	.	3	2.4	.	.	.
..Lung and other respiratory cancer (160-165)	17	6.7	18.3	0	16.4	10	8.0	.	.	.	7	5.5	.	.	.
....Lung cancer (162.2-.9)	15	6.0	16.8	0	.	8	6.4	.	.	.	7	5.5	.	.	.
..Malignant melanoma of skin (172)	2	0.8	.	.	.	1	0.8	.	.	.	1	0.8	.	.	.
..Female breast cancer (174)	7	7	5.5	.	.	.
..Cervical cancer (180)	4	4	3.2	.	.	.
..Endometrial cancer (182)	2	2	1.6	.	.	.
..Ovarian cancer (183)	4	4	3.2	.	.	.
..Prostate cancer (185)	6	6	4.8
..Bladder cancer (188)	1	0.4	.	.	.	1	0.8
..Brain & other CNS cancer (191-192)	2	0.8	.	.	.	1	0.8	.	.	.	1	0.8	.	.	.
..Leukemia (204-208)	7	2.8	.	.	.	6	4.8	.	.	.	1	0.8	.	.	.
Diabetes mellitus (250)	29	11.5	28.9	0	.	15	12.0	35.8	.	.	14	11.0	.	.	.
..Diabetes-related (250)	83	32.9	87.3	0	85.9	43	34.4	107.1	0	85.7	40	31.5	72.8	0	83.8
..Diabetic ketoacidosis (DKA) (250.1)	1	0.4	1	0.8	.	.	.
Alzheimer's diseases (331.0)	4	1.6	.	.	.	2	1.6	.	.	.	2	1.6	.	.	.
Cardiovascular disease (390-459)	194	77.0	196.2	0	211.2	101	80.8	227.6	0	283.9	93	73.2	170.6	0	163.9
..Diseases of the heart (390-398,402,404-429)	158	62.7	160.4	0	175.7	81	64.8	181.5	0	246.4	77	60.6	141.9	0	131.0
....Heart disease-related (390-398,402,404-429)	299	118.7	278.7	0	328.1	165	132.0	353.8	0	446.2	134	105.5	224.9	0	248.3
....Coronary heart disease (CHD) (402,410-414,429.2)	95	37.7	101.2	0	126.2	46	36.8	117.0	0	174.9	49	38.6	90.1	0	96.1
....Congestive heart failure (CHF) (428.0)	2	0.8	2	1.6	.	.	.
....Hypertension with or without renal disease (401,403)	1	0.4	.	.	.	1	0.8
....Hypertension-related (401,403)	23	9.1	26.1	0	34.3	11	8.8	.	.	40.8	12	9.5	.	.	30.5
..Cerebrovascular disease (430-438)	28	11.1	28.3	0	29.5	16	12.8	37.7	0	.	12	9.5	.	.	29.7
..Atherosclerosis (440)	1	0.4	.	.	.	1	0.8
....Atherosclerosis-related (440)	7	2.8	.	.	.	4	3.2	.	.	.	3	2.4	.	.	.
..Aortic aneurysm (441)	3	1.2	.	.	.	2	1.6	.	.	.	1	0.8	.	.	.
Pneumonia & influenza (480-487)	16	6.3	16.2	0	19.1	7	5.6	.	.	.	9	7.1	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1996
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1996*****				*****1996*****				*****1996*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1995 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	19	7.5	18.5	0	13.2	12	9.6	.	.	.	7	5.5	.	.	.
..COPD-related (490-496)	49	19.4	55.1	0	45.0	33	26.4	98.4	0	63.4	16	12.6	29.3	0	34.6
..Asthma (493)	6	2.4	.	.	.	4	3.2	.	.	.	2	1.6	.	.	.
Chronic liver disease and cirrhosis (571)	27	10.7	19.3	0	15.7	22	17.6	32.5	0	.	5	3.9	.	.	.
Nephritis, nephrotic syndrome/nephrosis (580-589)	12	4.8	.	.	.	6	4.8	.	.	.	6	4.7	.	.	.
..Nephritis-related (580-589)	44	17.5	35.5	0	40.2	23	18.4	40.1	0	60.5	21	16.5	30.8	0	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	16	6.3	14.1	0	.	8	6.4	.	.	.	8	6.3	.	.	.
Unintentional injuries (E800-E949)	50	19.8	22.8	0	37.0	39	31.2	36.1	0	55.8	11	8.7	.	.	18.0
..Motor vehicle accidents (E810-E825)	19	7.5	8.2	0	9.5	16	12.8	14.8	0	16.2	3	2.4	.	.	.
..Falls and fall related injuries (E880-E888)	3	1.2	.	.	.	2	1.6	.	.	.	1	0.8	.	.	.
..Drowning (E830,E832,E910)	2	0.8	.	.	.	2	1.6
..Residential fires (E890-E899)	6	2.4	.	.	.	3	2.4	.	.	.	3	2.4	.	.	.
Suicide (E950-E959)	13	5.2	.	.	7.3	12	9.6	.	.	12.5	1	0.8	.	.	.
Homicide and legal intervention (E960-E978)	30	11.9	10.8	0	11.9	26	20.8	20.1	0	22.3	4	3.2	.	.	.
..Homicide (E960-E969)	30	11.9	10.8	0	11.9	26	20.8	20.1	0	22.3	4	3.2	.	.	.
All injury (E800-E999)	98	38.9	40.3	0	57.1	82	65.6	69.3	0	91.7	16	12.6	13.5	0	22.9
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	19	7.5	8.2	0	9.5	16	12.8	14.8	0	16.2	3	2.4	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	3	1.2	.	.	.	2	1.6	.	.	.	1	0.8	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	27	10.7	8.4	0	10.9	24	19.2	14.8	0	20.8	3	2.4	.	.	.
....Suicide (E955.0-.4)	3	1.2	.	.	.	3	2.4
....Homicide (E965.0-.4)	24	9.5	7.2	0	8.6	21	16.8	12.4	0	16.4	3	2.4	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	21	8.3	8.2	0	13.1	19	15.2	14.4	0	24.6	2	1.6	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	6.0	9.5	0	10.3	13	10.4	.	.	.	2	1.6	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	18	7.1	6.9	0	12.4	16	12.8	11.8	0	22.5	2	1.6	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996 AAMR is significantly different (prob<0.05) from the 1995 AAMR.
 0 - The 1996 AAMR is not significantly different (prob>0.05) from the 1995 AAMR.

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	726	456	552	12,359	17,369	4903.8	6036.0	1	7120.5	8740.6	1
Infectious diseases and parasitic disease (1-139)	105	100	102	2,654	3,664	1060.3	1631.2	1	1431.9	2186.2	1
..Septicemia (038)	8	4	5	35	83
...Septicemia-related (038)	44	24	30	400	675	194.0	239.7	0	344.7	358.9	0
..HIV infection (042-044)	83	83	83	2,238	3,068	894.5	1463.9	1	1187.6	1947.7	1
All cancer (140-208)	118	53	77	890	1,540	423.6	453.7	0	790.8	916.6	0
..Oral cavity or pharynx (140.0-149.9)	4	1	2	8	25
..Colorectal cancer (153.0-154.3,154.8,159.0)	11	6	8	60	130
...Colon cancer (153)	9	5	6	58	115
...Rectal cancer (154)	2	1	2	3	15
..Pancreatic cancer (157)	4	1	2	13	30
..Lung and other respiratory cancer (160-165)	17	5	11	38	118	25.9	25.0	0	81.4	95.4	0
...Lung cancer (162.2-.9)	15	3	9	28	88	18.6	.	0	60.2	.	0
..Malignant melanoma of skin (172)	2	1	1	28	38
..Female breast cancer (174)	7	6	6	110	170
..Cervical cancer (180)	4	2	2	45	65
..Endometrial cancer (182)	2	1	1	13	23
..Ovarian cancer (183)	4	1	2	13	25
..Prostate cancer (185)	6	2	3	10	38
..Bladder cancer (188)	1	.	.	0	0
..Brain & other CNS cancer (191-192)	2	1	1	58	68
..Leukemia (204-208)	7	3	5	85	125
Diabetes mellitus (250)	29	13	20	123	285	69.0	.	0	174.0	.	0
..Diabetes-related (250)	83	30	49	295	693	172.6	188.3	0	430.1	527.8	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	4	1	2	3	15
Cardiovascular disease (390-459)	194	77	115	1,491	2,416	652.3	568.0	0	1145.7	1196.8	0
..Diseases of the heart (390-398,402,404-429)	158	62	92	1,196	1,946	525.3	456.4	0	925.3	979.6	0
...Heart disease-related (390-398,402,404-429)	299	145	198	2,995	4,682	1299.0	1411.0	0	2168.0	2464.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	95	34	55	420	848	218.9	243.0	0	478.5	585.6	0
....Congestive heart failure (CHF) (428.0)	2	.	.	0	0
..Hypertension with or without renal disease (401,403)	1	.	1	0	3
...Hypertension-related (401,403)	23	7	13	43	133	29.8	76.6	0	92.1	170.7	0
..Cerebrovascular disease (430-438)	28	11	17	240	370	102.9	93.5	0	171.2	178.9	0
..Atherosclerosis (440)	1	1	1	23	33
...Atherosclerosis-related (440)	7	4	4	40	80
..Aortic aneurysm (441)	3	1	2	3	15
Pneumonia & influenza (480-487)	16	8	9	142	225	66.0	105.3	0	110.7	170.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	19	9	11	153	258	75.9	121.5	0	133.9	162.1	0
..COPD-related (490-496)	49	15	23	183	373	97.1	152.5	0	215.8	252.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	6	6	6	120	180
Chronic liver disease and cirrhosis (571)	27	21	25	333	563	164.8	109.6	0	286.1	202.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	12	7	11	128	213
..Nephritis-related (580-589)	44	27	39	443	773	218.4	232.5	0	400.4	359.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	16	8	13	135	238	60.9	.	0	118.5	.	0
Unintentional injuries (E800-E949)	50	47	48	1,635	2,107	628.6	958.4	0	793.7	1217.8	0
..Motor vehicle accidents (E810-E825)	19	19	19	617	807	255.3	369.5	0	328.2	457.7	0
..Falls and fall related injuries (E880-E888)	3	2	2	82	102
..Drowning (E830,E832,E910)	2	2	2	122	142
..Residential fires (E890-E899)	6	5	6	222	274
Suicide (E950-E959)	13	13	13	383	513	.	246.2	.	.	313.5	.
Homicide and legal intervention (E960-E978)	30	28	30	1,127	1,417	456.9	439.4	0	550.8	548.2	0
..Homicide (E960-E969)	30	28	30	1,127	1,417	456.9	439.4	0	550.8	548.2	0
All injury (E800-E999)	98	93	96	3,329	4,271	1300.0	1699.3	0	1616.1	2142.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	19	19	19	617	807	255.3	369.5	0	328.2	457.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	3	3	95	125
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	27	27	27	1,053	1,323	429.0	445.7	0	511.3	549.3	0
....Suicide (E955.0-.4)	3	3	3	88	118
....Homicide (E965.0-.4)	24	24	24	965	1,205	395.0	331.1	0	467.8	412.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	21	21	21	643	853	261.6	402.1	0	330.8	514.6	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	14	15	210	358	109.0	103.9	0	187.5	179.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	18	18	18	535	715	212.4	386.6	0	271.2	492.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	452	324	374	8,838	12,318	7099.8	8758.5	0	10275.4	12600.5	0
Infectious diseases and parasitic disease (1-139)	76	74	75	1,870	2,618	1558.9	2674.7	1	2140.5	3589.2	1
..Septicemia (038)	5	3	4	23	60
...Septicemia-related (038)	28	15	20	273	455	258.5	399.4	0	472.6	617.2	0
..HIV infection (042-044)	61	61	61	1,613	2,223	1327.5	2342.9	1	1775.0	3125.5	1
All cancer (140-208)	62	29	40	490	827	468.9	486.3	0	888.6	1020.0	0
..Oral cavity or pharynx (140.0-149.9)	4	1	2	8	25
..Colorectal cancer (153.0-154.3,154.8,159.0)	5	3	3	23	53
...Colon cancer (153)	5	3	3	23	53
...Rectal cancer (154)
..Pancreatic cancer (157)	1	.	.	0	0
..Lung and other respiratory cancer (160-165)	10	4	7	30	78
...Lung cancer (162.2-.9)	8	2	5	20	48
..Malignant melanoma of skin (172)	1	.	.	0	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	6	2	3	10	38
..Bladder cancer (188)	1	.	.	0	0
..Brain & other CNS cancer (191-192)	1	1	1	58	68
..Leukemia (204-208)	6	3	4	85	117
Diabetes mellitus (250)	15	7	11	53	143	72.9	.	.	207.6	.	.
..Diabetes-related (250)	43	18	29	175	413	221.3	210.0	0	562.5	616.7	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	2	.	.	0	0
Cardiovascular disease (390-459)	101	52	73	1,034	1,647	927.1	759.4	0	1624.8	1597.6	0
..Diseases of the heart (390-398,402,404-429)	81	42	58	812	1,312	745.9	628.6	0	1318.0	1323.1	0
...Heart disease-related (390-398,402,404-429)	165	94	121	1,933	3,001	1703.2	2001.9	0	2882.4	3434.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	46	20	30	250	500	270.2	323.0	0	604.4	778.1	0
....Congestive heart failure (CHF) (428.0)
..Hypertension with or without renal disease (401,403)	1	.	1	0	3
...Hypertension-related (401,403)	11	4	8	15	70	.	115.2	.	.	220.6	.
..Cerebrovascular disease (430-438)	16	8	11	197	285	156.1	.	0	248.9	.	0
..Atherosclerosis (440)	1	1	1	23	33
...Atherosclerosis-related (440)	4	3	3	38	68
..Aortic aneurysm (441)	2	1	2	3	15
Pneumonia & influenza (480-487)	7	3	4	90	122
Chronic obstructive pulmonary disease (COPD) (490-496)	12	6	7	120	188
..COPD-related (490-496)	33	10	16	135	260	138.2	84.1	0	306.1	193.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	4	4	4	95	135
Chronic liver disease and cirrhosis (571)	22	20	21	300	503	324.1	.	0	548.7	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	5	6	73	125
..Nephritis-related (580-589)	23	17	21	243	433	268.4	430.3	0	499.5	648.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	8	5	6	73	125
Unintentional injuries (E800-E949)	39	37	38	1,264	1,636	987.3	1616.9	0	1250.8	2063.3	0
..Motor vehicle accidents (E810-E825)	16	16	16	487	647	415.2	559.4	0	547.1	706.9	0
..Falls and fall related injuries (E880-E888)	2	1	1	18	28
..Drowning (E830,E832,E910)	2	2	2	122	142
..Residential fires (E890-E899)	3	2	3	97	120
Suicide (E950-E959)	12	12	12	350	470	.	455.7	.	.	572.3	.
Homicide and legal intervention (E960-E978)	26	24	26	940	1,190	764.6	736.5	0	932.8	938.6	0
..Homicide (E960-E969)	26	24	26	940	1,190	764.6	736.5	0	932.8	938.6	0
All injury (E800-E999)	82	78	81	2,738	3,531	2163.3	2880.1	0	2706.1	3657.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	16	16	16	487	647	415.2	559.4	0	547.1	706.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	2	2	2	30	50
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	24	24	24	930	1,170	748.3	818.4	0	893.9	1015.0	0
....Suicide (E955.0-.4)	3	3	3	88	118
....Homicide (E965.0-.4)	21	21	21	843	1,053	678.8	593.6	0	804.7	746.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	19	19	603	793	485.1	736.3	0	608.3	948.6	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	13	13	13	178	308
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	16	16	16	495	655	389.2	682.3	0	491.7	875.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	274	132	178	3,521	5,051	2753.2	3422.7	0	4103.1	5102.7	0
Infectious diseases and parasitic disease (1-139)	29	26	27	784	1,047	596.0	646.4	0	775.5	866.5	0
..Septicemia (038)	3	1	1	13	23
...Septicemia-related (038)	16	9	10	128	220	135.2	.	0	234.3	.	0
..HIV infection (042-044)	22	22	22	625	845	485.8	636.2	0	635.1	840.8	0
All cancer (140-208)	56	24	37	400	713	377.0	422.0	0	698.8	829.2	0
..Oral cavity or pharynx (140.0-149.9)
..Colorectal cancer (153.0-154.3,154.8,159.0)	6	3	5	38	78
...Colon cancer (153)	4	2	3	35	63
...Rectal cancer (154)	2	1	2	3	15
..Pancreatic cancer (157)	3	1	2	13	30
..Lung and other respiratory cancer (160-165)	7	1	4	8	40
...Lung cancer (162.2-.9)	7	1	4	8	40
..Malignant melanoma of skin (172)	1	1	1	28	38
..Female breast cancer (174)	7	6	6	110	170
..Cervical cancer (180)	4	2	2	45	65
..Endometrial cancer (182)	2	1	1	13	23
..Ovarian cancer (183)	4	1	2	13	25
..Prostate cancer (185)
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)	1	.	.	0	0
..Leukemia (204-208)	1	.	1	0	8
Diabetes mellitus (250)	14	6	9	70	143
..Diabetes-related (250)	40	12	20	120	280	130.1	170.3	0	319.1	455.1	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	2	1	2	3	15
Cardiovascular disease (390-459)	93	25	42	457	769	389.5	389.0	0	708.2	845.6	0
..Diseases of the heart (390-398,402,404-429)	77	20	34	384	634	318.0	295.6	0	570.6	678.1	0
...Heart disease-related (390-398,402,404-429)	134	51	77	1,062	1,682	919.5	851.6	0	1521.1	1582.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	49	14	25	170	348	172.4	173.9	0	370.3	424.2	0
....Congestive heart failure (CHF) (428.0)	2	.	.	0	0
..Hypertension with or without renal disease (401,403)
...Hypertension-related (401,403)	12	3	5	28	63	.	40.5	.	.	122.6	.
..Cerebrovascular disease (430-438)	12	3	6	43	85	.	73.2	.	.	139.9	.
..Atherosclerosis (440)
...Atherosclerosis-related (440)	3	1	1	3	13
..Aortic aneurysm (441)	1	.	.	0	0
Pneumonia & influenza (480-487)	9	5	5	53	103
Chronic obstructive pulmonary disease (COPD) (490-496)	7	3	4	33	70
..COPD-related (490-496)	16	5	7	48	113	56.4	225.1	0	134.0	322.7	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	2	2	2	25	45
Chronic liver disease and cirrhosis (571)	5	1	4	33	60
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	2	5	55	88
..Nephritis-related (580-589)	21	10	18	200	340	175.0	.	0	313.0	.	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	8	3	7	63	113
Unintentional injuries (E800-E949)	11	10	10	371	471	.	316.1	.	.	397.6	.
..Motor vehicle accidents (E810-E825)	3	3	3	130	160
..Falls and fall related injuries (E880-E888)	1	1	1	65	75
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	3	3	3	125	155
Suicide (E950-E959)	1	1	1	33	43
Homicide and legal intervention (E960-E978)	4	4	4	187	227
..Homicide (E960-E969)	4	4	4	187	227
All injury (E800-E999)	16	15	15	591	741	425.2	526.9	0	521.9	651.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	3	3	3	130	160
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	65	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	3	3	3	123	153
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	3	3	3	123	153
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	40	60
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	2	1	2	33	50
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	2	2	40	60

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	726	456	552	12,359	17,369	4695.1	5668.8	0	6926.5	8365.0	1
Infectious diseases and parasitic disease (1-139)	105	100	102	2,654	3,664	930.0	1392.9	1	1252.9	1861.1	1
..Septicemia (038)	8	4	5	35	83
...Septicemia-related (038)	44	24	30	400	675	183.2	215.7	0	341.4	332.6	0
..HIV infection (042-044)	83	83	83	2,238	3,068	773.9	1252.4	1	1020.2	1654.9	1
All cancer (140-208)	118	53	77	890	1,540	422.1	447.8	0	821.2	959.7	0
..Oral cavity or pharynx (140.0-149.9)	4	1	2	8	25
..Colorectal cancer (153.0-154.3,154.8,159.0)	11	6	8	60	130
...Colon cancer (153)	9	5	6	58	115
...Rectal cancer (154)	2	1	2	3	15
..Pancreatic cancer (157)	4	1	2	13	30
..Lung and other respiratory cancer (160-165)	17	5	11	38	118	28.7	27.3	0	93.8	111.0	0
...Lung cancer (162.2-.9)	15	3	9	28	88	20.3	.	0	69.3	.	0
..Malignant melanoma of skin (172)	2	1	1	28	38
..Female breast cancer (174)	7	6	6	110	170
..Cervical cancer (180)	4	2	2	45	65
..Endometrial cancer (182)	2	1	1	13	23
..Ovarian cancer (183)	4	1	2	13	25
..Prostate cancer (185)	6	2	3	10	38
..Bladder cancer (188)	1	.	.	0	0
..Brain & other CNS cancer (191-192)	2	1	1	58	68
..Leukemia (204-208)	7	3	5	85	125
Diabetes mellitus (250)	29	13	20	123	285	70.5	.	0	190.5	.	0
..Diabetes-related (250)	83	30	49	295	693	178.6	195.9	0	471.4	588.2	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	4	1	2	3	15
Cardiovascular disease (390-459)	194	77	115	1,491	2,416	623.7	551.1	0	1156.0	1249.3	0
..Diseases of the heart (390-398,402,404-429)	158	62	92	1,196	1,946	501.0	439.5	0	931.4	1021.1	0
...Heart disease-related (390-398,402,404-429)	299	145	198	2,995	4,682	1257.9	1331.2	0	2180.6	2455.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	95	34	55	420	848	215.7	242.4	0	506.5	629.6	0
....Congestive heart failure (CHF) (428.0)	2	.	.	0	0
..Hypertension with or without renal disease (401,403)	1	.	1	0	3
...Hypertension-related (401,403)	23	7	13	43	133	33.5	85.4	0	106.9	192.6	0
..Cerebrovascular disease (430-438)	28	11	17	240	370	100.8	93.2	0	174.8	187.1	0
..Atherosclerosis (440)	1	1	1	23	33
...Atherosclerosis-related (440)	7	4	4	40	80
..Aortic aneurysm (441)	3	1	2	3	15
Pneumonia & influenza (480-487)	16	8	9	142	225	69.6	97.4	0	116.9	166.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	19	9	11	153	258	74.1	113.5	0	135.9	152.7	0
..COPD-related (490-496)	49	15	23	183	373	97.9	142.8	0	232.2	251.9	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	6	6	6	120	180
Chronic liver disease and cirrhosis (571)	27	21	25	333	563	157.6	102.1	0	283.0	200.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	12	7	11	128	213
..Nephritis-related (580-589)	44	27	39	443	773	207.2	215.9	0	401.4	346.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	16	8	13	135	238	55.4	.	0	118.7	.	0
Unintentional injuries (E800-E949)	50	47	48	1,635	2,107	614.4	880.2	0	764.6	1105.4	0
..Motor vehicle accidents (E810-E825)	19	19	19	617	807	249.6	338.5	0	317.5	413.5	0
..Falls and fall related injuries (E880-E888)	3	2	2	82	102
..Drowning (E830,E832,E910)	2	2	2	122	142
..Residential fires (E890-E899)	6	5	6	222	274
Suicide (E950-E959)	13	13	13	383	513	.	226.8	.	.	286.7	.
Homicide and legal intervention (E960-E978)	30	28	30	1,127	1,417	427.3	415.1	0	508.5	512.0	0
..Homicide (E960-E969)	30	28	30	1,127	1,417	427.3	415.1	0	508.5	512.0	0
All injury (E800-E999)	98	93	96	3,329	4,271	1227.6	1577.3	0	1504.4	1966.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	19	19	19	617	807	249.6	338.5	0	317.5	413.5	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	3	3	95	125
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	27	27	27	1,053	1,323	393.8	414.4	0	460.4	504.9	0
....Suicide (E955.0-.4)	3	3	3	88	118
....Homicide (E965.0-.4)	24	24	24	965	1,205	365.4	309.9	0	424.5	382.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	21	21	21	643	853	230.3	344.3	0	286.5	435.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	14	15	210	358	106.3	95.5	0	187.0	173.7	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	18	18	18	535	715	180.1	326.7	0	226.9	410.7	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	452	324	374	8,838	12,318	6710.5	8065.5	0	9878.3	11823.6	0
Infectious diseases and parasitic disease (1-139)	76	74	75	1,870	2,618	1354.6	2270.9	1	1862.8	3037.0	1
..Septicemia (038)	5	3	4	23	60
...Septicemia-related (038)	28	15	20	273	455	235.9	352.0	0	461.7	567.1	0
..HIV infection (042-044)	61	61	61	1,613	2,223	1149.6	1995.0	1	1527.1	2642.9	1
All cancer (140-208)	62	29	40	490	827	487.5	485.4	0	952.9	1082.8	0
..Oral cavity or pharynx (140.0-149.9)	4	1	2	8	25
..Colorectal cancer (153.0-154.3,154.8,159.0)	5	3	3	23	53
...Colon cancer (153)	5	3	3	23	53
...Rectal cancer (154)
..Pancreatic cancer (157)	1	.	.	0	0
..Lung and other respiratory cancer (160-165)	10	4	7	30	78
...Lung cancer (162.2-.9)	8	2	5	20	48
..Malignant melanoma of skin (172)	1	.	.	0	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	6	2	3	10	38
..Bladder cancer (188)	1	.	.	0	0
..Brain & other CNS cancer (191-192)	1	1	1	58	68
..Leukemia (204-208)	6	3	4	85	117
Diabetes mellitus (250)	15	7	11	53	143	78.9	.	.	234.9	.	.
..Diabetes-related (250)	43	18	29	175	413	230.6	224.7	0	620.0	696.0	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	2	.	.	0	0
Cardiovascular disease (390-459)	101	52	73	1,034	1,647	877.2	741.6	0	1628.1	1675.6	0
..Diseases of the heart (390-398,402,404-429)	81	42	58	812	1,312	701.1	600.6	0	1312.9	1372.4	0
...Heart disease-related (390-398,402,404-429)	165	94	121	1,933	3,001	1645.8	1867.0	0	2900.3	3385.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	46	20	30	250	500	266.0	329.5	0	640.8	844.8	0
....Congestive heart failure (CHF) (428.0)
..Hypertension with or without renal disease (401,403)	1	.	1	0	3
...Hypertension-related (401,403)	11	4	8	15	70	.	131.8	.	.	248.4	.
..Cerebrovascular disease (430-438)	16	8	11	197	285	151.8	.	0	252.8	.	0
..Atherosclerosis (440)	1	1	1	23	33
...Atherosclerosis-related (440)	4	3	3	38	68
..Aortic aneurysm (441)	2	1	2	3	15
Pneumonia & influenza (480-487)	7	3	4	90	122
Chronic obstructive pulmonary disease (COPD) (490-496)	12	6	7	120	188
..COPD-related (490-496)	33	10	16	135	260	136.4	74.0	0	328.6	198.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	4	4	4	95	135
Chronic liver disease and cirrhosis (571)	22	20	21	300	503	315.5	.	0	544.4	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	5	6	73	125
..Nephritis-related (580-589)	23	17	21	243	433	264.1	393.8	0	511.0	610.5	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	8	5	6	73	125
Unintentional injuries (E800-E949)	39	37	38	1,264	1,636	942.3	1459.0	0	1178.0	1838.9	0
..Motor vehicle accidents (E810-E825)	16	16	16	487	647	404.1	506.8	0	528.8	633.2	0
..Falls and fall related injuries (E880-E888)	2	1	1	18	28
..Drowning (E830,E832,E910)	2	2	2	122	142
..Residential fires (E890-E899)	3	2	3	97	120
Suicide (E950-E959)	12	12	12	350	470	.	419.7	.	.	522.0	.
Homicide and legal intervention (E960-E978)	26	24	26	940	1,190	704.3	688.2	0	851.2	870.4	0
..Homicide (E960-E969)	26	24	26	940	1,190	704.3	688.2	0	851.2	870.4	0
All injury (E800-E999)	82	78	81	2,738	3,531	2004.9	2634.1	0	2477.1	3308.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	16	16	16	487	647	404.1	506.8	0	528.8	633.2	0
..All falls (E880-E886,E888,E957,E968.1,E987)	2	2	2	30	50
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	24	24	24	930	1,170	679.7	763.1	0	797.0	936.8	0
....Suicide (E955.0-.4)	3	3	3	88	118
....Homicide (E965.0-.4)	21	21	21	843	1,053	621.8	558.7	0	723.6	697.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	19	19	603	793	423.6	622.2	0	521.8	793.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	13	13	13	178	308
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	16	16	16	495	655	325.9	569.7	0	405.7	723.0	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	274	132	178	3,521	5,051	2719.9	3368.5	0	4118.1	5124.3	0
Infectious diseases and parasitic disease (1-139)	29	26	27	784	1,047	537.1	566.9	0	691.8	758.8	0
..Septicemia (038)	3	1	1	13	23
...Septicemia-related (038)	16	9	10	128	220	135.9	.	0	240.2	.	0
..HIV infection (042-044)	22	22	22	625	845	419.9	555.3	0	544.7	729.2	0
All cancer (140-208)	56	24	37	400	713	355.9	411.0	0	697.7	856.1	0
..Oral cavity or pharynx (140.0-149.9)
..Colorectal cancer (153.0-154.3,154.8,159.0)	6	3	5	38	78
...Colon cancer (153)	4	2	3	35	63
...Rectal cancer (154)	2	1	2	3	15
..Pancreatic cancer (157)	3	1	2	13	30
..Lung and other respiratory cancer (160-165)	7	1	4	8	40
...Lung cancer (162.2-.9)	7	1	4	8	40
..Malignant melanoma of skin (172)	1	1	1	28	38
..Female breast cancer (174)	7	6	6	110	170
..Cervical cancer (180)	4	2	2	45	65
..Endometrial cancer (182)	2	1	1	13	23
..Ovarian cancer (183)	4	1	2	13	25
..Prostate cancer (185)
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)	1	.	.	0	0
..Leukemia (204-208)	1	.	1	0	8
Diabetes mellitus (250)	14	6	9	70	143
..Diabetes-related (250)	40	12	20	120	280	133.1	171.6	0	347.6	499.5	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	2	1	2	3	15
Cardiovascular disease (390-459)	93	25	42	457	769	382.5	373.3	0	731.1	880.0	0
..Diseases of the heart (390-398,402,404-429)	77	20	34	384	634	314.2	289.4	0	591.7	717.5	0
...Heart disease-related (390-398,402,404-429)	134	51	77	1,062	1,682	894.7	824.1	0	1534.9	1619.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	49	14	25	170	348	170.6	166.8	0	392.4	450.1	0
....Congestive heart failure (CHF) (428.0)	2	.	.	0	0
..Hypertension with or without renal disease (401,403)
...Hypertension-related (401,403)	12	3	5	28	63	.	41.6	.	.	137.7	.
..Cerebrovascular disease (430-438)	12	3	6	43	85	.	65.5	.	.	137.7	.
..Atherosclerosis (440)
...Atherosclerosis-related (440)	3	1	1	3	13
..Aortic aneurysm (441)	1	.	.	0	0
Pneumonia & influenza (480-487)	9	5	5	53	103
Chronic obstructive pulmonary disease (COPD) (490-496)	7	3	4	33	70
..COPD-related (490-496)	16	5	7	48	113	60.0	215.8	0	146.7	316.8	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	2	2	2	25	45
Chronic liver disease and cirrhosis (571)	5	1	4	33	60
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	2	5	55	88
..Nephritis-related (580-589)	21	10	18	200	340	157.4	.	0	303.9	.	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	8	3	7	63	113
Unintentional injuries (E800-E949)	11	10	10	371	471	.	314.6	.	.	393.0	.
..Motor vehicle accidents (E810-E825)	3	3	3	130	160
..Falls and fall related injuries (E880-E888)	1	1	1	65	75
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	3	3	3	125	155
Suicide (E950-E959)	1	1	1	33	43
Homicide and legal intervention (E960-E978)	4	4	4	187	227
..Homicide (E960-E969)	4	4	4	187	227
All injury (E800-E999)	16	15	15	591	741	436.7	525.1	0	526.6	641.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	3	3	3	130	160
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	65	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	3	3	3	123	153
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	3	3	3	123	153
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	40	60
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	2	1	2	33	50
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	2	2	40	60

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	726	456	552	12,359	17,369	5094.6	6243.9	1	7516.8	9176.9	1
Infectious diseases and parasitic disease (1-139)	105	100	102	2,654	3,664	1156.2	1791.5	1	1547.2	2374.0	1
..Septicemia (038)	8	4	5	35	83
...Septicemia-related (038)	44	24	30	400	675	214.8	265.5	0	385.9	397.8	0
..HIV infection (042-044)	83	83	83	2,238	3,068	969.2	1613.2	1	1272.5	2119.6	1
All cancer (140-208)	118	53	77	890	1,540	483.2	491.8	0	913.0	1019.6	0
..Oral cavity or pharynx (140.0-149.9)	4	1	2	8	25
..Colorectal cancer (153.0-154.3,154.8,159.0)	11	6	8	60	130
...Colon cancer (153)	9	5	6	58	115
...Rectal cancer (154)	2	1	2	3	15
..Pancreatic cancer (157)	4	1	2	13	30
..Lung and other respiratory cancer (160-165)	17	5	11	38	118	30.4	29.6	0	98.0	115.7	0
...Lung cancer (162.2-.9)	15	3	9	28	88	22.0	.	0	74.1	.	0
..Malignant melanoma of skin (172)	2	1	1	28	38
..Female breast cancer (174)	7	6	6	110	170
..Cervical cancer (180)	4	2	2	45	65
..Endometrial cancer (182)	2	1	1	13	23
..Ovarian cancer (183)	4	1	2	13	25
..Prostate cancer (185)	6	2	3	10	38
..Bladder cancer (188)	1	.	.	0	0
..Brain & other CNS cancer (191-192)	2	1	1	58	68
..Leukemia (204-208)	7	3	5	85	125
Diabetes mellitus (250)	29	13	20	123	285	82.5	.	0	206.6	.	0
..Diabetes-related (250)	83	30	49	295	693	208.3	224.1	0	514.8	628.1	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	4	1	2	3	15
Cardiovascular disease (390-459)	194	77	115	1,491	2,416	722.5	658.1	0	1300.7	1402.0	0
..Diseases of the heart (390-398,402,404-429)	158	62	92	1,196	1,946	587.3	531.6	0	1056.0	1152.4	0
...Heart disease-related (390-398,402,404-429)	299	145	198	2,995	4,682	1422.8	1565.9	0	2420.7	2787.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	95	34	55	420	848	259.7	292.4	0	570.6	704.9	0
....Congestive heart failure (CHF) (428.0)	2	.	.	0	0
..Hypertension with or without renal disease (401,403)	1	.	1	0	3
...Hypertension-related (401,403)	23	7	13	43	133	34.9	87.2	0	110.5	198.4	0
..Cerebrovascular disease (430-438)	28	11	17	240	370	105.6	104.0	0	184.7	203.1	0
..Atherosclerosis (440)	1	1	1	23	33
...Atherosclerosis-related (440)	7	4	4	40	80
..Aortic aneurysm (441)	3	1	2	3	15
Pneumonia & influenza (480-487)	16	8	9	142	225	74.2	108.5	0	124.9	182.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	19	9	11	153	258	84.4	117.0	0	149.7	160.1	0
..COPD-related (490-496)	49	15	23	183	373	109.2	154.7	0	248.1	271.2	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	6	6	6	120	180
Chronic liver disease and cirrhosis (571)	27	21	25	333	563	197.6	131.7	0	337.1	238.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	12	7	11	128	213
..Nephritis-related (580-589)	44	27	39	443	773	255.3	257.3	0	469.5	404.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	16	8	13	135	238	67.4	.	0	135.3	.	0
Unintentional injuries (E800-E949)	50	47	48	1,635	2,107	613.9	940.3	0	773.6	1191.6	0
..Motor vehicle accidents (E810-E825)	19	19	19	617	807	243.5	334.9	0	313.7	412.0	0
..Falls and fall related injuries (E880-E888)	3	2	2	82	102
..Drowning (E830,E832,E910)	2	2	2	122	142
..Residential fires (E890-E899)	6	5	6	222	274
Suicide (E950-E959)	13	13	13	383	513	.	228.8	.	.	290.5	.
Homicide and legal intervention (E960-E978)	30	28	30	1,127	1,417	389.7	406.4	0	465.5	505.0	0
..Homicide (E960-E969)	30	28	30	1,127	1,417	389.7	406.4	0	465.5	505.0	0
All injury (E800-E999)	98	93	96	3,329	4,271	1225.8	1622.8	0	1517.4	2040.0	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	19	19	19	617	807	243.5	334.9	0	313.7	412.0	0
..All falls (E880-E886,E888,E957,E968.1,E987)	3	3	3	95	125
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	27	27	27	1,053	1,323	370.4	393.8	0	433.6	482.0	0
....Suicide (E955.0-.4)	3	3	3	88	118
....Homicide (E965.0-.4)	24	24	24	965	1,205	334.0	294.8	0	387.4	366.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	21	21	21	643	853	268.7	414.2	0	336.7	525.0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	15	14	15	210	358	131.2	119.6	0	220.6	206.5	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	18	18	18	535	715	219.6	400.2	0	277.5	504.4	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	452	324	374	8,838	12,318	7380.8	9154.0	0	10827.3	13319.7	1
Infectious diseases and parasitic disease (1-139)	76	74	75	1,870	2,618	1745.3	2958.6	1	2366.7	3922.0	1
..Septicemia (038)	5	3	4	23	60
...Septicemia-related (038)	28	15	20	273	455	286.8	444.1	0	532.0	686.2	0
..HIV infection (042-044)	61	61	61	1,613	2,223	1471.4	2604.9	1	1942.7	3429.7	1
All cancer (140-208)	62	29	40	490	827	521.5	532.2	0	1010.6	1149.8	0
..Oral cavity or pharynx (140.0-149.9)	4	1	2	8	25
..Colorectal cancer (153.0-154.3,154.8,159.0)	5	3	3	23	53
...Colon cancer (153)	5	3	3	23	53
...Rectal cancer (154)
..Pancreatic cancer (157)	1	.	.	0	0
..Lung and other respiratory cancer (160-165)	10	4	7	30	78
...Lung cancer (162.2-.9)	8	2	5	20	48
..Malignant melanoma of skin (172)	1	.	.	0	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	6	2	3	10	38
..Bladder cancer (188)	1	.	.	0	0
..Brain & other CNS cancer (191-192)	1	1	1	58	68
..Leukemia (204-208)	6	3	4	85	117
Diabetes mellitus (250)	15	7	11	53	143	86.6	.	.	246.4	.	.
..Diabetes-related (250)	43	18	29	175	413	268.8	250.6	0	677.0	734.3	0
..Diabetic ketoacidosis (DKA) (250.1)
Alzheimer's diseases (331.0)	2	.	.	0	0
Cardiovascular disease (390-459)	101	52	73	1,034	1,647	1014.4	870.1	0	1824.7	1864.6	0
..Diseases of the heart (390-398,402,404-429)	81	42	58	812	1,312	831.0	723.9	0	1494.8	1551.4	0
...Heart disease-related (390-398,402,404-429)	165	94	121	1,933	3,001	1873.2	2226.5	0	3222.3	3889.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	46	20	30	250	500	319.4	390.5	0	715.2	941.6	0
....Congestive heart failure (CHF) (428.0)
..Hypertension with or without renal disease (401,403)	1	.	1	0	3
...Hypertension-related (401,403)	11	4	8	15	70	.	127.5	.	.	246.1	.
..Cerebrovascular disease (430-438)	16	8	11	197	285	151.3	.	0	255.5	.	0
..Atherosclerosis (440)	1	1	1	23	33
...Atherosclerosis-related (440)	4	3	3	38	68
..Aortic aneurysm (441)	2	1	2	3	15
Pneumonia & influenza (480-487)	7	3	4	90	122
Chronic obstructive pulmonary disease (COPD) (490-496)	12	6	7	120	188
..COPD-related (490-496)	33	10	16	135	260	152.2	97.0	0	351.4	231.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	4	4	4	95	135
Chronic liver disease and cirrhosis (571)	22	20	21	300	503	393.6	.	0	649.5	.	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	5	6	73	125
..Nephritis-related (580-589)	23	17	21	243	433	318.5	490.5	0	586.9	741.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	8	5	6	73	125
Unintentional injuries (E800-E949)	39	37	38	1,264	1,636	960.4	1611.8	0	1214.3	2046.9	0
..Motor vehicle accidents (E810-E825)	16	16	16	487	647	398.4	523.2	0	527.5	658.6	0
..Falls and fall related injuries (E880-E888)	2	1	1	18	28
..Drowning (E830,E832,E910)	2	2	2	122	142
..Residential fires (E890-E899)	3	2	3	97	120
Suicide (E950-E959)	12	12	12	350	470	.	417.5	.	.	521.6	.
Homicide and legal intervention (E960-E978)	26	24	26	940	1,190	648.5	689.1	0	787.8	877.5	0
..Homicide (E960-E969)	26	24	26	940	1,190	648.5	689.1	0	787.8	877.5	0
All injury (E800-E999)	82	78	81	2,738	3,531	2038.0	2776.6	0	2541.8	3512.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	16	16	16	487	647	398.4	523.2	0	527.5	658.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	2	2	2	30	50
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	24	24	24	930	1,170	646.2	727.2	0	758.5	897.4	0
....Suicide (E955.0-.4)	3	3	3	88	118
....Homicide (E965.0-.4)	21	21	21	843	1,053	571.4	532.6	0	663.7	669.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	19	19	19	603	793	491.7	756.4	0	610.2	965.4	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	13	13	13	178	308
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	16	16	16	495	655	395.0	705.6	0	493.0	895.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
All causes	274	132	178	3,521	5,051	2880.2	3475.1	0	4391.3	5314.0	0
Infectious diseases and parasitic disease (1-139)	29	26	27	784	1,047	608.2	695.0	0	788.5	924.1	0
..Septicemia (038)	3	1	1	13	23
...Septicemia-related (038)	16	9	10	128	220	148.8	.	0	260.2	.	0
..HIV infection (042-044)	22	22	22	625	845	496.9	683.2	0	644.3	893.3	0
All cancer (140-208)	56	24	37	400	713	443.8	452.8	0	823.6	910.5	0
..Oral cavity or pharynx (140.0-149.9)
..Colorectal cancer (153.0-154.3,154.8,159.0)	6	3	5	38	78
...Colon cancer (153)	4	2	3	35	63
...Rectal cancer (154)	2	1	2	3	15
..Pancreatic cancer (157)	3	1	2	13	30
..Lung and other respiratory cancer (160-165)	7	1	4	8	40
...Lung cancer (162.2-.9)	7	1	4	8	40
..Malignant melanoma of skin (172)	1	1	1	28	38
..Female breast cancer (174)	7	6	6	110	170
..Cervical cancer (180)	4	2	2	45	65
..Endometrial cancer (182)	2	1	1	13	23
..Ovarian cancer (183)	4	1	2	13	25
..Prostate cancer (185)
..Bladder cancer (188)
..Brain & other CNS cancer (191-192)	1	.	.	0	0
..Leukemia (204-208)	1	.	1	0	8
Diabetes mellitus (250)	14	6	9	70	143
..Diabetes-related (250)	40	12	20	120	280	155.3	201.9	0	379.5	541.3	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3
Alzheimer's diseases (331.0)	2	1	2	3	15
Cardiovascular disease (390-459)	93	25	42	457	769	446.4	461.8	0	829.3	1002.3	0
..Diseases of the heart (390-398,402,404-429)	77	20	34	384	634	360.2	353.4	0	663.8	806.8	0
...Heart disease-related (390-398,402,404-429)	134	51	77	1,062	1,682	1002.7	944.3	0	1701.0	1794.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	49	14	25	170	348	205.7	207.5	0	446.5	507.6	0
....Congestive heart failure (CHF) (428.0)	2	.	.	0	0
..Hypertension with or without renal disease (401,403)
...Hypertension-related (401,403)	12	3	5	28	63	.	50.0	.	.	151.7	.
..Cerebrovascular disease (430-438)	12	3	6	43	85	.	82.1	.	.	160.2	.
..Atherosclerosis (440)
...Atherosclerosis-related (440)	3	1	1	3	13
..Aortic aneurysm (441)	1	.	.	0	0
Pneumonia & influenza (480-487)	9	5	5	53	103
Chronic obstructive pulmonary disease (COPD) (490-496)	7	3	4	33	70
..COPD-related (490-496)	16	5	7	48	113	67.3	215.5	0	157.3	321.5	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Hispanic Resident DEATHS, 1996
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1996			Years of life lost, 1996		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996	1995	Signif- icance	1996	1995	Signif- icance
*****Causes of Death*****											
..Asthma (493)	2	2	2	25	45
Chronic liver disease and cirrhosis (571)	5	1	4	33	60
Nephritis, nephrotic syndrome/nephrosis (580-589)	6	2	5	55	88
..Nephritis-related (580-589)	21	10	18	200	340	200.4	.	0	365.3	.	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	8	3	7	63	113
Unintentional injuries (E800-E949)	11	10	10	371	471	.	291.5	.	.	369.6	.
..Motor vehicle accidents (E810-E825)	3	3	3	130	160
..Falls and fall related injuries (E880-E888)	1	1	1	65	75
..Drowning (E830,E832,E910)
..Residential fires (E890-E899)	3	3	3	125	155
Suicide (E950-E959)	1	1	1	33	43
Homicide and legal intervention (E960-E978)	4	4	4	187	227
..Homicide (E960-E969)	4	4	4	187	227
All injury (E800-E999)	16	15	15	591	741	411.2	490.5	0	502.3	606.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	3	3	3	130	160
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	65	75
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	3	3	3	123	153
....Suicide (E955.0-.4)
....Homicide (E965.0-.4)	3	3	3	123	153
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	40	60
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	2	1	2	33	50
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	2	2	40	60

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).