

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex  
Native American Residents, 1994-1998

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables  
by Cause of Death and Sex, Native American Residents, 1994-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables  
by Cause of Death and Sex, Native American Residents, 1994-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1994-1998*****					*****1994-1998*****					*****1994-1998*****				
	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR
*****Causes of Death*****															
All causes	147	379.5	354.1	0	293.0	84	430.5	469.1	0	379.5	63	327.8	261.2	0	224.0
Infectious diseases and parasitic disease (1-139)	2	5.2	.	.	.	2	10.2	.	.	.	.	.	.	.	.
...Septicemia-related (038)	2	5.2	.	.	.	1	5.1	.	.	.	1	5.2	.	.	.
...HIV infection (042-044)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
All cancer (140-208)	37	95.5	96.4	0	61.5	18	92.2	105.6	0	101.7	19	98.9	88.8	0	.
..Oral cavity or pharynx (140.0-149.9)	4	10.3	.	.	.	2	10.2	.	.	.	2	10.4	.	.	.
..Pancreatic cancer (157)	2	5.2	.	.	.	1	5.1	.	.	.	1	5.2	.	.	.
..Lung and other respiratory cancer (160-165)	6	15.5	.	.	.	4	20.5	.	.	.	2	10.4	.	.	.
...Lung cancer (162.2-.9)	6	15.5	.	.	.	4	20.5	.	.	.	2	10.4	.	.	.
..Female breast cancer (174)	2	.	.	.	.	.	.	.	.	.	2	10.4	.	.	.
..Cervical cancer (180)	2	.	.	.	.	.	.	.	.	.	2	10.4	.	.	.
..Ovarian cancer (183)	1	.	.	.	.	.	.	.	.	.	1	5.2	.	.	.
..Prostate cancer (185)	1	.	.	.	.	1	5.1	.	.	.	.	.	.	.	.
..Leukemia (204-208)	4	10.3	.	.	.	3	15.4	.	.	.	1	5.2	.	.	.
Diabetes mellitus (250)	6	15.5	.	.	.	2	10.2	.	.	.	4	20.8	.	.	.
..Diabetes-related (250)	20	51.6	49.5	0	48.3	6	30.7	.	.	.	14	72.8	.	.	.
..Diabetic ketoacidosis (DKA) (250.1)	1	2.6	.	.	.	.	.	.	.	.	1	5.2	.	.	.
Cardiovascular disease (390-459)	55	142.0	127.1	0	133.5	36	184.5	199.5	0	161.0	19	98.9	68.1	0	107.4
..Diseases of the heart (390-398,402,404-429)	45	116.2	106.6	0	114.6	32	164.0	179.7	0	146.7	13	67.6	.	.	86.6
...Heart disease-related (390-398,402,404-429)	73	188.5	175.1	0	159.9	44	225.5	246.4	0	197.5	29	150.9	117.0	0	128.0
....Coronary heart disease (CHD) (402,410-414,429.2)	30	77.5	74.0	0	95.4	20	102.5	115.8	0	118.0	10	52.0	.	.	75.3
....Congestive heart failure (CHF) (428.0)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
....Hypertension-related (401,403)	11	28.4	.	.	.	4	20.5	.	.	.	7	36.4	.	.	.
..Cerebrovascular disease (430-438)	7	18.1	.	.	.	3	15.4	.	.	.	4	20.8	.	.	.
..Atherosclerosis (440)	1	2.6	.	.	.	.	.	.	.	.	1	5.2	.	.	.
....Atherosclerosis-related (440)	2	5.2	.	.	.	1	5.1	.	.	.	1	5.2	.	.	.
Pneumonia & influenza (480-487)	5	12.9	.	.	.	2	10.2	.	.	.	3	15.6	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	7.7	.	.	.	2	10.2	.	.	.	1	5.2	.	.	.
..COPD-related (490-496)	7	18.1	.	.	.	5	25.6	.	.	.	2	10.4	.	.	.
..Asthma (493)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	5.2	.	.	.	2	10.2	.	.	.	.	.	.	.	.
..Nephritis-related (580-589)	5	12.9	.	.	.	3	15.4	.	.	.	2	10.4	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	2.6	.	.	.	.	.	.	.	.	1	5.2	.	.	.
Unintentional injuries (E800-E949)	11	28.4	.	.	.	5	25.6	.	.	.	6	31.2	.	.	.
..Motor vehicle accidents (E810-E825)	2	5.2	.	.	.	2	10.2	.	.	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	5.2	.	.	.	.	.	.	.	.	2	10.4	.	.	.
..Residential fires (E890-E899)	1	2.6	.	.	.	.	.	.	.	.	1	5.2	.	.	.

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.  
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1994-1998*****				1989-	*****1994-1998*****				1989-	*****1994-1998*****				1989-
	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR
*****Causes of Death*****															
Suicide (E950-E959)	3	7.7	.	.	.	2	10.2	.	.	.	1	5.2	.	.	.
Homicide and legal intervention (E960-E978)	3	7.7	.	.	.	1	5.1	.	.	.	2	10.4	.	.	.
..Homicide (E960-E969)	3	7.7	.	.	.	1	5.1	.	.	.	2	10.4	.	.	.
All injury (E800-E999)	17	43.9	41.9	0	.	8	41.0	.	.	.	9	46.8	.	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	5.2	.	.	.	2	10.2	.	.	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	2.6	.	.	.	.	.	.	.	.	1	5.2	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	10.3	.	.	.	2	10.2	.	.	.	2	10.4	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	5.2	.	.	.	.	.	.	.	.	2	10.4	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.

0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1994-1998*****				*****1994-1998*****				*****1994-1998*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR
*****Causes of Death*****															
All causes	147	379.5	437.0	0	401.1	84	430.5	576.1	0	520.9	63	327.8	334.2	0	315.4
Infectious diseases and parasitic disease (1-139)	2	5.2	.	.	.	2	10.2	.	.	.	.	.	.	.	.
...Septicemia-related (038)	2	5.2	.	.	.	1	5.1	.	.	.	1	5.2	.	.	.
...HIV infection (042-044)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
All cancer (140-208)	37	95.5	117.0	0	77.9	18	92.2	126.9	0	141.8	19	98.9	110.5	0	.
..Oral cavity or pharynx (140.0-149.9)	4	10.3	.	.	.	2	10.2	.	.	.	2	10.4	.	.	.
..Pancreatic cancer (157)	2	5.2	.	.	.	1	5.1	.	.	.	1	5.2	.	.	.
..Lung and other respiratory cancer (160-165)	6	15.5	.	.	.	4	20.5	.	.	.	2	10.4	.	.	.
...Lung cancer (162.2-.9)	6	15.5	.	.	.	4	20.5	.	.	.	2	10.4	.	.	.
..Female breast cancer (174)	2	.	.	.	.	.	.	.	.	.	2	10.4	.	.	.
..Cervical cancer (180)	2	.	.	.	.	.	.	.	.	.	2	10.4	.	.	.
..Ovarian cancer (183)	1	.	.	.	.	.	.	.	.	.	1	5.2	.	.	.
..Prostate cancer (185)	1	.	.	.	.	1	5.1	.	.	.	.	.	.	.	.
..Leukemia (204-208)	4	10.3	.	.	.	3	15.4	.	.	.	1	5.2	.	.	.
Diabetes mellitus (250)	6	15.5	.	.	.	2	10.2	.	.	.	4	20.8	.	.	.
..Diabetes-related (250)	20	51.6	63.6	0	69.8	6	30.7	.	.	.	14	72.8	.	.	.
..Diabetic ketoacidosis (DKA) (250.1)	1	2.6	.	.	.	.	.	.	.	.	1	5.2	.	.	.
Cardiovascular disease (390-459)	55	142.0	167.6	0	197.8	36	184.5	253.9	0	226.8	19	98.9	103.9	0	171.2
..Diseases of the heart (390-398,402,404-429)	45	116.2	136.4	0	167.6	32	164.0	224.5	0	206.9	13	67.6	.	.	137.4
...Heart disease-related (390-398,402,404-429)	73	188.5	222.6	0	233.7	44	225.5	307.1	0	276.2	29	150.9	160.2	0	200.1
....Coronary heart disease (CHD) (402,410-414,429.2)	30	77.5	94.0	0	140.9	20	102.5	140.8	0	166.5	10	52.0	.	.	119.9
....Congestive heart failure (CHF) (428.0)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
....Hypertension-related (401,403)	11	28.4	.	.	.	4	20.5	.	.	.	7	36.4	.	.	.
..Cerebrovascular disease (430-438)	7	18.1	.	.	.	3	15.4	.	.	.	4	20.8	.	.	.
..Atherosclerosis (440)	1	2.6	.	.	.	.	.	.	.	.	1	5.2	.	.	.
....Atherosclerosis-related (440)	2	5.2	.	.	.	1	5.1	.	.	.	1	5.2	.	.	.
Pneumonia & influenza (480-487)	5	12.9	.	.	.	2	10.2	.	.	.	3	15.6	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	7.7	.	.	.	2	10.2	.	.	.	1	5.2	.	.	.
..COPD-related (490-496)	7	18.1	.	.	.	5	25.6	.	.	.	2	10.4	.	.	.
..Asthma (493)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	5.2	.	.	.	2	10.2	.	.	.	.	.	.	.	.
..Nephritis-related (580-589)	5	12.9	.	.	.	3	15.4	.	.	.	2	10.4	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	2.6	.	.	.	.	.	.	.	.	1	5.2	.	.	.
Unintentional injuries (E800-E949)	11	28.4	.	.	.	5	25.6	.	.	.	6	31.2	.	.	.
..Motor vehicle accidents (E810-E825)	2	5.2	.	.	.	2	10.2	.	.	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	5.2	.	.	.	.	.	.	.	.	2	10.4	.	.	.
..Residential fires (E890-E899)	1	2.6	.	.	.	.	.	.	.	.	1	5.2	.	.	.

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.  
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1994-1998*****				1989-	*****1994-1998*****				1989-	*****1994-1998*****				1989-
	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1993 AAMR
*****Causes of Death*****															
Suicide (E950-E959)	3	7.7	.	.	.	2	10.2	.	.	.	1	5.2	.	.	.
Homicide and legal intervention (E960-E978)	3	7.7	.	.	.	1	5.1	.	.	.	2	10.4	.	.	.
..Homicide (E960-E969)	3	7.7	.	.	.	1	5.1	.	.	.	2	10.4	.	.	.
All injury (E800-E999)	17	43.9	41.8	0	.	8	41.0	.	.	.	9	46.8	.	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	5.2	.	.	.	2	10.2	.	.	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	2.6	.	.	.	.	.	.	.	.	1	5.2	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	10.3	.	.	.	2	10.2	.	.	.	2	10.4	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	5.2	.	.	.	.	.	.	.	.	2	10.4	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.

0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1994-1998*****					*****1994-1998*****					*****1994-1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR
*****Causes of Death*****															
All causes	147	379.5	540.8	0	522.0	84	430.5	710.9	0	685.0	63	327.8	428.7	0	419.4
Infectious diseases and parasitic disease (1-139)	2	5.2	.	.	.	2	10.2	.	.	.	.	.	.	.	.
...Septicemia-related (038)	2	5.2	.	.	.	1	5.1	.	.	.	1	5.2	.	.	.
...HIV infection (042-044)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
All cancer (140-208)	37	95.5	139.5	0	89.7	18	92.2	153.9	0	176.7	19	98.9	132.3	0	.
..Oral cavity or pharynx (140.0-149.9)	4	10.3	.	.	.	2	10.2	.	.	.	2	10.4	.	.	.
..Pancreatic cancer (157)	2	5.2	.	.	.	1	5.1	.	.	.	1	5.2	.	.	.
..Lung and other respiratory cancer (160-165)	6	15.5	.	.	.	4	20.5	.	.	.	2	10.4	.	.	.
...Lung cancer (162.2-.9)	6	15.5	.	.	.	4	20.5	.	.	.	2	10.4	.	.	.
..Female breast cancer (174)	2	.	.	.	.	.	.	.	.	.	2	10.4	.	.	.
..Cervical cancer (180)	2	.	.	.	.	.	.	.	.	.	2	10.4	.	.	.
..Ovarian cancer (183)	1	.	.	.	.	.	.	.	.	.	1	5.2	.	.	.
..Prostate cancer (185)	1	.	.	.	.	1	5.1	.	.	.	.	.	.	.	.
..Leukemia (204-208)	4	10.3	.	.	.	3	15.4	.	.	.	1	5.2	.	.	.
Diabetes mellitus (250)	6	15.5	.	.	.	2	10.2	.	.	.	4	20.8	.	.	.
..Diabetes-related (250)	20	51.6	78.1	0	90.5	6	30.7	.	.	.	14	72.8	.	.	.
..Diabetic ketoacidosis (DKA) (250.1)	1	2.6	.	.	.	.	.	.	.	.	1	5.2	.	.	.
Cardiovascular disease (390-459)	55	142.0	218.7	0	277.9	36	184.5	330.3	0	314.3	19	98.9	143.7	0	246.8
..Diseases of the heart (390-398,402,404-429)	45	116.2	175.6	0	235.1	32	164.0	288.5	0	290.1	13	67.6	.	.	197.8
...Heart disease-related (390-398,402,404-429)	73	188.5	279.8	0	319.9	44	225.5	388.2	0	371.5	29	150.9	206.3	0	281.7
....Coronary heart disease (CHD) (402,410-414,429.2)	30	77.5	117.6	0	197.0	20	102.5	171.9	0	229.1	10	52.0	.	.	173.1
....Congestive heart failure (CHF) (428.0)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
....Hypertension-related (401,403)	11	28.4	.	.	.	4	20.5	.	.	.	7	36.4	.	.	.
..Cerebrovascular disease (430-438)	7	18.1	.	.	.	3	15.4	.	.	.	4	20.8	.	.	.
..Atherosclerosis (440)	1	2.6	.	.	.	.	.	.	.	.	1	5.2	.	.	.
....Atherosclerosis-related (440)	2	5.2	.	.	.	1	5.1	.	.	.	1	5.2	.	.	.
Pneumonia & influenza (480-487)	5	12.9	.	.	.	2	10.2	.	.	.	3	15.6	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	7.7	.	.	.	2	10.2	.	.	.	1	5.2	.	.	.
..COPD-related (490-496)	7	18.1	.	.	.	5	25.6	.	.	.	2	10.4	.	.	.
..Asthma (493)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	5.2	.	.	.	2	10.2	.	.	.	.	.	.	.	.
..Nephritis-related (580-589)	5	12.9	.	.	.	3	15.4	.	.	.	2	10.4	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	2.6	.	.	.	.	.	.	.	.	1	5.2	.	.	.
Unintentional injuries (E800-E949)	11	28.4	.	.	.	5	25.6	.	.	.	6	31.2	.	.	.
..Motor vehicle accidents (E810-E825)	2	5.2	.	.	.	2	10.2	.	.	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	5.2	.	.	.	.	.	.	.	.	2	10.4	.	.	.
..Residential fires (E890-E899)	1	2.6	.	.	.	.	.	.	.	.	1	5.2	.	.	.

(CONTINUED)

- \* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
- . - The AAMR is not reported due to a small number of deaths (<15).
- 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
- 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1994-1998*****					*****1994-1998*****					*****1994-1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1993 AAMR
*****Causes of Death*****															
Suicide (E950-E959)	3	7.7	.	.	.	2	10.2	.	.	.	1	5.2	.	.	.
Homicide and legal intervention (E960-E978)	3	7.7	.	.	.	1	5.1	.	.	.	2	10.4	.	.	.
..Homicide (E960-E969)	3	7.7	.	.	.	1	5.1	.	.	.	2	10.4	.	.	.
All injury (E800-E999)	17	43.9	50.6	0	.	8	41.0	.	.	.	9	46.8	.	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	5.2	.	.	.	2	10.2	.	.	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	2.6	.	.	.	.	.	.	.	.	1	5.2	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
....Homicide (E965.0-.4)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	10.3	.	.	.	2	10.2	.	.	.	2	10.4	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	2.6	.	.	.	1	5.1	.	.	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	5.2	.	.	.	.	.	.	.	.	2	10.4	.	.	.

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.  
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	147	72	106	1,620	2,510	4395.7	3631.1	0	6712.6	5298.9	0
Infectious diseases and parasitic disease (1-139)	2	1	1	23	33	.	.	.	.	.	.
...Septicemia-related (038)	2	2	2	45	65	.	.	.	.	.	.
..HIV infection (042-044)	1	1	1	23	33	.	.	.	.	.	.
All cancer (140-208)	37	22	28	240	490	714.9	500.6	0	1449.0	939.9	0
..Oral cavity or pharynx (140.0-149.9)	4	2	2	10	30	.	.	.	.	.	.
..Pancreatic cancer (157)	2	1	1	13	23	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	6	4	5	40	83	.	.	.	.	.	.
....Lung cancer (162.2-.9)	6	4	5	40	83	.	.	.	.	.	.
..Female breast cancer (174)	2	2	2	20	40	.	.	.	.	.	.
..Cervical cancer (180)	2	1	1	28	38	.	.	.	.	.	.
..Ovarian cancer (183)	1	1	1	3	13	.	.	.	.	.	.
..Prostate cancer (185)	1	1	1	8	18	.	.	.	.	.	.
..Leukemia (204-208)	4	3	4	43	80	.	.	.	.	.	.
Diabetes mellitus (250)	6	2	6	60	105	.	.	.	.	.	.
..Diabetes-related (250)	20	7	14	103	210	271.6	91.2	0	576.8	315.5	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3	.	.	.	.	.	.
Cardiovascular disease (390-459)	55	19	34	283	545	798.8	452.7	0	1521.7	1128.1	0
..Diseases of the heart (390-398,402,404-429)	45	17	31	268	503	748.4	444.1	0	1387.1	1035.1	0
....Heart disease-related (390-398,402,404-429)	73	29	51	542	942	1494.8	657.3	0	2573.4	1434.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	30	11	22	168	330	464.4	319.3	0	908.5	820.8	0
....Congestive heart failure (CHF) (428.0)	1	1	1	13	23	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	.	.	0	0	.	.	.	.	.	.
....Hypertension-related (401,403)	11	3	8	48	100	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	7	2	3	15	43	.	.	.	.	.	.
..Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
....Atherosclerosis-related (440)	2	1	1	13	23	.	.	.	.	.	.
Pneumonia & influenza (480-487)	5	.	2	0	10	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	.	2	0	10	.	.	.	.	.	.
..COPD-related (490-496)	7	1	4	8	35	.	.	.	.	.	.
..Asthma (493)	1	.	1	0	8	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	1	1	38	48	.	.	.	.	.	.
..Nephritis-related (580-589)	5	1	2	28	45	.	.	.	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	1	1	18	28	.	.	.	.	.	.
Unintentional injuries (E800-E949)	11	8	10	222	312	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	2	2	2	92	112	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	1	2	13	30	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	33	43	.	.	.	.	.	.
Suicide (E950-E959)	3	3	3	68	98	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	3	2	3	45	73	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Homicide (E960-E969)	3	2	3	45	73	.	.	.	.	.	.
All injury (E800-E999)	17	13	16	335	482	856.2	.	0	1197.1	.	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	92	112	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	13	23	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	.	1	0	8	.	.	.	.	.	.
...Homicide (E965.0-.4)	1	.	1	0	8	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	4	4	85	125	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	18	28	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	2	2	55	75	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	84	47	68	1,114	1,696	6148.5	4457.4	0	9378.6	6641.7	0
Infectious diseases and parasitic disease (1-139)	2	1	1	23	33	.	.	.	.	.	.
...Septicemia-related (038)	1	1	1	28	38	.	.	.	.	.	.
..HIV infection (042-044)	1	1	1	23	33	.	.	.	.	.	.
All cancer (140-208)	18	11	15	133	268	816.4	634.0	0	1642.5	1248.6	0
..Oral cavity or pharynx (140.0-149.9)	2	1	1	8	18	.	.	.	.	.	.
..Pancreatic cancer (157)	1	1	1	13	23	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	4	3	4	33	65	.	.	.	.	.	.
....Lung cancer (162.2-.9)	4	3	4	33	65	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	1	1	1	8	18	.	.	.	.	.	.
..Leukemia (204-208)	3	2	3	35	63	.	.	.	.	.	.
Diabetes mellitus (250)	2	1	2	33	50	.	.	.	.	.	.
..Diabetes-related (250)	6	3	4	53	90	.	.	.	.	.	.
..Diabetic ketoacidosis (DKA) (250.1)	.	.	.	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	36	18	27	265	493	1539.7	813.3	0	2882.6	1717.5	0
..Diseases of the heart (390-398,402,404-429)	32	16	25	250	458	1434.0	813.3	0	2648.2	1654.2	0
....Heart disease-related (390-398,402,404-429)	44	22	35	454	742	2529.7	833.0	0	4160.3	1953.8	0
.....Coronary heart disease (CHD) (402,410-414,429.2)	20	10	16	150	285	857.5	562.7	0	1658.8	1272.6	0
.....Congestive heart failure (CHF) (428.0)	1	1	1	13	23	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	.	.	0	0	.	.	.	.	.	.
....Hypertension-related (401,403)	4	2	2	25	45	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	3	2	2	15	35	.	.	.	.	.	.
..Atherosclerosis (440)	.	.	.	.	.	.	.	.	.	.	.
....Atherosclerosis-related (440)	1	1	1	13	23	.	.	.	.	.	.
Pneumonia & influenza (480-487)	2	.	2	0	10	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	2	.	2	0	10	.	.	.	.	.	.
..COPD-related (490-496)	5	1	4	8	35	.	.	.	.	.	.
..Asthma (493)	1	.	1	0	8	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	1	1	38	48	.	.	.	.	.	.
..Nephritis-related (580-589)	3	.	1	0	8	.	.	.	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	.	.	.	.	.	.	.	.	.	.	.
Unintentional injuries (E800-E949)	5	4	5	122	165	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	2	2	2	92	112	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	.	.	.	.	.	.	.	.	.	.	.
..Residential fires (E890-E899)	.	.	.	.	.	.	.	.	.	.	.
Suicide (E950-E959)	2	2	2	35	55	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	1	.	1	0	8	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Homicide (E960-E969)	1	.	1	0	8	.	.	.	.	.	.
All injury (E800-E999)	8	6	8	157	227	.	.	.	.	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	92	112	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	.	.	.	.	.	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	.	1	0	8	.	.	.	.	.	.
...Homicide (E965.0-.4)	1	.	1	0	8	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	30	50	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	18	28	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	.	.	.	.	.	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	63	25	38	507	814	2681.1	2723.0	0	4202.0	3916.5	0
Infectious diseases and parasitic disease (1-139)	.	.	.	.	.	.	.	.	.	.	.
...Septicemia-related (038)	1	1	1	18	28	.	.	.	.	.	.
..HIV infection (042-044)	.	.	.	.	.	.	.	.	.	.	.
All cancer (140-208)	19	11	13	108	223	612.8	.	0	1259.3	.	0
..Oral cavity or pharynx (140.0-149.9)	2	1	1	3	13	.	.	.	.	.	.
..Pancreatic cancer (157)	1	.	.	0	0	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	2	1	1	8	18	.	.	.	.	.	.
....Lung cancer (162.2-.9)	2	1	1	8	18	.	.	.	.	.	.
..Female breast cancer (174)	2	2	2	20	40	.	.	.	.	.	.
..Cervical cancer (180)	2	1	1	28	38	.	.	.	.	.	.
..Ovarian cancer (183)	1	1	1	3	13	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Leukemia (204-208)	1	1	1	8	18	.	.	.	.	.	.
Diabetes mellitus (250)	4	1	4	28	55	.	.	.	.	.	.
..Diabetes-related (250)	14	4	10	50	120	.	.	.	.	.	.
...Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3	.	.	.	.	.	.
Cardiovascular disease (390-459)	19	1	7	18	53	96.9	100.5	0	272.7	556.3	0
...Diseases of the heart (390-398,402,404-429)	13	1	6	18	45	.	85.2	.	.	439.1	.
....Heart disease-related (390-398,402,404-429)	29	7	16	88	200	482.1	511.8	0	1074.0	991.4	0
....Coronary heart disease (CHD) (402,410-414,429.2)	10	1	6	18	45	.	85.2	.	.	394.8	.
....Congestive heart failure (CHF) (428.0)	.	.	.	.	.	.	.	.	.	.	.
...Hypertension with or without renal disease (401,403)	.	.	.	.	.	.	.	.	.	.	.
....Hypertension-related (401,403)	7	1	6	23	55	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	4	.	1	0	8	.	.	.	.	.	.
...Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
....Atherosclerosis-related (440)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	3	.	.	0	0	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	1	.	.	0	0	.	.	.	.	.	.
..COPD-related (490-496)	2	.	.	0	0	.	.	.	.	.	.
..Asthma (493)	.	.	.	.	.	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	.	.	.	.	.	.	.	.	.	.	.
..Nephritis-related (580-589)	2	1	1	28	38	.	.	.	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	1	1	18	28	.	.	.	.	.	.
Unintentional injuries (E800-E949)	6	4	5	100	148	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	.	.	.	.	.	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	1	2	13	30	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	33	43	.	.	.	.	.	.
Suicide (E950-E959)	1	1	1	33	43	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	2	2	2	45	65	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Homicide (E960-E969)	2	2	2	45	65	.	.	.	.	.	.
All injury (E800-E999)	9	7	8	178	255	.	.	.	.	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	.	.	.	.	.	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	13	23	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	.	.	.	.	.	.	.	.	.	.	.
...Homicide (E965.0-.4)	.	.	.	.	.	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	55	75	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	.	.	.	.	.	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	2	2	55	75	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	147	72	106	1,620	2,510	4399.7	3825.7	0	6821.3	5631.1	0
Infectious diseases and parasitic disease (1-139)	2	1	1	23	33	.	.	.	.	.	.
...Septicemia-related (038)	2	2	2	45	65	.	.	.	.	.	.
..HIV infection (042-044)	1	1	1	23	33	.	.	.	.	.	.
All cancer (140-208)	37	22	28	240	490	727.2	562.6	0	1522.8	1056.9	0
..Oral cavity or pharynx (140.0-149.9)	4	2	2	10	30	.	.	.	.	.	.
..Pancreatic cancer (157)	2	1	1	13	23	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	6	4	5	40	83	.	.	.	.	.	.
....Lung cancer (162.2-.9)	6	4	5	40	83	.	.	.	.	.	.
..Female breast cancer (174)	2	2	2	20	40	.	.	.	.	.	.
..Cervical cancer (180)	2	1	1	28	38	.	.	.	.	.	.
..Ovarian cancer (183)	1	1	1	3	13	.	.	.	.	.	.
..Prostate cancer (185)	1	1	1	8	18	.	.	.	.	.	.
..Leukemia (204-208)	4	3	4	43	80	.	.	.	.	.	.
Diabetes mellitus (250)	6	2	6	60	105	.	.	.	.	.	.
..Diabetes-related (250)	20	7	14	103	210	246.9	99.9	0	585.9	363.4	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3	.	.	.	.	.	.
Cardiovascular disease (390-459)	55	19	34	283	545	783.0	456.2	0	1562.1	1226.6	0
..Diseases of the heart (390-398,402,404-429)	45	17	31	268	503	725.6	445.7	0	1408.7	1113.6	0
....Heart disease-related (390-398,402,404-429)	73	29	51	542	942	1484.6	679.3	0	2643.6	1572.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	30	11	22	168	330	456.9	336.4	0	940.7	910.2	0
....Congestive heart failure (CHF) (428.0)	1	1	1	13	23	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	.	.	0	0	.	.	.	.	.	.
....Hypertension-related (401,403)	11	3	8	48	100	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	7	2	3	15	43	.	.	.	.	.	.
..Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
....Atherosclerosis-related (440)	2	1	1	13	23	.	.	.	.	.	.
Pneumonia & influenza (480-487)	5	.	2	0	10	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	.	2	0	10	.	.	.	.	.	.
..COPD-related (490-496)	7	1	4	8	35	.	.	.	.	.	.
..Asthma (493)	1	.	1	0	8	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	1	1	38	48	.	.	.	.	.	.
..Nephritis-related (580-589)	5	1	2	28	45	.	.	.	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	1	1	18	28	.	.	.	.	.	.
Unintentional injuries (E800-E949)	11	8	10	222	312	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	2	2	2	92	112	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	1	2	13	30	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	33	43	.	.	.	.	.	.
Suicide (E950-E959)	3	3	3	68	98	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	3	2	3	45	73	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Homicide (E960-E969)	3	2	3	45	73	.	.	.	.	.	.
All injury (E800-E999)	17	13	16	335	482	775.2	.	0	1090.1	.	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	92	112	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	13	23	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	.	1	0	8	.	.	.	.	.	.
...Homicide (E965.0-.4)	1	.	1	0	8	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	4	4	85	125	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	18	28	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	2	2	55	75	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	84	47	68	1,114	1,696	6285.9	4722.8	0	9689.1	7088.2	0
Infectious diseases and parasitic disease (1-139)	2	1	1	23	33	.	.	.	.	.	.
...Septicemia-related (038)	1	1	1	28	38	.	.	.	.	.	.
..HIV infection (042-044)	1	1	1	23	33	.	.	.	.	.	.
All cancer (140-208)	18	11	15	133	268	834.6	765.8	0	1724.1	1477.0	0
..Oral cavity or pharynx (140.0-149.9)	2	1	1	8	18	.	.	.	.	.	.
..Pancreatic cancer (157)	1	1	1	13	23	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	4	3	4	33	65	.	.	.	.	.	.
....Lung cancer (162.2-.9)	4	3	4	33	65	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	1	1	1	8	18	.	.	.	.	.	.
..Leukemia (204-208)	3	2	3	35	63	.	.	.	.	.	.
Diabetes mellitus (250)	2	1	2	33	50	.	.	.	.	.	.
..Diabetes-related (250)	6	3	4	53	90	.	.	.	.	.	.
..Diabetic ketoacidosis (DKA) (250.1)	.	.	.	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	36	18	27	265	493	1512.3	802.4	0	2944.2	1802.1	0
..Diseases of the heart (390-398,402,404-429)	32	16	25	250	458	1392.0	802.4	0	2681.4	1724.4	0
....Heart disease-related (390-398,402,404-429)	44	22	35	454	742	2516.6	826.2	0	4244.2	2092.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	20	10	16	150	285	844.2	582.6	0	1706.4	1374.9	0
....Congestive heart failure (CHF) (428.0)	1	1	1	13	23	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	.	.	0	0	.	.	.	.	.	.
....Hypertension-related (401,403)	4	2	2	25	45	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	3	2	2	15	35	.	.	.	.	.	.
..Atherosclerosis (440)	.	.	.	.	.	.	.	.	.	.	.
....Atherosclerosis-related (440)	1	1	1	13	23	.	.	.	.	.	.
Pneumonia & influenza (480-487)	2	.	2	0	10	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	2	.	2	0	10	.	.	.	.	.	.
..COPD-related (490-496)	5	1	4	8	35	.	.	.	.	.	.
..Asthma (493)	1	.	1	0	8	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	1	1	38	48	.	.	.	.	.	.
..Nephritis-related (580-589)	3	.	1	0	8	.	.	.	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	.	.	.	.	.	.	.	.	.	.	.
Unintentional injuries (E800-E949)	5	4	5	122	165	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	2	2	2	92	112	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	.	.	.	.	.	.	.	.	.	.	.
..Residential fires (E890-E899)	.	.	.	.	.	.	.	.	.	.	.
Suicide (E950-E959)	2	2	2	35	55	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	1	.	1	0	8	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Homicide (E960-E969)	1	.	1	0	8	.	.	.	.	.	.
All injury (E800-E999)	8	6	8	157	227	.	.	.	.	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	92	112	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	.	.	.	.	.	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	.	1	0	8	.	.	.	.	.	.
...Homicide (E965.0-.4)	1	.	1	0	8	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	30	50	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	18	28	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	.	.	.	.	.	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	63	25	38	507	814	2544.8	2829.6	0	4120.5	4128.3	0
Infectious diseases and parasitic disease (1-139)	.	.	.	.	.	.	.	.	.	.	.
...Septicemia-related (038)	1	1	1	18	28	.	.	.	.	.	.
..HIV infection (042-044)	.	.	.	.	.	.	.	.	.	.	.
All cancer (140-208)	19	11	13	108	223	618.2	.	0	1325.1	.	0
..Oral cavity or pharynx (140.0-149.9)	2	1	1	3	13	.	.	.	.	.	.
..Pancreatic cancer (157)	1	.	.	0	0	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	2	1	1	8	18	.	.	.	.	.	.
...Lung cancer (162.2-.9)	2	1	1	8	18	.	.	.	.	.	.
..Female breast cancer (174)	2	2	2	20	40	.	.	.	.	.	.
..Cervical cancer (180)	2	1	1	28	38	.	.	.	.	.	.
..Ovarian cancer (183)	1	1	1	3	13	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Leukemia (204-208)	1	1	1	8	18	.	.	.	.	.	.
Diabetes mellitus (250)	4	1	4	28	55	.	.	.	.	.	.
..Diabetes-related (250)	14	4	10	50	120	.	.	.	.	.	.
...Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3	.	.	.	.	.	.
Cardiovascular disease (390-459)	19	1	7	18	53	95.3	117.9	0	305.7	669.7	0
...Diseases of the heart (390-398,402,404-429)	13	1	6	18	45	.	99.3	.	.	528.2	.
....Heart disease-related (390-398,402,404-429)	29	7	16	88	200	474.7	564.4	0	1141.8	1140.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	10	1	6	18	45	.	99.3	.	.	473.7	.
....Congestive heart failure (CHF) (428.0)	.	.	.	.	.	.	.	.	.	.	.
...Hypertension with or without renal disease (401,403)	.	.	.	.	.	.	.	.	.	.	.
....Hypertension-related (401,403)	7	1	6	23	55	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	4	.	1	0	8	.	.	.	.	.	.
...Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
....Atherosclerosis-related (440)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	3	.	.	0	0	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	1	.	.	0	0	.	.	.	.	.	.
..COPD-related (490-496)	2	.	.	0	0	.	.	.	.	.	.
..Asthma (493)	.	.	.	.	.	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	.	.	.	.	.	.	.	.	.	.	.
..Nephritis-related (580-589)	2	1	1	28	38	.	.	.	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	1	1	18	28	.	.	.	.	.	.
Unintentional injuries (E800-E949)	6	4	5	100	148	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	.	.	.	.	.	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	1	2	13	30	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	33	43	.	.	.	.	.	.
Suicide (E950-E959)	1	1	1	33	43	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	2	2	2	45	65	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Homicide (E960-E969)	2	2	2	45	65	.	.	.	.	.	.
All injury (E800-E999)	9	7	8	178	255	.	.	.	.	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	.	.	.	.	.	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	13	23	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	.	.	.	.	.	.	.	.	.	.	.
...Homicide (E965.0-.4)	.	.	.	.	.	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	55	75	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	.	.	.	.	.	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	2	2	55	75	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	147	72	106	1,620	2,510	4699.8	3597.0	0	7330.0	5433.5	0
Infectious diseases and parasitic disease (1-139)	2	1	1	23	33	.	.	.	.	.	.
...Septicemia-related (038)	2	2	2	45	65	.	.	.	.	.	.
..HIV infection (042-044)	1	1	1	23	33	.	.	.	.	.	.
All cancer (140-208)	37	22	28	240	490	853.2	544.5	0	1698.7	1040.8	0
..Oral cavity or pharynx (140.0-149.9)	4	2	2	10	30	.	.	.	.	.	.
..Pancreatic cancer (157)	2	1	1	13	23	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	6	4	5	40	83	.	.	.	.	.	.
....Lung cancer (162.2-.9)	6	4	5	40	83	.	.	.	.	.	.
..Female breast cancer (174)	2	2	2	20	40	.	.	.	.	.	.
..Cervical cancer (180)	2	1	1	28	38	.	.	.	.	.	.
..Ovarian cancer (183)	1	1	1	3	13	.	.	.	.	.	.
..Prostate cancer (185)	1	1	1	8	18	.	.	.	.	.	.
..Leukemia (204-208)	4	3	4	43	80	.	.	.	.	.	.
Diabetes mellitus (250)	6	2	6	60	105	.	.	.	.	.	.
..Diabetes-related (250)	20	7	14	103	210	307.9	108.0	0	669.6	378.3	0
..Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3	.	.	.	.	.	.
Cardiovascular disease (390-459)	55	19	34	283	545	963.3	547.1	0	1833.9	1364.2	0
..Diseases of the heart (390-398,402,404-429)	45	17	31	268	503	904.8	537.2	0	1678.5	1253.0	0
....Heart disease-related (390-398,402,404-429)	73	29	51	542	942	1685.1	735.6	0	2959.6	1681.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	30	11	22	168	330	578.4	386.6	0	1124.7	990.6	0
....Congestive heart failure (CHF) (428.0)	1	1	1	13	23	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	.	.	0	0	.	.	.	.	.	.
....Hypertension-related (401,403)	11	3	8	48	100	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	7	2	3	15	43	.	.	.	.	.	.
..Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
....Atherosclerosis-related (440)	2	1	1	13	23	.	.	.	.	.	.
Pneumonia & influenza (480-487)	5	.	2	0	10	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	3	.	2	0	10	.	.	.	.	.	.
..COPD-related (490-496)	7	1	4	8	35	.	.	.	.	.	.
..Asthma (493)	1	.	1	0	8	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	1	1	38	48	.	.	.	.	.	.
..Nephritis-related (580-589)	5	1	2	28	45	.	.	.	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	1	1	18	28	.	.	.	.	.	.
Unintentional injuries (E800-E949)	11	8	10	222	312	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	2	2	2	92	112	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	1	2	13	30	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	33	43	.	.	.	.	.	.
Suicide (E950-E959)	3	3	3	68	98	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	3	2	3	45	73	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Homicide (E960-E969)	3	2	3	45	73	.	.	.	.	.	.
All injury (E800-E999)	17	13	16	335	482	931.0	.	0	1303.2	.	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	92	112	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	13	23	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	.	1	0	8	.	.	.	.	.	.
...Homicide (E965.0-.4)	1	.	1	0	8	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	4	4	4	85	125	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	18	28	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	2	2	55	75	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	84	47	68	1,114	1,696	6537.5	4469.7	0	10218.1	6893.9	0
Infectious diseases and parasitic disease (1-139)	2	1	1	23	33	.	.	.	.	.	.
...Septicemia-related (038)	1	1	1	28	38	.	.	.	.	.	.
..HIV infection (042-044)	1	1	1	23	33	.	.	.	.	.	.
All cancer (140-208)	18	11	15	133	268	975.2	659.8	0	1936.5	1355.8	0
..Oral cavity or pharynx (140.0-149.9)	2	1	1	8	18	.	.	.	.	.	.
..Pancreatic cancer (157)	1	1	1	13	23	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	4	3	4	33	65	.	.	.	.	.	.
....Lung cancer (162.2-.9)	4	3	4	33	65	.	.	.	.	.	.
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	1	1	1	8	18	.	.	.	.	.	.
..Leukemia (204-208)	3	2	3	35	63	.	.	.	.	.	.
Diabetes mellitus (250)	2	1	2	33	50	.	.	.	.	.	.
..Diabetes-related (250)	6	3	4	53	90	.	.	.	.	.	.
..Diabetic ketoacidosis (DKA) (250.1)	.	.	.	.	.	.	.	.	.	.	.
Cardiovascular disease (390-459)	36	18	27	265	493	1857.1	989.0	0	3449.9	2081.6	0
..Diseases of the heart (390-398,402,404-429)	32	16	25	250	458	1734.6	989.0	0	3184.1	2002.4	0
....Heart disease-related (390-398,402,404-429)	44	22	35	454	742	2828.9	1011.5	0	4743.8	2372.6	0
.....Coronary heart disease (CHD) (402,410-414,429.2)	20	10	16	150	285	1069.6	686.6	0	2032.8	1534.6	0
.....Congestive heart failure (CHF) (428.0)	1	1	1	13	23	.	.	.	.	.	.
..Hypertension with or without renal disease (401,403)	1	.	.	0	0	.	.	.	.	.	.
....Hypertension-related (401,403)	4	2	2	25	45	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	3	2	2	15	35	.	.	.	.	.	.
..Atherosclerosis (440)	.	.	.	.	.	.	.	.	.	.	.
....Atherosclerosis-related (440)	1	1	1	13	23	.	.	.	.	.	.
Pneumonia & influenza (480-487)	2	.	2	0	10	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	2	.	2	0	10	.	.	.	.	.	.
..COPD-related (490-496)	5	1	4	8	35	.	.	.	.	.	.
..Asthma (493)	1	.	1	0	8	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	2	1	1	38	48	.	.	.	.	.	.
..Nephritis-related (580-589)	3	.	1	0	8	.	.	.	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	.	.	.	.	.	.	.	.	.	.	.
Unintentional injuries (E800-E949)	5	4	5	122	165	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	2	2	2	92	112	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	.	.	.	.	.	.	.	.	.	.	.
..Residential fires (E890-E899)	.	.	.	.	.	.	.	.	.	.	.
Suicide (E950-E959)	2	2	2	35	55	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	1	.	1	0	8	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Homicide (E960-E969)	1	.	1	0	8	.	.	.	.	.	.
All injury (E800-E999)	8	6	8	157	227	.	.	.	.	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	92	112	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	.	.	.	.	.	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	.	1	0	8	.	.	.	.	.	.
...Homicide (E965.0-.4)	1	.	1	0	8	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	30	50	.	.	.	.	.	.
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	1	1	1	18	28	.	.	.	.	.	.
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	.	.	.	.	.	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	63	25	38	507	814	2919.1	2651.4	0	4648.2	3959.6	0
Infectious diseases and parasitic disease (1-139)	.	.	.	.	.	.	.	.	.	.	.
...Septicemia-related (038)	1	1	1	18	28	.	.	.	.	.	.
..HIV infection (042-044)	.	.	.	.	.	.	.	.	.	.	.
All cancer (140-208)	19	11	13	108	223	730.7	.	0	1468.3	.	0
..Oral cavity or pharynx (140.0-149.9)	2	1	1	3	13	.	.	.	.	.	.
..Pancreatic cancer (157)	1	.	.	0	0	.	.	.	.	.	.
..Lung and other respiratory cancer (160-165)	2	1	1	8	18	.	.	.	.	.	.
....Lung cancer (162.2-.9)	2	1	1	8	18	.	.	.	.	.	.
..Female breast cancer (174)	2	2	2	20	40	.	.	.	.	.	.
..Cervical cancer (180)	2	1	1	28	38	.	.	.	.	.	.
..Ovarian cancer (183)	1	1	1	3	13	.	.	.	.	.	.
..Prostate cancer (185)	.	.	.	.	.	.	.	.	.	.	.
..Leukemia (204-208)	1	1	1	8	18	.	.	.	.	.	.
Diabetes mellitus (250)	4	1	4	28	55	.	.	.	.	.	.
..Diabetes-related (250)	14	4	10	50	120	.	.	.	.	.	.
...Diabetic ketoacidosis (DKA) (250.1)	1	.	1	0	3	.	.	.	.	.	.
Cardiovascular disease (390-459)	19	1	7	18	53	118.9	115.9	0	356.1	671.0	0
...Diseases of the heart (390-398,402,404-429)	13	1	6	18	45	.	98.4	.	.	533.9	.
....Heart disease-related (390-398,402,404-429)	29	7	16	88	200	575.5	491.3	0	1294.0	1078.2	0
....Coronary heart disease (CHD) (402,410-414,429.2)	10	1	6	18	45	.	98.4	.	.	478.3	.
....Congestive heart failure (CHF) (428.0)	.	.	.	.	.	.	.	.	.	.	.
...Hypertension with or without renal disease (401,403)	.	.	.	.	.	.	.	.	.	.	.
....Hypertension-related (401,403)	7	1	6	23	55	.	.	.	.	.	.
..Cerebrovascular disease (430-438)	4	.	1	0	8	.	.	.	.	.	.
...Atherosclerosis (440)	1	.	.	0	0	.	.	.	.	.	.
....Atherosclerosis-related (440)	1	.	.	0	0	.	.	.	.	.	.
Pneumonia & influenza (480-487)	3	.	.	0	0	.	.	.	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	1	.	.	0	0	.	.	.	.	.	.
..COPD-related (490-496)	2	.	.	0	0	.	.	.	.	.	.
..Asthma (493)	.	.	.	.	.	.	.	.	.	.	.
Chronic liver disease and cirrhosis (571)	.	.	.	.	.	.	.	.	.	.	.
..Nephritis-related (580-589)	2	1	1	28	38	.	.	.	.	.	.
..End stage renal disease (ESRD) (581-588,591,593,8,593.9)	1	1	1	18	28	.	.	.	.	.	.
Unintentional injuries (E800-E949)	6	4	5	100	148	.	.	.	.	.	.
..Motor vehicle accidents (E810-E825)	.	.	.	.	.	.	.	.	.	.	.
..Falls and fall related injuries (E880-E888)	2	1	2	13	30	.	.	.	.	.	.
..Residential fires (E890-E899)	1	1	1	33	43	.	.	.	.	.	.
Suicide (E950-E959)	1	1	1	33	43	.	.	.	.	.	.
Homicide and legal intervention (E960-E978)	2	2	2	45	65	.	.	.	.	.	.

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1994-1998  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Homicide (E960-E969)	2	2	2	45	65	.	.	.	.	.	.
All injury (E800-E999)	9	7	8	178	255	.	.	.	.	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	.	.	.	.	.	.	.	.	.	.	.
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	13	23	.	.	.	.	.	.
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	.	.	.	.	.	.	.	.	.	.	.
...Homicide (E965.0-.4)	.	.	.	.	.	.	.	.	.	.	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	55	75	.	.	.	.	.	.
Alcohol-induced (291.303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	.	.	.	.	.	.	.	.	.	.	.
Drug-induced (292.304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	2	2	2	55	75	.	.	.	.	.	.

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).