

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex
Native American Residents, 1996-1998

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables
by Cause of Death and Sex, Native American Residents, 1996-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables
by Cause of Death and Sex, Native American Residents, 1996-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1996-1998*****					*****1996-1998*****					*****1996-1998*****				
	No. of deaths	Crude rate	AAMR	Signif-icance	1989-1991 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1989-1991 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1989-1991 AAMR
*****Causes of Death*****															
All causes	90	380.4	346.8	0	302.2	56	470.9	500.6	0	386.7	34	288.9	224.8	0	235.6
...Septicemia-related (038)	2	8.5	.	.	.	1	8.4	.	.	.	1	8.5	.	.	.
All cancer (140-208)	23	97.2	89.8	0	.	13	109.3	.	.	.	10	85.0	.	.	.
..Oral cavity or pharynx (140.0-149.9)	2	8.5	.	.	.	1	8.4	.	.	.	1	8.5	.	.	.
..Lung and other respiratory cancer (160-165)	4	16.9	.	.	.	3	25.2	.	.	.	1	8.5	.	.	.
...Lung cancer (162.2-.9)	4	16.9	.	.	.	3	25.2	.	.	.	1	8.5	.	.	.
..Female breast cancer (174)	1	1	8.5	.	.	.
..Cervical cancer (180)	2	2	17.0	.	.	.
..Ovarian cancer (183)	1	1	8.5	.	.	.
..Prostate cancer (185)	1	1	8.4
..Leukemia (204-208)	3	12.7	.	.	.	3	25.2
Diabetes mellitus (250)	2	8.5	.	.	.	1	8.4	.	.	.	1	8.5	.	.	.
..Diabetes-related (250)	10	42.3	.	.	.	4	33.6	.	.	.	6	51.0	.	.	.
Cardiovascular disease (390-459)	29	122.6	105.0	0	148.0	21	176.6	180.4	0	175.6	8	68.0	.	.	123.4
..Diseases of the heart (390-398,402,404-429)	23	97.2	83.9	0	122.9	19	159.8	165.6	0	.	4	34.0	.	.	99.0
....Heart disease-related (390-398,402,404-429)	40	169.1	150.5	0	176.9	29	243.9	255.4	0	213.9	11	93.5	.	.	146.1
....Coronary heart disease (CHD) (402,410-414,429.2)	13	54.9	.	.	97.2	11	92.5	.	.	.	2	17.0	.	.	.
....Hypertension-related (401,403)	5	21.1	.	.	.	2	16.8	.	.	.	3	25.5	.	.	.
..Cerebrovascular disease (430-438)	5	21.1	.	.	.	2	16.8	.	.	.	3	25.5	.	.	.
....Atherosclerosis-related (440)	1	4.2	.	.	.	1	8.4
Pneumonia & influenza (480-487)	3	12.7	.	.	.	2	16.8	.	.	.	1	8.5	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	2	8.5	.	.	.	2	16.8
..COPD-related (490-496)	5	21.1	.	.	.	5	42.0
..Asthma (493)	1	4.2	.	.	.	1	8.4
Chronic liver disease and cirrhosis (571)	1	4.2	.	.	.	1	8.4
..Nephritis-related (580-589)	3	12.7	.	.	.	2	16.8	.	.	.	1	8.5	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	4.2	1	8.5	.	.	.
Unintentional injuries (E800-E949)	9	38.0	.	.	.	4	33.6	.	.	.	5	42.5	.	.	.
..Motor vehicle accidents (E810-E825)	2	8.5	.	.	.	2	16.8
..Falls and fall related injuries (E880-E888)	2	8.5	2	17.0	.	.	.
..Residential fires (E890-E899)	1	4.2	1	8.5	.	.	.
Suicide (E950-E959)	3	12.7	.	.	.	2	16.8	.	.	.	1	8.5	.	.	.
Homicide and legal intervention (E960-E978)	3	12.7	.	.	.	1	8.4	.	.	.	2	17.0	.	.	.
..Homicide (E960-E969)	3	12.7	.	.	.	1	8.4	.	.	.	2	17.0	.	.	.
All injury (E800-E999)	15	63.4	61.1	.	.	7	58.9	.	.	.	8	68.0	.	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	8.5	.	.	.	2	16.8
..All falls (E880-E886,E888,E957,E968.1,E987)	1	4.2	1	8.5	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1996-1998*****				1989-	*****1996-1998*****				1989-	*****1996-1998*****				1989-
	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1991 AAMR
*****Causes of Death*****															
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	4.2	.	.	.	1	8.4
...Homicide (E965.0-.4)	1	4.2	.	.	.	1	8.4
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	8.5	.	.	.	1	8.4	.	.	.	1	8.5	.	.	.
Drug-induced (292.304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	4.2	1	8.5	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.

0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1996-1998*****					*****1996-1998*****					*****1996-1998*****				
	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1991 AAMR
*****Causes of Death*****															
All causes	90	380.4	420.3	0	418.7	56	470.9	613.9	0	536.0	34	288.9	277.3	0	336.7
...Septicemia-related (038)	2	8.5	.	.	.	1	8.4	.	.	.	1	8.5	.	.	.
All cancer (140-208)	23	97.2	111.0	0	.	13	109.3	.	.	.	10	85.0	.	.	.
..Oral cavity or pharynx (140.0-149.9)	2	8.5	.	.	.	1	8.4	.	.	.	1	8.5	.	.	.
..Lung and other respiratory cancer (160-165)	4	16.9	.	.	.	3	25.2	.	.	.	1	8.5	.	.	.
...Lung cancer (162.2-.9)	4	16.9	.	.	.	3	25.2	.	.	.	1	8.5	.	.	.
..Female breast cancer (174)	1	1	8.5	.	.	.
..Cervical cancer (180)	2	2	17.0	.	.	.
..Ovarian cancer (183)	1	1	8.5	.	.	.
..Prostate cancer (185)	1	1	8.4
..Leukemia (204-208)	3	12.7	.	.	.	3	25.2
Diabetes mellitus (250)	2	8.5	.	.	.	1	8.4	.	.	.	1	8.5	.	.	.
..Diabetes-related (250)	10	42.3	.	.	.	4	33.6	.	.	.	6	51.0	.	.	.
Cardiovascular disease (390-459)	29	122.6	137.8	0	216.4	21	176.6	231.7	0	244.9	8	68.0	.	.	192.5
..Diseases of the heart (390-398,402,404-429)	23	97.2	106.8	0	176.1	19	159.8	208.8	0	.	4	34.0	.	.	151.3
....Heart disease-related (390-398,402,404-429)	40	169.1	190.1	0	258.1	29	243.9	315.1	0	299.1	11	93.5	.	.	226.8
....Coronary heart disease (CHD) (402,410-414,429.2)	13	54.9	.	.	142.8	11	92.5	.	.	.	2	17.0	.	.	.
....Hypertension-related (401,403)	5	21.1	.	.	.	2	16.8	.	.	.	3	25.5	.	.	.
..Cerebrovascular disease (430-438)	5	21.1	.	.	.	2	16.8	.	.	.	3	25.5	.	.	.
....Atherosclerosis-related (440)	1	4.2	.	.	.	1	8.4
Pneumonia & influenza (480-487)	3	12.7	.	.	.	2	16.8	.	.	.	1	8.5	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	2	8.5	.	.	.	2	16.8
..COPD-related (490-496)	5	21.1	.	.	.	5	42.0
..Asthma (493)	1	4.2	.	.	.	1	8.4
Chronic liver disease and cirrhosis (571)	1	4.2	.	.	.	1	8.4
..Nephritis-related (580-589)	3	12.7	.	.	.	2	16.8	.	.	.	1	8.5	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	4.2	1	8.5	.	.	.
Unintentional injuries (E800-E949)	9	38.0	.	.	.	4	33.6	.	.	.	5	42.5	.	.	.
..Motor vehicle accidents (E810-E825)	2	8.5	.	.	.	2	16.8
..Falls and fall related injuries (E880-E888)	2	8.5	2	17.0	.	.	.
..Residential fires (E890-E899)	1	4.2	1	8.5	.	.	.
Suicide (E950-E959)	3	12.7	.	.	.	2	16.8	.	.	.	1	8.5	.	.	.
Homicide and legal intervention (E960-E978)	3	12.7	.	.	.	1	8.4	.	.	.	2	17.0	.	.	.
..Homicide (E960-E969)	3	12.7	.	.	.	1	8.4	.	.	.	2	17.0	.	.	.
All injury (E800-E999)	15	63.4	61.6	.	.	7	58.9	.	.	.	8	68.0	.	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	8.5	.	.	.	2	16.8
..All falls (E880-E886,E888,E957,E968.1,E987)	1	4.2	1	8.5	.	.	.

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1996-1998*****					*****1996-1998*****					*****1996-1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR
*****Causes of Death*****															
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	4.2	.	.	.	1	8.4
...Homicide (E965.0-.4)	1	4.2	.	.	.	1	8.4
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	8.5	.	.	.	1	8.4	.	.	.	1	8.5	.	.	.
Drug-induced (292.304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	4.2	1	8.5	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.

. - The AAMR is not reported due to a small number of deaths (<15).

1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.

0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1996-1998*****					*****1996-1998*****					*****1996-1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR
*****Causes of Death*****															
All causes	90	380.4	520.5	0	547.6	56	470.9	761.8	0	707.3	34	288.9	356.1	0	450.2
...Septicemia-related (038)	2	8.5	.	.	.	1	8.4	.	.	.	1	8.5	.	.	.
All cancer (140-208)	23	97.2	139.0	0	.	13	109.3	.	.	.	10	85.0	.	.	.
..Oral cavity or pharynx (140.0-149.9)	2	8.5	.	.	.	1	8.4	.	.	.	1	8.5	.	.	.
..Lung and other respiratory cancer (160-165)	4	16.9	.	.	.	3	25.2	.	.	.	1	8.5	.	.	.
...Lung cancer (162.2-.9)	4	16.9	.	.	.	3	25.2	.	.	.	1	8.5	.	.	.
..Female breast cancer (174)	1	1	8.5	.	.	.
..Cervical cancer (180)	2	2	17.0	.	.	.
..Ovarian cancer (183)	1	1	8.5	.	.	.
..Prostate cancer (185)	1	1	8.4
..Leukemia (204-208)	3	12.7	.	.	.	3	25.2
Diabetes mellitus (250)	2	8.5	.	.	.	1	8.4	.	.	.	1	8.5	.	.	.
..Diabetes-related (250)	10	42.3	.	.	.	4	33.6	.	.	.	6	51.0	.	.	.
Cardiovascular disease (390-459)	29	122.6	183.2	0	298.4	21	176.6	312.4	0	333.9	8	68.0	.	.	270.3
..Diseases of the heart (390-398,402,404-429)	23	97.2	141.9	0	241.1	19	159.8	277.7	0	.	4	34.0	.	.	208.9
....Heart disease-related (390-398,402,404-429)	40	169.1	241.8	0	350.9	29	243.9	403.0	0	400.7	11	93.5	.	.	315.4
....Coronary heart disease (CHD) (402,410-414,429.2)	13	54.9	.	.	195.6	11	92.5	.	.	.	2	17.0	.	.	.
....Hypertension-related (401,403)	5	21.1	.	.	.	2	16.8	.	.	.	3	25.5	.	.	.
..Cerebrovascular disease (430-438)	5	21.1	.	.	.	2	16.8	.	.	.	3	25.5	.	.	.
....Atherosclerosis-related (440)	1	4.2	.	.	.	1	8.4
Pneumonia & influenza (480-487)	3	12.7	.	.	.	2	16.8	.	.	.	1	8.5	.	.	.
Chronic obstructive pulmonary disease (COPD) (490-496)	2	8.5	.	.	.	2	16.8
..COPD-related (490-496)	5	21.1	.	.	.	5	42.0
..Asthma (493)	1	4.2	.	.	.	1	8.4
Chronic liver disease and cirrhosis (571)	1	4.2	.	.	.	1	8.4
..Nephritis-related (580-589)	3	12.7	.	.	.	2	16.8	.	.	.	1	8.5	.	.	.
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	4.2	1	8.5	.	.	.
Unintentional injuries (E800-E949)	9	38.0	.	.	.	4	33.6	.	.	.	5	42.5	.	.	.
..Motor vehicle accidents (E810-E825)	2	8.5	.	.	.	2	16.8
..Falls and fall related injuries (E880-E888)	2	8.5	2	17.0	.	.	.
..Residential fires (E890-E899)	1	4.2	1	8.5	.	.	.
Suicide (E950-E959)	3	12.7	.	.	.	2	16.8	.	.	.	1	8.5	.	.	.
Homicide and legal intervention (E960-E978)	3	12.7	.	.	.	1	8.4	.	.	.	2	17.0	.	.	.
..Homicide (E960-E969)	3	12.7	.	.	.	1	8.4	.	.	.	2	17.0	.	.	.
All injury (E800-E999)	15	63.4	73.6	.	.	7	58.9	.	.	.	8	68.0	.	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	8.5	.	.	.	2	16.8
..All falls (E880-E886,E888,E957,E968.1,E987)	1	4.2	1	8.5	.	.	.

(CONTINUED)

- * - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1996-1998*****					*****1996-1998*****					*****1996-1998*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1989- 1991 AAMR
*****Causes of Death*****															
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	4.2	.	.	.	1	8.4
...Homicide (E965.0-.4)	1	4.2	.	.	.	1	8.4
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	8.5	.	.	.	1	8.4	.	.	.	1	8.5	.	.	.
Drug-induced (292.304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	4.2	1	8.5	.	.	.

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1996-1998 AAMR is significantly different (prob<0.05) from the 1989-1991 AAMR.
 0 - The 1996-1998 AAMR is not significantly different (prob>0.05) from the 1989-1991 AAMR.

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	90	45	65	1,092	1,647	4878.2	4007.9	0	7210.7	5619.3	0
...Septicemia-related (038)	2	2	2	45	65
All cancer (140-208)	23	12	16	155	295	710.4	.	0	1357.4	.	0
..Oral cavity or pharynx (140.0-149.9)	2	1	1	3	13
..Lung and other respiratory cancer (160-165)	4	2	3	20	43
...Lung cancer (162.2-.9)	4	2	3	20	43
..Female breast cancer (174)	1	1	1	13	23
..Cervical cancer (180)	2	1	1	28	38
..Ovarian cancer (183)	1	1	1	3	13
..Prostate cancer (185)	1	1	1	8	18
..Leukemia (204-208)	3	2	3	35	63
Diabetes mellitus (250)	2	1	2	33	50
..Diabetes-related (250)	10	5	7	58	118
Cardiovascular disease (390-459)	29	10	17	150	288	716.1	491.0	0	1332.9	1208.2	0
..Diseases of the heart (390-398,402,404-429)	23	9	15	143	263	676.0	491.0	0	1206.2	1118.2	0
...Heart disease-related (390-398,402,404-429)	40	16	27	354	572	1624.7	491.0	0	2556.6	1322.6	0
....Coronary heart disease (CHD) (402,410-414,429.2)	13	6	10	95	175	.	279.9	.	.	767.5	.
....Hypertension-related (401,403)	5	2	5	25	58
..Cerebrovascular disease (430-438)	5	1	2	8	25
...Atherosclerosis-related (440)	1	1	1	13	23
Pneumonia & influenza (480-487)	3	.	2	0	10
Chronic obstructive pulmonary disease (COPD) (490-496)	2	.	2	0	10
..COPD-related (490-496)	5	1	4	8	35
..Asthma (493)	1	.	1	0	8
Chronic liver disease and cirrhosis (571)	1	1	1	38	48
..Nephritis-related (580-589)	3	.	1	0	8
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	1	1	18	28
Unintentional injuries (E800-E949)	9	6	8	177	247
..Motor vehicle accidents (E810-E825)	2	2	2	92	112
..Falls and fall related injuries (E880-E888)	2	1	2	13	30
..Residential fires (E890-E899)	1	1	1	33	43
Suicide (E950-E959)	3	3	3	68	98
Homicide and legal intervention (E960-E978)	3	2	3	45	73
..Homicide (E960-E969)	3	2	3	45	73
All injury (E800-E999)	15	11	14	290	417	1236.9	.	.	1728.7	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	92	112
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	13	23
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	.	1	0	8
...Homicide (E965.0-.4)	1	.	1	0	8

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	40	60
Drug-induced (292.304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	1	1	28	38

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	56	30	45	725	1,103	6635.3	4871.1	0	10029.1	7012.0	0
...Septicemia-related (038)	1	1	1	28	38
All cancer (140-208)	13	7	10	93	180
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0
..Lung and other respiratory cancer (160-165)	3	2	3	20	43
...Lung cancer (162.2-.9)	3	2	3	20	43
..Female breast cancer (174)
..Cervical cancer (180)
..Ovarian cancer (183)
..Prostate cancer (185)	1	1	1	8	18
..Leukemia (204-208)	3	2	3	35	63
Diabetes mellitus (250)	1	1	1	33	43
..Diabetes-related (250)	4	3	3	53	83
Cardiovascular disease (390-459)	21	10	15	150	278	1481.5	879.9	0	2694.4	1861.5	0
..Diseases of the heart (390-398,402,404-429)	19	9	14	143	260	1395.9	.	0	2504.4	.	0
....Heart disease-related (390-398,402,404-429)	29	15	23	347	537	3234.8	879.9	0	4933.6	2068.4	0
.....Coronary heart disease (CHD) (402,410-414,429.2)	11	6	9	95	173
.....Hypertension-related (401,403)	2	2	2	25	45
..Cerebrovascular disease (430-438)	2	1	1	8	18
....Atherosclerosis-related (440)	1	1	1	13	23
Pneumonia & influenza (480-487)	2	.	2	0	10
Chronic obstructive pulmonary disease (COPD) (490-496)	2	.	2	0	10
..COPD-related (490-496)	5	1	4	8	35
..Asthma (493)	1	.	1	0	8
Chronic liver disease and cirrhosis (571)	1	1	1	38	48
..Nephritis-related (580-589)	2	.	1	0	8
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)
Unintentional injuries (E800-E949)	4	3	4	105	137
..Motor vehicle accidents (E810-E825)	2	2	2	92	112
..Falls and fall related injuries (E880-E888)
..Residential fires (E890-E899)
Suicide (E950-E959)	2	2	2	35	55
Homicide and legal intervention (E960-E978)	1	.	1	0	8
..Homicide (E960-E969)	1	.	1	0	8
All injury (E800-E999)	7	5	7	140	200
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	92	112
..All falls (E880-E886,E888,E957,E968.1,E987)
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	.	1	0	8
....Homicide (E965.0-.4)	1	.	1	0	8

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1	1	1	13	23
Drug-induced (292.304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	34	15	20	367	544	3211.6	3020.8	0	4628.0	4150.4	0
...Septicemia-related (038)	1	1	1	18	28
All cancer (140-208)	10	5	6	63	115
..Oral cavity or pharynx (140.0-149.9)	1	1	1	3	13
..Lung and other respiratory cancer (160-165)	1	.	.	0	0
...Lung cancer (162.2-.9)	1	.	.	0	0
..Female breast cancer (174)	1	1	1	13	23
..Cervical cancer (180)	2	1	1	28	38
..Ovarian cancer (183)	1	1	1	3	13
..Prostate cancer (185)
..Leukemia (204-208)
Diabetes mellitus (250)	1	.	1	0	8
..Diabetes-related (250)	6	2	4	5	35
Cardiovascular disease (390-459)	8	.	2	0	10	.	113.5	.	.	597.9	.
..Diseases of the heart (390-398,402,404-429)	4	.	1	0	3	.	113.5	.	.	518.3	.
....Heart disease-related (390-398,402,404-429)	11	1	4	8	35	.	113.5	.	.	641.6	.
.....Coronary heart disease (CHD) (402,410-414,429.2)	2	.	1	0	3
.....Hypertension-related (401,403)	3	.	3	0	13
..Cerebrovascular disease (430-438)	3	.	1	0	8
....Atherosclerosis-related (440)
Pneumonia & influenza (480-487)	1	.	.	0	0
Chronic obstructive pulmonary disease (COPD) (490-496)
..COPD-related (490-496)
..Asthma (493)
Chronic liver disease and cirrhosis (571)
..Nephritis-related (580-589)	1	.	.	0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	1	1	18	28
Unintentional injuries (E800-E949)	5	3	4	73	110
..Motor vehicle accidents (E810-E825)
..Falls and fall related injuries (E880-E888)	2	1	2	13	30
..Residential fires (E890-E899)	1	1	1	33	43
Suicide (E950-E959)	1	1	1	33	43
Homicide and legal intervention (E960-E978)	2	2	2	45	65
..Homicide (E960-E969)	2	2	2	45	65
All injury (E800-E999)	8	6	7	150	218
..All motor vehicle accidents (E810-E819,E958.5,E988.5)
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	13	23
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)
....Homicide (E965.0-.4)

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1	1	1	28	38
Drug-induced (292.304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	1	1	28	38

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	90	45	65	1,092	1,647	4853.7	4290.7	0	7251.2	6028.3	0
...Septicemia-related (038)	2	2	2	45	65
All cancer (140-208)	23	12	16	155	295	693.5	.	0	1382.9	.	0
..Oral cavity or pharynx (140.0-149.9)	2	1	1	3	13
..Lung and other respiratory cancer (160-165)	4	2	3	20	43
...Lung cancer (162.2-.9)	4	2	3	20	43
..Female breast cancer (174)	1	1	1	13	23
..Cervical cancer (180)	2	1	1	28	38
..Ovarian cancer (183)	1	1	1	3	13
..Prostate cancer (185)	1	1	1	8	18
..Leukemia (204-208)	3	2	3	35	63
Diabetes mellitus (250)	2	1	2	33	50
..Diabetes-related (250)	10	5	7	58	118
Cardiovascular disease (390-459)	29	10	17	150	288	715.8	473.0	0	1369.2	1289.4	0
..Diseases of the heart (390-398,402,404-429)	23	9	15	143	263	670.1	473.0	0	1223.1	1178.9	0
...Heart disease-related (390-398,402,404-429)	40	16	27	354	572	1646.6	473.0	0	2626.4	1434.0	0
....Coronary heart disease (CHD) (402,410-414,429.2)	13	6	10	95	175	.	288.0	.	.	851.2	.
....Hypertension-related (401,403)	5	2	5	25	58
..Cerebrovascular disease (430-438)	5	1	2	8	25
...Atherosclerosis-related (440)	1	1	1	13	23
Pneumonia & influenza (480-487)	3	.	2	0	10
Chronic obstructive pulmonary disease (COPD) (490-496)	2	.	2	0	10
..COPD-related (490-496)	5	1	4	8	35
..Asthma (493)	1	.	1	0	8
Chronic liver disease and cirrhosis (571)	1	1	1	38	48
..Nephritis-related (580-589)	3	.	1	0	8
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	1	1	18	28
Unintentional injuries (E800-E949)	9	6	8	177	247
..Motor vehicle accidents (E810-E825)	2	2	2	92	112
..Falls and fall related injuries (E880-E888)	2	1	2	13	30
..Residential fires (E890-E899)	1	1	1	33	43
Suicide (E950-E959)	3	3	3	68	98
Homicide and legal intervention (E960-E978)	3	2	3	45	73
..Homicide (E960-E969)	3	2	3	45	73
All injury (E800-E999)	15	11	14	290	417	1124.1	.	.	1582.9	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	92	112
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	13	23
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	.	1	0	8
...Homicide (E965.0-.4)	1	.	1	0	8

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	40	60
Drug-induced (292.304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	1	1	28	38

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	56	30	45	725	1,103	6749.1	5232.2	0	10305.3	7545.3	0
...Septicemia-related (038)	1	1	1	28	38
All cancer (140-208)	13	7	10	93	180
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0
..Lung and other respiratory cancer (160-165)	3	2	3	20	43
...Lung cancer (162.2-.9)	3	2	3	20	43
..Female breast cancer (174)
..Cervical cancer (180)
..Ovarian cancer (183)
..Prostate cancer (185)	1	1	1	8	18
..Leukemia (204-208)	3	2	3	35	63
Diabetes mellitus (250)	1	1	1	33	43
..Diabetes-related (250)	4	3	3	53	83
Cardiovascular disease (390-459)	21	10	15	150	278	1480.6	826.2	0	2752.4	1910.7	0
..Diseases of the heart (390-398,402,404-429)	19	9	14	143	260	1383.1	.	0	2539.5	.	0
...Heart disease-related (390-398,402,404-429)	29	15	23	347	537	3269.6	826.2	0	5028.9	2164.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	11	6	9	95	173
....Hypertension-related (401,403)	2	2	2	25	45
..Cerebrovascular disease (430-438)	2	1	1	8	18
...Atherosclerosis-related (440)	1	1	1	13	23
Pneumonia & influenza (480-487)	2	.	2	0	10
Chronic obstructive pulmonary disease (COPD) (490-496)	2	.	2	0	10
..COPD-related (490-496)	5	1	4	8	35
..Asthma (493)	1	.	1	0	8
Chronic liver disease and cirrhosis (571)	1	1	1	38	48
..Nephritis-related (580-589)	2	.	1	0	8
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)
Unintentional injuries (E800-E949)	4	3	4	105	137
..Motor vehicle accidents (E810-E825)	2	2	2	92	112
..Falls and fall related injuries (E880-E888)
..Residential fires (E890-E899)
Suicide (E950-E959)	2	2	2	35	55
Homicide and legal intervention (E960-E978)	1	.	1	0	8
..Homicide (E960-E969)	1	.	1	0	8
All injury (E800-E999)	7	5	7	140	200
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	92	112
..All falls (E880-E886,E888,E957,E968.1,E987)
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	.	1	0	8
...Homicide (E965.0-.4)	1	.	1	0	8

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1	1	1	13	23
Drug-induced (292.304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	34	15	20	367	544	3048.0	3196.5	0	4457.5	4420.1	0
...Septicemia-related (038)	1	1	1	18	28
All cancer (140-208)	10	5	6	63	115
..Oral cavity or pharynx (140.0-149.9)	1	1	1	3	13
..Lung and other respiratory cancer (160-165)	1	.	.	0	0
...Lung cancer (162.2-.9)	1	.	.	0	0
..Female breast cancer (174)	1	1	1	13	23
..Cervical cancer (180)	2	1	1	28	38
..Ovarian cancer (183)	1	1	1	3	13
..Prostate cancer (185)
..Leukemia (204-208)
Diabetes mellitus (250)	1	.	1	0	8
..Diabetes-related (250)	6	2	4	5	35
Cardiovascular disease (390-459)	8	.	2	0	10	.	131.2	.	.	716.9	.
..Diseases of the heart (390-398,402,404-429)	4	.	1	0	3	.	131.2	.	.	619.0	.
....Heart disease-related (390-398,402,404-429)	11	1	4	8	35	.	131.2	.	.	777.9	.
....Coronary heart disease (CHD) (402,410-414,429.2)	2	.	1	0	3
....Hypertension-related (401,403)	3	.	3	0	13
..Cerebrovascular disease (430-438)	3	.	1	0	8
....Atherosclerosis-related (440)
Pneumonia & influenza (480-487)	1	.	.	0	0
Chronic obstructive pulmonary disease (COPD) (490-496)
..COPD-related (490-496)
..Asthma (493)
Chronic liver disease and cirrhosis (571)
..Nephritis-related (580-589)	1	.	.	0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	1	1	18	28
Unintentional injuries (E800-E949)	5	3	4	73	110
..Motor vehicle accidents (E810-E825)
..Falls and fall related injuries (E880-E888)	2	1	2	13	30
..Residential fires (E890-E899)	1	1	1	33	43
Suicide (E950-E959)	1	1	1	33	43
Homicide and legal intervention (E960-E978)	2	2	2	45	65
..Homicide (E960-E969)	2	2	2	45	65
All injury (E800-E999)	8	6	7	150	218
..All motor vehicle accidents (E810-E819,E958.5,E988.5)
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	13	23
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)
....Homicide (E965.0-.4)

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1	1	1	28	38
Drug-induced (292.304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	1	1	28	38

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	90	45	65	1,092	1,647	5139.8	3947.7	0	7754.0	5714.0	0
...Septicemia-related (038)	2	2	2	45	65
All cancer (140-208)	23	12	16	155	295	850.8	.	0	1600.0	.	0
..Oral cavity or pharynx (140.0-149.9)	2	1	1	3	13
..Lung and other respiratory cancer (160-165)	4	2	3	20	43
...Lung cancer (162.2-.9)	4	2	3	20	43
..Female breast cancer (174)	1	1	1	13	23
..Cervical cancer (180)	2	1	1	28	38
..Ovarian cancer (183)	1	1	1	3	13
..Prostate cancer (185)	1	1	1	8	18
..Leukemia (204-208)	3	2	3	35	63
Diabetes mellitus (250)	2	1	2	33	50
..Diabetes-related (250)	10	5	7	58	118
Cardiovascular disease (390-459)	29	10	17	150	288	879.2	599.3	0	1621.3	1469.7	0
..Diseases of the heart (390-398,402,404-429)	23	9	15	143	263	832.7	599.3	0	1473.2	1356.9	0
....Heart disease-related (390-398,402,404-429)	40	16	27	354	572	1781.8	599.3	0	2869.1	1623.8	0
.....Coronary heart disease (CHD) (402,410-414,429.2)	13	6	10	95	175	.	344.6	.	.	933.3	.
.....Hypertension-related (401,403)	5	2	5	25	58
..Cerebrovascular disease (430-438)	5	1	2	8	25
....Atherosclerosis-related (440)	1	1	1	13	23
Pneumonia & influenza (480-487)	3	.	2	0	10
Chronic obstructive pulmonary disease (COPD) (490-496)	2	.	2	0	10
..COPD-related (490-496)	5	1	4	8	35
..Asthma (493)	1	.	1	0	8
Chronic liver disease and cirrhosis (571)	1	1	1	38	48
..Nephritis-related (580-589)	3	.	1	0	8
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	1	1	18	28
Unintentional injuries (E800-E949)	9	6	8	177	247
..Motor vehicle accidents (E810-E825)	2	2	2	92	112
..Falls and fall related injuries (E880-E888)	2	1	2	13	30
..Residential fires (E890-E899)	1	1	1	33	43
Suicide (E950-E959)	3	3	3	68	98
Homicide and legal intervention (E960-E978)	3	2	3	45	73
..Homicide (E960-E969)	3	2	3	45	73
All injury (E800-E999)	15	11	14	290	417	1320.6	.	.	1854.7	.	.
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	92	112
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	13	23
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	.	1	0	8
....Homicide (E965.0-.4)	1	.	1	0	8

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	2	2	2	40	60
Drug-induced (292.304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	1	1	28	38

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	56	30	45	725	1,103	7031.1	4861.5	0	10907.3	7226.7	0
...Septicemia-related (038)	1	1	1	28	38
All cancer (140-208)	13	7	10	93	180
..Oral cavity or pharynx (140.0-149.9)	1	.	.	0	0
..Lung and other respiratory cancer (160-165)	3	2	3	20	43
...Lung cancer (162.2-.9)	3	2	3	20	43
..Female breast cancer (174)
..Cervical cancer (180)
..Ovarian cancer (183)
..Prostate cancer (185)	1	1	1	8	18
..Leukemia (204-208)	3	2	3	35	63
Diabetes mellitus (250)	1	1	1	33	43
..Diabetes-related (250)	4	3	3	53	83
Cardiovascular disease (390-459)	21	10	15	150	278	1819.2	1082.1	0	3268.3	2262.1	0
..Diseases of the heart (390-398,402,404-429)	19	9	14	143	260	1719.9	.	0	3052.9	.	0
....Heart disease-related (390-398,402,404-429)	29	15	23	347	537	3550.6	1082.1	0	5526.4	2521.3	0
.....Coronary heart disease (CHD) (402,410-414,429.2)	11	6	9	95	173
.....Hypertension-related (401,403)	2	2	2	25	45
..Cerebrovascular disease (430-438)	2	1	1	8	18
....Atherosclerosis-related (440)	1	1	1	13	23
Pneumonia & influenza (480-487)	2	.	2	0	10
Chronic obstructive pulmonary disease (COPD) (490-496)	2	.	2	0	10
..COPD-related (490-496)	5	1	4	8	35
..Asthma (493)	1	.	1	0	8
Chronic liver disease and cirrhosis (571)	1	1	1	38	48
..Nephritis-related (580-589)	2	.	1	0	8
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)
Unintentional injuries (E800-E949)	4	3	4	105	137
..Motor vehicle accidents (E810-E825)	2	2	2	92	112
..Falls and fall related injuries (E880-E888)
..Residential fires (E890-E899)
Suicide (E950-E959)	2	2	2	35	55
Homicide and legal intervention (E960-E978)	1	.	1	0	8
..Homicide (E960-E969)	1	.	1	0	8
All injury (E800-E999)	7	5	7	140	200
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	2	2	2	92	112
..All falls (E880-E886,E888,E957,E968.1,E987)
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	1	.	1	0	8
....Homicide (E965.0-.4)	1	.	1	0	8

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1	1	1	13	23
Drug-induced (292.304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
All causes	34	15	20	367	544	3355.6	2926.3	0	4895.8	4160.6	0
...Septicemia-related (038)	1	1	1	18	28
All cancer (140-208)	10	5	6	63	115
..Oral cavity or pharynx (140.0-149.9)	1	1	1	3	13
..Lung and other respiratory cancer (160-165)	1	.	.	0	0
...Lung cancer (162.2-.9)	1	.	.	0	0
..Female breast cancer (174)	1	1	1	13	23
..Cervical cancer (180)	2	1	1	28	38
..Ovarian cancer (183)	1	1	1	3	13
..Prostate cancer (185)
..Leukemia (204-208)
Diabetes mellitus (250)	1	.	1	0	8
..Diabetes-related (250)	6	2	4	5	35
Cardiovascular disease (390-459)	8	.	2	0	10	.	131.3	.	.	729.4	.
..Diseases of the heart (390-398,402,404-429)	4	.	1	0	3	.	131.3	.	.	629.6	.
....Heart disease-related (390-398,402,404-429)	11	1	4	8	35	.	131.3	.	.	803.6	.
.....Coronary heart disease (CHD) (402,410-414,429.2)	2	.	1	0	3
.....Hypertension-related (401,403)	3	.	3	0	13
..Cerebrovascular disease (430-438)	3	.	1	0	8
....Atherosclerosis-related (440)
Pneumonia & influenza (480-487)	1	.	.	0	0
Chronic obstructive pulmonary disease (COPD) (490-496)
..COPD-related (490-496)
..Asthma (493)
Chronic liver disease and cirrhosis (571)
..Nephritis-related (580-589)	1	.	.	0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1	1	1	18	28
Unintentional injuries (E800-E949)	5	3	4	73	110
..Motor vehicle accidents (E810-E825)
..Falls and fall related injuries (E880-E888)	2	1	2	13	30
..Residential fires (E890-E899)	1	1	1	33	43
Suicide (E950-E959)	1	1	1	33	43
Homicide and legal intervention (E960-E978)	2	2	2	45	65
..Homicide (E960-E969)	2	2	2	45	65
All injury (E800-E999)	8	6	7	150	218
..All motor vehicle accidents (E810-E819,E958.5,E988.5)
..All falls (E880-E886,E888,E957,E968.1,E987)	1	1	1	13	23
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)
....Homicide (E965.0-.4)

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Native American Resident DEATHS, 1996-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1996-1998			Years of life lost, 1996-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1996-1998	1989-1991	Significance	1996-1998	1989-1991	Significance
*****Causes of Death*****											
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1	1	1	28	38
Drug-induced (292.304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1	1	1	28	38

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).