

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex  
All Residents, 1993

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables  
by Cause of Death and Sex, All Residents, 1993

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables  
by Cause of Death and Sex, All Residents, 1993

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT Resident DEATHS, 1993  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1993*****				*****1993*****				*****1993*****						
	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR
*****Causes of Death*****															
All causes	28,938	884.0	447.6	0	441.5	14,160	891.8	577.7	0	579.4	14,778	876.7	342.2	0	331.3
Infectious diseases and parasitic disease (1-139)	1,110	33.9	23.7	1	19.6	665	41.9	33.5	1	28.4	445	26.4	14.5	1	11.2
..Septicemia (038)	418	12.8	5.5	0	5.8	171	10.8	6.2	0	6.9	247	14.7	5.0	0	4.8
....Septicemia-related (038)	1,404	42.9	19.6	0	20.7	604	38.0	22.7	0	25.7	800	47.5	17.3	0	16.8
..HIV infection (042-044)	528	16.1	14.8	1	12.0	407	25.6	23.1	0	19.2	121	7.2	6.8	0	4.9
All cancer (140-208)	7,014	214.3	121.8	0	125.8	3,494	220.1	142.9	0	152.6	3,520	208.8	107.7	0	107.1
..Oral cavity or pharynx (140.0-149.9)	119	3.6	2.4	0	2.2	79	5.0	3.7	0	3.2	40	2.4	1.3	0	1.3
..Colorectal cancer (153.0-154.3,154.8,159.0)	813	24.8	12.8	0	12.6	390	24.6	15.4	0	16.3	423	25.1	10.9	0	9.9
....Colon cancer (153)	641	19.6	9.8	0	10.1	303	19.1	11.6	0	12.9	338	20.1	8.5	0	8.0
....Rectal cancer (154)	156	4.8	2.8	0	2.3	82	5.2	3.6	0	3.2	74	4.4	2.1	0	1.7
..Pancreatic cancer (157)	388	11.9	6.6	0	6.2	192	12.1	8.1	0	6.6	196	11.6	5.3	0	5.7
..Lung and other respiratory cancer (160-165)	1,819	55.6	33.6	0	36.5	1,051	66.2	44.1	0	49.1	768	45.6	26.0	0	27.1
....Lung cancer (162.2-.9)	1,754	53.6	32.3	0	35.1	1,007	63.4	42.1	0	46.8	747	44.3	25.2	0	26.6
..Malignant melanoma of skin (172)	88	2.7	1.8	0	2.0	51	3.2	2.3	0	2.4	37	2.2	1.5	0	1.7
..Female breast cancer (174)	604	.	.	.	.	.	.	.	.	.	604	35.8	20.8	0	21.1
..Cervical cancer (180)	32	.	.	.	.	.	.	.	.	.	32	1.9	1.3	0	1.5
..Endometrial cancer (182)	40	.	.	.	.	.	.	.	.	.	40	2.4	1.2	0	1.1
..Ovarian cancer (183)	201	.	.	.	.	.	.	.	.	.	201	11.9	6.4	0	5.8
..Prostate cancer (185)	401	.	.	.	.	401	25.3	13.0	1	16.5	.	.	.	.	.
..Bladder cancer (188)	178	5.4	2.4	0	2.4	117	7.4	4.1	0	3.9	61	3.6	1.2	0	1.2
..Brain & other CNS cancer (191-192)	147	4.5	3.2	0	3.7	76	4.8	3.7	0	5.0	71	4.2	2.7	0	2.6
..Leukemia (204-208)	260	7.9	4.8	0	4.6	140	8.8	5.9	0	5.7	120	7.1	4.0	0	3.7
Diabetes mellitus (250)	574	17.5	9.1	0	8.2	252	15.9	10.1	0	9.2	322	19.1	8.5	0	7.4
..Diabetes-related (250)	2,439	74.5	36.6	0	34.7	1,091	68.7	42.2	0	41.4	1,348	80.0	32.3	0	29.6
..Diabetic ketoacidosis (DKA) (250.1)	11	0.3	.	.	.	4	0.3	.	.	.	7	0.4	.	.	.
Alzheimer's diseases (331.0)	250	7.6	2.4	0	1.8	86	5.4	2.5	0	2.3	164	9.7	2.3	0	1.5
Cardiovascular disease (390-459)	12,315	376.2	157.8	0	159.7	5,668	357.0	209.9	0	212.7	6,647	394.3	116.4	0	118.4
..Diseases of the heart (390-398,402,404-429)	9,801	299.4	128.1	0	130.6	4,645	292.6	174.6	0	178.2	5,156	305.9	91.0	0	93.1
....Heart disease-related (390-398,402,404-429)	16,264	496.9	219.0	0	219.8	7,703	485.1	289.1	0	293.9	8,561	507.9	164.5	0	163.0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,091	216.6	91.9	0	96.0	3,418	215.3	128.9	0	137.0	3,673	217.9	62.2	0	63.7
....Congestive heart failure (CHF) (428.0)	470	14.4	4.7	0	4.7	179	11.3	5.3	0	5.1	291	17.3	4.3	0	4.4
....Hypertension with or without renal disease (401,403)	135	4.1	1.9	0	1.8	66	4.2	2.5	0	2.1	69	4.1	1.4	0	1.6
....Hypertension-related (401,403)	1,714	52.4	23.2	0	22.7	673	42.4	25.9	0	26.0	1,041	61.8	20.7	0	19.7
..Cerebrovascular disease (430-438)	1,825	55.8	20.8	0	20.1	679	42.8	22.8	0	22.7	1,146	68.0	19.3	0	18.2
..Atherosclerosis (440)	182	5.6	1.6	0	1.8	69	4.3	2.1	0	2.0	113	6.7	1.2	0	1.6
....Atherosclerosis-related (440)	888	27.1	8.9	1	10.3	324	20.4	10.2	1	12.9	564	33.5	7.8	0	8.5
..Aortic aneurysm (441)	194	5.9	2.9	0	2.9	120	7.6	4.6	0	4.5	74	4.4	1.6	0	1.8
Pneumonia & influenza (480-487)	1,184	36.2	12.4	0	12.1	520	32.8	16.3	0	16.5	664	39.4	10.0	0	9.3

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.  
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Resident DEATHS, 1993  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes					Male					Female				
	*****1993*****					*****1993*****					*****1993*****				
	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,095	33.5	15.0	0	15.7	524	33.0	18.3	0	21.2	571	33.9	12.9	0	12.4
..COPD-related (490-496)	2,725	83.2	36.4	0	35.3	1,417	89.2	48.7	0	48.8	1,308	77.6	28.6	0	26.6
..Asthma (493)	53	1.6	1.1	0	0.9	20	1.3	1.0	0	0.7	33	2.0	1.2	0	1.1
Chronic liver disease and cirrhosis (571)	288	8.8	6.7	0	6.6	197	12.4	10.0	0	9.4	91	5.4	3.7	0	4.2
Nephritis, nephrotic syndrome/nephrosis (580-589)	305	9.3	4.1	0	4.2	154	9.7	5.4	0	5.9	151	9.0	3.2	0	3.1
..Nephritis-related (580-589)	1,564	47.8	22.2	0	24.2	847	53.3	30.7	0	32.8	717	42.5	16.3	0	18.5
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	353	10.8	4.8	0	4.7	178	11.2	6.4	0	6.6	175	10.4	3.7	0	3.5
Unintentional injuries (E800-E949)	954	29.1	23.3	0	21.7	622	39.2	34.8	0	33.3	332	19.7	12.4	0	10.6
..Motor vehicle accidents (E810-E825)	361	11.0	10.9	0	9.8	243	15.3	15.6	0	14.9	118	7.0	6.2	0	4.8
..Falls and fall related injuries (E880-E888)	168	5.1	2.1	0	2.4	77	4.8	2.9	0	3.4	91	5.4	1.5	0	1.5
..Drowning (E830,E832,E910)	28	0.9	0.9	0	1.2	23	1.4	1.4	0	1.9	5	0.3	.	.	.
..Residential fires (E890-E899)	20	0.6	0.5	0	0.6	14	0.9	.	.	.	6	0.4	.	.	.
Suicide (E950-E959)	296	9.0	8.4	0	8.5	232	14.6	13.7	0	14.7	64	3.8	3.4	0	2.7
Homicide and legal intervention (E960-E978)	211	6.4	7.4	0	6.2	159	10.0	11.3	0	10.0	52	3.1	3.3	0	2.2
..Homicide (E960-E969)	208	6.4	7.3	0	6.1	156	9.8	11.2	0	9.9	52	3.1	3.3	0	2.2
All injury (E800-E999)	1,506	46.0	40.4	0	37.6	1,052	66.3	62.1	0	59.7	454	26.9	19.4	0	16.3
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	354	10.8	10.7	0	9.7	236	14.9	15.1	0	14.6	118	7.0	6.2	0	4.8
..All falls (E880-E886,E888,E957,E968.1,E987)	121	3.7	1.8	0	2.2	70	4.4	2.8	0	3.3	51	3.0	1.0	0	1.2
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	302	9.2	9.8	0	8.7	251	15.8	16.6	0	15.8	51	3.0	3.2	0	1.8
....Suicide (E955.0-.4)	145	4.4	4.2	0	3.8	120	7.6	7.1	0	7.1	25	1.5	1.4	0	.
....Homicide (E965.0-.4)	150	4.6	5.5	0	4.5	124	7.8	9.0	0	8.1	26	1.5	1.8	0	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	281	8.6	7.9	0	6.8	219	13.8	12.6	0	11.1	62	3.7	3.4	0	2.7
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	177	5.4	4.6	0	5.1	136	8.6	7.4	0	7.9	41	2.4	2.0	0	2.5
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	241	7.4	6.8	1	5.0	187	11.8	10.8	0	8.0	54	3.2	2.9	0	2.1

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.  
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Resident DEATHS, 1993  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1993*****				*****1993*****				*****1993*****						
	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR
*****Causes of Death*****															
All causes	28,938	884.0	620.2	0	614.0	14,160	891.8	790.0	0	797.8	14,778	876.7	493.3	0	479.3
Infectious diseases and parasitic disease (1-139)	1,110	33.9	24.8	1	20.7	665	41.9	33.7	0	28.7	445	26.4	16.5	1	13.2
..Septicemia (038)	418	12.8	8.3	0	8.4	171	10.8	9.3	0	9.6	247	14.7	7.5	0	7.3
....Septicemia-related (038)	1,404	42.9	28.7	0	29.3	604	38.0	33.1	0	36.3	800	47.5	25.6	0	24.5
..HIV infection (042-044)	528	16.1	12.5	1	10.2	407	25.6	19.7	0	16.5	121	7.2	5.6	0	4.2
All cancer (140-208)	7,014	214.3	161.7	0	166.3	3,494	220.1	196.2	0	208.3	3,520	208.8	140.1	0	139.1
..Oral cavity or pharynx (140.0-149.9)	119	3.6	2.9	0	2.7	79	5.0	4.5	0	3.9	40	2.4	1.7	0	1.7
..Colorectal cancer (153.0-154.3,154.8,159.0)	813	24.8	17.9	0	17.9	390	24.6	21.9	0	23.4	423	25.1	15.2	0	14.1
....Colon cancer (153)	641	19.6	14.0	0	14.4	303	19.1	16.9	0	18.7	338	20.1	12.0	0	11.4
....Rectal cancer (154)	156	4.8	3.6	0	3.2	82	5.2	4.7	0	4.4	74	4.4	2.8	0	2.3
..Pancreatic cancer (157)	388	11.9	8.9	0	8.5	192	12.1	10.9	0	8.7	196	11.6	7.3	0	8.1
..Lung and other respiratory cancer (160-165)	1,819	55.6	43.6	0	46.9	1,051	66.2	59.3	0	65.4	768	45.6	33.0	0	34.1
....Lung cancer (162.2-.9)	1,754	53.6	42.0	0	45.2	1,007	63.4	56.8	0	62.5	747	44.3	32.1	0	33.4
..Malignant melanoma of skin (172)	88	2.7	2.2	0	2.4	51	3.2	2.9	0	2.9	37	2.2	1.7	0	2.0
..Female breast cancer (174)	604	.	.	.	.	.	.	.	.	.	604	35.8	25.5	0	25.4
..Cervical cancer (180)	32	.	.	.	.	.	.	.	.	.	32	1.9	1.4	0	1.6
..Endometrial cancer (182)	40	.	.	.	.	.	.	.	.	.	40	2.4	1.6	0	1.5
..Ovarian cancer (183)	201	.	.	.	.	.	.	.	.	.	201	11.9	8.2	0	7.5
..Prostate cancer (185)	401	.	.	.	.	401	25.3	21.8	1	27.0	.	.	.	.	.
..Bladder cancer (188)	178	5.4	3.6	0	3.7	117	7.4	6.4	0	6.1	61	3.6	1.9	0	2.1
..Brain & other CNS cancer (191-192)	147	4.5	3.8	0	4.4	76	4.8	4.5	0	5.8	71	4.2	3.2	0	3.2
..Leukemia (204-208)	260	7.9	6.1	0	6.0	140	8.8	7.7	0	7.5	120	7.1	5.0	0	4.9
Diabetes mellitus (250)	574	17.5	12.7	0	11.4	252	15.9	14.1	0	12.6	322	19.1	11.7	0	10.4
..Diabetes-related (250)	2,439	74.5	52.6	0	50.5	1,091	68.7	60.8	0	59.7	1,348	80.0	46.8	0	43.7
..Diabetic ketoacidosis (DKA) (250.1)	11	0.3	.	.	.	4	0.3	.	.	.	7	0.4	.	.	.
Alzheimer's diseases (331.0)	250	7.6	4.4	0	3.4	86	5.4	4.6	0	4.2	164	9.7	4.3	1	2.9
Cardiovascular disease (390-459)	12,315	376.2	245.5	0	247.7	5,668	357.0	315.2	0	319.9	6,647	394.3	193.1	0	194.8
..Diseases of the heart (390-398,402,404-429)	9,801	299.4	197.4	0	199.6	4,645	292.6	259.0	0	263.9	5,156	305.9	150.5	0	152.2
....Heart disease-related (390-398,402,404-429)	16,264	496.9	330.4	0	330.6	7,703	485.1	426.9	0	434.2	8,561	507.9	260.4	0	257.0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,091	216.6	142.6	0	147.3	3,418	215.3	190.9	0	202.6	3,673	217.9	105.3	0	106.3
....Congestive heart failure (CHF) (428.0)	470	14.4	8.4	0	8.5	179	11.3	9.8	0	9.2	291	17.3	7.8	0	8.1
....Hypertension with or without renal disease (401,403)	135	4.1	2.8	0	2.7	66	4.2	3.7	0	3.1	69	4.1	2.2	0	2.5
....Hypertension-related (401,403)	1,714	52.4	35.2	0	34.9	673	42.4	37.6	0	38.4	1,041	61.8	32.6	0	31.5
..Cerebrovascular disease (430-438)	1,825	55.8	34.5	0	33.6	679	42.8	37.2	0	37.2	1,146	68.0	32.5	0	30.9
..Atherosclerosis (440)	182	5.6	3.1	0	3.4	69	4.3	3.8	0	3.6	113	6.7	2.6	0	3.2
....Atherosclerosis-related (440)	888	27.1	16.0	1	18.7	324	20.4	17.7	1	22.6	564	33.5	14.6	0	16.1
..Aortic aneurysm (441)	194	5.9	4.2	0	4.4	120	7.6	6.6	0	6.8	74	4.4	2.4	0	2.8
Pneumonia & influenza (480-487)	1,184	36.2	21.5	0	21.3	520	32.8	28.4	0	29.1	664	39.4	17.7	0	16.9

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.  
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Resident DEATHS, 1993  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1993*****				*****1993*****				*****1993*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,095	33.5	22.8	0	24.1	524	33.0	28.7	0	33.6	571	33.9	19.4	0	18.6
..COPD-related (490-496)	2,725	83.2	55.9	0	53.8	1,417	89.2	77.6	0	77.0	1,308	77.6	43.4	0	40.1
..Asthma (493)	53	1.6	1.3	0	1.2	20	1.3	1.2	0	0.9	33	2.0	1.4	0	1.4
Chronic liver disease and cirrhosis (571)	288	8.8	7.4	0	7.3	197	12.4	11.3	0	10.4	91	5.4	4.1	0	4.7
Nephritis, nephrotic syndrome/nephrosis (580-589)	305	9.3	6.2	0	6.4	154	9.7	8.4	0	9.4	151	9.0	4.9	0	4.7
..Nephritis-related (580-589)	1,564	47.8	32.3	0	35.5	847	53.3	46.1	0	49.5	717	42.5	23.9	0	27.2
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	353	10.8	7.2	0	7.3	178	11.2	9.7	0	10.5	175	10.4	5.7	0	5.4
Unintentional injuries (E800-E949)	954	29.1	24.5	0	23.0	622	39.2	35.7	0	34.1	332	19.7	14.2	0	12.6
..Motor vehicle accidents (E810-E825)	361	11.0	10.7	0	9.6	243	15.3	15.1	0	14.3	118	7.0	6.3	0	5.0
..Falls and fall related injuries (E880-E888)	168	5.1	3.3	0	3.6	77	4.8	4.3	0	4.9	91	5.4	2.6	0	2.6
..Drowning (E830,E832,E910)	28	0.9	0.9	0	1.1	23	1.4	1.4	0	1.9	5	0.3	.	0	.
..Residential fires (E890-E899)	20	0.6	0.5	0	0.7	14	0.9	.	0	.	6	0.4	.	0	.
Suicide (E950-E959)	296	9.0	8.0	0	8.1	232	14.6	13.2	0	14.3	64	3.8	3.3	0	2.5
Homicide and legal intervention (E960-E978)	211	6.4	6.8	0	5.6	159	10.0	10.5	0	9.1	52	3.1	3.0	0	2.0
..Homicide (E960-E969)	208	6.4	6.7	0	5.5	156	9.8	10.3	0	9.0	52	3.1	3.0	0	2.0
All injury (E800-E999)	1,506	46.0	40.4	0	37.9	1,052	66.3	61.4	0	59.0	454	26.9	20.8	0	17.9
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	354	10.8	10.5	0	9.4	236	14.9	14.7	0	14.0	118	7.0	6.3	0	5.0
..All falls (E880-E886,E888,E957,E968.1,E987)	121	3.7	2.5	0	3.1	70	4.4	3.9	0	4.3	51	3.0	1.6	0	2.0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	302	9.2	9.2	0	8.1	251	15.8	15.7	0	14.9	51	3.0	2.9	0	1.6
....Suicide (E955.0-.4)	145	4.4	4.0	0	3.7	120	7.6	6.9	0	7.1	25	1.5	1.3	0	.
....Homicide (E965.0-.4)	150	4.6	5.0	0	4.1	124	7.8	8.3	0	7.4	26	1.5	1.6	0	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	281	8.6	7.1	0	6.0	219	13.8	11.1	0	9.8	62	3.7	3.3	0	2.5
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	177	5.4	4.8	0	5.2	136	8.6	7.9	0	8.2	41	2.4	2.0	0	2.6
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	241	7.4	5.8	1	4.3	187	11.8	9.0	0	6.8	54	3.2	2.7	0	1.9

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.  
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Resident DEATHS, 1993  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1993*****				*****1993*****				*****1993*****						
	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR	No. of deaths	Crude rate	AAMR	Significance	1992 AAMR
*****Causes of Death*****															
All causes	28,938	884.0	846.3	0	837.7	14,160	891.8	1068.7	0	1081.0	14,778	876.7	690.8	0	672.2
Infectious diseases and parasitic disease (1-139)	1,110	33.9	32.5	1	27.0	665	41.9	43.4	0	37.1	445	26.4	22.1	1	17.6
..Septicemia (038)	418	12.8	12.1	0	11.7	171	10.8	13.1	0	13.2	247	14.7	11.2	0	10.4
....Septicemia-related (038)	1,404	42.9	41.0	0	40.8	604	38.0	47.2	0	51.1	800	47.5	36.9	0	34.3
..HIV infection (042-044)	528	16.1	15.5	1	12.6	407	25.6	24.4	0	20.4	121	7.2	6.8	0	5.0
All cancer (140-208)	7,014	214.3	203.8	0	209.2	3,494	220.1	254.0	0	268.4	3,520	208.8	174.8	0	173.7
..Oral cavity or pharynx (140.0-149.9)	119	3.6	3.5	0	3.4	79	5.0	5.4	0	4.8	40	2.4	2.0	0	2.2
..Colorectal cancer (153.0-154.3,154.8,159.0)	813	24.8	23.6	0	23.8	390	24.6	29.0	0	31.5	423	25.1	20.2	0	19.0
....Colon cancer (153)	641	19.6	18.6	0	19.2	303	19.1	22.8	0	25.3	338	20.1	16.0	0	15.4
....Rectal cancer (154)	156	4.8	4.6	0	4.2	82	5.2	5.8	0	5.8	74	4.4	3.6	0	3.1
..Pancreatic cancer (157)	388	11.9	11.3	0	11.1	192	12.1	13.6	0	10.9	196	11.6	9.4	0	10.7
..Lung and other respiratory cancer (160-165)	1,819	55.6	52.4	0	55.7	1,051	66.2	74.0	0	80.4	768	45.6	38.8	0	39.8
....Lung cancer (162.2-.9)	1,754	53.6	50.5	0	53.8	1,007	63.4	70.9	0	76.8	747	44.3	37.8	0	39.1
..Malignant melanoma of skin (172)	88	2.7	2.6	0	2.9	51	3.2	3.4	0	3.7	37	2.2	2.0	0	2.4
..Female breast cancer (174)	604	.	.	.	.	.	.	.	.	.	604	35.8	31.2	0	30.9
..Cervical cancer (180)	32	.	.	.	.	.	.	.	.	.	32	1.9	1.8	0	2.0
..Endometrial cancer (182)	40	.	.	.	.	.	.	.	.	.	40	2.4	2.0	0	1.8
..Ovarian cancer (183)	201	.	.	.	.	.	.	.	.	.	201	11.9	10.1	0	9.1
..Prostate cancer (185)	401	.	.	.	.	401	25.3	32.9	0	39.8	.	.	.	.	.
..Bladder cancer (188)	178	5.4	5.1	0	5.2	117	7.4	9.3	0	8.5	61	3.6	2.8	0	3.1
..Brain & other CNS cancer (191-192)	147	4.5	4.4	0	5.2	76	4.8	5.2	0	6.7	71	4.2	3.7	0	3.8
..Leukemia (204-208)	260	7.9	7.6	0	7.6	140	8.8	10.1	0	9.9	120	7.1	6.1	0	6.2
Diabetes mellitus (250)	574	17.5	16.7	0	15.1	252	15.9	18.5	0	16.5	322	19.1	15.4	0	13.9
..Diabetes-related (250)	2,439	74.5	70.6	0	68.5	1,091	68.7	81.7	0	80.2	1,348	80.0	63.2	0	60.2
..Diabetic ketoacidosis (DKA) (250.1)	11	0.3	.	.	.	4	0.3	.	.	.	7	0.4	.	.	.
Alzheimer's diseases (331.0)	250	7.6	7.3	1	5.6	86	5.4	7.5	0	6.6	164	9.7	7.1	1	4.9
Cardiovascular disease (390-459)	12,315	376.2	360.1	0	362.8	5,668	357.0	447.7	0	455.5	6,647	394.3	297.4	0	298.5
..Diseases of the heart (390-398,402,404-429)	9,801	299.4	286.6	0	288.7	4,645	292.6	363.5	0	370.9	5,156	305.9	230.9	0	231.3
....Heart disease-related (390-398,402,404-429)	16,264	496.9	474.9	0	473.0	7,703	485.1	602.1	0	611.9	8,561	507.9	388.1	0	380.8
....Coronary heart disease (CHD) (402,410-414,429.2)	7,091	216.6	207.2	0	212.5	3,418	215.3	266.3	0	282.8	3,673	217.9	163.5	0	163.2
....Congestive heart failure (CHF) (428.0)	470	14.4	13.8	0	13.9	179	11.3	16.0	0	14.9	291	17.3	12.7	0	13.3
....Hypertension with or without renal disease (401,403)	135	4.1	4.0	0	3.9	66	4.2	5.4	0	4.5	69	4.1	3.2	0	3.6
....Hypertension-related (401,403)	1,714	52.4	49.8	0	50.1	673	42.4	51.5	0	53.0	1,041	61.8	47.3	0	46.8
..Cerebrovascular disease (430-438)	1,825	55.8	53.5	0	52.3	679	42.8	56.8	0	56.9	1,146	68.0	51.1	0	49.0
..Atherosclerosis (440)	182	5.6	5.4	0	5.9	69	4.3	6.2	0	6.1	113	6.7	4.7	0	5.6
....Atherosclerosis-related (440)	888	27.1	25.9	1	30.4	324	20.4	27.7	1	35.6	564	33.5	24.4	0	27.0
..Aortic aneurysm (441)	194	5.9	5.5	0	6.1	120	7.6	8.9	0	9.4	74	4.4	3.4	0	4.1
Pneumonia & influenza (480-487)	1,184	36.2	34.8	0	34.6	520	32.8	46.0	0	47.2	664	39.4	29.1	0	28.1

(CONTINUED)

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.  
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Resident DEATHS, 1993  
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes				Male				Female						
	*****1993*****				*****1993*****				*****1993*****						
	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR	No. of deaths	Crude rate	AAMR	Signif- icance	1992 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	1,095	33.5	31.4	0	33.6	524	33.0	40.8	0	48.3	571	33.9	26.5	0	25.8
..COPD-related (490-496)	2,725	83.2	78.4	0	74.8	1,417	89.2	112.4	0	110.2	1,308	77.6	60.3	0	55.5
..Asthma (493)	53	1.6	1.6	0	1.5	20	1.3	1.4	0	1.1	33	2.0	1.7	0	1.7
Chronic liver disease and cirrhosis (571)	288	8.8	8.7	0	8.6	197	12.4	13.5	0	12.3	91	5.4	5.0	0	5.5
Nephritis, nephrotic syndrome/nephrosis (580-589)	305	9.3	8.8	0	9.5	154	9.7	12.4	0	14.3	151	9.0	6.9	0	7.0
..Nephritis-related (580-589)	1,564	47.8	45.4	0	49.7	847	53.3	67.0	0	71.4	717	42.5	33.4	0	37.7
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	353	10.8	10.2	0	10.7	178	11.2	14.1	0	15.8	175	10.4	8.0	0	8.0
Unintentional injuries (E800-E949)	954	29.1	28.3	0	27.1	622	39.2	41.4	0	39.1	332	19.7	16.9	0	16.0
..Motor vehicle accidents (E810-E825)	361	11.0	10.8	0	9.9	243	15.3	15.2	0	14.6	118	7.0	6.5	0	5.4
..Falls and fall related injuries (E880-E888)	168	5.1	5.0	0	5.4	77	4.8	6.5	0	6.9	91	5.4	4.1	0	4.3
..Drowning (E830,E832,E910)	28	0.9	0.9	0	1.2	23	1.4	1.4	0	1.9	5	0.3	.	0	.
..Residential fires (E890-E899)	20	0.6	0.6	0	0.7	14	0.9	.	0	.	6	0.4	.	0	.
Suicide (E950-E959)	296	9.0	8.9	0	9.1	232	14.6	14.7	0	16.2	64	3.8	3.7	0	2.9
Homicide and legal intervention (E960-E978)	211	6.4	6.4	0	5.4	159	10.0	9.8	0	8.5	52	3.1	3.0	0	2.2
..Homicide (E960-E969)	208	6.4	6.4	0	5.3	156	9.8	9.6	0	8.4	52	3.1	3.0	0	2.2
All injury (E800-E999)	1,506	46.0	45.0	0	42.9	1,052	66.3	68.3	0	65.6	454	26.9	24.0	0	22.0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	354	10.8	10.6	0	9.7	236	14.9	14.8	0	14.2	118	7.0	6.5	0	5.4
..All falls (E880-E886,E888,E957,E968.1,E987)	121	3.7	3.6	0	4.4	70	4.4	5.6	0	5.8	51	3.0	2.4	0	3.2
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	302	9.2	9.2	0	8.1	251	15.8	15.8	0	14.9	51	3.0	3.0	0	1.7
....Suicide (E955.0-.4)	145	4.4	4.4	0	4.0	120	7.6	7.7	0	7.8	25	1.5	1.5	0	.
....Homicide (E965.0-.4)	150	4.6	4.6	0	3.8	124	7.8	7.6	0	6.7	26	1.5	1.5	0	.
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	281	8.6	8.2	0	7.3	219	13.8	13.1	0	12.0	62	3.7	3.6	0	3.0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	177	5.4	5.5	0	6.1	136	8.6	9.0	0	9.6	41	2.4	2.4	0	3.0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	241	7.4	7.0	1	5.2	187	11.8	10.9	0	8.3	54	3.2	3.1	0	2.3

\* - Crude and age-adjusted mortality rates are calculated per 100,000 population.  
 . - The AAMR is not reported due to a small number of deaths (<15).  
 1 - The 1993 AAMR is significantly different (prob<0.05) from the 1992 AAMR.  
 0 - The 1993 AAMR is not significantly different (prob>0.05) from the 1992 AAMR.

CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	28,938	6,867	12,709	133,012	228,502	4556.2	4245.3	1	6975.7	6626.0	0
Infectious diseases and parasitic disease (1-139)	1,110	662	778	16,836	23,981	522.3	413.0	1	699.4	559.7	1
..Septicemia (038)	418	61	149	1,119	2,104	35.8	51.3	0	59.3	79.3	0
...Septicemia-related (038)	1,404	253	533	4,314	8,049	140.0	167.8	0	232.3	272.4	0
..HIV infection (042-044)	528	520	528	13,843	19,098	422.9	330.3	1	553.0	435.5	1
All cancer (140-208)	7,014	1,889	3,968	21,388	50,060	696.5	692.3	0	1424.7	1449.7	0
..Oral cavity or pharynx (140.0-149.9)	119	43	85	518	1,163	16.1	15.0	0	32.4	30.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	813	180	393	1,535	4,318	48.2	48.1	0	118.6	113.8	0
...Colon cancer (153)	641	132	296	1,055	3,120	33.2	35.6	0	85.2	87.6	0
...Rectal cancer (154)	156	47	92	468	1,155	14.5	11.1	0	32.2	23.9	0
..Pancreatic cancer (157)	388	95	213	870	2,360	28.0	22.8	0	65.9	56.8	0
..Lung and other respiratory cancer (160-165)	1,819	508	1,170	4,445	12,830	139.8	157.9	0	351.0	390.4	0
...Lung cancer (162.2-.9)	1,754	485	1,123	4,188	12,213	132.1	148.9	0	334.3	372.6	0
..Malignant melanoma of skin (172)	88	39	62	533	1,030	16.3	22.9	0	29.4	36.3	0
..Female breast cancer (174)	604	224	372	2,730	5,695	.	.	.	.	.	.
..Cervical cancer (180)	32	19	22	338	540	.	.	.	.	.	.
..Endometrial cancer (182)	40	13	21	83	238	.	.	.	.	.	.
..Ovarian cancer (183)	201	62	112	630	1,490	.	.	.	.	.	.
..Prostate cancer (185)	401	35	126	243	955	.	.	.	.	.	.
..Bladder cancer (188)	178	20	67	180	583	5.6	4.2	0	15.1	13.6	0
..Brain & other CNS cancer (191-192)	147	67	107	1,204	2,039	42.6	35.5	0	64.6	63.8	0
..Leukemia (204-208)	260	87	150	1,595	2,762	55.8	50.0	0	85.9	78.3	0
Diabetes mellitus (250)	574	136	276	1,385	3,395	43.6	42.0	0	94.7	86.4	0
..Diabetes-related (250)	2,439	435	1,084	4,048	11,330	129.0	118.0	0	310.3	285.5	0
..Diabetic ketoacidosis (DKA) (250.1)	11	6	6	75	135	.	.	.	.	.	.
Alzheimer's diseases (331.0)	250	7	31	68	253	2.3	0.5	0	6.7	4.4	0
Cardiovascular disease (390-459)	12,315	1,661	3,980	19,388	46,505	629.4	621.8	0	1306.1	1316.5	0
..Diseases of the heart (390-398,402,404-429)	9,801	1,396	3,291	15,754	38,357	511.1	527.4	0	1077.1	1120.3	0
...Heart disease-related (390-398,402,404-429)	16,264	2,536	5,781	34,832	74,865	1138.3	1067.3	0	2136.0	2088.4	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,091	966	2,366	9,032	25,077	286.1	310.4	0	687.5	744.4	0
....Congestive heart failure (CHF) (428.0)	470	23	82	275	742	9.7	6.7	0	21.0	19.1	0
..Hypertension with or without renal disease (401,403)	135	26	51	335	718	10.6	6.3	0	20.5	14.9	0
...Hypertension-related (401,403)	1,714	238	632	2,185	6,370	69.2	62.4	0	172.8	160.5	0
..Cerebrovascular disease (430-438)	1,825	178	446	2,521	5,456	83.6	63.2	0	155.9	129.8	0
..Atherosclerosis (440)	182	6	27	80	208	2.5	1.8	0	5.4	5.4	0
...Atherosclerosis-related (440)	888	36	183	305	1,263	9.7	11.2	0	31.6	36.2	0
..Aortic aneurysm (441)	194	22	97	225	798	7.1	8.6	0	20.3	19.9	0
Pneumonia & influenza (480-487)	1,184	102	231	1,893	3,461	61.9	57.1	0	100.1	92.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,095	123	415	1,120	3,610	38.4	31.5	0	98.2	93.4	0
..COPD-related (490-496)	2,725	288	988	2,452	8,342	81.2	72.2	0	222.1	213.4	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Asthma (493)	53	25	34	518	810	18.4	12.0	0	26.3	18.1	0
Chronic liver disease and cirrhosis (571)	288	170	230	2,580	4,580	80.2	78.4	0	133.1	131.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	305	43	106	600	1,337	19.0	21.9	0	37.0	38.8	0
..Nephritis-related (580-589)	1,564	270	611	4,035	8,243	127.1	119.0	0	230.5	232.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	353	52	126	737	1,617	23.4	22.7	0	44.8	42.4	0
Unintentional injuries (E800-E949)	954	602	694	19,000	25,485	702.3	599.8	0	876.6	761.3	0
..Motor vehicle accidents (E810-E825)	361	281	319	9,668	12,683	381.7	329.4	0	466.8	406.9	0
..Falls and fall related injuries (E880-E888)	168	32	49	662	1,065	23.1	20.3	0	33.6	32.1	0
..Drowning (E830,E832,E910)	28	27	27	1,015	1,285	37.1	40.6	0	44.1	49.5	0
..Residential fires (E890-E899)	20	13	16	335	482	11.5	18.0	0	15.4	22.3	0
Suicide (E950-E959)	296	245	275	6,378	8,968	225.7	236.8	0	295.8	306.0	0
Homicide and legal intervention (E960-E978)	211	203	207	7,299	9,344	294.6	251.7	0	354.3	301.5	0
..Homicide (E960-E969)	208	200	204	7,216	9,231	292.2	249.9	0	351.3	299.1	0
All injury (E800-E999)	1,506	1,090	1,219	33,801	45,339	1259.8	1122.0	0	1574.7	1412.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	354	275	313	9,443	12,398	373.0	323.4	0	456.4	399.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	121	33	48	695	1,097	24.1	24.7	0	34.6	37.0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	302	276	293	8,920	11,753	348.8	317.2	0	429.6	387.4	0
....Suicide (E955.0-.4)	145	123	138	3,118	4,415	109.9	110.5	0	145.0	141.3	0
....Homicide (E965.0-.4)	150	147	149	5,568	7,043	230.1	194.3	0	274.1	231.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	281	252	266	7,268	9,858	241.6	192.1	0	307.9	249.5	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	177	126	165	2,082	3,570	65.0	78.6	0	104.2	121.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	241	224	234	6,397	8,682	206.0	149.3	1	263.4	192.4	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	14,160	4,376	7,729	87,766	147,189	6016.5	5713.1	0	9172.8	8858.6	0
Infectious diseases and parasitic disease (1-139)	665	481	549	11,888	17,018	731.4	614.6	0	990.9	837.2	0
..Septicemia (038)	171	31	78	480	992	29.7	63.2	0	55.7	98.4	0
...Septicemia-related (038)	604	140	282	2,371	4,396	153.8	207.7	0	259.8	337.6	0
..HIV infection (042-044)	407	400	407	10,304	14,352	631.0	516.8	0	834.9	687.2	0
All cancer (140-208)	3,494	935	2,066	10,555	25,262	699.4	744.7	0	1486.3	1601.2	0
..Oral cavity or pharynx (140.0-149.9)	79	32	62	400	875	25.5	25.6	0	50.9	49.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	390	95	213	788	2,268	51.2	56.8	0	130.9	138.7	0
...Colon cancer (153)	303	68	157	510	1,578	33.2	43.2	0	90.4	107.4	0
...Rectal cancer (154)	82	27	55	278	688	18.0	13.4	0	40.4	30.5	0
..Pancreatic cancer (157)	192	59	121	498	1,393	32.5	27.7	0	81.0	65.9	0
..Lung and other respiratory cancer (160-165)	1,051	278	679	2,455	7,228	158.8	186.8	0	413.0	478.2	0
...Lung cancer (162.2-.9)	1,007	263	647	2,298	6,833	149.2	170.2	0	391.0	447.5	0
..Malignant melanoma of skin (172)	51	20	36	270	545	17.1	25.3	0	32.1	39.1	0
..Female breast cancer (174)	.	.	.	.	.	.	.	0	.	.	0
..Cervical cancer (180)	.	.	.	.	.	.	.	0	.	.	0
..Endometrial cancer (182)	.	.	.	.	.	.	.	0	.	.	0
..Ovarian cancer (183)	.	.	.	.	.	.	.	0	.	.	0
..Prostate cancer (185)	401	35	126	243	955	16.0	13.2	0	52.7	63.0	0
..Bladder cancer (188)	117	18	50	175	500	11.1	6.1	0	27.9	21.7	0
..Brain & other CNS cancer (191-192)	76	41	59	600	1,085	40.7	48.2	0	67.8	87.7	0
..Leukemia (204-208)	140	47	83	895	1,540	60.8	69.2	0	95.0	103.0	0
Diabetes mellitus (250)	252	67	140	678	1,670	43.1	48.3	0	96.3	100.0	0
..Diabetes-related (250)	1,091	237	562	2,208	6,075	144.0	136.3	0	351.0	334.7	0
..Diabetic ketoacidosis (DKA) (250.1)	4	3	3	43	73	.	.	0	.	.	0
Alzheimer's diseases (331.0)	86	3	15	13	98	0.8	0.4	0	5.1	5.6	0
Cardiovascular disease (390-459)	5,668	1,156	2,576	13,272	31,502	872.9	849.3	0	1847.9	1835.5	0
..Diseases of the heart (390-398,402,404-429)	4,645	1,002	2,185	11,046	26,644	724.4	745.4	0	1562.2	1609.8	0
...Heart disease-related (390-398,402,404-429)	7,703	1,676	3,621	22,630	48,428	1477.5	1430.4	0	2846.7	2836.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,418	733	1,625	7,003	18,588	455.7	490.0	0	1079.8	1159.2	0
....Congestive heart failure (CHF) (428.0)	179	11	45	88	328	5.8	6.7	0	18.1	21.2	0
..Hypertension with or without renal disease (401,403)	66	19	30	278	525	17.9	8.8	0	31.5	19.3	0
...Hypertension-related (401,403)	673	144	341	1,455	3,853	94.4	81.1	0	223.0	205.1	0
..Cerebrovascular disease (430-438)	679	91	235	1,394	2,944	94.9	65.4	0	175.4	141.0	0
..Atherosclerosis (440)	69	5	18	53	145	3.6	2.6	0	8.4	7.1	0
...Atherosclerosis-related (440)	324	25	99	203	768	13.4	13.9	0	42.2	48.6	0
..Aortic aneurysm (441)	120	18	68	190	630	12.3	12.3	0	34.7	29.7	0
Pneumonia & influenza (480-487)	520	63	133	1,064	1,994	69.1	82.6	0	117.5	128.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	524	59	220	518	1,820	36.2	25.4	0	102.8	100.0	0
..COPD-related (490-496)	1,417	157	551	1,303	4,638	88.5	74.8	0	260.2	252.7	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Asthma (493)	20	12	15	240	378	17.0	4.8	0	24.5	10.1	0
Chronic liver disease and cirrhosis (571)	197	121	165	1,773	3,203	111.9	113.2	0	190.9	187.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	154	27	63	398	858	24.0	30.0	0	47.5	51.6	0
..Nephritis-related (580-589)	847	169	367	2,667	5,232	168.1	149.4	0	301.2	290.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	178	34	75	495	1,043	30.4	30.8	0	58.6	55.7	0
Unintentional injuries (E800-E949)	622	465	513	14,503	19,393	1052.1	964.7	0	1317.0	1218.8	0
..Motor vehicle accidents (E810-E825)	243	208	225	7,106	9,274	554.0	522.3	0	677.4	641.5	0
..Falls and fall related injuries (E880-E888)	77	24	33	465	753	31.5	35.4	0	47.0	53.6	0
..Drowning (E830,E832,E910)	23	22	22	788	1,008	56.3	70.2	0	67.8	84.8	0
..Residential fires (E890-E899)	14	10	12	222	337	.	.	.	.	.	.
Suicide (E950-E959)	232	195	218	5,153	7,200	366.3	400.5	0	479.1	518.0	0
Homicide and legal intervention (E960-E978)	159	157	158	5,687	7,259	459.9	410.2	0	552.5	491.4	0
..Homicide (E960-E969)	156	154	155	5,604	7,147	455.2	406.5	0	546.4	486.6	0
All injury (E800-E999)	1,052	852	926	26,334	35,204	1945.4	1824.1	0	2434.4	2291.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	236	202	219	6,881	8,989	536.8	510.6	0	656.8	627.3	0
..All falls (E880-E886,E888,E957,E968.1,E987)	70	26	36	510	820	34.3	42.0	0	50.9	61.7	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	251	228	242	7,410	9,755	581.1	568.2	0	716.1	693.8	0
....Suicide (E955.0-.4)	120	100	113	2,545	3,608	182.5	200.7	0	241.4	256.4	0
....Homicide (E965.0-.4)	124	122	123	4,630	5,853	381.1	346.7	0	454.0	412.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	219	202	212	5,871	7,936	384.1	315.1	0	489.8	409.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	136	96	126	1,497	2,637	95.5	120.1	0	158.5	187.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	187	181	186	5,188	7,015	330.8	243.6	0	422.8	312.6	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	14,778	2,491	4,980	45,246	81,313	3101.2	2782.4	0	4839.5	4458.5	0
Infectious diseases and parasitic disease (1-139)	445	181	229	4,949	6,964	319.2	216.5	1	417.7	290.3	1
..Septicemia (038)	247	30	71	639	1,112	42.2	39.7	0	63.9	61.2	0
...Septicemia-related (038)	800	113	251	1,943	3,653	127.4	129.7	0	207.4	210.8	0
..HIV infection (042-044)	121	120	121	3,539	4,747	219.6	147.9	0	278.3	190.2	0
All cancer (140-208)	3,520	954	1,902	10,833	24,798	694.1	640.7	0	1374.2	1312.9	0
..Oral cavity or pharynx (140.0-149.9)	40	11	23	118	288	7.0	4.9	0	15.1	11.8	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	423	85	180	748	2,050	45.4	39.9	0	107.8	91.4	0
...Colon cancer (153)	338	64	139	545	1,543	33.3	28.4	0	81.0	69.5	0
...Rectal cancer (154)	74	20	37	190	468	11.3	8.8	0	24.7	18.0	0
..Pancreatic cancer (157)	196	36	92	372	967	24.0	18.2	0	52.4	48.3	0
..Lung and other respiratory cancer (160-165)	768	230	491	1,990	5,603	122.0	130.5	0	296.1	312.0	0
...Lung cancer (162.2-.9)	747	222	476	1,890	5,380	116.1	128.9	0	284.3	306.5	0
..Malignant melanoma of skin (172)	37	19	26	263	485	15.6	20.5	0	27.0	33.6	0
..Female breast cancer (174)	604	224	372	2,730	5,695	167.6	173.7	0	315.6	325.8	0
..Cervical cancer (180)	32	19	22	338	540	19.8	18.3	0	30.1	29.4	0
..Endometrial cancer (182)	40	13	21	83	238	5.1	2.9	0	13.0	9.8	0
..Ovarian cancer (183)	201	62	112	630	1,490	40.8	29.5	0	83.8	67.1	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	61	2	17	5	83	0.3	2.4	0	3.3	6.4	0
..Brain & other CNS cancer (191-192)	71	26	48	604	954	45.1	23.6	0	62.7	41.5	0
..Leukemia (204-208)	120	40	67	700	1,223	51.1	30.5	0	77.7	53.6	0
Diabetes mellitus (250)	322	69	136	708	1,725	44.4	36.5	0	93.7	74.0	0
..Diabetes-related (250)	1,348	198	522	1,840	5,255	115.3	101.1	0	273.9	241.5	0
..Diabetic ketoacidosis (DKA) (250.1)	7	3	3	33	63	.	.	0	.	.	0
Alzheimer's diseases (331.0)	164	4	16	55	155	3.8	0.6	0	8.3	3.3	0
Cardiovascular disease (390-459)	6,647	505	1,404	6,116	15,003	396.7	406.5	0	806.5	841.9	0
..Diseases of the heart (390-398,402,404-429)	5,156	394	1,106	4,708	11,713	308.3	320.9	0	630.8	671.6	0
...Heart disease-related (390-398,402,404-429)	8,561	860	2,160	12,202	26,437	814.4	721.1	0	1479.1	1396.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,673	233	741	2,030	6,490	124.9	140.6	0	326.9	364.9	0
....Congestive heart failure (CHF) (428.0)	291	12	37	187	415	13.7	6.9	0	24.3	17.3	0
..Hypertension with or without renal disease (401,403)	69	7	21	58	193	3.7	3.9	0	10.0	10.6	0
...Hypertension-related (401,403)	1,041	94	291	730	2,518	45.2	44.7	0	126.1	119.7	0
..Cerebrovascular disease (430-438)	1,146	87	211	1,128	2,513	71.8	61.3	0	137.1	120.3	0
..Atherosclerosis (440)	113	1	9	28	63	1.5	1.1	0	2.7	3.9	0
...Atherosclerosis-related (440)	564	11	84	103	495	6.3	8.7	0	22.1	25.6	0
..Aortic aneurysm (441)	74	4	29	35	168	2.0	4.9	0	7.3	11.0	0
Pneumonia & influenza (480-487)	664	39	98	830	1,467	55.5	30.9	0	84.5	57.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	571	64	195	602	1,790	40.6	38.0	0	95.0	89.7	0
..COPD-related (490-496)	1,308	131	437	1,150	3,705	74.3	70.4	0	189.2	180.8	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1940 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Asthma (493)	33	13	19	278	433	19.7	19.4	0	28.0	26.4	0
Chronic liver disease and cirrhosis (571)	91	49	65	808	1,378	49.9	45.1	0	78.7	77.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	151	16	43	202	480	14.5	13.7	0	27.5	26.5	0
..Nephritis-related (580-589)	717	101	244	1,369	3,011	87.7	90.1	0	164.2	178.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	175	18	51	242	575	16.8	14.5	0	32.2	29.6	0
Unintentional injuries (E800-E949)	332	137	181	4,498	6,093	348.8	229.9	0	434.0	299.9	0
..Motor vehicle accidents (E810-E825)	118	73	94	2,562	3,409	205.2	132.1	0	252.0	167.5	0
..Falls and fall related injuries (E880-E888)	91	8	16	197	312	15.0	5.1	0	20.8	10.7	0
..Drowning (E830,E832,E910)	5	5	5	227	277	.	.	.	.	.	.
..Residential fires (E890-E899)	6	3	4	113	145	.	.	.	.	.	.
Suicide (E950-E959)	64	50	57	1,225	1,768	84.5	72.3	0	113.1	94.6	0
Homicide and legal intervention (E960-E978)	52	46	49	1,612	2,085	123.8	88.4	0	150.1	106.2	0
..Homicide (E960-E969)	52	46	49	1,612	2,085	123.8	88.4	0	150.1	106.2	0
All injury (E800-E999)	454	238	293	7,467	10,135	564.6	409.0	1	707.3	525.9	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	118	73	94	2,562	3,409	205.2	132.1	0	252.0	167.5	0
..All falls (E880-E886,E888,E957,E968.1,E987)	51	7	12	185	277	14.2	7.2	0	18.9	12.6	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	51	48	51	1,510	1,998	110.5	59.9	0	137.1	74.6	0
....Suicide (E955.0-.4)	25	23	25	573	808	36.5	.	0	48.6	.	0
....Homicide (E965.0-.4)	26	25	26	938	1,190	74.1	.	0	88.5	.	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	62	50	54	1,397	1,922	100.6	70.1	0	128.2	92.0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	41	30	39	585	933	35.8	38.6	0	53.0	59.7	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	54	43	48	1,210	1,667	83.1	55.8	0	106.4	73.4	0

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	28,938	6,867	12,709	133,012	228,502	4448.2	4159.2	0	6995.0	6684.4	0
Infectious diseases and parasitic disease (1-139)	1,110	662	778	16,836	23,981	453.7	360.3	1	608.7	490.8	1
..Septicemia (038)	418	61	149	1,119	2,104	33.7	50.4	0	59.0	80.4	0
...Septicemia-related (038)	1,404	253	533	4,314	8,049	133.1	161.7	0	231.4	272.6	0
..HIV infection (042-044)	528	520	528	13,843	19,098	357.4	280.6	1	464.1	368.3	1
All cancer (140-208)	7,014	1,889	3,968	21,388	50,060	694.0	687.3	0	1504.7	1530.1	0
..Oral cavity or pharynx (140.0-149.9)	119	43	85	518	1,163	15.5	15.2	0	33.3	31.5	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	813	180	393	1,535	4,318	49.0	48.6	0	129.2	122.9	0
...Colon cancer (153)	641	132	296	1,055	3,120	34.1	36.0	0	93.7	95.2	0
....Rectal cancer (154)	156	47	92	468	1,155	14.5	11.3	0	34.3	25.6	0
..Pancreatic cancer (157)	388	95	213	870	2,360	29.0	23.1	0	72.0	61.9	0
..Lung and other respiratory cancer (160-165)	1,819	508	1,170	4,445	12,830	142.9	163.3	0	383.6	428.0	0
...Lung cancer (162.2-.9)	1,754	485	1,123	4,188	12,213	135.8	153.5	0	366.5	408.6	0
..Malignant melanoma of skin (172)	88	39	62	533	1,030	15.5	20.8	0	29.2	34.6	0
..Female breast cancer (174)	604	224	372	2,730	5,695	.	.	.	.	.	.
..Cervical cancer (180)	32	19	22	338	540	.	.	.	.	.	.
..Endometrial cancer (182)	40	13	21	83	238	.	.	.	.	.	.
..Ovarian cancer (183)	201	62	112	630	1,490	.	.	.	.	.	.
..Prostate cancer (185)	401	35	126	243	955	.	.	.	.	.	.
..Bladder cancer (188)	178	20	67	180	583	5.7	4.3	0	16.7	15.4	0
..Brain & other CNS cancer (191-192)	147	67	107	1,204	2,039	44.1	35.0	0	67.5	65.1	0
..Leukemia (204-208)	260	87	150	1,595	2,762	54.8	50.0	0	86.3	79.6	0
Diabetes mellitus (250)	574	136	276	1,385	3,395	43.5	41.5	0	100.7	90.7	0
..Diabetes-related (250)	2,439	435	1,084	4,048	11,330	129.9	117.9	0	336.9	309.3	0
..Diabetic ketoacidosis (DKA) (250.1)	11	6	6	75	135	.	.	.	.	.	.
Alzheimer's diseases (331.0)	250	7	31	68	253	2.2	0.6	0	7.4	5.4	0
Cardiovascular disease (390-459)	12,315	1,661	3,980	19,388	46,505	628.8	619.8	0	1388.2	1400.5	0
..Diseases of the heart (390-398,402,404-429)	9,801	1,396	3,291	15,754	38,357	514.2	527.1	0	1150.8	1193.9	0
...Heart disease-related (390-398,402,404-429)	16,264	2,536	5,781	34,832	74,865	1121.9	1057.7	0	2224.5	2193.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,091	966	2,366	9,032	25,077	291.1	314.6	0	748.0	808.5	0
....Congestive heart failure (CHF) (428.0)	470	23	82	275	742	10.2	7.0	0	23.3	21.7	0
..Hypertension with or without renal disease (401,403)	135	26	51	335	718	10.3	6.3	0	21.0	15.9	0
...Hypertension-related (401,403)	1,714	238	632	2,185	6,370	70.0	63.4	0	188.5	176.0	0
..Cerebrovascular disease (430-438)	1,825	178	446	2,521	5,456	81.5	62.2	0	161.5	136.4	0
..Atherosclerosis (440)	182	6	27	80	208	2.4	1.9	0	5.7	6.1	0
...Atherosclerosis-related (440)	888	36	183	305	1,263	10.1	11.9	0	36.2	41.5	0
..Aortic aneurysm (441)	194	22	97	225	798	6.9	8.5	0	22.4	21.7	0
Pneumonia & influenza (480-487)	1,184	102	231	1,893	3,461	60.6	59.1	0	101.9	98.3	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,095	123	415	1,120	3,610	39.3	31.9	0	109.6	105.2	0
..COPD-related (490-496)	2,725	288	988	2,452	8,342	83.0	74.1	0	248.7	241.1	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Asthma (493)	53	25	34	518	810	17.5	11.2	0	25.3	17.4	0
Chronic liver disease and cirrhosis (571)	288	170	230	2,580	4,580	74.7	72.0	0	128.5	125.7	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	305	43	106	600	1,337	18.0	20.1	0	37.9	38.5	0
..Nephritis-related (580-589)	1,564	270	611	4,035	8,243	120.3	112.7	0	232.7	237.6	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	353	52	126	737	1,617	21.9	21.0	0	45.6	42.7	0
Unintentional injuries (E800-E949)	954	602	694	19,000	25,485	666.7	561.8	0	822.1	707.5	0
..Motor vehicle accidents (E810-E825)	361	281	319	9,668	12,683	364.7	311.6	0	440.0	380.6	0
..Falls and fall related injuries (E880-E888)	168	32	49	662	1,065	22.7	19.6	0	33.2	32.0	0
..Drowning (E830,E832,E910)	28	27	27	1,015	1,285	38.3	39.4	0	44.6	47.2	0
..Residential fires (E890-E899)	20	13	16	335	482	11.8	19.2	0	15.6	23.6	0
Suicide (E950-E959)	296	245	275	6,378	8,968	204.2	213.6	0	267.0	274.6	0
Homicide and legal intervention (E960-E978)	211	203	207	7,299	9,344	281.4	235.8	0	332.8	277.5	0
..Homicide (E960-E969)	208	200	204	7,216	9,231	279.5	234.3	0	330.4	275.5	0
All injury (E800-E999)	1,506	1,090	1,219	33,801	45,339	1184.9	1040.8	0	1463.4	1298.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	354	275	313	9,443	12,398	356.9	305.7	0	430.9	373.5	0
..All falls (E880-E886,E888,E957,E968.1,E987)	121	33	48	695	1,097	23.4	23.1	0	33.8	35.6	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	302	276	293	8,920	11,753	329.9	296.9	0	400.5	357.5	0
....Suicide (E955.0-.4)	145	123	138	3,118	4,415	99.5	100.8	0	131.2	128.2	0
....Homicide (E965.0-.4)	150	147	149	5,568	7,043	221.0	184.6	0	258.5	215.5	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	281	252	266	7,268	9,858	212.2	165.2	0	267.5	213.1	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	177	126	165	2,082	3,570	60.8	70.6	0	100.0	112.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	241	224	234	6,397	8,682	175.1	127.7	0	221.8	163.0	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	14,160	4,376	7,729	87,766	147,189	5816.3	5553.7	0	9118.8	8872.7	0
Infectious diseases and parasitic disease (1-139)	665	481	549	11,888	17,018	626.3	530.8	0	852.7	726.8	0
..Septicemia (038)	171	31	78	480	992	28.4	60.6	0	57.1	97.6	0
...Septicemia-related (038)	604	140	282	2,371	4,396	145.7	196.5	0	258.4	332.4	0
..HIV infection (042-044)	407	400	407	10,304	14,352	532.8	439.4	0	702.0	582.2	0
All cancer (140-208)	3,494	935	2,066	10,555	25,262	697.8	744.0	0	1582.6	1705.4	0
..Oral cavity or pharynx (140.0-149.9)	79	32	62	400	875	24.3	25.9	0	52.1	51.4	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	390	95	213	788	2,268	52.8	57.5	0	144.1	150.8	0
...Colon cancer (153)	303	68	157	510	1,578	34.7	43.7	0	100.8	116.9	0
...Rectal cancer (154)	82	27	55	278	688	18.0	13.7	0	43.2	32.9	0
..Pancreatic cancer (157)	192	59	121	498	1,393	33.2	28.4	0	88.4	71.8	0
..Lung and other respiratory cancer (160-165)	1,051	278	679	2,455	7,228	162.2	193.5	0	453.9	527.6	0
...Lung cancer (162.2-.9)	1,007	263	647	2,298	6,833	153.1	175.6	0	430.8	494.2	0
..Malignant melanoma of skin (172)	51	20	36	270	545	16.5	22.9	0	32.5	37.0	0
..Female breast cancer (174)	.	.	.	.	.	.	.	.	.	.	.
..Cervical cancer (180)	.	.	.	.	.	.	.	.	.	.	.
..Endometrial cancer (182)	.	.	.	.	.	.	.	.	.	.	.
..Ovarian cancer (183)	.	.	.	.	.	.	.	.	.	.	.
..Prostate cancer (185)	401	35	126	243	955	17.2	14.7	0	60.8	75.1	0
..Bladder cancer (188)	117	18	50	175	500	11.3	6.4	0	30.6	24.8	0
..Brain & other CNS cancer (191-192)	76	41	59	600	1,085	42.8	47.1	0	71.9	88.9	0
..Leukemia (204-208)	140	47	83	895	1,540	57.0	69.3	0	92.5	104.2	0
Diabetes mellitus (250)	252	67	140	678	1,670	43.0	47.5	0	102.6	104.6	0
..Diabetes-related (250)	1,091	237	562	2,208	6,075	145.7	136.0	0	381.9	362.8	0
..Diabetic ketoacidosis (DKA) (250.1)	4	3	3	43	73	.	.	.	.	.	.
Alzheimer's diseases (331.0)	86	3	15	13	98	1.0	0.5	0	6.2	7.0	0
Cardiovascular disease (390-459)	5,668	1,156	2,576	13,272	31,502	870.6	846.5	0	1964.4	1954.6	0
..Diseases of the heart (390-398,402,404-429)	4,645	1,002	2,185	11,046	26,644	726.6	744.0	0	1667.9	1714.7	0
...Heart disease-related (390-398,402,404-429)	7,703	1,676	3,621	22,630	48,428	1445.1	1410.9	0	2958.1	2971.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,418	733	1,625	7,003	18,588	462.5	495.8	0	1170.0	1254.2	0
....Congestive heart failure (CHF) (428.0)	179	11	45	88	328	6.2	7.2	0	20.8	24.4	0
..Hypertension with or without renal disease (401,403)	66	19	30	278	525	16.9	8.7	0	31.2	20.3	0
...Hypertension-related (401,403)	673	144	341	1,455	3,853	94.9	82.5	0	240.3	224.6	0
..Cerebrovascular disease (430-438)	679	91	235	1,394	2,944	93.2	64.0	0	182.6	149.2	0
...Atherosclerosis (440)	69	5	18	53	145	3.7	2.5	0	9.2	7.8	0
...Atherosclerosis-related (440)	324	25	99	203	768	14.1	14.8	0	48.2	56.1	0
..Aortic aneurysm (441)	120	18	68	190	630	11.9	12.7	0	38.0	33.3	0
Pneumonia & influenza (480-487)	520	63	133	1,064	1,994	66.2	86.9	0	118.5	137.5	0
Chronic obstructive pulmonary disease (COPD) (490-496)	524	59	220	518	1,820	37.4	26.5	0	116.6	116.0	0
..COPD-related (490-496)	1,417	157	551	1,303	4,638	91.4	78.5	0	294.8	290.3	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Asthma (493)	20	12	15	240	378	16.5	4.5	0	24.2	10.3	0
Chronic liver disease and cirrhosis (571)	197	121	165	1,773	3,203	104.8	105.1	0	186.0	180.6	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	154	27	63	398	858	21.3	28.0	0	47.0	51.5	0
..Nephritis-related (580-589)	847	169	367	2,667	5,232	156.1	139.0	0	299.7	293.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	178	34	75	495	1,043	27.1	28.9	0	57.7	56.4	0
Unintentional injuries (E800-E949)	622	465	513	14,503	19,393	990.1	899.3	0	1224.0	1126.2	0
..Motor vehicle accidents (E810-E825)	243	208	225	7,106	9,274	529.9	491.6	0	638.7	596.3	0
..Falls and fall related injuries (E880-E888)	77	24	33	465	753	30.3	33.9	0	45.8	53.0	0
..Drowning (E830,E832,E910)	23	22	22	788	1,008	58.1	68.4	0	68.4	81.0	0
..Residential fires (E890-E899)	14	10	12	222	337	.	.	.	.	.	.
Suicide (E950-E959)	232	195	218	5,153	7,200	331.7	362.8	0	432.5	467.3	0
Homicide and legal intervention (E960-E978)	159	157	158	5,687	7,259	440.3	383.9	0	520.0	452.3	0
..Homicide (E960-E969)	156	154	155	5,604	7,147	436.5	380.7	0	515.1	448.2	0
All injury (E800-E999)	1,052	852	926	26,334	35,204	1821.1	1689.2	0	2251.3	2101.2	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	236	202	219	6,881	8,989	514.5	480.0	0	620.7	582.4	0
..All falls (E880-E886,E888,E957,E968.1,E987)	70	26	36	510	820	32.6	39.3	0	49.1	59.2	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	251	228	242	7,410	9,755	551.8	531.2	0	670.6	640.0	0
....Suicide (E955.0-.4)	120	100	113	2,545	3,608	167.2	183.5	0	220.9	233.3	0
....Homicide (E965.0-.4)	124	122	123	4,630	5,853	366.3	328.3	0	428.6	383.9	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	219	202	212	5,871	7,936	331.4	269.6	0	418.2	347.7	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	136	96	126	1,497	2,637	91.0	108.7	0	155.1	174.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	187	181	186	5,188	7,015	277.4	207.1	0	351.0	263.0	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	14,778	2,491	4,980	45,246	81,313	3084.0	2768.1	0	4941.9	4572.4	0
Infectious diseases and parasitic disease (1-139)	445	181	229	4,949	6,964	286.8	194.6	0	374.1	262.5	0
..Septicemia (038)	247	30	71	639	1,112	39.4	40.7	0	62.0	64.2	0
...Septicemia-related (038)	800	113	251	1,943	3,653	121.7	128.7	0	207.2	216.7	0
..HIV infection (042-044)	121	120	121	3,539	4,747	186.3	125.5	0	232.8	160.1	0
All cancer (140-208)	3,520	954	1,902	10,833	24,798	690.9	631.6	0	1440.9	1373.2	0
..Oral cavity or pharynx (140.0-149.9)	40	11	23	118	288	7.1	5.0	0	16.0	12.9	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	423	85	180	748	2,050	45.6	40.1	0	116.2	98.1	0
...Colon cancer (153)	338	64	139	545	1,543	33.6	28.7	0	87.7	75.6	0
...Rectal cancer (154)	74	20	37	190	468	11.2	9.1	0	26.2	19.1	0
..Pancreatic cancer (157)	196	36	92	372	967	25.2	18.1	0	57.5	52.7	0
..Lung and other respiratory cancer (160-165)	768	230	491	1,990	5,603	124.7	134.7	0	322.0	339.7	0
...Lung cancer (162.2-.9)	747	222	476	1,890	5,380	119.4	132.9	0	310.3	333.5	0
..Malignant melanoma of skin (172)	37	19	26	263	485	14.6	18.6	0	26.3	32.2	0
..Female breast cancer (174)	604	224	372	2,730	5,695	163.0	166.8	0	321.1	328.9	0
..Cervical cancer (180)	32	19	22	338	540	18.0	16.8	0	27.7	27.7	0
..Endometrial cancer (182)	40	13	21	83	238	5.5	3.2	0	14.5	11.4	0
..Ovarian cancer (183)	201	62	112	630	1,490	41.7	30.2	0	89.2	72.3	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	61	2	17	5	83	0.3	2.4	0	4.1	7.0	0
..Brain & other CNS cancer (191-192)	71	26	48	604	954	46.1	23.8	0	64.3	43.1	0
..Leukemia (204-208)	120	40	67	700	1,223	53.0	30.3	0	81.1	55.0	0
Diabetes mellitus (250)	322	69	136	708	1,725	44.4	36.1	0	99.5	78.2	0
..Diabetes-related (250)	1,348	198	522	1,840	5,255	115.5	101.3	0	296.8	261.9	0
..Diabetic ketoacidosis (DKA) (250.1)	7	3	3	33	63	.	.	0	.	.	0
Alzheimer's diseases (331.0)	164	4	16	55	155	3.5	0.7	0	8.7	4.0	0
Cardiovascular disease (390-459)	6,647	505	1,404	6,116	15,003	398.4	406.0	0	861.1	897.9	0
..Diseases of the heart (390-398,402,404-429)	5,156	394	1,106	4,708	11,713	313.0	322.2	0	678.7	720.2	0
...Heart disease-related (390-398,402,404-429)	8,561	860	2,160	12,202	26,437	814.5	722.1	0	1552.9	1480.5	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,673	233	741	2,030	6,490	128.6	143.6	0	362.7	403.7	0
....Congestive heart failure (CHF) (428.0)	291	12	37	187	415	14.3	7.0	0	26.4	19.3	0
..Hypertension with or without renal disease (401,403)	69	7	21	58	193	3.9	4.1	0	11.3	11.9	0
...Hypertension-related (401,403)	1,041	94	291	730	2,518	46.4	45.3	0	140.7	132.0	0
..Cerebrovascular disease (430-438)	1,146	87	211	1,128	2,513	69.4	60.7	0	141.4	125.7	0
..Atherosclerosis (440)	113	1	9	28	63	1.2	1.3	0	2.6	4.6	0
...Atherosclerosis-related (440)	564	11	84	103	495	6.3	9.3	0	25.4	29.1	0
..Aortic aneurysm (441)	74	4	29	35	168	2.1	4.3	0	8.5	11.3	0
Pneumonia & influenza (480-487)	664	39	98	830	1,467	56.0	30.6	0	87.4	59.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	571	64	195	602	1,790	41.3	37.6	0	104.4	97.7	0
..COPD-related (490-496)	1,308	131	437	1,150	3,705	75.0	70.7	0	209.0	200.1	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 1970 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Asthma (493)	33	13	19	278	433	18.4	18.0	0	26.5	24.8	0
Chronic liver disease and cirrhosis (571)	91	49	65	808	1,378	46.1	40.4	0	74.9	73.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	151	16	43	202	480	15.1	12.2	0	30.0	26.0	0
..Nephritis-related (580-589)	717	101	244	1,369	3,011	86.0	87.9	0	170.8	186.9	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	175	18	51	242	575	17.1	13.1	0	34.6	29.7	0
Unintentional injuries (E800-E949)	332	137	181	4,498	6,093	338.9	218.6	0	417.3	284.8	0
..Motor vehicle accidents (E810-E825)	118	73	94	2,562	3,409	195.1	127.0	0	236.8	160.1	0
..Falls and fall related injuries (E880-E888)	91	8	16	197	312	15.4	5.2	0	21.3	11.4	0
..Drowning (E830,E832,E910)	5	5	5	227	277	.	.	.	.	.	.
..Residential fires (E890-E899)	6	3	4	113	145	.	.	.	.	.	.
Suicide (E950-E959)	64	50	57	1,225	1,768	76.0	63.3	0	102.0	82.7	0
Homicide and legal intervention (E960-E978)	52	46	49	1,612	2,085	116.9	82.8	0	139.4	97.4	0
..Homicide (E960-E969)	52	46	49	1,612	2,085	116.9	82.8	0	139.4	97.4	0
All injury (E800-E999)	454	238	293	7,467	10,135	538.0	380.8	1	667.0	486.7	1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	118	73	94	2,562	3,409	195.1	127.0	0	236.8	160.1	0
..All falls (E880-E886,E888,E957,E968.1,E987)	51	7	12	185	277	14.5	6.8	0	19.3	12.4	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	51	48	51	1,510	1,998	101.6	56.2	0	124.3	68.8	0
....Suicide (E955.0-.4)	25	23	25	573	808	31.0	.	0	41.6	.	0
....Homicide (E965.0-.4)	26	25	26	938	1,190	70.6	.	0	82.7	.	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	62	50	54	1,397	1,922	94.2	61.6	0	118.9	80.4	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	41	30	39	585	933	31.9	33.9	0	48.4	54.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	54	43	48	1,210	1,667	74.4	48.9	0	94.6	63.8	0

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	28,938	6,867	12,709	133,012	228,502	4661.2	4376.7	0	7358.2	7052.8	0
Infectious diseases and parasitic disease (1-139)	1,110	662	778	16,836	23,981	555.6	441.1	1	740.4	595.0	1
..Septicemia (038)	418	61	149	1,119	2,104	38.8	52.9	0	66.5	84.5	0
...Septicemia-related (038)	1,404	253	533	4,314	8,049	152.4	180.7	0	259.5	300.6	0
..HIV infection (042-044)	528	520	528	13,843	19,098	451.2	354.2	1	583.4	461.8	1
All cancer (140-208)	7,014	1,889	3,968	21,388	50,060	789.7	799.1	0	1646.0	1693.0	0
..Oral cavity or pharynx (140.0-149.9)	119	43	85	518	1,163	18.9	18.2	0	38.0	35.9	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	813	180	393	1,535	4,318	57.5	57.3	0	141.3	135.8	0
...Colon cancer (153)	641	132	296	1,055	3,120	39.6	42.3	0	101.7	104.5	0
...Rectal cancer (154)	156	47	92	468	1,155	17.4	13.5	0	38.2	28.8	0
..Pancreatic cancer (157)	388	95	213	870	2,360	32.8	27.3	0	78.0	68.1	0
..Lung and other respiratory cancer (160-165)	1,819	508	1,170	4,445	12,830	167.7	187.7	0	419.8	464.7	0
...Lung cancer (162.2-.9)	1,754	485	1,123	4,188	12,213	158.9	177.6	0	400.5	444.4	0
..Malignant melanoma of skin (172)	88	39	62	533	1,030	19.3	24.6	0	34.4	39.8	0
..Female breast cancer (174)	604	224	372	2,730	5,695	.	.	.	.	.	.
..Cervical cancer (180)	32	19	22	338	540	.	.	.	.	.	.
..Endometrial cancer (182)	40	13	21	83	238	.	.	.	.	.	.
..Ovarian cancer (183)	201	62	112	630	1,490	.	.	.	.	.	.
..Prostate cancer (185)	401	35	126	243	955	.	.	.	.	.	.
..Bladder cancer (188)	178	20	67	180	583	6.8	5.0	0	18.6	16.4	0
..Brain & other CNS cancer (191-192)	147	67	107	1,204	2,039	43.9	41.1	0	68.3	73.8	0
..Leukemia (204-208)	260	87	150	1,595	2,762	58.3	53.0	0	92.0	84.8	0
Diabetes mellitus (250)	574	136	276	1,385	3,395	50.8	48.4	0	110.9	100.7	0
..Diabetes-related (250)	2,439	435	1,084	4,048	11,330	149.5	137.2	0	366.8	338.4	0
..Diabetic ketoacidosis (DKA) (250.1)	11	6	6	75	135	.	.	.	.	.	.
Alzheimer's diseases (331.0)	250	7	31	68	253	2.2	0.6	0	7.6	5.5	0
Cardiovascular disease (390-459)	12,315	1,661	3,980	19,388	46,505	710.2	709.1	0	1514.4	1537.8	0
..Diseases of the heart (390-398,402,404-429)	9,801	1,396	3,291	15,754	38,357	579.2	600.3	0	1251.6	1306.2	0
...Heart disease-related (390-398,402,404-429)	16,264	2,536	5,781	34,832	74,865	1250.6	1184.8	0	2422.6	2389.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	7,091	966	2,366	9,032	25,077	338.7	367.2	0	820.5	888.9	0
....Congestive heart failure (CHF) (428.0)	470	23	82	275	742	10.2	7.3	0	24.0	22.5	0
..Hypertension with or without renal disease (401,403)	135	26	51	335	718	12.3	7.4	0	23.8	17.5	0
...Hypertension-related (401,403)	1,714	238	632	2,185	6,370	82.0	74.4	0	207.1	193.5	0
..Cerebrovascular disease (430-438)	1,825	178	446	2,521	5,456	90.9	73.9	0	176.4	154.6	0
..Atherosclerosis (440)	182	6	27	80	208	3.0	2.2	0	6.8	6.7	0
...Atherosclerosis-related (440)	888	36	183	305	1,263	11.6	13.5	0	39.6	44.8	0
..Aortic aneurysm (441)	194	22	97	225	798	8.1	9.4	0	24.5	23.3	0
Pneumonia & influenza (480-487)	1,184	102	231	1,893	3,461	65.6	60.3	0	109.9	102.1	0
Chronic obstructive pulmonary disease (COPD) (490-496)	1,095	123	415	1,120	3,610	40.5	34.3	0	113.2	110.2	0
..COPD-related (490-496)	2,725	288	988	2,452	8,342	89.5	80.6	0	262.0	254.5	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Both Sexes										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Asthma (493)	53	25	34	518	810	18.3	11.5	0	26.6	18.0	0
Chronic liver disease and cirrhosis (571)	288	170	230	2,580	4,580	92.4	91.0	0	152.4	150.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	305	43	106	600	1,337	20.7	24.0	0	41.9	44.1	0
..Nephritis-related (580-589)	1,564	270	611	4,035	8,243	140.8	132.1	0	262.1	265.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	353	52	126	737	1,617	25.5	24.9	0	50.7	48.3	0
Unintentional injuries (E800-E949)	954	602	694	19,000	25,485	655.8	563.2	0	816.5	715.6	0
..Motor vehicle accidents (E810-E825)	361	281	319	9,668	12,683	339.4	293.8	0	412.5	361.6	0
..Falls and fall related injuries (E880-E888)	168	32	49	662	1,065	24.1	20.5	0	35.5	33.4	0
..Drowning (E830,E832,E910)	28	27	27	1,015	1,285	35.8	37.3	0	42.2	45.3	0
..Residential fires (E890-E899)	20	13	16	335	482	11.8	17.1	0	15.9	21.3	0
Suicide (E950-E959)	296	245	275	6,378	8,968	219.5	228.9	0	288.2	295.9	0
Homicide and legal intervention (E960-E978)	211	203	207	7,299	9,344	258.0	219.8	0	306.5	259.4	0
..Homicide (E960-E969)	208	200	204	7,216	9,231	255.3	218.0	0	303.1	257.2	0
All injury (E800-E999)	1,506	1,090	1,219	33,801	45,339	1171.2	1046.5	0	1459.8	1316.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	354	275	313	9,443	12,398	331.9	288.9	0	403.7	355.7	0
..All falls (E880-E886,E888,E957,E968.1,E987)	121	33	48	695	1,097	25.0	24.7	0	36.4	37.9	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	302	276	293	8,920	11,753	314.7	280.5	0	385.2	339.9	0
....Suicide (E955.0-.4)	145	123	138	3,118	4,415	107.6	103.2	0	142.4	132.2	0
....Homicide (E965.0-.4)	150	147	149	5,568	7,043	198.6	167.1	0	233.0	195.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	281	252	266	7,268	9,858	240.5	198.5	0	304.4	255.9	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	177	126	165	2,082	3,570	75.5	90.0	0	120.0	138.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	241	224	234	6,397	8,682	208.4	154.3	1	264.1	196.9	1

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	14,160	4,376	7,729	87,766	147,189	6158.3	5874.6	0	9672.3	9400.7	0
Infectious diseases and parasitic disease (1-139)	665	481	549	11,888	17,018	793.2	668.7	0	1067.2	904.0	0
..Septicemia (038)	171	31	78	480	992	34.9	66.9	0	66.4	106.5	0
...Septicemia-related (038)	604	140	282	2,371	4,396	171.0	229.0	0	294.8	378.2	0
..HIV infection (042-044)	407	400	407	10,304	14,352	682.8	562.7	0	893.3	739.4	0
All cancer (140-208)	3,494	935	2,066	10,555	25,262	790.0	852.6	0	1722.8	1867.6	0
..Oral cavity or pharynx (140.0-149.9)	79	32	62	400	875	29.4	31.0	0	59.2	58.7	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	390	95	213	788	2,268	61.1	67.2	0	156.7	165.1	0
...Colon cancer (153)	303	68	157	510	1,578	40.0	50.6	0	108.9	127.3	0
...Rectal cancer (154)	82	27	55	278	688	21.1	16.4	0	47.7	36.8	0
..Pancreatic cancer (157)	192	59	121	498	1,393	38.7	33.5	0	96.4	79.6	0
..Lung and other respiratory cancer (160-165)	1,051	278	679	2,455	7,228	191.4	221.9	0	497.8	570.8	0
...Lung cancer (162.2-.9)	1,007	263	647	2,298	6,833	179.8	203.4	0	471.4	535.9	0
..Malignant melanoma of skin (172)	51	20	36	270	545	20.6	27.3	0	38.3	43.2	0
..Female breast cancer (174)	.	.	.	.	.	.	.	0	.	.	0
..Cervical cancer (180)	.	.	.	.	.	.	.	0	.	.	0
..Endometrial cancer (182)	.	.	.	.	.	.	.	0	.	.	0
..Ovarian cancer (183)	.	.	.	.	.	.	.	0	.	.	0
..Prostate cancer (185)	401	35	126	243	955	19.1	15.6	0	65.0	78.2	0
..Bladder cancer (188)	117	18	50	175	500	13.7	7.1	0	34.3	26.0	0
..Brain & other CNS cancer (191-192)	76	41	59	600	1,085	44.4	56.7	0	74.9	102.2	0
..Leukemia (204-208)	140	47	83	895	1,540	63.9	72.6	0	102.3	110.1	0
Diabetes mellitus (250)	252	67	140	678	1,670	51.7	57.8	0	115.2	119.1	0
..Diabetes-related (250)	1,091	237	562	2,208	6,075	169.2	162.1	0	417.9	402.1	0
..Diabetic ketoacidosis (DKA) (250.1)	4	3	3	43	73	.	.	0	.	.	0
Alzheimer's diseases (331.0)	86	3	15	13	98	1.0	0.5	0	6.4	7.1	0
Cardiovascular disease (390-459)	5,668	1,156	2,576	13,272	31,502	995.8	984.8	0	2154.8	2164.4	0
..Diseases of the heart (390-398,402,404-429)	4,645	1,002	2,185	11,046	26,644	831.7	862.7	0	1826.8	1893.6	0
...Heart disease-related (390-398,402,404-429)	7,703	1,676	3,621	22,630	48,428	1651.8	1615.0	0	3266.4	3277.8	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,418	733	1,625	7,003	18,588	538.2	584.5	0	1283.6	1387.7	0
....Congestive heart failure (CHF) (428.0)	179	11	45	88	328	6.9	8.0	0	22.5	25.7	0
..Hypertension with or without renal disease (401,403)	66	19	30	278	525	20.6	10.2	0	36.2	22.5	0
...Hypertension-related (401,403)	673	144	341	1,455	3,853	112.4	96.6	0	266.7	246.7	0
..Cerebrovascular disease (430-438)	679	91	235	1,394	2,944	103.0	77.3	0	199.1	169.8	0
..Atherosclerosis (440)	69	5	18	53	145	4.3	3.2	0	10.4	8.9	0
...Atherosclerosis-related (440)	324	25	99	203	768	16.0	16.8	0	52.3	60.4	0
..Aortic aneurysm (441)	120	18	68	190	630	13.9	13.5	0	41.3	35.3	0
Pneumonia & influenza (480-487)	520	63	133	1,064	1,994	75.0	85.2	0	131.6	139.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	524	59	220	518	1,820	38.3	30.0	0	120.4	122.8	0
..COPD-related (490-496)	1,417	157	551	1,303	4,638	98.2	86.7	0	309.8	307.1	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Male										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Asthma (493)	20	12	15	240	378	17.0	5.5	0	24.9	11.4	0
Chronic liver disease and cirrhosis (571)	197	121	165	1,773	3,203	130.3	132.9	0	220.4	217.9	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	154	27	63	398	858	27.3	31.9	0	55.2	57.5	0
..Nephritis-related (580-589)	847	169	367	2,667	5,232	187.9	168.5	0	344.5	335.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	178	34	75	495	1,043	34.0	32.9	0	67.2	62.3	0
Unintentional injuries (E800-E949)	622	465	513	14,503	19,393	991.1	903.8	0	1236.3	1141.3	0
..Motor vehicle accidents (E810-E825)	243	208	225	7,106	9,274	494.8	463.7	0	600.6	566.1	0
..Falls and fall related injuries (E880-E888)	77	24	33	465	753	33.6	34.6	0	50.6	54.3	0
..Drowning (E830,E832,E910)	23	22	22	788	1,008	54.9	64.8	0	65.4	77.7	0
..Residential fires (E890-E899)	14	10	12	222	337	.	.	.	.	.	.
Suicide (E950-E959)	232	195	218	5,153	7,200	355.6	385.9	0	466.0	500.1	0
Homicide and legal intervention (E960-E978)	159	157	158	5,687	7,259	401.3	353.0	0	476.0	416.7	0
..Homicide (E960-E969)	156	154	155	5,604	7,147	395.9	349.5	0	469.2	412.3	0
All injury (E800-E999)	1,052	852	926	26,334	35,204	1815.9	1691.8	0	2264.8	2121.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	236	202	219	6,881	8,989	479.9	454.1	0	583.2	554.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	70	26	36	510	820	36.5	41.6	0	54.8	62.5	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	251	228	242	7,410	9,755	522.9	498.7	0	641.0	604.3	0
....Suicide (E955.0-.4)	120	100	113	2,545	3,608	178.2	185.8	0	236.7	238.0	0
....Homicide (E965.0-.4)	124	122	123	4,630	5,853	328.0	295.7	0	384.9	346.0	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	219	202	212	5,871	7,936	385.3	324.4	0	487.6	418.0	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	136	96	126	1,497	2,637	112.5	138.0	0	184.5	212.9	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	187	181	186	5,188	7,015	336.9	249.6	0	426.3	317.1	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
All causes	14,778	2,491	4,980	45,246	81,313	3178.9	2893.5	0	5131.9	4799.0	0
Infectious diseases and parasitic disease (1-139)	445	181	229	4,949	6,964	325.4	219.7	1	425.3	295.6	1
..Septicemia (038)	247	30	71	639	1,112	43.2	39.4	0	67.7	63.5	0
...Septicemia-related (038)	800	113	251	1,943	3,653	135.3	134.5	0	227.4	227.3	0
..HIV infection (042-044)	121	120	121	3,539	4,747	225.5	150.8	0	282.4	191.9	0
All cancer (140-208)	3,520	954	1,902	10,833	24,798	789.8	746.9	0	1583.9	1538.1	0
..Oral cavity or pharynx (140.0-149.9)	40	11	23	118	288	8.7	6.0	0	18.4	14.5	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	423	85	180	748	2,050	54.1	48.0	0	127.9	109.7	0
...Colon cancer (153)	338	64	139	545	1,543	39.3	34.4	0	95.7	83.9	0
...Rectal cancer (154)	74	20	37	190	468	13.8	10.7	0	29.7	21.5	0
..Pancreatic cancer (157)	196	36	92	372	967	27.5	21.4	0	61.5	57.5	0
..Lung and other respiratory cancer (160-165)	768	230	491	1,990	5,603	145.4	155.3	0	351.2	370.5	0
...Lung cancer (162.2-.9)	747	222	476	1,890	5,380	139.2	153.4	0	338.3	363.9	0
..Malignant melanoma of skin (172)	37	19	26	263	485	18.2	21.9	0	31.0	36.5	0
..Female breast cancer (174)	604	224	372	2,730	5,695	199.0	207.9	0	371.1	384.9	0
..Cervical cancer (180)	32	19	22	338	540	23.5	21.8	0	35.1	34.7	0
..Endometrial cancer (182)	40	13	21	83	238	6.1	3.4	0	15.3	11.7	0
..Ovarian cancer (183)	201	62	112	630	1,490	47.8	35.9	0	98.0	80.4	0
..Prostate cancer (185)	.	.	.	.	.	.	.	0	.	.	0
..Bladder cancer (188)	61	2	17	5	83	0.3	3.0	0	4.3	8.0	0
..Brain & other CNS cancer (191-192)	71	26	48	604	954	44.1	26.4	0	63.0	47.2	0
..Leukemia (204-208)	120	40	67	700	1,223	53.2	33.4	0	82.7	59.7	0
Diabetes mellitus (250)	322	69	136	708	1,725	50.2	39.8	0	107.5	83.9	0
..Diabetes-related (250)	1,348	198	522	1,840	5,255	131.4	114.0	0	321.0	281.5	0
..Diabetic ketoacidosis (DKA) (250.1)	7	3	3	33	63	.	.	0	.	.	0
Alzheimer's diseases (331.0)	164	4	16	55	155	3.5	0.7	0	8.8	4.2	0
Cardiovascular disease (390-459)	6,647	505	1,404	6,116	15,003	437.7	448.0	0	927.1	967.2	0
..Diseases of the heart (390-398,402,404-429)	5,156	394	1,106	4,708	11,713	339.2	351.6	0	724.8	770.0	0
...Heart disease-related (390-398,402,404-429)	8,561	860	2,160	12,202	26,437	867.6	775.1	0	1646.3	1572.1	0
....Coronary heart disease (CHD) (402,410-414,429.2)	3,673	233	741	2,030	6,490	149.1	161.6	0	396.5	434.2	0
....Congestive heart failure (CHF) (428.0)	291	12	37	187	415	13.6	6.8	0	26.0	19.7	0
..Hypertension with or without renal disease (401,403)	69	7	21	58	193	4.4	4.6	0	12.0	12.7	0
...Hypertension-related (401,403)	1,041	94	291	730	2,518	53.1	53.5	0	151.8	145.2	0
..Cerebrovascular disease (430-438)	1,146	87	211	1,128	2,513	78.4	70.9	0	155.1	141.7	0
..Atherosclerosis (440)	113	1	9	28	63	1.8	1.3	0	3.5	4.7	0
...Atherosclerosis-related (440)	564	11	84	103	495	7.5	10.4	0	28.2	31.4	0
..Aortic aneurysm (441)	74	4	29	35	168	2.6	5.3	0	9.5	12.7	0
Pneumonia & influenza (480-487)	664	39	98	830	1,467	57.1	35.0	0	90.4	66.2	0
Chronic obstructive pulmonary disease (COPD) (490-496)	571	64	195	602	1,790	42.8	38.8	0	108.0	101.0	0
..COPD-related (490-496)	1,308	131	437	1,150	3,705	81.3	75.5	0	221.1	210.4	0

(CONTINUED)

\* - Age-adjusted YPLL are calculated per 100,000 population.  
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).



CONNECTICUT Resident DEATHS, 1993  
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (\*)  
 for selected causes of death by sex of decedent  
 \*\*\* Age-adjusted using 2000 U.S. standard population \*\*\*

	Female										
	Number of Deaths, 1993			Years of life lost, 1993		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1993	1992	Signif- icance	1993	1992	Signif- icance
*****Causes of Death*****											
..Asthma (493)	33	13	19	278	433	19.5	17.8	0	28.2	24.8	0
Chronic liver disease and cirrhosis (571)	91	49	65	808	1,378	56.3	51.0	0	88.5	87.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	151	16	43	202	480	14.6	16.1	0	29.8	31.5	0
..Nephritis-related (580-589)	717	101	244	1,369	3,011	95.6	97.3	0	185.4	201.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	175	18	51	242	575	17.4	17.0	0	35.5	35.1	0
Unintentional injuries (E800-E949)	332	137	181	4,498	6,093	318.7	219.5	0	396.9	289.1	0
..Motor vehicle accidents (E810-E825)	118	73	94	2,562	3,409	180.9	120.5	0	221.4	153.8	0
..Falls and fall related injuries (E880-E888)	91	8	16	197	312	14.9	6.3	0	21.1	12.9	0
..Drowning (E830,E832,E910)	5	5	5	227	277	.	.	.	.	.	.
..Residential fires (E890-E899)	6	3	4	113	145	.	.	.	.	.	.
Suicide (E950-E959)	64	50	57	1,225	1,768	83.6	72.1	0	112.2	94.1	0
Homicide and legal intervention (E960-E978)	52	46	49	1,612	2,085	110.4	82.7	0	132.4	98.0	0
..Homicide (E960-E969)	52	46	49	1,612	2,085	110.4	82.7	0	132.4	98.0	0
All injury (E800-E999)	454	238	293	7,467	10,135	521.1	394.5	0	652.6	508.6	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	118	73	94	2,562	3,409	180.9	120.5	0	221.4	153.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	51	7	12	185	277	13.9	7.8	0	18.8	13.9	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	51	48	51	1,510	1,998	102.1	57.7	0	125.7	71.4	0
....Suicide (E955.0-.4)	25	23	25	573	808	36.8	.	0	48.9	.	0
....Homicide (E965.0-.4)	26	25	26	938	1,190	65.3	.	0	76.8	.	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	62	50	54	1,397	1,922	97.7	74.2	0	124.3	96.8	0
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	41	30	39	585	933	40.1	43.7	0	59.3	67.2	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	54	43	48	1,210	1,667	82.2	60.0	0	104.9	78.3	0

\* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).