

Connecticut Resident Age-Adjusted Rates for 62 Cause of Death Classifications by Sex White Residents, 1994-1998

Page

Connecticut Resident Age-Adjusted Mortality Rate (AAMR) Tables by Cause of Death and Sex, White Residents, 1994-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

2

1970 standard population

4

2000 standard population

6

Connecticut Resident Age-Adjusted Years of Potential Life Lost Rate (YPLL) Tables by Cause of Death and Sex, White Residents, 1994-1998

Rates calculated using the 1940, 1970 and 2000 standard populations

1940 standard population

8

1970 standard population

14

2000 standard population

20

CONNECTICUT White Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes				Male				Female				1989-1993 AAMR		
	*****1994-1998*****				*****1994-1998*****				*****1994-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate		AAMR	Significance
*****Causes of Death*****															
All causes	136101	941.5	415.3	1	428.3	64,816	921.5	521.9	1	555.9	71,285	960.5	328.6	0	327.9
Infectious diseases and parasitic disease (1-139)	3,506	24.3	14.2	0	14.0	2,005	28.5	19.9	0	20.0	1,501	20.2	8.9	0	8.4
..Septicemia (038)	1,776	12.3	4.5	1	5.2	789	11.2	5.6	0	6.0	987	13.3	3.8	1	4.5
....Septicemia-related (038)	6,320	43.7	18.0	1	19.4	2,871	40.8	21.5	1	23.5	3,449	46.5	15.4	0	16.4
..HIV infection (042-044)	1,120	7.7	7.0	0	6.9	875	12.4	11.0	0	11.4	245	3.3	3.2	0	2.5
All cancer (140-208)	33,147	229.3	118.6	1	123.2	16,549	235.3	137.9	1	146.5	16,598	223.6	105.3	0	107.7
..Oral cavity or pharynx (140.0-149.9)	440	3.0	1.8	1	2.4	268	3.8	2.6	1	3.6	172	2.3	1.0	0	1.3
..Colorectal cancer (153.0-154.3,154.8,159.0)	3,610	25.0	11.5	1	13.2	1,743	24.8	14.1	1	16.4	1,867	25.2	9.4	1	11.0
....Colon cancer (153)	2,922	20.2	9.1	1	10.8	1,389	19.7	11.1	1	13.2	1,533	20.7	7.6	1	9.1
....Rectal cancer (154)	630	4.4	2.2	0	2.2	328	4.7	2.8	0	2.8	302	4.1	1.6	0	1.7
..Pancreatic cancer (157)	1,845	12.8	6.4	0	6.1	864	12.3	7.5	0	7.3	981	13.2	5.5	0	5.1
..Lung and other respiratory cancer (160-165)	9,007	62.3	34.4	0	35.0	5,076	72.2	43.9	1	47.3	3,931	53.0	27.2	0	26.1
....Lung cancer (162.2-.9)	8,747	60.5	33.4	0	33.9	4,885	69.4	42.2	1	45.4	3,862	52.0	26.7	0	25.5
..Malignant melanoma of skin (172)	459	3.2	1.9	0	2.0	266	3.8	2.5	0	2.5	193	2.6	1.3	0	1.7
..Female breast cancer (174)	2,782	2,782	37.5	20.2	0	21.8	
..Cervical cancer (180)	172	172	2.3	1.5	0	1.6	
..Endometrial cancer (182)	207	207	2.8	1.2	0	1.2	
..Ovarian cancer (183)	857	857	11.5	5.9	0	6.3	
..Prostate cancer (185)	1,912	.	.	.	1,912	27.2	11.9	1	14.3	
..Bladder cancer (188)	859	5.9	2.5	0	2.4	585	8.3	4.2	0	4.1	274	3.7	1.3	0	1.2
..Brain & other CNS cancer (191-192)	714	4.9	3.3	0	3.5	383	5.4	3.9	0	4.4	331	4.5	2.7	0	2.7
..Leukemia (204-208)	1,276	8.8	4.8	0	4.6	689	9.8	6.1	0	5.7	587	7.9	3.8	0	3.7
Diabetes mellitus (250)	2,857	19.8	9.1	1	7.6	1,305	18.6	10.4	1	8.8	1,552	20.9	8.0	1	6.6
..Diabetes-related (250)	11,331	78.4	34.0	0	33.5	5,408	76.9	41.6	0	40.1	5,923	79.8	28.2	0	28.5
..Diabetic ketoacidosis (DKA) (250.1)	50	0.3	0.2	0	0.1	27	0.4	0.3	0	0.1	23	0.3	0.1	0	0.1
Alzheimer's diseases (331.0)	1,229	8.5	2.2	0	2.1	374	5.3	2.1	0	2.4	855	11.5	2.3	0	1.9
Cardiovascular disease (390-459)	58,314	403.4	145.7	1	157.6	26,273	373.5	190.3	1	211.5	32,041	431.7	109.3	1	115.7
..Diseases of the heart (390-398,402,404-429)	45,856	317.2	117.1	1	128.4	21,380	304.0	157.4	1	177.3	24,476	329.8	84.4	1	90.2
....Heart disease-related (390-398,402,404-429)	76,743	530.9	201.9	1	214.8	35,902	510.4	263.5	1	286.6	40,841	550.3	153.2	1	160.3
....Coronary heart disease (CHD) (402,410-414,429.2)	33,029	228.5	84.9	1	95.2	16,018	227.7	118.9	1	134.9	17,011	229.2	57.2	1	64.0
....Congestive heart failure (CHF) (428.0)	2,640	18.3	4.8	1	4.3	923	13.1	5.2	0	5.1	1,717	23.1	4.4	1	3.8
..Hypertension with or without renal disease (401,403)	684	4.7	1.6	0	1.5	255	3.6	1.8	0	1.9	429	5.8	1.5	0	1.3
....Hypertension-related (401,403)	9,006	62.3	23.0	1	21.2	3,563	50.7	26.5	1	23.9	5,443	73.3	19.7	0	18.7
..Cerebrovascular disease (430-438)	8,923	61.7	19.9	0	20.2	3,321	47.2	21.9	0	22.1	5,602	75.5	18.1	0	18.8
..Atherosclerosis (440)	886	6.1	1.5	1	1.9	317	4.5	1.8	0	2.3	569	7.7	1.3	0	1.7
....Atherosclerosis-related (440)	3,834	26.5	7.5	1	10.6	1,492	21.2	9.1	1	12.9	2,342	31.6	6.3	1	8.9
..Aortic aneurysm (441)	1,043	7.2	2.9	0	2.9	613	8.7	4.5	0	4.7	430	5.8	1.7	0	1.6
Pneumonia & influenza (480-487)	5,582	38.6	11.2	1	12.0	2,472	35.1	14.7	0	15.9	3,110	41.9	9.0	0	9.5

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT White Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1994-1998*****					*****1994-1998*****					*****1994-1998*****				
	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	5,872	40.6	16.1	1	14.9	2,719	38.7	18.4	0	19.3	3,153	42.5	14.9	1	12.2
..COPD-related (490-496)	13,589	94.0	37.1	1	34.8	6,767	96.2	46.3	0	47.9	6,822	91.9	31.1	1	26.8
..Asthma (493)	220	1.5	1.0	0	0.8	63	0.9	0.7	0	0.7	157	2.1	1.2	0	0.8
Chronic liver disease and cirrhosis (571)	1,407	9.7	6.6	0	6.9	869	12.4	9.3	0	9.8	538	7.2	4.1	0	4.3
Nephritis, nephrotic syndrome/nephrosis (580-589)	1,558	10.8	3.9	0	3.7	773	11.0	5.1	0	5.0	785	10.6	3.2	0	2.9
..Nephritis-related (580-589)	6,927	47.9	19.3	1	22.0	3,658	52.0	25.9	1	30.3	3,269	44.0	14.8	1	16.5
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,830	12.7	4.7	1	4.1	920	13.1	6.1	0	5.5	910	12.3	3.8	0	3.3
Unintentional injuries (E800-E949)	4,694	32.5	24.4	1	21.9	2,965	42.2	35.3	0	32.7	1,729	23.3	13.9	1	11.5
..Motor vehicle accidents (E810-E825)	1,495	10.3	10.3	0	11.2	973	13.8	14.0	1	16.5	522	7.0	6.6	0	6.0
..Falls and fall related injuries (E880-E888)	970	6.7	2.5	0	2.3	479	6.8	3.6	0	3.1	491	6.6	1.6	0	1.6
..Drowning (E830,E832,E910)	135	0.9	1.0	0	1.1	111	1.6	1.6	0	1.9	24	0.3	0.3	0	0.4
..Residential fires (E890-E899)	142	1.0	0.8	0	0.8	81	1.2	1.0	0	0.9	61	0.8	0.7	0	0.6
Suicide (E950-E959)	1,363	9.4	8.6	0	8.8	1,062	15.1	13.7	0	14.7	301	4.1	3.6	0	3.2
Homicide and legal intervention (E960-E978)	409	2.8	3.3	0	3.7	298	4.2	4.9	0	5.5	111	1.5	1.6	0	1.9
..Homicide (E960-E969)	406	2.8	3.2	0	3.7	295	4.2	4.8	0	5.5	111	1.5	1.6	0	1.9
All injury (E800-E999)	6,597	45.6	37.0	0	35.3	4,411	62.7	54.9	0	54.3	2,186	29.5	19.8	1	17.1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	1,458	10.1	10.1	0	11.0	944	13.4	13.6	1	16.1	514	6.9	6.5	0	6.0
..All falls (E880-E886,E888,E957,E968.1,E987)	724	5.0	2.2	0	2.1	402	5.7	3.4	0	3.0	322	4.3	1.3	0	1.3
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	818	5.7	5.7	1	6.8	719	10.2	10.1	1	11.7	99	1.3	1.4	1	2.1
....Suicide (E955.0-.4)	552	3.8	3.4	0	4.0	499	7.1	6.3	0	7.1	53	0.7	0.7	0	1.0
....Homicide (E965.0-.4)	241	1.7	2.1	0	2.5	198	2.8	3.4	0	4.0	43	0.6	0.7	0	1.0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1,265	8.8	8.0	1	4.8	927	13.2	12.0	1	7.4	338	4.6	4.1	1	2.3
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	763	5.3	4.2	0	4.4	566	8.0	6.5	0	6.6	197	2.7	2.0	0	2.3
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1,089	7.5	7.0	1	3.2	788	11.2	10.3	1	4.8	301	4.1	3.7	1	1.6

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT White Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1994-1998*****				*****1994-1998*****				*****1994-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR
*****Causes of Death*****															
All causes	136101	941.5	586.1	1	603.3	64,816	921.5	730.2	1	777.1	71,285	960.5	478.2	0	478.0
Infectious diseases and parasitic disease (1-139)	3,506	24.3	16.1	0	16.1	2,005	28.5	21.9	0	21.8	1,501	20.2	11.0	0	11.0
..Septicemia (038)	1,776	12.3	7.0	1	7.8	789	11.2	8.5	0	9.0	987	13.3	6.0	1	7.0
....Septicemia-related (038)	6,320	43.7	26.4	1	28.4	2,871	40.8	31.6	1	34.4	3,449	46.5	22.8	0	24.4
..HIV infection (042-044)	1,120	7.7	6.0	0	5.8	875	12.4	9.5	0	9.7	245	3.3	2.6	0	2.1
All cancer (140-208)	33,147	229.3	157.9	1	163.2	16,549	235.3	189.9	1	201.1	16,598	223.6	137.3	0	139.5
..Oral cavity or pharynx (140.0-149.9)	440	3.0	2.2	1	3.0	268	3.8	3.3	1	4.5	172	2.3	1.4	0	1.7
..Colorectal cancer (153.0-154.3,154.8,159.0)	3,610	25.0	16.1	1	18.8	1,743	24.8	19.8	1	23.6	1,867	25.2	13.4	1	15.5
....Colon cancer (153)	2,922	20.2	13.0	1	15.3	1,389	19.7	15.7	1	19.2	1,533	20.7	10.9	1	12.9
....Rectal cancer (154)	630	4.4	3.0	0	3.1	328	4.7	3.8	0	3.9	302	4.1	2.3	0	2.4
..Pancreatic cancer (157)	1,845	12.8	8.7	0	8.4	864	12.3	10.0	0	9.9	981	13.2	7.6	0	7.1
..Lung and other respiratory cancer (160-165)	9,007	62.3	45.1	0	45.2	5,076	72.2	59.3	1	63.2	3,931	53.0	34.9	0	32.8
....Lung cancer (162.2-.9)	8,747	60.5	43.7	0	43.7	4,885	69.4	57.1	1	60.8	3,862	52.0	34.3	0	32.1
..Malignant melanoma of skin (172)	459	3.2	2.3	0	2.4	266	3.8	3.1	0	3.0	193	2.6	1.6	0	1.9
..Female breast cancer (174)	2,782	2,782	37.5	24.7	0	26.5
..Cervical cancer (180)	172	172	2.3	1.7	0	1.8
..Endometrial cancer (182)	207	207	2.8	1.6	0	1.6
..Ovarian cancer (183)	857	857	11.5	7.5	0	7.9
..Prostate cancer (185)	1,912	1,912	27.2	20.1	1	23.3
..Bladder cancer (188)	859	5.9	3.7	0	3.6	585	8.3	6.4	0	6.4	274	3.7	1.9	0	1.9
..Brain & other CNS cancer (191-192)	714	4.9	3.9	0	4.1	383	5.4	4.7	0	5.1	331	4.5	3.2	0	3.2
..Leukemia (204-208)	1,276	8.8	6.2	0	5.9	689	9.8	8.0	0	7.5	587	7.9	4.8	0	4.8
Diabetes mellitus (250)	2,857	19.8	12.7	1	10.7	1,305	18.6	14.7	1	12.1	1,552	20.9	11.2	1	9.5
..Diabetes-related (250)	11,331	78.4	49.3	0	49.0	5,408	76.9	60.5	0	58.2	5,923	79.8	41.3	0	42.4
..Diabetic ketoacidosis (DKA) (250.1)	50	0.3	0.2	0	0.2	27	0.4	0.3	0	0.2	23	0.3	0.2	0	0.1
Alzheimer's diseases (331.0)	1,229	8.5	4.2	0	3.9	374	5.3	3.9	0	4.4	855	11.5	4.3	1	3.6
Cardiovascular disease (390-459)	58,314	403.4	229.1	1	247.1	26,273	373.5	288.9	1	321.1	32,041	431.7	182.7	1	193.0
..Diseases of the heart (390-398,402,404-429)	45,856	317.2	182.2	1	198.9	21,380	304.0	236.3	1	265.7	24,476	329.8	140.4	1	150.0
....Heart disease-related (390-398,402,404-429)	76,743	530.9	309.2	1	328.1	35,902	510.4	395.7	1	429.9	40,841	550.3	245.4	1	256.4
....Coronary heart disease (CHD) (402,410-414,429.2)	33,029	228.5	131.9	1	147.9	16,018	227.7	177.6	1	201.8	17,011	229.2	96.6	1	108.1
....Congestive heart failure (CHF) (428.0)	2,640	18.3	9.0	1	8.0	923	13.1	9.6	0	9.2	1,717	23.1	8.5	1	7.2
....Hypertension with or without renal disease (401,403)	684	4.7	2.6	0	2.4	255	3.6	2.8	0	2.8	429	5.8	2.5	0	2.1
....Hypertension-related (401,403)	9,006	62.3	36.0	1	32.9	3,563	50.7	39.6	1	35.3	5,443	73.3	32.4	1	30.2
..Cerebrovascular disease (430-438)	8,923	61.7	33.2	0	33.8	3,321	47.2	35.5	0	36.5	5,602	75.5	31.0	0	31.9
..Atherosclerosis (440)	886	6.1	2.9	1	3.7	317	4.5	3.3	1	4.1	569	7.7	2.7	1	3.3
....Atherosclerosis-related (440)	3,834	26.5	13.5	1	19.2	1,492	21.2	15.7	1	22.4	2,342	31.6	11.8	1	16.9
..Aortic aneurysm (441)	1,043	7.2	4.4	0	4.4	613	8.7	6.8	0	7.0	430	5.8	2.7	0	2.6
Pneumonia & influenza (480-487)	5,582	38.6	19.7	1	21.3	2,472	35.1	25.9	1	28.3	3,110	41.9	16.1	1	17.5

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT White Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes					Male					Female				
	*****1994-1998*****					*****1994-1998*****					*****1994-1998*****				
	No. of deaths	Crude rate	AAMR	Signif-icance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Signif-icance	1989-1993 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	5,872	40.6	24.5	1	22.6	2,719	38.7	29.3	0	30.6	3,153	42.5	22.0	1	18.1
..COPD-related (490-496)	13,589	94.0	56.5	1	53.2	6,767	96.2	73.1	0	76.3	6,822	91.9	46.7	1	40.1
..Asthma (493)	220	1.5	1.1	0	1.0	63	0.9	0.8	0	0.8	157	2.1	1.4	0	1.1
Chronic liver disease and cirrhosis (571)	1,407	9.7	7.6	0	7.7	869	12.4	10.5	0	11.0	538	7.2	4.9	0	4.9
Nephritis, nephrotic syndrome/nephrosis (580-589)	1,558	10.8	6.1	0	5.8	773	11.0	8.3	0	8.1	785	10.6	4.9	0	4.5
..Nephritis-related (580-589)	6,927	47.9	28.7	1	32.7	3,658	52.0	39.7	1	46.5	3,269	44.0	21.9	1	24.5
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,830	12.7	7.3	1	6.4	920	13.1	9.9	0	8.9	910	12.3	5.8	0	5.0
Unintentional injuries (E800-E949)	4,694	32.5	25.7	1	23.3	2,965	42.2	36.6	0	34.1	1,729	23.3	15.8	1	13.3
..Motor vehicle accidents (E810-E825)	1,495	10.3	10.1	0	10.9	973	13.8	13.6	1	15.8	522	7.0	6.7	0	6.1
..Falls and fall related injuries (E880-E888)	970	6.7	3.8	0	3.6	479	6.8	5.3	0	4.6	491	6.6	2.7	0	2.7
..Drowning (E830,E832,E910)	135	0.9	0.9	0	1.1	111	1.6	1.5	0	1.8	24	0.3	0.3	0	0.4
..Residential fires (E890-E899)	142	1.0	0.9	0	0.8	81	1.2	1.1	0	1.0	61	0.8	0.7	0	0.7
Suicide (E950-E959)	1,363	9.4	8.2	0	8.4	1,062	15.1	13.2	0	14.3	301	4.1	3.4	0	3.1
Homicide and legal intervention (E960-E978)	409	2.8	3.0	0	3.4	298	4.2	4.5	0	5.1	111	1.5	1.5	0	1.8
..Homicide (E960-E969)	406	2.8	3.0	0	3.4	295	4.2	4.5	0	5.1	111	1.5	1.5	0	1.8
All injury (E800-E999)	6,597	45.6	37.6	0	36.0	4,411	62.7	55.2	0	54.7	2,186	29.5	21.3	1	18.6
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	1,458	10.1	9.9	0	10.7	944	13.4	13.2	1	15.5	514	6.9	6.6	0	6.0
..All falls (E880-E886,E888,E957,E968.1,E987)	724	5.0	3.1	0	3.0	402	5.7	4.5	0	4.1	322	4.3	1.9	0	2.1
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	818	5.7	5.3	1	6.4	719	10.2	9.6	1	11.2	99	1.3	1.3	1	1.9
....Suicide (E955.0-.4)	552	3.8	3.3	0	3.8	499	7.1	6.2	0	6.9	53	0.7	0.6	0	0.9
....Homicide (E965.0-.4)	241	1.7	1.9	0	2.3	198	2.8	3.1	0	3.7	43	0.6	0.6	0	0.9
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1,265	8.8	7.0	1	4.4	927	13.2	10.4	1	6.7	338	4.6	3.7	1	2.2
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	763	5.3	4.3	0	4.5	566	8.0	6.8	0	7.0	197	2.7	2.1	0	2.4
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1,089	7.5	6.0	1	2.8	788	11.2	8.7	1	4.1	301	4.1	3.3	1	1.5

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT White Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female				1989-1993 AAMR		
	*****1994-1998*****				*****1994-1998*****				*****1994-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate		AAMR	Significance
*****Causes of Death*****															
All causes	136101	941.5	806.5	1	826.4	64,816	921.5	998.5	1	1058.3	71,285	960.5	672.4	0	671.3
Infectious diseases and parasitic disease (1-139)	3,506	24.3	21.5	0	21.7	2,005	28.5	29.1	0	28.9	1,501	20.2	15.0	0	15.2
..Septicemia (038)	1,776	12.3	10.3	1	11.4	789	11.2	12.5	0	13.0	987	13.3	8.9	1	10.4
....Septicemia-related (038)	6,320	43.7	37.1	1	40.3	2,871	40.8	44.6	1	48.7	3,449	46.5	32.3	1	35.1
..HIV infection (042-044)	1,120	7.7	7.4	0	7.1	875	12.4	11.7	0	11.9	245	3.3	3.2	1	2.4
All cancer (140-208)	33,147	229.3	199.2	1	204.9	16,549	235.3	245.4	1	259.3	16,598	223.6	171.6	0	173.6
..Oral cavity or pharynx (140.0-149.9)	440	3.0	2.7	1	3.5	268	3.8	3.8	1	5.4	172	2.3	1.7	0	2.1
..Colorectal cancer (153.0-154.3,154.8,159.0)	3,610	25.0	21.3	1	24.9	1,743	24.8	26.1	1	31.5	1,867	25.2	18.0	1	20.8
....Colon cancer (153)	2,922	20.2	17.2	1	20.4	1,389	19.7	20.9	1	25.7	1,533	20.7	14.7	1	17.2
....Rectal cancer (154)	630	4.4	3.8	0	4.0	328	4.7	4.8	0	5.1	302	4.1	3.0	0	3.2
..Pancreatic cancer (157)	1,845	12.8	11.0	0	10.7	864	12.3	12.6	0	12.4	981	13.2	9.8	0	9.3
..Lung and other respiratory cancer (160-165)	9,007	62.3	54.4	0	53.9	5,076	72.2	73.5	1	78.1	3,931	53.0	41.7	1	38.4
....Lung cancer (162.2-.9)	8,747	60.5	52.8	0	52.1	4,885	69.4	70.7	1	75.1	3,862	52.0	41.0	1	37.5
..Malignant melanoma of skin (172)	459	3.2	2.8	0	2.8	266	3.8	3.9	0	3.6	193	2.6	2.1	0	2.3
..Female breast cancer (174)	2,782	2,782	37.5	30.2	0	32.2	
..Cervical cancer (180)	172	172	2.3	2.0	0	2.2	
..Endometrial cancer (182)	207	207	2.8	2.1	0	2.0	
..Ovarian cancer (183)	857	857	11.5	9.1	0	9.5	
..Prostate cancer (185)	1,912	1,912	27.2	30.5	1	34.1
..Bladder cancer (188)	859	5.9	5.0	0	5.1	585	8.3	9.1	0	9.2	274	3.7	2.6	0	2.7
..Brain & other CNS cancer (191-192)	714	4.9	4.5	0	4.7	383	5.4	5.5	0	6.0	331	4.5	3.7	0	3.7
..Leukemia (204-208)	1,276	8.8	7.7	0	7.4	689	9.8	10.2	0	9.6	587	7.9	6.1	0	6.0
Diabetes mellitus (250)	2,857	19.8	16.9	1	14.3	1,305	18.6	19.7	1	15.8	1,552	20.9	15.1	1	12.9
..Diabetes-related (250)	11,331	78.4	66.6	0	66.5	5,408	76.9	81.7	0	78.6	5,923	79.8	56.4	0	58.4
..Diabetic ketoacidosis (DKA) (250.1)	50	0.3	0.3	0	0.2	27	0.4	0.4	0	0.2	23	0.3	0.2	0	0.2
Alzheimer's diseases (331.0)	1,229	8.5	7.0	0	6.4	374	5.3	6.4	0	7.2	855	11.5	7.2	1	6.0
Cardiovascular disease (390-459)	58,314	403.4	338.8	1	363.1	26,273	373.5	413.9	1	458.3	32,041	431.7	283.1	1	297.3
..Diseases of the heart (390-398,402,404-429)	45,856	317.2	267.0	1	289.2	21,380	304.0	335.6	1	375.1	24,476	329.8	216.6	1	229.7
....Heart disease-related (390-398,402,404-429)	76,743	530.9	447.5	1	472.5	35,902	510.4	562.6	1	608.8	40,841	550.3	367.9	1	382.6
....Coronary heart disease (CHD) (402,410-414,429.2)	33,029	228.5	192.4	1	214.9	16,018	227.7	250.4	1	283.6	17,011	229.2	149.9	1	166.9
....Congestive heart failure (CHF) (428.0)	2,640	18.3	15.0	1	13.2	923	13.1	15.7	0	15.1	1,717	23.1	14.4	1	12.1
..Hypertension with or without renal disease (401,403)	684	4.7	4.0	0	3.5	255	3.6	4.1	0	4.0	429	5.8	3.8	0	3.2
....Hypertension-related (401,403)	9,006	62.3	52.3	1	47.2	3,563	50.7	54.9	1	48.6	5,443	73.3	48.7	1	44.7
..Cerebrovascular disease (430-438)	8,923	61.7	51.4	0	52.7	3,321	47.2	53.5	0	56.0	5,602	75.5	49.1	0	50.2
..Atherosclerosis (440)	886	6.1	5.0	1	6.3	317	4.5	5.4	0	6.6	569	7.7	4.7	1	5.9
....Atherosclerosis-related (440)	3,834	26.5	21.9	1	31.3	1,492	21.2	24.6	1	35.1	2,342	31.6	19.8	1	28.5
..Aortic aneurysm (441)	1,043	7.2	6.0	0	6.0	613	8.7	9.3	0	9.6	430	5.8	3.9	0	3.7
Pneumonia & influenza (480-487)	5,582	38.6	32.0	1	34.9	2,472	35.1	42.0	1	46.0	3,110	41.9	26.6	1	29.2

(CONTINUED)

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT White Resident DEATHS, 1994-1998
 Number of deaths, crude mortality rate and age-adjusted mortality rate (AAMR) (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes				Male				Female						
	*****1994-1998*****				*****1994-1998*****				*****1994-1998*****						
	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR	No. of deaths	Crude rate	AAMR	Significance	1989-1993 AAMR
*****Causes of Death*****															
Chronic obstructive pulmonary disease (COPD) (490-496)	5,872	40.6	34.0	1	31.1	2,719	38.7	42.3	0	43.9	3,153	42.5	30.0	1	24.6
..COPD-related (490-496)	13,589	94.0	78.7	1	73.8	6,767	96.2	105.0	0	110.1	6,822	91.9	64.3	1	54.8
..Asthma (493)	220	1.5	1.4	0	1.3	63	0.9	0.9	0	1.0	157	2.1	1.7	0	1.4
Chronic liver disease and cirrhosis (571)	1,407	9.7	8.9	0	9.1	869	12.4	12.3	0	13.0	538	7.2	5.9	0	5.8
Nephritis, nephrotic syndrome/nephrosis (580-589)	1,558	10.8	9.0	0	8.3	773	11.0	12.6	0	12.1	785	10.6	7.2	0	6.4
..Nephritis-related (580-589)	6,927	47.9	40.5	1	45.9	3,658	52.0	57.6	1	67.2	3,269	44.0	30.7	1	34.2
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,830	12.7	10.6	1	9.3	920	13.1	14.9	0	13.3	910	12.3	8.4	1	7.2
Unintentional injuries (E800-E949)	4,694	32.5	30.3	1	26.6	2,965	42.2	43.5	1	38.8	1,729	23.3	19.0	1	16.1
..Motor vehicle accidents (E810-E825)	1,495	10.3	10.3	0	10.9	973	13.8	14.1	0	15.8	522	7.0	6.8	0	6.2
..Falls and fall related injuries (E880-E888)	970	6.7	5.7	0	5.4	479	6.8	7.8	0	6.8	491	6.6	4.3	0	4.4
..Drowning (E830,E832,E910)	135	0.9	0.9	0	1.2	111	1.6	1.6	0	2.0	24	0.3	0.3	0	0.4
..Residential fires (E890-E899)	142	1.0	1.0	0	0.9	81	1.2	1.2	0	1.1	61	0.8	0.8	0	0.7
Suicide (E950-E959)	1,363	9.4	9.1	0	9.3	1,062	15.1	15.0	0	16.0	301	4.1	3.9	0	3.5
Homicide and legal intervention (E960-E978)	409	2.8	2.9	0	3.4	298	4.2	4.3	0	5.0	111	1.5	1.5	0	1.9
..Homicide (E960-E969)	406	2.8	2.9	0	3.4	295	4.2	4.3	0	5.0	111	1.5	1.5	0	1.8
All injury (E800-E999)	6,597	45.6	43.2	1	40.4	4,411	62.7	64.0	0	61.2	2,186	29.5	25.0	1	21.9
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	1,458	10.1	10.1	0	10.7	944	13.4	13.7	0	15.4	514	6.9	6.7	0	6.2
..All falls (E880-E886,E888,E957,E968.1,E987)	724	5.0	4.3	0	4.3	402	5.7	6.3	0	5.7	322	4.3	2.9	0	3.3
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	818	5.7	5.6	1	6.7	719	10.2	10.3	0	11.8	99	1.3	1.3	1	2.1
....Suicide (E955.0-.4)	552	3.8	3.7	0	4.1	499	7.1	7.1	0	7.7	53	0.7	0.7	0	1.1
....Homicide (E965.0-.4)	241	1.7	1.8	0	2.2	198	2.8	2.9	0	3.6	43	0.6	0.6	0	0.9
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1,265	8.8	8.4	1	5.1	927	13.2	12.6	1	7.9	338	4.6	4.4	1	2.5
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	763	5.3	5.0	0	5.2	566	8.0	7.9	0	8.1	197	2.7	2.4	0	2.7
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1,089	7.5	7.2	1	3.3	788	11.2	10.6	1	5.0	301	4.1	3.9	1	1.7

* - Crude and age-adjusted mortality rates are calculated per 100,000 population.
 . - The AAMR is not reported due to a small number of deaths (<15).
 1 - The 1994-1998 AAMR is significantly different (prob<0.05) from the 1989-1993 AAMR.
 0 - The 1994-1998 AAMR is not significantly different (prob>0.05) from the 1989-1993 AAMR.

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	136,101	26,858	52,886	471,677	858,877	3698.3	3856.8	1	5877.1	6104.6	1
Infectious diseases and parasitic disease (1-139)	3,506	1,592	1,992	36,368	54,173	256.6	264.6	0	355.9	359.7	0
..Septicemia (038)	1,776	221	498	3,292	6,764	24.0	36.2	1	43.0	57.9	1
...Septicemia-related (038)	6,320	1,038	2,251	14,965	30,803	109.9	134.5	1	197.5	226.5	1
..HIV infection (042-044)	1,120	1,105	1,117	27,339	38,469	189.2	194.3	0	251.3	254.4	0
All cancer (140-208)	33,147	8,168	17,613	90,731	216,649	637.9	672.8	0	1341.0	1412.9	1
..Oral cavity or pharynx (140.0-149.9)	440	145	276	1,383	3,460	9.4	13.5	0	21.2	30.2	1
..Colorectal cancer (153.0-154.3,154.8,159.0)	3,610	644	1,621	6,260	17,258	42.6	47.4	0	102.9	115.7	0
...Colon cancer (153)	2,922	498	1,273	4,765	13,398	32.2	37.9	0	79.5	93.0	1
...Rectal cancer (154)	630	137	328	1,393	3,615	9.7	9.1	0	21.9	21.5	0
..Pancreatic cancer (157)	1,845	395	963	3,698	10,238	25.0	22.0	0	61.1	56.0	0
..Lung and other respiratory cancer (160-165)	9,007	2,327	5,415	19,673	57,763	132.5	149.6	1	344.7	372.9	1
...Lung cancer (162.2-.9)	8,747	2,252	5,256	18,990	55,885	128.0	143.6	1	333.4	359.9	1
..Malignant melanoma of skin (172)	459	180	282	2,465	4,760	16.7	21.3	0	29.8	36.1	0
..Female breast cancer (174)	2,782	965	1,681	11,638	24,733
..Cervical cancer (180)	172	98	124	1,665	2,780
..Endometrial cancer (182)	207	34	95	265	883
..Ovarian cancer (183)	857	255	490	2,718	6,365
..Prostate cancer (185)	1,912	101	522	588	3,455
..Bladder cancer (188)	859	103	323	823	2,853	5.8	5.1	0	16.8	14.9	0
..Brain & other CNS cancer (191-192)	714	320	516	5,335	9,495	40.1	43.6	0	64.0	69.4	0
..Leukemia (204-208)	1,276	344	674	6,506	11,436	53.7	52.8	0	81.8	81.0	0
Diabetes mellitus (250)	2,857	565	1,254	6,098	14,925	41.4	35.5	0	90.3	75.1	1
..Diabetes-related (250)	11,331	1,747	4,547	16,150	46,465	110.0	105.9	0	276.0	264.6	0
..Diabetic ketoacidosis (DKA) (250.1)	50	23	33	523	793	3.8	2.5	0	5.3	3.4	0
Alzheimer's diseases (331.0)	1,229	31	138	203	965	1.4	0.8	0	5.3	4.9	0
Cardiovascular disease (390-459)	58,314	6,694	16,573	75,148	186,476	528.4	543.6	0	1138.7	1201.7	1
..Diseases of the heart (390-398,402,404-429)	45,856	5,657	13,626	62,343	154,950	438.8	450.9	0	948.8	1008.3	1
...Heart disease-related (390-398,402,404-429)	76,743	9,996	23,960	121,341	284,266	871.1	923.1	0	1766.7	1873.2	1
....Coronary heart disease (CHD) (402,410-414,429.2)	33,029	4,072	9,993	39,864	107,587	269.7	280.3	0	642.1	691.8	1
....Congestive heart failure (CHF) (428.0)	2,640	81	360	660	2,592	4.6	6.5	0	14.6	15.6	0
..Hypertension with or without renal disease (401,403)	684	67	192	705	1,892	4.8	5.2	0	11.2	11.6	0
...Hypertension-related (401,403)	9,006	956	2,673	8,302	25,505	56.7	53.4	0	150.4	141.2	0
..Cerebrovascular disease (430-438)	8,923	706	1,935	8,902	21,305	62.4	64.3	0	129.1	130.5	0
..Atherosclerosis (440)	886	29	110	418	1,050	2.7	3.0	0	5.9	7.4	0
...Atherosclerosis-related (440)	3,834	174	648	1,555	5,380	10.5	10.7	0	30.5	36.5	0
..Aortic aneurysm (441)	1,043	94	395	1,010	3,328	7.0	7.1	0	18.9	18.7	0
Pneumonia & influenza (480-487)	5,582	377	943	6,038	12,233	45.4	47.1	0	79.0	81.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	5,872	558	2,013	5,104	17,147	37.8	30.4	0	101.6	89.1	0
..COPD-related (490-496)	13,589	1,292	4,654	11,019	38,819	79.2	67.5	0	226.4	204.7	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	220	107	142	2,078	3,270	16.9	9.9	0	24.0	14.9	0
Chronic liver disease and cirrhosis (571)	1,407	717	1,086	10,385	19,357	68.6	73.9	0	119.2	127.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	1,558	168	432	2,308	5,123	16.8	15.1	0	32.1	30.5	0
..Nephritis-related (580-589)	6,927	990	2,387	13,519	29,567	97.4	97.3	0	184.9	195.4	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,830	205	534	2,885	6,352	21.2	15.8	0	39.9	33.0	0
Unintentional injuries (E800-E949)	4,694	2,706	3,167	79,389	108,482	692.7	656.3	0	873.2	816.9	0
..Motor vehicle accidents (E810-E825)	1,495	1,159	1,290	36,961	49,138	352.7	404.7	1	434.1	492.6	1
..Falls and fall related injuries (E880-E888)	970	143	266	2,990	4,952	24.3	22.6	0	35.6	33.1	0
..Drowning (E830,E832,E910)	135	114	124	3,963	5,163	35.9	39.0	0	43.5	47.8	0
..Residential fires (E890-E899)	142	96	114	3,076	4,111	27.5	25.2	0	33.9	31.1	0
Suicide (E950-E959)	1,363	1,098	1,224	28,335	39,975	233.6	244.8	0	304.5	317.3	0
Homicide and legal intervention (E960-E978)	409	379	398	13,139	17,031	126.6	138.9	0	153.0	169.1	0
..Homicide (E960-E969)	406	376	395	13,061	16,924	126.1	138.1	0	152.4	168.1	0
All injury (E800-E999)	6,597	4,306	4,917	124,144	170,032	1077.1	1069.1	0	1362.1	1340.5	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	1,458	1,129	1,258	35,944	47,821	343.4	399.0	1	422.9	485.4	1
..All falls (E880-E886,E888,E957,E968.1,E987)	724	161	267	3,395	5,480	27.3	25.1	0	39.3	36.0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	818	687	753	20,065	27,280	181.1	225.2	1	227.7	281.2	1
...Suicide (E955.0-.4)	552	428	488	11,210	15,800	93.6	112.0	0	121.8	144.6	0
...Homicide (E965.0-.4)	241	236	241	8,197	10,585	81.7	99.3	0	98.6	119.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1,265	1,168	1,213	31,020	42,923	232.3	137.4	1	300.9	177.8	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	763	546	690	8,710	14,960	57.6	61.7	0	93.1	98.7	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1,089	1,035	1,057	28,189	38,634	210.4	95.1	1	270.4	121.9	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	64,816	16,696	31,334	300,158	534,913	4699.4	5049.3	1	7455.9	7968.6	1
Infectious diseases and parasitic disease (1-139)	2,005	1,172	1,386	26,254	38,999	364.1	388.9	0	508.4	532.6	0
..Septicemia (038)	789	133	284	1,851	3,873	26.6	38.9	0	49.9	64.4	0
...Septicemia-related (038)	2,871	583	1,240	8,447	17,294	123.1	155.4	1	225.3	265.7	0
..HIV infection (042-044)	875	861	873	20,620	29,310	282.0	307.7	0	379.5	408.0	0
All cancer (140-208)	16,549	4,091	9,175	44,358	109,308	641.4	672.8	0	1402.1	1483.7	0
..Oral cavity or pharynx (140.0-149.9)	268	110	192	1,100	2,610	15.2	21.6	0	33.3	47.2	1
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,743	384	932	3,750	10,165	52.1	51.8	0	126.6	132.1	0
...Colon cancer (153)	1,389	290	720	2,740	7,700	38.0	40.0	0	95.5	104.0	0
...Rectal cancer (154)	328	90	203	955	2,343	13.4	11.4	0	29.6	26.7	0
..Pancreatic cancer (157)	864	230	528	2,240	5,975	30.6	26.0	0	74.1	68.0	0
..Lung and other respiratory cancer (160-165)	5,076	1,293	3,108	10,428	32,085	144.2	175.8	1	398.1	453.4	1
...Lung cancer (162.2-.9)	4,885	1,234	2,986	9,895	30,645	136.8	167.2	1	380.0	434.3	1
..Malignant melanoma of skin (172)	266	111	178	1,488	2,945	20.7	24.3	0	38.0	41.3	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	1,912	101	522	588	3,455	8.3	13.4	1	39.8	57.7	1
..Bladder cancer (188)	585	75	231	573	2,048	8.0	7.3	0	24.9	22.9	0
..Brain & other CNS cancer (191-192)	383	192	286	3,331	5,741	50.5	53.0	0	79.2	86.4	0
..Leukemia (204-208)	689	189	398	3,659	6,551	61.2	60.3	0	95.3	93.9	0
Diabetes mellitus (250)	1,305	303	663	3,333	8,073	46.0	42.6	0	101.1	90.0	0
..Diabetes-related (250)	5,408	1,032	2,534	9,627	26,907	133.2	127.9	0	334.0	318.5	0
..Diabetic ketoacidosis (DKA) (250.1)	27	17	22	373	565	5.5	2.2	0	7.7	3.1	0
Alzheimer's diseases (331.0)	374	14	62	80	450	1.1	0.8	0	5.2	5.4	0
Cardiovascular disease (390-459)	26,273	4,678	10,638	52,047	126,112	734.6	768.1	0	1595.5	1713.3	1
..Diseases of the heart (390-398,402,404-429)	21,380	4,053	8,977	44,542	107,752	628.3	667.5	0	1365.4	1493.0	1
...Heart disease-related (390-398,402,404-429)	35,902	6,628	14,920	80,851	185,236	1163.6	1222.6	0	2375.2	2529.8	1
....Coronary heart disease (CHD) (402,410-414,429.2)	16,018	3,089	6,899	31,277	79,877	430.6	446.8	0	997.6	1079.8	1
....Congestive heart failure (CHF) (428.0)	923	44	181	320	1,328	4.4	8.8	0	15.6	20.4	0
..Hypertension with or without renal disease (401,403)	255	41	103	443	1,128	5.9	7.7	0	13.8	16.6	0
...Hypertension-related (401,403)	3,563	631	1,549	5,608	16,093	77.6	73.1	0	199.7	185.4	0
..Cerebrovascular disease (430-438)	3,321	406	1,035	5,016	11,819	71.7	64.8	0	149.6	136.1	0
..Atherosclerosis (440)	317	19	66	293	685	3.9	2.9	0	8.1	8.8	0
...Atherosclerosis-related (440)	1,492	105	401	993	3,388	13.6	13.4	0	40.3	48.3	0
..Aortic aneurysm (441)	613	76	286	810	2,565	11.5	10.5	0	31.1	29.7	0
Pneumonia & influenza (480-487)	2,472	227	572	3,763	7,550	56.1	53.5	0	99.0	97.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,719	246	966	2,242	7,952	34.1	30.2	0	98.1	97.1	0
..COPD-related (490-496)	6,767	660	2,482	5,497	20,187	81.0	74.6	0	246.2	239.3	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	63	39	48	858	1,280	14.7	9.4	0	20.0	14.2	0
Chronic liver disease and cirrhosis (571)	869	520	735	7,537	13,820	101.0	105.8	0	174.5	182.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	773	95	237	1,287	2,827	19.4	19.4	0	37.1	38.3	0
..Nephritis-related (580-589)	3,658	593	1,385	8,124	17,564	116.9	121.5	0	225.0	245.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	920	116	292	1,621	3,531	24.5	19.8	0	46.5	40.8	0
Unintentional injuries (E800-E949)	2,965	2,011	2,275	59,257	80,582	1010.5	997.9	0	1275.2	1242.4	0
..Motor vehicle accidents (E810-E825)	973	799	872	25,715	34,047	480.3	604.6	1	591.3	734.8	1
..Falls and fall related injuries (E880-E888)	479	112	185	2,390	3,848	39.1	35.9	0	56.6	51.7	0
..Drowning (E830,E832,E910)	111	97	103	3,375	4,385	60.0	64.0	0	72.9	79.0	0
..Residential fires (E890-E899)	81	59	69	1,877	2,512	32.5	29.4	0	40.3	36.3	0
Suicide (E950-E959)	1,062	856	951	22,360	31,408	369.3	404.6	0	480.9	523.4	0
Homicide and legal intervention (E960-E978)	298	282	294	9,744	12,634	187.4	207.7	0	227.1	252.7	0
..Homicide (E960-E969)	295	279	291	9,667	12,527	186.4	206.5	0	225.8	251.2	0
All injury (E800-E999)	4,411	3,229	3,603	93,513	127,593	1598.8	1655.9	0	2024.0	2076.4	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	944	773	846	24,800	32,877	463.8	593.6	1	571.5	721.0	1
..All falls (E880-E886,E888,E957,E968.1,E987)	402	125	195	2,683	4,263	43.3	40.4	0	62.3	57.3	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	719	599	656	17,580	23,867	315.1	378.6	1	396.7	473.1	1
....Suicide (E955.0-.4)	499	380	437	9,990	14,088	166.6	193.6	0	217.3	250.4	0
....Homicide (E965.0-.4)	198	198	198	6,992	8,972	137.8	160.2	0	165.9	193.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	927	871	898	23,447	32,284	349.5	214.7	1	451.7	276.7	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	566	423	514	6,848	11,565	92.1	91.1	0	147.3	146.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	788	766	776	21,142	28,837	314.0	148.6	1	402.5	189.3	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	71,285	10,162	21,552	171,519	323,964	2690.4	2661.6	0	4328.5	4290.9	0
Infectious diseases and parasitic disease (1-139)	1,501	420	606	10,114	15,174	150.7	142.4	0	206.2	190.5	0
..Septicemia (038)	987	88	214	1,441	2,891	21.6	33.6	0	36.7	52.0	0
....Septicemia-related (038)	3,449	455	1,011	6,519	13,509	97.2	114.2	0	171.4	189.7	0
..HIV infection (042-044)	245	244	244	6,719	9,159	97.4	82.6	0	124.9	103.4	0
All cancer (140-208)	16,598	4,077	8,438	46,374	107,341	633.4	672.9	0	1287.2	1354.2	0
..Oral cavity or pharynx (140.0-149.9)	172	35	84	283	850	3.7	5.8	0	9.7	14.3	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,867	260	689	2,510	7,093	33.3	43.2	0	80.8	101.1	1
....Colon cancer (153)	1,533	208	553	2,025	5,698	26.7	35.8	0	64.7	83.4	1
....Rectal cancer (154)	302	47	125	438	1,273	6.0	7.0	0	14.7	16.7	0
..Pancreatic cancer (157)	981	165	435	1,458	4,263	19.5	18.2	0	48.8	45.1	0
..Lung and other respiratory cancer (160-165)	3,931	1,034	2,307	9,245	25,678	121.5	124.6	0	296.7	300.6	0
....Lung cancer (162.2-.9)	3,862	1,018	2,270	9,095	25,240	119.6	121.3	0	291.8	293.3	0
..Malignant melanoma of skin (172)	193	69	104	978	1,815	12.7	18.3	0	21.9	31.1	0
..Female breast cancer (174)	2,782	965	1,681	11,638	24,733	151.0	174.7	0	293.2	330.0	0
..Cervical cancer (180)	172	98	124	1,665	2,780	22.3	22.9	0	34.7	35.6	0
..Endometrial cancer (182)	207	34	95	265	883	3.5	3.5	0	9.9	11.1	0
..Ovarian cancer (183)	857	255	490	2,718	6,365	36.5	38.9	0	76.1	81.9	0
..Prostate cancer (185)	0	.	.	.
..Bladder cancer (188)	274	28	92	250	805	3.7	3.1	0	9.4	7.9	0
..Brain & other CNS cancer (191-192)	331	128	230	2,004	3,754	29.6	34.5	0	48.8	53.3	0
..Leukemia (204-208)	587	155	276	2,848	4,885	46.1	45.4	0	68.8	68.6	0
Diabetes mellitus (250)	1,552	262	591	2,765	6,853	36.9	28.6	0	80.2	61.2	1
..Diabetes-related (250)	5,923	715	2,013	6,523	19,558	87.5	85.0	0	222.1	215.2	0
..Diabetic ketoacidosis (DKA) (250.1)	23	6	11	150	228	2.1	2.7	0	3.0	3.7	0
Alzheimer's diseases (331.0)	855	17	76	123	515	1.7	0.8	0	5.5	4.6	0
Cardiovascular disease (390-459)	32,041	2,016	5,935	23,101	60,364	328.5	327.9	0	709.4	728.8	0
..Diseases of the heart (390-398,402,404-429)	24,476	1,604	4,649	17,801	47,199	255.2	242.6	0	557.2	559.3	0
....Heart disease-related (390-398,402,404-429)	40,841	3,368	9,040	40,490	99,030	584.6	634.9	0	1191.2	1264.7	0
....Coronary heart disease (CHD) (402,410-414,429.2)	17,011	983	3,094	8,588	27,710	114.0	121.0	0	308.1	333.9	0
....Congestive heart failure (CHF) (428.0)	1,717	37	179	340	1,265	4.9	4.2	0	13.8	11.2	0
..Hypertension with or without renal disease (401,403)	429	26	89	262	765	3.8	2.8	0	8.9	7.0	0
....Hypertension-related (401,403)	5,443	325	1,124	2,695	9,412	36.8	34.6	0	104.4	100.2	0
..Cerebrovascular disease (430-438)	5,602	300	900	3,886	9,486	53.1	63.7	0	109.6	125.9	0
..Atherosclerosis (440)	569	10	44	125	365	1.6	3.2	0	3.8	6.3	0
....Atherosclerosis-related (440)	2,342	69	247	563	1,993	7.4	8.2	0	21.7	26.2	0
..Aortic aneurysm (441)	430	18	109	200	763	2.6	3.8	0	7.7	8.7	0
Pneumonia & influenza (480-487)	3,110	150	371	2,275	4,683	34.7	41.2	0	60.0	65.9	0
Chronic obstructive pulmonary disease (COPD) (490-496)	3,153	312	1,047	2,862	9,195	41.4	30.5	0	105.5	82.7	1
..COPD-related (490-496)	6,822	632	2,172	5,522	18,632	77.3	60.6	0	209.3	174.6	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1940 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	157	68	94	1,220	1,990	19.0	10.4	0	27.9	15.4	0
Chronic liver disease and cirrhosis (571)	538	197	351	2,848	5,538	37.2	43.1	0	66.0	75.0	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	785	73	195	1,022	2,297	14.3	10.8	0	27.4	23.1	0
..Nephritis-related (580-589)	3,269	397	1,002	5,396	12,003	78.3	73.8	0	147.0	149.2	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	910	89	242	1,264	2,821	17.8	11.8	0	33.7	25.7	0
Unintentional injuries (E800-E949)	1,729	695	892	20,133	27,900	368.2	307.5	0	464.7	384.5	1
..Motor vehicle accidents (E810-E825)	522	360	418	11,246	15,091	221.2	199.0	0	272.6	244.3	0
..Falls and fall related injuries (E880-E888)	491	31	81	600	1,105	9.3	9.0	0	14.5	14.5	0
..Drowning (E830,E832,E910)	24	17	21	589	779	10.9	13.6	0	13.2	16.1	0
..Residential fires (E890-E899)	61	37	45	1,200	1,600	22.5	20.9	0	27.5	25.7	0
Suicide (E950-E959)	301	242	273	5,975	8,568	95.4	83.1	0	126.1	110.2	0
Homicide and legal intervention (E960-E978)	111	97	104	3,395	4,397	63.2	68.1	0	76.2	83.3	0
..Homicide (E960-E969)	111	97	104	3,395	4,397	63.2	67.7	0	76.2	82.9	0
All injury (E800-E999)	2,186	1,077	1,314	30,632	42,439	543.6	471.0	0	688.8	594.4	1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	514	356	412	11,144	14,944	219.4	198.8	0	270.2	243.8	0
..All falls (E880-E886,E888,E957,E968.1,E987)	322	36	72	712	1,217	10.9	9.5	0	16.4	14.9	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	99	88	97	2,485	3,413	43.2	68.5	1	54.8	86.0	1
....Suicide (E955.0-.4)	53	48	51	1,220	1,713	19.2	29.1	0	25.1	38.1	0
....Homicide (E965.0-.4)	43	38	43	1,205	1,613	23.2	36.6	0	28.6	44.4	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	338	297	315	7,574	10,639	114.5	60.1	1	149.8	79.2	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	197	123	176	1,863	3,395	23.7	33.2	0	40.4	52.6	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	301	269	281	7,047	9,797	106.2	41.6	1	137.8	54.6	1

* - Age-adjusted YPLL are calculated per 100,000 population.

. - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	136,101	26,858	52,886	471,677	858,877	3632.5	3796.0	1	5959.0	6200.3	1
Infectious diseases and parasitic disease (1-139)	3,506	1,592	1,992	36,368	54,173	226.7	233.7	0	317.4	320.0	0
..Septicemia (038)	1,776	221	498	3,292	6,764	24.1	35.5	0	45.0	58.9	0
...Septicemia-related (038)	6,320	1,038	2,251	14,965	30,803	108.3	130.3	1	204.1	229.4	0
..HIV infection (042-044)	1,120	1,105	1,117	27,339	38,469	160.7	164.6	0	212.5	214.2	0
All cancer (140-208)	33,147	8,168	17,613	90,731	216,649	637.6	671.6	0	1422.7	1497.3	1
..Oral cavity or pharynx (140.0-149.9)	440	145	276	1,383	3,460	9.5	13.8	1	22.7	32.3	1
..Colorectal cancer (153.0-154.3,154.8,159.0)	3,610	644	1,621	6,260	17,258	42.8	47.7	0	111.5	125.6	0
...Colon cancer (153)	2,922	498	1,273	4,765	13,398	32.3	38.1	0	86.2	101.1	1
...Rectal cancer (154)	630	137	328	1,393	3,615	9.8	9.2	0	23.7	23.1	0
..Pancreatic cancer (157)	1,845	395	963	3,698	10,238	25.5	22.7	0	66.6	61.6	0
..Lung and other respiratory cancer (160-165)	9,007	2,327	5,415	19,673	57,763	137.6	155.3	1	380.6	409.5	1
...Lung cancer (162.2-.9)	8,747	2,252	5,256	18,990	55,885	132.9	149.1	1	368.3	395.4	1
..Malignant melanoma of skin (172)	459	180	282	2,465	4,760	15.6	19.6	0	29.4	34.9	0
..Female breast cancer (174)	2,782	965	1,681	11,638	24,733
..Cervical cancer (180)	172	98	124	1,665	2,780
..Endometrial cancer (182)	207	34	95	265	883
..Ovarian cancer (183)	857	255	490	2,718	6,365
..Prostate cancer (185)	1,912	101	522	588	3,455
..Bladder cancer (188)	859	103	323	823	2,853	6.1	5.3	0	18.9	16.8	0
..Brain & other CNS cancer (191-192)	714	320	516	5,335	9,495	40.6	43.0	0	65.6	70.1	0
..Leukemia (204-208)	1,276	344	674	6,506	11,436	53.6	52.5	0	83.6	82.0	0
Diabetes mellitus (250)	2,857	565	1,254	6,098	14,925	40.6	34.5	0	95.3	78.7	1
..Diabetes-related (250)	11,331	1,747	4,547	16,150	46,465	111.4	105.9	0	301.8	288.2	0
..Diabetic ketoacidosis (DKA) (250.1)	50	23	33	523	793	3.4	2.5	0	4.9	3.4	0
Alzheimer's diseases (331.0)	1,229	31	138	203	965	1.5	0.9	0	6.3	6.0	0
Cardiovascular disease (390-459)	58,314	6,694	16,573	75,148	186,476	526.7	545.9	0	1214.7	1291.6	1
..Diseases of the heart (390-398,402,404-429)	45,856	5,657	13,626	62,343	154,950	438.4	455.4	0	1013.1	1087.9	1
...Heart disease-related (390-398,402,404-429)	76,743	9,996	23,960	121,341	284,266	866.8	923.1	1	1870.0	1990.2	1
....Coronary heart disease (CHD) (402,410-414,429.2)	33,029	4,072	9,993	39,864	107,587	272.8	285.3	0	695.7	756.0	1
....Congestive heart failure (CHF) (428.0)	2,640	81	360	660	2,592	4.9	6.8	0	16.8	17.6	0
..Hypertension with or without renal disease (401,403)	684	67	192	705	1,892	4.9	5.2	0	12.2	12.4	0
...Hypertension-related (401,403)	9,006	956	2,673	8,302	25,505	58.8	54.7	0	167.1	156.2	0
..Cerebrovascular disease (430-438)	8,923	706	1,935	8,902	21,305	61.7	62.3	0	136.8	136.3	0
..Atherosclerosis (440)	886	29	110	418	1,050	2.5	3.2	0	6.1	8.3	0
...Atherosclerosis-related (440)	3,834	174	648	1,555	5,380	10.6	11.4	0	34.1	42.2	1
..Aortic aneurysm (441)	1,043	94	395	1,010	3,328	6.7	7.2	0	20.7	20.8	0
Pneumonia & influenza (480-487)	5,582	377	943	6,038	12,233	44.9	47.0	0	81.9	84.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	5,872	558	2,013	5,104	17,147	38.4	31.5	0	113.4	101.0	0
..COPD-related (490-496)	13,589	1,292	4,654	11,019	38,819	81.4	70.4	0	254.8	232.8	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	220	107	142	2,078	3,270	16.0	9.6	0	23.0	14.7	0
Chronic liver disease and cirrhosis (571)	1,407	717	1,086	10,385	19,357	65.3	69.0	0	117.8	124.2	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	1,558	168	432	2,308	5,123	16.4	14.8	0	33.4	32.2	0
..Nephritis-related (580-589)	6,927	990	2,387	13,519	29,567	96.3	94.8	0	193.3	204.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,830	205	534	2,885	6,352	20.6	15.6	0	41.5	35.1	0
Unintentional injuries (E800-E949)	4,694	2,706	3,167	79,389	108,482	648.8	626.0	0	809.5	770.6	0
..Motor vehicle accidents (E810-E825)	1,495	1,159	1,290	36,961	49,138	337.0	386.2	1	409.4	463.7	0
..Falls and fall related injuries (E880-E888)	970	143	266	2,990	4,952	22.9	22.3	0	34.3	33.3	0
..Drowning (E830,E832,E910)	135	114	124	3,963	5,163	35.1	38.6	0	41.9	46.4	0
..Residential fires (E890-E899)	142	96	114	3,076	4,111	28.6	26.3	0	34.7	31.9	0
Suicide (E950-E959)	1,363	1,098	1,224	28,335	39,975	211.2	221.6	0	274.3	286.2	0
Homicide and legal intervention (E960-E978)	409	379	398	13,139	17,031	120.7	131.2	0	143.7	157.2	0
..Homicide (E960-E969)	406	376	395	13,061	16,924	120.3	130.6	0	143.1	156.4	0
All injury (E800-E999)	6,597	4,306	4,917	124,144	170,032	1001.6	1004.5	0	1254.3	1246.3	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	1,458	1,129	1,258	35,944	47,821	328.3	380.9	1	399.0	456.9	1
..All falls (E880-E886,E888,E957,E968.1,E987)	724	161	267	3,395	5,480	25.4	24.4	0	37.3	35.7	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	818	687	753	20,065	27,280	166.0	209.1	1	206.8	258.1	1
...Suicide (E955.0-.4)	552	428	488	11,210	15,800	84.2	101.8	0	109.2	130.8	0
...Homicide (E965.0-.4)	241	236	241	8,197	10,585	76.6	94.1	0	91.1	111.6	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1,265	1,168	1,213	31,020	42,923	200.1	120.3	1	257.3	154.6	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	763	546	690	8,710	14,960	53.3	56.4	0	88.7	93.2	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1,089	1,035	1,057	28,189	38,634	179.8	81.0	1	228.8	102.9	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	64,816	16,696	31,334	300,158	534,913	4573.0	4920.4	1	7505.5	8030.4	1
Infectious diseases and parasitic disease (1-139)	2,005	1,172	1,386	26,254	38,999	318.2	337.1	0	449.3	465.8	0
..Septicemia (038)	789	133	284	1,851	3,873	26.1	37.8	0	51.8	65.3	0
...Septicemia-related (038)	2,871	583	1,240	8,447	17,294	119.7	149.2	0	231.6	267.9	0
..HIV infection (042-044)	875	861	873	20,620	29,310	239.6	259.0	0	321.9	342.4	0
All cancer (140-208)	16,549	4,091	9,175	44,358	109,308	645.4	675.3	0	1504.7	1590.9	1
..Oral cavity or pharynx (140.0-149.9)	268	110	192	1,100	2,610	15.2	21.8	0	35.4	50.2	1
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,743	384	932	3,750	10,165	52.7	52.5	0	137.7	144.9	0
...Colon cancer (153)	1,389	290	720	2,740	7,700	38.2	40.7	0	104.2	114.6	0
...Rectal cancer (154)	328	90	203	955	2,343	13.7	11.4	0	31.9	28.7	0
..Pancreatic cancer (157)	864	230	528	2,240	5,975	31.0	26.9	0	80.5	75.1	0
..Lung and other respiratory cancer (160-165)	5,076	1,293	3,108	10,428	32,085	150.9	182.5	1	444.4	500.6	1
...Lung cancer (162.2-.9)	4,885	1,234	2,986	9,895	30,645	143.3	173.4	1	424.6	479.7	1
..Malignant melanoma of skin (172)	266	111	178	1,488	2,945	19.5	22.4	0	37.9	40.2	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	1,912	101	522	588	3,455	9.0	14.8	1	47.3	68.4	1
..Bladder cancer (188)	585	75	231	573	2,048	8.5	7.5	0	28.4	25.9	0
..Brain & other CNS cancer (191-192)	383	192	286	3,331	5,741	50.8	52.3	0	80.8	87.3	0
..Leukemia (204-208)	689	189	398	3,659	6,551	60.6	59.0	0	97.4	94.4	0
Diabetes mellitus (250)	1,305	303	663	3,333	8,073	45.4	41.5	0	107.2	94.2	0
..Diabetes-related (250)	5,408	1,032	2,534	9,627	26,907	135.9	127.8	0	366.2	346.3	0
..Diabetic ketoacidosis (DKA) (250.1)	27	17	22	373	565	5.1	2.3	0	7.2	3.1	0
Alzheimer's diseases (331.0)	374	14	62	80	450	1.2	0.9	0	6.2	6.5	0
Cardiovascular disease (390-459)	26,273	4,678	10,638	52,047	126,112	734.1	769.9	0	1703.3	1839.2	1
..Diseases of the heart (390-398,402,404-429)	21,380	4,053	8,977	44,542	107,752	628.6	670.8	0	1457.3	1604.2	1
...Heart disease-related (390-398,402,404-429)	35,902	6,628	14,920	80,851	185,236	1156.1	1214.7	0	2512.0	2681.3	1
....Coronary heart disease (CHD) (402,410-414,429.2)	16,018	3,089	6,899	31,277	79,877	434.9	452.5	0	1075.5	1172.5	1
....Congestive heart failure (CHF) (428.0)	923	44	181	320	1,328	4.7	9.3	0	18.1	22.9	0
..Hypertension with or without renal disease (401,403)	255	41	103	443	1,128	5.9	7.7	0	14.7	17.5	0
...Hypertension-related (401,403)	3,563	631	1,549	5,608	16,093	80.4	74.6	0	220.7	203.4	0
..Cerebrovascular disease (430-438)	3,321	406	1,035	5,016	11,819	71.7	62.9	0	159.8	143.3	0
..Atherosclerosis (440)	317	19	66	293	685	3.6	3.1	0	8.4	10.1	0
...Atherosclerosis-related (440)	1,492	105	401	993	3,388	13.6	14.3	0	45.0	55.9	0
..Aortic aneurysm (441)	613	76	286	810	2,565	11.1	11.0	0	34.0	33.8	0
Pneumonia & influenza (480-487)	2,472	227	572	3,763	7,550	55.0	52.4	0	102.3	101.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,719	246	966	2,242	7,952	34.7	31.5	0	110.7	111.5	0
..COPD-related (490-496)	6,767	660	2,482	5,497	20,187	83.7	78.1	0	279.9	274.6	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	63	39	48	858	1,280	13.9	9.0	0	19.1	13.9	0
Chronic liver disease and cirrhosis (571)	869	520	735	7,537	13,820	96.8	99.2	0	172.9	178.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	773	95	237	1,287	2,827	19.1	19.0	0	38.9	40.2	0
..Nephritis-related (580-589)	3,658	593	1,385	8,124	17,564	115.2	117.6	0	235.4	255.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	920	116	292	1,621	3,531	24.0	19.6	0	48.5	43.3	0
Unintentional injuries (E800-E949)	2,965	2,011	2,275	59,257	80,582	936.3	944.8	0	1169.1	1163.2	0
..Motor vehicle accidents (E810-E825)	973	799	872	25,715	34,047	455.2	575.1	1	553.0	688.9	1
..Falls and fall related injuries (E880-E888)	479	112	185	2,390	3,848	36.5	35.3	0	54.0	51.7	0
..Drowning (E830,E832,E910)	111	97	103	3,375	4,385	57.9	62.8	0	69.2	76.1	0
..Residential fires (E890-E899)	81	59	69	1,877	2,512	33.5	30.7	0	40.9	37.3	0
Suicide (E950-E959)	1,062	856	951	22,360	31,408	333.6	367.1	0	433.1	473.0	0
Homicide and legal intervention (E960-E978)	298	282	294	9,744	12,634	177.5	196.2	0	211.7	235.0	0
..Homicide (E960-E969)	295	279	291	9,667	12,527	176.6	195.2	0	210.6	233.8	0
All injury (E800-E999)	4,411	3,229	3,603	93,513	127,593	1474.6	1548.9	0	1848.8	1922.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	944	773	846	24,800	32,877	439.8	564.7	1	534.9	675.9	1
..All falls (E880-E886,E888,E957,E968.1,E987)	402	125	195	2,683	4,263	40.0	39.4	0	58.8	56.5	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	719	599	656	17,580	23,867	288.6	352.5	1	360.2	435.9	1
....Suicide (E955.0-.4)	499	380	437	9,990	14,088	149.9	177.0	0	195.4	228.0	0
....Homicide (E965.0-.4)	198	198	198	6,992	8,972	128.9	151.7	0	152.7	179.8	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	927	871	898	23,447	32,284	299.2	186.0	1	383.3	238.0	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	566	423	514	6,848	11,565	85.2	83.5	0	140.0	139.1	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	788	766	776	21,142	28,837	266.9	125.2	1	338.3	157.8	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	71,285	10,162	21,552	171,519	323,964	2685.6	2668.8	0	4452.4	4432.8	0
Infectious diseases and parasitic disease (1-139)	1,501	420	606	10,114	15,174	136.6	132.4	0	188.5	178.0	0
..Septicemia (038)	987	88	214	1,441	2,891	22.4	33.5	0	38.9	53.2	0
...Septicemia-related (038)	3,449	455	1,011	6,519	13,509	97.5	112.2	0	178.9	193.8	0
..HIV infection (042-044)	245	244	244	6,719	9,159	82.8	71.9	0	105.0	88.6	0
All cancer (140-208)	16,598	4,077	8,438	46,374	107,341	628.8	668.1	0	1350.7	1419.3	0
..Oral cavity or pharynx (140.0-149.9)	172	35	84	283	850	3.9	6.0	0	10.8	15.7	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,867	260	689	2,510	7,093	33.1	43.2	0	87.3	108.6	1
...Colon cancer (153)	1,533	208	553	2,025	5,698	26.5	35.7	0	69.8	89.4	1
...Rectal cancer (154)	302	47	125	438	1,273	6.0	7.1	0	15.9	18.0	0
..Pancreatic cancer (157)	981	165	435	1,458	4,263	20.2	18.7	0	53.7	49.5	0
..Lung and other respiratory cancer (160-165)	3,931	1,034	2,307	9,245	25,678	125.0	129.3	0	323.7	328.3	0
...Lung cancer (162.2-.9)	3,862	1,018	2,270	9,095	25,240	123.1	126.0	0	318.3	320.6	0
..Malignant melanoma of skin (172)	193	69	104	978	1,815	11.8	16.9	0	21.4	30.0	0
..Female breast cancer (174)	2,782	965	1,681	11,638	24,733	147.8	168.7	0	300.9	335.0	0
..Cervical cancer (180)	172	98	124	1,665	2,780	20.2	20.9	0	32.4	33.2	0
..Endometrial cancer (182)	207	34	95	265	883	3.7	3.8	0	11.2	12.7	0
..Ovarian cancer (183)	857	255	490	2,718	6,365	36.6	39.0	0	80.2	86.4	0
..Prostate cancer (185)	0	.	.	.
..Bladder cancer (188)	274	28	92	250	805	3.8	3.2	0	10.3	8.7	0
..Brain & other CNS cancer (191-192)	331	128	230	2,004	3,754	30.2	34.2	0	50.6	54.0	0
..Leukemia (204-208)	587	155	276	2,848	4,885	46.6	46.1	0	70.4	70.4	0
Diabetes mellitus (250)	1,552	262	591	2,765	6,853	35.9	27.8	0	84.3	64.4	1
..Diabetes-related (250)	5,923	715	2,013	6,523	19,558	87.8	85.2	0	242.3	235.5	0
..Diabetic ketoacidosis (DKA) (250.1)	23	6	11	150	228	1.8	2.7	0	2.5	3.8	0
Alzheimer's diseases (331.0)	855	17	76	123	515	1.8	1.0	0	6.4	5.5	0
Cardiovascular disease (390-459)	32,041	2,016	5,935	23,101	60,364	326.0	331.2	0	758.6	789.7	0
..Diseases of the heart (390-398,402,404-429)	24,476	1,604	4,649	17,801	47,199	254.5	248.9	0	598.4	613.7	0
...Heart disease-related (390-398,402,404-429)	40,841	3,368	9,040	40,490	99,030	583.9	643.4	0	1267.4	1355.9	0
....Coronary heart disease (CHD) (402,410-414,429.2)	17,011	983	3,094	8,588	27,710	116.2	126.0	0	341.1	374.8	0
....Congestive heart failure (CHF) (428.0)	1,717	37	179	340	1,265	5.3	4.3	0	15.8	12.6	0
..Hypertension with or without renal disease (401,403)	429	26	89	262	765	4.1	2.8	0	10.0	7.6	0
...Hypertension-related (401,403)	5,443	325	1,124	2,695	9,412	38.1	35.7	0	117.2	112.7	0
..Cerebrovascular disease (430-438)	5,602	300	900	3,886	9,486	51.8	61.6	0	115.0	130.6	0
..Atherosclerosis (440)	569	10	44	125	365	1.5	3.3	0	4.1	6.9	0
...Atherosclerosis-related (440)	2,342	69	247	563	1,993	7.7	8.7	0	24.4	30.3	0
..Aortic aneurysm (441)	430	18	109	200	763	2.5	3.5	0	8.6	9.2	0
Pneumonia & influenza (480-487)	3,110	150	371	2,275	4,683	34.8	42.3	0	62.7	69.4	0
Chronic obstructive pulmonary disease (COPD) (490-496)	3,153	312	1,047	2,862	9,195	42.0	31.3	0	116.7	92.6	1
..COPD-related (490-496)	6,822	632	2,172	5,522	18,632	79.1	62.8	0	233.3	196.9	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 1970 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	157	68	94	1,220	1,990	18.0	10.1	0	26.8	15.4	0
Chronic liver disease and cirrhosis (571)	538	197	351	2,848	5,538	34.8	39.8	0	65.0	73.1	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	785	73	195	1,022	2,297	13.7	10.7	0	28.2	24.7	0
..Nephritis-related (580-589)	3,269	397	1,002	5,396	12,003	77.7	72.9	0	154.0	157.8	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	910	89	242	1,264	2,821	17.2	11.7	0	34.9	27.5	0
Unintentional injuries (E800-E949)	1,729	695	892	20,133	27,900	354.7	299.6	0	443.7	371.3	0
..Motor vehicle accidents (E810-E825)	522	360	418	11,246	15,091	215.0	191.6	0	261.7	232.4	0
..Falls and fall related injuries (E880-E888)	491	31	81	600	1,105	9.1	9.0	0	14.6	15.0	0
..Drowning (E830,E832,E910)	24	17	21	589	779	11.3	13.8	0	13.5	16.2	0
..Residential fires (E890-E899)	61	37	45	1,200	1,600	23.6	21.7	0	28.4	26.3	0
Suicide (E950-E959)	301	242	273	5,975	8,568	86.4	74.3	0	113.7	98.6	0
Homicide and legal intervention (E960-E978)	111	97	104	3,395	4,397	61.6	64.2	0	73.0	77.3	0
..Homicide (E960-E969)	111	97	104	3,395	4,397	61.6	63.9	0	73.0	76.9	0
All injury (E800-E999)	2,186	1,077	1,314	30,632	42,439	517.1	448.4	0	649.2	560.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	514	356	412	11,144	14,944	213.1	191.4	0	259.3	231.9	0
..All falls (E880-E886,E888,E957,E968.1,E987)	322	36	72	712	1,217	10.5	9.2	0	16.0	15.0	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	99	88	97	2,485	3,413	39.6	62.3	0	49.7	77.3	1
....Suicide (E955.0-.4)	53	48	51	1,220	1,713	17.0	25.3	0	22.1	33.0	0
....Homicide (E965.0-.4)	43	38	43	1,205	1,613	22.0	34.6	0	26.8	41.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	338	297	315	7,574	10,639	100.6	54.5	1	130.9	71.4	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	197	123	176	1,863	3,395	22.1	30.1	0	39.1	49.3	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	301	269	281	7,047	9,797	92.1	36.8	1	118.8	48.2	1

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	136,101	26,858	52,886	471,677	858,877	3817.7	3952.6	1	6278.0	6486.1	1
Infectious diseases and parasitic disease (1-139)	3,506	1,592	1,992	36,368	54,173	276.4	277.5	0	382.5	377.3	0
..Septicemia (038)	1,776	221	498	3,292	6,764	26.4	37.5	1	48.7	62.5	0
...Septicemia-related (038)	6,320	1,038	2,251	14,965	30,803	120.1	144.5	1	222.2	251.1	1
..HIV infection (042-044)	1,120	1,105	1,117	27,339	38,469	204.4	205.0	0	268.5	265.6	0
All cancer (140-208)	33,147	8,168	17,613	90,731	216,649	728.9	770.8	0	1558.4	1643.4	1
..Oral cavity or pharynx (140.0-149.9)	440	145	276	1,383	3,460	11.1	16.2	1	25.0	35.8	1
..Colorectal cancer (153.0-154.3,154.8,159.0)	3,610	644	1,621	6,260	17,258	50.2	56.2	0	122.6	138.2	0
...Colon cancer (153)	2,922	498	1,273	4,765	13,398	38.0	44.7	0	94.8	111.0	1
...Rectal cancer (154)	630	137	328	1,393	3,615	11.3	11.0	0	26.0	25.8	0
..Pancreatic cancer (157)	1,845	395	963	3,698	10,238	29.8	26.1	0	73.1	66.9	0
..Lung and other respiratory cancer (160-165)	9,007	2,327	5,415	19,673	57,763	159.0	178.7	1	412.6	444.7	1
...Lung cancer (162.2-.9)	8,747	2,252	5,256	18,990	55,885	153.5	172.0	1	399.2	429.7	1
..Malignant melanoma of skin (172)	459	180	282	2,465	4,760	19.2	24.4	0	34.2	41.3	0
..Female breast cancer (174)	2,782	965	1,681	11,638	24,733
..Cervical cancer (180)	172	98	124	1,665	2,780
..Endometrial cancer (182)	207	34	95	265	883
..Ovarian cancer (183)	857	255	490	2,718	6,365
..Prostate cancer (185)	1,912	101	522	588	3,455
..Bladder cancer (188)	859	103	323	823	2,853	6.7	6.2	0	20.1	18.2	0
..Brain & other CNS cancer (191-192)	714	320	516	5,335	9,495	43.2	46.0	0	70.1	74.8	0
..Leukemia (204-208)	1,276	344	674	6,506	11,436	53.5	54.8	0	84.6	86.2	0
Diabetes mellitus (250)	2,857	565	1,254	6,098	14,925	48.2	40.9	0	106.3	87.9	1
..Diabetes-related (250)	11,331	1,747	4,547	16,150	46,465	129.3	123.1	0	329.2	314.5	0
..Diabetic ketoacidosis (DKA) (250.1)	50	23	33	523	793	4.0	2.5	0	5.6	3.5	0
Alzheimer's diseases (331.0)	1,229	31	138	203	965	1.7	0.9	0	6.6	6.2	0
Cardiovascular disease (390-459)	58,314	6,694	16,573	75,148	186,476	602.4	621.8	0	1331.1	1410.3	1
..Diseases of the heart (390-398,402,404-429)	45,856	5,657	13,626	62,343	154,950	500.5	517.1	0	1108.1	1184.5	1
...Heart disease-related (390-398,402,404-429)	76,743	9,996	23,960	121,341	284,266	972.8	1026.2	0	2034.4	2154.1	1
....Coronary heart disease (CHD) (402,410-414,429.2)	33,029	4,072	9,993	39,864	107,587	320.1	333.0	0	767.3	829.3	1
....Congestive heart failure (CHF) (428.0)	2,640	81	360	660	2,592	5.4	6.7	0	17.9	18.1	0
..Hypertension with or without renal disease (401,403)	684	67	192	705	1,892	5.7	6.2	0	13.4	13.9	0
...Hypertension-related (401,403)	9,006	956	2,673	8,302	25,505	67.1	63.5	0	180.7	170.3	0
..Cerebrovascular disease (430-438)	8,923	706	1,935	8,902	21,305	70.9	72.6	0	151.1	152.3	0
..Atherosclerosis (440)	886	29	110	418	1,050	3.3	3.5	0	7.2	9.0	0
...Atherosclerosis-related (440)	3,834	174	648	1,555	5,380	12.4	12.7	0	37.2	45.1	0
..Aortic aneurysm (441)	1,043	94	395	1,010	3,328	8.0	7.8	0	22.8	22.0	0
Pneumonia & influenza (480-487)	5,582	377	943	6,038	12,233	48.4	49.9	0	87.9	89.7	0
Chronic obstructive pulmonary disease (COPD) (490-496)	5,872	558	2,013	5,104	17,147	41.6	33.5	0	119.8	105.9	0
..COPD-related (490-496)	13,589	1,292	4,654	11,019	38,819	89.4	76.2	0	270.4	245.2	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Both Sexes										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	220	107	142	2,078	3,270	17.1	10.0	1	24.7	15.4	1
Chronic liver disease and cirrhosis (571)	1,407	717	1,086	10,385	19,357	81.9	86.6	0	140.4	147.8	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	1,558	168	432	2,308	5,123	18.4	16.4	0	36.5	34.7	0
..Nephritis-related (580-589)	6,927	990	2,387	13,519	29,567	107.8	108.0	0	211.3	224.7	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	1,830	205	534	2,885	6,352	23.0	17.3	0	45.3	37.8	0
Unintentional injuries (E800-E949)	4,694	2,706	3,167	79,389	108,482	652.0	600.5	0	821.2	746.3	1
..Motor vehicle accidents (E810-E825)	1,495	1,159	1,290	36,961	49,138	315.6	357.2	0	386.6	431.6	0
..Falls and fall related injuries (E880-E888)	970	143	266	2,990	4,952	24.3	22.2	0	36.6	33.6	0
..Drowning (E830,E832,E910)	135	114	124	3,963	5,163	33.0	37.0	0	39.7	45.1	0
..Residential fires (E890-E899)	142	96	114	3,076	4,111	26.0	23.7	0	32.0	29.2	0
Suicide (E950-E959)	1,363	1,098	1,224	28,335	39,975	227.2	234.8	0	296.3	304.8	0
Homicide and legal intervention (E960-E978)	409	379	398	13,139	17,031	112.5	124.8	0	134.7	150.6	0
..Homicide (E960-E969)	406	376	395	13,061	16,924	111.9	124.0	0	133.9	149.5	0
All injury (E800-E999)	6,597	4,306	4,917	124,144	170,032	1016.8	989.7	0	1284.4	1239.1	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	1,458	1,129	1,258	35,944	47,821	307.3	352.2	1	376.6	425.3	1
..All falls (E880-E886,E888,E957,E968.1,E987)	724	161	267	3,395	5,480	27.4	24.7	0	40.3	36.5	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	818	687	753	20,065	27,280	166.4	206.4	1	208.7	256.7	1
....Suicide (E955.0-.4)	552	428	488	11,210	15,800	90.0	106.6	0	117.2	137.9	0
....Homicide (E965.0-.4)	241	236	241	8,197	10,585	71.0	87.5	0	84.7	104.3	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	1,265	1,168	1,213	31,020	42,923	238.5	137.1	1	306.6	176.5	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	763	546	690	8,710	14,960	67.9	71.7	0	108.1	113.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	1,089	1,035	1,057	28,189	38,634	215.8	95.5	1	274.9	121.4	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	64,816	16,696	31,334	300,158	534,913	4846.5	5164.1	1	7955.4	8449.2	1
Infectious diseases and parasitic disease (1-139)	2,005	1,172	1,386	26,254	38,999	398.8	415.7	0	554.1	567.6	0
..Septicemia (038)	789	133	284	1,851	3,873	29.8	41.3	0	57.4	70.9	0
...Septicemia-related (038)	2,871	583	1,240	8,447	17,294	135.7	168.9	1	255.6	296.9	0
..HIV infection (042-044)	875	861	873	20,620	29,310	309.7	330.1	0	411.8	433.0	0
All cancer (140-208)	16,549	4,091	9,175	44,358	109,308	723.7	765.7	0	1625.9	1728.9	1
..Oral cavity or pharynx (140.0-149.9)	268	110	192	1,100	2,610	17.9	25.9	0	39.0	55.9	1
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,743	384	932	3,750	10,165	61.4	61.1	0	151.0	158.1	0
...Colon cancer (153)	1,389	290	720	2,740	7,700	44.6	47.0	0	113.9	124.4	0
...Rectal cancer (154)	328	90	203	955	2,343	15.9	13.7	0	35.3	32.1	0
..Pancreatic cancer (157)	864	230	528	2,240	5,975	36.6	31.1	0	88.8	81.7	0
..Lung and other respiratory cancer (160-165)	5,076	1,293	3,108	10,428	32,085	172.2	210.0	1	477.6	542.8	1
...Lung cancer (162.2-.9)	4,885	1,234	2,986	9,895	30,645	163.5	200.3	1	456.0	520.7	1
..Malignant melanoma of skin (172)	266	111	178	1,488	2,945	23.5	27.9	0	43.4	47.6	0
..Female breast cancer (174)
..Cervical cancer (180)
..Endometrial cancer (182)
..Ovarian cancer (183)
..Prostate cancer (185)	1,912	101	522	588	3,455	9.7	15.9	1	49.8	71.7	1
..Bladder cancer (188)	585	75	231	573	2,048	9.6	8.7	0	30.3	27.9	0
..Brain & other CNS cancer (191-192)	383	192	286	3,331	5,741	54.0	57.1	0	86.0	94.5	0
..Leukemia (204-208)	689	189	398	3,659	6,551	60.1	62.9	0	98.3	100.6	0
Diabetes mellitus (250)	1,305	303	663	3,333	8,073	53.8	49.9	0	119.5	106.1	0
..Diabetes-related (250)	5,408	1,032	2,534	9,627	26,907	157.7	150.2	0	399.7	380.1	0
..Diabetic ketoacidosis (DKA) (250.1)	27	17	22	373	565	5.8	2.2	0	8.2	3.1	0
Alzheimer's diseases (331.0)	374	14	62	80	450	1.3	0.9	0	6.5	6.7	0
Cardiovascular disease (390-459)	26,273	4,678	10,638	52,047	126,112	846.3	888.6	0	1873.9	2020.5	1
..Diseases of the heart (390-398,402,404-429)	21,380	4,053	8,977	44,542	107,752	725.5	773.5	0	1603.6	1760.1	1
...Heart disease-related (390-398,402,404-429)	35,902	6,628	14,920	80,851	185,236	1308.9	1379.3	0	2746.3	2934.1	1
....Coronary heart disease (CHD) (402,410-414,429.2)	16,018	3,089	6,899	31,277	79,877	511.3	533.1	0	1190.3	1293.6	1
....Congestive heart failure (CHF) (428.0)	923	44	181	320	1,328	5.3	9.3	0	19.4	23.6	0
..Hypertension with or without renal disease (401,403)	255	41	103	443	1,128	7.2	9.3	0	16.7	19.8	0
...Hypertension-related (401,403)	3,563	631	1,549	5,608	16,093	92.5	87.4	0	239.9	223.1	0
..Cerebrovascular disease (430-438)	3,321	406	1,035	5,016	11,819	80.8	73.7	0	174.3	160.2	0
..Atherosclerosis (440)	317	19	66	293	685	4.6	3.5	0	9.9	10.9	0
...Atherosclerosis-related (440)	1,492	105	401	993	3,388	16.0	16.1	0	49.2	59.9	0
..Aortic aneurysm (441)	613	76	286	810	2,565	13.0	11.6	0	37.1	35.3	0
Pneumonia & influenza (480-487)	2,472	227	572	3,763	7,550	60.4	57.5	0	111.1	110.0	0
Chronic obstructive pulmonary disease (COPD) (490-496)	2,719	246	966	2,242	7,952	37.1	33.2	0	116.3	116.4	0
..COPD-related (490-496)	6,767	660	2,482	5,497	20,187	90.7	83.6	0	295.5	288.1	0

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Male										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	63	39	48	858	1,280	14.3	9.6	0	19.7	14.7	0
Chronic liver disease and cirrhosis (571)	869	520	735	7,537	13,820	121.0	124.6	0	206.1	212.3	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	773	95	237	1,287	2,827	20.9	21.0	0	42.0	43.3	0
..Nephritis-related (580-589)	3,658	593	1,385	8,124	17,564	130.4	136.3	0	259.0	284.0	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	920	116	292	1,621	3,531	26.3	21.7	0	52.3	46.6	0
Unintentional injuries (E800-E949)	2,965	2,011	2,275	59,257	80,582	957.6	915.2	0	1206.1	1136.8	0
..Motor vehicle accidents (E810-E825)	973	799	872	25,715	34,047	430.4	533.3	1	527.2	642.5	1
..Falls and fall related injuries (E880-E888)	479	112	185	2,390	3,848	38.8	35.2	0	57.6	52.3	0
..Drowning (E830,E832,E910)	111	97	103	3,375	4,385	55.0	61.1	0	66.3	75.1	0
..Residential fires (E890-E899)	81	59	69	1,877	2,512	31.0	27.5	0	38.4	34.0	0
Suicide (E950-E959)	1,062	856	951	22,360	31,408	357.4	386.6	0	465.8	501.0	0
Homicide and legal intervention (E960-E978)	298	282	294	9,744	12,634	165.4	185.2	0	198.5	223.2	0
..Homicide (E960-E969)	295	279	291	9,667	12,527	164.2	183.9	0	197.0	221.6	0
All injury (E800-E999)	4,411	3,229	3,603	93,513	127,593	1513.4	1532.9	0	1912.8	1918.7	0
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	944	773	846	24,800	32,877	415.6	523.7	1	509.6	630.4	1
..All falls (E880-E886,E888,E957,E968.1,E987)	402	125	195	2,683	4,263	43.2	39.8	0	63.4	57.7	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	719	599	656	17,580	23,867	289.0	345.3	1	363.1	430.5	1
....Suicide (E955.0-.4)	499	380	437	9,990	14,088	159.7	183.3	0	208.9	237.8	0
....Homicide (E965.0-.4)	198	198	198	6,992	8,972	119.5	140.3	0	142.0	167.1	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	927	871	898	23,447	32,284	359.5	214.4	1	460.7	274.7	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	566	423	514	6,848	11,565	108.0	105.9	0	170.4	168.8	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	788	766	776	21,142	28,837	322.9	149.4	1	409.8	188.4	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
All causes	71,285	10,162	21,552	171,519	323,964	2788.2	2745.5	0	4650.2	4597.9	0
Infectious diseases and parasitic disease (1-139)	1,501	420	606	10,114	15,174	155.9	141.9	0	214.5	191.8	0
..Septicemia (038)	987	88	214	1,441	2,891	23.3	34.1	0	40.8	54.9	0
...Septicemia-related (038)	3,449	455	1,011	6,519	13,509	105.0	121.1	0	191.2	208.3	0
..HIV infection (042-044)	245	244	244	6,719	9,159	100.5	81.9	0	127.5	101.4	0
All cancer (140-208)	16,598	4,077	8,438	46,374	107,341	733.0	775.9	0	1501.5	1574.3	0
..Oral cavity or pharynx (140.0-149.9)	172	35	84	283	850	4.5	6.9	0	11.7	17.0	0
..Colorectal cancer (153.0-154.3,154.8,159.0)	1,867	260	689	2,510	7,093	39.3	51.6	0	96.3	120.8	1
...Colon cancer (153)	1,533	208	553	2,025	5,698	31.6	42.6	0	77.3	99.5	1
...Rectal cancer (154)	302	47	125	438	1,273	6.9	8.5	0	17.3	20.0	0
..Pancreatic cancer (157)	981	165	435	1,458	4,263	23.2	21.5	0	58.5	53.7	0
..Lung and other respiratory cancer (160-165)	3,931	1,034	2,307	9,245	25,678	146.4	148.8	0	354.9	357.2	0
...Lung cancer (162.2-.9)	3,862	1,018	2,270	9,095	25,240	144.1	145.0	0	348.9	348.8	0
..Malignant melanoma of skin (172)	193	69	104	978	1,815	15.0	21.0	0	25.6	35.5	0
..Female breast cancer (174)	2,782	965	1,681	11,638	24,733	182.2	208.8	0	348.7	389.5	0
..Cervical cancer (180)	172	98	124	1,665	2,780	25.5	27.0	0	39.3	41.5	0
..Endometrial cancer (182)	207	34	95	265	883	4.2	4.1	0	12.0	13.3	0
..Ovarian cancer (183)	857	255	490	2,718	6,365	43.1	46.0	0	89.7	96.4	0
..Prostate cancer (185)	0	.	.	.
..Bladder cancer (188)	274	28	92	250	805	4.1	3.7	0	10.9	9.6	0
..Brain & other CNS cancer (191-192)	331	128	230	2,004	3,754	32.4	35.3	0	54.4	56.1	0
..Leukemia (204-208)	587	155	276	2,848	4,885	46.8	47.0	0	71.8	72.8	0
Diabetes mellitus (250)	1,552	262	591	2,765	6,853	42.8	32.3	0	94.0	70.9	1
..Diabetes-related (250)	5,923	715	2,013	6,523	19,558	102.0	97.4	0	263.9	254.7	0
..Diabetic ketoacidosis (DKA) (250.1)	23	6	11	150	228	2.2	2.8	0	3.1	3.9	0
Alzheimer's diseases (331.0)	855	17	76	123	515	2.0	1.0	0	6.8	5.7	0
Cardiovascular disease (390-459)	32,041	2,016	5,935	23,101	60,364	366.3	365.5	0	823.6	849.1	0
..Diseases of the heart (390-398,402,404-429)	24,476	1,604	4,649	17,801	47,199	282.9	270.9	0	644.6	654.0	0
...Heart disease-related (390-398,402,404-429)	40,841	3,368	9,040	40,490	99,030	644.6	686.5	0	1365.8	1435.3	0
....Coronary heart disease (CHD) (402,410-414,429.2)	17,011	983	3,094	8,588	27,710	135.2	141.6	0	371.7	402.8	0
....Congestive heart failure (CHF) (428.0)	1,717	37	179	340	1,265	5.5	4.2	0	16.7	12.9	0
..Hypertension with or without renal disease (401,403)	429	26	89	262	765	4.3	3.3	0	10.5	8.4	0
...Hypertension-related (401,403)	5,443	325	1,124	2,695	9,412	42.7	40.6	0	125.5	121.5	0
..Cerebrovascular disease (430-438)	5,602	300	900	3,886	9,486	61.0	71.5	0	129.3	145.7	0
..Atherosclerosis (440)	569	10	44	125	365	1.9	3.5	0	4.7	7.4	0
...Atherosclerosis-related (440)	2,342	69	247	563	1,993	8.9	9.5	0	26.5	32.3	0
..Aortic aneurysm (441)	430	18	109	200	763	3.1	4.1	0	9.7	10.1	0
Pneumonia & influenza (480-487)	3,110	150	371	2,275	4,683	36.6	42.9	0	66.0	71.6	0
Chronic obstructive pulmonary disease (COPD) (490-496)	3,153	312	1,047	2,862	9,195	46.0	33.7	0	123.8	97.4	1
..COPD-related (490-496)	6,822	632	2,172	5,522	18,632	88.1	69.0	1	249.2	208.7	1

(CONTINUED)

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).

CONNECTICUT White Resident DEATHS, 1994-1998
 Age-adjusted years of potential life lost (YPLL) under 65 and 75 (*)
 for selected causes of death by sex of decedent
 *** Age-adjusted using 2000 U.S. standard population ***

	Female										
	Number of Deaths, 1994-1998			Years of life lost, 1994-1998		Adjusted YPLL < 65			Adjusted YPLL < 75		
	All	< 65	< 75	< 65	< 75	1994-1998	1989-1993	Significance	1994-1998	1989-1993	Significance
*****Causes of Death*****											
..Asthma (493)	157	68	94	1,220	1,990	19.9	10.4	0	29.5	16.0	1
Chronic liver disease and cirrhosis (571)	538	197	351	2,848	5,538	43.9	49.8	0	77.4	86.4	0
Nephritis, nephrotic syndrome/nephrosis (580-589)	785	73	195	1,022	2,297	15.9	11.8	0	31.4	26.6	0
..Nephritis-related (580-589)	3,269	397	1,002	5,396	12,003	85.6	80.5	0	166.7	170.1	0
..End stage renal disease (ESRD) (581-588,591,593.8,593.9)	910	89	242	1,264	2,821	19.8	13.0	0	38.7	29.6	0
Unintentional injuries (E800-E949)	1,729	695	892	20,133	27,900	341.6	280.6	1	432.4	351.9	1
..Motor vehicle accidents (E810-E825)	522	360	418	11,246	15,091	197.8	176.6	0	243.0	216.1	0
..Falls and fall related injuries (E880-E888)	491	31	81	600	1,105	9.7	9.1	0	15.7	15.3	0
..Drowning (E830,E832,E910)	24	17	21	589	779	10.2	12.6	0	12.3	14.9	0
..Residential fires (E890-E899)	61	37	45	1,200	1,600	20.9	19.7	0	25.6	24.3	0
Suicide (E950-E959)	301	242	273	5,975	8,568	95.3	82.0	0	125.9	108.9	0
Homicide and legal intervention (E960-E978)	111	97	104	3,395	4,397	57.6	62.9	0	68.7	76.4	0
..Homicide (E960-E969)	111	97	104	3,395	4,397	57.6	62.5	0	68.7	75.8	0
All injury (E800-E999)	2,186	1,077	1,314	30,632	42,439	511.7	438.5	1	649.3	554.1	1
..All motor vehicle accidents (E810-E819,E958.5,E988.5)	514	356	412	11,144	14,944	196.0	176.4	0	240.7	215.6	0
..All falls (E880-E886,E888,E957,E968.1,E987)	322	36	72	712	1,217	11.4	9.6	0	17.5	15.6	0
..All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)	99	88	97	2,485	3,413	40.8	64.9	1	51.6	81.1	1
....Suicide (E955.0-.4)	53	48	51	1,220	1,713	19.3	29.2	0	25.1	38.1	0
....Homicide (E965.0-.4)	43	38	43	1,205	1,613	20.6	33.2	0	25.3	39.9	0
..All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)	338	297	315	7,574	10,639	117.4	60.0	1	152.8	78.9	1
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)	197	123	176	1,863	3,395	28.6	38.5	0	47.8	60.4	0
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)	301	269	281	7,047	9,797	108.6	41.8	1	140.0	54.8	1

* - Age-adjusted YPLL are calculated per 100,000 population.
 . - Age-adjusted YPLL under 65 and 75 are not reported due to a small number of deaths (<15).