

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1990

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.2	0.22	-	-	-	1	0.4	0.44
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	5	0.9	0.39	-	-	-	5	1.7	0.78
30-34	15	2.5	0.66	-	-	-	15	5.0	1.30
35-39	33	6.3	1.09	-	-	-	33	12.4	2.15
40-44	62	12.7	1.61	-	-	-	62	24.8	3.15
45-49	63	16.0	2.01	-	-	-	63	31.2	3.94
50-54	65	20.9	2.59	-	-	-	65	40.6	5.03
55-59	101	34.3	3.41	-	-	-	101	66.1	6.58
60-64	161	53.6	4.22	-	-	-	161	101.5	8.00
65-69	152	54.4	4.41	-	-	-	152	98.6	8.00
70-74	184	79.7	5.88	-	-	-	184	137.9	10.16
75-79	152	87.7	7.12	-	-	-	152	143.1	11.60
80-84	117	107.3	9.92	-	-	-	117	161.2	14.90
85+	162	176.9	13.90	-	-	-	162	238.4	18.73
Total deaths	1,273			-			1,273		
Connecticut									
. Crude rate		-	-		-	-		37.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		22.7	0.71
. AAMR (1970 Std. mil.)		-	-		-	-		27.6	0.81
. AAMR (2000 Std. mil.)		-	-		-	-		33.7	0.96
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		23.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is not significantly different
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.2	0.20	-	-	-	1	0.4	0.40
25-29	1	0.2	0.17	-	-	-	1	0.3	0.35
30-34	3	0.5	0.29	-	-	-	3	1.0	0.58
35-39	7	1.3	0.50	-	-	-	7	2.6	0.99
40-44	8	1.6	0.58	-	-	-	8	3.2	1.13
45-49	8	2.0	0.72	-	-	-	8	4.0	1.40
50-54	6	1.9	0.79	-	-	-	6	3.7	1.53
55-59	4	1.4	0.68	-	-	-	4	2.6	1.31
60-64	7	2.3	0.88	-	-	-	7	4.4	1.67
65-69	13	4.7	1.29	-	-	-	13	8.4	2.34
70-74	8	3.5	1.23	-	-	-	8	6.0	2.12
75-79	15	8.7	2.24	-	-	-	15	14.1	3.65
80-84	5	4.6	2.05	-	-	-	5	6.9	3.08
85+	9	9.8	3.28	-	-	-	9	13.2	4.41
Total deaths	95			-			95		
Connecticut									
. Crude rate		-	-		-	-		2.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.9	0.21
. AAMR (1970 Std. mil.)		-	-		-	-		2.1	0.22
. AAMR (2000 Std. mil.)		-	-		-	-		2.6	0.27
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	0.2	0.21	-	-	-	1	0.4	0.40
45-49	1	0.3	0.25	-	-	-	1	0.5	0.50
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	5	1.7	0.76	-	-	-	5	3.3	1.46
60-64	12	4.0	1.15	-	-	-	12	7.6	2.18
65-69	16	5.7	1.43	-	-	-	16	10.4	2.59
70-74	15	6.5	1.68	-	-	-	15	11.2	2.90
75-79	13	7.5	2.08	-	-	-	13	12.2	3.39
80-84	11	10.1	3.04	-	-	-	11	15.2	4.57
85+	13	14.2	3.94	-	-	-	13	19.1	5.31
Total deaths	87			-			87		
Connecticut									
. Crude rate		-	-		-	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.3	0.15
. AAMR (1970 Std. mil.)		-	-		-	-		1.7	0.19
. AAMR (2000 Std. mil.)		-	-		-	-		2.1	0.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	1	0.3	0.26	-	-	-	1	0.5	0.53
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	2	0.3	0.25	-	-	-	2	0.7	0.49
30-34	2	0.3	0.24	-	-	-	2	0.7	0.48
35-39	1	0.2	0.19	-	-	-	1	0.4	0.38
40-44	9	1.8	0.62	-	-	-	9	3.6	1.20
45-49	14	3.5	0.95	-	-	-	14	6.9	1.86
50-54	24	7.7	1.57	-	-	-	24	15.0	3.06
55-59	27	9.2	1.76	-	-	-	27	17.7	3.40
60-64	42	14.0	2.16	-	-	-	42	26.5	4.08
65-69	60	21.5	2.77	-	-	-	60	38.9	5.02
70-74	55	23.8	3.21	-	-	-	55	41.2	5.56
75-79	49	28.3	4.04	-	-	-	49	46.1	6.59
80-84	26	23.8	4.68	-	-	-	26	35.8	7.03
85+	31	33.9	6.08	-	-	-	31	45.6	8.19
Total deaths	343			-			343		
Connecticut									
. Crude rate		-	-		-	-		10.1	-
. AAMR (1940 Std. mil.)		-	-		-	-		6.2	0.37
. AAMR (1970 Std. mil.)		-	-		-	-		7.6	0.43
. AAMR (2000 Std. mil.)		-	-		-	-		9.0	0.50
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	0.3	0.25	1	0.3	0.35	1	0.3	0.35
30-34	19	3.2	0.74	14	4.8	1.27	5	1.7	0.75
35-39	31	5.9	1.06	22	8.5	1.80	9	3.4	1.13
40-44	40	8.2	1.30	24	10.1	2.06	16	6.4	1.60
45-49	42	10.6	1.64	33	17.1	2.98	9	4.5	1.49
50-54	73	23.4	2.74	49	32.4	4.62	24	15.0	3.06
55-59	65	22.1	2.74	46	32.4	4.78	19	12.4	2.85
60-64	80	26.6	2.98	56	39.5	5.28	24	15.1	3.09
65-69	97	34.7	3.53	54	43.2	5.87	43	27.9	4.25
70-74	75	32.5	3.75	39	40.0	6.41	36	27.0	4.50
75-79	61	35.2	4.51	32	47.8	8.45	29	27.3	5.07
80-84	30	27.5	5.02	14	38.4	10.26	16	22.0	5.51
85+	22	24.0	5.12	11	46.6	14.05	11	16.2	4.88
Total deaths	637			395			242		
Connecticut									
. Crude rate		9.7	-		12.4	-		7.1	-
. AAMR (1940 Std. mil.)		7.4	0.31		10.3	0.54		4.8	0.34
. AAMR (1970 Std. mil.)		8.4	0.34		11.6	0.59		5.6	0.37
. AAMR (2000 Std. mil.)		9.8	0.39		13.7	0.71		6.6	0.43
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.2	-		12.8	-		5.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	53	11.5	1.58	35	14.8	2.50	18	8.0	1.88
5-9	17	4.1	1.00	12	5.7	1.64	5	2.5	1.11
10-14	30	7.8	1.42	21	10.6	2.32	9	4.8	1.58
15-19	150	34.5	2.82	121	54.2	4.93	29	13.7	2.54
20-24	200	39.1	2.77	154	59.5	4.79	46	18.2	2.69
25-29	154	26.8	2.16	123	42.8	3.86	31	10.8	1.94
30-34	129	21.8	1.92	108	36.8	3.54	21	7.1	1.54
35-39	100	19.0	1.90	83	31.9	3.50	17	6.4	1.55
40-44	91	18.7	1.96	71	29.9	3.55	20	8.0	1.79
45-49	56	14.2	1.90	42	21.8	3.36	14	6.9	1.86
50-54	56	18.0	2.40	43	28.4	4.33	13	8.1	2.25
55-59	71	24.1	2.86	50	35.2	4.98	21	13.7	3.00
60-64	77	25.6	2.92	56	39.5	5.28	21	13.2	2.89
65-69	82	29.4	3.24	43	34.4	5.24	39	25.3	4.05
70-74	118	51.1	4.70	69	70.8	8.53	49	36.7	5.25
75-79	122	70.4	6.38	62	92.6	11.76	60	56.5	7.29
80-84	125	114.7	10.25	55	150.9	20.35	70	96.5	11.53
85+	225	245.8	16.38	74	313.6	36.45	151	222.2	18.08
Total deaths	1,856			1,222			634		
Connecticut									
. Crude rate		28.2	-		38.4	-		18.7	-
. AAMR (1940 Std. mil.)		23.1	0.59		34.8	1.04		11.8	0.57
. AAMR (1970 Std. mil.)		24.6	0.60		36.3	1.07		13.8	0.61
. AAMR (2000 Std. mil.)		27.8	0.65		40.5	1.22		16.6	0.67
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		33.8	-		49.4	-		18.9	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989-1990

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3, E922.8-.9, E955.0-.4, E965.0-.4, E970, E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.4	0.31	2	0.8	0.60	0	0.0	0.00
5-9	1	0.2	0.24	1	0.5	0.47	0	0.0	0.00
10-14	13	3.4	0.93	11	5.6	1.68	2	1.1	0.75
15-19	73	16.8	1.96	64	28.7	3.58	9	4.3	1.42
20-24	93	18.2	1.89	87	33.6	3.60	6	2.4	0.97
25-29	77	13.4	1.53	65	22.6	2.81	12	4.2	1.21
30-34	59	10.0	1.30	46	15.7	2.31	13	4.4	1.21
35-39	48	9.1	1.32	38	14.6	2.37	10	3.8	1.19
40-44	35	7.2	1.21	28	11.8	2.23	7	2.8	1.06
45-49	33	8.4	1.46	26	13.5	2.65	7	3.5	1.31
50-54	16	5.1	1.28	14	9.2	2.47	2	1.2	0.88
55-59	9	3.1	1.02	7	4.9	1.86	2	1.3	0.93
60-64	19	6.3	1.45	18	12.7	2.99	1	0.6	0.63
65-69	19	6.8	1.56	16	12.8	3.20	3	1.9	1.12
70-74	18	7.8	1.84	15	15.4	3.98	3	2.2	1.30
75-79	4	2.3	1.15	4	6.0	2.99	0	0.0	0.00
80-84	10	9.2	2.90	8	21.9	7.76	2	2.8	1.95
85+	7	7.6	2.89	7	29.7	11.21	0	0.0	0.00
Total deaths	536			457			79		
Connecticut									
. Crude rate		8.2	-		14.4	-		2.3	-
. AAMR (1940 Std. mil.)		8.2	0.37		14.2	0.68		2.3	0.27
. AAMR (1970 Std. mil.)		7.7	0.35		13.5	0.65		2.1	0.25
. AAMR (2000 Std. mil.)		7.8	0.34		13.7	0.66		2.3	0.26
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.6	-		23.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

