

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.44	-	-	-	1	0.9	0.90
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	2	0.7	0.49	-	-	-	2	1.4	0.98
30-34	10	3.4	1.08	-	-	-	10	6.8	2.14
35-39	17	6.5	1.59	-	-	-	17	12.9	3.13
40-44	30	12.5	2.27	-	-	-	30	24.3	4.43
45-49	27	13.9	2.67	-	-	-	27	27.1	5.22
50-54	40	25.7	4.07	-	-	-	40	50.0	7.91
55-59	55	36.9	4.97	-	-	-	55	71.1	9.59
60-64	85	55.9	6.06	-	-	-	85	105.6	11.45
65-69	77	55.1	6.28	-	-	-	77	99.8	11.37
70-74	105	91.6	8.94	-	-	-	105	158.4	15.46
75-79	73	85.4	9.99	-	-	-	73	138.9	16.25
80-84	65	121.0	15.01	-	-	-	65	181.6	22.53
85+	82	182.1	20.11	-	-	-	82	245.3	27.09
Total deaths	669			-			669		
Connecticut									
. Crude rate		-	-		-	-		39.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		24.0	1.04
. AAMR (1970 Std. mil.)		-	-		-	-		29.2	1.18
. AAMR (2000 Std. mil.)		-	-		-	-		35.5	1.40
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		23.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.4	0.39	-	-	-	1	0.8	0.78
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	4	1.5	0.77	-	-	-	4	3.0	1.52
40-44	3	1.2	0.72	-	-	-	3	2.4	1.40
45-49	3	1.5	0.89	-	-	-	3	3.0	1.74
50-54	4	2.6	1.29	-	-	-	4	5.0	2.50
55-59	3	2.0	1.16	-	-	-	3	3.9	2.24
60-64	4	2.6	1.31	-	-	-	4	5.0	2.48
65-69	9	6.4	2.15	-	-	-	9	11.7	3.89
70-74	4	3.5	1.75	-	-	-	4	6.0	3.02
75-79	10	11.7	3.70	-	-	-	10	19.0	6.02
80-84	2	3.7	2.63	-	-	-	2	5.6	3.95
85+	5	11.1	4.97	-	-	-	5	15.0	6.69
Total deaths	52			-			52		
Connecticut									
. Crude rate		-	-		-	-		3.1	-
. AAMR (1940 Std. mil.)		-	-		-	-		2.0	0.31
. AAMR (1970 Std. mil.)		-	-		-	-		2.3	0.33
. AAMR (2000 Std. mil.)		-	-		-	-		2.8	0.40
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	3	2.0	1.16	-	-	-	3	3.9	2.24
60-64	5	3.3	1.47	-	-	-	5	6.2	2.78
65-69	10	7.2	2.26	-	-	-	10	13.0	4.10
70-74	9	7.9	2.62	-	-	-	9	13.6	4.53
75-79	5	5.8	2.62	-	-	-	5	9.5	4.25
80-84	5	9.3	4.16	-	-	-	5	14.0	6.25
85+	8	17.8	6.28	-	-	-	8	23.9	8.46
Total deaths	45			-			45		
Connecticut									
. Crude rate		-	-		-	-		2.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.3	0.21
. AAMR (1970 Std. mil.)		-	-		-	-		1.8	0.28
. AAMR (2000 Std. mil.)		-	-		-	-		2.2	0.33
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	1	0.5	0.52	-	-	-	1	1.1	1.06
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	0.3	0.35	-	-	-	1	0.7	0.70
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	4	1.7	0.83	-	-	-	4	3.2	1.62
45-49	11	5.7	1.71	-	-	-	11	11.1	3.33
50-54	12	7.7	2.23	-	-	-	12	15.0	4.33
55-59	18	12.1	2.84	-	-	-	18	23.3	5.49
60-64	21	13.8	3.01	-	-	-	21	26.1	5.69
65-69	26	18.6	3.65	-	-	-	26	33.7	6.61
70-74	26	22.7	4.45	-	-	-	26	39.2	7.69
75-79	22	25.7	5.49	-	-	-	22	41.8	8.92
80-84	16	29.8	7.45	-	-	-	16	44.7	11.18
85+	15	33.3	8.60	-	-	-	15	44.9	11.59
Total deaths	173			-			173		
Connecticut									
. Crude rate		-	-		-	-		10.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		6.5	0.55
. AAMR (1970 Std. mil.)		-	-		-	-		7.9	0.63
. AAMR (2000 Std. mil.)		-	-		-	-		9.3	0.72
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	3	1.5	0.84	1	0.9	0.95	2	2.0	1.41
10-14	1	0.5	0.52	1	1.0	1.02	0	0.0	0.00
15-19	1	0.4	0.45	1	0.9	0.87	0	0.0	0.00
20-24	3	1.2	0.67	1	0.8	0.76	2	1.6	1.10
25-29	5	1.7	0.78	4	2.8	1.39	1	0.7	0.70
30-34	2	0.7	0.48	1	0.7	0.68	1	0.7	0.68
35-39	2	0.8	0.54	1	0.8	0.78	1	0.8	0.76
40-44	5	2.1	0.93	4	3.4	1.71	1	0.8	0.81
45-49	5	2.6	1.15	4	4.2	2.10	1	1.0	1.01
50-54	7	4.5	1.70	7	9.3	3.50	0	0.0	0.00
55-59	17	11.4	2.76	8	11.1	3.94	9	11.6	3.88
60-64	25	16.4	3.29	15	20.9	5.40	10	12.4	3.93
65-69	21	15.0	3.28	10	16.0	5.05	11	14.3	4.30
70-74	24	20.9	4.27	13	26.9	7.46	11	16.6	5.00
75-79	18	21.1	4.96	5	15.2	6.79	13	24.7	6.86
80-84	11	20.5	6.18	5	27.9	12.48	6	16.8	6.84
85+	5	11.1	4.97	2	17.2	12.19	3	9.0	5.18
Total deaths	155			83			72		
Connecticut									
. Crude rate		4.7	-		5.2	-		4.3	-
. AAMR (1940 Std. mil.)		3.4	0.29		4.3	0.49		2.7	0.35
. AAMR (1970 Std. mil.)		4.1	0.34		5.0	0.56		3.3	0.41
. AAMR (2000 Std. mil.)		4.6	0.37		5.6	0.64		3.7	0.44
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.4	-		2.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diseases of the heart (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	14	6.1	1.64	7	6.0	2.26	7	6.3	2.37
5-9	2	1.0	0.69	1	0.9	0.95	1	1.0	1.00
10-14	2	1.0	0.73	1	1.0	1.02	1	1.1	1.06
15-19	3	1.3	0.77	2	1.7	1.23	1	0.9	0.92
20-24	6	2.3	0.94	6	4.6	1.87	0	0.0	0.00
25-29	8	2.8	0.98	7	4.9	1.84	1	0.7	0.70
30-34	34	11.6	1.98	26	17.8	3.49	8	5.4	1.91
35-39	60	23.1	2.98	41	32.0	4.99	19	14.4	3.31
40-44	86	35.7	3.85	64	54.6	6.82	22	17.8	3.80
45-49	133	68.4	5.93	104	109.5	10.73	29	29.2	5.41
50-54	208	133.7	9.27	151	199.7	16.25	57	71.3	9.44
55-59	362	242.7	12.75	260	361.9	22.44	102	131.9	13.06
60-64	640	420.6	16.62	426	594.4	28.80	214	265.8	18.17
65-69	925	661.6	21.75	586	935.6	38.65	339	439.3	23.86
70-74	1,263	1102.1	31.01	756	1564.6	56.91	507	764.9	33.97
75-79	1,481	1732.0	45.01	818	2483.5	86.83	663	1261.2	48.98
80-84	1,558	2901.1	73.50	683	3812.4	145.88	875	2444.9	82.65
85+	3,025	6717.4	122.14	891	7677.1	257.19	2,134	6384.3	138.20
Total deaths	9,810			4,830			4,980		
Connecticut									
. Crude rate		298.8	-		303.7	-		294.1	-
. AAMR (1940 Std. mil.)		139.6	1.61		193.7	2.92		98.6	1.72
. AAMR (1970 Std. mil.)		213.9	2.21		288.8	4.17		160.7	2.41
. AAMR (2000 Std. mil.)		308.4	3.14		406.5	6.15		243.0	3.46
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		157.5	-		213.9	-		112.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension-related (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.4	0.45	0	0.0	0.00	1	0.9	0.92
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	7	2.4	0.90	6	4.1	1.68	1	0.7	0.68
35-39	7	2.7	1.02	6	4.7	1.91	1	0.8	0.76
40-44	15	6.2	1.61	12	10.2	2.95	3	2.4	1.40
45-49	22	11.3	2.41	17	17.9	4.34	5	5.0	2.25
50-54	38	24.4	3.96	25	33.1	6.61	13	16.3	4.51
55-59	70	46.9	5.61	50	69.6	9.84	20	25.9	5.78
60-64	112	73.6	6.95	55	76.7	10.35	57	70.8	9.38
65-69	151	108.0	8.79	86	137.3	14.81	65	84.2	10.45
70-74	238	207.7	13.46	114	235.9	22.10	124	187.1	16.80
75-79	290	339.1	19.92	116	352.2	32.70	174	331.0	25.09
80-84	292	543.7	31.82	102	569.4	56.37	190	530.9	38.51
85+	410	910.5	44.96	86	741.0	79.90	324	969.3	53.85
Total deaths	1,653			675			978		
Connecticut									
. Crude rate		50.3	-		42.4	-		57.8	-
. AAMR (1940 Std. mil.)		24.4	0.67		28.1	1.13		20.9	0.80
. AAMR (1970 Std. mil.)		36.7	0.92		40.2	1.56		33.1	1.11
. AAMR (2000 Std. mil.)		51.7	1.28		54.6	2.20		48.0	1.54
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.44	0	0.0	0.00	1	0.9	0.90
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	1.0	0.73	2	2.1	1.49	0	0.0	0.00
50-54	3	1.9	1.11	0	0.0	0.00	3	3.8	2.17
55-59	3	2.0	1.16	2	2.8	1.97	1	1.3	1.29
60-64	7	4.6	1.74	5	7.0	3.12	2	2.5	1.76
65-69	9	6.4	2.15	4	6.4	3.19	5	6.5	2.90
70-74	10	8.7	2.76	5	10.3	4.63	5	7.5	3.37
75-79	22	25.7	5.49	10	30.4	9.60	12	22.8	6.59
80-84	27	50.3	9.68	11	61.4	18.51	16	44.7	11.18
85+	135	299.8	25.80	33	284.3	49.50	102	305.2	30.21
Total deaths	219			72			147		
Connecticut									
. Crude rate		6.7	-		4.5	-		8.7	-
. AAMR (1940 Std. mil.)		2.2	0.18		2.4	0.30		2.1	0.23
. AAMR (1970 Std. mil.)		4.2	0.29		4.4	0.52		4.1	0.36
. AAMR (2000 Std. mil.)		7.2	0.49		7.4	0.91		7.1	0.59
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.0	-		3.4	-		2.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----COPD-related (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	1.7	0.87	3	2.6	1.48	1	0.9	0.90
5-9	1	0.5	0.49	0	0.0	0.00	1	1.0	1.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.4	0.39	1	0.8	0.76	0	0.0	0.00
25-29	1	0.3	0.35	1	0.7	0.69	0	0.0	0.00
30-34	2	0.7	0.48	2	1.4	0.97	0	0.0	0.00
35-39	5	1.9	0.86	2	1.6	1.10	3	2.3	1.31
40-44	4	1.7	0.83	3	2.6	1.48	1	0.8	0.81
45-49	14	7.2	1.92	7	7.4	2.78	7	7.0	2.66
50-54	32	20.6	3.64	16	21.2	5.29	16	20.0	5.00
55-59	84	56.3	6.14	37	51.5	8.47	47	60.8	8.86
60-64	171	112.4	8.59	95	132.6	13.60	76	94.4	10.83
65-69	274	196.0	11.84	161	257.1	20.26	113	146.4	13.77
70-74	412	359.5	17.71	246	509.1	32.46	166	250.4	19.44
75-79	447	522.8	24.73	257	780.3	48.67	190	361.4	26.22
80-84	418	778.3	38.07	237	1322.9	85.93	181	505.7	37.59
85+	455	1010.4	47.37	222	1912.8	128.38	233	697.1	45.67
Total deaths	2,325			1,290			1,035		
Connecticut									
. Crude rate		70.8	-		81.1	-		61.1	-
. AAMR (1940 Std. mil.)		34.6	0.79		48.7	1.40		26.1	0.94
. AAMR (1970 Std. mil.)		52.1	1.10		76.7	2.14		38.3	1.25
. AAMR (2000 Std. mil.)		71.2	1.49		109.5	3.20		51.3	1.61
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.5	0.49	0	0.0	0.00	1	1.0	1.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.4	0.39	1	0.8	0.76	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.4	0.38	0	0.0	0.00	1	0.8	0.76
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	1.0	0.73	2	2.1	1.49	0	0.0	0.00
50-54	2	1.3	0.91	0	0.0	0.00	2	2.5	1.77
55-59	5	3.4	1.50	0	0.0	0.00	5	6.5	2.89
60-64	3	2.0	1.14	3	4.2	2.42	0	0.0	0.00
65-69	5	3.6	1.60	0	0.0	0.00	5	6.5	2.90
70-74	8	7.0	2.47	1	2.1	2.07	7	10.6	3.99
75-79	8	9.4	3.31	4	12.1	6.07	4	7.6	3.80
80-84	7	13.0	4.93	2	11.2	7.89	5	14.0	6.25
85+	6	13.3	5.44	2	17.2	12.19	4	12.0	5.98
Total deaths	49			15			34		
Connecticut									
. Crude rate		1.5	-		0.9	-		2.0	-
. AAMR (1940 Std. mil.)		0.9	0.15		0.6	0.17		1.2	0.23
. AAMR (1970 Std. mil.)		1.2	0.18		0.9	0.23		1.5	0.27
. AAMR (2000 Std. mil.)		1.5	0.22		1.2	0.33		1.8	0.31
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.4	-		1.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	0.7	0.49	1	0.7	0.69	1	0.7	0.70
30-34	11	3.7	1.13	9	6.2	2.05	2	1.4	0.96
35-39	16	6.2	1.54	11	8.6	2.59	5	3.8	1.70
40-44	19	7.9	1.81	11	9.4	2.83	8	6.5	2.29
45-49	24	12.3	2.52	19	20.0	4.59	5	5.0	2.25
50-54	42	27.0	4.17	27	35.7	6.87	15	18.8	4.84
55-59	34	22.8	3.91	24	33.4	6.82	10	12.9	4.09
60-64	48	31.5	4.55	33	46.0	8.02	15	18.6	4.81
65-69	50	35.8	5.06	24	38.3	7.82	26	33.7	6.61
70-74	32	27.9	4.94	17	35.2	8.53	15	22.6	5.84
75-79	29	33.9	6.30	14	42.5	11.36	15	28.5	7.37
80-84	12	22.3	6.45	8	44.7	15.79	4	11.2	5.59
85+	12	26.6	7.69	5	43.1	19.27	7	20.9	7.92
Total deaths	331			203			128		
Connecticut									
. Crude rate		10.1	-		12.8	-		7.6	-
. AAMR (1940 Std. mil.)		7.9	0.46		10.8	0.78		5.3	0.51
. AAMR (1970 Std. mil.)		8.8	0.49		12.0	0.85		6.0	0.55
. AAMR (2000 Std. mil.)		10.2	0.57		14.1	1.01		7.0	0.64
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.2	-		12.8	-		5.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	26	11.4	2.23	18	15.4	3.62	8	7.2	2.54
5-9	10	4.9	1.54	7	6.6	2.51	3	3.0	1.73
10-14	19	9.8	2.26	13	13.2	3.66	6	6.3	2.59
15-19	90	40.2	4.24	71	61.9	7.34	19	17.4	4.00
20-24	98	37.7	3.81	80	61.0	6.82	18	14.0	3.30
25-29	67	23.3	2.84	49	34.0	4.86	18	12.5	2.95
30-34	62	21.1	2.68	51	34.9	4.89	11	7.4	2.24
35-39	51	19.6	2.75	43	33.5	5.11	8	6.1	2.15
40-44	43	17.9	2.72	29	24.7	4.59	14	11.3	3.03
45-49	27	13.9	2.67	24	25.3	5.16	3	3.0	1.74
50-54	31	19.9	3.58	22	29.1	6.20	9	11.3	3.75
55-59	35	23.5	3.97	24	33.4	6.82	11	14.2	4.29
60-64	46	30.2	4.46	36	50.2	8.37	10	12.4	3.93
65-69	45	32.2	4.80	24	38.3	7.82	21	27.2	5.94
70-74	61	53.2	6.82	38	78.6	12.76	23	34.7	7.24
75-79	60	70.2	9.06	35	106.3	17.96	25	47.6	9.51
80-84	59	109.9	14.30	29	161.9	30.06	30	83.8	15.30
85+	102	226.5	22.43	33	284.3	49.50	69	206.4	24.85
Total deaths	932			626			306		
Connecticut									
. Crude rate		28.4	-		39.4	-		18.1	-
. AAMR (1940 Std. mil.)		23.6	0.84		35.8	1.49		12.0	0.83
. AAMR (1970 Std. mil.)		25.2	0.87		37.8	1.55		13.8	0.87
. AAMR (2000 Std. mil.)		28.0	0.93		41.6	1.74		16.2	0.94
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		33.8	-		49.4	-		18.9	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.44	1	0.9	0.85	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	1.0	0.73	2	2.0	1.44	0	0.0	0.00
15-19	2	0.9	0.63	2	1.7	1.23	0	0.0	0.00
20-24	1	0.4	0.39	0	0.0	0.00	1	0.8	0.78
25-29	4	1.4	0.69	3	2.1	1.20	1	0.7	0.70
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	3	1.2	0.67	3	2.3	1.35	0	0.0	0.00
40-44	3	1.2	0.72	2	1.7	1.21	1	0.8	0.81
45-49	2	1.0	0.73	2	2.1	1.49	0	0.0	0.00
50-54	2	1.3	0.91	1	1.3	1.32	1	1.3	1.25
55-59	4	2.7	1.34	3	4.2	2.41	1	1.3	1.29
60-64	13	8.5	2.37	10	14.0	4.41	3	3.7	2.15
65-69	6	4.3	1.75	4	6.4	3.19	2	2.6	1.83
70-74	18	15.7	3.70	13	26.9	7.46	5	7.5	3.37
75-79	17	19.9	4.82	8	24.3	8.59	9	17.1	5.71
80-84	22	41.0	8.73	9	50.2	16.75	13	36.3	10.07
85+	62	137.7	17.49	16	137.9	34.46	46	137.6	20.29
Total deaths	162			79			83		
Connecticut									
. Crude rate		4.9	-		5.0	-		4.9	-
. AAMR (1940 Std. mil.)		2.4	0.22		3.4	0.41		1.5	0.21
. AAMR (1970 Std. mil.)		3.5	0.29		4.8	0.55		2.5	0.29
. AAMR (2000 Std. mil.)		5.1	0.41		6.5	0.78		4.0	0.44
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.7	-		3.6	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is not significantly different
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	1.0	0.73	2	2.0	1.44	0	0.0	0.00
15-19	14	6.3	1.67	12	10.5	3.02	2	1.8	1.30
20-24	35	13.5	2.28	33	25.2	4.38	2	1.6	1.10
25-29	32	11.1	1.97	25	17.4	3.47	7	4.9	1.84
30-34	31	10.5	1.89	26	17.8	3.49	5	3.4	1.51
35-39	29	11.2	2.07	25	19.5	3.90	4	3.0	1.52
40-44	28	11.6	2.20	23	19.6	4.09	5	4.0	1.81
45-49	26	13.4	2.62	21	22.1	4.82	5	5.0	2.25
50-54	17	10.9	2.65	8	10.6	3.74	9	11.3	3.75
55-59	14	9.4	2.51	9	12.5	4.18	5	6.5	2.89
60-64	16	10.5	2.63	13	18.1	5.03	3	3.7	2.15
65-69	13	9.3	2.58	13	20.8	5.76	0	0.0	0.00
70-74	15	13.1	3.38	12	24.8	7.17	3	4.5	2.61
75-79	11	12.9	3.88	6	18.2	7.44	5	9.5	4.25
80-84	5	9.3	4.16	2	11.2	7.89	3	8.4	4.84
85+	6	13.3	5.44	6	51.7	21.11	0	0.0	0.00
Total deaths	294			236			58		
Connecticut									
. Crude rate		9.0	-		14.8	-		3.4	-
. AAMR (1940 Std. mil.)		8.2	0.49		13.6	0.91		3.1	0.42
. AAMR (1970 Std. mil.)		7.8	0.47		13.1	0.87		3.0	0.41
. AAMR (2000 Std. mil.)		8.7	0.52		14.7	0.99		3.4	0.46
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.4	-		18.8	-		4.6	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	2.2	0.98	1	0.9	0.85	4	3.6	1.79
5-9	3	1.5	0.84	1	0.9	0.95	2	2.0	1.41
10-14	4	2.1	1.04	3	3.0	1.76	1	1.1	1.06
15-19	27	12.1	2.32	23	20.0	4.18	4	3.7	1.83
20-24	34	13.1	2.25	28	21.3	4.03	6	4.7	1.91
25-29	31	10.8	1.93	28	19.5	3.68	3	2.1	1.20
30-34	28	9.5	1.80	21	14.4	3.14	7	4.7	1.79
35-39	16	6.2	1.54	12	9.4	2.70	4	3.0	1.52
40-44	7	2.9	1.10	4	3.4	1.71	3	2.4	1.40
45-49	16	8.2	2.06	12	12.6	3.65	4	4.0	2.01
50-54	5	3.2	1.44	4	5.3	2.65	1	1.3	1.25
55-59	3	2.0	1.16	2	2.8	1.97	1	1.3	1.29
60-64	6	3.9	1.61	4	5.6	2.79	2	2.5	1.76
65-69	5	3.6	1.60	4	6.4	3.19	1	1.3	1.30
70-74	5	4.4	1.95	1	2.1	2.07	4	6.0	3.02
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	3	6.7	3.85	1	8.6	8.62	2	6.0	4.23
Total deaths	198			149			49		
Connecticut									
. Crude rate		6.0	-		9.4	-		2.9	-
. AAMR (1940 Std. mil.)		6.2	0.45		9.5	0.79		2.9	0.43
. AAMR (1970 Std. mil.)		5.7	0.42		8.6	0.73		2.8	0.42
. AAMR (2000 Std. mil.)		5.7	0.41		8.5	0.72		2.8	0.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.4	-		14.6	-		4.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3, E922.8-.9, E955.0-.4, E965.0-.4, E970, E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.44	1	0.9	0.85	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	8	4.1	1.47	7	7.1	2.69	1	1.1	1.06
15-19	36	16.1	2.68	31	27.0	4.85	5	4.6	2.05
20-24	46	17.7	2.61	42	32.0	4.94	4	3.1	1.56
25-29	40	13.9	2.20	35	24.3	4.11	5	3.5	1.55
30-34	30	10.2	1.86	25	17.1	3.42	5	3.4	1.51
35-39	24	9.2	1.88	19	14.8	3.40	5	3.8	1.70
40-44	18	7.5	1.76	14	11.9	3.19	4	3.2	1.62
45-49	21	10.8	2.36	15	15.8	4.08	6	6.0	2.46
50-54	9	5.8	1.93	7	9.3	3.50	2	2.5	1.77
55-59	3	2.0	1.16	2	2.8	1.97	1	1.3	1.29
60-64	12	7.9	2.28	11	15.3	4.63	1	1.2	1.24
65-69	11	7.9	2.37	10	16.0	5.05	1	1.3	1.30
70-74	10	8.7	2.76	8	16.6	5.85	2	3.0	2.13
75-79	2	2.3	1.65	2	6.1	4.29	0	0.0	0.00
80-84	2	3.7	2.63	1	5.6	5.58	1	2.8	2.79
85+	4	8.9	4.44	4	34.5	17.23	0	0.0	0.00
Total deaths	277			234			43		
Connecticut									
. Crude rate		8.4	-		14.7	-		2.5	-
. AAMR (1940 Std. mil.)		8.4	0.52		14.5	0.97		2.6	0.41
. AAMR (1970 Std. mil.)		7.9	0.49		13.7	0.92		2.4	0.38
. AAMR (2000 Std. mil.)		8.0	0.49		13.9	0.94		2.5	0.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.6	-		23.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	5	2.2	1.00	4	3.5	1.74	1	0.9	0.92
20-24	2	0.8	0.54	1	0.8	0.76	1	0.8	0.78
25-29	6	2.1	0.85	5	3.5	1.55	1	0.7	0.70
30-34	11	3.7	1.13	9	6.2	2.05	2	1.4	0.96
35-39	15	5.8	1.49	13	10.1	2.81	2	1.5	1.07
40-44	12	5.0	1.44	8	6.8	2.41	4	3.2	1.62
45-49	8	4.1	1.45	6	6.3	2.58	2	2.0	1.42
50-54	9	5.8	1.93	4	5.3	2.65	5	6.3	2.80
55-59	6	4.0	1.64	4	5.6	2.78	2	2.6	1.83
60-64	5	3.3	1.47	3	4.2	2.42	2	2.5	1.76
65-69	3	2.1	1.24	3	4.8	2.77	0	0.0	0.00
70-74	5	4.4	1.95	4	8.3	4.14	1	1.5	1.51
75-79	7	8.2	3.09	3	9.1	5.26	4	7.6	3.80
80-84	3	5.6	3.23	2	11.2	7.89	1	2.8	2.79
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	97			69			28		
Connecticut									
. Crude rate		3.0	-		4.3	-		1.7	-
. AAMR (1940 Std. mil.)		2.6	0.28		3.9	0.48		1.5	0.29
. AAMR (1970 Std. mil.)		2.5	0.26		3.7	0.46		1.5	0.28
. AAMR (2000 Std. mil.)		3.0	0.31		4.4	0.54		1.7	0.33
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		6.9	-		3.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1989

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.4	0.39	0	0.0	0.00	1	0.8	0.78
25-29	6	2.1	0.85	4	2.8	1.39	2	1.4	0.98
30-34	6	2.0	0.83	5	3.4	1.53	1	0.7	0.68
35-39	10	3.8	1.22	8	6.2	2.20	2	1.5	1.07
40-44	6	2.5	1.02	4	3.4	1.71	2	1.6	1.14
45-49	1	0.5	0.51	0	0.0	0.00	1	1.0	1.01
50-54	4	2.6	1.29	2	2.6	1.87	2	2.5	1.77
55-59	3	2.0	1.16	1	1.4	1.39	2	2.6	1.83
60-64	1	0.7	0.66	0	0.0	0.00	1	1.2	1.24
65-69	1	0.7	0.72	1	1.6	1.60	0	0.0	0.00
70-74	1	0.9	0.87	1	2.1	2.07	0	0.0	0.00
75-79	4	4.7	2.34	2	6.1	4.29	2	3.8	2.69
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	44			28			16		
Connecticut									
. Crude rate		1.3	-		1.8	-		0.9	-
. AAMR (1940 Std. mil.)		1.2	0.18		1.5	0.29		0.9	0.22
. AAMR (1970 Std. mil.)		1.1	0.17		1.4	0.26		0.8	0.21
. AAMR (2000 Std. mil.)		1.3	0.20		1.7	0.33		1.0	0.24
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.1	-		5.5	-		2.7	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower