

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

## Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

















## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.4	0.41	1	0.8	0.81	0	0.0	0.00
25-29	1	0.4	0.36	1	0.7	0.72	0	0.0	0.00
30-34	2	0.7	0.47	0	0.0	0.00	2	1.3	0.94
35-39	8	2.9	1.04	3	2.2	1.28	5	3.6	1.62
40-44	11	4.3	1.31	6	4.8	1.98	5	3.9	1.72
45-49	14	6.9	1.85	8	8.1	2.86	6	5.8	2.37
50-54	23	14.5	3.03	14	18.2	4.86	9	11.1	3.69
55-59	41	28.9	4.52	24	35.1	7.17	17	23.2	5.62
60-64	62	42.6	5.41	30	43.5	7.94	32	41.8	7.39
65-69	100	73.0	7.30	51	83.2	11.65	49	64.8	9.25
70-74	165	139.5	10.86	93	185.4	19.22	72	105.7	12.46
75-79	147	162.7	13.42	74	208.7	24.26	73	133.0	15.57
80-84	116	204.0	18.94	50	259.2	36.65	66	175.6	21.62
85+	133	275.6	23.90	43	346.1	52.78	90	251.2	26.48
Total deaths	824			398			426		
Connecticut									
. Crude rate		25.1	-		25.0	-		25.1	-
. AAMR (1940 Std. mil.)		13.3	0.52		16.1	0.85		11.3	0.64
. AAMR (1970 Std. mil.)		18.6	0.66		22.8	1.15		15.8	0.81
. AAMR (2000 Std. mil.)		24.4	0.86		30.2	1.57		20.8	1.02
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.4	-		16.4	-		11.3	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different







## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	5	1.7	0.75	2	1.3	0.95	3	2.0	1.16
35-39	12	4.4	1.27	7	5.2	1.96	5	3.6	1.62
40-44	26	10.3	2.01	14	11.3	3.02	12	9.2	2.67
45-49	60	29.6	3.82	34	34.3	5.89	26	25.1	4.93
50-54	104	65.7	6.45	57	74.1	9.82	47	57.8	8.43
55-59	139	98.1	8.32	81	118.6	13.18	58	79.1	10.38
60-64	246	169.0	10.77	160	231.8	18.33	86	112.3	12.11
65-69	336	245.3	13.38	207	337.7	23.47	129	170.5	15.01
70-74	347	293.4	15.75	218	434.5	29.43	129	189.5	16.68
75-79	298	329.9	19.11	173	487.9	37.10	125	227.7	20.37
80-84	204	358.7	25.11	134	694.6	60.01	70	186.3	22.26
85+	135	279.7	24.08	72	579.5	68.29	63	175.8	22.15
Total deaths	1,912			1,159			753		
Connecticut									
. Crude rate		58.1	-		72.7	-		44.4	-
. AAMR (1940 Std. mil.)		36.5	0.90		50.5	1.55		26.1	1.07
. AAMR (1970 Std. mil.)		46.9	1.10		67.4	1.99		32.8	1.25
. AAMR (2000 Std. mil.)		56.3	1.30		83.2	2.52		38.9	1.44
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		41.0	-		59.9	-		26.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	2	0.7	0.51	-	-	-	2	1.5	1.03
30-34	2	0.7	0.47	-	-	-	2	1.3	0.94
35-39	17	6.2	1.51	-	-	-	17	12.3	2.99
40-44	26	10.3	2.01	-	-	-	26	20.0	3.93
45-49	41	20.2	3.16	-	-	-	41	39.6	6.18
50-54	38	24.0	3.90	-	-	-	38	46.7	7.58
55-59	53	37.4	5.14	-	-	-	53	72.3	9.93
60-64	70	48.1	5.75	-	-	-	70	91.4	10.93
65-69	86	62.8	6.77	-	-	-	86	113.7	12.26
70-74	71	60.0	7.13	-	-	-	71	104.3	12.38
75-79	84	93.0	10.14	-	-	-	84	153.0	16.70
80-84	65	114.3	14.18	-	-	-	65	173.0	21.45
85+	57	118.1	15.64	-	-	-	57	159.1	21.07
Total deaths	612			-			612		
Connecticut									
. Crude rate		-	-		-	-		36.1	-
. AAMR (1940 Std. mil.)		-	-		-	-		22.5	1.02
. AAMR (1970 Std. mil.)		-	-		-	-		27.1	1.15
. AAMR (2000 Std. mil.)		-	-		-	-		32.6	1.34
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		22.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is not significantly different



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	2	0.7	0.51	-	-	-	2	1.5	1.03
30-34	1	0.3	0.34	-	-	-	1	0.7	0.67
35-39	3	1.1	0.63	-	-	-	3	2.2	1.26
40-44	7	2.8	1.04	-	-	-	7	5.4	2.04
45-49	5	2.5	1.10	-	-	-	5	4.8	2.16
50-54	10	6.3	2.00	-	-	-	10	12.3	3.89
55-59	3	2.1	1.22	-	-	-	3	4.1	2.36
60-64	4	2.7	1.37	-	-	-	4	5.2	2.61
65-69	3	2.2	1.26	-	-	-	3	4.0	2.29
70-74	2	1.7	1.20	-	-	-	2	2.9	2.08
75-79	4	4.4	2.21	-	-	-	4	7.3	3.64
80-84	6	10.5	4.31	-	-	-	6	16.0	6.52
85+	5	10.4	4.63	-	-	-	5	14.0	6.24
Total deaths	55			-			55		
Connecticut									
. Crude rate		-	-		-	-		3.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		2.4	0.36
. AAMR (1970 Std. mil.)		-	-		-	-		2.6	0.37
. AAMR (2000 Std. mil.)		-	-		-	-		3.2	0.44
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is higher

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	0.6	0.63	-	-	-	1	1.2	1.23
55-59	4	2.8	1.41	-	-	-	4	5.5	2.73
60-64	3	2.1	1.19	-	-	-	3	3.9	2.26
65-69	11	8.0	2.42	-	-	-	11	14.5	4.38
70-74	10	8.5	2.67	-	-	-	10	14.7	4.64
75-79	5	5.5	2.48	-	-	-	5	9.1	4.07
80-84	5	8.8	3.93	-	-	-	5	13.3	5.95
85+	7	14.5	5.48	-	-	-	7	19.5	7.38
Total deaths	46			-			46		
Connecticut									
. Crude rate		-	-		-	-		2.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.4	0.23
. AAMR (1970 Std. mil.)		-	-		-	-		1.9	0.29
. AAMR (2000 Std. mil.)		-	-		-	-		2.2	0.33
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.4	0.41	-	-	-	1	0.8	0.84
25-29	1	0.4	0.36	-	-	-	1	0.7	0.73
30-34	2	0.7	0.47	-	-	-	2	1.3	0.94
35-39	1	0.4	0.37	-	-	-	1	0.7	0.72
40-44	4	1.6	0.79	-	-	-	4	3.1	1.54
45-49	9	4.4	1.48	-	-	-	9	8.7	2.90
50-54	8	5.1	1.79	-	-	-	8	9.8	3.48
55-59	15	10.6	2.73	-	-	-	15	20.5	5.28
60-64	20	13.7	3.07	-	-	-	20	26.1	5.84
65-69	28	20.4	3.86	-	-	-	28	37.0	6.99
70-74	25	21.1	4.23	-	-	-	25	36.7	7.34
75-79	26	28.8	5.64	-	-	-	26	47.4	9.29
80-84	25	44.0	8.79	-	-	-	25	66.5	13.30
85+	18	37.3	8.79	-	-	-	18	50.2	11.84
Total deaths	183			-			183		
Connecticut									
. Crude rate		-	-		-	-		10.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	0.53
. AAMR (1970 Std. mil.)		-	-		-	-		7.9	0.61
. AAMR (2000 Std. mil.)		-	-		-	-		9.4	0.71
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available













## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.51	1	1.0	0.99	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.4	0.41	1	0.8	0.81	0	0.0	0.00
25-29	2	0.7	0.51	2	1.4	1.02	0	0.0	0.00
30-34	12	4.0	1.16	8	5.4	1.91	4	2.7	1.34
35-39	17	6.2	1.51	9	6.7	2.22	8	5.8	2.05
40-44	25	9.9	1.97	17	13.7	3.33	8	6.2	2.18
45-49	28	13.8	2.61	19	19.2	4.40	9	8.7	2.90
50-54	49	31.0	4.42	27	35.1	6.76	22	27.1	5.77
55-59	72	50.8	5.99	42	61.5	9.49	30	40.9	7.47
60-64	164	112.6	8.80	92	133.3	13.90	72	94.0	11.08
65-69	293	213.9	12.50	157	256.1	20.44	136	179.8	15.41
70-74	372	314.6	16.31	178	354.8	26.59	194	284.9	20.46
75-79	417	461.6	22.60	198	558.4	39.69	219	399.0	26.96
80-84	362	636.5	33.45	143	741.3	61.99	219	582.7	39.38
85+	477	988.4	45.26	133	1070.4	92.82	344	960.0	51.76
Total deaths	2,292			1,027			1,265		
Connecticut									
. Crude rate		69.7	-		64.4	-		74.7	-
. AAMR (1940 Std. mil.)		34.5	0.81		40.7	1.33		29.6	0.99
. AAMR (1970 Std. mil.)		50.1	1.07		58.6	1.84		43.9	1.31
. AAMR (2000 Std. mil.)		68.0	1.43		79.0	2.56		60.4	1.71
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									
. The U.S. AAMR (1940 Std. mil.):									
. THE U.S. HP 2000 target:									

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.51	1	1.0	0.99	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.3	0.34	0	0.0	0.00	1	0.7	0.67
35-39	1	0.4	0.37	1	0.7	0.74	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	1.4	0.97	0	0.0	0.00	2	2.6	1.85
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	2	2.2	1.57	2	5.6	3.99	0	0.0	0.00
80-84	2	3.5	2.49	2	10.4	7.33	0	0.0	0.00
85+	1	2.1	2.07	1	8.0	8.05	0	0.0	0.00
Total deaths	10			7			3		
Connecticut									
. Crude rate		0.3	-		0.4	-		0.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.5	-		0.6	-		0.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available







## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	49	20.8	2.97	26	21.5	4.21	23	20.0	4.17
5-9	6	2.8	1.15	3	2.8	1.59	3	2.9	1.67
10-14	8	4.0	1.43	6	5.9	2.43	2	2.1	1.46
15-19	9	4.5	1.50	7	6.8	2.58	2	2.1	1.46
20-24	20	8.2	1.84	10	8.1	2.57	10	8.4	2.64
25-29	37	13.4	2.20	27	19.5	3.76	10	7.3	2.29
30-34	99	33.2	3.34	69	46.5	5.60	30	20.0	3.66
35-39	137	50.2	4.29	91	67.4	7.07	46	33.3	4.91
40-44	180	71.0	5.29	131	105.9	9.25	49	37.8	5.39
45-49	249	123.0	7.79	186	187.9	13.78	63	60.9	7.67
50-54	331	209.2	11.50	216	280.8	19.11	115	141.4	13.19
55-59	488	344.5	15.60	321	469.9	26.23	167	227.7	17.62
60-64	977	671.0	21.47	649	940.2	36.91	328	428.4	23.65
65-69	1,427	1042.0	27.58	902	1471.6	49.00	525	693.9	30.28
70-74	2,045	1729.3	38.24	1,155	2302.3	67.74	890	1307.1	43.81
75-79	2,378	2632.2	53.98	1,271	3584.7	100.55	1,107	2016.8	60.62
80-84	2,644	4649.0	90.41	1,158	6002.8	176.40	1,486	3954.0	102.57
85+	4,801	9948.6	143.58	1,473	11855.1	308.89	3,328	9287.5	160.99
Total deaths	15,885			7,701			8,184		
Connecticut									
. Crude rate		483.1	-		483.1	-		483.1	-
. AAMR (1940 Std. mil.)		222.7	2.04		299.1	3.61		164.6	2.28
. AAMR (1970 Std. mil.)		335.4	2.74		442.9	5.07		259.9	3.08
. AAMR (2000 Std. mil.)		479.6	3.82		623.5	7.42		385.4	4.29
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available







## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	1.0	0.58	2	1.3	0.95	1	0.7	0.67
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	4	2.0	0.99	2	2.0	1.43	2	1.9	1.37
50-54	2	1.3	0.89	1	1.3	1.30	1	1.2	1.23
55-59	3	2.1	1.22	2	2.9	2.07	1	1.4	1.36
60-64	3	2.1	1.19	3	4.3	2.51	0	0.0	0.00
65-69	13	9.5	2.63	9	14.7	4.89	4	5.3	2.64
70-74	13	11.0	3.05	5	10.0	4.46	8	11.7	4.15
75-79	23	25.5	5.31	12	33.8	9.77	11	20.0	6.04
80-84	29	51.0	9.47	14	72.6	19.40	15	39.9	10.31
85+	33	68.4	11.90	8	64.4	22.76	25	69.8	13.95
Total deaths	126			58			68		
Connecticut									
. Crude rate		3.8	-		3.6	-		4.0	-
. AAMR (1940 Std. mil.)		1.7	0.17		2.2	0.30		1.3	0.20
. AAMR (1970 Std. mil.)		2.6	0.24		3.3	0.44		2.1	0.27
. AAMR (2000 Std. mil.)		3.8	0.34		4.7	0.64		3.2	0.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.8	-		2.2	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: No comparison is available



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	1.3	0.73	2	1.7	1.17	1	0.9	0.87
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.5	0.50	1	1.0	0.97	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	4	1.4	0.72	0	0.0	0.00	4	2.9	1.45
30-34	10	3.4	1.06	8	5.4	1.91	2	1.3	0.94
35-39	15	5.5	1.42	8	5.9	2.09	7	5.1	1.92
40-44	15	5.9	1.53	11	8.9	2.68	4	3.1	1.54
45-49	18	8.9	2.09	11	11.1	3.35	7	6.8	2.56
50-54	27	17.1	3.28	17	22.1	5.36	10	12.3	3.89
55-59	31	21.9	3.93	15	22.0	5.67	16	21.8	5.45
60-64	56	38.5	5.14	28	40.6	7.67	28	36.6	6.91
65-69	92	67.2	7.00	52	84.8	11.76	40	52.9	8.36
70-74	185	156.4	11.50	92	183.4	19.12	93	136.6	14.16
75-79	249	275.6	17.47	131	369.5	32.28	118	215.0	19.79
80-84	320	562.7	31.45	112	580.6	54.86	208	553.5	38.38
85+	667	1382.2	53.52	170	1368.2	104.94	497	1387.0	62.21
Total deaths	1,693			658			1,035		
Connecticut									
. Crude rate		51.5	-		41.3	-		61.1	-
. AAMR (1940 Std. mil.)		20.4	0.58		23.4	0.97		18.1	0.72
. AAMR (1970 Std. mil.)		33.6	0.84		37.6	1.47		30.6	1.01
. AAMR (2000 Std. mil.)		51.8	1.26		56.9	2.31		48.1	1.50
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.8	-		29.3	-		24.6	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									
. The U.S. AAMR (1940 Std. mil.):									
. THE U.S. HP 2000 target:									

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is higher  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is not significantly different













## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----COPD-related (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.42	1	0.8	0.83	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	1.0	0.71	2	1.9	1.38	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	0.7	0.51	2	1.4	1.02	0	0.0	0.00
30-34	2	0.7	0.47	2	1.3	0.95	0	0.0	0.00
35-39	5	1.8	0.82	1	0.7	0.74	4	2.9	1.45
40-44	9	3.6	1.18	2	1.6	1.14	7	5.4	2.04
45-49	15	7.4	1.91	11	11.1	3.35	4	3.9	1.93
50-54	29	18.3	3.40	13	16.9	4.69	16	19.7	4.92
55-59	54	38.1	5.19	31	45.4	8.15	23	31.4	6.54
60-64	137	94.1	8.04	80	115.9	12.96	57	74.4	9.86
65-69	254	185.5	11.64	141	230.0	19.37	113	149.4	14.05
70-74	398	336.6	16.87	218	434.5	29.43	180	264.4	19.70
75-79	461	510.3	23.77	252	710.7	44.77	209	380.8	26.34
80-84	454	798.3	37.46	248	1285.6	81.63	206	548.1	38.19
85+	524	1085.8	47.43	253	2036.2	128.02	271	756.3	45.94
Total deaths	2,347			1,257			1,090		
Connecticut									
. Crude rate		71.4	-		78.9	-		64.3	-
. AAMR (1940 Std. mil.)		32.6	0.75		44.8	1.33		25.1	0.89
. AAMR (1970 Std. mil.)		49.9	1.05		71.8	2.03		37.7	1.20
. AAMR (2000 Std. mil.)		69.7	1.45		104.5	3.07		51.9	1.58
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	0.7	0.51	2	1.4	1.02	0	0.0	0.00
30-34	7	2.3	0.89	3	2.0	1.17	4	2.7	1.34
35-39	13	4.8	1.32	8	5.9	2.09	5	3.6	1.62
40-44	29	11.4	2.12	22	17.8	3.79	7	5.4	2.04
45-49	19	9.4	2.15	14	14.1	3.78	5	4.8	2.16
50-54	26	16.4	3.22	20	26.0	5.81	6	7.4	3.01
55-59	27	19.1	3.67	19	27.8	6.38	8	10.9	3.86
60-64	37	25.4	4.18	25	36.2	7.24	12	15.7	4.52
65-69	36	26.3	4.38	19	31.0	7.11	17	22.5	5.45
70-74	51	43.1	6.04	27	53.8	10.36	24	35.2	7.19
75-79	29	32.1	5.96	19	53.6	12.29	10	18.2	5.76
80-84	20	35.2	7.86	9	46.7	15.55	11	29.3	8.83
85+	6	12.4	5.08	2	16.1	11.38	4	11.2	5.58
Total deaths	302			189			113		
Connecticut									
. Crude rate		9.2	-		11.9	-		6.7	-
. AAMR (1940 Std. mil.)		6.8	0.41		9.6	0.72		4.3	0.44
. AAMR (1970 Std. mil.)		7.7	0.45		10.9	0.80		5.0	0.49
. AAMR (2000 Std. mil.)		9.1	0.53		12.9	0.95		5.9	0.57
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.2	-		11.7	-		5.1	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is higher







## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	21	8.9	1.94	12	9.9	2.86	9	7.8	2.61
5-9	14	6.6	1.76	9	8.3	2.75	5	4.8	2.16
10-14	12	6.1	1.75	9	8.9	2.97	3	3.1	1.79
15-19	64	32.1	4.01	47	45.7	6.67	17	17.5	4.25
20-24	80	32.9	3.68	65	52.7	6.54	15	12.5	3.24
25-29	66	23.9	2.94	46	33.3	4.91	20	14.5	3.24
30-34	59	19.8	2.58	41	27.6	4.31	18	12.0	2.83
35-39	47	17.2	2.51	35	25.9	4.38	12	8.7	2.51
40-44	42	16.6	2.56	33	26.7	4.64	9	6.9	2.31
45-49	35	17.3	2.92	25	25.3	5.05	10	9.7	3.05
50-54	19	12.0	2.75	12	15.6	4.50	7	8.6	3.25
55-59	33	23.3	4.06	22	32.2	6.87	11	15.0	4.52
60-64	28	19.2	3.63	20	29.0	6.48	8	10.4	3.69
65-69	47	34.3	5.01	34	55.5	9.51	13	17.2	4.77
70-74	49	41.4	5.92	28	55.8	10.55	21	30.8	6.73
75-79	48	53.1	7.67	24	67.7	13.82	24	43.7	8.93
80-84	61	107.3	13.73	28	145.1	27.43	33	87.8	15.29
85+	122	252.8	22.89	53	426.6	58.59	69	192.6	23.18
Total deaths	847			543			304		
Connecticut									
. Crude rate		25.8	-		34.1	-		17.9	-
. AAMR (1940 Std. mil.)		20.8	0.80		30.2	1.37		12.1	0.84
. AAMR (1970 Std. mil.)		22.3	0.81		32.5	1.44		13.5	0.87
. AAMR (2000 Std. mil.)		25.4	0.88		37.3	1.68		15.9	0.93
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		31.0	-		45.4	-		17.1	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	2.1	0.95	2	1.7	1.17	3	2.6	1.51
5-9	7	3.3	1.24	5	4.6	2.05	2	1.9	1.36
10-14	6	3.0	1.24	5	5.0	2.21	1	1.0	1.03
15-19	47	23.5	3.43	32	31.1	5.51	15	15.5	4.00
20-24	62	25.5	3.24	52	42.2	5.85	10	8.4	2.64
25-29	41	14.9	2.32	24	17.4	3.55	17	12.3	2.99
30-34	34	11.4	1.96	20	13.5	3.01	14	9.4	2.50
35-39	17	6.2	1.51	12	8.9	2.57	5	3.6	1.62
40-44	14	5.5	1.48	10	8.1	2.56	4	3.1	1.54
45-49	13	6.4	1.78	7	7.1	2.67	6	5.8	2.37
50-54	4	2.5	1.26	2	2.6	1.84	2	2.5	1.74
55-59	15	10.6	2.73	11	16.1	4.86	4	5.5	2.73
60-64	6	4.1	1.68	3	4.3	2.51	3	3.9	2.26
65-69	14	10.2	2.73	10	16.3	5.16	4	5.3	2.64
70-74	8	6.8	2.39	5	10.0	4.46	3	4.4	2.54
75-79	15	16.6	4.29	7	19.7	7.46	8	14.6	5.15
80-84	10	17.6	5.56	5	25.9	11.59	5	13.3	5.95
85+	9	18.6	6.22	4	32.2	16.10	5	14.0	6.24
Total deaths	327			216			111		
Connecticut									
. Crude rate		9.9	-		13.5	-		6.6	-
. AAMR (1940 Std. mil.)		10.0	0.59		13.9	0.98		6.3	0.65
. AAMR (1970 Std. mil.)		9.8	0.57		13.6	0.96		6.1	0.63
. AAMR (2000 Std. mil.)		9.6	0.54		13.3	0.93		6.2	0.60
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		17.0	-		24.2	-		10.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is not significantly different
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available























## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.5	0.47	1	0.9	0.92	0	0.0	0.00
10-14	3	1.5	0.88	2	2.0	1.40	1	1.0	1.03
15-19	38	19.0	3.09	38	37.0	6.00	0	0.0	0.00
20-24	52	21.4	2.97	47	38.1	5.56	5	4.2	1.87
25-29	44	15.9	2.40	38	27.5	4.46	6	4.4	1.78
30-34	34	11.4	1.96	28	18.9	3.57	6	4.0	1.64
35-39	21	7.7	1.68	17	12.6	3.05	4	2.9	1.45
40-44	23	9.1	1.89	20	16.2	3.61	3	2.3	1.33
45-49	12	5.9	1.71	11	11.1	3.35	1	1.0	0.97
50-54	8	5.1	1.79	5	6.5	2.91	3	3.7	2.13
55-59	11	7.8	2.34	11	16.1	4.86	0	0.0	0.00
60-64	8	5.5	1.94	8	11.6	4.10	0	0.0	0.00
65-69	9	6.6	2.19	9	14.7	4.89	0	0.0	0.00
70-74	6	5.1	2.07	6	12.0	4.88	0	0.0	0.00
75-79	7	7.7	2.93	6	16.9	6.91	1	1.8	1.82
80-84	7	12.3	4.65	7	36.3	13.71	0	0.0	0.00
85+	3	6.2	3.59	2	16.1	11.38	1	2.8	2.79
Total deaths	287			256			31		
Connecticut									
. Crude rate		8.7	-		16.1	-		1.8	-
. AAMR (1940 Std. mil.)		8.9	0.55		16.1	1.04		1.8	0.33
. AAMR (1970 Std. mil.)		8.3	0.51		15.3	1.00		1.6	0.30
. AAMR (2000 Std. mil.)		8.4	0.50		15.5	0.99		1.7	0.32
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.1	-		26.4	-		4.2	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.5	0.47	1	0.9	0.92	0	0.0	0.00
10-14	3	1.5	0.88	2	2.0	1.40	1	1.0	1.03
15-19	27	13.5	2.60	27	26.3	5.06	0	0.0	0.00
20-24	30	12.4	2.26	25	20.3	4.06	5	4.2	1.87
25-29	20	7.2	1.62	18	13.0	3.07	2	1.5	1.03
30-34	17	5.7	1.38	14	9.4	2.52	3	2.0	1.16
35-39	9	3.3	1.10	6	4.4	1.81	3	2.2	1.26
40-44	7	2.8	1.04	7	5.7	2.14	0	0.0	0.00
45-49	3	1.5	0.86	3	3.0	1.75	0	0.0	0.00
50-54	4	2.5	1.26	2	2.6	1.84	2	2.5	1.74
55-59	1	0.7	0.71	1	1.5	1.46	0	0.0	0.00
60-64	2	1.4	0.97	2	2.9	2.05	0	0.0	0.00
65-69	1	0.7	0.73	1	1.6	1.63	0	0.0	0.00
70-74	1	0.8	0.85	1	2.0	1.99	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	2	3.5	2.49	2	10.4	7.33	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	128			112			16		
Connecticut									
. Crude rate		3.9	-		7.0	-		0.9	-
. AAMR (1940 Std. mil.)		4.4	0.40		7.7	0.74		1.0	0.26
. AAMR (1970 Std. mil.)		4.0	0.37		7.1	0.70		0.9	0.24
. AAMR (2000 Std. mil.)		3.8	0.34		6.7	0.64		0.9	0.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.5	-		12.6	-		2.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.42	1	0.8	0.83	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	5	2.5	1.12	3	2.9	1.69	2	2.1	1.46
20-24	9	3.7	1.24	6	4.9	1.99	3	2.5	1.45
25-29	19	6.9	1.58	14	10.1	2.71	5	3.6	1.62
30-34	23	7.7	1.61	17	11.5	2.78	6	4.0	1.64
35-39	30	11.0	2.01	22	16.3	3.47	8	5.8	2.05
40-44	20	7.9	1.76	17	13.7	3.33	3	2.3	1.33
45-49	11	5.4	1.64	10	10.1	3.19	1	1.0	0.97
50-54	3	1.9	1.09	0	0.0	0.00	3	3.7	2.13
55-59	7	4.9	1.87	3	4.4	2.54	4	5.5	2.73
60-64	3	2.1	1.19	1	1.4	1.45	2	2.6	1.85
65-69	1	0.7	0.73	0	0.0	0.00	1	1.3	1.32
70-74	1	0.8	0.85	0	0.0	0.00	1	1.5	1.47
75-79	1	1.1	1.11	0	0.0	0.00	1	1.8	1.82
80-84	1	1.8	1.76	0	0.0	0.00	1	2.7	2.66
85+	2	4.1	2.93	1	8.0	8.05	1	2.8	2.79
Total deaths	137			95			42		
Connecticut									
. Crude rate		4.2	-		6.0	-		2.5	-
. AAMR (1940 Std. mil.)		3.9	0.34		5.5	0.57		2.3	0.37
. AAMR (1970 Std. mil.)		3.4	0.30		4.7	0.50		2.1	0.34
. AAMR (2000 Std. mil.)		4.0	0.34		5.6	0.59		2.4	0.37
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.9	-		5.0	-		2.7	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is higher