

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All causes-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	415	175.7	8.62	248	204.7	13.00	167	145.1	11.23
5-9	23	10.7	2.22	14	12.7	3.38	9	8.5	2.85
10-14	33	16.4	2.85	25	24.3	4.86	8	8.1	2.87
15-19	116	59.8	5.55	88	88.1	9.39	28	29.8	5.63
20-24	199	86.1	6.11	159	135.5	10.74	40	35.2	5.56
25-29	232	88.1	5.79	167	126.9	9.82	65	49.4	6.13
30-34	380	128.6	6.60	277	188.3	11.32	103	69.4	6.84
35-39	508	182.7	8.11	348	252.9	13.56	160	113.9	9.01
40-44	554	224.5	9.54	375	311.5	16.09	179	141.7	10.59
45-49	668	308.8	11.95	444	419.6	19.91	224	202.7	13.54
50-54	749	460.0	16.81	463	584.9	27.18	286	341.9	20.21
55-59	1,107	795.6	23.91	698	1039.2	39.34	409	568.2	28.10
60-64	1,676	1190.9	29.09	1,002	1498.5	47.34	674	912.4	35.15
65-69	2,594	1925.5	37.81	1,521	2517.6	64.55	1,073	1444.1	44.08
70-74	3,441	2882.7	49.14	1,938	3814.9	86.66	1,503	2192.1	56.54
75-79	4,026	4326.1	68.18	2,114	5737.4	124.78	1,912	3401.0	77.78
80-84	4,165	7078.0	109.67	1,897	9375.8	215.26	2,268	5874.0	123.34
85+	7,338	14772.3	172.45	2,269	17811.4	373.92	5,069	13724.1	192.76
Total deaths	28,224			14,047			14,177		
Connecticut									
. Crude rate		861.3	-		884.2	-		839.8	-
. AAMR (1940 Std. mil.)		441.5	3.06		579.4	5.23		331.3	3.53
. AAMR (1970 Std. mil.)		614.0	3.80		797.8	6.80		479.3	4.38
. AAMR (2000 Std. mil.)		837.7	5.01		1081.0	9.49		672.2	5.71
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		504.3	-		655.7	-		380.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.50	1	1.0	0.97	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	0.8	0.54	0	0.0	0.00	2	1.5	1.07
30-34	4	1.4	0.68	4	2.7	1.36	0	0.0	0.00
35-39	8	2.9	1.02	5	3.6	1.63	3	2.1	1.23
40-44	28	11.3	2.14	19	15.8	3.62	9	7.1	2.37
45-49	56	25.9	3.46	29	27.4	5.09	27	24.4	4.70
50-54	87	53.4	5.73	42	53.1	8.19	45	53.8	8.02
55-59	151	108.5	8.83	95	141.4	14.51	56	77.8	10.40
60-64	230	163.4	10.78	132	197.4	17.18	98	132.7	13.40
65-69	351	260.5	13.91	218	360.8	24.44	133	179.0	15.52
70-74	362	303.3	15.94	212	417.3	28.66	150	218.8	17.86
75-79	321	344.9	19.25	188	510.2	37.21	133	236.6	20.51
80-84	207	351.8	24.45	128	632.6	55.92	79	204.6	23.02
85+	109	219.4	21.02	66	518.1	63.77	43	116.4	17.75
Total deaths	1,917			1,139			778		
Connecticut									
. Crude rate		58.5	-		71.7	-		46.1	-
. AAMR (1940 Std. mil.)		36.5	0.90		49.1	1.52		27.1	1.08
. AAMR (1970 Std. mil.)		46.9	1.10		65.4	1.95		34.1	1.28
. AAMR (2000 Std. mil.)		55.7	1.28		80.4	2.44		39.8	1.45
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		40.8	-		58.5	-		27.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	0.4	0.38	-	-	-	1	0.8	0.76
30-34	5	1.7	0.76	-	-	-	5	3.4	1.51
35-39	22	7.9	1.69	-	-	-	22	15.7	3.34
40-44	24	9.7	1.99	-	-	-	24	19.0	3.88
45-49	26	12.0	2.36	-	-	-	26	23.5	4.61
50-54	39	24.0	3.84	-	-	-	39	46.6	7.46
55-59	56	40.2	5.38	-	-	-	56	77.8	10.40
60-64	59	41.9	5.46	-	-	-	59	79.9	10.40
65-69	69	51.2	6.17	-	-	-	69	92.9	11.18
70-74	88	73.7	7.86	-	-	-	88	128.3	13.68
75-79	67	72.0	8.80	-	-	-	67	119.2	14.56
80-84	58	98.6	12.94	-	-	-	58	150.2	19.72
85+	74	149.0	17.32	-	-	-	74	200.4	23.29
Total deaths	588			-			588		
Connecticut									
. Crude rate		-	-		-	-		34.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		21.1	0.99
. AAMR (1970 Std. mil.)		-	-		-	-		25.4	1.11
. AAMR (2000 Std. mil.)		-	-		-	-		30.9	1.30
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is lower
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	1	0.3	0.34	-	-	-	1	0.7	0.67
35-39	3	1.1	0.62	-	-	-	3	2.1	1.23
40-44	1	0.4	0.41	-	-	-	1	0.8	0.79
45-49	4	1.8	0.92	-	-	-	4	3.6	1.81
50-54	7	4.3	1.62	-	-	-	7	8.4	3.16
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	1	0.7	0.71	-	-	-	1	1.4	1.35
65-69	5	3.7	1.66	-	-	-	5	6.7	3.01
70-74	5	4.2	1.87	-	-	-	5	7.3	3.26
75-79	5	5.4	2.40	-	-	-	5	8.9	3.98
80-84	1	1.7	1.70	-	-	-	1	2.6	2.59
85+	3	6.0	3.49	-	-	-	3	8.1	4.69
Total deaths	36			-			36		
Connecticut									
. Crude rate		-	-		-	-		2.1	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.5	0.27
. AAMR (1970 Std. mil.)		-	-		-	-		1.6	0.28
. AAMR (2000 Std. mil.)		-	-		-	-		2.0	0.34
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	0.6	0.61	-	-	-	1	1.2	1.20
55-59	3	2.2	1.24	-	-	-	3	4.2	2.41
60-64	4	2.8	1.42	-	-	-	4	5.4	2.71
65-69	7	5.2	1.96	-	-	-	7	9.4	3.56
70-74	6	5.0	2.05	-	-	-	6	8.8	3.57
75-79	3	3.2	1.86	-	-	-	3	5.3	3.08
80-84	6	10.2	4.16	-	-	-	6	15.5	6.34
85+	7	14.1	5.33	-	-	-	7	19.0	7.16
Total deaths	37			-			37		
Connecticut									
. Crude rate		-	-		-	-		2.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.1	0.21
. AAMR (1970 Std. mil.)		-	-		-	-		1.5	0.26
. AAMR (2000 Std. mil.)		-	-		-	-		1.8	0.30
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	1	0.4	0.36	-	-	-	1	0.7	0.71
40-44	4	1.6	0.81	-	-	-	4	3.2	1.58
45-49	7	3.2	1.22	-	-	-	7	6.3	2.39
50-54	8	4.9	1.74	-	-	-	8	9.6	3.38
55-59	11	7.9	2.38	-	-	-	11	15.3	4.61
60-64	22	15.6	3.33	-	-	-	22	29.8	6.35
65-69	23	17.1	3.56	-	-	-	23	31.0	6.45
70-74	31	26.0	4.66	-	-	-	31	45.2	8.12
75-79	27	29.0	5.58	-	-	-	27	48.0	9.24
80-84	23	39.1	8.15	-	-	-	23	59.6	12.42
85+	23	46.3	9.65	-	-	-	23	62.3	12.98
Total deaths	180			-			180		
Connecticut									
. Crude rate		-	-		-	-		10.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		5.8	0.49
. AAMR (1970 Std. mil.)		-	-		-	-		7.5	0.59
. AAMR (2000 Std. mil.)		-	-		-	-		9.1	0.69
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.5	0.46	0	0.0	0.00	1	0.9	0.95
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.4	0.43	0	0.0	0.00	1	0.9	0.88
25-29	3	1.1	0.66	1	0.8	0.76	2	1.5	1.07
30-34	11	3.7	1.12	4	2.7	1.36	7	4.7	1.78
35-39	13	4.7	1.30	9	6.5	2.18	4	2.8	1.42
40-44	23	9.3	1.94	15	12.5	3.22	8	6.3	2.24
45-49	29	13.4	2.49	21	19.8	4.33	8	7.2	2.56
50-54	51	31.3	4.39	31	39.2	7.03	20	23.9	5.35
55-59	94	67.6	6.97	49	73.0	10.42	45	62.5	9.32
60-64	171	121.5	9.29	95	142.1	14.58	76	102.9	11.80
65-69	258	191.5	11.92	137	226.8	19.37	121	162.8	14.80
70-74	365	305.8	16.01	196	385.8	27.56	169	246.5	18.96
75-79	438	470.6	22.49	215	583.5	39.80	223	396.7	26.56
80-84	363	616.9	32.38	155	766.1	61.53	208	538.7	37.35
85+	515	1036.8	45.69	132	1036.2	90.19	383	1037.0	52.99
Total deaths	2,336			1,060			1,276		
Connecticut									
. Crude rate		71.3	-		66.7	-		75.6	-
. AAMR (1940 Std. mil.)		34.7	0.81		41.4	1.34		29.6	1.01
. AAMR (1970 Std. mil.)		50.5	1.08		59.7	1.84		43.7	1.31
. AAMR (2000 Std. mil.)		68.5	1.42		80.2	2.55		60.2	1.70
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									
. The U.S. AAMR (1940 Std. mil.):									
. THE U.S. HP 2000 target:									

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	44	18.6	2.81	24	19.8	4.04	20	17.4	3.89
5-9	7	3.2	1.23	2	1.8	1.28	5	4.7	2.12
10-14	10	5.0	1.57	6	5.8	2.38	4	4.1	2.03
15-19	16	8.3	2.06	8	8.0	2.83	8	8.5	3.01
20-24	17	7.4	1.78	6	5.1	2.09	11	9.7	2.92
25-29	35	13.3	2.25	24	18.2	3.72	11	8.4	2.52
30-34	97	32.8	3.33	65	44.2	5.48	32	21.6	3.81
35-39	120	43.2	3.94	81	58.9	6.54	39	27.8	4.45
40-44	181	73.4	5.45	130	108.0	9.47	51	40.4	5.65
45-49	269	124.3	7.58	208	196.6	13.63	61	55.2	7.07
50-54	356	218.6	11.59	243	307.0	19.69	113	135.1	12.71
55-59	548	393.8	16.82	381	567.3	29.06	167	232.0	17.95
60-64	871	618.9	20.97	552	825.5	35.14	319	431.8	24.18
65-69	1,395	1035.5	27.72	832	1377.1	47.74	563	757.7	31.93
70-74	1,949	1632.8	36.98	1,140	2244.1	66.46	809	1179.9	41.48
75-79	2,394	2572.4	52.58	1,273	3454.9	96.83	1,121	1994.0	59.56
80-84	2,634	4476.2	87.22	1,200	5930.9	171.21	1,434	3714.0	98.08
85+	4,963	9991.1	141.82	1,484	11649.3	302.40	3,479	9419.3	159.69
Total deaths	15,906			7,659			8,247		
Connecticut									
. Crude rate		485.4	-		482.1	-		488.5	-
. AAMR (1940 Std. mil.)		219.8	2.04		293.9	3.58		163.0	2.29
. AAMR (1970 Std. mil.)		330.6	2.72		434.2	4.99		257.0	3.06
. AAMR (2000 Std. mil.)		473.0	3.77		611.9	7.27		380.8	4.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.5	0.46	0	0.0	0.00	1	0.9	0.95
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.4	0.43	1	0.9	0.85	0	0.0	0.00
25-29	1	0.4	0.38	0	0.0	0.00	1	0.8	0.76
30-34	5	1.7	0.76	2	1.4	0.96	3	2.0	1.17
35-39	8	2.9	1.02	5	3.6	1.63	3	2.1	1.23
40-44	12	4.9	1.40	9	7.5	2.49	3	2.4	1.37
45-49	27	12.5	2.40	10	9.5	2.99	17	15.4	3.73
50-54	29	17.8	3.31	13	16.4	4.55	16	19.1	4.78
55-59	32	23.0	4.07	22	32.8	6.98	10	13.9	4.39
60-64	46	32.7	4.82	24	35.9	7.33	22	29.8	6.35
65-69	84	62.4	6.80	44	72.8	10.98	40	53.8	8.51
70-74	185	155.0	11.39	101	198.8	19.78	84	122.5	13.37
75-79	253	271.9	17.09	122	331.1	29.98	131	233.0	20.36
80-84	350	594.8	31.79	134	662.3	57.21	216	559.4	38.06
85+	706	1421.3	53.49	177	1389.4	104.44	529	1432.2	62.27
Total deaths	1,740			664			1,076		
Connecticut									
. Crude rate		53.1	-		41.8	-		63.7	-
. AAMR (1940 Std. mil.)		20.1	0.57		22.7	0.94		18.2	0.71
. AAMR (1970 Std. mil.)		33.6	0.83		37.2	1.45		30.9	1.01
. AAMR (2000 Std. mil.)		52.3	1.26		56.9	2.29		49.0	1.51
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.2	-		28.6	-		24.1	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									
. The U.S. AAMR (1940 Std. mil.):									
. THE U.S. HP 2000 target:									

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	0.4	0.41	1	0.8	0.83	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	0.6	0.61	1	1.3	1.26	0	0.0	0.00
55-59	2	1.4	1.02	0	0.0	0.00	2	2.8	1.96
60-64	3	2.1	1.23	2	3.0	2.11	1	1.4	1.35
65-69	7	5.2	1.96	5	8.3	3.70	2	2.7	1.90
70-74	11	9.2	2.78	5	9.8	4.40	6	8.8	3.57
75-79	21	22.6	4.92	12	32.6	9.40	9	16.0	5.34
80-84	34	57.8	9.91	13	64.3	17.82	21	54.4	11.87
85+	113	227.5	21.40	26	204.1	40.03	87	235.5	25.25
Total deaths	193			65			128		
Connecticut									
. Crude rate		5.9	-		4.1	-		7.6	-
. AAMR (1940 Std. mil.)		1.8	0.15		2.0	0.26		1.6	0.18
. AAMR (1970 Std. mil.)		3.4	0.25		3.6	0.45		3.2	0.30
. AAMR (2000 Std. mil.)		5.9	0.42		6.1	0.78		5.6	0.50
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.4	-		2.8	-		2.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----COPD-related (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.8	0.60	1	0.8	0.83	1	0.9	0.87
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.5	0.52	0	0.0	0.00	1	1.1	1.06
20-24	1	0.4	0.43	0	0.0	0.00	1	0.9	0.88
25-29	4	1.5	0.76	1	0.8	0.76	3	2.3	1.32
30-34	4	1.4	0.68	1	0.7	0.68	3	2.0	1.17
35-39	4	1.4	0.72	3	2.2	1.26	1	0.7	0.71
40-44	9	3.6	1.22	6	5.0	2.03	3	2.4	1.37
45-49	14	6.5	1.73	7	6.6	2.50	7	6.3	2.39
50-54	24	14.7	3.01	11	13.9	4.19	13	15.5	4.31
55-59	68	48.9	5.93	44	65.5	9.88	24	33.3	6.81
60-64	137	97.3	8.32	80	119.6	13.38	57	77.2	10.22
65-69	303	224.9	12.92	184	304.6	22.45	119	160.2	14.68
70-74	424	355.2	17.25	227	446.8	29.66	197	287.3	20.47
75-79	523	562.0	24.57	310	841.3	47.78	213	378.9	25.96
80-84	462	785.1	36.53	247	1220.8	77.68	215	556.8	37.98
85+	588	1183.7	48.82	256	2009.6	125.60	332	898.9	49.33
Total deaths	2,568			1,378			1,190		
Connecticut									
. Crude rate		78.4	-		86.7	-		70.5	-
. AAMR (1940 Std. mil.)		35.3	0.78		48.8	1.38		26.6	0.92
. AAMR (1970 Std. mil.)		53.8	1.09		77.0	2.08		40.1	1.24
. AAMR (2000 Std. mil.)		74.8	1.48		110.2	3.08		55.5	1.62
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.5	0.52	0	0.0	0.00	1	1.1	1.06
20-24	1	0.4	0.43	0	0.0	0.00	1	0.9	0.88
25-29	2	0.8	0.54	0	0.0	0.00	2	1.5	1.07
30-34	2	0.7	0.48	1	0.7	0.68	1	0.7	0.67
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	0.8	0.57	1	0.8	0.83	1	0.8	0.79
45-49	1	0.5	0.46	0	0.0	0.00	1	0.9	0.90
50-54	1	0.6	0.61	0	0.0	0.00	1	1.2	1.20
55-59	3	2.2	1.24	2	3.0	2.11	1	1.4	1.39
60-64	5	3.6	1.59	4	6.0	2.99	1	1.4	1.35
65-69	5	3.7	1.66	2	3.3	2.34	3	4.0	2.33
70-74	7	5.9	2.22	1	2.0	1.97	6	8.8	3.57
75-79	3	3.2	1.86	1	2.7	2.71	2	3.6	2.52
80-84	4	6.8	3.40	1	4.9	4.94	3	7.8	4.49
85+	13	26.2	7.26	2	15.7	11.10	11	29.8	8.98
Total deaths	50			15			35		
Connecticut									
. Crude rate		1.5	-		0.9	-		2.1	-
. AAMR (1940 Std. mil.)		0.9	0.15		0.7	0.19		1.1	0.23
. AAMR (1970 Std. mil.)		1.2	0.17		0.9	0.23		1.4	0.25
. AAMR (2000 Std. mil.)		1.5	0.21		1.1	0.29		1.7	0.30
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.4	-		1.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	6	2.3	0.93	3	2.3	1.32	3	2.3	1.32
30-34	6	2.0	0.83	5	3.4	1.52	1	0.7	0.67
35-39	24	8.6	1.76	14	10.2	2.72	10	7.1	2.25
40-44	19	7.7	1.77	15	12.5	3.22	4	3.2	1.58
45-49	25	11.6	2.31	20	18.9	4.23	5	4.5	2.02
50-54	23	14.1	2.95	19	24.0	5.51	4	4.8	2.39
55-59	31	22.3	4.00	22	32.8	6.98	9	12.5	4.17
60-64	32	22.7	4.02	18	26.9	6.34	14	19.0	5.07
65-69	40	29.7	4.69	20	33.1	7.40	20	26.9	6.02
70-74	24	20.1	4.10	18	35.4	8.35	6	8.8	3.57
75-79	29	31.2	5.79	15	40.7	10.51	14	24.9	6.66
80-84	20	34.0	7.60	10	49.4	15.63	10	25.9	8.19
85+	7	14.1	5.33	3	23.5	13.60	4	10.8	5.41
Total deaths	286			182			104		
Connecticut									
. Crude rate		8.7	-		11.5	-		6.2	-
. AAMR (1940 Std. mil.)		6.6	0.41		9.4	0.72		4.2	0.44
. AAMR (1970 Std. mil.)		7.3	0.44		10.4	0.78		4.7	0.48
. AAMR (2000 Std. mil.)		8.6	0.51		12.3	0.93		5.5	0.55
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.1	-		11.6	-		4.7	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.42	1	0.8	0.83	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.4	0.43	1	0.9	0.85	0	0.0	0.00
25-29	1	0.4	0.38	1	0.8	0.76	0	0.0	0.00
30-34	2	0.7	0.48	1	0.7	0.68	1	0.7	0.67
35-39	9	3.2	1.08	5	3.6	1.63	4	2.8	1.42
40-44	2	0.8	0.57	1	0.8	0.83	1	0.8	0.79
45-49	2	0.9	0.65	2	1.9	1.34	0	0.0	0.00
50-54	6	3.7	1.50	3	3.8	2.19	3	3.6	2.07
55-59	8	5.7	2.03	5	7.4	3.33	3	4.2	2.41
60-64	8	5.7	2.01	5	7.5	3.34	3	4.1	2.34
65-69	27	20.0	3.86	15	24.8	6.41	12	16.1	4.66
70-74	42	35.2	5.43	24	47.2	9.64	18	26.3	6.19
75-79	47	50.5	7.37	30	81.4	14.87	17	30.2	7.33
80-84	62	105.4	13.38	29	143.3	26.62	33	85.5	14.88
85+	102	205.3	20.33	46	361.1	53.24	56	151.6	20.26
Total deaths	320			169			151		
Connecticut									
. Crude rate		9.8	-		10.6	-		8.9	-
. AAMR (1940 Std. mil.)		4.2	0.27		5.9	0.49		3.1	0.31
. AAMR (1970 Std. mil.)		6.4	0.37		9.4	0.73		4.7	0.41
. AAMR (2000 Std. mil.)		9.5	0.53		14.3	1.15		7.0	0.58
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.4	-		5.4	-		3.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	16	6.8	1.69	12	9.9	2.86	4	3.5	1.74
5-9	4	1.9	0.93	4	3.6	1.81	0	0.0	0.00
10-14	9	4.5	1.49	7	6.8	2.57	2	2.0	1.43
15-19	47	24.2	3.54	36	36.0	6.01	11	11.7	3.53
20-24	76	32.9	3.77	66	56.2	6.92	10	8.8	2.78
25-29	60	22.8	2.94	49	37.2	5.32	11	8.4	2.52
30-34	73	24.7	2.89	63	42.8	5.40	10	6.7	2.13
35-39	70	25.2	3.01	58	42.2	5.54	12	8.5	2.47
40-44	62	25.1	3.19	44	36.5	5.51	18	14.2	3.36
45-49	39	18.0	2.89	29	27.4	5.09	10	9.0	2.86
50-54	28	17.2	3.25	22	27.8	5.93	6	7.2	2.93
55-59	27	19.4	3.73	20	29.8	6.66	7	9.7	3.68
60-64	47	33.4	4.87	32	47.9	8.46	15	20.3	5.24
65-69	44	32.7	4.92	26	43.0	8.44	18	24.2	5.71
70-74	61	51.1	6.54	34	66.9	11.48	27	39.4	7.58
75-79	57	61.2	8.11	26	70.6	13.84	31	55.1	9.90
80-84	66	112.2	13.81	29	143.3	26.62	37	95.8	15.75
85+	124	249.6	22.42	36	282.6	47.10	88	238.3	25.40
Total deaths	910			593			317		
Connecticut									
. Crude rate		27.8	-		37.3	-		18.8	-
. AAMR (1940 Std. mil.)		21.7	0.80		33.3	1.43		10.6	0.75
. AAMR (1970 Std. mil.)		23.0	0.81		34.1	1.45		12.6	0.79
. AAMR (2000 Std. mil.)		27.1	0.90		39.1	1.66		16.0	0.92
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		29.5	-		43.1	-		16.4	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	1.7	0.85	1	0.8	0.83	3	2.6	1.50
5-9	1	0.5	0.46	0	0.0	0.00	1	0.9	0.95
10-14	2	1.0	0.70	2	1.9	1.38	0	0.0	0.00
15-19	33	17.0	2.96	30	30.0	5.48	3	3.2	1.84
20-24	36	15.6	2.60	32	27.3	4.82	4	3.5	1.76
25-29	33	12.5	2.18	28	21.3	4.02	5	3.8	1.70
30-34	29	9.8	1.82	24	16.3	3.33	5	3.4	1.51
35-39	18	6.5	1.53	9	6.5	2.18	9	6.4	2.14
40-44	4	1.6	0.81	2	1.7	1.17	2	1.6	1.12
45-49	7	3.2	1.22	6	5.7	2.31	1	0.9	0.90
50-54	2	1.2	0.87	2	2.5	1.79	0	0.0	0.00
55-59	3	2.2	1.24	2	3.0	2.11	1	1.4	1.39
60-64	2	1.4	1.00	2	3.0	2.11	0	0.0	0.00
65-69	2	1.5	1.05	2	3.3	2.34	0	0.0	0.00
70-74	3	2.5	1.45	2	3.9	2.78	1	1.5	1.46
75-79	2	2.1	1.52	1	2.7	2.71	1	1.8	1.78
80-84	1	1.7	1.70	0	0.0	0.00	1	2.6	2.59
85+	1	2.0	2.01	0	0.0	0.00	1	2.7	2.71
Total deaths	183			145			38		
Connecticut									
. Crude rate		5.6	-		9.1	-		2.3	-
. AAMR (1940 Std. mil.)		6.2	0.47		10.0	0.85		2.2	0.38
. AAMR (1970 Std. mil.)		5.6	0.44		9.1	0.79		2.0	0.35
. AAMR (2000 Std. mil.)		5.4	0.40		8.5	0.72		2.2	0.35
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.6	-		16.8	-		4.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	2.5	1.04	6	5.0	2.02	0	0.0	0.00
5-9	1	0.5	0.46	1	0.9	0.90	0	0.0	0.00
10-14	4	2.0	0.99	2	1.9	1.38	2	2.0	1.43
15-19	33	17.0	2.96	24	24.0	4.91	9	9.6	3.19
20-24	56	24.2	3.24	49	41.8	5.96	7	6.2	2.33
25-29	36	13.7	2.28	29	22.0	4.09	7	5.3	2.01
30-34	28	9.5	1.79	24	16.3	3.33	4	2.7	1.35
35-39	22	7.9	1.69	17	12.4	3.00	5	3.6	1.59
40-44	18	7.3	1.72	11	9.1	2.75	7	5.5	2.09
45-49	12	5.5	1.60	8	7.6	2.67	4	3.6	1.81
50-54	16	9.8	2.46	13	16.4	4.55	3	3.6	2.07
55-59	11	7.9	2.38	7	10.4	3.94	4	5.6	2.78
60-64	16	11.4	2.84	11	16.5	4.96	5	6.8	3.03
65-69	12	8.9	2.57	5	8.3	3.70	7	9.4	3.56
70-74	20	16.8	3.75	8	15.7	5.57	12	17.5	5.05
75-79	14	15.0	4.02	4	10.9	5.43	10	17.8	5.63
80-84	13	22.1	6.13	5	24.7	11.05	8	20.7	7.33
85+	7	14.1	5.33	5	39.2	17.55	2	5.4	3.83
Total deaths	325			229			96		
Connecticut									
. Crude rate		9.9	-		14.4	-		5.7	-
. AAMR (1940 Std. mil.)		9.7	0.57		14.6	0.99		4.8	0.55
. AAMR (1970 Std. mil.)		9.4	0.55		14.0	0.95		5.0	0.55
. AAMR (2000 Std. mil.)		9.7	0.54		14.2	0.96		5.4	0.56
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.6	-		21.8	-		9.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.42	0	0.0	0.00	1	0.9	0.87
5-9	1	0.5	0.46	0	0.0	0.00	1	0.9	0.95
10-14	3	1.5	0.86	3	2.9	1.68	0	0.0	0.00
15-19	36	18.6	3.09	35	35.0	5.92	1	1.1	1.06
20-24	56	24.2	3.24	51	43.5	6.09	5	4.4	1.97
25-29	41	15.6	2.43	38	28.9	4.68	3	2.3	1.32
30-34	26	8.8	1.73	26	17.7	3.47	0	0.0	0.00
35-39	24	8.6	1.76	15	10.9	2.81	9	6.4	2.14
40-44	15	6.1	1.57	13	10.8	2.99	2	1.6	1.12
45-49	16	7.4	1.85	14	13.2	3.54	2	1.8	1.28
50-54	7	4.3	1.62	6	7.6	3.09	1	1.2	1.20
55-59	7	5.0	1.90	6	8.9	3.65	1	1.4	1.39
60-64	7	5.0	1.88	6	9.0	3.66	1	1.4	1.35
65-69	9	6.7	2.23	8	13.2	4.68	1	1.3	1.35
70-74	11	9.2	2.78	10	19.7	6.22	1	1.5	1.46
75-79	7	7.5	2.84	7	19.0	7.18	0	0.0	0.00
80-84	2	3.4	2.40	2	9.9	6.99	0	0.0	0.00
85+	3	6.0	3.49	3	23.5	13.60	0	0.0	0.00
Total deaths	272			243			29		
Connecticut									
. Crude rate		8.3	-		15.3	-		1.7	-
. AAMR (1940 Std. mil.)		8.7	0.55		15.8	1.04		1.8	0.33
. AAMR (1970 Std. mil.)		8.1	0.52		14.9	0.99		1.6	0.31
. AAMR (2000 Std. mil.)		8.1	0.49		14.9	0.97		1.7	0.32
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.0	-		25.8	-		4.1	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.50	1	1.0	0.97	0	0.0	0.00
15-19	6	3.1	1.26	6	6.0	2.45	0	0.0	0.00
20-24	19	8.2	1.89	18	15.3	3.62	1	0.9	0.88
25-29	19	7.2	1.66	17	12.9	3.13	2	1.5	1.07
30-34	8	2.7	0.96	8	5.4	1.92	0	0.0	0.00
35-39	12	4.3	1.25	9	6.5	2.18	3	2.1	1.23
40-44	14	5.7	1.52	12	10.0	2.88	2	1.6	1.12
45-49	10	4.6	1.46	8	7.6	2.67	2	1.8	1.28
50-54	6	3.7	1.50	5	6.3	2.82	1	1.2	1.20
55-59	6	4.3	1.76	5	7.4	3.33	1	1.4	1.39
60-64	5	3.6	1.59	5	7.5	3.34	0	0.0	0.00
65-69	8	5.9	2.10	7	11.6	4.38	1	1.3	1.35
70-74	10	8.4	2.65	10	19.7	6.22	0	0.0	0.00
75-79	7	7.5	2.84	7	19.0	7.18	0	0.0	0.00
80-84	2	3.4	2.40	2	9.9	6.99	0	0.0	0.00
85+	3	6.0	3.49	3	23.5	13.60	0	0.0	0.00
Total deaths	136			123			13		
Connecticut									
. Crude rate		4.2	-		7.7	-		0.8	-
. AAMR (1940 Std. mil.)		3.8	0.35		7.1	0.67		-	-
. AAMR (1970 Std. mil.)		3.7	0.33		7.1	0.65		-	-
. AAMR (2000 Std. mil.)		4.0	0.35		7.8	0.71		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.7	-		11.8	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.42	0	0.0	0.00	1	0.9	0.87
5-9	1	0.5	0.46	0	0.0	0.00	1	0.9	0.95
10-14	2	1.0	0.70	2	1.9	1.38	0	0.0	0.00
15-19	30	15.5	2.82	29	29.0	5.39	1	1.1	1.06
20-24	31	13.4	2.41	28	23.9	4.51	3	2.6	1.52
25-29	21	8.0	1.74	20	15.2	3.40	1	0.8	0.76
30-34	18	6.1	1.44	18	12.2	2.88	0	0.0	0.00
35-39	12	4.3	1.25	6	4.4	1.78	6	4.3	1.74
40-44	1	0.4	0.41	1	0.8	0.83	0	0.0	0.00
45-49	5	2.3	1.03	5	4.7	2.11	0	0.0	0.00
50-54	1	0.6	0.61	1	1.3	1.26	0	0.0	0.00
55-59	1	0.7	0.72	1	1.5	1.49	0	0.0	0.00
60-64	1	0.7	0.71	1	1.5	1.50	0	0.0	0.00
65-69	1	0.7	0.74	1	1.7	1.66	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	126			113			13		
Connecticut									
. Crude rate		3.8	-		7.1	-		0.8	-
. AAMR (1940 Std. mil.)		4.5	0.41		8.1	0.78		-	-
. AAMR (1970 Std. mil.)		4.1	0.39		7.4	0.73		-	-
. AAMR (2000 Std. mil.)		3.8	0.34		6.7	0.64		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.4	-		12.5	-		2.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.50	1	1.0	0.97	0	0.0	0.00
15-19	2	1.0	0.73	1	1.0	1.00	1	1.1	1.06
20-24	12	5.2	1.50	11	9.4	2.83	1	0.9	0.88
25-29	18	6.8	1.61	14	10.6	2.84	4	3.0	1.52
30-34	35	11.8	2.00	32	21.8	3.85	3	2.0	1.17
35-39	41	14.7	2.30	34	24.7	4.24	7	5.0	1.88
40-44	32	13.0	2.29	20	16.6	3.71	12	9.5	2.74
45-49	20	9.2	2.07	16	15.1	3.78	4	3.6	1.81
50-54	2	1.2	0.87	2	2.5	1.79	0	0.0	0.00
55-59	5	3.6	1.61	3	4.5	2.58	2	2.8	1.96
60-64	3	2.1	1.23	2	3.0	2.11	1	1.4	1.35
65-69	1	0.7	0.74	1	1.7	1.66	0	0.0	0.00
70-74	2	1.7	1.18	1	2.0	1.97	1	1.5	1.46
75-79	3	3.2	1.86	0	0.0	0.00	3	5.3	3.08
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	2	4.0	2.85	2	15.7	11.10	0	0.0	0.00
Total deaths	179			140			39		
Connecticut									
. Crude rate		5.5	-		8.8	-		2.3	-
. AAMR (1940 Std. mil.)		5.0	0.38		8.0	0.69		2.1	0.34
. AAMR (1970 Std. mil.)		4.3	0.33		6.8	0.59		1.9	0.31
. AAMR (2000 Std. mil.)		5.2	0.39		8.3	0.71		2.3	0.37
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.3	-		5.9	-		2.7	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is higher