

Connecticut Resident Age-Specific Mortality Rates by Sex, 1994-1998

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	3	0.3	0.15	-	-	-	3	0.5	0.31
30-34	16	1.2	0.29	-	-	-	16	2.3	0.58
35-39	69	4.7	0.57	-	-	-	69	9.4	1.13
40-44	114	8.7	0.81	-	-	-	114	16.9	1.59
45-49	180	15.8	1.17	-	-	-	180	30.9	2.30
50-54	249	26.2	1.66	-	-	-	249	51.0	3.23
55-59	223	30.7	2.06	-	-	-	223	59.5	3.98
60-64	258	41.4	2.57	-	-	-	258	79.2	4.93
65-69	350	54.9	2.93	-	-	-	350	101.0	5.40
70-74	408	69.3	3.43	-	-	-	408	121.7	6.03
75-79	393	79.3	4.00	-	-	-	393	133.3	6.72
80-84	326	98.6	5.46	-	-	-	326	154.5	8.56
85+	430	150.3	7.25	-	-	-	430	206.1	9.94
Total deaths	3,019			-			3,019		
Connecticut									
. Crude rate		-	-		-	-		35.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		20.5	0.43
. AAMR (1970 Std. mil.)		-	-		-	-		25.1	0.49
. AAMR (2000 Std. mil.)		-	-		-	-		30.6	0.57
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is lower
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.1	0.11	-	-	-	1	0.2	0.21
25-29	2	0.2	0.13	-	-	-	2	0.4	0.25
30-34	11	0.8	0.24	-	-	-	11	1.6	0.48
35-39	16	1.1	0.27	-	-	-	16	2.2	0.55
40-44	15	1.1	0.29	-	-	-	15	2.2	0.58
45-49	26	2.3	0.45	-	-	-	26	4.5	0.87
50-54	19	2.0	0.46	-	-	-	19	3.9	0.89
55-59	18	2.5	0.58	-	-	-	18	4.8	1.13
60-64	14	2.2	0.60	-	-	-	14	4.3	1.15
65-69	20	3.1	0.70	-	-	-	20	5.8	1.29
70-74	12	2.0	0.59	-	-	-	12	3.6	1.03
75-79	17	3.4	0.83	-	-	-	17	5.8	1.40
80-84	19	5.7	1.32	-	-	-	19	9.0	2.07
85+	19	6.6	1.52	-	-	-	19	9.1	2.09
Total deaths	209			-			209		
Connecticut									
. Crude rate		-	-		-	-		2.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.7	0.13
. AAMR (1970 Std. mil.)		-	-		-	-		1.8	0.13
. AAMR (2000 Std. mil.)		-	-		-	-		2.2	0.16
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	2	0.2	0.11	-	-	-	2	0.3	0.21
45-49	4	0.4	0.18	-	-	-	4	0.7	0.34
50-54	6	0.6	0.26	-	-	-	6	1.2	0.50
55-59	9	1.2	0.41	-	-	-	9	2.4	0.80
60-64	17	2.7	0.66	-	-	-	17	5.2	1.27
65-69	30	4.7	0.86	-	-	-	30	8.7	1.58
70-74	39	6.6	1.06	-	-	-	39	11.6	1.86
75-79	46	9.3	1.37	-	-	-	46	15.6	2.30
80-84	38	11.5	1.86	-	-	-	38	18.0	2.92
85+	32	11.2	1.98	-	-	-	32	15.3	2.71
Total deaths	223			-			223		
Connecticut									
. Crude rate		-	-		-	-		2.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	0.10
. AAMR (1970 Std. mil.)		-	-		-	-		1.7	0.12
. AAMR (2000 Std. mil.)		-	-		-	-		2.1	0.14
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.1	0.11	-	-	-	1	0.2	0.21
25-29	1	0.1	0.09	-	-	-	1	0.2	0.18
30-34	4	0.3	0.14	-	-	-	4	0.6	0.29
35-39	4	0.3	0.14	-	-	-	4	0.5	0.27
40-44	14	1.1	0.28	-	-	-	14	2.1	0.56
45-49	36	3.2	0.53	-	-	-	36	6.2	1.03
50-54	72	7.6	0.89	-	-	-	72	14.7	1.74
55-59	53	7.3	1.00	-	-	-	53	14.1	1.94
60-64	81	13.0	1.44	-	-	-	81	24.9	2.76
65-69	105	16.5	1.61	-	-	-	105	30.3	2.96
70-74	141	24.0	2.02	-	-	-	141	42.1	3.54
75-79	129	26.0	2.29	-	-	-	129	43.8	3.85
80-84	108	32.7	3.14	-	-	-	108	51.2	4.93
85+	136	47.5	4.08	-	-	-	136	65.2	5.59
Total deaths	885			-			885		
Connecticut									
. Crude rate		-	-		-	-		10.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		5.7	0.22
. AAMR (1970 Std. mil.)		-	-		-	-		7.2	0.26
. AAMR (2000 Std. mil.)		-	-		-	-		8.8	0.30
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diseases of the heart (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	56	5.1	0.68	31	5.5	0.98	25	4.6	0.93
5-9	5	0.4	0.19	2	0.3	0.24	3	0.5	0.31
10-14	13	1.2	0.33	7	1.3	0.48	6	1.1	0.46
15-19	22	2.2	0.47	16	3.1	0.78	6	1.3	0.51
20-24	35	3.7	0.62	19	3.9	0.90	16	3.4	0.86
25-29	76	6.7	0.77	47	8.3	1.21	29	5.1	0.95
30-34	125	9.0	0.81	81	11.8	1.31	44	6.3	0.96
35-39	263	18.0	1.11	179	24.7	1.85	84	11.4	1.25
40-44	481	36.5	1.66	346	53.7	2.88	135	20.1	1.73
45-49	769	67.3	2.43	570	102.0	4.27	199	34.1	2.42
50-54	1,156	121.5	3.57	842	182.0	6.27	314	64.3	3.63
55-59	1,537	211.7	5.40	1,083	308.5	9.37	454	121.1	5.68
60-64	2,194	351.6	7.51	1,471	493.6	12.87	723	221.8	8.25
65-69	3,544	555.4	9.33	2,251	772.3	16.28	1,293	373.0	10.37
70-74	5,114	869.0	12.15	3,035	1198.0	21.75	2,079	620.3	13.60
75-79	7,066	1426.0	16.96	3,816	1901.7	30.79	3,250	1102.2	19.33
80-84	8,491	2567.1	27.86	3,879	3238.8	52.00	4,612	2185.8	32.19
85+	17,794	6219.5	46.62	5,117	6606.7	92.36	12,677	6075.8	53.96
Total deaths	48,741			22,792			25,949		
Connecticut									
. Crude rate		298.2	-		287.1	-		308.6	-
. AAMR (1940 Std. mil.)		120.5	0.66		160.6	1.16		88.1	0.73
. AAMR (1970 Std. mil.)		185.5	0.89		239.1	1.60		144.4	0.99
. AAMR (2000 Std. mil.)		270.2	1.23		337.7	2.28		220.5	1.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		140.5	-		188.5	-		101.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	173	15.7	1.19	102	18.0	1.78	71	13.2	1.57
5-9	38	3.3	0.53	24	4.1	0.83	14	2.5	0.66
10-14	50	4.6	0.66	27	4.9	0.94	23	4.4	0.91
15-19	51	5.2	0.72	34	6.7	1.14	17	3.5	0.86
20-24	87	9.1	0.98	50	10.3	1.46	37	7.9	1.31
25-29	166	14.7	1.14	96	17.0	1.74	70	12.4	1.48
30-34	353	25.5	1.36	230	33.4	2.21	123	17.7	1.60
35-39	656	45.0	1.76	432	59.7	2.87	224	30.5	2.04
40-44	953	72.3	2.34	648	100.5	3.95	305	45.3	2.60
45-49	1,382	121.0	3.25	937	167.6	5.48	445	76.3	3.62
50-54	1,966	206.7	4.66	1,298	280.5	7.79	668	136.8	5.29
55-59	2,580	355.4	7.00	1,701	484.5	11.75	879	234.4	7.91
60-64	3,802	609.4	9.88	2,390	801.9	16.40	1,412	433.3	11.53
65-69	6,175	967.8	12.32	3,787	1299.3	21.11	2,388	689.0	14.10
70-74	9,010	1531.0	16.13	5,153	2034.1	28.34	3,857	1150.8	18.53
75-79	12,364	2495.2	22.44	6,506	3242.3	40.20	5,858	1986.8	25.96
80-84	14,443	4366.6	36.33	6,696	5590.9	68.32	7,747	3671.6	41.71
85+	27,872	9742.0	58.35	8,480	10948.7	118.90	19,392	9294.1	66.74
Total deaths	82,121			38,591			43,530		
Connecticut									
. Crude rate		502.3	-		486.1	-		517.7	-
. AAMR (1940 Std. mil.)		210.0	0.88		272.3	1.52		160.8	1.02
. AAMR (1970 Std. mil.)		317.2	1.17		403.8	2.08		253.2	1.35
. AAMR (2000 Std. mil.)		455.7	1.59		570.1	2.96		376.1	1.83
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	0.3	0.16	2	0.4	0.25	1	0.2	0.19
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.1	0.09	1	0.2	0.18	0	0.0	0.00
15-19	4	0.4	0.20	4	0.8	0.39	0	0.0	0.00
20-24	4	0.4	0.21	3	0.6	0.36	1	0.2	0.21
25-29	22	1.9	0.42	16	2.8	0.71	6	1.1	0.43
30-34	53	3.8	0.53	41	6.0	0.93	12	1.7	0.50
35-39	136	9.3	0.80	102	14.1	1.40	34	4.6	0.79
40-44	314	23.8	1.34	238	36.9	2.39	76	11.3	1.30
45-49	555	48.6	2.06	437	78.2	3.74	118	20.2	1.86
50-54	866	91.0	3.09	667	144.1	5.58	199	40.7	2.89
55-59	1,145	157.7	4.66	844	240.4	8.27	301	80.3	4.63
60-64	1,631	261.4	6.47	1,140	382.5	11.33	491	150.7	6.80
65-69	2,659	416.7	8.08	1,759	603.5	14.39	900	259.7	8.66
70-74	3,756	638.2	10.41	2,307	910.7	18.96	1,449	432.3	11.36
75-79	5,202	1049.8	14.56	2,857	1423.8	26.64	2,345	795.3	16.42
80-84	6,076	1837.0	23.57	2,866	2393.0	44.70	3,210	1521.3	26.85
85+	12,535	4381.3	39.13	3,688	4761.7	78.41	8,847	4240.1	45.08
Total deaths	34,962			16,972			17,990		
Connecticut									
. Crude rate		213.9	-		213.8	-		213.9	-
. AAMR (1940 Std. mil.)		86.6	0.56		120.2	1.01		59.5	0.58
. AAMR (1970 Std. mil.)		133.5	0.75		178.5	1.39		99.0	0.81
. AAMR (2000 Std. mil.)		193.8	1.04		250.7	1.96		152.3	1.15
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		110.2	-		151.7	-		76.6	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.1	0.09	1	0.2	0.18	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	0.2	0.14	1	0.2	0.20	1	0.2	0.21
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	8	0.7	0.25	4	0.7	0.35	4	0.7	0.35
30-34	21	1.5	0.33	13	1.9	0.52	8	1.2	0.41
35-39	64	4.4	0.55	40	5.5	0.87	24	3.3	0.67
40-44	116	8.8	0.82	85	13.2	1.43	31	4.6	0.83
45-49	162	14.2	1.11	121	21.6	1.97	41	7.0	1.10
50-54	153	16.1	1.30	119	25.7	2.36	34	7.0	1.19
55-59	130	17.9	1.57	89	25.3	2.69	41	10.9	1.71
60-64	137	22.0	1.88	93	31.2	3.24	44	13.5	2.04
65-69	184	28.8	2.13	113	38.8	3.65	71	20.5	2.43
70-74	203	34.5	2.42	113	44.6	4.20	90	26.9	2.83
75-79	168	33.9	2.62	71	35.4	4.20	97	32.9	3.34
80-84	106	32.0	3.11	48	40.1	5.78	58	27.5	3.61
85+	58	20.3	2.66	22	28.4	6.06	36	17.3	2.88
Total deaths	1,513			933			580		
Connecticut									
. Crude rate		9.3	-		11.8	-		6.9	-
. AAMR (1940 Std. mil.)		6.6	0.18		9.2	0.31		4.2	0.19
. AAMR (1970 Std. mil.)		7.5	0.20		10.4	0.34		5.0	0.22
. AAMR (2000 Std. mil.)		8.9	0.23		12.2	0.40		6.0	0.25
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.8	-		11.3	-		4.8	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	85	7.7	0.83	52	9.2	1.27	33	6.1	1.07
5-9	44	3.8	0.57	31	5.2	0.94	13	2.3	0.64
10-14	73	6.8	0.79	45	8.2	1.22	28	5.3	1.00
15-19	254	25.7	1.61	177	34.6	2.60	77	16.1	1.83
20-24	316	33.2	1.87	235	48.4	3.16	81	17.4	1.93
25-29	330	29.2	1.61	268	47.5	2.90	62	11.0	1.39
30-34	400	28.9	1.45	310	45.1	2.56	90	13.0	1.37
35-39	438	30.1	1.44	336	46.4	2.53	102	13.9	1.38
40-44	389	29.5	1.50	313	48.5	2.74	76	11.3	1.30
45-49	328	28.7	1.59	246	44.0	2.81	82	14.1	1.55
50-54	199	20.9	1.48	148	32.0	2.63	51	10.4	1.46
55-59	153	21.1	1.70	98	27.9	2.82	55	14.7	1.98
60-64	168	26.9	2.08	103	34.6	3.41	65	19.9	2.47
65-69	199	31.2	2.21	123	42.2	3.81	76	21.9	2.52
70-74	308	52.3	2.98	168	66.3	5.12	140	41.8	3.53
75-79	370	74.7	3.88	198	98.7	7.01	172	58.3	4.45
80-84	444	134.2	6.37	209	174.5	12.07	235	111.4	7.27
85+	751	262.5	9.58	299	386.0	22.33	452	216.6	10.19
Total deaths	5,249			3,359			1,890		
Connecticut									
. Crude rate		32.1	-		42.3	-		22.5	-
. AAMR (1940 Std. mil.)		24.9	0.39		36.2	0.67		14.1	0.41
. AAMR (1970 Std. mil.)		26.1	0.39		37.5	0.67		15.9	0.42
. AAMR (2000 Std. mil.)		30.8	0.43		44.5	0.78		19.1	0.45
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.2	-		43.9	-		17.1	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	20	1.8	0.40	11	1.9	0.59	9	1.7	0.56
5-9	22	1.9	0.41	17	2.9	0.70	5	0.9	0.40
10-14	40	3.7	0.59	23	4.2	0.87	17	3.2	0.78
15-19	183	18.5	1.37	119	23.3	2.14	64	13.4	1.67
20-24	217	22.8	1.55	160	33.0	2.61	57	12.2	1.62
25-29	171	15.1	1.16	138	24.5	2.08	33	5.8	1.02
30-34	144	10.4	0.87	105	15.3	1.49	39	5.6	0.90
35-39	127	8.7	0.77	84	11.6	1.27	43	5.9	0.89
40-44	100	7.6	0.76	70	10.9	1.30	30	4.5	0.81
45-49	108	9.5	0.91	77	13.8	1.57	31	5.3	0.95
50-54	81	8.5	0.95	60	13.0	1.67	21	4.3	0.94
55-59	53	7.3	1.00	30	8.5	1.56	23	6.1	1.28
60-64	69	11.1	1.33	37	12.4	2.04	32	9.8	1.74
65-69	60	9.4	1.21	36	12.4	2.06	24	6.9	1.41
70-74	83	14.1	1.55	43	17.0	2.59	40	11.9	1.89
75-79	78	15.7	1.78	38	18.9	3.07	40	13.6	2.14
80-84	74	22.4	2.60	40	33.4	5.28	34	16.1	2.76
85+	61	21.3	2.73	28	36.2	6.83	33	15.8	2.75
Total deaths	1,691			1,116			575		
Connecticut									
. Crude rate		10.3	-		14.1	-		6.8	-
. AAMR (1940 Std. mil.)		10.3	0.27		14.3	0.45		6.4	0.30
. AAMR (1970 Std. mil.)		10.1	0.26		13.8	0.43		6.5	0.29
. AAMR (2000 Std. mil.)		10.4	0.25		14.3	0.43		6.7	0.28
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.1	-		22.5	-		9.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									
. The U.S. AAMR (1940 Std. mil.):									
. THE U.S. HP 2000 target:									

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	34	3.1	0.53	15	2.6	0.68	19	3.5	0.81
5-9	8	0.7	0.24	4	0.7	0.34	4	0.7	0.36
10-14	10	0.9	0.29	6	1.1	0.45	4	0.8	0.38
15-19	130	13.1	1.15	113	22.1	2.08	17	3.5	0.86
20-24	160	16.8	1.33	141	29.0	2.45	19	4.1	0.94
25-29	137	12.1	1.04	109	19.3	1.85	28	5.0	0.94
30-34	84	6.1	0.66	64	9.3	1.16	20	2.9	0.64
35-39	63	4.3	0.54	45	6.2	0.93	18	2.5	0.58
40-44	57	4.3	0.57	43	6.7	1.02	14	2.1	0.56
45-49	22	1.9	0.41	14	2.5	0.67	8	1.4	0.48
50-54	35	3.7	0.62	24	5.2	1.06	11	2.3	0.68
55-59	14	1.9	0.52	11	3.1	0.94	3	0.8	0.46
60-64	12	1.9	0.56	7	2.3	0.89	5	1.5	0.69
65-69	17	2.7	0.65	14	4.8	1.28	3	0.9	0.50
70-74	13	2.2	0.61	7	2.8	1.04	6	1.8	0.73
75-79	5	1.0	0.45	2	1.0	0.70	3	1.0	0.59
80-84	5	1.5	0.68	2	1.7	1.18	3	1.4	0.82
85+	2	0.7	0.49	1	1.3	1.29	1	0.5	0.48
Total deaths	808			622			186		
Connecticut									
. Crude rate		4.9	-		7.8	-		2.2	-
. AAMR (1940 Std. mil.)		5.8	0.21		9.1	0.38		2.4	0.19
. AAMR (1970 Std. mil.)		5.3	0.20		8.3	0.35		2.3	0.18
. AAMR (2000 Std. mil.)		5.1	0.18		7.9	0.32		2.3	0.17
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.3	-		16.4	-		4.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	0.5	0.20	3	0.5	0.31	2	0.4	0.26
5-9	3	0.3	0.15	0	0.0	0.00	3	0.5	0.31
10-14	10	0.9	0.29	9	1.6	0.55	1	0.2	0.19
15-19	143	14.4	1.21	129	25.2	2.22	14	2.9	0.78
20-24	201	21.1	1.49	184	37.9	2.79	17	3.7	0.89
25-29	165	14.6	1.14	146	25.9	2.14	19	3.4	0.77
30-34	128	9.3	0.82	113	16.4	1.55	15	2.2	0.56
35-39	97	6.7	0.68	81	11.2	1.24	16	2.2	0.55
40-44	93	7.1	0.73	83	12.9	1.41	10	1.5	0.47
45-49	59	5.2	0.67	47	8.4	1.23	12	2.1	0.59
50-54	55	5.8	0.78	45	9.7	1.45	10	2.0	0.65
55-59	41	5.6	0.88	37	10.5	1.73	4	1.1	0.53
60-64	33	5.3	0.92	30	10.1	1.84	3	0.9	0.53
65-69	39	6.1	0.98	34	11.7	2.00	5	1.4	0.65
70-74	32	5.4	0.96	28	11.1	2.09	4	1.2	0.60
75-79	23	4.6	0.97	23	11.5	2.39	0	0.0	0.00
80-84	23	7.0	1.45	22	18.4	3.92	1	0.5	0.47
85+	20	7.0	1.56	19	24.5	5.63	1	0.5	0.48
Total deaths	1,170			1,033			137		
Connecticut									
. Crude rate		7.2	-		13.0	-		1.6	-
. AAMR (1940 Std. mil.)		7.7	0.24		13.8	0.45		1.8	0.16
. AAMR (1970 Std. mil.)		7.2	0.22		12.9	0.42		1.6	0.15
. AAMR (2000 Std. mil.)		7.2	0.21		13.2	0.41		1.7	0.14
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		14.9	-		26.1	-		4.2	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	0.5	0.20	3	0.5	0.31	2	0.4	0.26
5-9	3	0.3	0.15	0	0.0	0.00	3	0.5	0.31
10-14	5	0.5	0.21	4	0.7	0.36	1	0.2	0.19
15-19	105	10.6	1.03	93	18.2	1.89	12	2.5	0.72
20-24	139	14.6	1.24	126	26.0	2.31	13	2.8	0.77
25-29	109	9.7	0.92	95	16.8	1.73	14	2.5	0.66
30-34	53	3.8	0.53	45	6.5	0.98	8	1.2	0.41
35-39	37	2.5	0.42	29	4.0	0.74	8	1.1	0.39
40-44	27	2.0	0.39	26	4.0	0.79	1	0.1	0.15
45-49	14	1.2	0.33	10	1.8	0.57	4	0.7	0.34
50-54	20	2.1	0.47	15	3.2	0.84	5	1.0	0.46
55-59	7	1.0	0.36	6	1.7	0.70	1	0.3	0.27
60-64	4	0.6	0.32	2	0.7	0.47	2	0.6	0.43
65-69	5	0.8	0.35	2	0.7	0.49	3	0.9	0.50
70-74	3	0.5	0.29	1	0.4	0.39	2	0.6	0.42
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	536			457			79		
Connecticut									
. Crude rate		3.3	-		5.8	-		0.9	-
. AAMR (1940 Std. mil.)		4.1	0.18		7.0	0.33		1.1	0.13
. AAMR (1970 Std. mil.)		3.7	0.17		6.3	0.31		1.0	0.12
. AAMR (2000 Std. mil.)		3.4	0.15		5.8	0.27		1.0	0.11
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.5	-		12.4	-		2.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	0.3	0.16	1	0.2	0.18	2	0.4	0.26
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.1	0.09	0	0.0	0.00	1	0.2	0.19
15-19	18	1.8	0.43	14	2.7	0.73	4	0.8	0.42
20-24	66	6.9	0.85	46	9.5	1.40	20	4.3	0.96
25-29	116	10.3	0.95	95	16.8	1.73	21	3.7	0.81
30-34	215	15.6	1.06	157	22.8	1.82	58	8.4	1.10
35-39	292	20.0	1.17	224	31.0	2.07	68	9.3	1.12
40-44	251	19.0	1.20	197	30.6	2.18	54	8.0	1.09
45-49	153	13.4	1.08	107	19.1	1.85	46	7.9	1.16
50-54	47	4.9	0.72	33	7.1	1.24	14	2.9	0.77
55-59	32	4.4	0.78	16	4.6	1.14	16	4.3	1.07
60-64	12	1.9	0.56	6	2.0	0.82	6	1.8	0.75
65-69	8	1.3	0.44	2	0.7	0.49	6	1.7	0.71
70-74	14	2.4	0.64	8	3.2	1.12	6	1.8	0.73
75-79	11	2.2	0.67	6	3.0	1.22	5	1.7	0.76
80-84	12	3.6	1.05	4	3.3	1.67	8	3.8	1.34
85+	10	3.5	1.11	3	3.9	2.24	7	3.4	1.27
Total deaths	1,261			919			342		
Connecticut									
. Crude rate		7.7	-		11.6	-		4.1	-
. AAMR (1940 Std. mil.)		7.1	0.21		10.6	0.36		3.7	0.21
. AAMR (1970 Std. mil.)		6.1	0.18		9.0	0.31		3.3	0.19
. AAMR (2000 Std. mil.)		7.4	0.21		11.0	0.36		3.9	0.21
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		7.0	-		3.0	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									CT rate is higher