

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	11	4.9	1.47	4	3.5	1.73	7	6.4	2.41
5-9	2	0.9	0.61	1	0.8	0.84	1	0.9	0.89
10-14	5	2.4	1.05	2	1.8	1.31	3	2.9	1.67
15-19	3	1.5	0.89	0	0.0	0.00	3	3.2	1.84
20-24	4	2.0	1.02	4	4.0	2.00	0	0.0	0.00
25-29	49	21.1	3.02	27	23.2	4.47	22	19.0	4.05
30-34	120	42.3	3.86	85	60.1	6.52	35	24.6	4.15
35-39	150	51.6	4.22	111	77.0	7.31	39	26.7	4.27
40-44	152	59.3	4.81	113	90.2	8.48	39	29.8	4.77
45-49	103	45.4	4.48	79	71.2	8.01	24	20.7	4.23
50-54	55	30.0	4.05	44	49.4	7.44	11	11.7	3.52
55-59	38	27.2	4.40	28	41.4	7.82	10	13.8	4.37
60-64	36	28.4	4.74	26	43.0	8.44	10	15.1	4.77
65-69	38	29.2	4.74	21	35.4	7.73	17	24.0	5.82
70-74	62	51.8	6.58	28	54.5	10.30	34	49.7	8.53
75-79	96	98.1	10.01	51	129.1	18.08	45	77.0	11.49
80-84	98	152.5	15.41	46	200.7	29.59	52	125.8	17.45
85+	158	285.8	22.74	48	325.3	46.96	110	271.4	25.88
Total deaths	1,180			718			462		
Connecticut									
. Crude rate		36.1	-		45.3	-		27.5	-
. AAMR (1940 Std. mil.)		25.2	0.80		35.3	1.37		15.7	0.88
. AAMR (1970 Std. mil.)		26.1	0.79		35.9	1.37		17.3	0.88
. AAMR (2000 Std. mil.)		34.2	1.00		47.0	1.79		22.9	1.09
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		23.4	-		35.5	-		11.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Malignant melanoma of skin (172)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	1.1	0.61	3	2.1	1.23	0	0.0	0.00
35-39	3	1.0	0.60	3	2.1	1.20	0	0.0	0.00
40-44	2	0.8	0.55	0	0.0	0.00	2	1.5	1.08
45-49	4	1.8	0.88	3	2.7	1.56	1	0.9	0.86
50-54	3	1.6	0.95	2	2.2	1.59	1	1.1	1.06
55-59	12	8.6	2.48	10	14.8	4.67	2	2.8	1.96
60-64	8	6.3	2.23	3	5.0	2.87	5	7.5	3.37
65-69	8	6.1	2.17	6	10.1	4.13	2	2.8	2.00
70-74	8	6.7	2.36	3	5.8	3.37	5	7.3	3.27
75-79	19	19.4	4.45	11	27.9	8.40	8	13.7	4.84
80-84	12	18.7	5.39	4	17.5	8.73	8	19.4	6.84
85+	10	18.1	5.72	6	40.7	16.60	4	9.9	4.93
Total deaths	92			54			38		
Connecticut									
. Crude rate		2.8	-		3.4	-		2.3	-
. AAMR (1940 Std. mil.)		1.7	0.20		2.4	0.35		1.1	0.21
. AAMR (1970 Std. mil.)		2.1	0.23		3.0	0.41		1.5	0.26
. AAMR (2000 Std. mil.)		2.7	0.28		3.8	0.53		1.9	0.31
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.8	-		2.6	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	0.4	0.43	-	-	-	1	0.9	0.86
30-34	2	0.7	0.50	-	-	-	2	1.4	0.99
35-39	3	1.0	0.60	-	-	-	3	2.1	1.18
40-44	5	2.0	0.87	-	-	-	5	3.8	1.71
45-49	3	1.3	0.76	-	-	-	3	2.6	1.50
50-54	1	0.5	0.55	-	-	-	1	1.1	1.06
55-59	2	1.4	1.01	-	-	-	2	2.8	1.96
60-64	3	2.4	1.37	-	-	-	3	4.5	2.61
65-69	4	3.1	1.54	-	-	-	4	5.6	2.82
70-74	2	1.7	1.18	-	-	-	2	2.9	2.07
75-79	2	2.0	1.44	-	-	-	2	3.4	2.42
80-84	6	9.3	3.81	-	-	-	6	14.5	5.93
85+	4	7.2	3.62	-	-	-	4	9.9	4.93
Total deaths	38			-			38		
Connecticut									
. Crude rate		-	-		-	-		2.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.5	0.27
. AAMR (1970 Std. mil.)		-	-		-	-		1.6	0.27
. AAMR (2000 Std. mil.)		-	-		-	-		2.0	0.33
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	0.5	0.55	-	-	-	1	1.1	1.06
55-59	2	1.4	1.01	-	-	-	2	2.8	1.96
60-64	4	3.2	1.58	-	-	-	4	6.0	3.02
65-69	8	6.1	2.17	-	-	-	8	11.3	3.99
70-74	10	8.4	2.64	-	-	-	10	14.6	4.63
75-79	6	6.1	2.50	-	-	-	6	10.3	4.19
80-84	7	10.9	4.12	-	-	-	7	16.9	6.40
85+	4	7.2	3.62	-	-	-	4	9.9	4.93
Total deaths	42			-			42		
Connecticut									
. Crude rate		-	-		-	-		2.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.3	0.22
. AAMR (1970 Std. mil.)		-	-		-	-		1.7	0.28
. AAMR (2000 Std. mil.)		-	-		-	-		2.0	0.31
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	1	0.4	0.35	-	-	-	1	0.7	0.70
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	3	1.2	0.68	-	-	-	3	2.3	1.32
45-49	8	3.5	1.25	-	-	-	8	6.9	2.44
50-54	13	7.1	1.97	-	-	-	13	13.8	3.83
55-59	12	8.6	2.48	-	-	-	12	16.6	4.79
60-64	16	12.6	3.16	-	-	-	16	24.1	6.04
65-69	27	20.8	3.99	-	-	-	27	38.1	7.33
70-74	27	22.5	4.34	-	-	-	27	39.5	7.60
75-79	27	27.6	5.31	-	-	-	27	46.2	8.90
80-84	24	37.4	7.63	-	-	-	24	58.1	11.85
85+	28	50.6	9.57	-	-	-	28	69.1	13.05
Total deaths	186			-			186		
Connecticut									
. Crude rate		-	-		-	-		11.1	-
. AAMR (1940 Std. mil.)		-	-		-	-		5.9	0.50
. AAMR (1970 Std. mil.)		-	-		-	-		7.6	0.59
. AAMR (2000 Std. mil.)		-	-		-	-		9.3	0.69
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Prostate cancer (185)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	0	0.0	0.00	0	0.0	0.00	-	-	-
50-54	4	2.2	1.09	4	4.5	2.24	-	-	-
55-59	7	5.0	1.89	7	10.3	3.91	-	-	-
60-64	20	15.8	3.53	20	33.1	7.40	-	-	-
65-69	37	28.4	4.68	37	62.4	10.26	-	-	-
70-74	66	55.1	6.79	66	128.4	15.81	-	-	-
75-79	91	93.0	9.74	91	230.4	24.15	-	-	-
80-84	92	143.2	14.93	92	401.4	41.85	-	-	-
85+	116	209.8	19.48	116	786.2	73.00	-	-	-
Total deaths	433			433			-		
Connecticut									
. Crude rate		-	-		27.3	-		-	-
. AAMR (1940 Std. mil.)		-	-		13.4	0.69		-	-
. AAMR (1970 Std. mil.)		-	-		22.5	1.09		-	-
. AAMR (2000 Std. mil.)		-	-		33.9	1.67		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		15.5	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	43	19.1	2.91	23	19.9	4.15	20	18.2	4.08
5-9	8	3.5	1.22	5	4.2	1.88	3	2.7	1.53
10-14	11	5.2	1.56	6	5.5	2.26	5	4.8	2.15
15-19	9	4.6	1.54	7	7.0	2.63	2	2.1	1.50
20-24	14	7.1	1.91	10	10.0	3.15	4	4.2	2.08
25-29	31	13.4	2.40	18	15.5	3.65	13	11.2	3.11
30-34	94	33.1	3.42	61	43.1	5.52	33	23.2	4.03
35-39	161	55.4	4.37	108	74.9	7.21	53	36.2	4.98
40-44	206	80.4	5.60	132	105.4	9.17	74	56.5	6.57
45-49	284	125.3	7.44	194	174.9	12.55	90	77.8	8.20
50-54	383	209.0	10.68	243	272.6	17.49	140	148.8	12.57
55-59	500	357.3	15.98	343	507.0	27.37	157	217.2	17.33
60-64	766	604.7	21.85	479	792.9	36.23	287	433.1	25.56
65-69	1,302	1000.7	27.73	770	1299.3	46.82	532	750.9	32.55
70-74	1,863	1555.9	36.05	1,087	2115.4	64.16	776	1135.3	40.76
75-79	2,472	2525.0	50.79	1,328	3362.4	92.27	1,144	1958.7	57.91
80-84	2,867	4462.4	83.34	1,317	5746.3	158.34	1,550	3750.4	95.26
85+	5,462	9879.4	133.68	1,710	11590.1	280.28	3,752	9256.7	151.12
Total deaths	16,476			7,841			8,635		
Connecticut									
. Crude rate		504.4	-		494.3	-		513.9	-
. AAMR (1940 Std. mil.)		214.9	2.00		280.9	3.45		163.8	2.31
. AAMR (1970 Std. mil.)		323.4	2.65		417.3	4.76		256.2	3.04
. AAMR (2000 Std. mil.)		464.7	3.63		591.8	6.85		379.6	4.14
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.44	1	0.9	0.87	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.5	0.51	1	1.0	0.99	0	0.0	0.00
20-24	1	0.5	0.51	1	1.0	1.00	0	0.0	0.00
25-29	2	0.9	0.61	2	1.7	1.22	0	0.0	0.00
30-34	9	3.2	1.06	7	5.0	1.87	2	1.4	0.99
35-39	34	11.7	2.01	23	15.9	3.33	11	7.5	2.27
40-44	58	22.6	2.97	46	36.7	5.41	12	9.2	2.65
45-49	121	53.4	4.85	97	87.4	8.88	24	20.7	4.23
50-54	171	93.3	7.14	126	141.4	12.59	45	47.8	7.13
55-59	217	155.0	10.53	169	249.8	19.21	48	66.4	9.58
60-64	325	256.6	14.23	226	374.1	24.89	99	149.4	15.01
65-69	599	460.4	18.81	372	627.7	32.55	227	320.4	21.27
70-74	782	653.1	23.36	491	955.5	43.12	291	425.8	24.96
75-79	1,075	1098.0	33.49	594	1503.9	61.71	481	823.6	37.55
80-84	1,178	1833.5	53.42	560	2443.4	103.25	618	1495.3	60.15
85+	2,454	4438.7	89.60	745	5049.5	185.00	1,709	4216.3	101.99
Total deaths	7,028			3,461			3,567		
Connecticut									
. Crude rate		215.1	-		218.2	-		212.3	-
. AAMR (1940 Std. mil.)		88.9	1.27		124.4	2.30		60.9	1.33
. AAMR (1970 Std. mil.)		136.8	1.71		185.3	3.18		100.6	1.84
. AAMR (2000 Std. mil.)		198.1	2.37		261.1	4.55		153.8	2.60
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		108.0	-		148.2	-		75.2	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	1.3	0.77	3	2.6	1.50	0	0.0	0.00
5-9	1	0.4	0.43	1	0.8	0.84	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.4	0.43	1	0.9	0.86	0	0.0	0.00
30-34	7	2.5	0.93	2	1.4	1.00	5	3.5	1.57
35-39	7	2.4	0.91	4	2.8	1.39	3	2.1	1.18
40-44	13	5.1	1.41	7	5.6	2.11	6	4.6	1.87
45-49	26	11.5	2.25	16	14.4	3.61	10	8.6	2.73
50-54	27	14.7	2.84	16	18.0	4.49	11	11.7	3.52
55-59	29	20.7	3.85	21	31.0	6.77	8	11.1	3.91
60-64	57	45.0	5.96	32	53.0	9.36	25	37.7	7.55
65-69	115	88.4	8.24	62	104.6	13.29	53	74.8	10.28
70-74	186	155.3	11.39	97	188.8	19.17	89	130.2	13.80
75-79	262	267.6	16.53	121	306.4	27.85	141	241.4	20.33
80-84	350	544.8	29.12	147	641.4	52.90	203	491.2	34.47
85+	783	1416.2	50.61	194	1314.9	94.40	589	1453.1	59.88
Total deaths	1,867			724			1,143		
Connecticut									
. Crude rate		57.2	-		45.6	-		68.0	-
. AAMR (1940 Std. mil.)		20.7	0.58		23.8	0.96		18.1	0.70
. AAMR (1970 Std. mil.)		34.1	0.82		38.0	1.42		30.8	0.99
. AAMR (2000 Std. mil.)		52.3	1.21		56.5	2.15		48.7	1.45
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.6	-		28.8	-		24.7	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									
. The U.S. AAMR (1940 Std. mil.):									
. THE U.S. HP 2000 target:									

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	16	7.1	1.78	10	8.7	2.74	6	5.5	2.23
5-9	7	3.0	1.14	4	3.4	1.68	3	2.7	1.53
10-14	11	5.2	1.56	8	7.4	2.61	3	2.9	1.67
15-19	57	29.3	3.88	46	45.7	6.74	11	11.7	3.52
20-24	70	35.6	4.26	44	43.9	6.62	26	27.0	5.30
25-29	77	33.2	3.78	65	55.9	6.94	12	10.4	2.99
30-34	85	29.9	3.25	66	46.7	5.75	19	13.3	3.06
35-39	93	32.0	3.32	74	51.3	5.97	19	13.0	2.98
40-44	74	28.9	3.36	58	46.3	6.08	16	12.2	3.06
45-49	70	30.9	3.69	53	47.8	6.56	17	14.7	3.56
50-54	42	22.9	3.54	34	38.1	6.54	8	8.5	3.01
55-59	29	20.7	3.85	16	23.6	5.91	13	18.0	4.99
60-64	40	31.6	4.99	23	38.1	7.94	17	25.7	6.22
65-69	34	26.1	4.48	19	32.1	7.36	15	21.2	5.47
70-74	67	56.0	6.84	36	70.1	11.68	31	45.4	8.15
75-79	74	75.6	8.79	37	93.7	15.40	37	63.4	10.41
80-84	82	127.6	14.09	36	157.1	26.18	46	111.3	16.41
85+	159	287.6	22.81	60	406.7	52.50	99	244.2	24.55
Total deaths	1,087			689			398		
Connecticut									
. Crude rate		33.3	-		43.4	-		23.7	-
. AAMR (1940 Std. mil.)		26.0	0.90		37.9	1.54		14.7	0.93
. AAMR (1970 Std. mil.)		27.2	0.89		38.8	1.53		16.7	0.95
. AAMR (2000 Std. mil.)		32.1	0.98		45.9	1.79		20.2	1.04
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.5	-		44.1	-		17.6	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	2.2	0.99	4	3.5	1.73	1	0.9	0.91
5-9	2	0.9	0.61	1	0.8	0.84	1	0.9	0.89
10-14	5	2.4	1.05	4	3.7	1.85	1	1.0	0.96
15-19	39	20.0	3.21	30	29.8	5.45	9	9.5	3.18
20-24	49	25.0	3.56	31	30.9	5.55	18	18.7	4.41
25-29	41	17.7	2.76	35	30.1	5.09	6	5.2	2.11
30-34	28	9.9	1.86	20	14.1	3.16	8	5.6	1.99
35-39	26	9.0	1.76	19	13.2	3.02	7	4.8	1.81
40-44	21	8.2	1.79	14	11.2	2.99	7	5.3	2.02
45-49	25	11.0	2.21	17	15.3	3.72	8	6.9	2.44
50-54	18	9.8	2.32	16	18.0	4.49	2	2.1	1.50
55-59	11	7.9	2.37	4	5.9	2.96	7	9.7	3.66
60-64	18	14.2	3.35	8	13.2	4.68	10	15.1	4.77
65-69	8	6.1	2.17	4	6.7	3.37	4	5.6	2.82
70-74	15	12.5	3.23	8	15.6	5.50	7	10.2	3.87
75-79	13	13.3	3.68	6	15.2	6.20	7	12.0	4.53
80-84	13	20.2	5.61	6	26.2	10.69	7	16.9	6.40
85+	15	27.1	7.01	8	54.2	19.17	7	17.3	6.53
Total deaths	352			235			117		
Connecticut									
. Crude rate		10.8	-		14.8	-		7.0	-
. AAMR (1940 Std. mil.)		10.8	0.62		15.2	1.04		6.5	0.67
. AAMR (1970 Std. mil.)		10.5	0.59		14.6	0.99		6.6	0.66
. AAMR (2000 Std. mil.)		10.8	0.58		15.2	1.00		6.8	0.64
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.3	-		22.7	-		10.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									
. The U.S. AAMR (1940 Std. mil.):									
. THE U.S. HP 2000 target:									

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.47	0	0.0	0.00	1	1.0	0.96
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	1.5	0.88	2	2.0	1.41	1	1.0	1.04
25-29	2	0.9	0.61	1	0.9	0.86	1	0.9	0.86
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.3	0.34	1	0.7	0.69	0	0.0	0.00
40-44	4	1.6	0.78	4	3.2	1.60	0	0.0	0.00
45-49	3	1.3	0.76	2	1.8	1.27	1	0.9	0.86
50-54	4	2.2	1.09	2	2.2	1.59	2	2.1	1.50
55-59	2	1.4	1.01	2	3.0	2.09	0	0.0	0.00
60-64	3	2.4	1.37	1	1.7	1.66	2	3.0	2.13
65-69	6	4.6	1.88	3	5.1	2.92	3	4.2	2.44
70-74	21	17.5	3.83	12	23.4	6.74	9	13.2	4.39
75-79	20	20.4	4.57	12	30.4	8.77	8	13.7	4.84
80-84	40	62.3	9.84	15	65.4	16.90	25	60.5	12.10
85+	86	155.6	16.77	29	196.6	36.50	57	140.6	18.63
Total deaths	196			86			110		
Connecticut									
. Crude rate		6.0	-		5.4	-		6.5	-
. AAMR (1940 Std. mil.)		2.2	0.20		2.8	0.34		1.8	0.24
. AAMR (1970 Std. mil.)		3.6	0.27		4.5	0.48		3.0	0.32
. AAMR (2000 Std. mil.)		5.5	0.40		6.9	0.77		4.7	0.45
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.6	-		3.5	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is not significantly different
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	1.8	0.89	3	2.6	1.50	1	0.9	0.91
5-9	2	0.9	0.61	1	0.8	0.84	1	0.9	0.89
10-14	2	0.9	0.67	2	1.8	1.31	0	0.0	0.00
15-19	2	1.0	0.73	0	0.0	0.00	2	2.1	1.50
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	0.9	0.61	1	0.9	0.86	1	0.9	0.86
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	0.7	0.49	0	0.0	0.00	2	1.4	0.97
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	3	1.3	0.76	3	2.7	1.56	0	0.0	0.00
50-54	1	0.5	0.55	1	1.1	1.12	0	0.0	0.00
55-59	2	1.4	1.01	1	1.5	1.48	1	1.4	1.38
60-64	1	0.8	0.79	1	1.7	1.66	0	0.0	0.00
65-69	3	2.3	1.33	3	5.1	2.92	0	0.0	0.00
70-74	3	2.5	1.45	1	1.9	1.95	2	2.9	2.07
75-79	4	4.1	2.04	2	5.1	3.58	2	3.4	2.42
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	3	5.4	3.13	1	6.8	6.78	2	4.9	3.49
Total deaths	34			20			14		
Connecticut									
. Crude rate		1.0	-		1.3	-		0.8	-
. AAMR (1940 Std. mil.)		0.9	0.17		1.1	0.26		-	-
. AAMR (1970 Std. mil.)		1.0	0.18		1.3	0.29		-	-
. AAMR (2000 Std. mil.)		1.0	0.18		1.3	0.30		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.0	-		1.5	-		0.9	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	25	11.1	2.22	14	12.1	3.24	11	10.0	3.02
5-9	8	3.5	1.22	5	4.2	1.88	3	2.7	1.53
10-14	17	8.0	1.94	12	11.1	3.20	5	4.8	2.15
15-19	93	47.7	4.95	80	79.5	8.89	13	13.8	3.83
20-24	132	67.2	5.85	93	92.8	9.62	39	40.6	6.50
25-29	142	61.2	5.13	114	98.1	9.19	28	24.2	4.56
30-34	131	46.2	4.03	102	72.1	7.14	29	20.4	3.78
35-39	149	51.3	4.20	122	84.6	7.66	27	18.5	3.55
40-44	118	46.1	4.24	94	75.0	7.74	24	18.3	3.74
45-49	100	44.1	4.41	74	66.7	7.75	26	22.5	4.41
50-54	65	35.5	4.40	54	60.6	8.24	11	11.7	3.52
55-59	50	35.7	5.05	30	44.3	8.10	20	27.7	6.19
60-64	60	47.4	6.11	41	67.9	10.60	19	28.7	6.58
65-69	56	43.0	5.75	36	60.7	10.12	20	28.2	6.31
70-74	88	73.5	7.83	53	103.1	14.17	35	51.2	8.66
75-79	83	84.8	9.31	43	108.9	16.60	40	68.5	10.83
80-84	92	143.2	14.93	46	200.7	29.59	46	111.3	16.41
85+	167	302.1	23.37	66	447.3	55.06	101	249.2	24.79
Total deaths	1,576			1,079			497		
Connecticut									
. Crude rate		48.2	-		68.0	-		29.6	-
. AAMR (1940 Std. mil.)		41.1	1.15		62.3	2.01		20.7	1.13
. AAMR (1970 Std. mil.)		41.4	1.11		61.9	1.96		22.3	1.12
. AAMR (2000 Std. mil.)		47.0	1.19		70.5	2.18		26.0	1.19
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		52.1	-		79.2	-		26.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	2.2	0.99	4	3.5	1.73	1	0.9	0.91
5-9	2	0.9	0.61	1	0.8	0.84	1	0.9	0.89
10-14	5	2.4	1.05	4	3.7	1.85	1	1.0	0.96
15-19	38	19.5	3.16	29	28.8	5.35	9	9.5	3.18
20-24	49	25.0	3.56	31	30.9	5.55	18	18.7	4.41
25-29	41	17.7	2.76	35	30.1	5.09	6	5.2	2.11
30-34	25	8.8	1.76	17	12.0	2.92	8	5.6	1.99
35-39	26	9.0	1.76	19	13.2	3.02	7	4.8	1.81
40-44	20	7.8	1.75	13	10.4	2.88	7	5.3	2.02
45-49	25	11.0	2.21	17	15.3	3.72	8	6.9	2.44
50-54	18	9.8	2.32	16	18.0	4.49	2	2.1	1.50
55-59	11	7.9	2.37	4	5.9	2.96	7	9.7	3.66
60-64	18	14.2	3.35	8	13.2	4.68	10	15.1	4.77
65-69	8	6.1	2.17	4	6.7	3.37	4	5.6	2.82
70-74	14	11.7	3.12	7	13.6	5.15	7	10.2	3.87
75-79	13	13.3	3.68	6	15.2	6.20	7	12.0	4.53
80-84	13	20.2	5.61	6	26.2	10.69	7	16.9	6.40
85+	14	25.3	6.77	7	47.4	17.93	7	17.3	6.53
Total deaths	345			228			117		
Connecticut									
. Crude rate		10.6	-		14.4	-		7.0	-
. AAMR (1940 Std. mil.)		10.7	0.62		14.8	1.03		6.5	0.67
. AAMR (1970 Std. mil.)		10.3	0.59		14.2	0.98		6.6	0.66
. AAMR (2000 Std. mil.)		10.6	0.58		14.7	0.99		6.8	0.64
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.0	-		22.2	-		10.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.9	0.63	1	0.9	0.87	1	0.9	0.91
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	27	13.9	2.67	25	24.9	4.97	2	2.1	1.50
20-24	40	20.4	3.22	36	35.9	5.99	4	4.2	2.08
25-29	37	15.9	2.62	31	26.7	4.79	6	5.2	2.11
30-34	24	8.5	1.73	20	14.1	3.16	4	2.8	1.40
35-39	23	7.9	1.65	22	15.3	3.25	1	0.7	0.68
40-44	14	5.5	1.46	13	10.4	2.88	1	0.8	0.76
45-49	15	6.6	1.71	12	10.8	3.12	3	2.6	1.50
50-54	13	7.1	1.97	13	14.6	4.05	0	0.0	0.00
55-59	7	5.0	1.89	7	10.3	3.91	0	0.0	0.00
60-64	8	6.3	2.23	7	11.6	4.38	1	1.5	1.51
65-69	14	10.8	2.88	11	18.6	5.60	3	4.2	2.44
70-74	10	8.4	2.64	7	13.6	5.15	3	4.4	2.53
75-79	7	7.2	2.70	7	17.7	6.70	0	0.0	0.00
80-84	5	7.8	3.48	5	21.8	9.76	0	0.0	0.00
85+	5	9.0	4.04	5	33.9	15.16	0	0.0	0.00
Total deaths	251			222			29		
Connecticut									
. Crude rate		7.7	-		14.0	-		1.7	-
. AAMR (1940 Std. mil.)		8.0	0.53		14.3	1.00		1.8	0.36
. AAMR (1970 Std. mil.)		7.5	0.50		13.6	0.95		1.7	0.33
. AAMR (2000 Std. mil.)		7.6	0.49		14.2	0.96		1.7	0.31
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.7	-		24.1	-		3.9	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.9	0.63	1	0.9	0.87	1	0.9	0.91
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	21	10.8	2.35	19	18.9	4.33	2	2.1	1.50
20-24	26	13.2	2.60	22	21.9	4.68	4	4.2	2.08
25-29	26	11.2	2.20	22	18.9	4.04	4	3.5	1.73
30-34	9	3.2	1.06	8	5.7	2.00	1	0.7	0.70
35-39	5	1.7	0.77	5	3.5	1.55	0	0.0	0.00
40-44	5	2.0	0.87	5	4.0	1.78	0	0.0	0.00
45-49	2	0.9	0.62	0	0.0	0.00	2	1.7	1.22
50-54	3	1.6	0.95	3	3.4	1.94	0	0.0	0.00
55-59	2	1.4	1.01	2	3.0	2.09	0	0.0	0.00
60-64	1	0.8	0.79	1	1.7	1.66	0	0.0	0.00
65-69	1	0.8	0.77	0	0.0	0.00	1	1.4	1.41
70-74	1	0.8	0.84	0	0.0	0.00	1	1.5	1.46
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	104			88			16		
Connecticut									
. Crude rate		3.2	-		5.5	-		1.0	-
. AAMR (1940 Std. mil.)		4.0	0.40		6.7	0.73		1.2	0.30
. AAMR (1970 Std. mil.)		3.6	0.37		6.0	0.66		1.1	0.28
. AAMR (2000 Std. mil.)		3.3	0.32		5.5	0.59		1.0	0.25
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.6	-		11.0	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	1.3	0.77	1	0.9	0.87	2	1.8	1.29
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.47	0	0.0	0.00	1	1.0	0.96
15-19	4	2.1	1.03	4	4.0	1.99	0	0.0	0.00
20-24	18	9.2	2.16	10	10.0	3.15	8	8.3	2.94
25-29	28	12.1	2.28	24	20.6	4.21	4	3.5	1.73
30-34	48	16.9	2.44	37	26.2	4.30	11	7.7	2.33
35-39	64	22.0	2.75	52	36.1	5.00	12	8.2	2.37
40-44	51	19.9	2.79	42	33.5	5.17	9	6.9	2.29
45-49	35	15.4	2.61	28	25.2	4.77	7	6.0	2.29
50-54	15	8.2	2.11	12	13.5	3.89	3	3.2	1.84
55-59	7	5.0	1.89	3	4.4	2.56	4	5.5	2.77
60-64	8	6.3	2.23	6	9.9	4.05	2	3.0	2.13
65-69	3	2.3	1.33	2	3.4	2.39	1	1.4	1.41
70-74	5	4.2	1.87	4	7.8	3.89	1	1.5	1.46
75-79	3	3.1	1.77	1	2.5	2.53	2	3.4	2.42
80-84	1	1.6	1.56	1	4.4	4.36	0	0.0	0.00
85+	5	9.0	4.04	2	13.6	9.59	3	7.4	4.27
Total deaths	299			229			70		
Connecticut									
. Crude rate		9.2	-		14.4	-		4.2	-
. AAMR (1940 Std. mil.)		8.5	0.51		13.2	0.89		3.9	0.50
. AAMR (1970 Std. mil.)		7.4	0.45		11.4	0.78		3.6	0.45
. AAMR (2000 Std. mil.)		8.8	0.51		13.8	0.92		4.1	0.49
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.9	-		8.5	-		3.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.4	0.44	0	0.0	0.00	1	0.9	0.91
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.47	0	0.0	0.00	1	1.0	0.96
15-19	3	1.5	0.89	3	3.0	1.72	0	0.0	0.00
20-24	16	8.1	2.04	10	10.0	3.15	6	6.2	2.55
25-29	24	10.3	2.11	21	18.1	3.94	3	2.6	1.49
30-34	46	16.2	2.39	36	25.5	4.24	10	7.0	2.22
35-39	65	22.4	2.78	53	36.8	5.05	12	8.2	2.37
40-44	48	18.7	2.70	40	31.9	5.05	8	6.1	2.16
45-49	36	15.9	2.65	28	25.2	4.77	8	6.9	2.44
50-54	10	5.5	1.73	8	9.0	3.17	2	2.1	1.50
55-59	7	5.0	1.89	3	4.4	2.56	4	5.5	2.77
60-64	4	3.2	1.58	2	3.3	2.34	2	3.0	2.13
65-69	3	2.3	1.33	2	3.4	2.39	1	1.4	1.41
70-74	2	1.7	1.18	1	1.9	1.95	1	1.5	1.46
75-79	3	3.1	1.77	1	2.5	2.53	2	3.4	2.42
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	2	3.6	2.56	1	6.8	6.78	1	2.5	2.47
Total deaths	271			209			62		
Connecticut									
. Crude rate		8.3	-		13.2	-		3.7	-
. AAMR (1940 Std. mil.)		7.7	0.48		12.0	0.85		3.5	0.46
. AAMR (1970 Std. mil.)		6.6	0.42		10.2	0.73		3.2	0.42
. AAMR (2000 Std. mil.)		8.0	0.49		12.5	0.87		3.6	0.46
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		7.3	-		2.9	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									CT rate is higher