

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1996-1998

## Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63































## Connecticut Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	2	0.3	0.22	-	-	-	2	0.6	0.43
30-34	8	1.0	0.35	-	-	-	8	2.0	0.69
35-39	33	3.8	0.65	-	-	-	33	7.5	1.30
40-44	68	8.4	1.02	-	-	-	68	16.4	1.99
45-49	112	16.2	1.53	-	-	-	112	31.6	2.99
50-54	168	28.5	2.20	-	-	-	168	55.5	4.28
55-59	122	27.3	2.48	-	-	-	122	53.0	4.80
60-64	153	41.7	3.37	-	-	-	153	79.9	6.46
65-69	188	50.0	3.65	-	-	-	188	92.4	6.74
70-74	239	68.5	4.43	-	-	-	239	120.5	7.80
75-79	218	72.3	4.90	-	-	-	218	122.0	8.26
80-84	207	101.5	7.05	-	-	-	207	160.4	11.15
85+	278	156.5	9.38	-	-	-	278	215.6	12.93
Total deaths	1,796			-			1,796		
Connecticut									
. Crude rate		-	-		-	-		35.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		20.0	0.54
. AAMR (1970 Std. mil.)		-	-		-	-		24.5	0.62
. AAMR (2000 Std. mil.)		-	-		-	-		30.0	0.72
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		20.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is lower
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is not significantly different



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.2	0.18	-	-	-	1	0.4	0.37
25-29	1	0.2	0.15	-	-	-	1	0.3	0.30
30-34	7	0.9	0.33	-	-	-	7	1.7	0.65
35-39	10	1.1	0.36	-	-	-	10	2.3	0.71
40-44	6	0.7	0.30	-	-	-	6	1.5	0.59
45-49	15	2.2	0.56	-	-	-	15	4.2	1.09
50-54	14	2.4	0.63	-	-	-	14	4.6	1.24
55-59	9	2.0	0.67	-	-	-	9	3.9	1.30
60-64	8	2.2	0.77	-	-	-	8	4.2	1.48
65-69	12	3.2	0.92	-	-	-	12	5.9	1.70
70-74	8	2.3	0.81	-	-	-	8	4.0	1.43
75-79	12	4.0	1.15	-	-	-	12	6.7	1.94
80-84	10	4.9	1.55	-	-	-	10	7.7	2.45
85+	14	7.9	2.11	-	-	-	14	10.9	2.90
Total deaths	127			-			127		
Connecticut									
. Crude rate		-	-		-	-		2.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.7	0.17
. AAMR (1970 Std. mil.)		-	-		-	-		1.8	0.17
. AAMR (2000 Std. mil.)		-	-		-	-		2.2	0.20
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is higher

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	2	0.2	0.17	-	-	-	2	0.5	0.34
45-49	4	0.6	0.29	-	-	-	4	1.1	0.57
50-54	3	0.5	0.29	-	-	-	3	1.0	0.57
55-59	6	1.3	0.55	-	-	-	6	2.6	1.06
60-64	9	2.5	0.82	-	-	-	9	4.7	1.57
65-69	16	4.3	1.06	-	-	-	16	7.9	1.97
70-74	19	5.4	1.25	-	-	-	19	9.6	2.20
75-79	27	9.0	1.72	-	-	-	27	15.1	2.91
80-84	25	12.3	2.45	-	-	-	25	19.4	3.87
85+	24	13.5	2.76	-	-	-	24	18.6	3.80
Total deaths	135			-			135		
Connecticut									
. Crude rate		-	-		-	-		2.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	0.12
. AAMR (1970 Std. mil.)		-	-		-	-		1.6	0.15
. AAMR (2000 Std. mil.)		-	-		-	-		2.1	0.18
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	0.2	0.15	-	-	-	1	0.3	0.30
30-34	3	0.4	0.21	-	-	-	3	0.7	0.43
35-39	3	0.3	0.20	-	-	-	3	0.7	0.39
40-44	9	1.1	0.37	-	-	-	9	2.2	0.73
45-49	17	2.5	0.59	-	-	-	17	4.8	1.16
50-54	44	7.5	1.12	-	-	-	44	14.5	2.19
55-59	33	7.4	1.29	-	-	-	33	14.3	2.49
60-64	46	12.5	1.85	-	-	-	46	24.0	3.54
65-69	64	17.0	2.13	-	-	-	64	31.5	3.93
70-74	82	23.5	2.60	-	-	-	82	41.3	4.57
75-79	78	25.9	2.93	-	-	-	78	43.7	4.94
80-84	57	27.9	3.70	-	-	-	57	44.2	5.85
85+	85	47.8	5.19	-	-	-	85	65.9	7.15
Total deaths	522			-			522		
Connecticut									
. Crude rate		-	-		-	-		10.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		5.5	0.28
. AAMR (1970 Std. mil.)		-	-		-	-		7.0	0.33
. AAMR (2000 Std. mil.)		-	-		-	-		8.6	0.38
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available



















## Connecticut Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	40	6.2	0.98	20	6.0	1.35	20	6.3	1.42
5-9	2	0.3	0.20	1	0.3	0.28	1	0.3	0.29
10-14	12	1.8	0.53	8	2.4	0.84	4	1.2	0.62
15-19	15	2.5	0.64	11	3.5	1.07	4	1.4	0.69
20-24	26	4.8	0.93	14	5.0	1.34	12	4.5	1.29
25-29	56	8.5	1.14	33	10.1	1.75	23	7.0	1.46
30-34	85	10.5	1.14	57	14.2	1.88	28	6.9	1.30
35-39	191	21.7	1.57	128	29.3	2.59	63	14.2	1.79
40-44	353	43.5	2.32	247	62.2	3.96	106	25.6	2.49
45-49	548	79.1	3.38	387	114.1	5.80	161	45.5	3.58
50-54	789	133.8	4.76	550	191.7	8.18	239	78.9	5.11
55-59	1,133	253.9	7.54	778	360.5	12.92	355	154.1	8.18
60-64	1,499	408.2	10.54	1,005	572.1	18.05	494	257.8	11.60
65-69	2,438	648.3	13.13	1,524	882.9	22.62	914	449.3	14.86
70-74	3,715	1065.3	17.48	2,128	1414.8	30.67	1,587	800.2	20.09
75-79	5,433	1803.0	24.46	2,852	2325.3	43.54	2,581	1444.4	28.43
80-84	6,820	3343.4	40.49	3,067	4093.1	73.91	3,753	2908.1	47.47
85+	14,178	7979.7	67.02	3,937	8083.0	128.82	10,241	7940.7	78.47
Total deaths	37,333			16,747			20,586		
Connecticut									
. Crude rate		380.5	-		351.4	-		408.0	-
. AAMR (1940 Std. mil.)		147.3	0.93		189.9	1.62		112.4	1.05
. AAMR (1970 Std. mil.)		229.8	1.26		285.7	2.24		185.7	1.44
. AAMR (2000 Std. mil.)		338.1	1.75		406.6	3.19		285.7	2.02
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		171.7	-		220.5	-		131.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									
. The U.S. AAMR (1940 Std. mil.):									
. THE U.S. HP 2000 target:									

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is higher  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available





## Connecticut Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.2	0.15	1	0.3	0.30	0	0.0	0.00
15-19	3	0.5	0.29	3	1.0	0.56	0	0.0	0.00
20-24	2	0.4	0.26	2	0.7	0.51	0	0.0	0.00
25-29	16	2.4	0.61	10	3.0	0.96	6	1.8	0.75
30-34	32	4.0	0.70	25	6.2	1.24	7	1.7	0.65
35-39	74	8.4	0.98	58	13.3	1.74	16	3.6	0.90
40-44	200	24.7	1.74	153	38.5	3.12	47	11.4	1.66
45-49	328	47.3	2.61	257	75.8	4.73	71	20.1	2.38
50-54	504	85.5	3.81	388	135.3	6.87	116	38.3	3.56
55-59	709	158.9	5.97	500	231.7	10.36	209	90.7	6.28
60-64	939	255.7	8.34	664	378.0	14.67	275	143.5	8.66
65-69	1,479	393.3	10.23	987	571.8	18.20	492	241.8	10.90
70-74	2,164	620.5	13.34	1,311	871.6	24.07	853	430.1	14.73
75-79	3,092	1026.1	18.45	1,712	1395.9	33.74	1,380	772.3	20.79
80-84	3,717	1822.2	29.89	1,783	2379.5	56.35	1,934	1498.6	34.08
85+	7,643	4301.7	49.20	2,223	4564.0	96.80	5,420	4202.6	57.08
Total deaths	20,903			10,077			10,826		
Connecticut									
. Crude rate		213.1	-		211.4	-		214.6	-
. AAMR (1940 Std. mil.)		84.5	0.71		116.5	1.28		58.4	0.75
. AAMR (1970 Std. mil.)		130.5	0.96		173.1	1.75		97.4	1.04
. AAMR (2000 Std. mil.)		189.7	1.32		243.0	2.46		150.0	1.46
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		104.7	-		143.0	-		73.3	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is lower









## Connecticut Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	1.2	0.44	4	1.2	0.60	4	1.3	0.63
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	4	0.6	0.30	3	0.9	0.52	1	0.3	0.31
15-19	1	0.2	0.17	1	0.3	0.32	0	0.0	0.00
20-24	2	0.4	0.26	1	0.4	0.36	1	0.4	0.37
25-29	4	0.6	0.30	1	0.3	0.30	3	0.9	0.53
30-34	15	1.9	0.48	9	2.2	0.75	6	1.5	0.60
35-39	28	3.2	0.60	16	3.7	0.92	12	2.7	0.78
40-44	52	6.4	0.89	27	6.8	1.31	25	6.0	1.21
45-49	61	8.8	1.13	30	8.8	1.61	31	8.8	1.57
50-54	71	12.0	1.43	29	10.1	1.88	42	13.9	2.14
55-59	128	28.7	2.54	85	39.4	4.27	43	18.7	2.85
60-64	146	39.8	3.29	88	50.1	5.34	58	30.3	3.98
65-69	280	74.5	4.45	139	80.5	6.83	141	69.3	5.84
70-74	502	143.9	6.42	251	166.9	10.53	251	126.6	7.99
75-79	853	283.1	9.69	384	313.1	15.98	469	262.5	12.12
80-84	1,213	594.7	17.07	463	617.9	28.72	750	581.2	21.22
85+	2,418	1360.9	27.68	601	1233.9	50.33	1,817	1408.9	33.05
Total deaths	5,786			2,132			3,654		
Connecticut									
. Crude rate		59.0	-		44.7	-		72.4	-
. AAMR (1940 Std. mil.)		20.4	0.33		22.0	0.53		18.9	0.42
. AAMR (1970 Std. mil.)		33.7	0.47		35.4	0.78		32.0	0.58
. AAMR (2000 Std. mil.)		51.9	0.68		53.0	1.17		50.3	0.84
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.5	-		28.5	-		24.6	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is not significantly different

























## Connecticut Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	50	7.7	1.09	31	9.3	1.68	19	6.0	1.38
5-9	29	4.2	0.77	20	5.6	1.25	9	2.7	0.88
10-14	42	6.4	0.99	24	7.2	1.46	18	5.6	1.32
15-19	142	23.6	1.98	95	30.6	3.14	47	16.1	2.35
20-24	180	32.9	2.45	140	50.1	4.23	40	15.0	2.36
25-29	177	27.0	2.03	140	42.7	3.61	37	11.3	1.85
30-34	235	29.0	1.89	181	45.0	3.34	54	13.3	1.81
35-39	262	29.8	1.84	199	45.5	3.23	63	14.2	1.79
40-44	236	29.1	1.90	187	47.1	3.44	49	11.8	1.69
45-49	204	29.4	2.06	151	44.5	3.62	53	15.0	2.06
50-54	129	21.9	1.93	95	33.1	3.40	34	11.2	1.93
55-59	93	20.8	2.16	59	27.3	3.56	34	14.8	2.53
60-64	102	27.8	2.75	63	35.9	4.52	39	20.4	3.26
65-69	124	33.0	2.96	80	46.3	5.18	44	21.6	3.26
70-74	181	51.9	3.86	99	65.8	6.61	82	41.3	4.57
75-79	227	75.3	5.00	130	106.0	9.30	97	54.3	5.51
80-84	288	141.2	8.32	135	180.2	15.51	153	118.6	9.58
85+	457	257.2	12.03	187	383.9	28.08	270	209.4	12.74
Total deaths	3,158			2,016			1,142		
Connecticut									
. Crude rate		32.2	-		42.3	-		22.6	-
. AAMR (1940 Std. mil.)		24.6	0.50		35.7	0.86		14.1	0.53
. AAMR (1970 Std. mil.)		25.9	0.50		37.2	0.86		15.9	0.54
. AAMR (2000 Std. mil.)		30.7	0.55		44.3	1.00		19.1	0.58
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.5	-		43.2	-		17.8	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	11	1.7	0.51	5	1.5	0.67	6	1.9	0.78
5-9	17	2.4	0.59	13	3.6	1.01	4	1.2	0.59
10-14	22	3.3	0.71	11	3.3	0.99	11	3.4	1.03
15-19	107	17.8	1.72	66	21.2	2.61	41	14.1	2.20
20-24	117	21.4	1.98	88	31.5	3.36	29	10.8	2.01
25-29	96	14.6	1.49	75	22.9	2.64	21	6.4	1.39
30-34	88	10.9	1.16	65	16.2	2.00	23	5.7	1.18
35-39	79	9.0	1.01	48	11.0	1.59	31	7.0	1.26
40-44	65	8.0	0.99	45	11.3	1.69	20	4.8	1.08
45-49	67	9.7	1.18	48	14.1	2.04	19	5.4	1.23
50-54	51	8.6	1.21	36	12.5	2.09	15	5.0	1.28
55-59	28	6.3	1.19	15	7.0	1.79	13	5.6	1.57
60-64	40	10.9	1.72	23	13.1	2.73	17	8.9	2.15
65-69	39	10.4	1.66	23	13.3	2.78	16	7.9	1.97
70-74	50	14.3	2.03	25	16.6	3.32	25	12.6	2.52
75-79	51	16.9	2.37	28	22.8	4.31	23	12.9	2.68
80-84	48	23.5	3.40	25	33.4	6.67	23	17.8	3.72
85+	35	19.7	3.33	13	26.7	7.40	22	17.1	3.64
Total deaths	1,011			652			359		
Connecticut									
. Crude rate		10.3	-		13.7	-		7.1	-
. AAMR (1940 Std. mil.)		10.2	0.35		13.8	0.57		6.6	0.39
. AAMR (1970 Std. mil.)		10.0	0.33		13.4	0.55		6.7	0.38
. AAMR (2000 Std. mil.)		10.3	0.33		13.9	0.55		6.9	0.37
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.3	-		22.4	-		10.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.2	0.15	0	0.0	0.00	1	0.3	0.32
5-9	1	0.1	0.14	1	0.3	0.28	0	0.0	0.00
10-14	1	0.2	0.15	1	0.3	0.30	0	0.0	0.00
15-19	3	0.5	0.29	2	0.6	0.46	1	0.3	0.34
20-24	7	1.3	0.48	7	2.5	0.95	0	0.0	0.00
25-29	3	0.5	0.26	3	0.9	0.53	0	0.0	0.00
30-34	12	1.5	0.43	10	2.5	0.79	2	0.5	0.35
35-39	6	0.7	0.28	5	1.1	0.51	1	0.2	0.23
40-44	11	1.4	0.41	8	2.0	0.71	3	0.7	0.42
45-49	13	1.9	0.52	10	2.9	0.93	3	0.8	0.49
50-54	12	2.0	0.59	9	3.1	1.05	3	1.0	0.57
55-59	11	2.5	0.74	9	4.2	1.39	2	0.9	0.61
60-64	13	3.5	0.98	11	6.3	1.89	2	1.0	0.74
65-69	36	9.6	1.60	25	14.5	2.90	11	5.4	1.63
70-74	48	13.8	1.99	28	18.6	3.52	20	10.1	2.25
75-79	81	26.9	2.99	52	42.4	5.88	29	16.2	3.01
80-84	115	56.4	5.26	51	68.1	9.53	64	49.6	6.20
85+	245	137.9	8.81	94	193.0	19.91	151	117.1	9.53
Total deaths	619			326			293		
Connecticut									
. Crude rate		6.3	-		6.8	-		5.8	-
. AAMR (1940 Std. mil.)		2.5	0.13		3.8	0.24		1.5	0.12
. AAMR (1970 Std. mil.)		3.8	0.16		5.5	0.31		2.5	0.16
. AAMR (2000 Std. mil.)		5.6	0.23		8.0	0.45		4.0	0.24
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.6	-		3.6	-		1.7	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is not significantly different
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different







## Connecticut Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	19	2.9	0.67	9	2.7	0.90	10	3.2	1.00
5-9	6	0.9	0.35	3	0.8	0.49	3	0.9	0.51
10-14	8	1.2	0.43	5	1.5	0.67	3	0.9	0.54
15-19	66	11.0	1.35	57	18.3	2.43	9	3.1	1.03
20-24	81	14.8	1.65	75	26.8	3.10	6	2.2	0.92
25-29	69	10.5	1.27	56	17.1	2.28	13	4.0	1.10
30-34	45	5.6	0.83	36	8.9	1.49	9	2.2	0.74
35-39	40	4.5	0.72	26	6.0	1.17	14	3.2	0.84
40-44	36	4.4	0.74	27	6.8	1.31	9	2.2	0.73
45-49	13	1.9	0.52	8	2.4	0.83	5	1.4	0.63
50-54	26	4.4	0.86	16	5.6	1.39	10	3.3	1.04
55-59	7	1.6	0.59	4	1.9	0.93	3	1.3	0.75
60-64	10	2.7	0.86	5	2.8	1.27	5	2.6	1.17
65-69	12	3.2	0.92	11	6.4	1.92	1	0.5	0.49
70-74	6	1.7	0.70	5	3.3	1.49	1	0.5	0.50
75-79	4	1.3	0.66	2	1.6	1.15	2	1.1	0.79
80-84	3	1.5	0.85	1	1.3	1.33	2	1.5	1.10
85+	1	0.6	0.56	0	0.0	0.00	1	0.8	0.78
Total deaths	452			346			106		
Connecticut									
. Crude rate		4.6	-		7.3	-		2.1	-
. AAMR (1940 Std. mil.)		5.4	0.26		8.4	0.47		2.2	0.23
. AAMR (1970 Std. mil.)		4.9	0.24		7.7	0.43		2.1	0.22
. AAMR (2000 Std. mil.)		4.8	0.23		7.4	0.40		2.1	0.21
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.5	-		13.3	-		3.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available











## Connecticut Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.3	0.22	2	0.6	0.43	0	0.0	0.00
5-9	2	0.3	0.20	0	0.0	0.00	2	0.6	0.42
10-14	7	1.1	0.40	6	1.8	0.73	1	0.3	0.31
15-19	69	11.5	1.38	61	19.6	2.51	8	2.7	0.97
20-24	101	18.5	1.84	93	33.3	3.45	8	3.0	1.06
25-29	86	13.1	1.41	78	23.8	2.69	8	2.4	0.86
30-34	71	8.8	1.04	68	16.9	2.05	3	0.7	0.43
35-39	62	7.0	0.89	49	11.2	1.60	13	2.9	0.81
40-44	56	6.9	0.92	49	12.3	1.76	7	1.7	0.64
45-49	25	3.6	0.72	20	5.9	1.32	5	1.4	0.63
50-54	36	6.1	1.02	27	9.4	1.81	9	3.0	0.99
55-59	21	4.7	1.03	18	8.3	1.97	3	1.3	0.75
60-64	21	5.7	1.25	19	10.8	2.48	2	1.0	0.74
65-69	18	4.8	1.13	17	9.8	2.39	1	0.5	0.49
70-74	16	4.6	1.15	16	10.6	2.66	0	0.0	0.00
75-79	10	3.3	1.05	10	8.2	2.58	0	0.0	0.00
80-84	14	6.9	1.83	14	18.7	4.99	0	0.0	0.00
85+	9	5.1	1.69	8	16.4	5.81	1	0.8	0.78
Total deaths	626			555			71		
Connecticut									
. Crude rate		6.4	-		11.6	-		1.4	-
. AAMR (1940 Std. mil.)		6.9	0.29		12.3	0.55		1.5	0.19
. AAMR (1970 Std. mil.)		6.4	0.27		11.5	0.51		1.4	0.18
. AAMR (2000 Std. mil.)		6.5	0.26		11.8	0.50		1.5	0.18
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.8	-		22.3	-		3.3	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.3	0.22	2	0.6	0.43	0	0.0	0.00
5-9	2	0.3	0.20	0	0.0	0.00	2	0.6	0.42
10-14	4	0.6	0.30	3	0.9	0.52	1	0.3	0.31
15-19	53	8.8	1.21	46	14.8	2.18	7	2.4	0.91
20-24	73	13.3	1.56	67	24.0	2.93	6	2.2	0.92
25-29	59	9.0	1.17	52	15.9	2.20	7	2.1	0.81
30-34	27	3.3	0.64	25	6.2	1.24	2	0.5	0.35
35-39	24	2.7	0.56	18	4.1	0.97	6	1.4	0.55
40-44	15	1.9	0.48	14	3.5	0.94	1	0.2	0.24
45-49	7	1.0	0.38	5	1.5	0.66	2	0.6	0.40
50-54	14	2.4	0.63	10	3.5	1.10	4	1.3	0.66
55-59	3	0.7	0.39	2	0.9	0.66	1	0.4	0.43
60-64	3	0.8	0.47	1	0.6	0.57	2	1.0	0.74
65-69	3	0.8	0.46	2	1.2	0.82	1	0.5	0.49
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	289			247			42		
Connecticut									
. Crude rate		2.9	-		5.2	-		0.8	-
. AAMR (1940 Std. mil.)		3.7	0.22		6.4	0.41		1.0	0.16
. AAMR (1970 Std. mil.)		3.3	0.21		5.7	0.38		0.9	0.15
. AAMR (2000 Std. mil.)		3.1	0.18		5.3	0.34		0.9	0.14
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.9	-		9.8	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.3	0.22	1	0.3	0.30	1	0.3	0.32
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	0.3	0.22	0	0.0	0.00	2	0.6	0.44
15-19	15	2.5	0.64	11	3.5	1.07	4	1.4	0.69
20-24	46	8.4	1.24	35	12.5	2.12	11	4.1	1.24
25-29	65	9.9	1.23	53	16.2	2.22	12	3.7	1.05
30-34	137	16.9	1.45	98	24.4	2.46	39	9.6	1.53
35-39	180	20.5	1.52	140	32.0	2.71	40	9.0	1.43
40-44	164	20.2	1.58	125	31.5	2.82	39	9.4	1.51
45-49	118	17.0	1.57	81	23.9	2.65	37	10.5	1.72
50-54	47	8.0	1.16	32	11.2	1.97	15	5.0	1.28
55-59	32	7.2	1.27	19	8.8	2.02	13	5.6	1.57
60-64	10	2.7	0.86	6	3.4	1.39	4	2.1	1.04
65-69	16	4.3	1.06	9	5.2	1.74	7	3.4	1.30
70-74	13	3.7	1.03	8	5.3	1.88	5	2.5	1.13
75-79	12	4.0	1.15	9	7.3	2.45	3	1.7	0.97
80-84	10	4.9	1.55	5	6.7	2.98	5	3.9	1.73
85+	12	6.8	1.95	7	14.4	5.43	5	3.9	1.73
Total deaths	881			639			242		
Connecticut									
. Crude rate		9.0	-		13.4	-		4.8	-
. AAMR (1940 Std. mil.)		8.2	0.29		12.2	0.50		4.4	0.29
. AAMR (1970 Std. mil.)		7.2	0.25		10.7	0.44		3.9	0.27
. AAMR (2000 Std. mil.)		8.7	0.29		12.9	0.51		4.6	0.30
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.8	-		8.3	-		3.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available



## Connecticut Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for  
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.3	0.22	1	0.3	0.30	1	0.3	0.32
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	14	2.3	0.62	10	3.2	1.02	4	1.4	0.69
20-24	43	7.9	1.20	32	11.4	2.02	11	4.1	1.24
25-29	61	9.3	1.19	49	14.9	2.13	12	3.7	1.05
30-34	131	16.2	1.41	93	23.1	2.40	38	9.3	1.51
35-39	171	19.4	1.49	132	30.2	2.63	39	8.8	1.41
40-44	155	19.1	1.54	117	29.5	2.72	38	9.2	1.49
45-49	99	14.3	1.44	66	19.5	2.39	33	9.3	1.62
50-54	29	4.9	0.91	19	6.6	1.52	10	3.3	1.04
55-59	21	4.7	1.03	11	5.1	1.54	10	4.3	1.37
60-64	7	1.9	0.72	3	1.7	0.99	4	2.1	1.04
65-69	4	1.1	0.53	0	0.0	0.00	4	2.0	0.98
70-74	9	2.6	0.86	5	3.3	1.49	4	2.0	1.01
75-79	7	2.3	0.88	4	3.3	1.63	3	1.7	0.97
80-84	8	3.9	1.39	3	4.0	2.31	5	3.9	1.73
85+	7	3.9	1.49	2	4.1	2.90	5	3.9	1.73
Total deaths	768			547			221		
Connecticut									
. Crude rate		7.8	-		11.5	-		4.4	-
. AAMR (1940 Std. mil.)		7.2	0.27		10.6	0.46		4.0	0.28
. AAMR (1970 Std. mil.)		6.2	0.23		9.0	0.40		3.5	0.25
. AAMR (2000 Std. mil.)		7.5	0.27		10.9	0.47		4.2	0.29
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.3	-		7.3	-		3.1	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									CT rate is higher