

Connecticut Resident Age-Specific Mortality Rates by Sex, 1996

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Resident Age-Specific Mortality Rates by Sex, 1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	2	0.9	0.62	-	-	-	2	1.8	1.25
30-34	2	0.7	0.51	-	-	-	2	1.4	1.01
35-39	13	4.4	1.23	-	-	-	13	8.8	2.44
40-44	19	7.2	1.66	-	-	-	19	14.1	3.24
45-49	42	18.0	2.77	-	-	-	42	35.2	5.43
50-54	55	29.5	3.98	-	-	-	55	57.4	7.74
55-59	41	28.8	4.50	-	-	-	41	55.8	8.72
60-64	61	49.4	6.33	-	-	-	61	94.6	12.12
65-69	66	51.3	6.31	-	-	-	66	94.5	11.64
70-74	67	56.9	6.95	-	-	-	67	99.7	12.19
75-79	88	88.5	9.44	-	-	-	88	148.8	15.86
80-84	68	103.0	12.49	-	-	-	68	161.5	19.58
85+	80	140.1	15.66	-	-	-	80	191.4	21.40
Total deaths	604			-			604		
Connecticut									
. Crude rate		-	-		-	-		36.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		20.9	0.98
. AAMR (1970 Std. mil.)		-	-		-	-		25.5	1.11
. AAMR (2000 Std. mil.)		-	-		-	-		30.9	1.28
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		20.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is lower
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.5	0.54	-	-	-	1	1.1	1.10
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	2	0.7	0.51	-	-	-	2	1.4	1.01
35-39	3	1.0	0.59	-	-	-	3	2.0	1.17
40-44	4	1.5	0.76	-	-	-	4	3.0	1.49
45-49	6	2.6	1.05	-	-	-	6	5.0	2.05
50-54	6	3.2	1.31	-	-	-	6	6.3	2.56
55-59	2	1.4	0.99	-	-	-	2	2.7	1.93
60-64	5	4.1	1.81	-	-	-	5	7.8	3.47
65-69	5	3.9	1.74	-	-	-	5	7.2	3.20
70-74	6	5.1	2.08	-	-	-	6	8.9	3.65
75-79	6	6.0	2.46	-	-	-	6	10.1	4.14
80-84	5	7.6	3.39	-	-	-	5	11.9	5.31
85+	5	8.8	3.91	-	-	-	5	12.0	5.35
Total deaths	56			-			56		
Connecticut									
. Crude rate		-	-		-	-		3.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		2.2	0.33
. AAMR (1970 Std. mil.)		-	-		-	-		2.5	0.35
. AAMR (2000 Std. mil.)		-	-		-	-		3.0	0.40
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	0.4	0.38	-	-	-	1	0.7	0.74
45-49	1	0.4	0.43	-	-	-	1	0.8	0.84
50-54	2	1.1	0.76	-	-	-	2	2.1	1.48
55-59	1	0.7	0.70	-	-	-	1	1.4	1.36
60-64	3	2.4	1.40	-	-	-	3	4.7	2.69
65-69	9	7.0	2.33	-	-	-	9	12.9	4.30
70-74	8	6.8	2.40	-	-	-	8	11.9	4.21
75-79	10	10.1	3.18	-	-	-	10	16.9	5.35
80-84	10	15.1	4.79	-	-	-	10	23.8	7.51
85+	6	10.5	4.29	-	-	-	6	14.4	5.86
Total deaths	51			-			51		
Connecticut									
. Crude rate		-	-		-	-		3.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.4	0.23
. AAMR (1970 Std. mil.)		-	-		-	-		1.9	0.29
. AAMR (2000 Std. mil.)		-	-		-	-		2.4	0.34
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	1	0.4	0.36	-	-	-	1	0.7	0.72
35-39	1	0.3	0.34	-	-	-	1	0.7	0.68
40-44	2	0.8	0.54	-	-	-	2	1.5	1.05
45-49	6	2.6	1.05	-	-	-	6	5.0	2.05
50-54	10	5.4	1.70	-	-	-	10	10.4	3.30
55-59	9	6.3	2.11	-	-	-	9	12.3	4.09
60-64	13	10.5	2.92	-	-	-	13	20.2	5.59
65-69	15	11.7	3.01	-	-	-	15	21.5	5.55
70-74	22	18.7	3.98	-	-	-	22	32.8	6.98
75-79	28	28.2	5.32	-	-	-	28	47.3	8.94
80-84	13	19.7	5.46	-	-	-	13	30.9	8.56
85+	27	47.3	9.10	-	-	-	27	64.6	12.43
Total deaths	147			-			147		
Connecticut									
. Crude rate		-	-		-	-		8.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		4.5	0.44
. AAMR (1970 Std. mil.)		-	-		-	-		5.8	0.52
. AAMR (2000 Std. mil.)		-	-		-	-		7.2	0.61
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	41	18.6	2.91	22	19.5	4.16	19	17.7	4.07
5-9	11	4.7	1.43	8	6.7	2.37	3	2.6	1.53
10-14	9	4.2	1.39	6	5.5	2.23	3	2.8	1.64
15-19	17	8.6	2.09	11	10.8	3.26	6	6.3	2.57
20-24	17	9.1	2.21	9	9.4	3.15	8	8.8	3.11
25-29	32	14.1	2.49	20	17.6	3.94	12	10.6	3.06
30-34	71	25.6	3.03	49	35.4	5.06	22	15.8	3.37
35-39	130	44.3	3.89	84	57.6	6.29	46	31.2	4.60
40-44	195	74.0	5.30	136	105.5	9.05	59	43.9	5.71
45-49	313	133.9	7.57	210	183.5	12.66	103	86.4	8.51
50-54	383	205.5	10.50	247	272.5	17.34	136	142.0	12.18
55-59	514	361.4	15.94	317	460.8	25.88	197	268.2	19.11
60-64	755	611.7	22.26	464	787.0	36.54	291	451.4	26.46
65-69	1,183	919.0	26.72	726	1232.3	45.74	457	654.6	30.62
70-74	1,877	1593.9	36.79	1,030	2035.9	63.44	847	1261.0	43.33
75-79	2,498	2512.5	50.27	1,280	3178.9	88.85	1,218	2058.9	58.99
80-84	2,892	4379.4	81.44	1,352	5649.6	153.65	1,540	3657.5	93.20
85+	5,515	9655.8	130.02	1,639	10697.0	264.23	3,876	9274.1	148.96
Total deaths	16,453			7,610			8,843		
Connecticut									
. Crude rate		503.6	-		479.4	-		526.4	-
. AAMR (1940 Std. mil.)		211.6	1.99		269.4	3.38		166.0	2.33
. AAMR (1970 Std. mil.)		318.8	2.63		399.0	4.63		259.7	3.07
. AAMR (2000 Std. mil.)		457.2	3.57		563.2	6.59		383.4	4.14
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	1.8	0.91	2	1.8	1.25	2	1.9	1.32
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.46	1	0.9	0.91	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.5	0.54	1	1.0	1.05	0	0.0	0.00
25-29	1	0.4	0.44	0	0.0	0.00	1	0.9	0.88
30-34	5	1.8	0.81	4	2.9	1.45	1	0.7	0.72
35-39	11	3.7	1.13	5	3.4	1.53	6	4.1	1.66
40-44	13	4.9	1.37	6	4.7	1.90	7	5.2	1.97
45-49	22	9.4	2.01	10	8.7	2.76	12	10.1	2.90
50-54	23	12.3	2.57	11	12.1	3.66	12	12.5	3.62
55-59	44	30.9	4.66	30	43.6	7.96	14	19.1	5.09
60-64	60	48.6	6.28	36	61.1	10.18	24	37.2	7.60
65-69	102	79.2	7.85	44	74.7	11.26	58	83.1	10.91
70-74	163	138.4	10.84	83	164.1	18.01	80	119.1	13.32
75-79	280	281.6	16.83	125	310.4	27.77	155	262.0	21.05
80-84	418	633.0	30.96	163	681.1	53.35	255	605.6	37.93
85+	792	1386.7	49.27	200	1305.3	92.30	592	1416.5	58.22
Total deaths	1,940			721			1,219		
Connecticut									
. Crude rate		59.4	-		45.4	-		72.6	-
. AAMR (1940 Std. mil.)		21.2	0.59		23.0	0.94		19.6	0.74
. AAMR (1970 Std. mil.)		34.9	0.83		37.0	1.40		32.9	1.03
. AAMR (2000 Std. mil.)		53.4	1.21		55.5	2.11		51.3	1.49
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.5	-		28.5	-		24.6	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.5	0.46	0	0.0	0.00	1	0.9	0.95
15-19	1	0.5	0.51	0	0.0	0.00	1	1.0	1.05
20-24	1	0.5	0.54	1	1.0	1.05	0	0.0	0.00
25-29	1	0.4	0.44	1	0.9	0.88	0	0.0	0.00
30-34	1	0.4	0.36	0	0.0	0.00	1	0.7	0.72
35-39	5	1.7	0.76	3	2.1	1.19	2	1.4	0.96
40-44	2	0.8	0.54	1	0.8	0.78	1	0.7	0.74
45-49	3	1.3	0.74	0	0.0	0.00	3	2.5	1.45
50-54	3	1.6	0.93	1	1.1	1.10	2	2.1	1.48
55-59	3	2.1	1.22	0	0.0	0.00	3	4.1	2.36
60-64	3	2.4	1.40	2	3.4	2.40	1	1.6	1.55
65-69	6	4.7	1.90	2	3.4	2.40	4	5.7	2.86
70-74	7	5.9	2.25	2	4.0	2.80	5	7.4	3.33
75-79	4	4.0	2.01	1	2.5	2.48	3	5.1	2.93
80-84	3	4.5	2.62	1	4.2	4.18	2	4.8	3.36
85+	5	8.8	3.91	2	13.1	9.23	3	7.2	4.14
Total deaths	49			17			32		
Connecticut									
. Crude rate		1.5	-		1.1	-		1.9	-
. AAMR (1940 Std. mil.)		1.1	0.17		0.8	0.21		1.3	0.26
. AAMR (1970 Std. mil.)		1.2	0.18		0.9	0.23		1.5	0.28
. AAMR (2000 Std. mil.)		1.4	0.20		1.1	0.28		1.7	0.31
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		1.1	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	19	8.6	1.98	9	8.0	2.66	10	9.3	2.95
5-9	13	5.6	1.55	9	7.5	2.52	4	3.5	1.76
10-14	15	7.0	1.80	10	9.1	2.88	5	4.7	2.12
15-19	40	20.3	3.21	26	25.5	5.00	14	14.7	3.92
20-24	65	34.9	4.33	52	54.6	7.57	13	14.3	3.97
25-29	51	22.5	3.15	38	33.5	5.43	13	11.5	3.19
30-34	61	22.0	2.81	50	36.1	5.11	11	7.9	2.38
35-39	75	25.6	2.95	59	40.5	5.27	16	10.8	2.71
40-44	78	29.6	3.35	67	52.0	6.35	11	8.2	2.47
45-49	67	28.7	3.50	51	44.6	6.24	16	13.4	3.35
50-54	54	29.0	3.94	40	44.1	6.98	14	14.6	3.91
55-59	33	23.2	4.04	25	36.3	7.27	8	10.9	3.85
60-64	35	28.4	4.79	22	37.3	7.96	13	20.2	5.59
65-69	26	20.2	3.96	16	27.2	6.79	10	14.3	4.53
70-74	66	56.0	6.90	36	71.2	11.86	30	44.7	8.15
75-79	70	70.4	8.42	47	116.7	17.03	23	38.9	8.11
80-84	87	131.7	14.12	39	163.0	26.10	48	114.0	16.45
85+	145	253.9	21.08	53	345.9	47.51	92	220.1	22.95
Total deaths	1,000			649			351		
Connecticut									
. Crude rate		30.6	-		40.9	-		20.9	-
. AAMR (1940 Std. mil.)		23.6	0.85		34.9	1.47		12.9	0.88
. AAMR (1970 Std. mil.)		25.1	0.85		36.5	1.49		14.8	0.90
. AAMR (2000 Std. mil.)		29.6	0.94		43.3	1.73		17.7	0.97
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.5	-		43.2	-		17.8	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	2.7	1.11	3	2.7	1.54	3	2.8	1.62
5-9	7	3.0	1.14	5	4.2	1.88	2	1.8	1.25
10-14	7	3.3	1.23	6	5.5	2.23	1	0.9	0.95
15-19	31	15.7	2.82	17	16.7	4.05	14	14.7	3.92
20-24	45	24.2	3.60	34	35.7	6.12	11	12.1	3.65
25-29	30	13.2	2.42	20	17.6	3.94	10	8.8	2.79
30-34	19	6.8	1.57	17	12.3	2.98	2	1.4	1.01
35-39	24	8.2	1.67	16	11.0	2.74	8	5.4	1.92
40-44	23	8.7	1.82	18	14.0	3.29	5	3.7	1.66
45-49	21	9.0	1.96	17	14.9	3.60	4	3.4	1.68
50-54	19	10.2	2.34	13	14.3	3.98	6	6.3	2.56
55-59	11	7.7	2.33	9	13.1	4.36	2	2.7	1.93
60-64	18	14.6	3.44	9	15.3	5.09	9	14.0	4.65
65-69	8	6.2	2.20	4	6.8	3.39	4	5.7	2.86
70-74	15	12.7	3.29	8	15.8	5.59	7	10.4	3.94
75-79	15	15.1	3.90	11	27.3	8.24	4	6.8	3.38
80-84	13	19.7	5.46	9	37.6	12.54	4	9.5	4.75
85+	9	15.8	5.25	2	13.1	9.23	7	16.7	6.33
Total deaths	321			218			103		
Connecticut									
. Crude rate		9.8	-		13.7	-		6.1	-
. AAMR (1940 Std. mil.)		9.9	0.59		13.8	0.98		6.1	0.67
. AAMR (1970 Std. mil.)		9.8	0.58		13.6	0.96		6.1	0.66
. AAMR (2000 Std. mil.)		9.9	0.56		14.0	0.96		6.1	0.61
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.3	-		22.4	-		10.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is not significantly different
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	6	2.8	1.14	5	4.6	2.04	1	0.9	0.95
15-19	12	6.1	1.76	8	7.9	2.78	4	4.2	2.10
20-24	27	14.5	2.79	23	24.1	5.03	4	4.4	2.20
25-29	25	11.0	2.21	24	21.1	4.31	1	0.9	0.88
30-34	34	12.2	2.10	26	18.8	3.68	8	5.7	2.03
35-39	30	10.2	1.87	22	15.1	3.22	8	5.4	1.92
40-44	31	11.8	2.11	28	21.7	4.11	3	2.2	1.29
45-49	21	9.0	1.96	18	15.7	3.71	3	2.5	1.45
50-54	22	11.8	2.52	12	13.2	3.82	10	10.4	3.30
55-59	20	14.1	3.14	17	24.7	5.99	3	4.1	2.36
60-64	11	8.9	2.69	11	18.7	5.63	0	0.0	0.00
65-69	17	13.2	3.20	11	18.7	5.63	6	8.6	3.51
70-74	10	8.5	2.69	9	17.8	5.93	1	1.5	1.49
75-79	8	8.0	2.84	6	14.9	6.08	2	3.4	2.39
80-84	7	10.6	4.01	5	20.9	9.34	2	4.8	3.36
85+	5	8.8	3.91	5	32.6	14.59	0	0.0	0.00
Total deaths	286			230			56		
Connecticut									
. Crude rate		8.8	-		14.5	-		3.3	-
. AAMR (1940 Std. mil.)		8.4	0.52		13.8	0.95		3.2	0.45
. AAMR (1970 Std. mil.)		8.0	0.49		13.3	0.91		3.0	0.43
. AAMR (2000 Std. mil.)		8.7	0.52		14.6	0.97		3.3	0.45
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.8	-		17.9	-		4.0	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	4.1	1.36	5	4.4	1.98	4	3.7	1.87
5-9	1	0.4	0.43	0	0.0	0.00	1	0.9	0.88
10-14	2	0.9	0.66	1	0.9	0.91	1	0.9	0.95
15-19	28	14.2	2.68	24	23.6	4.81	4	4.2	2.10
20-24	25	13.4	2.69	24	25.2	5.14	1	1.1	1.10
25-29	26	11.5	2.25	22	19.4	4.13	4	3.5	1.77
30-34	17	6.1	1.48	14	10.1	2.70	3	2.2	1.24
35-39	11	3.7	1.13	9	6.2	2.06	2	1.4	0.96
40-44	13	4.9	1.37	11	8.5	2.57	2	1.5	1.05
45-49	4	1.7	0.86	2	1.7	1.24	2	1.7	1.19
50-54	15	8.0	2.08	7	7.7	2.92	8	8.4	2.95
55-59	3	2.1	1.22	2	2.9	2.06	1	1.4	1.36
60-64	3	2.4	1.40	1	1.7	1.70	2	3.1	2.19
65-69	6	4.7	1.90	6	10.2	4.16	0	0.0	0.00
70-74	4	3.4	1.70	3	5.9	3.42	1	1.5	1.49
75-79	1	1.0	1.01	0	0.0	0.00	1	1.7	1.69
80-84	1	1.5	1.51	0	0.0	0.00	1	2.4	2.38
85+	1	1.8	1.75	0	0.0	0.00	1	2.4	2.39
Total deaths	170			131			39		
Connecticut									
. Crude rate		5.2	-		8.3	-		2.3	-
. AAMR (1940 Std. mil.)		6.0	0.48		9.4	0.85		2.4	0.41
. AAMR (1970 Std. mil.)		5.5	0.45		8.7	0.79		2.4	0.40
. AAMR (2000 Std. mil.)		5.4	0.41		8.3	0.73		2.4	0.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.5	-		13.3	-		3.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.9	0.64	2	1.8	1.25	0	0.0	0.00
5-9	1	0.4	0.43	0	0.0	0.00	1	0.9	0.88
10-14	5	2.3	1.04	4	3.6	1.82	1	0.9	0.95
15-19	28	14.2	2.68	23	22.6	4.71	5	5.2	2.34
20-24	41	22.0	3.44	39	40.9	6.55	2	2.2	1.56
25-29	36	15.9	2.65	31	27.3	4.90	5	4.4	1.98
30-34	29	10.4	1.94	28	20.2	3.82	1	0.7	0.72
35-39	17	5.8	1.41	15	10.3	2.66	2	1.4	0.96
40-44	22	8.4	1.78	21	16.3	3.56	1	0.7	0.74
45-49	11	4.7	1.42	9	7.9	2.62	2	1.7	1.19
50-54	15	8.0	2.08	8	8.8	3.12	7	7.3	2.76
55-59	6	4.2	1.72	5	7.3	3.25	1	1.4	1.36
60-64	7	5.7	2.14	6	10.2	4.15	1	1.6	1.55
65-69	7	5.4	2.06	7	11.9	4.49	0	0.0	0.00
70-74	8	6.8	2.40	8	15.8	5.59	0	0.0	0.00
75-79	5	5.0	2.25	5	12.4	5.55	0	0.0	0.00
80-84	4	6.1	3.03	4	16.7	8.36	0	0.0	0.00
85+	2	3.5	2.48	2	13.1	9.23	0	0.0	0.00
Total deaths	246			217			29		
Connecticut									
. Crude rate		7.5	-		13.7	-		1.7	-
. AAMR (1940 Std. mil.)		8.2	0.55		14.5	1.03		2.0	0.39
. AAMR (1970 Std. mil.)		7.6	0.51		13.5	0.96		1.9	0.38
. AAMR (2000 Std. mil.)		7.6	0.49		13.7	0.94		1.9	0.35
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.8	-		22.3	-		3.3	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1996

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.9	0.64	2	1.8	1.25	0	0.0	0.00
5-9	1	0.4	0.43	0	0.0	0.00	1	0.9	0.88
10-14	2	0.9	0.66	1	0.9	0.91	1	0.9	0.95
15-19	24	12.2	2.48	20	19.6	4.39	4	4.2	2.10
20-24	24	12.9	2.63	23	24.1	5.03	1	1.1	1.10
25-29	25	11.0	2.21	21	18.5	4.04	4	3.5	1.77
30-34	13	4.7	1.30	12	8.7	2.50	1	0.7	0.72
35-39	7	2.4	0.90	7	4.8	1.81	0	0.0	0.00
40-44	6	2.3	0.93	6	4.7	1.90	0	0.0	0.00
45-49	3	1.3	0.74	1	0.9	0.87	2	1.7	1.19
50-54	8	4.3	1.52	4	4.4	2.21	4	4.2	2.09
55-59	1	0.7	0.70	1	1.5	1.45	0	0.0	0.00
60-64	1	0.8	0.81	0	0.0	0.00	1	1.6	1.55
65-69	1	0.8	0.78	1	1.7	1.70	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	118			99			19		
Connecticut									
. Crude rate		3.6	-		6.2	-		1.1	-
. AAMR (1940 Std. mil.)		4.5	0.42		7.5	0.77		1.4	0.33
. AAMR (1970 Std. mil.)		4.1	0.39		6.7	0.70		1.3	0.32
. AAMR (2000 Std. mil.)		3.8	0.35		6.3	0.63		1.2	0.28
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.9	-		9.8	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

