Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
All causes

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	351	166.1	8.87	187	172.7	12.63	164	159.2	12.43
5-9	27	11.7	2.25	13	11.0	3.05	14	12.4	3.33
10-14	32	14.3	2.53	14	12.3	3.28	18	16.5	3.88
15-19	109	53.3	5.10	87	82.6	8.85	22	22.2	4.73
20-24	145	80.8	6.71	108	118.4	11.40	37	42.0	6.90
25-29	180	85.4	6.37	132	126.2	10.98	48	45.2	6.53
30-34	281	107.2	6.40	177	136.4	10.26	104	78.6	7.71
35-39	390	133.1	6.74	248	170.8	10.84	142	96.1	8.06
40-44	550	198.3	8.46	351	258.5	13.80	199	140.6	9.97
45-49	676	293.1	11.27	395	350.3	17.63	281	238.3	14.22
50-54	886	436.0	14.65	526	532.3	23.21	360	344.9	18.18
55-59	1,131	721.8	21.46	677	893.2	34.33	454	561.2	26.34
60-64	1,425	1167.1	30.92	832	1423.0	49.33	593	931.9	38.27
65-69	2,155	1776.0	38.26	1,258	2254.0	63.55	897	1368.8	45.70
70-74	3,159	2744.9	48.84	1,697	3400.5	82.55	1,462	2242.9	58.66
75-79	4,279	4240.4	64.82	2,174	5255.4	112.71	2,105	3535.2	77.05
80-84	4,971	7079.2	100.41	2,272	8699.3	182.51	2,699	6119.8	117.80
85+	8,872	14414.1	153.03	2,789	16038.0	303.69	6,083	13774.6	176.61
Total deaths	29,619			13,937			15,682		
Connecticut									
. Crude rate		904.7	-		877.3	-		930.4	-
. AAMR (1940 Std. mil.)		416.9	2.96		513.5	4.86		337.1	3.58
. AAMR (1970 Std. mil.)		586.4	3.65		713.8	6.18		488.0	4.40
. AAMR (2000 Std. mil.)		803.8	4.69		968.5	8.29		683.8	5.58
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		471.7	-		589.4	-		372.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Infectious diseases and parasitic disease (1-139)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	15	7.1	1.83	8	7.4	2.61	7	6.8	2.57
5-9	1	0.4	0.43	0	0.0	0.00	1	0.9	0.89
10-14	3	1.3	0.78	0	0.0	0.00	3	2.7	1.58
15-19	1	0.5	0.49	1	0.9	0.95	0	0.0	0.00
20-24	6	3.3	1.37	3	3.3	1.90	3	3.4	1.96
25-29	16	7.6	1.90	10	9.6	3.02	6	5.7	2.31
30-34	31	11.8	2.12	18	13.9	3.27	13	9.8	2.73
35-39	44	15.0	2.26	26	17.9	3.51	18	12.2	2.87
40-44	63	22.7	2.86	40	29.5	4.66	23	16.2	3.39
45-49	58	25.1	3.30	41	36.4	5.68	17	14.4	3.50
50-54	39	19.2	3.07	33	33.4	5.81	6	5.7	2.35
55-59	44	28.1	4.23	30	39.6	7.23	14	17.3	4.62
60-64	38	31.1	5.05	22	37.6	8.02	16	25.1	6.29
65-69	40	33.0	5.21	25	44.8	8.96	15	22.9	5.91
70-74	73	63.4	7.42	37	74.1	12.19	36	55.2	9.20
75-79	90	89.2	9.40	50	120.9	17.09	40	67.2	10.62
80-84	104	148.1	14.52	40	153.2	24.22	64	145.1	18.14
85+	159	258.3	20.49	53	304.8	41.86	106	240.0	23.31
Total deaths	825			437			388		
Connecticut									
. Crude rate		25.2	-		27.5	-		23.0	-
. AAMR (1940 Std. mil.)		15.0	0.60		19.2	0.99		11.3	0.72
. AAMR (1970 Std. mil.)		17.8	0.66		22.4	1.10		13.8	0.78
. AAMR (2000 Std. mil.)		23.1	0.81		29.0	1.40		18.2	0.95
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.8	-		16.7	-		9.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Septicemia (038)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	2	0.9	0.67	1	0.9	0.92	1	1.0	0.97
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.4	0.45	0	0.0	0.00	1	0.9	0.91
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.47	1	1.0	0.96	0	0.0	0.00
30-34	1	0.4	0.38	1	0.8	0.77	0	0.0	0.00
35-39	5	1.7	0.76	1	0.7	0.69	4	2.7	1.35
40-44	8	2.9	1.02	4	2.9	1.47	4	2.8	1.41
45-49	9	3.9	1.30	5	4.4	1.98	4	3.4	1.70
50-54	11	5.4	1.63	8	8.1	2.86	3	2.9	1.66
55-59	15	9.6	2.47	11	14.5	4.38	4	4.9	2.47
60-64	13	10.6	2.95	6	10.3	4.19	7	11.0	4.16
65-69	22	18.1	3.87	13	23.3	6.46	9	13.7	4.58
70-74	43	37.4	5.70	21	42.1	9.18	22	33.8	7.20
75-79	71	70.4	8.35	39	94.3	15.10	32	53.7	9.50
80-84	85	121.0	13.13	32	122.5	21.66	53	120.2	16.51
85+	131	212.8	18.60	43	247.3	37.71	88	199.3	21.24
Total deaths	418			186			232		
Connecticut									
. Crude rate		12.8	-		11.7	-		13.8	-
. AAMR (1940 Std. mil.)		5.2	0.31		6.2	0.50		4.5	0.38
. AAMR (1970 Std. mil.)		7.8	0.40		9.2	0.68		6.8	0.50
. AAMR (2000 Std. mil.)		11.2	0.55		13.1	0.97		9.9	0.66
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.4	-		4.8	-		4.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Septicemia-related (038)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	8	3.8	1.34	5	4.6	2.07	3	2.9	1.68
5-9	1	0.4	0.43	0	0.0	0.00	1	0.9	0.89
10-14	2	0.9	0.63	0	0.0	0.00	2	1.8	1.29
15-19	3	1.5	0.85	1	0.9	0.95	2	2.0	1.43
20-24	2	1.1	0.79	2	2.2	1.55	0	0.0	0.00
25-29	3	1.4	0.82	1	1.0	0.96	2	1.9	1.33
30-34	7	2.7	1.01	4	3.1	1.54	3	2.3	1.31
35-39	23	7.8	1.64	13	9.0	2.48	10	6.8	2.14
40-44	25	9.0	1.80	14	10.3	2.76	11	7.8	2.34
45-49	32	13.9	2.45	16	14.2	3.55	16	13.6	3.39
50-54	43	21.2	3.23	28	28.3	5.35	15	14.4	3.71
55-59	57	36.4	4.82	35	46.2	7.81	22	27.2	5.80
60-64	70	57.3	6.85	33	56.4	9.83	37	58.1	9.56
65-69	101	83.2	8.28	61	109.3	13.99	40	61.0	9.65
70-74	184	159.9	11.79	103	206.4	20.34	81	124.3	13.81
75-79	228	225.9	14.96	116	280.4	26.04	112	188.1	17.77
80-84	275	391.6	23.62	117	448.0	41.42	158	358.3	28.50
85+	420	682.4	33.30	142	816.6	68.52	278	629.5	37.76
Total deaths	1,484			691			793		
Connecticut									
. Crude rate		45.3	-		43.5	-		47.0	-
. AAMR (1940 Std. mil.)		20.1	0.63		24.1	1.01		17.1	0.79
. AAMR (1970 Std. mil.)		29.0	0.80		34.7	1.34		24.9	0.99
. AAMR (2000 Std. mil.)		40.1	1.04		48.1	1.85		34.7	1.26
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------HIV infection (042-044)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.5	0.47	0	0.0	0.00	1	1.0	0.97
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	0.9	0.63	0	0.0	0.00	2	1.8	1.29
15-19	1	0.5	0.49	1	0.9	0.95	0	0.0	0.00
20-24	2	1.1	0.79	1	1.1	1.10	1	1.1	1.13
25-29	9	4.3	1.42	5	4.8	2.14	4	3.8	1.88
30-34	18	6.9	1.62	11	8.5	2.56	7	5.3	2.00
35-39	29	9.9	1.84	19	13.1	3.00	10	6.8	2.14
40-44	41	14.8	2.31	26	19.2	3.76	15	10.6	2.74
45-49	31	13.4	2.41	25	22.2	4.43	6	5.1	2.08
50-54	15	7.4	1.91	15	15.2	3.92	0	0.0	0.00
55-59	14	8.9	2.39	11	14.5	4.38	3	3.7	2.14
60-64	1	0.8	0.82	1	1.7	1.71	0	0.0	0.00
65-69	1	0.8	0.82	1	1.8	1.79	0	0.0	0.00
70-74	1	0.9	0.87	1	2.0	2.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	166			117			49		
Connecticut									
. Crude rate		5.1	-		7.4	-		2.9	-
. AAMR (1940 Std. mil.)		4.6	0.36		6.5	0.61		2.8	0.40
. AAMR (1970 Std. mil.)		4.1	0.32		5.9	0.55		2.4	0.36
. AAMR (2000 Std. mil.)		4.9	0.38		7.1	0.66		2.9	0.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.6	-		7.2	-		2.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
All cancer (140-208)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	7	3.3	1.25	5	4.6	2.07	2	1.9	1.37
5-9	7	3.0	1.15	2	1.7	1.20	5	4.4	1.99
10-14	5	2.2	1.00	2	1.8	1.24	3	2.7	1.58
15-19	2	1.0	0.69	1	0.9	0.95	1	1.0	1.01
20-24	12	6.7	1.93	9	9.9	3.29	3	3.4	1.96
25-29	11	5.2	1.57	6	5.7	2.34	5	4.7	2.11
30-34	33	12.6	2.19	15	11.6	2.99	18	13.6	3.21
35-39	63	21.5	2.71	31	21.3	3.83	32	21.7	3.83
40-44	125	45.1	4.03	55	40.5	5.46	70	49.5	5.91
45-49	201	87.1	6.15	88	78.0	8.32	113	95.8	9.02
50-54	351	172.7	9.22	160	161.9	12.80	191	183.0	13.24
55-59	445	284.0	13.46	232	306.1	20.10	213	263.3	18.04
60-64	562	460.3	19.42	306	523.4	29.92	256	402.3	25.14
65-69	819	675.0	23.58	469	840.3	38.80	350	534.1	28.55
70-74	1,073	932.3	28.46	550	1102.1	46.99	523	802.3	35.08
75-79	1,242	1230.8	34.92	641	1549.5	61.20	601	1009.3	41.17
80-84	1,070	1523.8	46.58	549	2102.1	89.71	521	1181.3	51.75
85+	1,039	1688.0	52.37	415	2386.4	117.15	624	1413.0	56.57
Total deaths	7,067			3,536			3,531		
Connecticut									
. Crude rate		215.8	-		222.6	-		209.5	-
. AAMR (1940 Std. mil.)		116.8	1.58		135.8	2.47		103.1	2.05
. AAMR (1970 Std. mil.)		155.5	1.94		186.0	3.18		134.8	2.46
. AAMR (2000 Std. mil.)		195.9	2.34		238.6	4.04		168.8	2.89
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		123.5	-		147.7	-		105.5	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Oral cavity or pharynx (140.0-149.9)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.4	0.38	1	0.8	0.77	0	0.0	0.00
35-39	4	1.4	0.68	4	2.8	1.38	0	0.0	0.00
40-44	1	0.4	0.36	0	0.0	0.00	1	0.7	0.71
45-49	2	0.9	0.61	2	1.8	1.25	0	0.0	0.00
50-54	5	2.5	1.10	4	4.0	2.02	1	1.0	0.96
55-59	13	8.3	2.30	9	11.9	3.96	4	4.9	2.47
60-64	7	5.7	2.17	5	8.6	3.82	2	3.1	2.22
65-69	16	13.2	3.30	10	17.9	5.67	6	9.2	3.74
70-74	6	5.2	2.13	3	6.0	3.47	3	4.6	2.66
75-79	19	18.8	4.32	11	26.6	8.02	8	13.4	4.75
80-84	12	17.1	4.93	7	26.8	10.13	5	11.3	5.07
85+	9	14.6	4.87	3	17.3	9.96	6	13.6	5.55
Total deaths	95			59			36		
Connecticut									
. Crude rate		2.9	-		3.7	-		2.1	-
. AAMR (1940 Std. mil.)		1.8	0.20		2.6	0.35		1.0	0.20
. AAMR (1970 Std. mil.)		2.2	0.24		3.2	0.42		1.4	0.25
. AAMR (2000 Std. mil.)		2.7	0.27		3.8	0.50		1.7	0.29
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.0	-		3.1	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Colorectal cancer (153.0-154.3,154.8,159.0)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.47	1	1.0	0.96	0	0.0	0.00
30-34	3	1.1	0.66	1	0.8	0.77	2	1.5	1.07
35-39	2	0.7	0.48	2	1.4	0.97	0	0.0	0.00
40-44	13	4.7	1.30	5	3.7	1.65	8	5.7	2.00
45-49	11	4.8	1.44	4	3.5	1.77	7	5.9	2.24
50-54	21	10.3	2.26	14	14.2	3.79	7	6.7	2.53
55-59	32	20.4	3.61	18	23.7	5.60	14	17.3	4.62
60-64	48	39.3	5.67	24	41.0	8.38	24	37.7	7.70
65-69	90	74.2	7.82	49	87.8	12.54	41	62.6	9.77
70-74	101	87.8	8.73	54	108.2	14.73	47	72.1	10.52
75-79	136	134.8	11.56	61	147.5	18.88	75	126.0	14.54
80-84	142	202.2	16.97	65	248.9	30.87	77	174.6	19.90
85+	156	253.4	20.29	47	270.3	39.42	109	246.8	23.64
Total deaths	756			345			411		
Connecticut									
. Crude rate		23.1	-		21.7	-		24.4	-
. AAMR (1940 Std. mil.)		10.9	0.46		12.5	0.73		9.7	0.59
. AAMR (1970 Std. mil.)		15.5	0.60		17.8	0.97		13.8	0.75
. AAMR (2000 Std. mil.)		20.6	0.75		23.5	1.27		18.5	0.93
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.0	-		14.4	-		10.0	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Colon cancer (153)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	1.1	0.66	1	0.8	0.77	2	1.5	1.07
35-39	2	0.7	0.48	2	1.4	0.97	0	0.0	0.00
40-44	11	4.0	1.20	4	2.9	1.47	7	4.9	1.87
45-49	8	3.5	1.23	3	2.7	1.54	5	4.2	1.90
50-54	16	7.9	1.97	10	10.1	3.20	6	5.7	2.35
55-59	25	16.0	3.19	14	18.5	4.94	11	13.6	4.10
60-64	36	29.5	4.91	18	30.8	7.26	18	28.3	6.67
65-69	76	62.6	7.18	44	78.8	11.89	32	48.8	8.63
70-74	79	68.6	7.72	41	82.2	12.83	38	58.3	9.46
75-79	112	111.0	10.49	52	125.7	17.43	60	100.8	13.01
80-84	120	170.9	15.60	55	210.6	28.40	65	147.4	18.28
85+	129	209.6	18.45	39	224.3	35.91	90	203.8	21.48
Total deaths	617			283			334		
Connecticut									
. Crude rate		18.8	-		17.8	-		19.8	-
. AAMR (1940 Std. mil.)		8.8	0.41		10.2	0.66		7.8	0.53
. AAMR (1970 Std. mil.)		12.6	0.53		14.5	0.88		11.1	0.67
. AAMR (2000 Std. mil.)		16.7	0.68		19.3	1.15		15.0	0.83
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.9	-		11.8	-		8.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Rectal cancer (154)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.47	1	1.0	0.96	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	0.7	0.51	1	0.7	0.74	1	0.7	0.71
45-49	2	0.9	0.61	1	0.9	0.89	1	0.8	0.85
50-54	5	2.5	1.10	4	4.0	2.02	1	1.0	0.96
55-59	5	3.2	1.43	3	4.0	2.29	2	2.5	1.75
60-64	12	9.8	2.84	6	10.3	4.19	6	9.4	3.85
65-69	13	10.7	2.97	5	9.0	4.01	8	12.2	4.32
70-74	22	19.1	4.08	13	26.1	7.22	9	13.8	4.60
75-79	22	21.8	4.65	8	19.3	6.84	14	23.5	6.28
80-84	20	28.5	6.37	9	34.5	11.49	11	24.9	7.52
85+	23	37.4	7.79	8	46.0	16.26	15	34.0	8.77
Total deaths	127			59			68		
Connecticut									
. Crude rate		3.9	-		3.7	-		4.0	-
. AAMR (1940 Std. mil.)		2.0	0.20		2.3	0.32		1.7	0.25
. AAMR (1970 Std. mil.)		2.7	0.25		3.1	0.41		2.4	0.32
. AAMR (2000 Std. mil.)		3.5	0.31		4.0	0.53		3.1	0.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.5	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Pancreatic cancer (157)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.47	0	0.0	0.00	1	0.9	0.94
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	0.7	0.48	1	0.7	0.69	1	0.7	0.68
40-44	5	1.8	0.81	4	2.9	1.47	1	0.7	0.71
45-49	12	5.2	1.50	6	5.3	2.17	6	5.1	2.08
50-54	18	8.9	2.09	7	7.1	2.68	11	10.5	3.18
55-59	25	16.0	3.19	14	18.5	4.94	11	13.6	4.10
60-64	31	25.4	4.56	23	39.3	8.20	8	12.6	4.44
65-69	53	43.7	6.00	34	60.9	10.45	19	29.0	6.65
70-74	65	56.5	7.01	30	60.1	10.98	35	53.7	9.08
75-79	69	68.4	8.23	29	70.1	13.02	40	67.2	10.62
80-84	72	102.5	12.08	37	141.7	23.29	35	79.4	13.41
85+	66	107.2	13.20	19	109.3	25.07	47	106.4	15.52
Total deaths	419			204			215		
Connecticut									
. Crude rate		12.8	-		12.8	-		12.8	-
. AAMR (1940 Std. mil.)		6.7	0.37		8.1	0.61		5.5	0.46
. AAMR (1970 Std. mil.)		9.1	0.47		10.9	0.78		7.6	0.56
. AAMR (2000 Std. mil.)		11.6	0.57		13.7	0.96		9.9	0.69
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.2	-		7.3	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Lung and other respiratory cancer (160-165)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.47	1	1.0	0.96	0	0.0	0.00
30-34	3	1.1	0.66	2	1.5	1.09	1	0.8	0.76
35-39	5	1.7	0.76	4	2.8	1.38	1	0.7	0.68
40-44	22	7.9	1.69	10	7.4	2.33	12	8.5	2.45
45-49	57	24.7	3.27	33	29.3	5.09	24	20.4	4.16
50-54	99	48.7	4.90	59	59.7	7.77	40	38.3	6.06
55-59	140	89.3	7.55	81	106.9	11.87	59	72.9	9.49
60-64	211	172.8	11.90	125	213.8	19.12	86	135.1	14.57
65-69	265	218.4	13.42	156	279.5	22.38	109	166.3	15.93
70-74	335	291.1	15.90	197	394.8	28.13	138	211.7	18.02
75-79	355	351.8	18.67	192	464.1	33.50	163	273.7	21.44
80-84	266	378.8	23.23	145	555.2	46.11	121	274.4	24.94
85+	161	261.6	20.61	86	494.5	53.33	75	169.8	19.61
Total deaths	1,920			1,091			829		
Connecticut									
. Crude rate		58.6	-		68.7	-		49.2	-
. AAMR (1940 Std. mil.)		34.1	0.86		44.1	1.43		26.3	1.04
. AAMR (1970 Std. mil.)		44.7	1.06		58.9	1.81		34.1	1.26
. AAMR (2000 Std. mil.)		53.8	1.23		72.5	2.21		40.8	1.44
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		38.3	-		51.7	-		27.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Lung cancer (162.2-.9)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.47	1	1.0	0.96	0	0.0	0.00
30-34	3	1.1	0.66	2	1.5	1.09	1	0.8	0.76
35-39	4	1.4	0.68	3	2.1	1.19	1	0.7	0.68
40-44	21	7.6	1.65	10	7.4	2.33	11	7.8	2.34
45-49	55	23.8	3.22	32	28.4	5.02	23	19.5	4.07
50-54	92	45.3	4.72	53	53.6	7.37	39	37.4	5.98
55-59	133	84.9	7.36	76	100.3	11.50	57	70.5	9.33
60-64	203	166.3	11.67	119	203.5	18.66	84	132.0	14.40
65-69	255	210.1	13.16	148	265.2	21.80	107	163.3	15.79
70-74	326	283.3	15.69	189	378.7	27.55	137	210.2	17.96
75-79	347	343.9	18.46	188	454.5	33.15	159	267.0	21.18
80-84	260	370.3	22.96	140	536.0	45.30	120	272.1	24.84
85+	154	250.2	20.16	80	460.0	51.43	74	167.6	19.48
Total deaths	1,854			1,041			813		
Connecticut									
. Crude rate		56.6	-		65.5	-		48.2	-
. AAMR (1940 Std. mil.)		32.8	0.84		42.0	1.39		25.7	1.03
. AAMR (1970 Std. mil.)		43.1	1.04		56.2	1.77		33.4	1.25
. AAMR (2000 Std. mil.)		51.9	1.21		69.2	2.16		40.0	1.42
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		36.9	-		49.5	-		27.0	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is lower
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Malignant melanoma of skin (172)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	0.8	0.54	1	0.8	0.77	1	0.8	0.76
35-39	2	0.7	0.48	0	0.0	0.00	2	1.4	0.96
40-44	3	1.1	0.62	3	2.2	1.28	0	0.0	0.00
45-49	3	1.3	0.75	3	2.7	1.54	0	0.0	0.00
50-54	7	3.4	1.30	5	5.1	2.26	2	1.9	1.35
55-59	7	4.5	1.69	3	4.0	2.29	4	4.9	2.47
60-64	5	4.1	1.83	3	5.1	2.96	2	3.1	2.22
65-69	10	8.2	2.61	8	14.3	5.07	2	3.1	2.16
70-74	13	11.3	3.13	7	14.0	5.30	6	9.2	3.76
75-79	11	10.9	3.29	6	14.5	5.92	5	8.4	3.76
80-84	11	15.7	4.72	3	11.5	6.63	8	18.1	6.41
85+	12	19.5	5.63	5	28.8	12.86	7	15.9	5.99
Total deaths	86			47			39		
Connecticut									
. Crude rate		2.6	-		3.0	-		2.3	-
. AAMR (1940 Std. mil.)		1.5	0.18		2.0	0.31		1.1	0.21
. AAMR (1970 Std. mil.)		1.9	0.22		2.5	0.37		1.4	0.25
. AAMR (2000 Std. mil.)		2.4	0.26		3.1	0.46		1.8	0.30
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.7	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Female breast cancer (174)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	3	1.1	0.66	-	-	-	3	2.3	1.31
35-39	11	3.8	1.13	-	-	-	11	7.4	2.24
40-44	17	6.1	1.49	-	-	-	17	12.0	2.91
45-49	33	14.3	2.49	-	-	-	33	28.0	4.87
50-54	58	28.5	3.75	-	-	-	58	55.6	7.30
55-59	41	26.2	4.09	-	-	-	41	50.7	7.91
60-64	49	40.1	5.73	-	-	-	49	77.0	11.00
65-69	63	51.9	6.54	-	-	-	63	96.1	12.11
70-74	93	80.8	8.38	-	-	-	93	142.7	14.79
75-79	61	60.4	7.74	-	-	-	61	102.4	13.12
80-84	72	102.5	12.08	-	-	-	72	163.3	19.24
85+	100	162.5	16.25	-	-	-	100	226.4	22.64
Total deaths	601			-			601		
Connecticut									
. Crude rate	-	-		-	-			35.7	-
. AAMR (1940 Std. mil.)	-	-		-	-			19.7	0.92
. AAMR (1970 Std. mil.)	-	-		-	-			24.3	1.06
. AAMR (2000 Std. mil.)	-	-		-	-			29.7	1.23
. HP 2000 (1940 Std. mil.)	-	-		-	-			23.1	-
United States									
. AAMR (1940 Std. mil.)	-	-		-	-			18.8	-
. HP 2000 (1940 Std. mil.)	-	-		-	-			20.6	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is lower
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Cervical cancer (180)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	2	0.8	0.54	-	-	-	2	1.5	1.07
35-39	3	1.0	0.59	-	-	-	3	2.0	1.17
40-44	1	0.4	0.36	-	-	-	1	0.7	0.71
45-49	3	1.3	0.75	-	-	-	3	2.5	1.47
50-54	5	2.5	1.10	-	-	-	5	4.8	2.14
55-59	3	1.9	1.11	-	-	-	3	3.7	2.14
60-64	2	1.6	1.16	-	-	-	2	3.1	2.22
65-69	4	3.3	1.65	-	-	-	4	6.1	3.05
70-74	1	0.9	0.87	-	-	-	1	1.5	1.53
75-79	3	3.0	1.72	-	-	-	3	5.0	2.91
80-84	5	7.1	3.18	-	-	-	5	11.3	5.07
85+	5	8.1	3.63	-	-	-	5	11.3	5.06
Total deaths	37			-			37		
Connecticut									
. Crude rate		-	-		-	-		2.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.4	0.25
. AAMR (1970 Std. mil.)		-	-		-	-		1.5	0.27
. AAMR (2000 Std. mil.)		-	-		-	-		1.9	0.32
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
- . The CT HP 2000 target: CT rate is not significantly different
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Endometrial cancer (182)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	0.4	0.36	-	-	-	1	0.7	0.71
45-49	2	0.9	0.61	-	-	-	2	1.7	1.20
50-54	1	0.5	0.49	-	-	-	1	1.0	0.96
55-59	4	2.6	1.28	-	-	-	4	4.9	2.47
60-64	4	3.3	1.64	-	-	-	4	6.3	3.14
65-69	2	1.6	1.17	-	-	-	2	3.1	2.16
70-74	4	3.5	1.74	-	-	-	4	6.1	3.07
75-79	7	6.9	2.62	-	-	-	7	11.8	4.44
80-84	11	15.7	4.72	-	-	-	11	24.9	7.52
85+	8	13.0	4.60	-	-	-	8	18.1	6.40
Total deaths	44			-			44		
Connecticut									
. Crude rate		-	-		-	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	0.22
. AAMR (1970 Std. mil.)		-	-		-	-		1.6	0.27
. AAMR (2000 Std. mil.)		-	-		-	-		2.1	0.32
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Ovarian cancer (183)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	2	0.7	0.48	-	-	-	2	1.4	0.96
40-44	4	1.4	0.72	-	-	-	4	2.8	1.41
45-49	6	2.6	1.06	-	-	-	6	5.1	2.08
50-54	17	8.4	2.03	-	-	-	17	16.3	3.95
55-59	13	8.3	2.30	-	-	-	13	16.1	4.46
60-64	17	13.9	3.38	-	-	-	17	26.7	6.48
65-69	28	23.1	4.36	-	-	-	28	42.7	8.07
70-74	32	27.8	4.92	-	-	-	32	49.1	8.68
75-79	26	25.8	5.05	-	-	-	26	43.7	8.56
80-84	21	29.9	6.53	-	-	-	21	47.6	10.39
85+	31	50.4	9.05	-	-	-	31	70.2	12.61
Total deaths	197			-			197		
Connecticut									
. Crude rate		-	-		-	-		11.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	0.52
. AAMR (1970 Std. mil.)		-	-		-	-		8.0	0.61
. AAMR (2000 Std. mil.)		-	-		-	-		9.7	0.70
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		5.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Prostate cancer (185)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	2	0.9	0.61	2	1.8	1.25	-	-	-
50-54	4	2.0	0.98	4	4.0	2.02	-	-	-
55-59	4	2.6	1.28	4	5.3	2.64	-	-	-
60-64	13	10.6	2.95	13	22.2	6.17	-	-	-
65-69	37	30.5	5.01	37	66.3	10.90	-	-	-
70-74	45	39.1	5.83	45	90.2	13.44	-	-	-
75-79	89	88.2	9.35	89	215.1	22.81	-	-	-
80-84	101	143.8	14.31	101	386.7	38.48	-	-	-
85+	113	183.6	17.27	113	649.8	61.13	-	-	-
Total deaths	408			408			-		
Connecticut									
. Crude rate	-	-			25.7	-		-	-
. AAMR (1940 Std. mil.)	-	-			11.6	0.63		-	-
. AAMR (1970 Std. mil.)	-	-			19.5	0.98		-	-
. AAMR (2000 Std. mil.)	-	-			29.4	1.47		-	-
. HP 2000 (1940 Std. mil.)	-	-			-	-		-	-
United States									
. AAMR (1940 Std. mil.)	-	-			13.2	-		-	-
. HP 2000 (1940 Std. mil.)	-	-			-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Bladder cancer (188)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	0.4	0.36	0	0.0	0.00	1	0.7	0.71
45-49	1	0.4	0.43	1	0.9	0.89	0	0.0	0.00
50-54	4	2.0	0.98	4	4.0	2.02	0	0.0	0.00
55-59	5	3.2	1.43	5	6.6	2.95	0	0.0	0.00
60-64	8	6.6	2.32	8	13.7	4.84	0	0.0	0.00
65-69	17	14.0	3.40	13	23.3	6.46	4	6.1	3.05
70-74	24	20.9	4.26	12	24.0	6.94	12	18.4	5.31
75-79	44	43.6	6.57	33	79.8	13.89	11	18.5	5.57
80-84	38	54.1	8.78	29	111.0	20.62	9	20.4	6.80
85+	42	68.2	10.53	24	138.0	28.17	18	40.8	9.61
Total deaths	184			129			55		
Connecticut									
. Crude rate		5.6	-		8.1	-		3.3	-
. AAMR (1940 Std. mil.)		2.4	0.20		4.1	0.40		1.0	0.16
. AAMR (1970 Std. mil.)		3.6	0.28		6.4	0.57		1.6	0.23
. AAMR (2000 Std. mil.)		4.9	0.36		9.0	0.80		2.3	0.32
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.6	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Brain & other CNS cancer (191-192)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.5	0.47	1	0.9	0.92	0	0.0	0.00
5-9	1	0.4	0.43	1	0.8	0.85	0	0.0	0.00
10-14	2	0.9	0.63	1	0.9	0.88	1	0.9	0.91
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	1.1	0.79	2	2.2	1.55	0	0.0	0.00
25-29	1	0.5	0.47	1	1.0	0.96	0	0.0	0.00
30-34	2	0.8	0.54	1	0.8	0.77	1	0.8	0.76
35-39	6	2.0	0.84	4	2.8	1.38	2	1.4	0.96
40-44	5	1.8	0.81	5	3.7	1.65	0	0.0	0.00
45-49	10	4.3	1.37	6	5.3	2.17	4	3.4	1.70
50-54	14	6.9	1.84	8	8.1	2.86	6	5.7	2.35
55-59	15	9.6	2.47	8	10.6	3.73	7	8.7	3.27
60-64	11	9.0	2.72	8	13.7	4.84	3	4.7	2.72
65-69	18	14.8	3.50	13	23.3	6.46	5	7.6	3.41
70-74	19	16.5	3.79	2	4.0	2.83	17	26.1	6.33
75-79	18	17.8	4.20	12	29.0	8.37	6	10.1	4.11
80-84	13	18.5	5.13	6	23.0	9.38	7	15.9	6.00
85+	12	19.5	5.63	6	34.5	14.09	6	13.6	5.55
Total deaths	150			85			65		
Connecticut									
. Crude rate		4.6	-		5.4	-		3.9	-
. AAMR (1940 Std. mil.)		3.1	0.28		4.0	0.47		2.3	0.32
. AAMR (1970 Std. mil.)		3.7	0.31		4.7	0.53		2.8	0.37
. AAMR (2000 Std. mil.)		4.3	0.35		5.6	0.61		3.3	0.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.3	-		2.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Leukemia (204-208)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	2	0.9	0.67	0	0.0	0.00	2	1.9	1.37
5-9	4	1.7	0.87	0	0.0	0.00	4	3.6	1.78
10-14	2	0.9	0.63	1	0.9	0.88	1	0.9	0.91
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	1.1	0.79	2	2.2	1.55	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	6	2.3	0.93	3	2.3	1.34	3	2.3	1.31
35-39	7	2.4	0.90	5	3.4	1.54	2	1.4	0.96
40-44	9	3.2	1.08	3	2.2	1.28	6	4.2	1.73
45-49	4	1.7	0.87	0	0.0	0.00	4	3.4	1.70
50-54	12	5.9	1.70	6	6.1	2.48	6	5.7	2.35
55-59	12	7.7	2.21	7	9.2	3.49	5	6.2	2.76
60-64	22	18.0	3.84	11	18.8	5.67	11	17.3	5.21
65-69	18	14.8	3.50	14	25.1	6.70	4	6.1	3.05
70-74	41	35.6	5.56	28	56.1	10.60	13	19.9	5.53
75-79	56	55.5	7.42	38	91.9	14.90	18	30.2	7.13
80-84	34	48.4	8.30	15	57.4	14.83	19	43.1	9.88
85+	32	52.0	9.19	12	69.0	19.92	20	45.3	10.13
Total deaths	263			145			118		
Connecticut									
. Crude rate		8.0	-		9.1	-		7.0	-
. AAMR (1940 Std. mil.)		4.6	0.32		5.7	0.51		3.8	0.42
. AAMR (1970 Std. mil.)		5.9	0.38		7.6	0.64		4.7	0.48
. AAMR (2000 Std. mil.)		7.3	0.45		9.6	0.80		5.8	0.54
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.6	-		5.9	-		3.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Diabetes mellitus (250)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	0.8	0.54	1	0.8	0.77	1	0.8	0.76
35-39	2	0.7	0.48	2	1.4	0.97	0	0.0	0.00
40-44	7	2.5	0.95	3	2.2	1.28	4	2.8	1.41
45-49	10	4.3	1.37	5	4.4	1.98	5	4.2	1.90
50-54	22	10.8	2.31	14	14.2	3.79	8	7.7	2.71
55-59	27	17.2	3.32	17	22.4	5.44	10	12.4	3.91
60-64	54	44.2	6.02	21	35.9	7.84	33	51.9	9.03
65-69	71	58.5	6.94	37	66.3	10.90	34	51.9	8.90
70-74	90	78.2	8.24	49	98.2	14.03	41	62.9	9.82
75-79	106	105.0	10.20	56	135.4	18.09	50	84.0	11.88
80-84	108	153.8	14.80	48	183.8	26.53	60	136.0	17.56
85+	160	259.9	20.55	50	287.5	40.66	110	249.1	23.75
Total deaths	659			303			356		
Connecticut									
. Crude rate		20.1	-		19.1	-		21.1	-
. AAMR (1940 Std. mil.)		9.5	0.43		10.9	0.68		8.5	0.57
. AAMR (1970 Std. mil.)		13.6	0.56		15.6	0.91		12.1	0.71
. AAMR (2000 Std. mil.)		18.0	0.70		20.8	1.21		16.0	0.87
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.6	-		15.2	-		12.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Diabetes-related (250)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.5	0.47	1	0.9	0.92	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	1.1	0.79	1	1.1	1.10	1	1.1	1.13
25-29	1	0.5	0.47	1	1.0	0.96	0	0.0	0.00
30-34	2	0.8	0.54	1	0.8	0.77	1	0.8	0.76
35-39	11	3.8	1.13	8	5.5	1.95	3	2.0	1.17
40-44	24	8.7	1.77	15	11.0	2.85	9	6.4	2.12
45-49	34	14.7	2.53	23	20.4	4.25	11	9.3	2.81
50-54	63	31.0	3.91	38	38.5	6.24	25	23.9	4.79
55-59	113	72.1	6.78	72	95.0	11.20	41	50.7	7.91
60-64	175	143.3	10.83	96	164.2	16.76	79	124.1	13.97
65-69	241	198.6	12.79	129	231.1	20.35	112	170.9	16.15
70-74	368	319.8	16.67	206	412.8	28.76	162	248.5	19.53
75-79	470	465.8	21.48	237	572.9	37.22	233	391.3	25.64
80-84	472	672.2	30.94	224	857.7	57.31	248	562.3	35.71
85+	599	973.2	39.76	184	1058.1	78.00	415	939.7	46.13
Total deaths	2,576			1,236			1,340		
Connecticut									
. Crude rate		78.7	-		77.8	-		79.5	-
. AAMR (1940 Std. mil.)		36.0	0.83		44.2	1.37		29.5	1.01
. AAMR (1970 Std. mil.)		52.1	1.09		63.5	1.84		43.5	1.31
. AAMR (2000 Std. mil.)		69.9	1.38		84.7	2.43		59.2	1.65
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Diabetic ketoacidosis (DKA) (250.1)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	0.7	0.51	1	0.7	0.74	1	0.7	0.71
45-49	1	0.4	0.43	1	0.9	0.89	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	0.6	0.64	1	1.3	1.32	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	1.0	0.99	0	0.0	0.00	1	1.7	1.68
80-84	2	2.8	2.01	1	3.8	3.83	1	2.3	2.27
85+	4	6.5	3.25	0	0.0	0.00	4	9.1	4.53
Total deaths	11			4			7		
Connecticut									
. Crude rate		0.3	-		0.3	-		0.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.5	-		0.6	-		0.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Alzheimer's diseases (331.0)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	0.4	0.36	1	0.7	0.74	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	1.3	0.90	0	0.0	0.00	2	2.5	1.75
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	8	6.6	2.33	6	10.8	4.39	2	3.1	2.16
70-74	16	13.9	3.48	3	6.0	3.47	13	19.9	5.53
75-79	32	31.7	5.61	11	26.6	8.02	21	35.3	7.70
80-84	60	85.4	11.03	27	103.4	19.90	33	74.8	13.03
85+	143	232.3	19.43	33	189.8	33.03	110	249.1	23.75
Total deaths	262			81			181		
Connecticut									
. Crude rate		8.0	-		5.1	-		10.7	-
. AAMR (1940 Std. mil.)		2.0	0.15		1.9	0.23		2.1	0.20
. AAMR (1970 Std. mil.)		4.0	0.25		3.6	0.41		4.1	0.33
. AAMR (2000 Std. mil.)		6.7	0.42		6.1	0.69		7.0	0.53
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.7	-		2.4	-		2.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Cardiovascular disease (390-459)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	9	4.3	1.42	5	4.6	2.07	4	3.9	1.94
5-9	2	0.9	0.61	1	0.8	0.85	1	0.9	0.89
10-14	5	2.2	1.00	3	2.6	1.52	2	1.8	1.29
15-19	6	2.9	1.20	5	4.7	2.12	1	1.0	1.01
20-24	8	4.5	1.58	5	5.5	2.45	3	3.4	1.96
25-29	20	9.5	2.12	12	11.5	3.31	8	7.5	2.66
30-34	30	11.4	2.09	18	13.9	3.27	12	9.1	2.62
35-39	64	21.8	2.73	41	28.2	4.41	23	15.6	3.25
40-44	102	36.8	3.64	72	53.0	6.25	30	21.2	3.87
45-49	168	72.8	5.62	115	102.0	9.51	53	45.0	6.17
50-54	252	124.0	7.81	176	178.1	13.42	76	72.8	8.35
55-59	387	247.0	12.55	276	364.1	21.92	111	137.2	13.02
60-64	496	406.2	18.24	332	567.8	31.16	164	257.7	20.12
65-69	765	630.4	22.79	483	865.4	39.38	282	430.3	25.63
70-74	1,175	1021.0	29.78	681	1364.6	52.29	494	757.9	34.10
75-79	1,753	1737.2	41.49	916	2214.3	73.16	837	1405.7	48.59
80-84	2,281	3248.4	68.01	1,003	3840.4	121.26	1,278	2897.8	81.06
85+	4,813	7819.5	112.71	1,344	7728.6	210.81	3,469	7855.3	133.37
Total deaths	12,336			5,488			6,848		
Connecticut									
. Crude rate		376.8	-		345.5	-		406.3	-
. AAMR (1940 Std. mil.)		142.6	1.58		182.7	2.74		109.0	1.78
. AAMR (1970 Std. mil.)		222.9	2.14		274.4	3.77		181.0	2.44
. AAMR (2000 Std. mil.)		328.1	2.96		389.0	5.31		279.6	3.44
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		162.1	-		206.3	-		125.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Diseases of the heart (390-398,402,404-429)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	7	3.3	1.25	4	3.7	1.85	3	2.9	1.68
5-9	2	0.9	0.61	1	0.8	0.85	1	0.9	0.89
10-14	4	1.8	0.90	2	1.8	1.24	2	1.8	1.29
15-19	5	2.4	1.09	4	3.8	1.90	1	1.0	1.01
20-24	7	3.9	1.47	5	5.5	2.45	2	2.3	1.60
25-29	16	7.6	1.90	12	11.5	3.31	4	3.8	1.88
30-34	24	9.2	1.87	15	11.6	2.99	9	6.8	2.27
35-39	44	15.0	2.26	29	20.0	3.71	15	10.2	2.62
40-44	82	29.6	3.27	60	44.2	5.71	22	15.5	3.31
45-49	136	59.0	5.06	100	88.7	8.87	36	30.5	5.09
50-54	215	105.8	7.22	162	163.9	12.88	53	50.8	6.97
55-59	318	202.9	11.38	230	303.5	20.01	88	108.8	11.59
60-64	424	347.3	16.86	295	504.5	29.38	129	202.7	17.85
65-69	626	515.9	20.62	393	704.2	35.52	233	355.6	23.29
70-74	928	806.3	26.47	555	1112.1	47.21	373	572.2	29.63
75-79	1,342	1329.9	36.30	724	1750.2	65.05	618	1037.9	41.75
80-84	1,717	2445.2	59.01	779	2982.7	106.87	938	2126.8	69.44
85+	3,714	6034.0	99.01	1,063	6112.7	187.49	2,651	6003.0	116.59
Total deaths	9,611			4,433			5,178		
Connecticut									
. Crude rate		293.5	-		279.0	-		307.2	-
. AAMR (1940 Std. mil.)		113.3	1.43		150.2	2.51		82.5	1.55
. AAMR (1970 Std. mil.)		175.5	1.91		223.0	3.41		137.1	2.13
. AAMR (2000 Std. mil.)		256.2	2.62		313.6	4.76		211.4	2.99
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		126.7	-		166.9	-		93.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Heart disease-related (390-398,402,404-429)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	28	13.3	2.50	20	18.5	4.13	8	7.8	2.75
5-9	7	3.0	1.15	3	2.5	1.47	4	3.6	1.78
10-14	8	3.6	1.27	3	2.6	1.52	5	4.6	2.04
15-19	7	3.4	1.29	6	5.7	2.32	1	1.0	1.01
20-24	17	9.5	2.30	11	12.1	3.64	6	6.8	2.78
25-29	34	16.1	2.77	21	20.1	4.38	13	12.2	3.40
30-34	54	20.6	2.80	28	21.6	4.08	26	19.7	3.85
35-39	96	32.8	3.34	63	43.4	5.47	33	22.3	3.89
40-44	160	57.7	4.56	104	76.6	7.51	56	39.6	5.29
45-49	245	106.2	6.79	156	138.4	11.08	89	75.5	8.00
50-54	373	183.6	9.50	253	256.0	16.10	120	115.0	10.49
55-59	531	338.9	14.71	355	468.4	24.86	176	217.5	16.40
60-64	745	610.1	22.35	464	793.6	36.84	281	441.6	26.34
65-69	1,091	899.1	27.22	675	1209.4	46.55	416	634.8	31.12
70-74	1,661	1443.2	35.41	953	1909.7	61.86	708	1086.2	40.82
75-79	2,419	2397.2	48.74	1,260	3045.9	85.81	1,159	1946.5	57.17
80-84	2,983	4248.1	77.78	1,373	5257.1	141.88	1,610	3650.5	90.98
85+	5,881	9554.7	124.59	1,781	10241.5	242.68	4,100	9284.2	145.00
Total deaths	16,340			7,529			8,811		
Connecticut									
. Crude rate		499.1	-		473.9	-		522.8	-
. AAMR (1940 Std. mil.)		198.5	1.90		253.2	3.25		154.2	2.21
. AAMR (1970 Std. mil.)		302.8	2.53		377.4	4.43		245.5	2.93
. AAMR (2000 Std. mil.)		436.8	3.43		532.0	6.20		367.1	3.98
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Coronary heart disease (CHD) (402,410-414,429.2)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.5	0.49	1	0.9	0.95	0	0.0	0.00
20-24	1	0.6	0.56	1	1.1	1.10	0	0.0	0.00
25-29	4	1.9	0.95	3	2.9	1.66	1	0.9	0.94
30-34	12	4.6	1.32	9	6.9	2.31	3	2.3	1.31
35-39	25	8.5	1.71	16	11.0	2.75	9	6.1	2.03
40-44	55	19.8	2.67	41	30.2	4.72	14	9.9	2.64
45-49	96	41.6	4.25	75	66.5	7.68	21	17.8	3.89
50-54	159	78.2	6.21	122	123.5	11.18	37	35.4	5.83
55-59	239	152.5	9.87	178	234.8	17.60	61	75.4	9.65
60-64	313	256.3	14.49	224	383.1	25.60	89	139.9	14.83
65-69	468	385.7	17.83	304	544.7	31.24	164	250.3	19.54
70-74	678	589.1	22.62	415	831.6	40.82	263	403.5	24.88
75-79	965	956.3	30.78	519	1254.6	55.07	446	749.0	35.47
80-84	1,216	1731.7	49.66	568	2174.8	91.25	648	1469.3	57.72
85+	2,570	4175.4	82.36	758	4358.8	158.32	1,812	4103.2	96.39
Total deaths	6,802			3,234			3,568		
Connecticut									
. Crude rate		207.8	-		203.6	-		211.7	-
. AAMR (1940 Std. mil.)		80.7	1.20		110.0	2.14		56.4	1.27
. AAMR (1970 Std. mil.)		124.8	1.61		163.2	2.92		94.3	1.76
. AAMR (2000 Std. mil.)		181.5	2.21		228.3	4.06		145.6	2.48
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		96.8	-		131.8	-		68.0	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is lower
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Congestive heart failure (CHF) (428.0)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.4	0.38	0	0.0	0.00	1	0.8	0.76
35-39	1	0.3	0.34	1	0.7	0.69	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	0.4	0.43	0	0.0	0.00	1	0.8	0.85
50-54	4	2.0	0.98	2	2.0	1.43	2	1.9	1.35
55-59	9	5.7	1.91	3	4.0	2.29	6	7.4	3.03
60-64	12	9.8	2.84	6	10.3	4.19	6	9.4	3.85
65-69	17	14.0	3.40	12	21.5	6.21	5	7.6	3.41
70-74	40	34.8	5.50	18	36.1	8.50	22	33.8	7.20
75-79	63	62.4	7.87	37	89.4	14.70	26	43.7	8.56
80-84	119	169.5	15.54	47	180.0	26.25	72	163.3	19.24
85+	326	529.6	29.33	74	425.5	49.47	252	570.6	35.95
Total deaths	593			200			393		
Connecticut									
. Crude rate		18.1	-		12.6	-		23.3	-
. AAMR (1940 Std. mil.)		5.1	0.26		5.3	0.41		4.8	0.33
. AAMR (1970 Std. mil.)		9.3	0.40		9.4	0.67		9.0	0.50
. AAMR (2000 Std. mil.)		15.4	0.63		14.9	1.06		15.2	0.78
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.1	-		6.8	-		5.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
--------Hypertension with or without renal disease (401,403)--------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.3	0.34	0	0.0	0.00	1	0.7	0.68
40-44	5	1.8	0.81	4	2.9	1.47	1	0.7	0.71
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	7	3.4	1.30	4	4.0	2.02	3	2.9	1.66
55-59	9	5.7	1.91	7	9.2	3.49	2	2.5	1.75
60-64	8	6.6	2.32	3	5.1	2.96	5	7.9	3.51
65-69	7	5.8	2.18	4	7.2	3.58	3	4.6	2.64
70-74	12	10.4	3.01	6	12.0	4.91	6	9.2	3.76
75-79	22	21.8	4.65	10	24.2	7.64	12	20.2	5.82
80-84	24	34.2	6.98	11	42.1	12.70	13	29.5	8.18
85+	69	112.1	13.50	15	86.3	22.27	54	122.3	16.64
Total deaths	164			64			100		
Connecticut									
. Crude rate		5.0	-		4.0	-		5.9	-
. AAMR (1940 Std. mil.)		2.0	0.19		2.2	0.31		1.7	0.23
. AAMR (1970 Std. mil.)		3.0	0.25		3.2	0.41		2.7	0.31
. AAMR (2000 Std. mil.)		4.4	0.34		4.5	0.57		4.1	0.42
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.4	-		2.5	-		2.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Hypertension-related (401,403)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	1.1	0.66	3	2.3	1.34	0	0.0	0.00
35-39	7	2.4	0.90	5	3.4	1.54	2	1.4	0.96
40-44	16	5.8	1.44	11	8.1	2.44	5	3.5	1.58
45-49	25	10.8	2.17	13	11.5	3.20	12	10.2	2.94
50-54	45	22.1	3.30	30	30.4	5.54	15	14.4	3.71
55-59	81	51.7	5.74	52	68.6	9.51	29	35.8	6.66
60-64	99	81.1	8.15	53	90.6	12.45	46	72.3	10.66
65-69	152	125.3	10.16	83	148.7	16.32	69	105.3	12.68
70-74	245	212.9	13.60	117	234.5	21.67	128	196.4	17.36
75-79	345	341.9	18.41	154	372.3	30.00	191	320.8	23.21
80-84	432	615.2	29.60	166	635.6	49.33	266	603.1	36.98
85+	760	1234.7	44.79	176	1012.1	76.29	584	1322.4	54.72
Total deaths	2,210			863			1,347		
Connecticut									
. Crude rate		67.5	-		54.3	-		79.9	-
. AAMR (1940 Std. mil.)		26.4	0.68		29.3	1.10		23.7	0.84
. AAMR (1970 Std. mil.)		40.9	0.93		43.4	1.50		38.0	1.15
. AAMR (2000 Std. mil.)		59.0	1.26		60.3	2.07		56.4	1.56
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Cerebrovascular disease (430-438)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	2	0.9	0.67	1	0.9	0.92	1	1.0	0.97
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.4	0.45	1	0.9	0.88	0	0.0	0.00
15-19	1	0.5	0.49	1	0.9	0.95	0	0.0	0.00
20-24	1	0.6	0.56	0	0.0	0.00	1	1.1	1.13
25-29	2	0.9	0.67	0	0.0	0.00	2	1.9	1.33
30-34	4	1.5	0.76	1	0.8	0.77	3	2.3	1.31
35-39	12	4.1	1.18	7	4.8	1.82	5	3.4	1.51
40-44	15	5.4	1.40	8	5.9	2.08	7	4.9	1.87
45-49	20	8.7	1.94	10	8.9	2.80	10	8.5	2.68
50-54	24	11.8	2.41	8	8.1	2.86	16	15.3	3.83
55-59	50	31.9	4.51	32	42.2	7.46	18	22.2	5.24
60-64	43	35.2	5.37	25	42.8	8.55	18	28.3	6.67
65-69	82	67.6	7.46	51	91.4	12.80	31	47.3	8.50
70-74	169	146.8	11.30	77	154.3	17.58	92	141.1	14.71
75-79	285	282.4	16.73	129	311.8	27.46	156	262.0	20.98
80-84	419	596.7	29.15	164	627.9	49.03	255	578.2	36.21
85+	809	1314.4	46.21	196	1127.1	80.51	613	1388.1	56.06
Total deaths	1,939			711			1,228		
Connecticut									
. Crude rate		59.2	-		44.8	-		72.9	-
. AAMR (1940 Std. mil.)		20.1	0.56		21.5	0.90		18.8	0.72
. AAMR (1970 Std. mil.)		33.2	0.80		34.4	1.31		31.7	1.00
. AAMR (2000 Std. mil.)		51.0	1.16		51.1	1.94		49.9	1.45
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		25.1	-		26.6	-		23.6	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Atherosclerosis (440)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	0.9	0.61	1	0.9	0.89	1	0.8	0.85
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	0.6	0.64	1	1.3	1.32	0	0.0	0.00
60-64	3	2.5	1.42	0	0.0	0.00	3	4.7	2.72
65-69	11	9.1	2.73	6	10.8	4.39	5	7.6	3.41
70-74	11	9.6	2.88	8	16.0	5.67	3	4.6	2.66
75-79	16	15.9	3.96	7	16.9	6.40	9	15.1	5.04
80-84	35	49.8	8.43	13	49.8	13.81	22	49.9	10.64
85+	106	172.2	16.73	34	195.5	33.53	72	163.0	19.21
Total deaths	185			70			115		
Connecticut									
. Crude rate		5.7	-		4.4	-		6.8	-
. AAMR (1940 Std. mil.)		1.6	0.14		1.8	0.23		1.4	0.19
. AAMR (1970 Std. mil.)		2.9	0.23		3.2	0.39		2.7	0.28
. AAMR (2000 Std. mil.)		4.8	0.35		5.4	0.65		4.5	0.42
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.2	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Atherosclerosis-related (440)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.47	1	1.0	0.96	0	0.0	0.00
30-34	1	0.4	0.38	1	0.8	0.77	0	0.0	0.00
35-39	2	0.7	0.48	2	1.4	0.97	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	0.9	0.61	1	0.9	0.89	1	0.8	0.85
50-54	3	1.5	0.85	1	1.0	1.01	2	1.9	1.35
55-59	7	4.5	1.69	3	4.0	2.29	4	4.9	2.47
60-64	14	11.5	3.06	6	10.3	4.19	8	12.6	4.44
65-69	38	31.3	5.08	21	37.6	8.21	17	25.9	6.29
70-74	54	46.9	6.39	31	62.1	11.16	23	35.3	7.36
75-79	84	83.2	9.08	44	106.4	16.04	40	67.2	10.62
80-84	136	193.7	16.61	58	222.1	29.16	78	176.9	20.03
85+	356	578.4	30.65	86	494.5	53.33	270	611.4	37.21
Total deaths	698			255			443		
Connecticut									
. Crude rate		21.3	-		16.1	-		26.3	-
. AAMR (1940 Std. mil.)		6.4	0.30		7.1	0.49		5.8	0.37
. AAMR (1970 Std. mil.)		11.3	0.45		12.1	0.76		10.6	0.56
. AAMR (2000 Std. mil.)		18.2	0.69		18.7	1.19		17.4	0.84
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Aortic aneurysm (441)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.4	0.38	1	0.8	0.77	0	0.0	0.00
35-39	3	1.0	0.59	2	1.4	0.97	1	0.7	0.68
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	3	1.3	0.75	1	0.9	0.89	2	1.7	1.20
50-54	2	1.0	0.70	1	1.0	1.01	1	1.0	0.96
55-59	2	1.3	0.90	2	2.6	1.87	0	0.0	0.00
60-64	5	4.1	1.83	3	5.1	2.96	2	3.1	2.22
65-69	22	18.1	3.87	18	32.3	7.60	4	6.1	3.05
70-74	34	29.5	5.07	21	42.1	9.18	13	19.9	5.53
75-79	50	49.5	7.01	28	67.7	12.79	22	36.9	7.88
80-84	41	58.4	9.12	18	68.9	16.24	23	52.2	10.87
85+	51	82.9	11.60	22	126.5	26.97	29	65.7	12.19
Total deaths	214			117			97		
Connecticut									
. Crude rate		6.5	-		7.4	-		5.8	-
. AAMR (1940 Std. mil.)		2.7	0.21		3.8	0.39		1.8	0.22
. AAMR (1970 Std. mil.)		4.1	0.29		5.8	0.54		2.8	0.31
. AAMR (2000 Std. mil.)		5.7	0.39		8.1	0.75		4.1	0.43
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.1	-		4.8	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Pneumonia & influenza (480-487)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	4	1.9	0.95	3	2.8	1.60	1	1.0	0.97
5-9	1	0.4	0.43	0	0.0	0.00	1	0.9	0.89
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.6	0.56	1	1.1	1.10	0	0.0	0.00
25-29	1	0.5	0.47	1	1.0	0.96	0	0.0	0.00
30-34	1	0.4	0.38	1	0.8	0.77	0	0.0	0.00
35-39	6	2.0	0.84	4	2.8	1.38	2	1.4	0.96
40-44	6	2.2	0.88	4	2.9	1.47	2	1.4	1.00
45-49	9	3.9	1.30	3	2.7	1.54	6	5.1	2.08
50-54	9	4.4	1.48	8	8.1	2.86	1	1.0	0.96
55-59	13	8.3	2.30	9	11.9	3.96	4	4.9	2.47
60-64	22	18.0	3.84	12	20.5	5.92	10	15.7	4.97
65-69	43	35.4	5.40	25	44.8	8.96	18	27.5	6.47
70-74	74	64.3	7.47	44	88.2	13.29	30	46.0	8.40
75-79	162	160.5	12.61	78	188.6	21.35	84	141.1	15.39
80-84	244	347.5	22.25	122	467.1	42.29	122	276.6	25.04
85+	632	1026.8	40.84	227	1305.3	86.64	405	917.1	45.57
Total deaths	1,228			542			686		
Connecticut									
. Crude rate		37.5	-		34.1	-		40.7	-
. AAMR (1940 Std. mil.)		11.1	0.40		14.2	0.69		9.0	0.46
. AAMR (1970 Std. mil.)		19.7	0.60		25.2	1.10		16.4	0.69
. AAMR (2000 Std. mil.)		32.0	0.91		40.9	1.78		27.0	1.04
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.2	-		16.3	-		11.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
-------Chronic obstructive pulmonary disease (COPD) (490-496)-------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.5	0.47	0	0.0	0.00	1	1.0	0.97
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.4	0.45	1	0.9	0.88	0	0.0	0.00
15-19	2	1.0	0.69	1	0.9	0.95	1	1.0	1.01
20-24	3	1.7	0.97	2	2.2	1.55	1	1.1	1.13
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	4	1.4	0.68	1	0.7	0.69	3	2.0	1.17
40-44	9	3.2	1.08	4	2.9	1.47	5	3.5	1.58
45-49	9	3.9	1.30	3	2.7	1.54	6	5.1	2.08
50-54	15	7.4	1.91	8	8.1	2.86	7	6.7	2.53
55-59	27	17.2	3.32	10	13.2	4.17	17	21.0	5.10
60-64	48	39.3	5.67	21	35.9	7.84	27	42.4	8.17
65-69	102	84.1	8.32	48	86.0	12.41	54	82.4	11.21
70-74	174	151.2	11.46	81	162.3	18.03	93	142.7	14.79
75-79	255	252.7	15.82	119	287.7	26.37	136	228.4	19.59
80-84	278	395.9	23.74	137	524.6	44.82	141	319.7	26.92
85+	306	497.1	28.42	132	759.1	66.07	174	394.0	29.87
Total deaths	1,234			568			666		
Connecticut									
. Crude rate		37.7	-		35.8	-		39.5	-
. AAMR (1940 Std. mil.)		15.4	0.52		17.2	0.80		14.5	0.70
. AAMR (1970 Std. mil.)		23.6	0.71		27.6	1.18		21.6	0.91
. AAMR (2000 Std. mil.)		33.0	0.94		40.3	1.71		29.5	1.16
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.2	-		25.9	-		18.1	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is lower
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------COPD-related (490-496)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.5	0.47	0	0.0	0.00	1	1.0	0.97
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	0.9	0.63	1	0.9	0.88	1	0.9	0.91
15-19	2	1.0	0.69	1	0.9	0.95	1	1.0	1.01
20-24	5	2.8	1.25	4	4.4	2.19	1	1.1	1.13
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	1.1	0.66	1	0.8	0.77	2	1.5	1.07
35-39	10	3.4	1.08	2	1.4	0.97	8	5.4	1.91
40-44	19	6.9	1.57	6	4.4	1.80	13	9.2	2.55
45-49	20	8.7	1.94	9	8.0	2.66	11	9.3	2.81
50-54	53	26.1	3.58	30	30.4	5.54	23	22.0	4.59
55-59	73	46.6	5.45	37	48.8	8.03	36	44.5	7.42
60-64	127	104.0	9.23	61	104.3	13.36	66	103.7	12.77
65-69	227	187.1	12.42	124	222.2	19.95	103	157.2	15.49
70-74	383	332.8	17.00	210	420.8	29.04	173	265.4	20.18
75-79	601	595.6	24.29	310	749.4	42.56	291	488.7	28.65
80-84	603	858.7	34.97	284	1087.4	64.53	319	723.3	40.50
85+	687	1116.1	42.58	288	1656.1	97.59	399	903.5	45.23
Total deaths	2,816			1,368			1,448		
Connecticut									
. Crude rate		86.0	-		86.1	-		85.9	-
. AAMR (1940 Std. mil.)		35.8	0.80		43.2	1.29		31.0	1.02
. AAMR (1970 Std. mil.)		54.3	1.08		67.5	1.85		46.2	1.33
. AAMR (2000 Std. mil.)		75.5	1.43		96.1	2.63		63.7	1.70
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Asthma (493)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.5	0.47	0	0.0	0.00	1	1.0	0.97
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.4	0.45	1	0.9	0.88	0	0.0	0.00
15-19	2	1.0	0.69	1	0.9	0.95	1	1.0	1.01
20-24	2	1.1	0.79	2	2.2	1.55	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	3	1.0	0.59	1	0.7	0.69	2	1.4	0.96
40-44	5	1.8	0.81	1	0.7	0.74	4	2.8	1.41
45-49	1	0.4	0.43	0	0.0	0.00	1	0.8	0.85
50-54	6	3.0	1.21	4	4.0	2.02	2	1.9	1.35
55-59	2	1.3	0.90	1	1.3	1.32	1	1.2	1.24
60-64	4	3.3	1.64	1	1.7	1.71	3	4.7	2.72
65-69	1	0.8	0.82	0	0.0	0.00	1	1.5	1.53
70-74	5	4.3	1.94	0	0.0	0.00	5	7.7	3.43
75-79	8	7.9	2.80	3	7.3	4.19	5	8.4	3.76
80-84	6	8.5	3.49	1	3.8	3.83	5	11.3	5.07
85+	7	11.4	4.30	2	11.5	8.13	5	11.3	5.06
Total deaths	54			18			36		
Connecticut									
. Crude rate		1.6	-		1.1	-		2.1	-
. AAMR (1940 Std. mil.)		1.1	0.17		0.9	0.25		1.2	0.24
. AAMR (1970 Std. mil.)		1.3	0.19		1.1	0.26		1.5	0.27
. AAMR (2000 Std. mil.)		1.6	0.21		1.2	0.29		1.8	0.31
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.4	-		1.2	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Chronic liver disease and cirrhosis (571)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.5	0.47	1	0.9	0.92	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	0.9	0.67	1	1.0	0.96	1	0.9	0.94
30-34	7	2.7	1.01	5	3.9	1.72	2	1.5	1.07
35-39	11	3.8	1.13	6	4.1	1.69	5	3.4	1.51
40-44	22	7.9	1.69	19	14.0	3.21	3	2.1	1.22
45-49	28	12.1	2.29	18	16.0	3.76	10	8.5	2.68
50-54	23	11.3	2.36	15	15.2	3.92	8	7.7	2.71
55-59	29	18.5	3.44	21	27.7	6.05	8	9.9	3.50
60-64	27	22.1	4.26	21	35.9	7.84	6	9.4	3.85
65-69	29	23.9	4.44	15	26.9	6.94	14	21.4	5.71
70-74	38	33.0	5.36	25	50.1	10.02	13	19.9	5.53
75-79	31	30.7	5.52	8	19.3	6.84	23	38.6	8.05
80-84	27	38.5	7.40	13	49.8	13.81	14	31.7	8.48
85+	9	14.6	4.87	4	23.0	11.50	5	11.3	5.06
Total deaths	284			172			112		
Connecticut									
. Crude rate		8.7	-		10.8	-		6.6	-
. AAMR (1940 Std. mil.)		6.1	0.38		8.4	0.66		4.0	0.42
. AAMR (1970 Std. mil.)		6.9	0.42		9.4	0.73		4.7	0.47
. AAMR (2000 Std. mil.)		8.2	0.49		11.0	0.84		5.7	0.55
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.2	-		10.3	-		4.4	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Nephritis, nephrotic syndrome/nephrosis (580-589)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.5	0.47	0	0.0	0.00	1	1.0	0.97
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.47	0	0.0	0.00	1	0.9	0.94
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.3	0.34	0	0.0	0.00	1	0.7	0.68
40-44	3	1.1	0.62	1	0.7	0.74	2	1.4	1.00
45-49	5	2.2	0.97	3	2.7	1.54	2	1.7	1.20
50-54	11	5.4	1.63	7	7.1	2.68	4	3.8	1.92
55-59	12	7.7	2.21	5	6.6	2.95	7	8.7	3.27
60-64	16	13.1	3.28	9	15.4	5.13	7	11.0	4.16
65-69	23	19.0	3.95	10	17.9	5.67	13	19.8	5.50
70-74	47	40.8	5.96	28	56.1	10.60	19	29.1	6.69
75-79	62	61.4	7.80	27	65.3	12.56	35	58.8	9.94
80-84	69	98.3	11.83	34	130.2	22.33	35	79.4	13.41
85+	119	193.3	17.72	45	258.8	38.58	74	167.6	19.48
Total deaths	370			169			201		
Connecticut									
. Crude rate		11.3	-		10.6	-		11.9	-
. AAMR (1940 Std. mil.)		4.6	0.29		5.3	0.45		4.1	0.38
. AAMR (1970 Std. mil.)		7.0	0.38		8.3	0.65		6.2	0.48
. AAMR (2000 Std. mil.)		9.9	0.52		12.1	0.94		8.7	0.63
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.4	-		5.4	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Nephritis-related (580-589)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	3	1.4	0.82	2	1.8	1.31	1	1.0	0.97
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.5	0.49	1	0.9	0.95	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	4	1.9	0.95	2	1.9	1.35	2	1.9	1.33
30-34	2	0.8	0.54	2	1.5	1.09	0	0.0	0.00
35-39	10	3.4	1.08	4	2.8	1.38	6	4.1	1.66
40-44	24	8.7	1.77	15	11.0	2.85	9	6.4	2.12
45-49	36	15.6	2.60	23	20.4	4.25	13	11.0	3.06
50-54	45	22.1	3.30	26	26.3	5.16	19	18.2	4.18
55-59	51	32.5	4.56	28	36.9	6.98	23	28.4	5.93
60-64	85	69.6	7.55	44	75.3	11.35	41	64.4	10.06
65-69	121	99.7	9.07	63	112.9	14.22	58	88.5	11.62
70-74	201	174.6	12.32	119	238.5	21.86	82	125.8	13.89
75-79	271	268.6	16.31	150	362.6	29.61	121	203.2	18.47
80-84	297	423.0	24.54	151	578.2	47.05	146	331.0	27.40
85+	454	737.6	34.62	193	1109.8	79.89	261	591.0	36.58
Total deaths	1,605			823			782		
Connecticut									
. Crude rate		49.0	-		51.8	-		46.4	-
. AAMR (1940 Std. mil.)		21.2	0.63		27.0	1.04		17.1	0.78
. AAMR (1970 Std. mil.)		31.1	0.82		40.8	1.44		24.9	0.99
. AAMR (2000 Std. mil.)		43.3	1.08		58.1	2.05		34.4	1.25
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
------End stage renal disease (ESRD) (581-588,591,593.8,593.9)------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.5	0.47	0	0.0	0.00	1	1.0	0.97
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	0.9	0.67	1	1.0	0.96	1	0.9	0.94
30-34	1	0.4	0.38	0	0.0	0.00	1	0.8	0.76
35-39	1	0.3	0.34	0	0.0	0.00	1	0.7	0.68
40-44	7	2.5	0.95	4	2.9	1.47	3	2.1	1.22
45-49	7	3.0	1.15	3	2.7	1.54	4	3.4	1.70
50-54	12	5.9	1.70	7	7.1	2.68	5	4.8	2.14
55-59	14	8.9	2.39	6	7.9	3.23	8	9.9	3.50
60-64	18	14.7	3.47	11	18.8	5.67	7	11.0	4.16
65-69	27	22.3	4.28	13	23.3	6.46	14	21.4	5.71
70-74	60	52.1	6.73	34	68.1	11.68	26	39.9	7.82
75-79	74	73.3	8.52	32	77.4	13.67	42	70.5	10.88
80-84	78	111.1	12.58	40	153.2	24.22	38	86.2	13.98
85+	137	222.6	19.02	55	316.3	42.65	82	185.7	20.51
Total deaths	439			206			233		
Connecticut									
. Crude rate		13.4	-		13.0	-		13.8	-
. AAMR (1940 Std. mil.)		5.5	0.32		6.5	0.50		4.9	0.41
. AAMR (1970 Std. mil.)		8.3	0.42		10.1	0.72		7.2	0.53
. AAMR (2000 Std. mil.)		11.8	0.56		14.7	1.04		10.2	0.68
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.7	-		6.9	-		4.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Unintentional injuries (E800-E949)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	10	4.7	1.50	7	6.5	2.44	3	2.9	1.68
5-9	10	4.3	1.37	5	4.2	1.89	5	4.4	1.99
10-14	10	4.5	1.42	6	5.3	2.15	4	3.7	1.83
15-19	47	23.0	3.35	38	36.1	5.85	9	9.1	3.02
20-24	57	31.8	4.21	45	49.3	7.36	12	13.6	3.93
25-29	66	31.3	3.85	56	53.5	7.15	10	9.4	2.98
30-34	97	37.0	3.76	70	54.0	6.45	27	20.4	3.93
35-39	94	32.1	3.31	66	45.4	5.59	28	18.9	3.58
40-44	79	28.5	3.21	61	44.9	5.75	18	12.7	3.00
45-49	73	31.6	3.70	51	45.2	6.33	22	18.7	3.98
50-54	36	17.7	2.95	29	29.3	5.45	7	6.7	2.53
55-59	35	22.3	3.78	22	29.0	6.19	13	16.1	4.46
60-64	33	27.0	4.70	19	32.5	7.46	14	22.0	5.88
65-69	48	39.6	5.71	28	50.2	9.48	20	30.5	6.82
70-74	60	52.1	6.73	32	64.1	11.34	28	43.0	8.12
75-79	80	79.3	8.86	42	101.5	15.67	38	63.8	10.35
80-84	99	141.0	14.17	45	172.3	25.69	54	122.4	16.66
85+	176	285.9	21.55	73	419.8	49.13	103	233.2	22.98
Total deaths	1,110			695			415		
Connecticut									
. Crude rate		33.9	-		43.7	-		24.6	-
. AAMR (1940 Std. mil.)		25.4	0.88		37.0	1.53		14.4	0.89
. AAMR (1970 Std. mil.)		26.7	0.86		38.1	1.51		16.3	0.91
. AAMR (2000 Std. mil.)		31.9	0.96		45.5	1.74		20.3	1.02
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.1	-		43.0	-		17.8	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Motor vehicle accidents (E810-E825)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	2	0.9	0.67	0	0.0	0.00	2	1.9	1.37
5-9	6	2.6	1.06	4	3.4	1.69	2	1.8	1.26
10-14	3	1.3	0.78	1	0.9	0.88	2	1.8	1.29
15-19	32	15.6	2.76	26	24.7	4.84	6	6.0	2.47
20-24	37	20.6	3.39	29	31.8	5.91	8	9.1	3.21
25-29	32	15.2	2.68	29	27.7	5.15	3	2.8	1.63
30-34	39	14.9	2.38	28	21.6	4.08	11	8.3	2.51
35-39	30	10.2	1.87	18	12.4	2.92	12	8.1	2.34
40-44	18	6.5	1.53	11	8.1	2.44	7	4.9	1.87
45-49	24	10.4	2.12	16	14.2	3.55	8	6.8	2.40
50-54	12	5.9	1.70	10	10.1	3.20	2	1.9	1.35
55-59	10	6.4	2.02	3	4.0	2.29	7	8.7	3.27
60-64	9	7.4	2.46	5	8.6	3.82	4	6.3	3.14
65-69	16	13.2	3.30	7	12.5	4.74	9	13.7	4.58
70-74	17	14.8	3.58	7	14.0	5.30	10	15.3	4.85
75-79	21	20.8	4.54	10	24.2	7.64	11	18.5	5.57
80-84	21	29.9	6.53	10	38.3	12.11	11	24.9	7.52
85+	10	16.2	5.14	4	23.0	11.50	6	13.6	5.55
Total deaths	339			218			121		
Connecticut									
. Crude rate		10.4	-		13.7	-		7.2	-
. AAMR (1940 Std. mil.)		10.0	0.59		14.0	1.01		5.9	0.60
. AAMR (1970 Std. mil.)		9.7	0.56		13.3	0.94		6.0	0.60
. AAMR (2000 Std. mil.)		10.2	0.56		13.9	0.95		6.7	0.62
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.6	-		21.6	-		9.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Falls and fall related injuries (E880-E888)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.5	0.49	0	0.0	0.00	1	1.0	1.01
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.5	0.47	1	1.0	0.96	0	0.0	0.00
30-34	5	1.9	0.85	4	3.1	1.54	1	0.8	0.76
35-39	2	0.7	0.48	2	1.4	0.97	0	0.0	0.00
40-44	3	1.1	0.62	3	2.2	1.28	0	0.0	0.00
45-49	7	3.0	1.15	4	3.5	1.77	3	2.5	1.47
50-54	6	3.0	1.21	5	5.1	2.26	1	1.0	0.96
55-59	3	1.9	1.11	2	2.6	1.87	1	1.2	1.24
60-64	4	3.3	1.64	2	3.4	2.42	2	3.1	2.22
65-69	12	9.9	2.85	9	16.1	5.38	3	4.6	2.64
70-74	10	8.7	2.75	6	12.0	4.91	4	6.1	3.07
75-79	23	22.8	4.75	12	29.0	8.37	11	18.5	5.57
80-84	41	58.4	9.12	17	65.1	15.79	24	54.4	11.11
85+	94	152.7	15.75	34	195.5	33.53	60	135.9	17.54
Total deaths	212			101			111		
Connecticut									
. Crude rate		6.5	-		6.4	-		6.6	-
. AAMR (1940 Std. mil.)		2.4	0.21		3.3	0.37		1.7	0.23
. AAMR (1970 Std. mil.)		3.7	0.27		4.8	0.49		2.8	0.30
. AAMR (2000 Std. mil.)		5.6	0.39		7.3	0.74		4.5	0.43
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.8	-		3.8	-		1.9	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Drowning (E830,E832,E910)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	2	0.9	0.67	2	1.8	1.31	0	0.0	0.00
5-9	1	0.4	0.43	1	0.8	0.85	0	0.0	0.00
10-14	1	0.4	0.45	1	0.9	0.88	0	0.0	0.00
15-19	2	1.0	0.69	2	1.9	1.34	0	0.0	0.00
20-24	2	1.1	0.79	2	2.2	1.55	0	0.0	0.00
25-29	4	1.9	0.95	3	2.9	1.66	1	0.9	0.94
30-34	1	0.4	0.38	1	0.8	0.77	0	0.0	0.00
35-39	1	0.3	0.34	1	0.7	0.69	0	0.0	0.00
40-44	1	0.4	0.36	1	0.7	0.74	0	0.0	0.00
45-49	1	0.4	0.43	1	0.9	0.89	0	0.0	0.00
50-54	2	1.0	0.70	2	2.0	1.43	0	0.0	0.00
55-59	1	0.6	0.64	1	1.3	1.32	0	0.0	0.00
60-64	1	0.8	0.82	0	0.0	0.00	1	1.6	1.57
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	3	3.0	1.72	1	2.4	2.42	2	3.4	2.38
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	1.6	1.62	0	0.0	0.00	1	2.3	2.26
Total deaths	24			19			5		
Connecticut									
. Crude rate		0.7	-		1.2	-		0.3	-
. AAMR (1940 Std. mil.)		0.8	0.17		1.3	0.31		-	-
. AAMR (1970 Std. mil.)		0.8	0.16		1.3	0.30		-	-
. AAMR (2000 Std. mil.)		0.7	0.15		1.2	0.28		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.7	-		2.7	-		0.6	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Residential fires (E890-E899)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	3	1.3	0.75	0	0.0	0.00	3	2.7	1.54
10-14	2	0.9	0.63	2	1.8	1.24	0	0.0	0.00
15-19	1	0.5	0.49	0	0.0	0.00	1	1.0	1.01
20-24	2	1.1	0.79	2	2.2	1.55	0	0.0	0.00
25-29	1	0.5	0.47	1	1.0	0.96	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	0.7	0.48	2	1.4	0.97	0	0.0	0.00
40-44	5	1.8	0.81	3	2.2	1.28	2	1.4	1.00
45-49	2	0.9	0.61	0	0.0	0.00	2	1.7	1.20
50-54	1	0.5	0.49	0	0.0	0.00	1	1.0	0.96
55-59	2	1.3	0.90	0	0.0	0.00	2	2.5	1.75
60-64	1	0.8	0.82	0	0.0	0.00	1	1.6	1.57
65-69	5	4.1	1.84	3	5.4	3.10	2	3.1	2.16
70-74	2	1.7	1.23	0	0.0	0.00	2	3.1	2.17
75-79	1	1.0	0.99	0	0.0	0.00	1	1.7	1.68
80-84	3	4.3	2.47	2	7.7	5.41	1	2.3	2.27
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	33			15			18		
Connecticut									
. Crude rate		1.0	-		0.9	-		1.1	-
. AAMR (1940 Std. mil.)		0.9	0.17		0.9	0.24		0.9	0.23
. AAMR (1970 Std. mil.)		1.0	0.18		0.9	0.24		1.0	0.26
. AAMR (2000 Std. mil.)		1.0	0.17		0.9	0.25		1.0	0.25
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.0	-		1.3	-		0.7	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Suicide (E950-E959)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.4	0.45	0	0.0	0.00	1	0.9	0.91
15-19	19	9.3	2.13	16	15.2	3.80	3	3.0	1.75
20-24	17	9.5	2.30	14	15.4	4.10	3	3.4	1.96
25-29	19	9.0	2.07	16	15.3	3.82	3	2.8	1.63
30-34	34	13.0	2.23	23	17.7	3.70	11	8.3	2.51
35-39	35	11.9	2.02	27	18.6	3.58	8	5.4	1.91
40-44	37	13.3	2.19	28	20.6	3.90	9	6.4	2.12
45-49	20	8.7	1.94	15	13.3	3.43	5	4.2	1.90
50-54	22	10.8	2.31	15	15.2	3.92	7	6.7	2.53
55-59	12	7.7	2.21	10	13.2	4.17	2	2.5	1.75
60-64	6	4.9	2.01	5	8.6	3.82	1	1.6	1.57
65-69	11	9.1	2.73	8	14.3	5.07	3	4.6	2.64
70-74	4	3.5	1.74	3	6.0	3.47	1	1.5	1.53
75-79	12	11.9	3.43	10	24.2	7.64	2	3.4	2.38
80-84	11	15.7	4.72	8	30.6	10.83	3	6.8	3.93
85+	9	14.6	4.87	5	28.8	12.86	4	9.1	4.53
Total deaths	269			203			66		
Connecticut									
. Crude rate		8.2	-		12.8	-		3.9	-
. AAMR (1940 Std. mil.)		7.5	0.49		11.8	0.87		3.4	0.46
. AAMR (1970 Std. mil.)		7.1	0.46		11.2	0.82		3.2	0.42
. AAMR (2000 Std. mil.)		8.0	0.49		12.8	0.90		3.7	0.46
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.4	-		17.2	-		4.0	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Homicide and legal intervention (E960-E978)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	3	1.4	0.82	0	0.0	0.00	3	2.9	1.68
5-9	2	0.9	0.61	2	1.7	1.20	0	0.0	0.00
10-14	2	0.9	0.63	0	0.0	0.00	2	1.8	1.29
15-19	20	9.8	2.19	17	16.1	3.91	3	3.0	1.75
20-24	27	15.1	2.90	22	24.1	5.14	5	5.7	2.54
25-29	26	12.3	2.42	18	17.2	4.06	8	7.5	2.66
30-34	15	5.7	1.48	13	10.0	2.78	2	1.5	1.07
35-39	16	5.5	1.37	10	6.9	2.18	6	4.1	1.66
40-44	15	5.4	1.40	12	8.8	2.55	3	2.1	1.22
45-49	5	2.2	0.97	4	3.5	1.77	1	0.8	0.85
50-54	6	3.0	1.21	5	5.1	2.26	1	1.0	0.96
55-59	1	0.6	0.64	1	1.3	1.32	0	0.0	0.00
60-64	5	4.1	1.83	3	5.1	2.96	2	3.1	2.22
65-69	2	1.6	1.17	2	3.6	2.53	0	0.0	0.00
70-74	1	0.9	0.87	1	2.0	2.00	0	0.0	0.00
75-79	2	2.0	1.40	1	2.4	2.42	1	1.7	1.68
80-84	1	1.4	1.42	1	3.8	3.83	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	149			112			37		
Connecticut									
. Crude rate		4.6	-		7.1	-		2.2	-
. AAMR (1940 Std. mil.)		5.3	0.45		8.0	0.79		2.6	0.45
. AAMR (1970 Std. mil.)		4.8	0.41		7.3	0.72		2.4	0.41
. AAMR (2000 Std. mil.)		4.7	0.39		7.1	0.68		2.3	0.38
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.3	-		11.3	-		3.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Homicide (E960-E969)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	3	1.4	0.82	0	0.0	0.00	3	2.9	1.68
5-9	2	0.9	0.61	2	1.7	1.20	0	0.0	0.00
10-14	2	0.9	0.63	0	0.0	0.00	2	1.8	1.29
15-19	20	9.8	2.19	17	16.1	3.91	3	3.0	1.75
20-24	26	14.5	2.84	21	23.0	5.03	5	5.7	2.54
25-29	25	11.9	2.37	17	16.2	3.94	8	7.5	2.66
30-34	15	5.7	1.48	13	10.0	2.78	2	1.5	1.07
35-39	16	5.5	1.37	10	6.9	2.18	6	4.1	1.66
40-44	14	5.0	1.35	11	8.1	2.44	3	2.1	1.22
45-49	5	2.2	0.97	4	3.5	1.77	1	0.8	0.85
50-54	6	3.0	1.21	5	5.1	2.26	1	1.0	0.96
55-59	1	0.6	0.64	1	1.3	1.32	0	0.0	0.00
60-64	5	4.1	1.83	3	5.1	2.96	2	3.1	2.22
65-69	2	1.6	1.17	2	3.6	2.53	0	0.0	0.00
70-74	1	0.9	0.87	1	2.0	2.00	0	0.0	0.00
75-79	2	2.0	1.40	1	2.4	2.42	1	1.7	1.68
80-84	1	1.4	1.42	1	3.8	3.83	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	146			109			37		
Connecticut									
. Crude rate		4.5	-		6.9	-		2.2	-
. AAMR (1940 Std. mil.)		5.2	0.45		7.8	0.77		2.6	0.45
. AAMR (1970 Std. mil.)		4.7	0.41		7.1	0.71		2.4	0.41
. AAMR (2000 Std. mil.)		4.6	0.38		7.0	0.67		2.3	0.38
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.1	-		11.0	-		3.2	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
All injury (E800-E999)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	13	6.2	1.71	7	6.5	2.44	6	5.8	2.38
5-9	12	5.2	1.50	7	5.9	2.24	5	4.4	1.99
10-14	13	5.8	1.61	6	5.3	2.15	7	6.4	2.42
15-19	86	42.0	4.53	71	67.4	8.00	15	15.1	3.90
20-24	104	58.0	5.69	83	91.0	9.99	21	23.8	5.20
25-29	114	54.1	5.07	93	88.9	9.22	21	19.8	4.32
30-34	148	56.5	4.64	107	82.5	7.97	41	31.0	4.84
35-39	152	51.9	4.21	108	74.4	7.16	44	29.8	4.49
40-44	138	49.8	4.24	107	78.8	7.62	31	21.9	3.93
45-49	103	44.7	4.40	71	63.0	7.47	32	27.1	4.80
50-54	66	32.5	4.00	51	51.6	7.23	15	14.4	3.71
55-59	49	31.3	4.47	34	44.9	7.69	15	18.5	4.79
60-64	45	36.9	5.49	27	46.2	8.89	18	28.3	6.67
65-69	61	50.3	6.44	38	68.1	11.05	23	35.1	7.32
70-74	65	56.5	7.01	36	72.1	12.02	29	44.5	8.26
75-79	94	93.2	9.61	53	128.1	17.60	41	68.9	10.75
80-84	111	158.1	15.00	54	206.8	28.14	57	129.2	17.12
85+	185	300.6	22.10	78	448.5	50.79	107	242.3	23.42
Total deaths	1,559			1,031			528		
Connecticut									
. Crude rate		47.6	-		64.9	-		31.3	-
. AAMR (1940 Std. mil.)		39.2	1.12		58.1	1.95		21.0	1.11
. AAMR (1970 Std. mil.)		39.3	1.07		57.7	1.88		22.4	1.09
. AAMR (2000 Std. mil.)		45.6	1.16		66.7	2.10		26.9	1.20
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		49.1	-		73.3	-		25.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
--------All motor vehicle accidents (E810-E819,E958.5,E988.5)--------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	2	0.9	0.67	0	0.0	0.00	2	1.9	1.37
5-9	6	2.6	1.06	4	3.4	1.69	2	1.8	1.26
10-14	3	1.3	0.78	1	0.9	0.88	2	1.8	1.29
15-19	32	15.6	2.76	26	24.7	4.84	6	6.0	2.47
20-24	36	20.1	3.34	28	30.7	5.80	8	9.1	3.21
25-29	30	14.2	2.60	27	25.8	4.97	3	2.8	1.63
30-34	39	14.9	2.38	28	21.6	4.08	11	8.3	2.51
35-39	29	9.9	1.84	17	11.7	2.84	12	8.1	2.34
40-44	18	6.5	1.53	11	8.1	2.44	7	4.9	1.87
45-49	24	10.4	2.12	16	14.2	3.55	8	6.8	2.40
50-54	12	5.9	1.70	10	10.1	3.20	2	1.9	1.35
55-59	10	6.4	2.02	3	4.0	2.29	7	8.7	3.27
60-64	8	6.6	2.32	5	8.6	3.82	3	4.7	2.72
65-69	17	14.0	3.40	8	14.3	5.07	9	13.7	4.58
70-74	15	13.0	3.37	7	14.0	5.30	8	12.3	4.34
75-79	21	20.8	4.54	10	24.2	7.64	11	18.5	5.57
80-84	20	28.5	6.37	9	34.5	11.49	11	24.9	7.52
85+	10	16.2	5.14	4	23.0	11.50	6	13.6	5.55
Total deaths	332			214			118		
Connecticut									
. Crude rate		10.1	-		13.5	-		7.0	-
. AAMR (1940 Std. mil.)		9.7	0.58		13.8	1.00		5.7	0.60
. AAMR (1970 Std. mil.)		9.5	0.55		13.1	0.94		5.9	0.59
. AAMR (2000 Std. mil.)		10.0	0.55		13.7	0.94		6.5	0.61
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.2	-		21.0	-		9.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------All falls (E880-E886,E888,E957,E968.1,E987)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	1.0	0.69	1	0.9	0.95	1	1.0	1.01
20-24	1	0.6	0.56	1	1.1	1.10	0	0.0	0.00
25-29	2	0.9	0.67	1	1.0	0.96	1	0.9	0.94
30-34	5	1.9	0.85	4	3.1	1.54	1	0.8	0.76
35-39	2	0.7	0.48	2	1.4	0.97	0	0.0	0.00
40-44	4	1.4	0.72	4	2.9	1.47	0	0.0	0.00
45-49	8	3.5	1.23	5	4.4	1.98	3	2.5	1.47
50-54	6	3.0	1.21	5	5.1	2.26	1	1.0	0.96
55-59	2	1.3	0.90	1	1.3	1.32	1	1.2	1.24
60-64	4	3.3	1.64	2	3.4	2.42	2	3.1	2.22
65-69	11	9.1	2.73	9	16.1	5.38	2	3.1	2.16
70-74	8	7.0	2.46	6	12.0	4.91	2	3.1	2.17
75-79	20	19.8	4.43	12	29.0	8.37	8	13.4	4.75
80-84	28	39.9	7.54	13	49.8	13.81	15	34.0	8.78
85+	51	82.9	11.60	20	115.0	25.72	31	70.2	12.61
Total deaths	154			86			68		
Connecticut									
. Crude rate		4.7	-		5.4	-		4.0	-
. AAMR (1940 Std. mil.)		2.2	0.22		3.2	0.39		1.3	0.23
. AAMR (1970 Std. mil.)		2.9	0.25		4.3	0.47		1.9	0.27
. AAMR (2000 Std. mil.)		4.2	0.34		6.0	0.66		2.9	0.36
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.6	-		3.7	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	23	11.2	2.34	20	19.0	4.24	3	3.0	1.75
20-24	32	17.8	3.15	26	28.5	5.59	6	6.8	2.78
25-29	26	12.3	2.42	23	22.0	4.58	3	2.8	1.63
30-34	20	7.6	1.71	19	14.6	3.36	1	0.8	0.76
35-39	20	6.8	1.53	16	11.0	2.75	4	2.7	1.35
40-44	18	6.5	1.53	16	11.8	2.95	2	1.4	1.00
45-49	6	2.6	1.06	5	4.4	1.98	1	0.8	0.85
50-54	10	4.9	1.56	9	9.1	3.04	1	1.0	0.96
55-59	10	6.4	2.02	9	11.9	3.96	1	1.2	1.24
60-64	6	4.9	2.01	5	8.6	3.82	1	1.6	1.57
65-69	5	4.1	1.84	5	9.0	4.01	0	0.0	0.00
70-74	1	0.9	0.87	1	2.0	2.00	0	0.0	0.00
75-79	4	4.0	1.98	4	9.7	4.83	0	0.0	0.00
80-84	4	5.7	2.85	4	15.3	7.66	0	0.0	0.00
85+	3	4.9	2.81	2	11.5	8.13	1	2.3	2.26
Total deaths	188			164			24		
Connecticut									
. Crude rate		5.7	-		10.3	-		1.4	-
. AAMR (1940 Std. mil.)		6.3	0.49		11.0	0.90		1.7	0.37
. AAMR (1970 Std. mil.)		5.8	0.45		10.2	0.83		1.5	0.34
. AAMR (2000 Std. mil.)		5.9	0.43		10.5	0.82		1.5	0.31
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.4	-		19.8	-		3.3	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Firearm suicide (E955.0-.4)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	6	2.9	1.20	6	5.7	2.32	0	0.0	0.00
20-24	7	3.9	1.47	6	6.6	2.69	1	1.1	1.13
25-29	6	2.8	1.16	6	5.7	2.34	0	0.0	0.00
30-34	11	4.2	1.27	10	7.7	2.44	1	0.8	0.76
35-39	11	3.8	1.13	10	6.9	2.18	1	0.7	0.68
40-44	11	4.0	1.20	9	6.6	2.21	2	1.4	1.00
45-49	3	1.3	0.75	2	1.8	1.25	1	0.8	0.85
50-54	7	3.4	1.30	6	6.1	2.48	1	1.0	0.96
55-59	7	4.5	1.69	6	7.9	3.23	1	1.2	1.24
60-64	4	3.3	1.64	4	6.8	3.42	0	0.0	0.00
65-69	5	4.1	1.84	5	9.0	4.01	0	0.0	0.00
70-74	1	0.9	0.87	1	2.0	2.00	0	0.0	0.00
75-79	4	4.0	1.98	4	9.7	4.83	0	0.0	0.00
80-84	4	5.7	2.85	4	15.3	7.66	0	0.0	0.00
85+	3	4.9	2.81	2	11.5	8.13	1	2.3	2.26
Total deaths	90			81			9		
Connecticut									
. Crude rate		2.7	-		5.1	-		0.5	-
. AAMR (1940 Std. mil.)		2.5	0.29		4.7	0.55		-	-
. AAMR (1970 Std. mil.)		2.4	0.27		4.6	0.53		-	-
. AAMR (2000 Std. mil.)		2.7	0.28		5.1	0.57		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.4	-		11.4	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
----------Firearm homicide (E965.0-.4)----------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	15	7.3	1.89	12	11.4	3.29	3	3.0	1.75
20-24	24	13.4	2.73	19	20.8	4.78	5	5.7	2.54
25-29	19	9.0	2.07	16	15.3	3.82	3	2.8	1.63
30-34	8	3.1	1.08	8	6.2	2.18	0	0.0	0.00
35-39	7	2.4	0.90	5	3.4	1.54	2	1.4	0.96
40-44	6	2.2	0.88	6	4.4	1.80	0	0.0	0.00
45-49	3	1.3	0.75	3	2.7	1.54	0	0.0	0.00
50-54	3	1.5	0.85	3	3.0	1.75	0	0.0	0.00
55-59	1	0.6	0.64	1	1.3	1.32	0	0.0	0.00
60-64	1	0.8	0.82	0	0.0	0.00	1	1.6	1.57
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	87			73			14		
Connecticut									
. Crude rate		2.7	-		4.6	-		0.8	-
. AAMR (1940 Std. mil.)		3.4	0.37		5.6	0.67		-	-
. AAMR (1970 Std. mil.)		3.0	0.34		4.9	0.60		-	-
. AAMR (2000 Std. mil.)		2.8	0.31		4.7	0.55		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.5	-		7.6	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
-------All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)-------

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.5	0.47	0	0.0	0.00	1	1.0	0.97
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	7	3.4	1.29	5	4.7	2.12	2	2.0	1.43
20-24	19	10.6	2.43	13	14.3	3.95	6	6.8	2.78
25-29	25	11.9	2.37	21	20.1	4.38	4	3.8	1.88
30-34	53	20.2	2.78	35	27.0	4.56	18	13.6	3.21
35-39	64	21.8	2.73	45	31.0	4.62	19	12.9	2.95
40-44	65	23.4	2.91	51	37.6	5.26	14	9.9	2.64
45-49	40	17.3	2.74	24	21.3	4.34	16	13.6	3.39
50-54	17	8.4	2.03	11	11.1	3.36	6	5.7	2.35
55-59	7	4.5	1.69	6	7.9	3.23	1	1.2	1.24
60-64	4	3.3	1.64	1	1.7	1.71	3	4.7	2.72
65-69	3	2.5	1.43	2	3.6	2.53	1	1.5	1.53
70-74	5	4.3	1.94	4	8.0	4.01	1	1.5	1.53
75-79	5	5.0	2.22	3	7.3	4.19	2	3.4	2.38
80-84	5	7.1	3.18	4	15.3	7.66	1	2.3	2.27
85+	4	6.5	3.25	2	11.5	8.13	2	4.5	3.20
Total deaths	324			227			97		
Connecticut									
. Crude rate		9.9	-		14.3	-		5.8	-
. AAMR (1940 Std. mil.)		9.1	0.53		13.1	0.90		5.4	0.57
. AAMR (1970 Std. mil.)		8.0	0.46		11.4	0.79		4.7	0.51
. AAMR (2000 Std. mil.)		9.6	0.53		13.8	0.92		5.6	0.57
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.3	-		8.9	-		3.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	8	3.1	1.08	7	5.4	2.04	1	0.8	0.76
35-39	14	4.8	1.28	12	8.3	2.39	2	1.4	0.96
40-44	22	7.9	1.69	16	11.8	2.95	6	4.2	1.73
45-49	26	11.3	2.21	18	16.0	3.76	8	6.8	2.40
50-54	23	11.3	2.36	15	15.2	3.92	8	7.7	2.71
55-59	21	13.4	2.92	15	19.8	5.11	6	7.4	3.03
60-64	13	10.6	2.95	11	18.8	5.67	2	3.1	2.22
65-69	15	12.4	3.19	7	12.5	4.74	8	12.2	4.32
70-74	12	10.4	3.01	9	18.0	6.01	3	4.6	2.66
75-79	3	3.0	1.72	3	7.3	4.19	0	0.0	0.00
80-84	6	8.5	3.49	5	19.1	8.56	1	2.3	2.27
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	163			118			45		
Connecticut									
. Crude rate		5.0	-		7.4	-		2.7	-
. AAMR (1940 Std. mil.)		4.1	0.32		6.1	0.57		2.2	0.33
. AAMR (1970 Std. mil.)		4.2	0.33		6.3	0.59		2.3	0.34
. AAMR (2000 Std. mil.)		4.8	0.38		7.3	0.68		2.6	0.38
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.1	-		9.7	-		2.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes No. Of Deaths	Both Sexes Rate per 100,000	Both Sexes Std. Error	Males No. Of Deaths	Males Rate per 100,000	Males Std. Error	Females No. Of Deaths	Females Rate per 100,000	Females Std. Error
0-4	1	0.5	0.47	0	0.0	0.00	1	1.0	0.97
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	8	3.9	1.38	6	5.7	2.32	2	2.0	1.43
20-24	19	10.6	2.43	13	14.3	3.95	6	6.8	2.78
25-29	24	11.4	2.32	20	19.1	4.27	4	3.8	1.88
30-34	49	18.7	2.67	34	26.2	4.49	15	11.3	2.93
35-39	61	20.8	2.67	42	28.9	4.46	19	12.9	2.95
40-44	60	21.6	2.79	47	34.6	5.05	13	9.2	2.55
45-49	36	15.6	2.60	22	19.5	4.16	14	11.9	3.17
50-54	13	6.4	1.77	7	7.1	2.68	6	5.7	2.35
55-59	5	3.2	1.43	4	5.3	2.64	1	1.2	1.24
60-64	3	2.5	1.42	0	0.0	0.00	3	4.7	2.72
65-69	1	0.8	0.82	0	0.0	0.00	1	1.5	1.53
70-74	3	2.6	1.50	2	4.0	2.83	1	1.5	1.53
75-79	3	3.0	1.72	2	4.8	3.42	1	1.7	1.68
80-84	4	5.7	2.85	2	7.7	5.41	2	4.5	3.21
85+	2	3.2	2.30	0	0.0	0.00	2	4.5	3.20
Total deaths	292			201			91		
Connecticut									
. Crude rate		8.9	-		12.7	-		5.4	-
. AAMR (1940 Std. mil.)		8.4	0.51		11.9	0.86		5.0	0.55
. AAMR (1970 Std. mil.)		7.3	0.45		10.1	0.74		4.4	0.49
. AAMR (2000 Std. mil.)		8.7	0.51		12.1	0.86		5.3	0.56
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.9	-		8.2	-		3.6	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Resident AAMR (1940 Std. mil.) vs:
- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher