

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	20	14.0	3.14	11	15.3	4.61	9	12.7	4.25
5-9	7	5.6	2.10	3	4.7	2.69	4	6.5	3.25
10-14	2	1.7	1.18	2	3.3	2.34	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	16	11.7	2.92	9	13.1	4.36	7	10.2	3.87
25-29	82	57.6	6.36	42	61.7	9.51	40	53.8	8.51
30-34	190	145.7	10.57	141	229.4	19.32	49	71.1	10.16
35-39	205	186.1	12.99	147	288.0	23.76	58	98.1	12.88
40-44	173	184.0	13.99	129	302.4	26.63	44	85.6	12.91
45-49	78	105.5	11.95	61	183.0	23.43	17	41.9	10.16
50-54	47	77.9	11.37	32	120.2	21.24	15	44.5	11.50
55-59	38	79.2	12.85	25	118.3	23.66	13	48.4	13.43
60-64	38	93.6	15.18	26	142.8	28.00	12	53.6	15.46
65-69	29	86.6	16.08	21	147.9	32.28	8	41.5	14.66
70-74	32	139.5	24.66	19	209.5	48.06	13	93.7	25.99
75-79	27	169.4	32.60	10	176.1	55.70	17	165.7	40.18
80-84	18	198.0	46.68	6	200.5	81.84	12	196.9	56.83
85+	31	430.5	77.32	13	693.0	192.19	18	338.0	79.67
Total deaths	1,033			697			336		
Connecticut									
. Crude rate		72.1	-		102.0	-		44.8	-
. AAMR (1940 Std. mil.)		72.0	2.27		109.1	4.21		41.5	2.31
. AAMR (1970 Std. mil.)		69.6	2.31		104.5	4.37		41.9	2.40
. AAMR (2000 Std. mil.)		88.6	3.01		133.6	5.91		53.4	3.12
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.4	-		25.2	-		8.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	3.5	1.57	3	4.2	2.41	2	2.8	2.00
5-9	1	0.8	0.79	0	0.0	0.00	1	1.6	1.62
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	4	2.8	1.40	2	2.9	2.08	2	2.7	1.90
30-34	12	9.2	2.66	7	11.4	4.30	5	7.3	3.25
35-39	12	10.9	3.14	6	11.8	4.80	6	10.1	4.14
40-44	13	13.8	3.83	12	28.1	8.12	1	1.9	1.95
45-49	8	10.8	3.83	5	15.0	6.71	3	7.4	4.27
50-54	8	13.3	4.69	4	15.0	7.51	4	11.9	5.94
55-59	12	25.0	7.22	6	28.4	11.59	6	22.3	9.12
60-64	16	39.4	9.85	10	54.9	17.36	6	26.8	10.93
65-69	19	56.7	13.02	12	84.5	24.40	7	36.3	13.72
70-74	22	95.9	20.44	14	154.4	41.26	8	57.7	20.39
75-79	19	119.2	27.35	7	123.3	46.60	12	116.9	33.76
80-84	15	165.0	42.61	5	167.1	74.71	10	164.0	51.87
85+	27	374.9	72.16	12	639.7	184.65	15	281.7	72.73
Total deaths	193			105			88		
Connecticut									
. Crude rate		13.5	-		15.4	-		11.7	-
. AAMR (1940 Std. mil.)		13.8	1.02		18.8	1.86		10.3	1.15
. AAMR (1970 Std. mil.)		18.2	1.36		24.9	2.63		13.9	1.52
. AAMR (2000 Std. mil.)		24.5	1.91		34.1	3.99		18.9	2.11
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.0	-		4.6	-		3.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	6.3	2.10	7	9.7	3.67	2	2.8	2.00
5-9	6	4.8	1.95	3	4.7	2.69	3	4.9	2.81
10-14	2	1.7	1.18	2	3.3	2.34	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	14	10.2	2.73	7	10.2	3.85	7	10.2	3.87
25-29	72	50.5	5.96	36	52.9	8.81	36	48.4	8.07
30-34	164	125.8	9.82	124	201.7	18.11	40	58.1	9.18
35-39	185	167.9	12.34	135	264.5	22.77	50	84.5	11.95
40-44	153	162.7	13.15	113	264.9	24.92	40	77.8	12.31
45-49	60	81.2	10.48	50	150.0	21.21	10	24.6	7.79
50-54	28	46.4	8.77	24	90.1	18.39	4	11.9	5.94
55-59	20	41.7	9.32	16	75.7	18.92	4	14.9	7.45
60-64	16	39.4	9.85	12	65.9	19.02	4	17.9	8.93
65-69	7	20.9	7.90	6	42.3	17.25	1	5.2	5.18
70-74	3	13.1	7.55	2	22.1	15.59	1	7.2	7.21
75-79	1	6.3	6.27	0	0.0	0.00	1	9.7	9.75
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	740			537			203		
Connecticut									
. Crude rate		51.6	-		78.6	-		27.1	-
. AAMR (1940 Std. mil.)		50.9	1.89		81.1	3.55		25.4	1.79
. AAMR (1970 Std. mil.)		43.5	1.67		69.8	3.17		21.4	1.55
. AAMR (2000 Std. mil.)		54.3	2.06		87.6	3.92		26.3	1.90
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.7	-		15.7	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.8	0.84	1	1.6	1.63	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	1.8	1.28	0	0.0	0.00	2	3.4	2.39
40-44	10	10.6	3.36	5	11.7	5.24	5	9.7	4.35
45-49	9	12.2	4.06	6	18.0	7.35	3	7.4	4.27
50-54	18	29.8	7.03	11	41.3	12.45	7	20.8	7.85
55-59	20	41.7	9.32	8	37.8	13.38	12	44.7	12.90
60-64	16	39.4	9.85	8	43.9	15.53	8	35.7	12.63
65-69	24	71.7	14.63	12	84.5	24.40	12	62.2	17.96
70-74	22	95.9	20.44	11	121.3	36.57	11	79.3	23.91
75-79	25	156.9	31.37	13	229.0	63.51	12	116.9	33.76
80-84	17	187.0	45.36	8	267.3	94.50	9	147.6	49.21
85+	22	305.5	65.14	7	373.1	141.03	15	281.7	72.73
Total deaths	186			90			96		
Connecticut									
. Crude rate		13.0	-		13.2	-		12.8	-
. AAMR (1940 Std. mil.)		14.3	1.07		17.6	1.87		12.1	1.29
. AAMR (1970 Std. mil.)		19.2	1.43		24.2	2.64		16.3	1.68
. AAMR (2000 Std. mil.)		25.2	1.95		32.0	3.81		21.3	2.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		14.0	-		17.0	-		11.7	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	1.8	1.28	0	0.0	0.00	2	3.4	2.39
40-44	9	9.6	3.19	4	9.4	4.69	5	9.7	4.35
45-49	8	10.8	3.83	5	15.0	6.71	3	7.4	4.27
50-54	13	21.6	5.98	8	30.0	10.62	5	14.8	6.64
55-59	17	35.4	8.59	7	33.1	12.52	10	37.2	11.78
60-64	15	36.9	9.54	8	43.9	15.53	7	31.2	11.81
65-69	21	62.7	13.69	10	70.4	22.28	11	57.0	17.20
70-74	18	78.5	18.49	8	88.2	31.19	10	72.1	22.79
75-79	23	144.3	30.09	13	229.0	63.51	10	97.5	30.82
80-84	17	187.0	45.36	8	267.3	94.50	9	147.6	49.21
85+	19	263.9	60.53	6	319.8	130.57	13	244.1	67.71
Total deaths	162			77			85		
Connecticut									
. Crude rate		11.3	-		11.3	-		11.3	-
. AAMR (1940 Std. mil.)		12.3	0.99		15.1	1.73		10.7	1.21
. AAMR (1970 Std. mil.)		16.8	1.34		21.1	2.49		14.4	1.58
. AAMR (2000 Std. mil.)		22.2	1.84		28.2	3.61		18.8	2.10
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.7	-		14.2	-		10.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.8	0.84	1	1.6	1.63	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	1.1	1.06	1	2.3	2.34	0	0.0	0.00
45-49	1	1.4	1.35	1	3.0	3.00	0	0.0	0.00
50-54	5	8.3	3.71	3	11.3	6.50	2	5.9	4.20
55-59	3	6.3	3.61	1	4.7	4.73	2	7.4	5.27
60-64	1	2.5	2.46	0	0.0	0.00	1	4.5	4.46
65-69	3	9.0	5.17	2	14.1	9.96	1	5.2	5.18
70-74	3	13.1	7.55	2	22.1	15.59	1	7.2	7.21
75-79	2	12.5	8.87	0	0.0	0.00	2	19.5	13.78
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	2	27.8	19.64	1	53.3	53.30	1	18.8	18.78
Total deaths	22			12			10		
Connecticut									
. Crude rate		1.5	-		1.8	-		1.3	-
. AAMR (1940 Std. mil.)		1.8	0.39		-	-		-	-
. AAMR (1970 Std. mil.)		2.2	0.47		-	-		-	-
. AAMR (2000 Std. mil.)		2.7	0.59		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.5	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	0.8	0.77	1	1.6	1.63	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	4	4.3	2.13	3	7.0	4.06	1	1.9	1.95
45-49	4	5.4	2.71	3	9.0	5.19	1	2.5	2.46
50-54	7	11.6	4.39	6	22.5	9.20	1	3.0	2.97
55-59	11	22.9	6.91	7	33.1	12.52	4	14.9	7.45
60-64	14	34.5	9.21	8	43.9	15.53	6	26.8	10.93
65-69	16	47.8	11.95	7	49.3	18.64	9	46.7	15.55
70-74	14	61.0	16.31	6	66.2	27.01	8	57.7	20.39
75-79	18	112.9	26.62	5	88.1	39.39	13	126.7	35.14
80-84	8	88.0	31.12	4	133.6	66.82	4	65.6	32.81
85+	10	138.9	43.91	3	159.9	92.33	7	131.5	49.69
Total deaths	107			53			54		
Connecticut									
. Crude rate		7.5	-		7.8	-		7.2	-
. AAMR (1940 Std. mil.)		8.3	0.82		10.4	1.44		6.7	0.95
. AAMR (1970 Std. mil.)		11.3	1.10		13.6	1.94		9.5	1.31
. AAMR (2000 Std. mil.)		14.3	1.45		17.1	2.66		12.3	1.72
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.4	-		7.5	-		5.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.7	0.70	0	0.0	0.00	1	1.3	1.35
30-34	4	3.1	1.53	2	3.3	2.30	2	2.9	2.05
35-39	13	11.8	3.27	6	11.8	4.80	7	11.8	4.47
40-44	15	16.0	4.12	11	25.8	7.78	4	7.8	3.89
45-49	27	36.5	7.03	19	57.0	13.07	8	19.7	6.97
50-54	47	77.9	11.37	30	112.6	20.57	17	50.5	12.24
55-59	60	125.0	16.14	46	217.6	32.09	14	52.1	13.94
60-64	99	243.7	24.50	79	433.8	48.80	20	89.3	19.96
65-69	96	286.7	29.26	59	415.6	54.11	37	191.8	31.54
70-74	67	292.0	35.68	49	540.3	77.19	18	129.7	30.58
75-79	35	219.6	37.12	17	299.5	72.63	18	175.4	41.35
80-84	33	363.1	63.20	23	768.5	160.23	10	164.0	51.87
85+	10	138.9	43.91	7	373.1	141.03	3	56.3	32.53
Total deaths	507			348			159		
Connecticut									
. Crude rate		35.4	-		50.9	-		21.2	-
. AAMR (1940 Std. mil.)		42.1	1.88		69.3	3.73		22.4	1.80
. AAMR (1970 Std. mil.)		51.7	2.32		86.8	4.78		27.3	2.19
. AAMR (2000 Std. mil.)		59.2	2.74		100.8	5.95		31.7	2.57
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.3	-		57.9	-		25.0	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	0.7	0.70	-	-	-	1	1.3	1.35
30-34	6	4.6	1.88	-	-	-	6	8.7	3.56
35-39	11	10.0	3.01	-	-	-	11	18.6	5.61
40-44	12	12.8	3.68	-	-	-	12	23.4	6.74
45-49	18	24.4	5.74	-	-	-	18	44.4	10.46
50-54	21	34.8	7.60	-	-	-	21	62.3	13.61
55-59	22	45.8	9.77	-	-	-	22	81.9	17.47
60-64	18	44.3	10.45	-	-	-	18	80.3	18.94
65-69	15	44.8	11.57	-	-	-	15	77.8	20.08
70-74	16	69.7	17.44	-	-	-	16	115.3	28.83
75-79	7	43.9	16.60	-	-	-	7	68.2	25.78
80-84	11	121.0	36.49	-	-	-	11	180.4	54.41
85+	12	166.6	48.11	-	-	-	12	225.4	65.05
Total deaths	170			-			170		
Connecticut									
. Crude rate		-	-		-	-		22.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		23.4	1.84
. AAMR (1970 Std. mil.)		-	-		-	-		27.2	2.13
. AAMR (2000 Std. mil.)		-	-		-	-		33.2	2.63
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		23.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.7	0.73	-	-	-	1	1.5	1.46
25-29	1	0.7	0.70	-	-	-	1	1.3	1.35
30-34	1	0.8	0.77	-	-	-	1	1.5	1.45
35-39	1	0.9	0.91	-	-	-	1	1.7	1.69
40-44	5	5.3	2.38	-	-	-	5	9.7	4.35
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	5	8.3	3.71	-	-	-	5	14.8	6.64
55-59	1	2.1	2.08	-	-	-	1	3.7	3.72
60-64	4	9.8	4.92	-	-	-	4	17.9	8.93
65-69	3	9.0	5.17	-	-	-	3	15.6	8.98
70-74	2	8.7	6.16	-	-	-	2	14.4	10.19
75-79	3	18.8	10.87	-	-	-	3	29.2	16.88
80-84	1	11.0	11.00	-	-	-	1	16.4	16.40
85+	2	27.8	19.64	-	-	-	2	37.6	26.56
Total deaths	30			-			30		
Connecticut									
. Crude rate		-	-		-	-		4.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		4.0	0.75
. AAMR (1970 Std. mil.)		-	-		-	-		4.6	0.87
. AAMR (2000 Std. mil.)		-	-		-	-		5.7	1.08
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	1	2.1	2.08	-	-	-	1	3.7	3.72
60-64	2	4.9	3.48	-	-	-	2	8.9	6.31
65-69	1	3.0	2.99	-	-	-	1	5.2	5.18
70-74	3	13.1	7.55	-	-	-	3	21.6	12.49
75-79	3	18.8	10.87	-	-	-	3	29.2	16.88
80-84	2	22.0	15.56	-	-	-	2	32.8	23.20
85+	3	41.7	24.05	-	-	-	3	56.3	32.53
Total deaths	15			-			15		
Connecticut									
. Crude rate		-	-		-	-		2.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	1	0.8	0.84	-	-	-	1	1.7	1.69
15-19	1	0.8	0.84	-	-	-	1	1.7	1.73
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	1	1.4	1.35	-	-	-	1	2.5	2.46
50-54	3	5.0	2.87	-	-	-	3	8.9	5.14
55-59	5	10.4	4.66	-	-	-	5	18.6	8.33
60-64	4	9.8	4.92	-	-	-	4	17.9	8.93
65-69	4	11.9	5.97	-	-	-	4	20.7	10.37
70-74	6	26.2	10.68	-	-	-	6	43.2	17.66
75-79	5	31.4	14.03	-	-	-	5	48.7	21.79
80-84	1	11.0	11.00	-	-	-	1	16.4	16.40
85+	1	13.9	13.89	-	-	-	1	18.8	18.78
Total deaths	32			-			32		
Connecticut									
. Crude rate		-	-		-	-		4.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		4.6	0.82
. AAMR (1970 Std. mil.)		-	-		-	-		5.8	1.02
. AAMR (2000 Std. mil.)		-	-		-	-		6.6	1.19
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	3	2.4	1.38	1	1.6	1.55	2	3.2	2.30
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.7	0.70	0	0.0	0.00	1	1.3	1.35
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.9	0.91	1	2.0	1.96	0	0.0	0.00
40-44	1	1.1	1.06	1	2.3	2.34	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	3.3	2.34	1	3.8	3.75	1	3.0	2.97
55-59	4	8.3	4.17	2	9.5	6.69	2	7.4	5.27
60-64	3	7.4	4.26	2	11.0	7.76	1	4.5	4.46
65-69	1	3.0	2.99	0	0.0	0.00	1	5.2	5.18
70-74	4	17.4	8.72	2	22.1	15.59	2	14.4	10.19
75-79	3	18.8	10.87	0	0.0	0.00	3	29.2	16.88
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	23			10			13		
Connecticut									
. Crude rate		1.6	-		1.5	-		1.7	-
. AAMR (1940 Std. mil.)		1.9	0.39		-	-		-	-
. AAMR (1970 Std. mil.)		2.2	0.47		-	-		-	-
. AAMR (2000 Std. mil.)		2.4	0.54		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.4	-		2.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	1.4	0.99	1	1.4	1.39	1	1.4	1.42
5-9	4	3.2	1.59	3	4.7	2.69	1	1.6	1.62
10-14	1	0.8	0.84	1	1.7	1.66	0	0.0	0.00
15-19	1	0.8	0.84	0	0.0	0.00	1	1.7	1.73
20-24	1	0.7	0.73	1	1.5	1.45	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	2.3	1.33	1	1.6	1.63	2	2.9	2.05
35-39	3	2.7	1.57	1	2.0	1.96	2	3.4	2.39
40-44	3	3.2	1.84	1	2.3	2.34	2	3.9	2.75
45-49	2	2.7	1.91	0	0.0	0.00	2	4.9	3.49
50-54	3	5.0	2.87	1	3.8	3.75	2	5.9	4.20
55-59	8	16.7	5.89	5	23.7	10.58	3	11.2	6.45
60-64	7	17.2	6.51	2	11.0	7.76	5	22.3	9.98
65-69	5	14.9	6.68	3	21.1	12.20	2	10.4	7.33
70-74	6	26.2	10.68	4	44.1	22.05	2	14.4	10.19
75-79	6	37.6	15.37	2	35.2	24.91	4	39.0	19.49
80-84	3	33.0	19.06	2	66.8	47.25	1	16.4	16.40
85+	4	55.5	27.77	0	0.0	0.00	4	75.1	37.56
Total deaths	62			28			34		
Connecticut									
. Crude rate		4.3	-		4.1	-		4.5	-
. AAMR (1940 Std. mil.)		4.7	0.61		5.1	0.98		4.4	0.78
. AAMR (1970 Std. mil.)		5.8	0.76		6.4	1.27		5.4	0.94
. AAMR (2000 Std. mil.)		6.9	0.96		7.2	1.54		6.6	1.18
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.1	-		6.5	-		3.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Alzheimer's diseases (331.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.7	0.70	0	0.0	0.00	1	1.3	1.35
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	2.1	2.08	1	4.7	4.73	0	0.0	0.00
60-64	1	2.5	2.46	1	5.5	5.49	0	0.0	0.00
65-69	1	3.0	2.99	0	0.0	0.00	1	5.2	5.18
70-74	4	17.4	8.72	2	22.1	15.59	2	14.4	10.19
75-79	3	18.8	10.87	2	35.2	24.91	1	9.7	9.75
80-84	2	22.0	15.56	0	0.0	0.00	2	32.8	23.20
85+	11	152.8	46.06	1	53.3	53.30	10	187.8	59.39
Total deaths	24			7			17		
Connecticut									
. Crude rate		1.7	-		1.0	-		2.3	-
. AAMR (1940 Std. mil.)		1.4	0.31		-	-		1.4	0.36
. AAMR (1970 Std. mil.)		2.6	0.53		-	-		2.6	0.64
. AAMR (2000 Std. mil.)		4.2	0.88		-	-		4.5	1.11
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.1	-		2.4	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	22	15.4	3.29	10	13.9	4.39	12	17.0	4.91
5-9	4	3.2	1.59	3	4.7	2.69	1	1.6	1.62
10-14	2	1.7	1.18	1	1.7	1.66	1	1.7	1.69
15-19	8	6.7	2.37	4	6.5	3.26	4	6.9	3.45
20-24	9	6.6	2.19	4	5.8	2.91	5	7.3	3.27
25-29	23	16.1	3.37	15	22.0	5.69	8	10.8	3.80
30-34	67	51.4	6.28	45	73.2	10.91	22	31.9	6.81
35-39	81	73.5	8.17	45	88.2	13.14	36	60.9	10.14
40-44	105	111.7	10.90	66	154.7	19.05	39	75.9	12.15
45-49	141	190.8	16.07	95	284.9	29.23	46	113.4	16.72
50-54	186	308.4	22.61	114	428.0	40.09	72	213.8	25.19
55-59	240	500.1	32.28	155	733.3	58.90	85	316.6	34.34
60-64	306	753.4	43.07	179	982.8	73.46	127	566.9	50.30
65-69	392	1170.7	59.13	224	1577.9	105.43	168	871.1	67.20
70-74	371	1617.1	83.96	184	2028.9	149.57	187	1347.9	98.57
75-79	365	2290.1	119.87	163	2871.2	224.89	202	1968.6	138.51
80-84	310	3410.7	193.72	129	4310.1	379.48	181	2969.2	220.70
85+	494	6860.2	308.65	140	7462.7	630.71	354	6647.9	353.33
Total deaths	3,126			1,576			1,550		
Connecticut									
. Crude rate		218.2	-		230.7	-		206.7	-
. AAMR (1940 Std. mil.)		229.6	4.23		300.0	7.63		178.8	4.81
. AAMR (1970 Std. mil.)		318.4	5.80		407.2	10.77		257.4	6.63
. AAMR (2000 Std. mil.)		429.2	8.17		538.4	15.67		357.3	9.35
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		197.2	-		260.2	-		147.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	68	47.7	5.78	38	52.8	8.56	30	42.5	7.76
5-9	14	11.1	2.97	10	15.5	4.91	4	6.5	3.25
10-14	5	4.2	1.87	2	3.3	2.34	3	5.1	2.93
15-19	10	8.4	2.65	4	6.5	3.26	6	10.4	4.23
20-24	20	14.6	3.26	10	14.5	4.60	10	14.6	4.63
25-29	64	44.9	5.62	33	48.4	8.43	31	41.7	7.49
30-34	145	111.2	9.24	90	146.4	15.43	55	79.8	10.77
35-39	184	167.0	12.31	113	221.4	20.83	71	120.0	14.25
40-44	217	230.8	15.66	143	335.2	28.03	74	144.0	16.74
45-49	225	304.4	20.29	154	461.9	37.22	71	175.0	20.77
50-54	298	494.1	28.62	180	675.9	50.38	118	350.3	32.25
55-59	357	744.0	39.37	224	1059.8	70.81	133	495.4	42.95
60-64	471	1159.6	53.43	278	1526.4	91.55	193	861.5	62.01
65-69	538	1606.8	69.27	295	2078.1	120.99	243	1259.9	80.82
70-74	535	2332.0	100.82	275	3032.3	182.86	260	1874.1	116.23
75-79	504	3162.3	140.86	242	4262.8	274.02	262	2553.4	157.75
80-84	410	4510.9	222.78	181	6047.4	449.50	229	3756.6	248.24
85+	615	8540.5	344.39	181	9648.2	717.14	434	8150.2	391.22
Total deaths	4,680			2,453			2,227		
Connecticut									
. Crude rate		326.6	-		359.1	-		297.1	-
. AAMR (1940 Std. mil.)		346.1	5.19		459.5	9.38		264.5	5.90
. AAMR (1970 Std. mil.)		461.9	6.92		605.5	12.95		364.2	7.85
. AAMR (2000 Std. mil.)		610.6	9.56		791.7	18.59		492.4	10.81
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	0.8	0.79	1	1.6	1.55	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	1.7	1.19	0	0.0	0.00	2	3.5	2.44
20-24	1	0.7	0.73	1	1.5	1.45	0	0.0	0.00
25-29	5	3.5	1.57	3	4.4	2.54	2	2.7	1.90
30-34	13	10.0	2.77	10	16.3	5.14	3	4.4	2.51
35-39	28	25.4	4.80	15	29.4	7.59	13	22.0	6.10
40-44	40	42.5	6.73	25	58.6	11.72	15	29.2	7.54
45-49	58	78.5	10.30	44	132.0	19.90	14	34.5	9.22
50-54	99	164.1	16.50	67	251.6	30.73	32	95.0	16.79
55-59	130	270.9	23.76	86	406.9	43.87	44	163.9	24.71
60-64	171	421.0	32.20	110	604.0	57.59	61	272.3	34.86
65-69	214	639.1	43.69	128	901.7	79.70	86	445.9	48.08
70-74	211	919.7	63.32	108	1190.9	114.59	103	742.4	73.16
75-79	199	1248.6	88.51	90	1585.3	167.11	109	1062.3	101.75
80-84	150	1650.3	134.75	57	1904.4	252.25	93	1525.6	158.20
85+	254	3527.3	221.32	74	3944.6	458.55	180	3380.3	251.95
Total deaths	1,576			819			757		
Connecticut									
. Crude rate		110.0	-		119.9	-		101.0	-
. AAMR (1940 Std. mil.)		117.2	3.04		159.2	5.60		86.6	3.34
. AAMR (1970 Std. mil.)		164.7	4.20		217.3	7.89		128.1	4.70
. AAMR (2000 Std. mil.)		221.1	5.88		283.9	11.34		179.0	6.66
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		125.6	-		174.7	-		87.0	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	1.4	0.99	0	0.0	0.00	2	2.8	2.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.7	0.73	0	0.0	0.00	1	1.5	1.46
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	2.1	1.50	1	2.3	2.34	1	1.9	1.95
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	3	5.0	2.87	1	3.8	3.75	2	5.9	4.20
55-59	8	16.7	5.89	3	14.2	8.19	5	18.6	8.33
60-64	7	17.2	6.51	4	22.0	10.98	3	13.4	7.73
65-69	9	26.9	8.96	5	35.2	15.75	4	20.7	10.37
70-74	9	39.2	13.08	3	33.1	19.10	6	43.2	17.66
75-79	6	37.6	15.37	3	52.8	30.51	3	29.2	16.88
80-84	11	121.0	36.49	4	133.6	66.82	7	114.8	43.40
85+	18	250.0	58.92	10	533.0	168.56	8	150.2	53.12
Total deaths	76			34			42		
Connecticut									
. Crude rate		5.3	-		5.0	-		5.6	-
. AAMR (1940 Std. mil.)		5.3	0.64		6.3	1.09		5.0	0.81
. AAMR (1970 Std. mil.)		8.0	0.93		10.5	1.86		7.1	1.11
. AAMR (2000 Std. mil.)		11.3	1.38		16.3	3.17		9.5	1.52
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.7	-		6.6	-		5.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.7	0.70	1	1.5	1.47	0	0.0	0.00
30-34	3	2.3	1.33	3	4.9	2.82	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	4	5.4	2.71	3	9.0	5.19	1	2.5	2.46
50-54	4	6.6	3.32	1	3.8	3.75	3	8.9	5.14
55-59	4	8.3	4.17	2	9.5	6.69	2	7.4	5.27
60-64	8	19.7	6.96	6	32.9	13.45	2	8.9	6.31
65-69	11	32.9	9.91	7	49.3	18.64	4	20.7	10.37
70-74	10	43.6	13.78	5	55.1	24.66	5	36.0	16.12
75-79	11	69.0	20.81	0	0.0	0.00	11	107.2	32.32
80-84	6	66.0	26.95	2	66.8	47.25	4	65.6	32.81
85+	7	97.2	36.74	4	213.2	106.61	3	56.3	32.53
Total deaths	69			34			35		
Connecticut									
. Crude rate		4.8	-		5.0	-		4.7	-
. AAMR (1940 Std. mil.)		5.3	0.65		6.4	1.10		4.4	0.76
. AAMR (1970 Std. mil.)		7.2	0.88		8.5	1.54		6.2	1.06
. AAMR (2000 Std. mil.)		9.2	1.18		11.0	2.26		8.2	1.42
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.8	-		2.1	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.7	0.70	1	1.5	1.47	0	0.0	0.00
30-34	1	0.8	0.77	1	1.6	1.63	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	2.1	1.50	2	4.7	3.32	0	0.0	0.00
45-49	1	1.4	1.35	1	3.0	3.00	0	0.0	0.00
50-54	3	5.0	2.87	2	7.5	5.31	1	3.0	2.97
55-59	4	8.3	4.17	0	0.0	0.00	4	14.9	7.45
60-64	4	9.8	4.92	1	5.5	5.49	3	13.4	7.73
65-69	14	41.8	11.17	7	49.3	18.64	7	36.3	13.72
70-74	5	21.8	9.75	3	33.1	19.10	2	14.4	10.19
75-79	4	25.1	12.55	2	35.2	24.91	2	19.5	13.78
80-84	3	33.0	19.06	2	66.8	47.25	1	16.4	16.40
85+	9	125.0	41.66	3	159.9	92.33	6	112.7	46.00
Total deaths	51			25			26		
Connecticut									
. Crude rate		3.6	-		3.7	-		3.5	-
. AAMR (1940 Std. mil.)		3.8	0.55		4.7	0.94		3.3	0.68
. AAMR (1970 Std. mil.)		5.2	0.74		6.5	1.37		4.5	0.89
. AAMR (2000 Std. mil.)		6.8	1.01		8.9	2.07		5.7	1.15
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.7	-		5.9	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	10	7.0	2.22	6	8.3	3.40	4	5.7	2.83
5-9	1	0.8	0.79	1	1.6	1.55	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	1.7	1.19	1	1.6	1.63	1	1.7	1.73
20-24	2	1.5	1.03	0	0.0	0.00	2	2.9	2.07
25-29	2	1.4	0.99	2	2.9	2.08	0	0.0	0.00
30-34	5	3.8	1.72	3	4.9	2.82	2	2.9	2.05
35-39	11	10.0	3.01	8	15.7	5.54	3	5.1	2.93
40-44	14	14.9	3.98	8	18.8	6.63	6	11.7	4.77
45-49	11	14.9	4.49	11	33.0	9.95	0	0.0	0.00
50-54	8	13.3	4.69	4	15.0	7.51	4	11.9	5.94
55-59	9	18.8	6.25	8	37.8	13.38	1	3.7	3.72
60-64	12	29.5	8.53	6	32.9	13.45	6	26.8	10.93
65-69	21	62.7	13.69	12	84.5	24.40	9	46.7	15.55
70-74	19	82.8	19.00	11	121.3	36.57	8	57.7	20.39
75-79	22	138.0	29.43	11	193.8	58.42	11	107.2	32.32
80-84	24	264.1	53.90	15	501.2	129.40	9	147.6	49.21
85+	41	569.4	88.92	11	586.4	176.79	30	563.4	102.86
Total deaths	214			118			96		
Connecticut									
. Crude rate		14.9	-		17.3	-		12.8	-
. AAMR (1940 Std. mil.)		14.7	1.04		21.3	1.99		10.1	1.11
. AAMR (1970 Std. mil.)		20.6	1.45		29.3	2.90		15.0	1.56
. AAMR (2000 Std. mil.)		29.2	2.16		40.6	4.41		21.9	2.33
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.7	-		18.2	-		10.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.7	0.70	0	0.0	0.00	1	1.4	1.42
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.8	0.84	1	1.7	1.66	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	3	2.1	1.22	2	2.9	2.08	1	1.3	1.35
30-34	4	3.1	1.53	1	1.6	1.63	3	4.4	2.51
35-39	1	0.9	0.91	0	0.0	0.00	1	1.7	1.69
40-44	5	5.3	2.38	3	7.0	4.06	2	3.9	2.75
45-49	6	8.1	3.31	0	0.0	0.00	6	14.8	6.04
50-54	8	13.3	4.69	2	7.5	5.31	6	17.8	7.27
55-59	19	39.6	9.08	10	47.3	14.96	9	33.5	11.17
60-64	20	49.2	11.01	11	60.4	18.21	9	40.2	13.39
65-69	26	77.7	15.23	16	112.7	28.18	10	51.8	16.40
70-74	23	100.3	20.90	14	154.4	41.26	9	64.9	21.62
75-79	27	169.4	32.60	19	334.7	76.78	8	78.0	27.56
80-84	18	198.0	46.68	10	334.1	105.66	8	131.2	46.40
85+	14	194.4	51.96	8	426.4	150.77	6	112.7	46.00
Total deaths	176			97			79		
Connecticut									
. Crude rate		12.3	-		14.2	-		10.5	-
. AAMR (1940 Std. mil.)		13.6	1.04		18.9	1.93		10.5	1.22
. AAMR (1970 Std. mil.)		18.3	1.40		27.4	2.87		13.3	1.52
. AAMR (2000 Std. mil.)		23.2	1.85		36.5	4.15		16.3	1.90
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		19.5	-		26.9	-		14.8	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.8	0.84	1	1.7	1.66	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	3	2.1	1.22	2	2.9	2.08	1	1.3	1.35
30-34	4	3.1	1.53	1	1.6	1.63	3	4.4	2.51
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	4	4.3	2.13	2	4.7	3.32	2	3.9	2.75
45-49	2	2.7	1.91	0	0.0	0.00	2	4.9	3.49
50-54	2	3.3	2.34	0	0.0	0.00	2	5.9	4.20
55-59	6	12.5	5.10	1	4.7	4.73	5	18.6	8.33
60-64	5	12.3	5.51	2	11.0	7.76	3	13.4	7.73
65-69	3	9.0	5.17	1	7.0	7.04	2	10.4	7.33
70-74	1	4.4	4.36	1	11.0	11.03	0	0.0	0.00
75-79	3	18.8	10.87	3	52.8	30.51	0	0.0	0.00
80-84	1	11.0	11.00	0	0.0	0.00	1	16.4	16.40
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	35			14			21		
Connecticut									
. Crude rate		2.4	-		2.0	-		2.8	-
. AAMR (1940 Std. mil.)		2.7	0.47		-	-		3.1	0.67
. AAMR (1970 Std. mil.)		3.0	0.54		-	-		3.2	0.72
. AAMR (2000 Std. mil.)		3.4	0.61		-	-		3.5	0.79
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.4	-		1.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.7	0.70	1	1.5	1.47	0	0.0	0.00
30-34	2	1.5	1.08	1	1.6	1.63	1	1.5	1.45
35-39	13	11.8	3.27	7	13.7	5.18	6	10.1	4.14
40-44	16	17.0	4.25	9	21.1	7.03	7	13.6	5.15
45-49	16	21.6	5.41	11	33.0	9.95	5	12.3	5.51
50-54	15	24.9	6.42	11	41.3	12.45	4	11.9	5.94
55-59	14	29.2	7.80	10	47.3	14.96	4	14.9	7.45
60-64	13	32.0	8.88	8	43.9	15.53	5	22.3	9.98
65-69	11	32.9	9.91	6	42.3	17.25	5	25.9	11.59
70-74	3	13.1	7.55	3	33.1	19.10	0	0.0	0.00
75-79	5	31.4	14.03	3	52.8	30.51	2	19.5	13.78
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	2	27.8	19.64	0	0.0	0.00	2	37.6	26.56
Total deaths	111			70			41		
Connecticut									
. Crude rate		7.7	-		10.2	-		5.5	-
. AAMR (1940 Std. mil.)		9.0	0.86		13.1	1.59		5.7	0.91
. AAMR (1970 Std. mil.)		9.5	0.93		13.9	1.73		6.0	0.97
. AAMR (2000 Std. mil.)		11.1	1.09		15.9	1.98		7.3	1.16
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.2	-		12.8	-		5.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis-related (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	10	7.0	2.22	3	4.2	2.41	7	9.9	3.75
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	1.5	1.03	1	1.5	1.45	1	1.5	1.46
25-29	12	8.4	2.43	9	13.2	4.40	3	4.0	2.33
30-34	36	27.6	4.60	29	47.2	8.76	7	10.2	3.84
35-39	52	47.2	6.54	37	72.5	11.92	15	25.4	6.55
40-44	49	52.1	7.44	37	86.7	14.26	12	23.4	6.74
45-49	47	63.6	9.28	33	99.0	17.23	14	34.5	9.22
50-54	42	69.6	10.74	24	90.1	18.39	18	53.4	12.60
55-59	73	152.1	17.81	33	156.1	27.18	40	149.0	23.56
60-64	64	157.6	19.70	35	192.2	32.48	29	129.4	24.04
65-69	98	292.7	29.57	41	288.8	45.11	57	295.5	39.14
70-74	115	501.3	46.74	53	584.4	80.27	62	446.9	56.76
75-79	102	640.0	63.37	39	687.0	110.01	63	614.0	77.35
80-84	62	682.1	86.63	27	902.1	173.61	35	574.1	97.05
85+	101	1402.6	139.56	32	1705.8	301.54	69	1295.8	155.99
Total deaths	865			433			432		
Connecticut									
. Crude rate		60.4	-		63.4	-		57.6	-
. AAMR (1940 Std. mil.)		64.1	2.23		78.9	3.84		53.0	2.66
. AAMR (1970 Std. mil.)		83.9	2.94		101.1	5.24		72.1	3.52
. AAMR (2000 Std. mil.)		110.8	4.03		134.9	7.63		95.0	4.72
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	1.4	0.99	1	1.4	1.39	1	1.4	1.42
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.7	0.73	0	0.0	0.00	1	1.5	1.46
25-29	1	0.7	0.70	1	1.5	1.47	0	0.0	0.00
30-34	6	4.6	1.88	4	6.5	3.25	2	2.9	2.05
35-39	13	11.8	3.27	10	19.6	6.20	3	5.1	2.93
40-44	8	8.5	3.01	6	14.1	5.74	2	3.9	2.75
45-49	7	9.5	3.58	6	18.0	7.35	1	2.5	2.46
50-54	4	6.6	3.32	3	11.3	6.50	1	3.0	2.97
55-59	15	31.3	8.07	8	37.8	13.38	7	26.1	9.85
60-64	18	44.3	10.45	12	65.9	19.02	6	26.8	10.93
65-69	19	56.7	13.02	10	70.4	22.28	9	46.7	15.55
70-74	25	109.0	21.79	11	121.3	36.57	14	100.9	26.97
75-79	26	163.1	31.99	11	193.8	58.42	15	146.2	37.74
80-84	23	253.1	52.77	8	267.3	94.50	15	246.1	63.53
85+	33	458.3	79.77	7	373.1	141.03	26	488.3	95.76
Total deaths	201			98			103		
Connecticut									
. Crude rate		14.0	-		14.3	-		13.7	-
. AAMR (1940 Std. mil.)		14.3	1.04		18.1	1.85		11.3	1.18
. AAMR (1970 Std. mil.)		20.2	1.46		23.9	2.58		17.1	1.71
. AAMR (2000 Std. mil.)		27.9	2.10		31.8	3.74		24.5	2.48
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.1	-		6.5	-		4.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	31	21.7	3.90	21	29.2	6.36	10	14.2	4.48
5-9	11	8.7	2.63	9	14.0	4.66	2	3.2	2.30
10-14	15	12.6	3.24	11	18.2	5.50	4	6.8	3.38
15-19	29	24.3	4.52	25	40.8	8.16	4	6.9	3.45
20-24	40	29.2	4.61	29	42.1	7.83	11	16.1	4.85
25-29	44	30.9	4.66	33	48.4	8.43	11	14.8	4.46
30-34	32	24.5	4.34	25	40.7	8.13	7	10.2	3.84
35-39	48	43.6	6.29	40	78.4	12.39	8	13.5	4.78
40-44	43	45.7	6.97	29	68.0	12.62	14	27.2	7.28
45-49	19	25.7	5.90	19	57.0	13.07	0	0.0	0.00
50-54	14	23.2	6.20	11	41.3	12.45	3	8.9	5.14
55-59	19	39.6	9.08	11	52.0	15.69	8	29.8	10.53
60-64	21	51.7	11.28	15	82.4	21.26	6	26.8	10.93
65-69	14	41.8	11.17	11	77.5	23.36	3	15.6	8.98
70-74	18	78.5	18.49	12	132.3	38.20	6	43.2	17.66
75-79	11	69.0	20.81	3	52.8	30.51	8	78.0	27.56
80-84	6	66.0	26.95	4	133.6	66.82	2	32.8	23.20
85+	15	208.3	53.78	4	213.2	106.61	11	206.6	62.28
Total deaths	430			312			118		
Connecticut									
. Crude rate		30.0	-		45.7	-		15.7	-
. AAMR (1940 Std. mil.)		30.1	1.48		48.0	2.78		14.6	1.38
. AAMR (1970 Std. mil.)		31.2	1.58		48.7	3.00		16.2	1.55
. AAMR (2000 Std. mil.)		35.2	1.89		54.4	3.67		19.1	1.90
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		33.8	-		49.4	-		18.9	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	4.2	1.72	3	4.2	2.41	3	4.2	2.45
5-9	7	5.6	2.10	5	7.8	3.47	2	3.2	2.30
10-14	8	6.7	2.37	5	8.3	3.71	3	5.1	2.93
15-19	22	18.5	3.94	18	29.4	6.93	4	6.9	3.45
20-24	30	21.9	3.99	23	33.4	6.97	7	10.2	3.87
25-29	30	21.1	3.84	22	32.3	6.89	8	10.8	3.80
30-34	6	4.6	1.88	3	4.9	2.82	3	4.4	2.51
35-39	12	10.9	3.14	8	15.7	5.54	4	6.8	3.38
40-44	12	12.8	3.68	9	21.1	7.03	3	5.8	3.37
45-49	2	2.7	1.91	2	6.0	4.24	0	0.0	0.00
50-54	5	8.3	3.71	5	18.8	8.40	0	0.0	0.00
55-59	7	14.6	5.51	3	14.2	8.19	4	14.9	7.45
60-64	3	7.4	4.26	3	16.5	9.51	0	0.0	0.00
65-69	6	17.9	7.32	4	28.2	14.09	2	10.4	7.33
70-74	4	17.4	8.72	3	33.1	19.10	1	7.2	7.21
75-79	4	25.1	12.55	1	17.6	17.61	3	29.2	16.88
80-84	1	11.0	11.00	1	33.4	33.41	0	0.0	0.00
85+	2	27.8	19.64	1	53.3	53.30	1	18.8	18.78
Total deaths	167			119			48		
Connecticut									
. Crude rate		11.7	-		17.4	-		6.4	-
. AAMR (1940 Std. mil.)		11.6	0.91		17.7	1.65		6.2	0.91
. AAMR (1970 Std. mil.)		11.6	0.94		17.7	1.74		6.3	0.95
. AAMR (2000 Std. mil.)		11.8	1.01		18.1	1.98		6.5	1.01
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		18.8	-		26.7	-		11.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.7	0.70	1	1.4	1.39	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	1.4	0.99	2	2.9	2.08	0	0.0	0.00
30-34	1	0.8	0.77	1	1.6	1.63	0	0.0	0.00
35-39	3	2.7	1.57	3	5.9	3.39	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	5	6.8	3.03	5	15.0	6.71	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	4.2	2.95	1	4.7	4.73	1	3.7	3.72
60-64	5	12.3	5.51	5	27.5	12.28	0	0.0	0.00
65-69	1	3.0	2.99	1	7.0	7.04	0	0.0	0.00
70-74	2	8.7	6.16	1	11.0	11.03	1	7.2	7.21
75-79	2	12.5	8.87	1	17.6	17.61	1	9.7	9.75
80-84	2	22.0	15.56	2	66.8	47.25	0	0.0	0.00
85+	6	83.3	34.02	1	53.3	53.30	5	93.9	41.99
Total deaths	32			24			8		
Connecticut									
. Crude rate		2.2	-		3.5	-		1.1	-
. AAMR (1940 Std. mil.)		2.2	0.41		4.2	0.87		-	-
. AAMR (1970 Std. mil.)		2.9	0.53		5.0	1.12		-	-
. AAMR (2000 Std. mil.)		4.0	0.78		6.3	1.56		-	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.7	-		3.6	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	6.3	2.10	5	6.9	3.11	4	5.7	2.83
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	1.7	1.18	1	1.7	1.66	1	1.7	1.69
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.7	0.73	0	0.0	0.00	1	1.5	1.46
25-29	2	1.4	0.99	2	2.9	2.08	0	0.0	0.00
30-34	2	1.5	1.08	1	1.6	1.63	1	1.5	1.45
35-39	1	0.9	0.91	1	2.0	1.96	0	0.0	0.00
40-44	1	1.1	1.06	0	0.0	0.00	1	1.9	1.95
45-49	2	2.7	1.91	2	6.0	4.24	0	0.0	0.00
50-54	1	1.7	1.66	0	0.0	0.00	1	3.0	2.97
55-59	2	4.2	2.95	2	9.5	6.69	0	0.0	0.00
60-64	2	4.9	3.48	2	11.0	7.76	0	0.0	0.00
65-69	2	6.0	4.22	2	14.1	9.96	0	0.0	0.00
70-74	3	13.1	7.55	2	22.1	15.59	1	7.2	7.21
75-79	1	6.3	6.27	0	0.0	0.00	1	9.7	9.75
80-84	1	11.0	11.00	1	33.4	33.41	0	0.0	0.00
85+	2	27.8	19.64	1	53.3	53.30	1	18.8	18.78
Total deaths	34			22			12		
Connecticut									
. Crude rate		2.4	-		3.2	-		1.6	-
. AAMR (1940 Std. mil.)		2.4	0.41		3.6	0.79		-	-
. AAMR (1970 Std. mil.)		2.7	0.49		4.3	1.00		-	-
. AAMR (2000 Std. mil.)		3.1	0.60		5.0	1.34		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.7	-		2.0	-		1.1	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.8	0.84	1	1.7	1.66	0	0.0	0.00
15-19	4	3.4	1.68	2	3.3	2.31	2	3.5	2.44
20-24	20	14.6	3.26	19	27.6	6.34	1	1.5	1.46
25-29	8	5.6	1.99	6	8.8	3.60	2	2.7	1.90
30-34	13	10.0	2.77	11	17.9	5.40	2	2.9	2.05
35-39	12	10.9	3.14	11	21.6	6.50	1	1.7	1.69
40-44	5	5.3	2.38	5	11.7	5.24	0	0.0	0.00
45-49	5	6.8	3.03	3	9.0	5.19	2	4.9	3.49
50-54	3	5.0	2.87	3	11.3	6.50	0	0.0	0.00
55-59	3	6.3	3.61	2	9.5	6.69	1	3.7	3.72
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	8.7	6.16	2	22.1	15.59	0	0.0	0.00
75-79	1	6.3	6.27	1	17.6	17.61	0	0.0	0.00
80-84	1	11.0	11.00	0	0.0	0.00	1	16.4	16.40
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	78			66			12		
Connecticut									
. Crude rate		5.4	-		9.7	-		1.6	-
. AAMR (1940 Std. mil.)		5.3	0.61		9.6	1.20		-	-
. AAMR (1970 Std. mil.)		4.9	0.58		8.7	1.15		-	-
. AAMR (2000 Std. mil.)		5.4	0.66		9.7	1.33		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.4	-		18.8	-		4.6	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	5.6	1.98	3	4.2	2.41	5	7.1	3.17
5-9	1	0.8	0.79	1	1.6	1.55	0	0.0	0.00
10-14	9	7.5	2.51	7	11.6	4.38	2	3.4	2.39
15-19	83	69.7	7.65	78	127.3	14.42	5	8.6	3.86
20-24	99	72.2	7.25	85	123.5	13.40	14	20.5	5.47
25-29	85	59.7	6.47	70	102.8	12.28	15	20.2	5.21
30-34	51	39.1	5.48	41	66.7	10.42	10	14.5	4.59
35-39	23	20.9	4.35	15	29.4	7.59	8	13.5	4.78
40-44	12	12.8	3.68	11	25.8	7.78	1	1.9	1.95
45-49	12	16.2	4.69	10	30.0	9.48	2	4.9	3.49
50-54	7	11.6	4.39	6	22.5	9.20	1	3.0	2.97
55-59	3	6.3	3.61	3	14.2	8.19	0	0.0	0.00
60-64	2	4.9	3.48	2	11.0	7.76	0	0.0	0.00
65-69	6	17.9	7.32	6	42.3	17.25	0	0.0	0.00
70-74	1	4.4	4.36	1	11.0	11.03	0	0.0	0.00
75-79	3	18.8	10.87	2	35.2	24.91	1	9.7	9.75
80-84	2	22.0	15.56	0	0.0	0.00	2	32.8	23.20
85+	1	13.9	13.89	1	53.3	53.30	0	0.0	0.00
Total deaths	408			342			66		
Connecticut									
. Crude rate		28.5	-		50.1	-		8.8	-
. AAMR (1940 Std. mil.)		27.6	1.38		48.1	2.63		8.2	1.02
. AAMR (1970 Std. mil.)		25.3	1.30		44.3	2.51		7.4	0.95
. AAMR (2000 Std. mil.)		24.4	1.29		42.8	2.58		7.7	1.01
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.4	-		14.6	-		4.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	5.6	1.98	3	4.2	2.41	5	7.1	3.17
5-9	1	0.8	0.79	1	1.6	1.55	0	0.0	0.00
10-14	9	7.5	2.51	7	11.6	4.38	2	3.4	2.39
15-19	83	69.7	7.65	78	127.3	14.42	5	8.6	3.86
20-24	99	72.2	7.25	85	123.5	13.40	14	20.5	5.47
25-29	85	59.7	6.47	70	102.8	12.28	15	20.2	5.21
30-34	50	38.4	5.42	40	65.1	10.29	10	14.5	4.59
35-39	23	20.9	4.35	15	29.4	7.59	8	13.5	4.78
40-44	12	12.8	3.68	11	25.8	7.78	1	1.9	1.95
45-49	11	14.9	4.49	9	27.0	9.00	2	4.9	3.49
50-54	7	11.6	4.39	6	22.5	9.20	1	3.0	2.97
55-59	3	6.3	3.61	3	14.2	8.19	0	0.0	0.00
60-64	2	4.9	3.48	2	11.0	7.76	0	0.0	0.00
65-69	6	17.9	7.32	6	42.3	17.25	0	0.0	0.00
70-74	1	4.4	4.36	1	11.0	11.03	0	0.0	0.00
75-79	3	18.8	10.87	2	35.2	24.91	1	9.7	9.75
80-84	2	22.0	15.56	0	0.0	0.00	2	32.8	23.20
85+	1	13.9	13.89	1	53.3	53.30	0	0.0	0.00
Total deaths	406			340			66		
Connecticut									
. Crude rate		28.3	-		49.8	-		8.8	-
. AAMR (1940 Std. mil.)		27.4	1.38		47.8	2.62		8.2	1.02
. AAMR (1970 Std. mil.)		25.2	1.30		44.0	2.50		7.4	0.95
. AAMR (2000 Std. mil.)		24.3	1.28		42.4	2.56		7.7	1.01
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.3	-		14.3	-		4.2	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	4.2	1.72	3	4.2	2.41	3	4.2	2.45
5-9	7	5.6	2.10	5	7.8	3.47	2	3.2	2.30
10-14	8	6.7	2.37	5	8.3	3.71	3	5.1	2.93
15-19	21	17.6	3.85	17	27.8	6.73	4	6.9	3.45
20-24	30	21.9	3.99	23	33.4	6.97	7	10.2	3.87
25-29	30	21.1	3.84	22	32.3	6.89	8	10.8	3.80
30-34	6	4.6	1.88	3	4.9	2.82	3	4.4	2.51
35-39	12	10.9	3.14	8	15.7	5.54	4	6.8	3.38
40-44	12	12.8	3.68	9	21.1	7.03	3	5.8	3.37
45-49	2	2.7	1.91	2	6.0	4.24	0	0.0	0.00
50-54	5	8.3	3.71	5	18.8	8.40	0	0.0	0.00
55-59	7	14.6	5.51	3	14.2	8.19	4	14.9	7.45
60-64	3	7.4	4.26	3	16.5	9.51	0	0.0	0.00
65-69	5	14.9	6.68	3	21.1	12.20	2	10.4	7.33
70-74	3	13.1	7.55	3	33.1	19.10	0	0.0	0.00
75-79	4	25.1	12.55	1	17.6	17.61	3	29.2	16.88
80-84	1	11.0	11.00	1	33.4	33.41	0	0.0	0.00
85+	2	27.8	19.64	1	53.3	53.30	1	18.8	18.78
Total deaths	164			117			47		
Connecticut									
. Crude rate		11.4	-		17.1	-		6.3	-
. AAMR (1940 Std. mil.)		11.4	0.90		17.3	1.63		6.1	0.90
. AAMR (1970 Std. mil.)		11.3	0.92		17.3	1.72		6.1	0.93
. AAMR (2000 Std. mil.)		11.5	0.99		17.7	1.96		6.3	0.98
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		18.6	-		26.1	-		10.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.7	0.70	1	1.4	1.39	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	4	2.8	1.40	3	4.4	2.54	1	1.3	1.35
30-34	1	0.8	0.77	1	1.6	1.63	0	0.0	0.00
35-39	3	2.7	1.57	3	5.9	3.39	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	5	6.8	3.03	5	15.0	6.71	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	4.2	2.95	1	4.7	4.73	1	3.7	3.72
60-64	4	9.8	4.92	4	22.0	10.98	0	0.0	0.00
65-69	1	3.0	2.99	1	7.0	7.04	0	0.0	0.00
70-74	1	4.4	4.36	1	11.0	11.03	0	0.0	0.00
75-79	2	12.5	8.87	1	17.6	17.61	1	9.7	9.75
80-84	3	33.0	19.06	2	66.8	47.25	1	16.4	16.40
85+	5	69.4	31.05	1	53.3	53.30	4	75.1	37.56
Total deaths	32			24			8		
Connecticut									
. Crude rate		2.2	-		3.5	-		1.1	-
. AAMR (1940 Std. mil.)		2.2	0.40		4.1	0.86		-	-
. AAMR (1970 Std. mil.)		2.8	0.52		4.9	1.10		-	-
. AAMR (2000 Std. mil.)		3.8	0.75		6.2	1.55		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.6	-		3.6	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	2.1	1.21	2	2.8	1.96	1	1.4	1.42
5-9	2	1.6	1.12	2	3.1	2.20	0	0.0	0.00
10-14	11	9.2	2.78	10	16.6	5.24	1	1.7	1.69
15-19	81	68.0	7.55	77	125.7	14.32	4	6.9	3.45
20-24	97	70.7	7.18	91	132.3	13.86	6	8.8	3.58
25-29	62	43.5	5.53	57	83.7	11.08	5	6.7	3.01
30-34	43	33.0	5.03	39	63.4	10.16	4	5.8	2.90
35-39	23	20.9	4.35	17	33.3	8.08	6	10.1	4.14
40-44	9	9.6	3.19	9	21.1	7.03	0	0.0	0.00
45-49	9	12.2	4.06	8	24.0	8.48	1	2.5	2.46
50-54	4	6.6	3.32	4	15.0	7.51	0	0.0	0.00
55-59	3	6.3	3.61	3	14.2	8.19	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	6.0	4.22	2	14.1	9.96	0	0.0	0.00
70-74	3	13.1	7.55	3	33.1	19.10	0	0.0	0.00
75-79	2	12.5	8.87	2	35.2	24.91	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	13.9	13.89	1	53.3	53.30	0	0.0	0.00
Total deaths	355			327			28		
Connecticut									
. Crude rate		24.8	-		47.9	-		3.7	-
. AAMR (1940 Std. mil.)		24.1	1.29		45.7	2.56		3.6	0.68
. AAMR (1970 Std. mil.)		22.1	1.21		42.2	2.45		3.1	0.61
. AAMR (2000 Std. mil.)		20.9	1.17		40.5	2.50		3.1	0.61
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.6	-		23.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.8	0.84	1	1.7	1.66	0	0.0	0.00
15-19	2	1.7	1.19	1	1.6	1.63	1	1.7	1.73
20-24	13	9.5	2.63	13	18.9	5.24	0	0.0	0.00
25-29	3	2.1	1.22	3	4.4	2.54	0	0.0	0.00
30-34	5	3.8	1.72	5	8.1	3.64	0	0.0	0.00
35-39	6	5.4	2.22	6	11.8	4.80	0	0.0	0.00
40-44	2	2.1	1.50	2	4.7	3.32	0	0.0	0.00
45-49	2	2.7	1.91	2	6.0	4.24	0	0.0	0.00
50-54	1	1.7	1.66	1	3.8	3.75	0	0.0	0.00
55-59	2	4.2	2.95	2	9.5	6.69	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	8.7	6.16	2	22.1	15.59	0	0.0	0.00
75-79	1	6.3	6.27	1	17.6	17.61	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	40			39			1		
Connecticut									
. Crude rate		2.8	-		5.7	-		0.1	-
. AAMR (1940 Std. mil.)		2.8	0.44		5.8	0.94		-	-
. AAMR (1970 Std. mil.)		2.6	0.43		5.5	0.95		-	-
. AAMR (2000 Std. mil.)		2.8	0.48		6.0	1.09		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		12.0	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	1.4	0.99	1	1.4	1.39	1	1.4	1.42
5-9	1	0.8	0.79	1	1.6	1.55	0	0.0	0.00
10-14	8	6.7	2.37	7	11.6	4.38	1	1.7	1.69
15-19	77	64.6	7.36	74	120.8	14.04	3	5.2	2.99
20-24	84	61.2	6.68	78	113.4	12.84	6	8.8	3.58
25-29	59	41.4	5.39	54	79.3	10.79	5	6.7	3.01
30-34	36	27.6	4.60	32	52.1	9.20	4	5.8	2.90
35-39	17	15.4	3.74	11	21.6	6.50	6	10.1	4.14
40-44	7	7.4	2.81	7	16.4	6.20	0	0.0	0.00
45-49	6	8.1	3.31	5	15.0	6.71	1	2.5	2.46
50-54	3	5.0	2.87	3	11.3	6.50	0	0.0	0.00
55-59	1	2.1	2.08	1	4.7	4.73	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	6.0	4.22	2	14.1	9.96	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	6.3	6.27	1	17.6	17.61	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	13.9	13.89	1	53.3	53.30	0	0.0	0.00
Total deaths	305			278			27		
Connecticut									
. Crude rate		21.3	-		40.7	-		3.6	-
. AAMR (1940 Std. mil.)		20.6	1.19		38.5	2.33		3.4	0.67
. AAMR (1970 Std. mil.)		18.7	1.11		35.2	2.19		3.0	0.59
. AAMR (2000 Std. mil.)		17.5	1.04		33.0	2.19		3.0	0.59
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.1	-		9.9	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869,E950-E952,E962,E972,E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	2.8	1.40	4	5.6	2.78	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	1.7	1.19	2	3.3	2.31	0	0.0	0.00
20-24	6	4.4	1.79	3	4.4	2.52	3	4.4	2.53
25-29	7	4.9	1.86	5	7.3	3.28	2	2.7	1.90
30-34	26	19.9	3.91	21	34.2	7.45	5	7.3	3.25
35-39	37	33.6	5.52	33	64.7	11.26	4	6.8	3.38
40-44	29	30.8	5.73	21	49.2	10.74	8	15.6	5.50
45-49	11	14.9	4.49	10	30.0	9.48	1	2.5	2.46
50-54	5	8.3	3.71	4	15.0	7.51	1	3.0	2.97
55-59	5	10.4	4.66	4	18.9	9.46	1	3.7	3.72
60-64	3	7.4	4.26	1	5.5	5.49	2	8.9	6.31
65-69	3	9.0	5.17	3	21.1	12.20	0	0.0	0.00
70-74	1	4.4	4.36	1	11.0	11.03	0	0.0	0.00
75-79	1	6.3	6.27	0	0.0	0.00	1	9.7	9.75
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	140			112			28		
Connecticut									
. Crude rate		9.8	-		16.4	-		3.7	-
. AAMR (1940 Std. mil.)		9.8	0.83		17.0	1.63		3.6	0.69
. AAMR (1970 Std. mil.)		8.6	0.76		14.8	1.47		3.3	0.65
. AAMR (2000 Std. mil.)		10.6	0.93		18.4	1.81		4.0	0.78
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		6.9	-		3.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.7	0.70	1	1.4	1.39	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.7	0.73	0	0.0	0.00	1	1.5	1.46
25-29	3	2.1	1.22	1	1.5	1.47	2	2.7	1.90
30-34	6	4.6	1.88	3	4.9	2.82	3	4.4	2.51
35-39	7	6.4	2.40	5	9.8	4.38	2	3.4	2.39
40-44	22	23.4	4.99	13	30.5	8.45	9	17.5	5.84
45-49	11	14.9	4.49	10	30.0	9.48	1	2.5	2.46
50-54	28	46.4	8.77	20	75.1	16.79	8	23.8	8.40
55-59	14	29.2	7.80	8	37.8	13.38	6	22.3	9.12
60-64	9	22.2	7.39	6	32.9	13.45	3	13.4	7.73
65-69	14	41.8	11.17	11	77.5	23.36	3	15.6	8.98
70-74	5	21.8	9.75	4	44.1	22.05	1	7.2	7.21
75-79	3	18.8	10.87	3	52.8	30.51	0	0.0	0.00
80-84	1	11.0	11.00	1	33.4	33.41	0	0.0	0.00
85+	1	13.9	13.89	0	0.0	0.00	1	18.8	18.78
Total deaths	126			86			40		
Connecticut									
. Crude rate		8.8	-		12.6	-		5.3	-
. AAMR (1940 Std. mil.)		10.2	0.92		16.1	1.76		5.7	0.91
. AAMR (1970 Std. mil.)		10.6	0.98		17.2	1.93		5.7	0.94
. AAMR (2000 Std. mil.)		12.3	1.13		19.9	2.26		6.6	1.07
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.4	-		11.6	-		3.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1989-1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.7	0.70	1	1.4	1.39	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	1.7	1.19	2	3.3	2.31	0	0.0	0.00
20-24	5	3.6	1.63	3	4.4	2.52	2	2.9	2.07
25-29	9	6.3	2.11	5	7.3	3.28	4	5.4	2.69
30-34	26	19.9	3.91	20	32.5	7.27	6	8.7	3.56
35-39	42	38.1	5.88	36	70.5	11.76	6	10.1	4.14
40-44	29	30.8	5.73	20	46.9	10.48	9	17.5	5.84
45-49	11	14.9	4.49	10	30.0	9.48	1	2.5	2.46
50-54	4	6.6	3.32	3	11.3	6.50	1	3.0	2.97
55-59	4	8.3	4.17	3	14.2	8.19	1	3.7	3.72
60-64	3	7.4	4.26	2	11.0	7.76	1	4.5	4.46
65-69	1	3.0	2.99	1	7.0	7.04	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	6.3	6.27	0	0.0	0.00	1	9.7	9.75
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	138			106			32		
Connecticut									
. Crude rate		9.6	-		15.5	-		4.3	-
. AAMR (1940 Std. mil.)		9.5	0.82		15.9	1.57		4.0	0.72
. AAMR (1970 Std. mil.)		8.1	0.72		13.5	1.37		3.5	0.65
. AAMR (2000 Std. mil.)		10.3	0.90		17.2	1.72		4.4	0.81
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.1	-		5.5	-		2.7	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher