

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	13.7	4.86	4	13.6	6.79	4	13.9	6.94
5-9	1	2.0	1.96	1	3.8	3.83	0	0.0	0.00
10-14	2	4.1	2.91	2	8.1	5.75	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	8	15.0	5.29	4	15.1	7.53	4	14.9	7.44
25-29	25	43.7	8.73	9	33.0	11.00	16	53.4	13.34
30-34	70	132.1	15.79	54	215.6	29.34	16	57.3	14.32
35-39	81	180.3	20.03	58	277.3	36.42	23	95.8	19.97
40-44	64	165.9	20.73	50	284.3	40.20	14	66.7	17.82
45-49	33	110.8	19.30	24	179.3	36.60	9	54.9	18.31
50-54	18	73.1	17.23	17	155.8	37.80	1	7.3	7.29
55-59	23	120.0	25.02	15	178.3	46.05	8	74.4	26.29
60-64	22	134.6	28.70	16	218.4	54.60	6	66.5	27.16
65-69	11	81.4	24.55	9	157.7	52.57	2	25.6	18.13
70-74	14	150.8	40.29	9	246.0	82.01	5	88.8	39.73
75-79	9	140.3	46.77	2	88.2	62.38	7	168.8	63.80
80-84	8	222.5	78.65	3	253.8	146.54	5	207.1	92.63
85+	13	464.9	128.95	6	818.6	334.17	7	339.3	128.25
Total deaths	410			283			127		
Connecticut									
. Crude rate		71.1	-		103.0	-		42.1	-
. AAMR (1940 Std. mil.)		71.7	3.60		111.8	6.78		38.9	3.52
. AAMR (1970 Std. mil.)		70.6	3.72		109.6	7.20		39.7	3.71
. AAMR (2000 Std. mil.)		88.9	4.81		138.6	9.68		50.5	4.83
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		18.7	-		29.1	-		8.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.1	2.97	2	6.8	4.80	1	3.5	3.47
5-9	1	2.0	1.96	1	3.8	3.83	0	0.0	0.00
10-14	2	4.1	2.91	2	8.1	5.75	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	6	11.2	4.58	2	7.5	5.32	4	14.9	7.44
25-29	24	41.9	8.56	8	29.3	10.37	16	53.4	13.34
30-34	60	113.2	14.62	45	179.7	26.78	15	53.7	13.86
35-39	70	155.8	18.62	53	253.4	34.81	17	70.8	17.17
40-44	56	145.1	19.39	43	244.5	37.28	13	61.9	17.17
45-49	28	94.0	17.77	22	164.4	35.04	6	36.6	14.95
50-54	13	52.8	14.64	12	110.0	31.75	1	7.3	7.29
55-59	12	62.6	18.07	10	118.9	37.60	2	18.6	13.15
60-64	11	67.3	20.29	8	109.2	38.61	3	33.3	19.21
65-69	3	22.2	12.82	3	52.6	30.35	0	0.0	0.00
70-74	2	21.5	15.23	1	27.3	27.34	1	17.8	17.77
75-79	1	15.6	15.59	0	0.0	0.00	1	24.1	24.11
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	292			212			80		
Connecticut									
. Crude rate		50.7	-		77.2	-		26.5	-
. AAMR (1940 Std. mil.)		50.5	2.99		81.0	5.66		24.9	2.80
. AAMR (1970 Std. mil.)		44.2	2.72		71.5	5.21		21.4	2.49
. AAMR (2000 Std. mil.)		54.4	3.29		88.4	6.29		25.8	3.00
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.3	-		20.1	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.7	1.72	1	3.4	3.40	0	0.0	0.00
5-9	1	2.0	1.96	0	0.0	0.00	1	4.0	4.00
10-14	1	2.1	2.06	1	4.1	4.07	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	3.7	2.65	1	3.8	3.76	1	3.7	3.72
25-29	6	10.5	4.28	2	7.3	5.19	4	13.3	6.67
30-34	11	20.8	6.26	8	31.9	11.29	3	10.7	6.20
35-39	26	57.9	11.35	12	57.4	16.56	14	58.3	15.58
40-44	39	101.1	16.18	21	119.4	26.05	18	85.7	20.20
45-49	53	178.0	24.45	37	276.4	45.44	16	97.6	24.41
50-54	64	259.9	32.49	29	265.8	49.36	35	255.2	43.13
55-59	85	443.4	48.10	50	594.5	84.07	35	325.3	54.99
60-64	120	734.2	67.02	67	914.6	111.73	53	587.7	80.73
65-69	115	851.3	79.39	58	1016.3	133.45	57	730.7	96.78
70-74	114	1227.7	114.98	73	1995.6	233.57	41	728.5	113.77
75-79	78	1216.1	137.70	35	1543.9	260.97	43	1036.9	158.12
80-84	61	1696.3	217.19	31	2622.7	471.05	30	1242.8	226.89
85+	56	2002.9	267.64	25	3410.6	682.13	31	1502.7	269.89
Total deaths	833			451			382		
Connecticut									
. Crude rate		144.5	-		164.2	-		126.6	-
. AAMR (1940 Std. mil.)		163.7	5.76		218.1	10.34		126.8	6.67
. AAMR (1970 Std. mil.)		208.6	7.36		284.8	14.01		160.4	8.32
. AAMR (2000 Std. mil.)		257.2	9.45		358.4	19.27		197.1	10.41
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		134.4	-		164.9	-		112.5	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	5.2	3.66	1	5.7	5.69	1	4.8	4.76
45-49	4	13.4	6.72	4	29.9	14.94	0	0.0	0.00
50-54	4	16.2	8.12	3	27.5	15.88	1	7.3	7.29
55-59	4	20.9	10.43	4	47.6	23.78	0	0.0	0.00
60-64	4	24.5	12.24	4	54.6	27.30	0	0.0	0.00
65-69	3	22.2	12.82	3	52.6	30.35	0	0.0	0.00
70-74	2	21.5	15.23	2	54.7	38.66	0	0.0	0.00
75-79	1	15.6	15.59	0	0.0	0.00	1	24.1	24.11
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	24			21			3		
Connecticut									
. Crude rate		4.2	-		7.6	-		1.0	-
. AAMR (1940 Std. mil.)		5.1	1.05		10.4	2.28		-	-
. AAMR (1970 Std. mil.)		5.7	1.18		11.5	2.55		-	-
. AAMR (2000 Std. mil.)		6.2	1.29		12.3	2.72		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		3.6	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.2	2.23	0	0.0	0.00	1	4.2	4.16
40-44	3	7.8	4.49	1	5.7	5.69	2	9.5	6.73
45-49	2	6.7	4.75	1	7.5	7.47	1	6.1	6.10
50-54	7	28.4	10.74	4	36.7	18.33	3	21.9	12.63
55-59	7	36.5	13.80	2	23.8	16.81	5	46.5	20.79
60-64	4	24.5	12.24	2	27.3	19.30	2	22.2	15.68
65-69	12	88.8	25.64	5	87.6	39.18	7	89.7	33.92
70-74	5	53.8	24.08	2	54.7	38.66	3	53.3	30.78
75-79	8	124.7	44.10	4	176.4	88.22	4	96.5	48.23
80-84	9	250.3	83.43	4	338.4	169.20	5	207.1	92.63
85+	10	357.7	113.10	3	409.3	236.30	7	339.3	128.25
Total deaths	68			28			40		
Connecticut									
. Crude rate		11.8	-		10.2	-		13.3	-
. AAMR (1940 Std. mil.)		12.6	1.57		13.6	2.58		12.3	2.03
. AAMR (1970 Std. mil.)		17.7	2.17		19.8	3.88		16.8	2.68
. AAMR (2000 Std. mil.)		23.9	3.08		27.4	5.88		22.4	3.65
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.4	-		16.4	-		11.3	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.2	2.23	0	0.0	0.00	1	4.2	4.16
40-44	2	5.2	3.66	0	0.0	0.00	2	9.5	6.73
45-49	2	6.7	4.75	1	7.5	7.47	1	6.1	6.10
50-54	4	16.2	8.12	3	27.5	15.88	1	7.3	7.29
55-59	6	31.3	12.78	2	23.8	16.81	4	37.2	18.59
60-64	4	24.5	12.24	2	27.3	19.30	2	22.2	15.68
65-69	10	74.0	23.41	4	70.1	35.04	6	76.9	31.40
70-74	3	32.3	18.65	1	27.3	27.34	2	35.5	25.13
75-79	8	124.7	44.10	4	176.4	88.22	4	96.5	48.23
80-84	9	250.3	83.43	4	338.4	169.20	5	207.1	92.63
85+	9	321.9	107.30	2	272.9	192.94	7	339.3	128.25
Total deaths	58			23			35		
Connecticut									
. Crude rate		10.1	-		8.4	-		11.6	-
. AAMR (1940 Std. mil.)		10.6	1.43		11.3	2.37		10.3	1.84
. AAMR (1970 Std. mil.)		15.3	2.03		16.6	3.57		14.6	2.49
. AAMR (2000 Std. mil.)		21.0	2.92		22.8	5.33		20.0	3.49
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.3	-		13.6	-		9.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.6	2.59	1	5.7	5.69	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	3	12.2	7.03	1	9.2	9.17	2	14.6	10.31
55-59	1	5.2	5.22	0	0.0	0.00	1	9.3	9.30
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	14.8	10.47	1	17.5	17.52	1	12.8	12.82
70-74	2	21.5	15.23	1	27.3	27.34	1	17.8	17.77
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	35.8	35.77	1	136.4	136.43	0	0.0	0.00
Total deaths	10			5			5		
Connecticut									
. Crude rate		1.7	-		1.8	-		1.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.5	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.7	1.75	0	0.0	0.00	1	3.3	3.33
30-34	2	3.8	2.67	2	8.0	5.65	0	0.0	0.00
35-39	7	15.6	5.89	3	14.3	8.28	4	16.7	8.33
40-44	8	20.7	7.33	6	34.1	13.93	2	9.5	6.73
45-49	9	30.2	10.08	8	59.8	21.13	1	6.1	6.10
50-54	20	81.2	18.16	12	110.0	31.75	8	58.3	20.62
55-59	25	130.4	26.08	18	214.0	50.44	7	65.1	24.59
60-64	46	281.4	41.50	33	450.5	78.41	13	144.2	39.98
65-69	33	244.3	42.53	17	297.9	72.25	16	205.1	51.28
70-74	36	387.7	64.61	29	792.8	147.22	7	124.4	47.01
75-79	16	249.5	62.36	8	352.9	124.77	8	192.9	68.20
80-84	16	444.9	111.23	9	761.4	253.81	7	290.0	109.60
85+	6	214.6	87.61	4	545.7	272.85	2	96.9	68.55
Total deaths	225			149			76		
Connecticut									
. Crude rate		39.0	-		54.2	-		25.2	-
. AAMR (1940 Std. mil.)		45.9	3.09		73.5	6.05		26.3	3.07
. AAMR (1970 Std. mil.)		57.1	3.86		93.2	7.89		32.6	3.78
. AAMR (2000 Std. mil.)		66.5	4.65		110.5	10.06		38.0	4.49
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.5	-		57.4	-		25.8	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	2	3.8	2.67	-	-	-	2	7.2	5.06
35-39	6	13.4	5.45	-	-	-	6	25.0	10.20
40-44	4	10.4	5.18	-	-	-	4	19.0	9.52
45-49	6	20.2	8.23	-	-	-	6	36.6	14.95
50-54	9	36.5	12.18	-	-	-	9	65.6	21.87
55-59	12	62.6	18.07	-	-	-	12	111.5	32.20
60-64	11	67.3	20.29	-	-	-	11	122.0	36.78
65-69	5	37.0	16.55	-	-	-	5	64.1	28.66
70-74	7	75.4	28.49	-	-	-	7	124.4	47.01
75-79	4	62.4	31.18	-	-	-	4	96.5	48.23
80-84	4	111.2	55.62	-	-	-	4	165.7	82.85
85+	2	71.5	50.58	-	-	-	2	96.9	68.55
Total deaths	72			-			72		
Connecticut									
. Crude rate		-	-		-	-		23.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		25.5	3.06
. AAMR (1970 Std. mil.)		-	-		-	-		29.2	3.52
. AAMR (2000 Std. mil.)		-	-		-	-		34.2	4.14
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		22.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	1	2.2	2.23	-	-	-	1	4.2	4.16
40-44	3	7.8	4.49	-	-	-	3	14.3	8.25
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	2	8.1	5.74	-	-	-	2	14.6	10.31
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	3	18.4	10.60	-	-	-	3	33.3	19.21
65-69	1	7.4	7.40	-	-	-	1	12.8	12.82
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	2	31.2	22.05	-	-	-	2	48.2	34.10
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	12			-			12		
Connecticut									
. Crude rate		-	-		-	-		4.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	1	7.4	7.40	-	-	-	1	12.8	12.82
70-74	1	10.8	10.77	-	-	-	1	17.8	17.77
75-79	1	15.6	15.59	-	-	-	1	24.1	24.11
80-84	2	55.6	39.33	-	-	-	2	82.9	58.58
85+	1	35.8	35.77	-	-	-	1	48.5	48.47
Total deaths	6			-			6		
Connecticut									
. Crude rate		-	-		-	-		2.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	1	3.4	3.36	-	-	-	1	6.1	6.10
50-54	1	4.1	4.06	-	-	-	1	7.3	7.29
55-59	1	5.2	5.22	-	-	-	1	9.3	9.30
60-64	1	6.1	6.12	-	-	-	1	11.1	11.09
65-69	1	7.4	7.40	-	-	-	1	12.8	12.82
70-74	3	32.3	18.65	-	-	-	3	53.3	30.78
75-79	3	46.8	27.00	-	-	-	3	72.3	41.77
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	11			-			11		
Connecticut									
. Crude rate		-	-		-	-		3.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Prostate cancer (185)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	0	0.0	0.00	0	0.0	0.00	-	-	-
50-54	0	0.0	0.00	0	0.0	0.00	-	-	-
55-59	2	10.4	7.38	2	23.8	16.81	-	-	-
60-64	4	24.5	12.24	4	54.6	27.30	-	-	-
65-69	12	88.8	25.64	12	210.3	60.70	-	-	-
70-74	15	161.5	41.71	15	410.1	105.88	-	-	-
75-79	15	233.9	60.38	15	661.7	170.84	-	-	-
80-84	7	194.7	73.57	7	592.2	223.84	-	-	-
85+	12	429.2	123.89	12	1637.1	472.59	-	-	-
Total deaths	67			67			-		
Connecticut									
. Crude rate		-	-		24.4	-		-	-
. AAMR (1940 Std. mil.)		-	-		32.6	4.01		-	-
. AAMR (1970 Std. mil.)		-	-		53.0	6.60		-	-
. AAMR (2000 Std. mil.)		-	-		77.3	10.41		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		16.8	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Bladder cancer (188)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	8.1	5.74	1	9.2	9.17	1	7.3	7.29
55-59	3	15.7	9.04	2	23.8	16.81	1	9.3	9.30
60-64	1	6.1	6.12	0	0.0	0.00	1	11.1	11.09
65-69	2	14.8	10.47	2	35.0	24.78	0	0.0	0.00
70-74	3	32.3	18.65	1	27.3	27.34	2	35.5	25.13
75-79	1	15.6	15.59	1	44.1	44.11	0	0.0	0.00
80-84	1	27.8	27.81	0	0.0	0.00	1	41.4	41.43
85+	3	107.3	61.95	0	0.0	0.00	3	145.4	83.96
Total deaths	16			7			9		
Connecticut									
. Crude rate		2.8	-		2.5	-		3.0	-
. AAMR (1940 Std. mil.)		3.1	0.79		-	-		-	-
. AAMR (1970 Std. mil.)		4.3	1.07		-	-		-	-
. AAMR (2000 Std. mil.)		5.6	1.48		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.7	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	2.0	1.96	0	0.0	0.00	1	4.0	4.00
10-14	1	2.1	2.06	1	4.1	4.07	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	4.5	3.15	1	4.8	4.78	1	4.2	4.16
40-44	1	2.6	2.59	1	5.7	5.69	0	0.0	0.00
45-49	2	6.7	4.75	0	0.0	0.00	2	12.2	8.63
50-54	1	4.1	4.06	0	0.0	0.00	1	7.3	7.29
55-59	6	31.3	12.78	3	35.7	20.59	3	27.9	16.10
60-64	4	24.5	12.24	1	13.7	13.65	3	33.3	19.21
65-69	1	7.4	7.40	0	0.0	0.00	1	12.8	12.82
70-74	3	32.3	18.65	2	54.7	38.66	1	17.8	17.77
75-79	3	46.8	27.00	0	0.0	0.00	3	72.3	41.77
80-84	1	27.8	27.81	1	84.6	84.60	0	0.0	0.00
85+	1	35.8	35.77	0	0.0	0.00	1	48.5	48.47
Total deaths	27			10			17		
Connecticut									
. Crude rate		4.7	-		3.6	-		5.6	-
. AAMR (1940 Std. mil.)		5.4	1.05		-	-		5.9	1.47
. AAMR (1970 Std. mil.)		6.6	1.29		-	-		7.2	1.76
. AAMR (2000 Std. mil.)		7.7	1.56		-	-		8.3	2.08
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.9	-		6.2	-		4.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.9	1.87	1	3.8	3.76	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	6	11.3	4.62	3	12.0	6.91	3	10.7	6.20
35-39	6	13.4	5.45	3	14.3	8.28	3	12.5	7.21
40-44	15	38.9	10.04	9	51.2	17.06	6	28.6	11.66
45-49	13	43.7	12.11	8	59.8	21.13	5	30.5	13.65
50-54	24	97.5	19.89	9	82.5	27.50	15	109.4	28.24
55-59	28	146.1	27.60	13	154.6	42.87	15	139.4	36.00
60-64	46	281.4	41.50	23	314.0	65.46	23	255.0	53.18
65-69	52	385.0	53.38	22	385.5	82.19	30	384.6	70.21
70-74	66	710.7	87.49	29	792.8	147.22	37	657.4	108.08
75-79	58	904.3	118.74	20	882.2	197.27	38	916.3	148.65
80-84	28	778.6	147.15	11	930.6	280.59	17	704.2	170.80
85+	44	1573.7	237.24	6	818.6	334.17	38	1842.0	298.81
Total deaths	387			157			230		
Connecticut									
. Crude rate		67.1	-		57.2	-		76.2	-
. AAMR (1940 Std. mil.)		73.5	3.81		76.5	6.14		70.5	4.85
. AAMR (1970 Std. mil.)		100.6	5.19		101.4	8.42		98.2	6.54
. AAMR (2000 Std. mil.)		130.9	7.03		127.1	11.35		129.8	8.79
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	10	17.2	5.43	4	13.6	6.79	6	20.8	8.50
5-9	2	3.9	2.77	1	3.8	3.83	1	4.0	4.00
10-14	1	2.1	2.06	1	4.1	4.07	0	0.0	0.00
15-19	4	8.7	4.37	2	8.5	6.00	2	9.0	6.37
20-24	2	3.7	2.65	1	3.8	3.76	1	3.7	3.72
25-29	5	8.7	3.91	4	14.7	7.33	1	3.3	3.33
30-34	39	73.6	11.79	26	103.8	20.36	13	46.5	12.90
35-39	39	86.8	13.90	20	95.6	21.38	19	79.1	18.15
40-44	40	103.7	16.39	26	147.8	28.99	14	66.7	17.82
45-49	63	211.6	26.66	44	328.7	49.56	19	115.9	26.60
50-54	72	292.4	34.46	46	421.7	62.17	26	189.6	37.18
55-59	85	443.4	48.10	58	689.6	90.55	27	251.0	48.30
60-64	125	764.8	68.41	72	982.8	115.82	53	587.7	80.73
65-69	156	1154.9	92.46	87	1524.4	163.44	69	884.5	106.48
70-74	160	1723.0	136.22	89	2433.0	257.90	71	1261.5	149.72
75-79	135	2104.8	181.15	64	2823.1	352.89	71	1712.1	203.19
80-84	130	3615.1	317.07	53	4483.9	615.91	77	3189.7	363.50
85+	210	7510.7	518.29	63	8594.8	1082.85	147	7125.5	587.71
Total deaths	1,278			661			617		
Connecticut									
. Crude rate		221.7	-		240.6	-		204.5	-
. AAMR (1940 Std. mil.)		232.1	6.68		312.4	12.27		175.2	7.47
. AAMR (1970 Std. mil.)		323.6	9.24		427.2	17.54		254.3	10.38
. AAMR (2000 Std. mil.)		440.7	13.20		571.3	25.90		357.2	14.88
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		186.1	-		244.8	-		139.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	24	41.2	8.41	12	40.7	11.76	12	41.7	12.03
5-9	3	5.9	3.39	1	3.8	3.83	2	8.0	5.66
10-14	2	4.1	2.91	2	8.1	5.75	0	0.0	0.00
15-19	4	8.7	4.37	2	8.5	6.00	2	9.0	6.37
20-24	6	11.2	4.58	3	11.3	6.52	3	11.2	6.45
25-29	14	24.5	6.53	6	22.0	8.98	8	26.7	9.43
30-34	64	120.8	15.10	41	163.7	25.56	23	82.3	17.16
35-39	74	164.7	19.15	45	215.2	32.08	29	120.8	22.43
40-44	92	238.4	24.86	62	352.5	44.76	30	142.9	26.08
45-49	99	332.5	33.42	71	530.4	62.95	28	170.9	32.29
50-54	118	479.2	44.11	71	650.8	77.24	47	342.7	49.98
55-59	129	673.0	59.25	86	1022.5	110.26	43	399.7	60.95
60-64	200	1223.7	86.53	124	1692.6	152.00	76	842.8	96.67
65-69	225	1665.7	111.05	129	2260.4	199.02	96	1230.6	125.60
70-74	227	2444.5	162.25	129	3526.5	310.49	98	1741.3	175.90
75-79	195	3040.2	217.71	90	3970.0	418.48	105	2532.0	247.09
80-84	159	4421.6	350.65	68	5753.0	697.65	91	3769.7	395.17
85+	260	9299.0	576.70	82	11186.9	1235.39	178	8628.2	646.71
Total deaths	1,895			1,024			871		
Connecticut									
. Crude rate		328.7	-		372.8	-		288.7	-
. AAMR (1940 Std. mil.)		348.4	8.21		479.0	15.13		254.6	9.07
. AAMR (1970 Std. mil.)		467.6	11.01		633.7	21.01		355.0	12.23
. AAMR (2000 Std. mil.)		622.0	15.37		831.4	30.43		486.7	17.13
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	4.4	3.09	0	0.0	0.00	2	9.0	6.37
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	3.5	2.47	2	7.3	5.19	0	0.0	0.00
30-34	5	9.4	4.22	4	16.0	7.98	1	3.6	3.58
35-39	14	31.2	8.33	8	38.3	13.52	6	25.0	10.20
40-44	18	46.6	10.99	11	62.5	18.86	7	33.3	12.60
45-49	25	84.0	16.79	20	149.4	33.41	5	30.5	13.65
50-54	44	178.7	26.94	28	256.7	48.51	16	116.7	29.16
55-59	48	250.4	36.14	30	356.7	65.12	18	167.3	39.44
60-64	68	416.1	50.45	41	559.7	87.40	27	299.4	57.62
65-69	89	658.9	69.84	54	946.2	128.76	35	448.7	75.84
70-74	87	936.9	100.45	51	1394.2	195.23	36	639.7	106.61
75-79	70	1091.4	130.44	33	1455.7	253.40	37	892.2	146.68
80-84	56	1557.3	208.10	21	1776.6	387.70	35	1449.9	245.07
85+	114	4077.3	381.87	35	4774.9	807.11	79	3829.4	430.84
Total deaths	642			338			304		
Connecticut									
. Crude rate		111.4	-		123.1	-		100.7	-
. AAMR (1940 Std. mil.)		118.1	4.80		162.9	8.92		86.4	5.27
. AAMR (1970 Std. mil.)		166.5	6.66		224.2	12.72		127.7	7.39
. AAMR (2000 Std. mil.)		225.9	9.48		297.5	18.70		179.9	10.61
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		117.8	-		163.5	-		81.6	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.7	1.72	1	3.4	3.40	0	0.0	0.00
5-9	1	2.0	1.96	0	0.0	0.00	1	4.0	4.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	6	11.3	4.62	5	20.0	8.93	1	3.6	3.58
35-39	8	17.8	6.30	5	23.9	10.69	3	12.5	7.21
40-44	2	5.2	3.66	1	5.7	5.69	1	4.8	4.76
45-49	12	40.3	11.64	8	59.8	21.13	4	24.4	12.20
50-54	9	36.5	12.18	6	55.0	22.45	3	21.9	12.63
55-59	8	41.7	14.76	8	95.1	33.63	0	0.0	0.00
60-64	10	61.2	19.35	6	81.9	33.44	4	44.4	22.18
65-69	14	103.6	27.70	7	122.7	46.36	7	89.7	33.92
70-74	28	301.5	56.98	12	328.0	94.70	16	284.3	71.07
75-79	11	171.5	51.71	8	352.9	124.77	3	72.3	41.77
80-84	26	723.0	141.80	10	846.0	267.54	16	662.8	165.70
85+	34	1216.0	208.55	10	1364.3	431.42	24	1163.4	237.47
Total deaths	170			87			83		
Connecticut									
. Crude rate		29.5	-		31.7	-		27.5	-
. AAMR (1940 Std. mil.)		29.8	2.36		40.6	4.40		22.2	2.60
. AAMR (1970 Std. mil.)		43.3	3.40		57.1	6.52		34.3	3.81
. AAMR (2000 Std. mil.)		62.0	5.08		80.0	10.03		50.7	5.73
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.8	-		29.3	-		24.6	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.9	1.89	1	4.0	3.99	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.6	2.59	1	5.7	5.69	0	0.0	0.00
45-49	1	3.4	3.36	1	7.5	7.47	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	5.2	5.22	0	0.0	0.00	1	9.3	9.30
60-64	3	18.4	10.60	1	13.7	13.65	2	22.2	15.68
65-69	3	22.2	12.82	2	35.0	24.78	1	12.8	12.82
70-74	4	43.1	21.54	2	54.7	38.66	2	35.5	25.13
75-79	2	31.2	22.05	2	88.2	62.38	0	0.0	0.00
80-84	1	27.8	27.81	1	84.6	84.60	0	0.0	0.00
85+	4	143.1	71.53	1	136.4	136.43	3	145.4	83.96
Total deaths	21			12			9		
Connecticut									
. Crude rate		3.6	-		4.4	-		3.0	-
. AAMR (1940 Std. mil.)		3.8	0.86		-	-		-	-
. AAMR (1970 Std. mil.)		5.4	1.19		-	-		-	-
. AAMR (2000 Std. mil.)		7.2	1.69		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.7	-		5.8	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	8.6	3.84	4	13.6	6.79	1	3.5	3.47
5-9	1	2.0	1.96	1	3.8	3.83	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.2	2.18	0	0.0	0.00	1	4.5	4.50
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	4.5	3.15	1	4.8	4.78	1	4.2	4.16
40-44	8	20.7	7.33	3	17.1	9.85	5	23.8	10.65
45-49	3	10.1	5.82	3	22.4	12.94	0	0.0	0.00
50-54	4	16.2	8.12	2	18.3	12.96	2	14.6	10.31
55-59	1	5.2	5.22	1	11.9	11.89	0	0.0	0.00
60-64	5	30.6	13.68	4	54.6	27.30	1	11.1	11.09
65-69	9	66.6	22.21	5	87.6	39.18	4	51.3	25.64
70-74	6	64.6	26.38	3	82.0	47.35	3	53.3	30.78
75-79	9	140.3	46.77	4	176.4	88.22	5	120.6	53.92
80-84	9	250.3	83.43	5	423.0	189.18	4	165.7	82.85
85+	17	608.0	147.46	7	955.0	360.95	10	484.7	153.29
Total deaths	80			43			37		
Connecticut									
. Crude rate		13.9	-		15.7	-		12.3	-
. AAMR (1940 Std. mil.)		13.5	1.56		19.0	2.95		10.0	1.74
. AAMR (1970 Std. mil.)		19.6	2.25		28.4	4.64		14.5	2.43
. AAMR (2000 Std. mil.)		28.2	3.41		41.2	7.52		21.4	3.65
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.3	-		17.6	-		10.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	3.5	2.47	1	3.7	3.67	1	3.3	3.33
30-34	2	3.8	2.67	1	4.0	3.99	1	3.6	3.58
35-39	1	2.2	2.23	0	0.0	0.00	1	4.2	4.16
40-44	2	5.2	3.66	1	5.7	5.69	1	4.8	4.76
45-49	1	3.4	3.36	0	0.0	0.00	1	6.1	6.10
50-54	2	8.1	5.74	1	9.2	9.17	1	7.3	7.29
55-59	4	20.9	10.43	3	35.7	20.59	1	9.3	9.30
60-64	10	61.2	19.35	6	81.9	33.44	4	44.4	22.18
65-69	10	74.0	23.41	6	105.1	42.92	4	51.3	25.64
70-74	6	64.6	26.38	4	109.3	54.67	2	35.5	25.13
75-79	8	124.7	44.10	6	264.7	108.05	2	48.2	34.10
80-84	5	139.0	62.18	3	253.8	146.54	2	82.9	58.58
85+	5	178.8	79.97	4	545.7	272.85	1	48.5	48.47
Total deaths	58			36			22		
Connecticut									
. Crude rate		10.1	-		13.1	-		7.3	-
. AAMR (1940 Std. mil.)		11.0	1.47		17.2	2.89		7.3	1.59
. AAMR (1970 Std. mil.)		14.7	1.97		25.0	4.34		8.9	1.95
. AAMR (2000 Std. mil.)		18.4	2.59		33.7	6.46		10.7	2.37
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		20.1	-		27.0	-		15.4	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.7	1.75	1	3.7	3.67	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	5	11.1	4.98	2	9.6	6.76	3	12.5	7.21
40-44	7	18.1	6.86	5	28.4	12.71	2	9.5	6.73
45-49	5	16.8	7.51	4	29.9	14.94	1	6.1	6.10
50-54	5	20.3	9.08	3	27.5	15.88	2	14.6	10.31
55-59	4	20.9	10.43	3	35.7	20.59	1	9.3	9.30
60-64	6	36.7	14.99	4	54.6	27.30	2	22.2	15.68
65-69	3	22.2	12.82	1	17.5	17.52	2	25.6	18.13
70-74	1	10.8	10.77	1	27.3	27.34	0	0.0	0.00
75-79	4	62.4	31.18	3	132.3	76.40	1	24.1	24.11
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	35.8	35.77	0	0.0	0.00	1	48.5	48.47
Total deaths	42			27			15		
Connecticut									
. Crude rate		7.3	-		9.8	-		5.0	-
. AAMR (1940 Std. mil.)		8.2	1.29		12.4	2.41		-	-
. AAMR (1970 Std. mil.)		9.0	1.43		13.6	2.76		-	-
. AAMR (2000 Std. mil.)		10.8	1.74		16.1	3.33		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.2	-		11.7	-		5.1	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.7	1.72	1	3.4	3.40	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	3.8	2.67	1	4.0	3.99	1	3.6	3.58
35-39	8	17.8	6.30	6	28.7	11.71	2	8.3	5.89
40-44	4	10.4	5.18	3	17.1	9.85	1	4.8	4.76
45-49	4	13.4	6.72	4	29.9	14.94	0	0.0	0.00
50-54	1	4.1	4.06	0	0.0	0.00	1	7.3	7.29
55-59	5	26.1	11.67	2	23.8	16.81	3	27.9	16.10
60-64	6	36.7	14.99	4	54.6	27.30	2	22.2	15.68
65-69	7	51.8	19.59	5	87.6	39.18	2	25.6	18.13
70-74	10	107.7	34.05	4	109.3	54.67	6	106.6	43.52
75-79	11	171.5	51.71	6	264.7	108.05	5	120.6	53.92
80-84	6	166.9	68.12	3	253.8	146.54	3	124.3	71.75
85+	9	321.9	107.30	1	136.4	136.43	8	387.8	137.10
Total deaths	74			40			34		
Connecticut									
. Crude rate		12.8	-		14.6	-		11.3	-
. AAMR (1940 Std. mil.)		13.4	1.59		18.2	2.92		9.6	1.75
. AAMR (1970 Std. mil.)		18.0	2.16		23.2	3.94		13.9	2.43
. AAMR (2000 Std. mil.)		24.4	3.04		29.9	5.41		19.7	3.49
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.4	-		5.5	-		3.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.7	1.72	1	3.4	3.40	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	5.7	3.27	1	4.0	3.99	2	7.2	5.06
35-39	8	17.8	6.30	6	28.7	11.71	2	8.3	5.89
40-44	4	10.4	5.18	3	17.1	9.85	1	4.8	4.76
45-49	4	13.4	6.72	4	29.9	14.94	0	0.0	0.00
50-54	2	8.1	5.74	1	9.2	9.17	1	7.3	7.29
55-59	6	31.3	12.78	3	35.7	20.59	3	27.9	16.10
60-64	7	42.8	16.19	4	54.6	27.30	3	33.3	19.21
65-69	8	59.2	20.94	6	105.1	42.92	2	25.6	18.13
70-74	12	129.2	37.30	6	164.0	66.96	6	106.6	43.52
75-79	12	187.1	54.01	6	264.7	108.05	6	144.7	59.07
80-84	8	222.5	78.65	4	338.4	169.20	4	165.7	82.85
85+	10	357.7	113.10	2	272.9	192.94	8	387.8	137.10
Total deaths	85			47			38		
Connecticut									
. Crude rate		14.7	-		17.1	-		12.6	-
. AAMR (1940 Std. mil.)		15.4	1.71		21.7	3.21		10.8	1.85
. AAMR (1970 Std. mil.)		20.8	2.33		28.3	4.42		15.5	2.57
. AAMR (2000 Std. mil.)		28.2	3.28		37.0	6.21		21.8	3.66
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		6.3	-		4.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	15.4	5.15	6	20.4	8.32	3	10.4	6.01
5-9	5	9.8	4.38	4	15.3	7.67	1	4.0	4.00
10-14	8	16.5	5.82	5	20.3	9.09	3	12.5	7.22
15-19	12	26.2	7.57	11	46.7	14.07	1	4.5	4.50
20-24	18	33.7	7.94	14	52.7	14.08	4	14.9	7.44
25-29	23	40.2	8.38	18	66.0	15.56	5	16.7	7.46
30-34	14	26.4	7.06	9	35.9	11.98	5	17.9	8.00
35-39	22	49.0	10.44	18	86.1	20.29	4	16.7	8.33
40-44	22	57.0	12.15	14	79.6	21.27	8	38.1	13.47
45-49	12	40.3	11.64	12	89.7	25.88	0	0.0	0.00
50-54	2	8.1	5.74	2	18.3	12.96	0	0.0	0.00
55-59	5	26.1	11.67	3	35.7	20.59	2	18.6	13.15
60-64	6	36.7	14.99	5	68.3	30.52	1	11.1	11.09
65-69	7	51.8	19.59	6	105.1	42.92	1	12.8	12.82
70-74	6	64.6	26.38	3	82.0	47.35	3	53.3	30.78
75-79	3	46.8	27.00	0	0.0	0.00	3	72.3	41.77
80-84	2	55.6	39.33	2	169.2	119.65	0	0.0	0.00
85+	8	286.1	101.16	3	409.3	236.30	5	242.4	108.39
Total deaths	184			135			49		
Connecticut									
. Crude rate		31.9	-		49.1	-		16.2	-
. AAMR (1940 Std. mil.)		31.6	2.36		51.0	4.47		14.7	2.15
. AAMR (1970 Std. mil.)		32.1	2.50		51.5	4.85		15.9	2.36
. AAMR (2000 Std. mil.)		36.8	3.06		58.7	6.28		19.2	2.99
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		31.0	-		45.4	-		17.1	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.7	1.72	0	0.0	0.00	1	3.5	3.47
5-9	3	5.9	3.39	2	7.7	5.42	1	4.0	4.00
10-14	5	10.3	4.60	3	12.2	7.04	2	8.3	5.89
15-19	8	17.5	6.18	7	29.7	11.23	1	4.5	4.50
20-24	14	26.2	7.00	11	41.4	12.48	3	11.2	6.45
25-29	16	27.9	6.99	12	44.0	12.70	4	13.3	6.67
30-34	2	3.8	2.67	1	4.0	3.99	1	3.6	3.58
35-39	5	11.1	4.98	4	19.1	9.56	1	4.2	4.16
40-44	4	10.4	5.18	3	17.1	9.85	1	4.8	4.76
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	4.1	4.06	1	9.2	9.17	0	0.0	0.00
55-59	1	5.2	5.22	1	11.9	11.89	0	0.0	0.00
60-64	1	6.1	6.12	1	13.7	13.65	0	0.0	0.00
65-69	2	14.8	10.47	2	35.0	24.78	0	0.0	0.00
70-74	2	21.5	15.23	2	54.7	38.66	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	35.8	35.77	1	136.4	136.43	0	0.0	0.00
Total deaths	66			51			15		
Connecticut									
. Crude rate		11.4	-		18.6	-		5.0	-
. AAMR (1940 Std. mil.)		11.2	1.40		18.7	2.65		-	-
. AAMR (1970 Std. mil.)		10.9	1.40		18.7	2.84		-	-
. AAMR (2000 Std. mil.)		10.6	1.43		19.1	3.38		-	-
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		17.0	-		24.2	-		10.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.7	1.75	1	3.7	3.67	0	0.0	0.00
30-34	1	1.9	1.89	1	4.0	3.99	0	0.0	0.00
35-39	1	2.2	2.23	1	4.8	4.78	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	6.7	4.75	2	14.9	10.57	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	3	18.4	10.60	3	41.0	23.64	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	10.8	10.77	0	0.0	0.00	1	17.8	17.77
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	27.8	27.81	1	84.6	84.60	0	0.0	0.00
85+	2	71.5	50.58	0	0.0	0.00	2	96.9	68.55
Total deaths	12			9			3		
Connecticut									
. Crude rate		2.1	-		3.3	-		1.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.7	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	2	3.9	2.77	2	7.7	5.42	0	0.0	0.00
10-14	2	4.1	2.91	2	8.1	5.75	0	0.0	0.00
15-19	2	4.4	3.09	2	8.5	6.00	0	0.0	0.00
20-24	2	3.7	2.65	2	7.5	5.32	0	0.0	0.00
25-29	3	5.2	3.02	3	11.0	6.35	0	0.0	0.00
30-34	2	3.8	2.67	2	8.0	5.65	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.6	2.59	1	5.7	5.69	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	10.8	10.77	0	0.0	0.00	1	17.8	17.77
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	15			14			1		
Connecticut									
. Crude rate		2.6	-		5.1	-		0.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.7	-		2.9	-		0.5	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	10.3	4.20	4	13.6	6.79	2	6.9	4.91
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.1	2.06	0	0.0	0.00	1	4.2	4.17
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.9	1.89	0	0.0	0.00	1	3.6	3.58
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.6	2.59	0	0.0	0.00	1	4.8	4.76
45-49	1	3.4	3.36	1	7.5	7.47	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	7.4	7.40	1	17.5	17.52	0	0.0	0.00
70-74	1	10.8	10.77	1	27.3	27.34	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	27.8	27.81	1	84.6	84.60	0	0.0	0.00
85+	2	71.5	50.58	1	136.4	136.43	1	48.5	48.47
Total deaths	15			9			6		
Connecticut									
. Crude rate		2.6	-		3.3	-		2.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.4	-		1.8	-		1.1	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	9	16.8	5.61	8	30.1	10.64	1	3.7	3.72
25-29	3	5.2	3.02	3	11.0	6.35	0	0.0	0.00
30-34	5	9.4	4.22	4	16.0	7.98	1	3.6	3.58
35-39	3	6.7	3.86	3	14.3	8.28	0	0.0	0.00
40-44	4	10.4	5.18	4	22.7	11.37	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	4.1	4.06	1	9.2	9.17	0	0.0	0.00
55-59	2	10.4	7.38	1	11.9	11.89	1	9.3	9.30
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	21.5	15.23	2	54.7	38.66	0	0.0	0.00
75-79	1	15.6	15.59	1	44.1	44.11	0	0.0	0.00
80-84	1	27.8	27.81	0	0.0	0.00	1	41.4	41.43
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	31			27			4		
Connecticut									
. Crude rate		5.4	-		9.8	-		1.3	-
. AAMR (1940 Std. mil.)		5.3	0.96		10.0	1.96		-	-
. AAMR (1970 Std. mil.)		5.1	0.98		9.6	2.03		-	-
. AAMR (2000 Std. mil.)		5.9	1.18		10.9	2.43		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.3	-		18.9	-		4.4	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.1	2.97	1	3.4	3.40	2	6.9	4.91
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	4.1	2.91	2	8.1	5.75	0	0.0	0.00
15-19	34	74.3	12.74	33	140.0	24.38	1	4.5	4.50
20-24	37	69.2	11.38	31	116.6	20.95	6	22.3	9.12
25-29	27	47.2	9.07	23	84.3	17.59	4	13.3	6.67
30-34	21	39.6	8.65	18	71.9	16.94	3	10.7	6.20
35-39	11	24.5	7.38	5	23.9	10.69	6	25.0	10.20
40-44	4	10.4	5.18	4	22.7	11.37	0	0.0	0.00
45-49	3	10.1	5.82	2	14.9	10.57	1	6.1	6.10
50-54	1	4.1	4.06	1	9.2	9.17	0	0.0	0.00
55-59	2	10.4	7.38	2	23.8	16.81	0	0.0	0.00
60-64	2	12.2	8.65	2	27.3	19.30	0	0.0	0.00
65-69	3	22.2	12.82	3	52.6	30.35	0	0.0	0.00
70-74	1	10.8	10.77	1	27.3	27.34	0	0.0	0.00
75-79	1	15.6	15.59	1	44.1	44.11	0	0.0	0.00
80-84	2	55.6	39.33	0	0.0	0.00	2	82.9	58.58
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	154			129			25		
Connecticut									
. Crude rate		26.7	-		47.0	-		8.3	-
. AAMR (1940 Std. mil.)		26.5	2.16		46.4	4.13		7.6	1.53
. AAMR (1970 Std. mil.)		24.5	2.07		43.0	3.99		7.0	1.44
. AAMR (2000 Std. mil.)		23.8	2.05		40.8	3.87		7.8	1.71
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.7	-		17.1	-		4.5	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	14	24.0	6.42	9	30.6	10.19	5	17.4	7.76
5-9	5	9.8	4.38	4	15.3	7.67	1	4.0	4.00
10-14	10	20.6	6.51	7	28.5	10.76	3	12.5	7.22
15-19	46	100.5	14.82	44	186.7	28.15	2	9.0	6.37
20-24	65	121.6	15.09	54	203.2	27.65	11	40.9	12.35
25-29	55	96.1	12.95	46	168.7	24.87	9	30.0	10.00
30-34	46	86.8	12.80	36	143.7	23.95	10	35.8	11.32
35-39	40	89.0	14.08	30	143.5	26.19	10	41.6	13.17
40-44	34	88.1	15.11	24	136.4	27.85	10	47.6	15.06
45-49	19	63.8	14.64	17	127.0	30.80	2	12.2	8.63
50-54	4	16.2	8.12	4	36.7	18.33	0	0.0	0.00
55-59	11	57.4	17.30	8	95.1	33.63	3	27.9	16.10
60-64	8	48.9	17.31	7	95.6	36.11	1	11.1	11.09
65-69	11	81.4	24.55	9	157.7	52.57	2	25.6	18.13
70-74	9	96.9	32.31	6	164.0	66.96	3	53.3	30.78
75-79	5	78.0	34.86	2	88.2	62.38	3	72.3	41.77
80-84	6	166.9	68.12	3	253.8	146.54	3	124.3	71.75
85+	8	286.1	101.16	3	409.3	236.30	5	242.4	108.39
Total deaths	396			313			83		
Connecticut									
. Crude rate		68.7	-		113.9	-		27.5	-
. AAMR (1940 Std. mil.)		68.0	3.46		115.5	6.64		25.2	2.82
. AAMR (1970 Std. mil.)		66.1	3.50		111.7	6.85		25.8	2.95
. AAMR (2000 Std. mil.)		71.7	4.02		119.8	8.11		30.7	3.68
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		54.1	-		82.8	-		26.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	3.5	2.47	2	7.3	5.19	0	0.0	0.00
30-34	1	1.9	1.89	1	4.0	3.99	0	0.0	0.00
35-39	1	2.2	2.23	1	4.8	4.78	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	6.7	4.75	2	14.9	10.57	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	12.2	8.65	2	27.3	19.30	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	2	55.6	39.33	1	84.6	84.60	1	41.4	41.43
85+	2	71.5	50.58	0	0.0	0.00	2	96.9	68.55
Total deaths	12			9			3		
Connecticut									
. Crude rate		2.1	-		3.3	-		1.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.4	-		3.6	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3, E922.8-.9, E955.0-.4, E965.0-.4, E970, E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.7	1.72	0	0.0	0.00	1	3.5	3.47
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	4.1	2.91	2	8.1	5.75	0	0.0	0.00
15-19	34	74.3	12.74	33	140.0	24.38	1	4.5	4.50
20-24	36	67.4	11.23	34	127.9	21.94	2	7.4	5.26
25-29	19	33.2	7.61	19	69.7	15.98	0	0.0	0.00
30-34	16	30.2	7.55	16	63.9	15.97	0	0.0	0.00
35-39	7	15.6	5.89	3	14.3	8.28	4	16.7	8.33
40-44	5	13.0	5.79	5	28.4	12.71	0	0.0	0.00
45-49	2	6.7	4.75	2	14.9	10.57	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	5.2	5.22	1	11.9	11.89	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	7.4	7.40	1	17.5	17.52	0	0.0	0.00
70-74	2	21.5	15.23	2	54.7	38.66	0	0.0	0.00
75-79	1	15.6	15.59	1	44.1	44.11	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	127			119			8		
Connecticut									
. Crude rate		22.0	-		43.3	-		2.7	-
. AAMR (1940 Std. mil.)		22.0	1.97		42.4	3.93		-	-
. AAMR (1970 Std. mil.)		20.3	1.86		39.3	3.78		-	-
. AAMR (2000 Std. mil.)		19.0	1.76		36.9	3.67		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.1	-		26.4	-		4.2	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	6	11.2	4.58	6	22.6	9.22	0	-	-
25-29	2	3.5	2.47	2	7.3	5.19	0	-	-
30-34	3	5.7	3.27	3	12.0	6.91	0	-	-
35-39	2	4.5	3.15	2	9.6	6.76	0	-	-
40-44	2	5.2	3.66	2	11.4	8.04	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	1	5.2	5.22	1	11.9	11.89	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	2	21.5	15.23	2	54.7	38.66	0	-	-
75-79	1	15.6	15.59	1	44.1	44.11	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	19			19			-		
Connecticut									
. Crude rate		3.3	-		6.9	-		-	-
. AAMR (1940 Std. mil.)		3.2	0.75		7.1	1.66		-	-
. AAMR (1970 Std. mil.)		3.1	0.77		7.1	1.81		-	-
. AAMR (2000 Std. mil.)		3.5	0.90		8.0	2.17		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		12.0	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	3.5	2.47	1	3.7	3.67	1	3.3	3.33
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	4.5	3.15	2	9.6	6.76	0	0.0	0.00
40-44	8	20.7	7.33	6	34.1	13.93	2	9.5	6.73
45-49	4	13.4	6.72	3	22.4	12.94	1	6.1	6.10
50-54	10	40.6	12.84	8	73.3	25.93	2	14.6	10.31
55-59	4	20.9	10.43	3	35.7	20.59	1	9.3	9.30
60-64	2	12.2	8.65	0	0.0	0.00	2	22.2	15.68
65-69	3	22.2	12.82	3	52.6	30.35	0	0.0	0.00
70-74	2	21.5	15.23	1	27.3	27.34	1	17.8	17.77
75-79	2	31.2	22.05	2	88.2	62.38	0	0.0	0.00
80-84	1	27.8	27.81	1	84.6	84.60	0	0.0	0.00
85+	1	35.8	35.77	0	0.0	0.00	1	48.5	48.47
Total deaths	41			30			11		
Connecticut									
. Crude rate		7.1	-		10.9	-		3.6	-
. AAMR (1940 Std. mil.)		8.1	1.28		13.9	2.56		-	-
. AAMR (1970 Std. mil.)		8.8	1.41		15.0	2.90		-	-
. AAMR (2000 Std. mil.)		10.6	1.74		18.3	3.62		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		10.9	-		3.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1991-1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.7	1.72	1	3.4	3.40	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.2	2.18	1	4.2	4.24	0	0.0	0.00
20-24	4	7.5	3.74	2	7.5	5.32	2	7.4	5.26
25-29	4	7.0	3.49	3	11.0	6.35	1	3.3	3.33
30-34	12	22.6	6.54	9	35.9	11.98	3	10.7	6.20
35-39	19	42.3	9.70	16	76.5	19.13	3	12.5	7.21
40-44	17	44.1	10.68	11	62.5	18.86	6	28.6	11.66
45-49	8	26.9	9.50	8	59.8	21.13	0	0.0	0.00
50-54	2	8.1	5.74	2	18.3	12.96	0	0.0	0.00
55-59	2	10.4	7.38	2	23.8	16.81	0	0.0	0.00
60-64	2	12.2	8.65	2	27.3	19.30	0	0.0	0.00
65-69	1	7.4	7.40	1	17.5	17.52	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	15.6	15.59	0	0.0	0.00	1	24.1	24.11
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	74			58			16		
Connecticut									
. Crude rate		12.8	-		21.1	-		5.3	-
. AAMR (1940 Std. mil.)		12.8	1.50		22.1	2.95		4.9	1.22
. AAMR (1970 Std. mil.)		11.2	1.36		19.4	2.68		4.2	1.09
. AAMR (2000 Std. mil.)		14.0	1.68		23.9	3.24		5.5	1.43
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.9	-		5.0	-		2.7	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher