

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	14.0	4.96	3	10.4	6.00	5	17.8	7.94
5-9	5	9.2	4.13	2	7.3	5.16	3	11.2	6.49
10-14	4	7.9	3.96	1	3.9	3.90	3	12.1	6.98
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	8	16.3	5.75	5	20.3	9.08	3	12.2	7.05
25-29	39	71.8	11.49	26	99.5	19.52	13	46.1	12.78
30-34	89	162.0	17.18	71	276.5	32.82	18	61.5	14.51
35-39	136	282.4	24.22	94	414.9	42.79	42	164.7	25.42
40-44	111	285.3	27.08	89	507.3	53.78	22	103.0	21.95
45-49	57	177.0	23.44	47	325.0	47.40	10	56.4	17.82
50-54	23	89.3	18.63	11	96.5	29.09	12	83.6	24.15
55-59	18	88.2	20.80	13	147.4	40.87	5	43.2	19.31
60-64	20	122.8	27.45	13	180.7	50.10	7	77.0	29.09
65-69	15	106.3	27.44	7	113.8	43.00	8	100.5	35.52
70-74	14	142.6	38.12	10	259.9	82.20	4	67.0	33.51
75-79	7	105.4	39.83	4	162.5	81.27	3	71.7	41.42
80-84	11	277.2	83.58	4	309.4	154.68	7	261.7	98.91
85+	14	457.5	122.28	4	489.6	244.80	10	445.8	140.98
Total deaths	579			404			175		
Connecticut									
. Crude rate		98.9	-		145.1	-		57.0	-
. AAMR (1940 Std. mil.)		96.5	4.06		149.5	7.56		52.6	4.06
. AAMR (1970 Std. mil.)		91.3	4.02		139.0	7.52		52.6	4.15
. AAMR (2000 Std. mil.)		116.1	5.19		177.3	9.88		66.3	5.30
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.5	-		33.3	-		10.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.2	2.18	1	4.3	4.26	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.1	2.08	1	4.4	4.41	0	0.0	0.00
40-44	1	2.6	2.57	0	0.0	0.00	1	4.7	4.68
45-49	6	18.6	7.61	4	27.7	13.83	2	11.3	7.97
50-54	6	23.3	9.51	5	43.9	19.61	1	7.0	6.97
55-59	1	4.9	4.90	0	0.0	0.00	1	8.6	8.64
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	14.2	10.02	2	32.5	22.98	0	0.0	0.00
70-74	2	20.4	14.41	1	26.0	25.99	1	16.8	16.75
75-79	2	30.1	21.29	2	81.3	57.46	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	32.7	32.68	0	0.0	0.00	1	44.6	44.58
Total deaths	23			16			7		
Connecticut									
. Crude rate		3.9	-		5.7	-		2.3	-
. AAMR (1940 Std. mil.)		4.4	0.93		7.2	1.82		-	-
. AAMR (1970 Std. mil.)		4.9	1.05		8.0	2.08		-	-
. AAMR (2000 Std. mil.)		6.0	1.31		9.5	2.54		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.5	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.1	2.08	0	0.0	0.00	1	3.9	3.92
40-44	4	10.3	5.14	3	17.1	9.87	1	4.7	4.68
45-49	6	18.6	7.61	3	20.7	11.98	3	16.9	9.76
50-54	7	27.2	10.28	5	43.9	19.61	2	13.9	9.86
55-59	8	39.2	13.86	7	79.4	29.99	1	8.6	8.64
60-64	10	61.4	19.41	4	55.6	27.79	6	66.0	26.93
65-69	10	70.8	22.40	5	81.3	36.34	5	62.8	28.08
70-74	12	122.2	35.29	7	182.0	68.77	5	83.8	37.46
75-79	12	180.6	52.15	5	203.2	90.86	7	167.4	63.27
80-84	5	126.0	56.35	2	154.7	109.37	3	112.1	64.75
85+	7	228.8	86.46	0	0.0	0.00	7	312.1	117.96
Total deaths	82			41			41		
Connecticut									
. Crude rate		14.0	-		14.7	-		13.4	-
. AAMR (1940 Std. mil.)		15.3	1.72		19.5	3.05		12.1	1.97
. AAMR (1970 Std. mil.)		20.1	2.24		24.1	3.87		16.6	2.63
. AAMR (2000 Std. mil.)		25.3	2.93		28.5	4.73		21.9	3.51
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.0	-		15.8	-		11.1	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.1	2.08	0	0.0	0.00	1	3.9	3.92
40-44	4	10.3	5.14	3	17.1	9.87	1	4.7	4.68
45-49	5	15.5	6.94	2	13.8	9.78	3	16.9	9.76
50-54	5	19.4	8.68	3	26.3	15.19	2	13.9	9.86
55-59	6	29.4	12.01	5	56.7	25.35	1	8.6	8.64
60-64	9	55.2	18.42	4	55.6	27.79	5	55.0	24.59
65-69	9	63.8	21.25	4	65.0	32.50	5	62.8	28.08
70-74	10	101.9	32.22	5	130.0	58.12	5	83.8	37.46
75-79	11	165.6	49.93	5	203.2	90.86	6	143.5	58.57
80-84	4	100.8	50.40	2	154.7	109.37	2	74.8	52.87
85+	6	196.1	80.05	0	0.0	0.00	6	267.5	109.21
Total deaths	70			33			37		
Connecticut									
. Crude rate		12.0	-		11.8	-		12.1	-
. AAMR (1940 Std. mil.)		13.0	1.59		15.6	2.73		11.0	1.90
. AAMR (1970 Std. mil.)		17.1	2.07		19.7	3.53		15.0	2.49
. AAMR (2000 Std. mil.)		21.6	2.71		23.6	4.38		19.5	3.29
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.9	-		13.1	-		9.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.8	1.82	1	3.9	3.89	0	0.0	0.00
35-39	1	2.1	2.08	1	4.4	4.41	0	0.0	0.00
40-44	1	2.6	2.57	1	5.7	5.70	0	0.0	0.00
45-49	3	9.3	5.38	2	13.8	9.78	1	5.6	5.64
50-54	5	19.4	8.68	3	26.3	15.19	2	13.9	9.86
55-59	7	34.3	12.97	5	56.7	25.35	2	17.3	12.21
60-64	12	73.7	21.26	6	83.4	34.04	6	66.0	26.93
65-69	6	42.5	17.35	4	65.0	32.50	2	25.1	17.76
70-74	12	122.2	35.29	6	156.0	63.67	6	100.5	41.04
75-79	3	45.2	26.07	2	81.3	57.46	1	23.9	23.91
80-84	8	201.6	71.28	3	232.0	133.96	5	186.9	83.59
85+	8	261.4	92.43	0	0.0	0.00	8	356.7	126.10
Total deaths	67			34			33		
Connecticut									
. Crude rate		11.4	-		12.2	-		10.8	-
. AAMR (1940 Std. mil.)		12.3	1.55		16.0	2.77		9.3	1.73
. AAMR (1970 Std. mil.)		16.6	2.05		19.9	3.53		13.5	2.37
. AAMR (2000 Std. mil.)		21.1	2.72		23.2	4.30		18.2	3.24
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.3	-		7.4	-		5.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	3.6	2.57	1	3.9	3.89	1	3.4	3.42
35-39	2	4.2	2.94	1	4.4	4.41	1	3.9	3.92
40-44	7	18.0	6.80	4	22.8	11.40	3	14.0	8.11
45-49	14	43.5	11.62	7	48.4	18.29	7	39.5	14.91
50-54	20	77.7	17.37	15	131.6	33.97	5	34.9	15.59
55-59	23	112.7	23.51	18	204.1	48.10	5	43.2	19.31
60-64	35	214.8	36.32	21	291.8	63.68	14	153.9	41.14
65-69	45	318.8	47.52	34	552.6	94.77	11	138.1	41.65
70-74	25	254.7	50.94	17	441.9	107.18	8	134.0	47.39
75-79	25	376.3	75.27	12	487.6	140.76	13	310.9	86.22
80-84	12	302.4	87.30	10	773.4	244.57	2	74.8	52.87
85+	5	163.4	73.07	2	244.8	173.10	3	133.7	77.22
Total deaths	215			142			73		
Connecticut									
. Crude rate		36.7	-		51.0	-		23.8	-
. AAMR (1940 Std. mil.)		42.2	2.90		67.2	5.66		24.3	2.90
. AAMR (1970 Std. mil.)		52.5	3.62		84.8	7.29		30.2	3.57
. AAMR (2000 Std. mil.)		61.0	4.32		99.2	9.04		35.6	4.26
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		40.8	-		58.1	-		27.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	3.6	2.57	1	3.9	3.89	1	3.4	3.42
35-39	2	4.2	2.94	1	4.4	4.41	1	3.9	3.92
40-44	7	18.0	6.80	4	22.8	11.40	3	14.0	8.11
45-49	10	31.1	9.82	4	27.7	13.83	6	33.8	13.81
50-54	19	73.8	16.93	14	122.8	32.82	5	34.9	15.59
55-59	23	112.7	23.51	18	204.1	48.10	5	43.2	19.31
60-64	32	196.4	34.72	19	264.0	60.57	13	142.9	39.64
65-69	43	304.6	46.45	32	520.1	91.94	11	138.1	41.65
70-74	23	234.3	48.86	15	389.9	100.68	8	134.0	47.39
75-79	22	331.2	70.61	10	406.3	128.50	12	286.9	82.83
80-84	12	302.4	87.30	10	773.4	244.57	2	74.8	52.87
85+	5	163.4	73.07	2	244.8	173.10	3	133.7	77.22
Total deaths	200			130			70		
Connecticut									
. Crude rate		34.2	-		46.7	-		22.8	-
. AAMR (1940 Std. mil.)		39.2	2.80		61.6	5.42		23.3	2.83
. AAMR (1970 Std. mil.)		48.9	3.49		77.9	7.00		28.9	3.50
. AAMR (2000 Std. mil.)		56.8	4.17		91.1	8.70		34.1	4.17
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.2	-		55.7	-		26.5	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	1	1.8	1.82	-	-	-	1	3.4	3.42
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	2	5.1	3.63	-	-	-	2	9.4	6.62
45-49	1	3.1	3.11	-	-	-	1	5.6	5.64
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	2	9.8	6.93	-	-	-	2	17.3	12.21
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	1	7.1	7.08	-	-	-	1	12.6	12.56
70-74	1	10.2	10.19	-	-	-	1	16.8	16.75
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	2	50.4	35.64	-	-	-	2	74.8	52.87
85+	1	32.7	32.68	-	-	-	1	44.6	44.58
Total deaths	11			-			11		
Connecticut									
. Crude rate		-	-		-	-		3.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	2	9.8	6.93	-	-	-	2	17.3	12.21
60-64	3	18.4	10.63	-	-	-	3	33.0	19.04
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	1	10.2	10.19	-	-	-	1	16.8	16.75
75-79	1	15.1	15.05	-	-	-	1	23.9	23.91
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	2	65.4	46.22	-	-	-	2	89.2	63.05
Total deaths	9			-			9		
Connecticut									
. Crude rate		-	-		-	-		2.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	1	2.2	2.18	-	-	-	1	4.5	4.46
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	3.9	3.88	-	-	-	1	7.0	6.97
55-59	3	14.7	8.49	-	-	-	3	25.9	14.96
60-64	3	18.4	10.63	-	-	-	3	33.0	19.04
65-69	3	21.3	12.27	-	-	-	3	37.7	21.75
70-74	2	20.4	14.41	-	-	-	2	33.5	23.69
75-79	1	15.1	15.05	-	-	-	1	23.9	23.91
80-84	2	50.4	35.64	-	-	-	2	74.8	52.87
85+	1	32.7	32.68	-	-	-	1	44.6	44.58
Total deaths	17			-			17		
Connecticut									
. Crude rate		-	-		-	-		5.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		5.7	1.42
. AAMR (1970 Std. mil.)		-	-		-	-		7.3	1.77
. AAMR (2000 Std. mil.)		-	-		-	-		8.3	2.07
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Bladder cancer (188)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	3.9	3.88	0	0.0	0.00	1	7.0	6.97
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	6.1	6.14	1	13.9	13.90	0	0.0	0.00
65-69	5	35.4	15.84	5	81.3	36.34	0	0.0	0.00
70-74	3	30.6	17.65	3	78.0	45.02	0	0.0	0.00
75-79	1	15.1	15.05	1	40.6	40.63	0	0.0	0.00
80-84	3	75.6	43.65	0	0.0	0.00	3	112.1	64.75
85+	3	98.0	56.60	1	122.4	122.40	2	89.2	63.05
Total deaths	17			11			6		
Connecticut									
. Crude rate		2.9	-		3.9	-		2.0	-
. AAMR (1940 Std. mil.)		2.9	0.73		-	-		-	-
. AAMR (1970 Std. mil.)		4.4	1.06		-	-		-	-
. AAMR (2000 Std. mil.)		5.9	1.51		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.7	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	2	3.7	2.61	1	3.6	3.65	1	3.7	3.75
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	7.1	7.08	0	0.0	0.00	1	12.6	12.56
70-74	2	20.4	14.41	0	0.0	0.00	2	33.5	23.69
75-79	1	15.1	15.05	0	0.0	0.00	1	23.9	23.91
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	6			1			5		
Connecticut									
. Crude rate		1.0	-		0.4	-		1.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.3	-		3.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.75	1	3.5	3.47	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.2	2.18	0	0.0	0.00	1	4.5	4.46
20-24	2	4.1	2.88	1	4.1	4.06	1	4.1	4.07
25-29	1	1.8	1.84	1	3.8	3.83	0	0.0	0.00
30-34	1	1.8	1.82	0	0.0	0.00	1	3.4	3.42
35-39	2	4.2	2.94	0	0.0	0.00	2	7.8	5.55
40-44	1	2.6	2.57	0	0.0	0.00	1	4.7	4.68
45-49	1	3.1	3.11	1	6.9	6.91	0	0.0	0.00
50-54	2	7.8	5.49	1	8.8	8.77	1	7.0	6.97
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	14.2	10.02	1	16.3	16.25	1	12.6	12.56
70-74	1	10.2	10.19	0	0.0	0.00	1	16.8	16.75
75-79	6	90.3	36.87	2	81.3	57.46	4	95.6	47.82
80-84	2	50.4	35.64	2	154.7	109.37	0	0.0	0.00
85+	1	32.7	32.68	0	0.0	0.00	1	44.6	44.58
Total deaths	24			10			14		
Connecticut									
. Crude rate		4.1	-		3.6	-		4.6	-
. AAMR (1940 Std. mil.)		4.1	0.85		-	-		-	-
. AAMR (1970 Std. mil.)		5.2	1.10		-	-		-	-
. AAMR (2000 Std. mil.)		6.7	1.50		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.3	-		4.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes mellitus (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.0	1.98	0	0.0	0.00	1	4.0	4.03
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	5.5	3.15	3	11.7	6.75	0	0.0	0.00
35-39	1	2.1	2.08	1	4.4	4.41	0	0.0	0.00
40-44	3	7.7	4.45	3	17.1	9.87	0	0.0	0.00
45-49	5	15.5	6.94	3	20.7	11.98	2	11.3	7.97
50-54	9	35.0	11.65	6	52.6	21.48	3	20.9	12.07
55-59	5	24.5	10.96	1	11.3	11.34	4	34.5	17.27
60-64	16	98.2	24.55	7	97.3	36.77	9	99.0	32.99
65-69	20	141.7	31.68	7	113.8	43.00	13	163.3	45.28
70-74	21	213.9	46.68	11	285.9	86.21	10	167.5	52.98
75-79	11	165.6	49.93	2	81.3	57.46	9	215.2	71.74
80-84	14	352.8	94.30	8	618.7	218.75	6	224.3	91.57
85+	16	522.9	130.72	5	612.0	273.69	11	490.4	147.87
Total deaths	125			57			68		
Connecticut									
. Crude rate		21.4	-		20.5	-		22.2	-
. AAMR (1940 Std. mil.)		22.4	2.06		25.7	3.43		20.4	2.59
. AAMR (1970 Std. mil.)		30.9	2.80		35.3	4.90		28.5	3.47
. AAMR (2000 Std. mil.)		40.2	3.79		47.4	7.16		36.3	4.50
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.4	-		13.4	-		11.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.0	1.98	0	0.0	0.00	1	4.0	4.03
15-19	1	2.2	2.18	0	0.0	0.00	1	4.5	4.46
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	4	7.3	3.64	3	11.7	6.75	1	3.4	3.42
35-39	3	6.2	3.60	2	8.8	6.24	1	3.9	3.92
40-44	13	33.4	9.27	9	51.3	17.10	4	18.7	9.36
45-49	18	55.9	13.17	9	62.2	20.74	9	50.7	16.91
50-54	27	104.9	20.18	13	114.0	31.62	14	97.6	26.08
55-59	22	107.8	22.99	7	79.4	29.99	15	129.5	33.45
60-64	49	300.8	42.97	21	291.8	63.68	28	307.9	58.18
65-69	62	439.2	55.78	30	487.6	89.02	32	401.9	71.04
70-74	75	764.1	88.23	36	935.8	155.97	39	653.4	104.62
75-79	46	692.5	102.10	19	772.0	177.12	27	645.6	124.25
80-84	47	1184.5	172.77	19	1469.5	337.12	28	1046.7	197.81
85+	41	1339.9	209.25	14	1713.6	457.98	27	1203.7	231.66
Total deaths	409			182			227		
Connecticut									
. Crude rate		69.9	-		65.4	-		74.0	-
. AAMR (1940 Std. mil.)		74.6	3.77		83.6	6.24		69.1	4.77
. AAMR (1970 Std. mil.)		102.2	5.11		116.0	8.90		94.3	6.31
. AAMR (2000 Std. mil.)		131.5	6.81		152.6	12.66		120.0	8.15
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	15.8	5.26	5	17.3	7.75	4	14.2	7.10
5-9	1	1.8	1.85	1	3.6	3.65	0	0.0	0.00
10-14	1	2.0	1.98	0	0.0	0.00	1	4.0	4.03
15-19	7	15.2	5.76	3	12.8	7.37	4	17.8	8.92
20-24	4	8.1	4.07	2	8.1	5.74	2	8.1	5.76
25-29	11	20.2	6.10	8	30.6	10.83	3	10.6	6.14
30-34	17	31.0	7.51	12	46.7	13.49	5	17.1	7.65
35-39	30	62.3	11.37	15	66.2	17.09	15	58.8	15.19
40-44	43	110.5	16.85	28	159.6	30.16	15	70.2	18.13
45-49	54	167.7	22.82	33	228.2	39.72	21	118.4	25.83
50-54	94	365.1	37.65	67	587.7	71.80	27	188.2	36.22
55-59	105	514.7	50.23	62	702.9	89.26	43	371.3	56.63
60-64	123	755.0	68.08	69	958.9	115.43	54	593.7	80.80
65-69	172	1218.5	92.91	97	1576.5	160.07	75	941.9	108.76
70-74	147	1497.6	123.52	81	2105.5	233.95	66	1105.7	136.10
75-79	153	2303.2	186.20	62	2519.3	319.95	91	2176.0	228.11
80-84	151	3805.4	309.68	60	4640.4	599.07	91	3401.9	356.61
85+	227	7418.3	492.37	63	7711.1	971.51	164	7311.6	570.94
Total deaths	1,349			668			681		
Connecticut									
. Crude rate		230.5	-		239.9	-		222.0	-
. AAMR (1940 Std. mil.)		233.8	6.57		301.4	11.77		184.4	7.52
. AAMR (1970 Std. mil.)		327.5	9.05		409.9	16.56		269.4	10.45
. AAMR (2000 Std. mil.)		444.3	12.82		542.5	24.05		377.1	14.85
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		182.8	-		238.7	-		137.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.75	0	0.0	0.00	1	3.6	3.55
5-9	1	1.8	1.85	1	3.6	3.65	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	6	10.9	4.46	4	15.6	7.79	2	6.8	4.84
35-39	8	16.6	5.87	6	26.5	10.81	2	7.8	5.55
40-44	14	36.0	9.62	7	39.9	15.08	7	32.8	12.38
45-49	25	77.6	15.53	18	124.5	29.33	7	39.5	14.91
50-54	45	174.8	26.05	33	289.4	50.39	12	83.6	24.15
55-59	57	279.4	37.01	36	408.1	68.02	21	181.3	39.57
60-64	65	399.0	49.49	41	569.8	88.98	24	263.9	53.86
65-69	88	623.4	66.46	48	780.1	112.60	40	502.3	79.42
70-74	80	815.0	91.12	45	1169.7	174.37	35	586.4	99.11
75-79	83	1249.4	137.14	35	1422.2	240.39	48	1147.8	165.67
80-84	87	2192.5	235.06	31	2397.5	430.61	56	2093.5	279.75
85+	117	3823.5	353.49	33	4039.2	703.13	84	3745.0	408.61
Total deaths	677			338			339		
Connecticut									
. Crude rate		115.7	-		121.4	-		110.5	-
. AAMR (1940 Std. mil.)		117.5	4.66		155.2	8.50		89.8	5.20
. AAMR (1970 Std. mil.)		168.7	6.55		214.5	12.07		136.1	7.46
. AAMR (2000 Std. mil.)		230.3	9.31		283.5	17.48		193.4	10.74
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		113.8	-		157.4	-		79.2	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.75	0	0.0	0.00	1	3.6	3.55
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	3	11.7	6.73	1	8.8	8.77	2	13.9	9.86
55-59	2	9.8	6.93	2	22.7	16.03	0	0.0	0.00
60-64	4	24.6	12.28	2	27.8	19.65	2	22.0	15.55
65-69	2	14.2	10.02	1	16.3	16.25	1	12.6	12.56
70-74	3	30.6	17.65	1	26.0	25.99	2	33.5	23.69
75-79	7	105.4	39.83	4	162.5	81.27	3	71.7	41.42
80-84	3	75.6	43.65	1	77.3	77.34	2	74.8	52.87
85+	6	196.1	80.05	3	367.2	212.00	3	133.7	77.22
Total deaths	31			15			16		
Connecticut									
. Crude rate		5.3	-		5.4	-		5.2	-
. AAMR (1940 Std. mil.)		5.3	0.99		-	-		4.5	1.18
. AAMR (1970 Std. mil.)		7.9	1.43		-	-		6.5	1.64
. AAMR (2000 Std. mil.)		11.0	2.07		-	-		8.8	2.27
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.3	-		7.0	-		5.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.8	1.84	1	3.8	3.83	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.6	2.57	1	5.7	5.70	0	0.0	0.00
45-49	1	3.1	3.11	1	6.9	6.91	0	0.0	0.00
50-54	1	3.9	3.88	0	0.0	0.00	1	7.0	6.97
55-59	2	9.8	6.93	1	11.3	11.34	1	8.6	8.64
60-64	4	24.6	12.28	3	41.7	24.07	1	11.0	11.00
65-69	4	28.3	14.17	3	48.8	28.15	1	12.6	12.56
70-74	2	20.4	14.41	1	26.0	25.99	1	16.8	16.75
75-79	2	30.1	21.29	0	0.0	0.00	2	47.8	33.82
80-84	1	25.2	25.20	1	77.3	77.34	0	0.0	0.00
85+	3	98.0	56.60	1	122.4	122.40	2	89.2	63.05
Total deaths	22			13			9		
Connecticut									
. Crude rate		3.8	-		4.7	-		2.9	-
. AAMR (1940 Std. mil.)		4.0	0.88		-	-		-	-
. AAMR (1970 Std. mil.)		5.3	1.14		-	-		-	-
. AAMR (2000 Std. mil.)		6.6	1.50		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		2.3	-		2.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.75	1	3.5	3.47	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	4.4	3.08	2	8.5	6.02	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	3.7	2.60	2	7.7	5.41	0	0.0	0.00
30-34	4	7.3	3.64	3	11.7	6.75	1	3.4	3.42
35-39	6	12.5	5.09	2	8.8	6.24	4	15.7	7.84
40-44	8	20.6	7.27	6	34.2	13.96	2	9.4	6.62
45-49	12	37.3	10.76	6	41.5	16.94	6	33.8	13.81
50-54	17	66.0	16.01	13	114.0	31.62	4	27.9	13.94
55-59	10	49.0	15.50	6	68.0	27.77	4	34.5	17.27
60-64	13	79.8	22.13	7	97.3	36.77	6	66.0	26.93
65-69	27	191.3	36.81	16	260.0	65.01	11	138.1	41.65
70-74	31	315.8	56.72	19	493.9	113.31	12	201.0	58.03
75-79	24	361.3	73.75	7	284.4	107.51	17	406.5	98.59
80-84	24	604.8	123.46	10	773.4	244.57	14	523.4	139.88
85+	39	1274.5	204.08	7	856.8	323.84	32	1426.7	252.20
Total deaths	220			107			113		
Connecticut									
. Crude rate		37.6	-		38.4	-		36.8	-
. AAMR (1940 Std. mil.)		37.6	2.61		48.2	4.70		29.1	2.93
. AAMR (1970 Std. mil.)		52.9	3.63		63.5	6.44		43.9	4.19
. AAMR (2000 Std. mil.)		73.1	5.22		82.3	9.06		64.3	6.19
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.6	-		29.0	-		24.4	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	6.1	6.14	0	0.0	0.00	1	11.0	11.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	3	30.6	17.65	1	26.0	25.99	2	33.5	23.69
75-79	1	15.1	15.05	1	40.6	40.63	0	0.0	0.00
80-84	5	126.0	56.35	3	232.0	133.96	2	74.8	52.87
85+	6	196.1	80.05	3	367.2	212.00	3	133.7	77.22
Total deaths	16			8			8		
Connecticut									
. Crude rate		2.7	-		2.9	-		2.6	-
. AAMR (1940 Std. mil.)		2.3	0.60		-	-		-	-
. AAMR (1970 Std. mil.)		4.2	1.06		-	-		-	-
. AAMR (2000 Std. mil.)		6.9	1.76		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.4	-		2.7	-		2.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.8	1.84	1	3.8	3.83	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	7.8	5.49	2	17.5	12.40	0	0.0	0.00
55-59	1	4.9	4.90	0	0.0	0.00	1	8.6	8.64
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	7	49.6	18.74	4	65.0	32.50	3	37.7	21.75
70-74	1	10.2	10.19	1	26.0	25.99	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	3	75.6	43.65	1	77.3	77.34	2	74.8	52.87
85+	3	98.0	56.60	1	122.4	122.40	2	89.2	63.05
Total deaths	18			10			8		
Connecticut									
. Crude rate		3.1	-		3.6	-		2.6	-
. AAMR (1940 Std. mil.)		3.1	0.76		-	-		-	-
. AAMR (1970 Std. mil.)		4.3	1.03		-	-		-	-
. AAMR (2000 Std. mil.)		5.7	1.44		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.4	-		5.6	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.3	3.04	2	6.9	4.90	1	3.6	3.55
5-9	1	1.8	1.85	1	3.6	3.65	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	8	14.6	5.15	3	11.7	6.75	5	17.1	7.65
35-39	7	14.5	5.49	4	17.7	8.83	3	11.8	6.79
40-44	9	23.1	7.71	8	45.6	16.12	1	4.7	4.68
45-49	8	24.8	8.78	7	48.4	18.29	1	5.6	5.64
50-54	6	23.3	9.51	5	43.9	19.61	1	7.0	6.97
55-59	3	14.7	8.49	2	22.7	16.03	1	8.6	8.64
60-64	3	18.4	10.63	2	27.8	19.65	1	11.0	11.00
65-69	4	28.3	14.17	2	32.5	22.98	2	25.1	17.76
70-74	6	61.1	24.95	5	130.0	58.12	1	16.8	16.75
75-79	11	165.6	49.93	6	243.8	99.53	5	119.6	53.47
80-84	8	201.6	71.28	1	77.3	77.34	7	261.7	98.91
85+	18	588.2	138.65	7	856.8	323.84	11	490.4	147.87
Total deaths	95			55			40		
Connecticut									
. Crude rate		16.2	-		19.7	-		13.0	-
. AAMR (1940 Std. mil.)		15.2	1.61		22.6	3.10		9.6	1.61
. AAMR (1970 Std. mil.)		20.2	2.16		29.3	4.29		13.9	2.28
. AAMR (2000 Std. mil.)		29.4	3.29		41.6	6.74		21.4	3.55
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.5	-		17.5	-		10.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.75	0	0.0	0.00	1	3.6	3.55
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	4.0	2.80	2	7.8	5.51	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	4.1	2.88	2	8.1	5.74	0	0.0	0.00
25-29	2	3.7	2.60	2	7.7	5.41	0	0.0	0.00
30-34	1	1.8	1.82	0	0.0	0.00	1	3.4	3.42
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.6	2.57	1	5.7	5.70	0	0.0	0.00
45-49	4	12.4	6.21	3	20.7	11.98	1	5.6	5.64
50-54	4	15.5	7.77	1	8.8	8.77	3	20.9	12.07
55-59	7	34.3	12.97	3	34.0	19.64	4	34.5	17.27
60-64	7	43.0	16.24	4	55.6	27.79	3	33.0	19.04
65-69	15	106.3	27.44	9	146.3	48.76	6	75.3	30.76
70-74	12	122.2	35.29	6	156.0	63.67	6	100.5	41.04
75-79	14	210.7	56.32	11	447.0	134.77	3	71.7	41.42
80-84	7	176.4	66.68	2	154.7	109.37	5	186.9	83.59
85+	8	261.4	92.43	5	612.0	273.69	3	133.7	77.22
Total deaths	87			51			36		
Connecticut									
. Crude rate		14.9	-		18.3	-		11.7	-
. AAMR (1940 Std. mil.)		15.8	1.73		22.7	3.20		11.2	1.93
. AAMR (1970 Std. mil.)		21.3	2.32		32.0	4.66		14.8	2.49
. AAMR (2000 Std. mil.)		26.9	3.06		42.2	6.76		18.3	3.13
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.4	-		27.8	-		17.2	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	4.0	2.80	2	7.8	5.51	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	4.1	2.88	2	8.1	5.74	0	0.0	0.00
25-29	2	3.7	2.60	2	7.7	5.41	0	0.0	0.00
30-34	1	1.8	1.82	0	0.0	0.00	1	3.4	3.42
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.6	2.57	1	5.7	5.70	0	0.0	0.00
45-49	3	9.3	5.38	2	13.8	9.78	1	5.6	5.64
50-54	1	3.9	3.88	0	0.0	0.00	1	7.0	6.97
55-59	2	9.8	6.93	0	0.0	0.00	2	17.3	12.21
60-64	1	6.1	6.14	1	13.9	13.90	0	0.0	0.00
65-69	1	7.1	7.08	1	16.3	16.25	0	0.0	0.00
70-74	2	20.4	14.41	1	26.0	25.99	1	16.8	16.75
75-79	1	15.1	15.05	1	40.6	40.63	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	19			13			6		
Connecticut									
. Crude rate		3.2	-		4.7	-		2.0	-
. AAMR (1940 Std. mil.)		3.6	0.82		-	-		-	-
. AAMR (1970 Std. mil.)		3.8	0.91		-	-		-	-
. AAMR (2000 Std. mil.)		4.1	0.99		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.5	-		1.3	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	4	8.3	4.15	2	8.8	6.24	2	7.8	5.55
40-44	2	5.1	3.63	1	5.7	5.70	1	4.7	4.68
45-49	7	21.7	8.22	3	20.7	11.98	4	22.5	11.27
50-54	10	38.8	12.28	4	35.1	17.54	6	41.8	17.07
55-59	5	24.5	10.96	3	34.0	19.64	2	17.3	12.21
60-64	5	30.7	13.73	3	41.7	24.07	2	22.0	15.55
65-69	3	21.3	12.27	2	32.5	22.98	1	12.6	12.56
70-74	4	40.7	20.37	3	78.0	45.02	1	16.8	16.75
75-79	2	30.1	21.29	0	0.0	0.00	2	47.8	33.82
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	32.7	32.68	1	122.4	122.40	0	0.0	0.00
Total deaths	43			22			21		
Connecticut									
. Crude rate		7.3	-		7.9	-		6.8	-
. AAMR (1940 Std. mil.)		8.5	1.31		10.1	2.16		7.4	1.62
. AAMR (1970 Std. mil.)		9.3	1.45		11.5	2.56		7.9	1.75
. AAMR (2000 Std. mil.)		10.8	1.70		13.6	3.24		9.2	2.04
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.0	-		11.3	-		4.8	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.5	2.48	1	3.5	3.47	1	3.6	3.55
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.0	2.03	0	0.0	0.00	1	4.1	4.07
25-29	3	5.5	3.19	1	3.8	3.83	2	7.1	5.01
30-34	3	5.5	3.15	3	11.7	6.75	0	0.0	0.00
35-39	5	10.4	4.64	4	17.7	8.83	1	3.9	3.92
40-44	5	12.9	5.75	4	22.8	11.40	1	4.7	4.68
45-49	3	9.3	5.38	3	20.7	11.98	0	0.0	0.00
50-54	3	11.7	6.73	3	26.3	15.19	0	0.0	0.00
55-59	2	9.8	6.93	1	11.3	11.34	1	8.6	8.64
60-64	9	55.2	18.42	4	55.6	27.79	5	55.0	24.59
65-69	7	49.6	18.74	6	97.5	39.81	1	12.6	12.56
70-74	10	101.9	32.22	2	52.0	36.76	8	134.0	47.39
75-79	11	165.6	49.93	4	162.5	81.27	7	167.4	63.27
80-84	10	252.0	79.69	1	77.3	77.34	9	336.4	112.15
85+	13	424.8	117.83	2	244.8	173.10	11	490.4	147.87
Total deaths	87			39			48		
Connecticut									
. Crude rate		14.9	-		14.0	-		15.6	-
. AAMR (1940 Std. mil.)		14.6	1.61		16.4	2.66		12.4	1.90
. AAMR (1970 Std. mil.)		20.0	2.22		19.6	3.39		19.0	2.78
. AAMR (2000 Std. mil.)		27.5	3.18		25.0	4.69		27.0	4.03
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.3	-		6.6	-		4.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	13	22.8	6.32	8	27.7	9.81	5	17.8	7.94
5-9	4	7.4	3.69	4	14.6	7.29	0	0.0	0.00
10-14	6	11.9	4.85	5	19.5	8.71	1	4.0	4.03
15-19	11	24.0	7.22	8	34.1	12.04	3	13.4	7.73
20-24	21	42.7	9.32	17	69.0	16.75	4	16.3	8.14
25-29	13	23.9	6.64	7	26.8	10.13	6	21.3	8.68
30-34	20	36.4	8.14	15	58.4	15.08	5	17.1	7.65
35-39	27	56.1	10.79	22	97.1	20.70	5	19.6	8.77
40-44	23	59.1	12.33	18	102.6	24.18	5	23.4	10.47
45-49	11	34.2	10.30	10	69.1	21.86	1	5.6	5.64
50-54	12	46.6	13.45	9	78.9	26.31	3	20.9	12.07
55-59	7	34.3	12.97	5	56.7	25.35	2	17.3	12.21
60-64	7	43.0	16.24	4	55.6	27.79	3	33.0	19.04
65-69	7	49.6	18.74	5	81.3	36.34	2	25.1	17.76
70-74	8	81.5	28.81	5	130.0	58.12	3	50.3	29.02
75-79	6	90.3	36.87	2	81.3	57.46	4	95.6	47.82
80-84	1	25.2	25.20	0	0.0	0.00	1	37.4	37.38
85+	5	163.4	73.07	1	122.4	122.40	4	178.3	89.17
Total deaths	202			145			57		
Connecticut									
. Crude rate		34.5	-		52.1	-		18.6	-
. AAMR (1940 Std. mil.)		34.8	2.48		54.4	4.60		17.5	2.38
. AAMR (1970 Std. mil.)		34.9	2.58		53.2	4.72		18.8	2.58
. AAMR (2000 Std. mil.)		39.5	3.02		59.4	5.50		22.0	3.12
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.2	-		44.2	-		17.0	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	2	3.7	2.61	2	7.3	5.16	0	0.0	0.00
10-14	3	5.9	3.43	2	7.8	5.51	1	4.0	4.03
15-19	8	17.4	6.16	5	21.3	9.52	3	13.4	7.73
20-24	15	30.5	7.88	13	52.8	14.64	2	8.1	5.76
25-29	8	14.7	5.21	5	19.1	8.56	3	10.6	6.14
30-34	6	10.9	4.46	3	11.7	6.75	3	10.3	5.92
35-39	4	8.3	4.15	3	13.2	7.64	1	3.9	3.92
40-44	4	10.3	5.14	4	22.8	11.40	0	0.0	0.00
45-49	2	6.2	4.39	2	13.8	9.78	0	0.0	0.00
50-54	3	11.7	6.73	3	26.3	15.19	0	0.0	0.00
55-59	2	9.8	6.93	2	22.7	16.03	0	0.0	0.00
60-64	1	6.1	6.14	1	13.9	13.90	0	0.0	0.00
65-69	2	14.2	10.02	2	32.5	22.98	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	3	45.2	26.07	1	40.6	40.63	2	47.8	33.82
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	63			48			15		
Connecticut									
. Crude rate		10.8	-		17.2	-		4.9	-
. AAMR (1940 Std. mil.)		11.1	1.41		18.2	2.65		-	-
. AAMR (1970 Std. mil.)		10.8	1.41		17.6	2.66		-	-
. AAMR (2000 Std. mil.)		10.8	1.46		17.6	2.76		-	-
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.1	-		22.5	-		9.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	7.0	3.51	2	6.9	4.90	2	7.1	5.02
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.0	1.98	1	3.9	3.90	0	0.0	0.00
15-19	1	2.2	2.18	1	4.3	4.26	0	0.0	0.00
20-24	2	4.1	2.88	1	4.1	4.06	1	4.1	4.07
25-29	1	1.8	1.84	1	3.8	3.83	0	0.0	0.00
30-34	2	3.6	2.57	1	3.9	3.89	1	3.4	3.42
35-39	1	2.1	2.08	1	4.4	4.41	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	3.1	3.11	1	6.9	6.91	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	6.1	6.14	1	13.9	13.90	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	14			10			4		
Connecticut									
. Crude rate		2.4	-		3.6	-		1.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		2.8	-		0.6	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.5	2.48	1	3.5	3.47	1	3.6	3.55
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.0	1.98	1	3.9	3.90	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	4.2	2.94	1	4.4	4.41	1	3.9	3.92
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	3.1	3.11	1	6.9	6.91	0	0.0	0.00
50-54	1	3.9	3.88	0	0.0	0.00	1	7.0	6.97
55-59	2	9.8	6.93	2	22.7	16.03	0	0.0	0.00
60-64	1	6.1	6.14	1	13.9	13.90	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	3	30.6	17.65	1	26.0	25.99	2	33.5	23.69
75-79	1	15.1	15.05	0	0.0	0.00	1	23.9	23.91
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	14			8			6		
Connecticut									
. Crude rate		2.4	-		2.9	-		2.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.0	-		1.7	-		1.0	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	7	15.2	5.76	6	25.5	10.43	1	4.5	4.46
20-24	9	18.3	6.10	9	36.6	12.18	0	0.0	0.00
25-29	3	5.5	3.19	2	7.7	5.41	1	3.5	3.54
30-34	5	9.1	4.07	5	19.5	8.71	0	0.0	0.00
35-39	4	8.3	4.15	3	13.2	7.64	1	3.9	3.92
40-44	1	2.6	2.57	1	5.7	5.70	0	0.0	0.00
45-49	3	9.3	5.38	2	13.8	9.78	1	5.6	5.64
50-54	2	7.8	5.49	2	17.5	12.40	0	0.0	0.00
55-59	1	4.9	4.90	1	11.3	11.34	0	0.0	0.00
60-64	1	6.1	6.14	1	13.9	13.90	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	15.1	15.05	1	40.6	40.63	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	37			33			4		
Connecticut									
. Crude rate		6.3	-		11.8	-		1.3	-
. AAMR (1940 Std. mil.)		6.6	1.10		12.4	2.19		-	-
. AAMR (1970 Std. mil.)		6.2	1.05		11.7	2.15		-	-
. AAMR (2000 Std. mil.)		6.2	1.08		12.0	2.29		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.4	-		18.5	-		4.2	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	10.5	4.30	3	10.4	6.00	3	10.7	6.15
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	4	7.9	3.96	2	7.8	5.51	2	8.1	5.70
15-19	37	80.6	13.25	36	153.3	25.54	1	4.5	4.46
20-24	45	91.5	13.64	38	154.3	25.04	7	28.5	10.77
25-29	42	77.3	11.93	36	137.8	22.97	6	21.3	8.68
30-34	25	45.5	9.10	15	58.4	15.08	10	34.2	10.81
35-39	14	29.1	7.77	10	44.1	13.96	4	15.7	7.84
40-44	7	18.0	6.80	5	28.5	12.75	2	9.4	6.62
45-49	3	9.3	5.38	3	20.7	11.98	0	0.0	0.00
50-54	1	3.9	3.88	1	8.8	8.77	0	0.0	0.00
55-59	1	4.9	4.90	1	11.3	11.34	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	3	30.6	17.65	1	26.0	25.99	2	33.5	23.69
75-79	2	30.1	21.29	1	40.6	40.63	1	23.9	23.91
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	190			152			38		
Connecticut									
. Crude rate		32.5	-		54.6	-		12.4	-
. AAMR (1940 Std. mil.)		32.5	2.38		54.0	4.41		11.6	1.90
. AAMR (1970 Std. mil.)		29.4	2.21		48.7	4.09		10.5	1.78
. AAMR (2000 Std. mil.)		28.2	2.13		46.1	3.93		11.1	1.88
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.6	-		16.6	-		4.5	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	19	33.3	7.65	11	38.1	11.50	8	28.4	10.04
5-9	4	7.4	3.69	4	14.6	7.29	0	0.0	0.00
10-14	10	19.8	6.26	7	27.3	10.31	3	12.1	6.98
15-19	55	119.8	16.15	50	212.9	30.11	5	22.3	9.97
20-24	75	152.5	17.61	64	259.9	32.49	11	44.8	13.51
25-29	59	108.6	14.14	46	176.1	25.96	13	46.1	12.78
30-34	53	96.5	13.26	36	140.2	23.37	17	58.1	14.10
35-39	47	97.6	14.24	37	163.3	26.85	10	39.2	12.40
40-44	35	90.0	15.20	28	159.6	30.16	7	32.8	12.38
45-49	17	52.8	12.80	15	103.7	26.78	2	11.3	7.97
50-54	15	58.3	15.04	12	105.3	30.38	3	20.9	12.07
55-59	9	44.1	14.71	7	79.4	29.99	2	17.3	12.21
60-64	8	49.1	17.36	5	69.5	31.07	3	33.0	19.04
65-69	8	56.7	20.04	6	97.5	39.81	2	25.1	17.76
70-74	11	112.1	33.79	6	156.0	63.67	5	83.8	37.46
75-79	9	135.5	45.16	4	162.5	81.27	5	119.6	53.47
80-84	1	25.2	25.20	0	0.0	0.00	1	37.4	37.38
85+	5	163.4	73.07	1	122.4	122.40	4	178.3	89.17
Total deaths	440			339			101		
Connecticut									
. Crude rate		75.2	-		121.7	-		32.9	-
. AAMR (1940 Std. mil.)		75.6	3.65		124.1	6.83		31.1	3.15
. AAMR (1970 Std. mil.)		71.9	3.58		116.5	6.68		30.9	3.21
. AAMR (2000 Std. mil.)		75.8	3.90		121.1	7.25		34.8	3.72
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		53.6	-		81.9	-		26.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.8	1.84	0	0.0	0.00	1	3.5	3.54
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	3	6.2	3.60	3	13.2	7.64	0	0.0	0.00
40-44	2	5.1	3.63	2	11.4	8.06	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	3.9	3.88	1	8.8	8.77	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	14.2	10.02	1	16.3	16.25	1	12.6	12.56
70-74	1	10.2	10.19	1	26.0	25.99	0	0.0	0.00
75-79	2	30.1	21.29	1	40.6	40.63	1	23.9	23.91
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	32.7	32.68	0	0.0	0.00	1	44.6	44.58
Total deaths	13			9			4		
Connecticut									
. Crude rate		2.2	-		3.2	-		1.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		3.4	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.75	0	0.0	0.00	1	3.6	3.55
5-9	1	1.8	1.85	1	3.6	3.65	0	0.0	0.00
10-14	3	5.9	3.43	3	11.7	6.75	0	0.0	0.00
15-19	40	87.1	13.78	38	161.8	26.24	2	8.9	6.31
20-24	48	97.6	14.09	44	178.7	26.94	4	16.3	8.14
25-29	28	51.5	9.74	27	103.4	19.89	1	3.5	3.54
30-34	24	43.7	8.92	16	62.3	15.58	8	27.4	9.67
35-39	12	24.9	7.19	10	44.1	13.96	2	7.8	5.55
40-44	3	7.7	4.45	3	17.1	9.87	0	0.0	0.00
45-49	5	15.5	6.94	5	34.6	15.46	0	0.0	0.00
50-54	2	7.8	5.49	2	17.5	12.40	0	0.0	0.00
55-59	2	9.8	6.93	2	22.7	16.03	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	10.2	10.19	1	26.0	25.99	0	0.0	0.00
75-79	1	15.1	15.05	1	40.6	40.63	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	171			153			18		
Connecticut									
. Crude rate		29.2	-		54.9	-		5.9	-
. AAMR (1940 Std. mil.)		29.8	2.30		55.2	4.50		5.5	1.33
. AAMR (1970 Std. mil.)		27.1	2.14		50.5	4.22		4.7	1.15
. AAMR (2000 Std. mil.)		25.4	1.99		47.4	4.03		4.8	1.13
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.5	-		26.9	-		4.6	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	6	13.1	5.34	5	21.3	9.52	1	4.5	4.46
20-24	7	14.2	5.38	7	28.4	10.75	0	0.0	0.00
25-29	1	1.8	1.84	1	3.8	3.83	0	0.0	0.00
30-34	1	1.8	1.82	1	3.9	3.89	0	0.0	0.00
35-39	1	2.1	2.08	1	4.4	4.41	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	3.1	3.11	1	6.9	6.91	0	0.0	0.00
50-54	1	3.9	3.88	1	8.8	8.77	0	0.0	0.00
55-59	1	4.9	4.90	1	11.3	11.34	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	19			18			1		
Connecticut									
. Crude rate		3.2	-		6.5	-		0.3	-
. AAMR (1940 Std. mil.)		3.6	0.82		6.9	1.63		-	-
. AAMR (1970 Std. mil.)		3.3	0.78		6.5	1.56		-	-
. AAMR (2000 Std. mil.)		3.0	0.71		5.9	1.45		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		12.1	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.75	0	0.0	0.00	1	3.6	3.55
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	4.0	2.80	2	7.8	5.51	0	0.0	0.00
15-19	32	69.7	12.32	31	132.0	23.70	1	4.5	4.46
20-24	40	81.3	12.86	36	146.2	24.37	4	16.3	8.14
25-29	27	49.7	9.56	26	99.5	19.52	1	3.5	3.54
30-34	22	40.1	8.54	14	54.5	14.57	8	27.4	9.67
35-39	11	22.8	6.89	9	39.7	13.24	2	7.8	5.55
40-44	3	7.7	4.45	3	17.1	9.87	0	0.0	0.00
45-49	3	9.3	5.38	3	20.7	11.98	0	0.0	0.00
50-54	1	3.9	3.88	1	8.8	8.77	0	0.0	0.00
55-59	1	4.9	4.90	1	11.3	11.34	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	10.2	10.19	1	26.0	25.99	0	0.0	0.00
75-79	1	15.1	15.05	1	40.6	40.63	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	145			128			17		
Connecticut									
. Crude rate		24.8	-		46.0	-		5.5	-
. AAMR (1940 Std. mil.)		25.0	2.10		45.8	4.08		5.1	1.26
. AAMR (1970 Std. mil.)		22.5	1.93		41.5	3.80		4.2	1.07
. AAMR (2000 Std. mil.)		21.3	1.82		39.2	3.66		4.5	1.09
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.6	-		12.8	-		2.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.3	3.04	3	10.4	6.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	6.1	3.52	2	8.1	5.74	1	4.1	4.07
25-29	3	5.5	3.19	2	7.7	5.41	1	3.5	3.54
30-34	13	23.7	6.56	10	38.9	12.32	3	10.3	5.92
35-39	19	39.5	9.05	15	66.2	17.09	4	15.7	7.84
40-44	17	43.7	10.60	12	68.4	19.75	5	23.4	10.47
45-49	6	18.6	7.61	4	27.7	13.83	2	11.3	7.97
50-54	7	27.2	10.28	5	43.9	19.61	2	13.9	9.86
55-59	1	4.9	4.90	1	11.3	11.34	0	0.0	0.00
60-64	2	12.3	8.68	0	0.0	0.00	2	22.0	15.55
65-69	2	14.2	10.02	2	32.5	22.98	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	76			56			20		
Connecticut									
. Crude rate		13.0	-		20.1	-		6.5	-
. AAMR (1940 Std. mil.)		12.8	1.48		20.2	2.74		6.4	1.45
. AAMR (1970 Std. mil.)		11.2	1.34		17.6	2.46		5.7	1.34
. AAMR (2000 Std. mil.)		13.8	1.63		21.9	3.03		7.0	1.59
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.7	-		8.1	-		3.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.75	1	3.5	3.47	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.8	1.82	0	0.0	0.00	1	3.4	3.42
35-39	2	4.2	2.94	2	8.8	6.24	0	0.0	0.00
40-44	11	28.3	8.52	9	51.3	17.10	2	9.4	6.62
45-49	3	9.3	5.38	2	13.8	9.78	1	5.6	5.64
50-54	12	46.6	13.45	8	70.2	24.81	4	27.9	13.94
55-59	2	9.8	6.93	1	11.3	11.34	1	8.6	8.64
60-64	3	18.4	10.63	2	27.8	19.65	1	11.0	11.00
65-69	5	35.4	15.84	4	65.0	32.50	1	12.6	12.56
70-74	2	20.4	14.41	2	52.0	36.76	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	42			31			11		
Connecticut									
. Crude rate		7.2	-		11.1	-		3.6	-
. AAMR (1940 Std. mil.)		8.1	1.26		13.5	2.44		-	-
. AAMR (1970 Std. mil.)		8.3	1.31		13.8	2.57		-	-
. AAMR (2000 Std. mil.)		9.5	1.49		16.1	2.95		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		10.9	-		3.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	6.1	3.52	2	8.1	5.74	1	4.1	4.07
25-29	3	5.5	3.19	2	7.7	5.41	1	3.5	3.54
30-34	15	27.3	7.05	11	42.8	12.92	4	13.7	6.84
35-39	22	45.7	9.74	18	79.4	18.73	4	15.7	7.84
40-44	18	46.3	10.90	13	74.1	20.55	5	23.4	10.47
45-49	7	21.7	8.22	5	34.6	15.46	2	11.3	7.97
50-54	4	15.5	7.77	2	17.5	12.40	2	13.9	9.86
55-59	1	4.9	4.90	1	11.3	11.34	0	0.0	0.00
60-64	1	6.1	6.14	0	0.0	0.00	1	11.0	11.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	74			54			20		
Connecticut									
. Crude rate		12.6	-		19.4	-		6.5	-
. AAMR (1940 Std. mil.)		12.2	1.43		19.0	2.62		6.3	1.42
. AAMR (1970 Std. mil.)		10.3	1.23		15.9	2.24		5.5	1.27
. AAMR (2000 Std. mil.)		13.2	1.57		20.7	2.89		6.8	1.55
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.7	-		2.9	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher