

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	6.9	4.87	1	6.8	6.83	1	7.0	6.96
5-9	3	11.3	6.51	1	7.4	7.41	2	15.2	10.77
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	11.9	6.86	2	15.9	11.21	1	7.9	7.90
25-29	22	79.8	17.02	14	106.0	28.33	8	55.8	19.71
30-34	50	183.3	25.92	39	304.8	48.80	11	76.0	22.90
35-39	62	261.0	33.14	42	377.6	58.26	20	158.3	35.40
40-44	62	320.4	40.69	46	528.5	77.92	16	150.3	37.57
45-49	27	171.3	32.97	23	323.4	67.43	4	46.3	23.13
50-54	11	86.3	26.03	5	88.6	39.63	6	84.5	34.50
55-59	8	79.8	28.22	6	137.7	56.21	2	35.3	24.96
60-64	9	109.9	36.63	6	165.7	67.63	3	65.7	37.92
65-69	6	86.1	35.15	3	99.3	57.33	3	76.0	43.88
70-74	7	143.7	54.32	4	208.7	104.33	3	101.6	58.63
75-79	5	152.5	68.21	3	250.0	144.34	2	96.2	68.06
80-84	6	302.9	123.65	1	153.4	153.37	5	376.2	168.25
85+	5	334.9	149.77	3	757.6	437.39	2	182.3	128.92
Total deaths	288			199			89		
Connecticut									
. Crude rate		98.6	-		143.3	-		58.1	-
. AAMR (1940 Std. mil.)		96.5	5.76		147.9	10.65		54.1	5.81
. AAMR (1970 Std. mil.)		90.5	5.65		137.5	10.65		52.8	5.86
. AAMR (2000 Std. mil.)		115.7	7.33		177.5	14.38		67.1	7.50
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.5	-		33.3	-		10.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	7.3	5.18	1	7.8	7.81	1	6.9	6.90
35-39	2	8.4	5.95	1	9.0	8.99	1	7.9	7.92
40-44	3	15.5	8.95	2	23.0	16.25	1	9.4	9.39
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	15.7	11.10	0	0.0	0.00	2	28.2	19.92
55-59	1	10.0	9.98	1	22.9	22.95	0	0.0	0.00
60-64	5	61.1	27.30	3	82.8	47.82	2	43.8	30.96
65-69	2	28.7	20.30	0	0.0	0.00	2	50.7	35.83
70-74	4	82.1	41.06	2	104.3	73.77	2	67.7	47.87
75-79	3	91.5	52.84	2	166.7	117.85	1	48.1	48.12
80-84	5	252.4	112.88	0	0.0	0.00	5	376.2	168.25
85+	4	267.9	133.96	3	757.6	437.39	1	91.2	91.16
Total deaths	33			15			18		
Connecticut									
. Crude rate		11.3	-		10.8	-		11.8	-
. AAMR (1940 Std. mil.)		11.4	2.04		12.8	3.37		10.7	2.59
. AAMR (1970 Std. mil.)		15.5	2.78		18.5	5.11		14.1	3.40
. AAMR (2000 Std. mil.)		21.0	3.92		27.1	8.30		18.7	4.56
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.8	-		4.5	-		3.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	3	11.3	6.51	1	7.4	7.41	2	15.2	10.77
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	11.9	6.86	2	15.9	11.21	1	7.9	7.90
25-29	21	76.2	16.63	13	98.4	27.30	8	55.8	19.71
30-34	43	157.6	24.04	34	265.7	45.56	9	62.1	20.71
35-39	59	248.3	32.33	40	359.6	56.86	19	150.4	34.50
40-44	56	289.4	38.67	41	471.0	73.57	15	140.9	36.38
45-49	22	139.6	29.76	20	281.2	62.88	2	23.1	16.35
50-54	5	39.2	17.55	4	70.9	35.45	1	14.1	14.09
55-59	6	59.9	24.44	4	91.8	45.89	2	35.3	24.96
60-64	2	24.4	17.27	2	55.2	39.05	0	0.0	0.00
65-69	3	43.1	24.86	2	66.2	46.81	1	25.3	25.34
70-74	1	20.5	20.53	1	52.2	52.16	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	224			164			60		
Connecticut									
. Crude rate		76.7	-		118.1	-		39.2	-
. AAMR (1940 Std. mil.)		74.1	4.99		119.0	9.41		36.3	4.71
. AAMR (1970 Std. mil.)		63.1	4.38		102.1	8.36		30.6	4.07
. AAMR (2000 Std. mil.)		80.0	5.49		129.7	10.48		38.5	5.07
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.8	-		24.1	-		3.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.4	3.45	1	6.8	6.83	0	0.0	0.00
5-9	2	7.5	5.31	1	7.4	7.41	1	7.6	7.62
10-14	1	4.0	3.97	1	7.8	7.83	0	0.0	0.00
15-19	4	17.6	8.82	0	0.0	0.00	4	36.2	18.09
20-24	2	7.9	5.60	2	15.9	11.21	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	5	18.3	8.20	1	7.8	7.81	4	27.6	13.81
35-39	8	33.7	11.91	4	36.0	17.98	4	31.7	15.83
40-44	17	87.9	21.31	9	103.4	34.47	8	75.1	26.57
45-49	27	171.3	32.97	14	196.9	52.61	13	150.3	41.69
50-54	37	290.4	47.74	23	407.7	85.00	14	197.2	52.71
55-59	36	359.2	59.86	23	527.8	110.05	13	229.5	63.65
60-64	56	683.8	91.37	32	883.5	156.18	24	525.4	107.25
65-69	53	760.6	104.48	32	1059.3	187.25	21	532.0	116.10
70-74	54	1108.6	150.86	28	1460.6	276.03	26	880.2	172.61
75-79	39	1189.7	190.51	24	2000.0	408.25	15	721.8	186.38
80-84	41	2069.7	323.23	25	3834.4	766.87	16	1203.9	300.98
85+	27	1808.4	348.03	10	2525.3	798.55	17	1549.7	375.85
Total deaths	410			230			180		
Connecticut									
. Crude rate		140.4	-		165.6	-		117.5	-
. AAMR (1940 Std. mil.)		154.9	7.78		214.7	14.24		114.9	8.85
. AAMR (1970 Std. mil.)		199.5	10.00		284.5	19.42		145.7	11.01
. AAMR (2000 Std. mil.)		247.0	12.86		358.4	26.46		179.7	13.79
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		132.6	-		161.8	-		111.2	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.2	4.21	0	0.0	0.00	1	7.9	7.92
40-44	3	15.5	8.95	2	23.0	16.25	1	9.4	9.39
45-49	2	12.7	8.97	1	14.1	14.06	1	11.6	11.56
50-54	4	31.4	15.70	2	35.4	25.07	2	28.2	19.92
55-59	5	49.9	22.31	4	91.8	45.89	1	17.7	17.65
60-64	4	48.8	24.42	1	27.6	27.61	3	65.7	37.92
65-69	4	57.4	28.70	1	33.1	33.10	3	76.0	43.88
70-74	7	143.7	54.32	3	156.5	90.35	4	135.4	67.70
75-79	5	152.5	68.21	2	166.7	117.85	3	144.4	83.35
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	67.0	66.98	0	0.0	0.00	1	91.2	91.16
Total deaths	36			16			20		
Connecticut									
. Crude rate		12.3	-		11.5	-		13.1	-
. AAMR (1940 Std. mil.)		14.2	2.39		15.4	3.85		13.3	3.04
. AAMR (1970 Std. mil.)		17.3	2.94		18.3	4.69		16.5	3.74
. AAMR (2000 Std. mil.)		20.5	3.54		21.2	5.57		19.6	4.48
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.0	-		15.8	-		11.1	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.2	4.21	0	0.0	0.00	1	7.9	7.92
40-44	3	15.5	8.95	2	23.0	16.25	1	9.4	9.39
45-49	2	12.7	8.97	1	14.1	14.06	1	11.6	11.56
50-54	4	31.4	15.70	2	35.4	25.07	2	28.2	19.92
55-59	4	39.9	19.95	3	68.8	39.74	1	17.7	17.65
60-64	3	36.6	21.15	1	27.6	27.61	2	43.8	30.96
65-69	4	57.4	28.70	1	33.1	33.10	3	76.0	43.88
70-74	6	123.2	50.29	2	104.3	73.77	4	135.4	67.70
75-79	4	122.0	61.01	2	166.7	117.85	2	96.2	68.06
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	31			14			17		
Connecticut									
. Crude rate		10.6	-		10.1	-		11.1	-
. AAMR (1940 Std. mil.)		12.4	2.24		-	-		11.8	2.87
. AAMR (1970 Std. mil.)		14.7	2.69		-	-		14.0	3.44
. AAMR (2000 Std. mil.)		17.0	3.14		-	-		16.1	3.96
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.9	-		13.1	-		9.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.7	3.67	1	7.8	7.81	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	5.2	5.17	1	11.5	11.49	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	4	31.4	15.70	3	53.2	30.70	1	14.1	14.09
55-59	3	29.9	17.28	2	45.9	32.45	1	17.7	17.65
60-64	7	85.5	32.30	5	138.0	61.74	2	43.8	30.96
65-69	2	28.7	20.30	0	0.0	0.00	2	50.7	35.83
70-74	3	61.6	35.56	1	52.2	52.16	2	67.7	47.87
75-79	3	91.5	52.84	2	166.7	117.85	1	48.1	48.12
80-84	3	151.4	87.43	2	306.7	216.90	1	75.2	75.24
85+	4	267.9	133.96	0	0.0	0.00	4	364.6	182.32
Total deaths	31			17			14		
Connecticut									
. Crude rate		10.6	-		12.2	-		9.1	-
. AAMR (1940 Std. mil.)		11.5	2.12		16.1	3.92		-	-
. AAMR (1970 Std. mil.)		15.4	2.80		20.1	5.07		-	-
. AAMR (2000 Std. mil.)		19.7	3.75		24.0	6.40		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.3	-		7.4	-		5.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.7	3.67	0	0.0	0.00	1	6.9	6.90
35-39	2	8.4	5.95	1	9.0	8.99	1	7.9	7.92
40-44	3	15.5	8.95	2	23.0	16.25	1	9.4	9.39
45-49	8	50.8	17.95	4	56.2	28.12	4	46.3	23.13
50-54	7	54.9	20.77	5	88.6	39.63	2	28.2	19.92
55-59	10	99.8	31.55	8	183.6	64.90	2	35.3	24.96
60-64	18	219.8	51.80	13	358.9	99.55	5	109.5	48.95
65-69	22	315.7	67.31	16	529.6	132.41	6	152.0	62.06
70-74	8	164.2	58.07	5	260.8	116.64	3	101.6	58.63
75-79	10	305.1	96.47	5	416.7	186.34	5	240.6	107.61
80-84	5	252.4	112.88	5	766.9	342.96	0	0.0	0.00
85+	3	200.9	116.01	2	505.1	357.12	1	91.2	91.16
Total deaths	97			66			31		
Connecticut									
. Crude rate		33.2	-		47.5	-		20.2	-
. AAMR (1940 Std. mil.)		38.3	3.93		62.6	7.73		21.0	3.83
. AAMR (1970 Std. mil.)		47.2	4.85		79.7	10.07		25.2	4.60
. AAMR (2000 Std. mil.)		54.6	5.78		94.2	12.85		29.3	5.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		40.8	-		58.1	-		27.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.7	3.67	0	0.0	0.00	1	6.9	6.90
35-39	2	8.4	5.95	1	9.0	8.99	1	7.9	7.92
40-44	3	15.5	8.95	2	23.0	16.25	1	9.4	9.39
45-49	6	38.1	15.54	2	28.1	19.88	4	46.3	23.13
50-54	7	54.9	20.77	5	88.6	39.63	2	28.2	19.92
55-59	10	99.8	31.55	8	183.6	64.90	2	35.3	24.96
60-64	15	183.2	47.29	11	303.7	91.57	4	87.6	43.78
65-69	22	315.7	67.31	16	529.6	132.41	6	152.0	62.06
70-74	8	164.2	58.07	5	260.8	116.64	3	101.6	58.63
75-79	10	305.1	96.47	5	416.7	186.34	5	240.6	107.61
80-84	5	252.4	112.88	5	766.9	342.96	0	0.0	0.00
85+	3	200.9	116.01	2	505.1	357.12	1	91.2	91.16
Total deaths	92			62			30		
Connecticut									
. Crude rate		31.5	-		44.6	-		19.6	-
. AAMR (1940 Std. mil.)		36.1	3.81		58.8	7.50		20.2	3.75
. AAMR (1970 Std. mil.)		44.9	4.74		75.7	9.86		24.3	4.50
. AAMR (2000 Std. mil.)		52.2	5.68		90.1	12.68		28.5	5.33
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.2	-		55.7	-		26.5	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	1	3.7	3.67	-	-	-	1	6.9	6.90
35-39	1	4.2	4.21	-	-	-	1	7.9	7.92
40-44	3	15.5	8.95	-	-	-	3	28.2	16.27
45-49	4	25.4	12.69	-	-	-	4	46.3	23.13
50-54	6	47.1	19.23	-	-	-	6	84.5	34.50
55-59	4	39.9	19.95	-	-	-	4	70.6	35.30
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	3	43.1	24.86	-	-	-	3	76.0	43.88
70-74	3	61.6	35.56	-	-	-	3	101.6	58.63
75-79	2	61.0	43.14	-	-	-	2	96.2	68.06
80-84	3	151.4	87.43	-	-	-	3	225.7	130.33
85+	3	200.9	116.01	-	-	-	3	273.5	157.89
Total deaths	33			-			33		
Connecticut									
. Crude rate		-	-		-	-		21.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		21.0	3.77
. AAMR (1970 Std. mil.)		-	-		-	-		25.0	4.43
. AAMR (2000 Std. mil.)		-	-		-	-		32.2	5.77
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	5.2	5.17	-	-	-	1	9.4	9.39
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	1	20.5	20.53	-	-	-	1	33.9	33.85
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	1	50.5	50.48	-	-	-	1	75.2	75.24
85+	1	67.0	66.98	-	-	-	1	91.2	91.16
Total deaths	4			-			4		
Connecticut									
. Crude rate		-	-		-	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	1	10.0	9.98	-	-	-	1	17.7	17.65
60-64	2	24.4	17.27	-	-	-	2	43.8	30.96
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	1	20.5	20.53	-	-	-	1	33.9	33.85
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	2	134.0	94.72	-	-	-	2	182.3	128.92
Total deaths	6			-			6		
Connecticut									
. Crude rate		-	-		-	-		3.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	1	4.4	4.41	-	-	-	1	9.0	9.04
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	7.8	7.85	-	-	-	1	14.1	14.09
55-59	2	20.0	14.11	-	-	-	2	35.3	24.96
60-64	2	24.4	17.27	-	-	-	2	43.8	30.96
65-69	1	14.4	14.35	-	-	-	1	25.3	25.34
70-74	1	20.5	20.53	-	-	-	1	33.9	33.85
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	1	50.5	50.48	-	-	-	1	75.2	75.24
85+	1	67.0	66.98	-	-	-	1	91.2	91.16
Total deaths	10			-			10		
Connecticut									
. Crude rate		-	-		-	-		6.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Bladder cancer (188)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	12.2	12.21	1	27.6	27.61	0	0.0	0.00
65-69	2	28.7	20.30	2	66.2	46.81	0	0.0	0.00
70-74	2	41.1	29.03	2	104.3	73.77	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	3	151.4	87.43	0	0.0	0.00	3	225.7	130.33
85+	3	200.9	116.01	1	252.5	252.53	2	182.3	128.92
Total deaths	11			6			5		
Connecticut									
. Crude rate		3.8	-		4.3	-		3.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.7	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	2	7.5	5.31	1	7.4	7.41	1	7.6	7.62
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	20.5	20.53	0	0.0	0.00	1	33.9	33.85
75-79	1	30.5	30.51	0	0.0	0.00	1	48.1	48.12
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	4			1			3		
Connecticut									
. Crude rate		1.4	-		0.7	-		2.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.3	-		3.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.4	3.45	1	6.8	6.83	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	4.4	4.41	0	0.0	0.00	1	9.0	9.04
20-24	1	4.0	3.96	1	7.9	7.93	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.7	3.67	0	0.0	0.00	1	6.9	6.90
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	5.2	5.17	0	0.0	0.00	1	9.4	9.39
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	7.8	7.85	0	0.0	0.00	1	14.1	14.09
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	14.4	14.35	1	33.1	33.10	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	3	91.5	52.84	2	166.7	117.85	1	48.1	48.12
80-84	1	50.5	50.48	1	153.4	153.37	0	0.0	0.00
85+	1	67.0	66.98	0	0.0	0.00	1	91.2	91.16
Total deaths	12			6			6		
Connecticut									
. Crude rate		4.1	-		4.3	-		3.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.3	-		4.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	3.8	3.76	1	7.4	7.41	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	11.0	6.35	3	23.4	13.53	0	0.0	0.00
35-39	4	16.8	8.42	3	27.0	15.57	1	7.9	7.92
40-44	2	10.3	7.31	1	11.5	11.49	1	9.4	9.39
45-49	10	63.5	20.07	7	98.4	37.20	3	34.7	20.03
50-54	21	164.8	35.97	16	283.6	70.90	5	70.4	31.50
55-59	29	289.3	53.73	16	367.1	91.79	13	229.5	63.65
60-64	25	305.3	61.05	18	497.0	117.14	7	153.2	57.92
65-69	45	645.8	96.27	26	860.6	168.79	19	481.4	110.44
70-74	29	595.4	110.56	15	782.5	202.03	14	473.9	126.66
75-79	42	1281.3	197.70	18	1500.0	353.55	24	1155.0	235.75
80-84	37	1867.7	307.06	10	1533.7	485.01	27	2031.6	390.98
85+	50	3349.0	473.61	13	3282.8	910.49	37	3372.8	554.49
Total deaths	298			147			151		
Connecticut									
. Crude rate		102.0	-		105.8	-		98.6	-
. AAMR (1940 Std. mil.)		105.0	6.27		136.3	11.32		80.5	6.98
. AAMR (1970 Std. mil.)		150.7	8.81		185.2	15.82		123.6	10.14
. AAMR (2000 Std. mil.)		204.9	12.50		240.4	22.61		176.7	14.67
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		113.8	-		157.4	-		79.2	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.4	3.45	0	0.0	0.00	1	7.0	6.96
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	3	23.5	13.59	1	17.7	17.72	2	28.2	19.92
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	3	36.6	21.15	2	55.2	39.05	1	21.9	21.89
65-69	2	28.7	20.30	1	33.1	33.10	1	25.3	25.34
70-74	3	61.6	35.56	1	52.2	52.16	2	67.7	47.87
75-79	3	91.5	52.84	1	83.3	83.33	2	96.2	68.06
80-84	2	101.0	71.39	1	153.4	153.37	1	75.2	75.24
85+	4	267.9	133.96	3	757.6	437.39	1	91.2	91.16
Total deaths	21			10			11		
Connecticut									
. Crude rate		7.2	-		7.2	-		7.2	-
. AAMR (1940 Std. mil.)		7.3	1.65		-	-		-	-
. AAMR (1970 Std. mil.)		10.6	2.34		-	-		-	-
. AAMR (2000 Std. mil.)		14.5	3.35		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.3	-		7.0	-		5.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	3.6	3.63	1	7.6	7.57	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	7.8	7.85	0	0.0	0.00	1	14.1	14.09
55-59	2	20.0	14.11	1	22.9	22.95	1	17.7	17.65
60-64	4	48.8	24.42	3	82.8	47.82	1	21.9	21.89
65-69	2	28.7	20.30	2	66.2	46.81	0	0.0	0.00
70-74	2	41.1	29.03	1	52.2	52.16	1	33.9	33.85
75-79	1	30.5	30.51	0	0.0	0.00	1	48.1	48.12
80-84	1	50.5	50.48	1	153.4	153.37	0	0.0	0.00
85+	1	67.0	66.98	1	252.5	252.53	0	0.0	0.00
Total deaths	15			10			5		
Connecticut									
. Crude rate		5.1	-		7.2	-		3.3	-
. AAMR (1940 Std. mil.)		5.8	1.53		-	-		-	-
. AAMR (1970 Std. mil.)		7.4	1.95		-	-		-	-
. AAMR (2000 Std. mil.)		8.6	2.36		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		2.3	-		2.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.4	3.45	1	6.8	6.83	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	8.8	6.24	2	17.2	12.18	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	7.3	5.18	2	15.6	11.05	0	0.0	0.00
35-39	1	4.2	4.21	0	0.0	0.00	1	7.9	7.92
40-44	2	10.3	7.31	2	23.0	16.25	0	0.0	0.00
45-49	5	31.7	14.19	2	28.1	19.88	3	34.7	20.03
50-54	4	31.4	15.70	2	35.4	25.07	2	28.2	19.92
55-59	5	49.9	22.31	2	45.9	32.45	3	53.0	30.57
60-64	1	12.2	12.21	0	0.0	0.00	1	21.9	21.89
65-69	14	200.9	53.70	5	165.5	74.02	9	228.0	76.01
70-74	16	328.5	82.12	8	417.3	147.54	8	270.8	95.75
75-79	15	457.6	118.15	5	416.7	186.34	10	481.2	152.18
80-84	9	454.3	151.44	5	766.9	342.96	4	301.0	150.49
85+	23	1540.5	321.22	2	505.1	357.12	21	1914.3	417.74
Total deaths	100			38			62		
Connecticut									
. Crude rate		34.2	-		27.4	-		40.5	-
. AAMR (1940 Std. mil.)		33.3	3.46		34.2	5.60		31.8	4.35
. AAMR (1970 Std. mil.)		49.9	5.05		47.4	8.07		49.4	6.33
. AAMR (2000 Std. mil.)		71.4	7.53		62.9	11.50		72.8	9.44
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.6	-		29.0	-		24.4	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	6.9	4.87	1	6.8	6.83	1	7.0	6.96
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	7.3	5.18	0	0.0	0.00	2	13.8	9.76
35-39	3	12.6	7.29	2	18.0	12.71	1	7.9	7.92
40-44	2	10.3	7.31	2	23.0	16.25	0	0.0	0.00
45-49	3	19.0	10.99	3	42.2	24.35	0	0.0	0.00
50-54	2	15.7	11.10	2	35.4	25.07	0	0.0	0.00
55-59	1	10.0	9.98	1	22.9	22.95	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	3	43.1	24.86	1	33.1	33.10	2	50.7	35.83
70-74	1	20.5	20.53	1	52.2	52.16	0	0.0	0.00
75-79	3	91.5	52.84	1	83.3	83.33	2	96.2	68.06
80-84	2	101.0	71.39	0	0.0	0.00	2	150.5	106.41
85+	9	602.8	200.94	3	757.6	437.39	6	546.9	223.29
Total deaths	33			17			16		
Connecticut									
. Crude rate		11.3	-		12.2	-		10.4	-
. AAMR (1940 Std. mil.)		10.2	1.84		14.0	3.45		7.1	1.91
. AAMR (1970 Std. mil.)		14.2	2.56		18.2	4.83		11.1	2.86
. AAMR (2000 Std. mil.)		21.5	4.10		27.0	8.06		17.6	4.65
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.5	-		17.5	-		10.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.4	3.45	0	0.0	0.00	1	7.0	6.96
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.0	3.97	1	7.8	7.83	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	3.6	3.63	1	7.6	7.57	0	0.0	0.00
30-34	1	3.7	3.67	0	0.0	0.00	1	6.9	6.90
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	5.2	5.17	1	11.5	11.49	0	0.0	0.00
45-49	1	6.3	6.35	0	0.0	0.00	1	11.6	11.56
50-54	3	23.5	13.59	1	17.7	17.72	2	28.2	19.92
55-59	6	59.9	24.44	3	68.8	39.74	3	53.0	30.57
60-64	4	48.8	24.42	2	55.2	39.05	2	43.8	30.96
65-69	8	114.8	40.59	5	165.5	74.02	3	76.0	43.88
70-74	7	143.7	54.32	5	260.8	116.64	2	67.7	47.87
75-79	8	244.1	86.29	5	416.7	186.34	3	144.4	83.35
80-84	4	201.9	100.96	1	153.4	153.37	3	225.7	130.33
85+	1	67.0	66.98	0	0.0	0.00	1	91.2	91.16
Total deaths	47			25			22		
Connecticut									
. Crude rate		16.1	-		18.0	-		14.4	-
. AAMR (1940 Std. mil.)		17.9	2.65		23.6	4.75		14.0	3.07
. AAMR (1970 Std. mil.)		23.3	3.45		30.9	6.36		18.0	3.89
. AAMR (2000 Std. mil.)		27.9	4.28		36.5	7.85		21.9	4.84
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.4	-		27.8	-		17.2	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.0	3.97	1	7.8	7.83	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	3.6	3.63	1	7.6	7.57	0	0.0	0.00
30-34	1	3.7	3.67	0	0.0	0.00	1	6.9	6.90
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	5.2	5.17	1	11.5	11.49	0	0.0	0.00
45-49	1	6.3	6.35	0	0.0	0.00	1	11.6	11.56
50-54	1	7.8	7.85	0	0.0	0.00	1	14.1	14.09
55-59	2	20.0	14.11	0	0.0	0.00	2	35.3	24.96
60-64	1	12.2	12.21	1	27.6	27.61	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	20.5	20.53	1	52.2	52.16	0	0.0	0.00
75-79	1	30.5	30.51	1	83.3	83.33	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	11			6			5		
Connecticut									
. Crude rate		3.8	-		4.3	-		3.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.5	-		1.3	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.2	4.21	1	9.0	8.99	0	0.0	0.00
40-44	1	5.2	5.17	0	0.0	0.00	1	9.4	9.39
45-49	4	25.4	12.69	1	14.1	14.06	3	34.7	20.03
50-54	5	39.2	17.55	3	53.2	30.70	2	28.2	19.92
55-59	3	29.9	17.28	3	68.8	39.74	0	0.0	0.00
60-64	4	48.8	24.42	2	55.2	39.05	2	43.8	30.96
65-69	3	43.1	24.86	2	66.2	46.81	1	25.3	25.34
70-74	1	20.5	20.53	1	52.2	52.16	0	0.0	0.00
75-79	1	30.5	30.51	0	0.0	0.00	1	48.1	48.12
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	23			13			10		
Connecticut									
. Crude rate		7.9	-		9.4	-		6.5	-
. AAMR (1940 Std. mil.)		9.5	1.98		-	-		-	-
. AAMR (1970 Std. mil.)		10.3	2.19		-	-		-	-
. AAMR (2000 Std. mil.)		11.4	2.40		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.0	-		11.3	-		4.8	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.4	3.45	0	0.0	0.00	1	7.0	6.96
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.0	3.96	0	0.0	0.00	1	7.9	7.90
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	7.3	5.18	2	15.6	11.05	0	0.0	0.00
35-39	1	4.2	4.21	1	9.0	8.99	0	0.0	0.00
40-44	1	5.2	5.17	1	11.5	11.49	0	0.0	0.00
45-49	1	6.3	6.35	1	14.1	14.06	0	0.0	0.00
50-54	1	7.8	7.85	1	17.7	17.72	0	0.0	0.00
55-59	1	10.0	9.98	0	0.0	0.00	1	17.7	17.65
60-64	2	24.4	17.27	2	55.2	39.05	0	0.0	0.00
65-69	3	43.1	24.86	3	99.3	57.33	0	0.0	0.00
70-74	4	82.1	41.06	0	0.0	0.00	4	135.4	67.70
75-79	4	122.0	61.01	2	166.7	117.85	2	96.2	68.06
80-84	7	353.4	133.56	1	153.4	153.37	6	451.5	184.31
85+	8	535.8	189.45	2	505.1	357.12	6	546.9	223.29
Total deaths	37			16			21		
Connecticut									
. Crude rate		12.7	-		11.5	-		13.7	-
. AAMR (1940 Std. mil.)		11.8	2.01		13.5	3.43		9.9	2.31
. AAMR (1970 Std. mil.)		17.8	3.00		18.2	4.93		16.7	3.67
. AAMR (2000 Std. mil.)		26.2	4.60		25.5	7.66		25.3	5.66
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.5	-		5.5	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.4	3.45	0	0.0	0.00	1	7.0	6.96
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.0	3.96	0	0.0	0.00	1	7.9	7.90
25-29	1	3.6	3.63	1	7.6	7.57	0	0.0	0.00
30-34	2	7.3	5.18	2	15.6	11.05	0	0.0	0.00
35-39	2	8.4	5.95	2	18.0	12.71	0	0.0	0.00
40-44	1	5.2	5.17	1	11.5	11.49	0	0.0	0.00
45-49	1	6.3	6.35	1	14.1	14.06	0	0.0	0.00
50-54	1	7.8	7.85	1	17.7	17.72	0	0.0	0.00
55-59	1	10.0	9.98	0	0.0	0.00	1	17.7	17.65
60-64	2	24.4	17.27	2	55.2	39.05	0	0.0	0.00
65-69	3	43.1	24.86	3	99.3	57.33	0	0.0	0.00
70-74	4	82.1	41.06	0	0.0	0.00	4	135.4	67.70
75-79	4	122.0	61.01	2	166.7	117.85	2	96.2	68.06
80-84	7	353.4	133.56	1	153.4	153.37	6	451.5	184.31
85+	9	602.8	200.94	2	505.1	357.12	7	638.1	241.18
Total deaths	40			18			22		
Connecticut									
. Crude rate		13.7	-		13.0	-		14.4	-
. AAMR (1940 Std. mil.)		12.6	2.06		14.8	3.55		10.2	2.32
. AAMR (1970 Std. mil.)		18.8	3.06		19.2	4.98		17.4	3.73
. AAMR (2000 Std. mil.)		27.8	4.73		26.7	7.71		26.7	5.83
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.3	-		6.6	-		4.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	27.6	9.75	6	41.0	16.73	2	13.9	9.84
5-9	3	11.3	6.51	3	22.2	12.83	0	0.0	0.00
10-14	4	15.9	7.93	4	31.3	15.65	0	0.0	0.00
15-19	5	22.1	9.86	3	25.8	14.91	2	18.1	12.79
20-24	8	31.7	11.19	6	47.6	19.42	2	15.8	11.18
25-29	6	21.8	8.89	4	30.3	15.14	2	13.9	9.86
30-34	8	29.3	10.37	7	54.7	20.67	1	6.9	6.90
35-39	15	63.1	16.30	14	125.9	33.64	1	7.9	7.92
40-44	10	51.7	16.34	7	80.4	30.40	3	28.2	16.27
45-49	1	6.3	6.35	1	14.1	14.06	0	0.0	0.00
50-54	5	39.2	17.55	4	70.9	35.45	1	14.1	14.09
55-59	5	49.9	22.31	4	91.8	45.89	1	17.7	17.65
60-64	5	61.1	27.30	2	55.2	39.05	3	65.7	37.92
65-69	2	28.7	20.30	2	66.2	46.81	0	0.0	0.00
70-74	3	61.6	35.56	2	104.3	73.77	1	33.9	33.85
75-79	3	91.5	52.84	1	83.3	83.33	2	96.2	68.06
80-84	1	50.5	50.48	0	0.0	0.00	1	75.2	75.24
85+	2	134.0	94.72	0	0.0	0.00	2	182.3	128.92
Total deaths	94			70			24		
Connecticut									
. Crude rate		32.2	-		50.4	-		15.7	-
. AAMR (1940 Std. mil.)		32.3	3.38		51.5	6.29		15.0	3.16
. AAMR (1970 Std. mil.)		32.8	3.55		50.0	6.38		16.9	3.56
. AAMR (2000 Std. mil.)		36.5	4.12		54.2	7.03		19.8	4.32
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.2	-		44.2	-		17.0	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	2	7.5	5.31	2	14.8	10.48	0	0.0	0.00
10-14	2	7.9	5.61	2	15.7	11.07	0	0.0	0.00
15-19	5	22.1	9.86	3	25.8	14.91	2	18.1	12.79
20-24	7	27.7	10.47	5	39.6	17.73	2	15.8	11.18
25-29	6	21.8	8.89	4	30.3	15.14	2	13.9	9.86
30-34	1	3.7	3.67	0	0.0	0.00	1	6.9	6.90
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	15.5	8.95	3	34.5	19.90	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	15.7	11.10	2	35.4	25.07	0	0.0	0.00
55-59	1	10.0	9.98	1	22.9	22.95	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	14.4	14.35	1	33.1	33.10	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	2	61.0	43.14	0	0.0	0.00	2	96.2	68.06
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	32			23			9		
Connecticut									
. Crude rate		11.0	-		16.6	-		5.9	-
. AAMR (1940 Std. mil.)		11.4	2.03		17.3	3.65		-	-
. AAMR (1970 Std. mil.)		11.4	2.09		16.9	3.63		-	-
. AAMR (2000 Std. mil.)		11.1	2.13		16.0	3.52		-	-
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.1	-		22.5	-		9.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.4	3.45	1	6.8	6.83	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.2	4.21	1	9.0	8.99	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	20.0	14.11	2	45.9	32.45	0	0.0	0.00
60-64	1	12.2	12.21	1	27.6	27.61	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	20.5	20.53	0	0.0	0.00	1	33.9	33.85
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	6			5			1		
Connecticut									
. Crude rate		2.1	-		3.6	-		0.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.0	-		1.7	-		1.0	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	8.8	6.24	2	17.2	12.18	0	0.0	0.00
20-24	5	19.8	8.85	5	39.6	17.73	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.7	3.67	1	7.8	7.81	0	0.0	0.00
35-39	1	4.2	4.21	1	9.0	8.99	0	0.0	0.00
40-44	1	5.2	5.17	1	11.5	11.49	0	0.0	0.00
45-49	3	19.0	10.99	2	28.1	19.88	1	11.6	11.56
50-54	2	15.7	11.10	2	35.4	25.07	0	0.0	0.00
55-59	1	10.0	9.98	1	22.9	22.95	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	16			15			1		
Connecticut									
. Crude rate		5.5	-		10.8	-		0.7	-
. AAMR (1940 Std. mil.)		6.0	1.51		11.9	3.10		-	-
. AAMR (1970 Std. mil.)		5.6	1.44		11.2	2.96		-	-
. AAMR (2000 Std. mil.)		5.8	1.50		11.5	3.11		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.4	-		18.5	-		4.2	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	6.9	4.87	1	6.8	6.83	1	7.0	6.96
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	3	11.9	6.87	2	15.7	11.07	1	8.0	8.04
15-19	19	83.8	19.23	18	155.0	36.53	1	9.0	9.04
20-24	21	83.1	18.14	17	134.8	32.69	4	31.6	15.81
25-29	22	79.8	17.02	19	143.8	33.00	3	20.9	12.07
30-34	15	55.0	14.20	9	70.3	23.44	6	41.4	16.91
35-39	7	29.5	11.14	6	53.9	22.02	1	7.9	7.92
40-44	4	20.7	10.34	3	34.5	19.90	1	9.4	9.39
45-49	2	12.7	8.97	2	28.1	19.88	0	0.0	0.00
50-54	1	7.8	7.85	1	17.7	17.72	0	0.0	0.00
55-59	1	10.0	9.98	1	22.9	22.95	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	2	61.0	43.14	1	83.3	83.33	1	48.1	48.12
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	99			80			19		
Connecticut									
. Crude rate		33.9	-		57.6	-		12.4	-
. AAMR (1940 Std. mil.)		33.7	3.42		56.8	6.41		11.6	2.70
. AAMR (1970 Std. mil.)		30.4	3.17		51.4	5.98		10.4	2.50
. AAMR (2000 Std. mil.)		29.6	3.12		49.7	5.94		10.8	2.62
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.7	-		16.9	-		4.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	10	34.5	10.90	7	47.8	18.07	3	20.9	12.05
5-9	3	11.3	6.51	3	22.2	12.83	0	0.0	0.00
10-14	7	27.8	10.49	6	47.0	19.17	1	8.0	8.04
15-19	26	114.7	22.49	23	198.1	41.30	3	27.1	15.66
20-24	34	134.6	23.08	28	222.0	41.95	6	47.4	19.36
25-29	29	105.2	19.54	24	181.7	37.09	5	34.9	15.59
30-34	25	91.6	18.33	17	132.8	32.22	8	55.2	19.53
35-39	25	105.2	21.05	23	206.8	43.11	2	15.8	11.19
40-44	19	98.2	22.53	15	172.3	44.50	4	37.6	18.78
45-49	6	38.1	15.54	5	70.3	31.44	1	11.6	11.56
50-54	8	62.8	22.20	7	124.1	46.89	1	14.1	14.09
55-59	7	69.8	26.40	6	137.7	56.21	1	17.7	17.65
60-64	5	61.1	27.30	2	55.2	39.05	3	65.7	37.92
65-69	3	43.1	24.86	3	99.3	57.33	0	0.0	0.00
70-74	3	61.6	35.56	2	104.3	73.77	1	33.9	33.85
75-79	5	152.5	68.21	2	166.7	117.85	3	144.4	83.35
80-84	1	50.5	50.48	0	0.0	0.00	1	75.2	75.24
85+	2	134.0	94.72	0	0.0	0.00	2	182.3	128.92
Total deaths	218			173			45		
Connecticut									
. Crude rate		74.6	-		124.6	-		29.4	-
. AAMR (1940 Std. mil.)		74.9	5.13		126.2	9.73		27.9	4.25
. AAMR (1970 Std. mil.)		71.4	5.06		117.9	9.44		28.4	4.42
. AAMR (2000 Std. mil.)		75.3	5.50		122.2	10.02		31.9	5.15
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		53.6	-		81.9	-		26.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	2	7.5	5.31	2	14.8	10.48	0	0.0	0.00
10-14	2	7.9	5.61	2	15.7	11.07	0	0.0	0.00
15-19	5	22.1	9.86	3	25.8	14.91	2	18.1	12.79
20-24	7	27.7	10.47	5	39.6	17.73	2	15.8	11.18
25-29	6	21.8	8.89	4	30.3	15.14	2	13.9	9.86
30-34	1	3.7	3.67	0	0.0	0.00	1	6.9	6.90
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	15.5	8.95	3	34.5	19.90	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	15.7	11.10	2	35.4	25.07	0	0.0	0.00
55-59	1	10.0	9.98	1	22.9	22.95	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	14.4	14.35	1	33.1	33.10	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	2	61.0	43.14	0	0.0	0.00	2	96.2	68.06
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	32			23			9		
Connecticut									
. Crude rate		11.0	-		16.6	-		5.9	-
. AAMR (1940 Std. mil.)		11.4	2.03		17.3	3.65		-	-
. AAMR (1970 Std. mil.)		11.4	2.09		16.9	3.63		-	-
. AAMR (2000 Std. mil.)		11.1	2.13		16.0	3.52		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.6	-		22.1	-		9.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	3.8	3.76	1	7.4	7.41	0	0.0	0.00
10-14	3	11.9	6.87	3	23.5	13.55	0	0.0	0.00
15-19	17	75.0	18.19	16	137.8	34.44	1	9.0	9.04
20-24	21	83.1	18.14	19	150.6	34.56	2	15.8	11.18
25-29	12	43.5	12.57	12	90.8	26.23	0	0.0	0.00
30-34	13	47.7	13.22	9	70.3	23.44	4	27.6	13.81
35-39	8	33.7	11.91	7	62.9	23.78	1	7.9	7.92
40-44	1	5.2	5.17	1	11.5	11.49	0	0.0	0.00
45-49	3	19.0	10.99	3	42.2	24.35	0	0.0	0.00
50-54	2	15.7	11.10	2	35.4	25.07	0	0.0	0.00
55-59	2	20.0	14.11	2	45.9	32.45	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	30.5	30.51	1	83.3	83.33	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	84			76			8		
Connecticut									
. Crude rate		28.8	-		54.7	-		5.2	-
. AAMR (1940 Std. mil.)		29.2	3.21		54.9	6.36		-	-
. AAMR (1970 Std. mil.)		26.6	3.01		50.6	6.05		-	-
. AAMR (2000 Std. mil.)		25.6	2.90		48.8	6.00		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.5	-		26.9	-		4.6	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	1	4.4	4.41	1	8.6	8.61	0	-	-
20-24	3	11.9	6.86	3	23.8	13.73	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	1	4.2	4.21	1	9.0	8.99	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	1	6.3	6.35	1	14.1	14.06	0	-	-
50-54	1	7.8	7.85	1	17.7	17.72	0	-	-
55-59	1	10.0	9.98	1	22.9	22.95	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	8			8			-		
Connecticut									
. Crude rate		2.7	-		5.8	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		12.1	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	7.9	5.61	2	15.7	11.07	0	0.0	0.00
15-19	16	70.6	17.64	15	129.2	33.35	1	9.0	9.04
20-24	18	71.2	16.79	16	126.8	31.71	2	15.8	11.18
25-29	12	43.5	12.57	12	90.8	26.23	0	0.0	0.00
30-34	12	44.0	12.70	8	62.5	22.10	4	27.6	13.81
35-39	7	29.5	11.14	6	53.9	22.02	1	7.9	7.92
40-44	1	5.2	5.17	1	11.5	11.49	0	0.0	0.00
45-49	2	12.7	8.97	2	28.1	19.88	0	0.0	0.00
50-54	1	7.8	7.85	1	17.7	17.72	0	0.0	0.00
55-59	1	10.0	9.98	1	22.9	22.95	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	30.5	30.51	1	83.3	83.33	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	73			65			8		
Connecticut									
. Crude rate		25.0	-		46.8	-		5.2	-
. AAMR (1940 Std. mil.)		25.2	2.98		46.6	5.83		-	-
. AAMR (1970 Std. mil.)		22.7	2.76		42.5	5.49		-	-
. AAMR (2000 Std. mil.)		21.9	2.66		41.0	5.46		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.6	-		12.8	-		2.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	10.3	5.97	3	20.5	11.83	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.0	3.96	1	7.9	7.93	0	0.0	0.00
25-29	1	3.6	3.63	1	7.6	7.57	0	0.0	0.00
30-34	7	25.7	9.70	6	46.9	19.14	1	6.9	6.90
35-39	13	54.7	15.18	12	107.9	31.14	1	7.9	7.92
40-44	10	51.7	16.34	7	80.4	30.40	3	28.2	16.27
45-49	3	19.0	10.99	2	28.1	19.88	1	11.6	11.56
50-54	3	23.5	13.59	2	35.4	25.07	1	14.1	14.09
55-59	1	10.0	9.98	1	22.9	22.95	0	0.0	0.00
60-64	2	24.4	17.27	0	0.0	0.00	2	43.8	30.96
65-69	2	28.7	20.30	2	66.2	46.81	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	46			37			9		
Connecticut									
. Crude rate		15.8	-		26.6	-		5.9	-
. AAMR (1940 Std. mil.)		15.5	2.32		26.4	4.42		-	-
. AAMR (1970 Std. mil.)		13.8	2.14		23.2	4.01		-	-
. AAMR (2000 Std. mil.)		16.9	2.57		28.7	4.89		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.7	-		8.1	-		3.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.4	3.45	1	6.8	6.83	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.7	3.67	0	0.0	0.00	1	6.9	6.90
35-39	1	4.2	4.21	1	9.0	8.99	0	0.0	0.00
40-44	3	15.5	8.95	2	23.0	16.25	1	9.4	9.39
45-49	1	6.3	6.35	1	14.1	14.06	0	0.0	0.00
50-54	10	78.5	24.82	7	124.1	46.89	3	42.3	24.40
55-59	1	10.0	9.98	1	22.9	22.95	0	0.0	0.00
60-64	3	36.6	21.15	2	55.2	39.05	1	21.9	21.89
65-69	5	71.8	32.09	4	132.4	66.20	1	25.3	25.34
70-74	2	41.1	29.03	2	104.3	73.77	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	28			21			7		
Connecticut									
. Crude rate		9.6	-		15.1	-		4.6	-
. AAMR (1940 Std. mil.)		11.2	2.14		19.3	4.25		-	-
. AAMR (1970 Std. mil.)		11.9	2.30		20.9	4.68		-	-
. AAMR (2000 Std. mil.)		13.2	2.53		23.0	5.13		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		10.9	-		3.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1993

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.0	3.96	1	7.9	7.93	0	0.0	0.00
25-29	1	3.6	3.63	1	7.6	7.57	0	0.0	0.00
30-34	9	33.0	11.00	7	54.7	20.67	2	13.8	9.76
35-39	15	63.1	16.30	14	125.9	33.64	1	7.9	7.92
40-44	10	51.7	16.34	7	80.4	30.40	3	28.2	16.27
45-49	3	19.0	10.99	2	28.1	19.88	1	11.6	11.56
50-54	1	7.8	7.85	0	0.0	0.00	1	14.1	14.09
55-59	1	10.0	9.98	1	22.9	22.95	0	0.0	0.00
60-64	1	12.2	12.21	0	0.0	0.00	1	21.9	21.89
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	42			33			9		
Connecticut									
. Crude rate		14.4	-		23.8	-		5.9	-
. AAMR (1940 Std. mil.)		13.8	2.14		22.9	4.02		-	-
. AAMR (1970 Std. mil.)		11.5	1.84		18.6	3.36		-	-
. AAMR (2000 Std. mil.)		15.0	2.36		24.8	4.42		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.7	-		2.9	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher