

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All causes-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	84	312.2	34.07	42	306.1	47.24	42	318.6	49.16
5-9	8	28.3	10.01	5	35.1	15.70	3	21.4	12.35
10-14	10	39.2	12.40	5	38.1	17.05	5	40.3	18.04
15-19	28	117.9	22.28	21	173.6	37.87	7	60.1	22.72
20-24	35	155.8	26.33	23	204.9	42.72	12	106.7	30.81
25-29	61	234.2	29.98	38	306.4	49.70	23	168.6	35.15
30-34	87	310.6	33.30	61	470.0	60.17	26	173.0	33.92
35-39	135	541.2	46.58	94	804.0	82.93	41	309.3	48.31
40-44	151	750.7	61.09	101	1108.6	110.30	50	454.4	64.26
45-49	135	796.4	68.54	88	1154.1	123.03	47	503.9	73.50
50-54	148	1114.6	91.62	93	1581.6	164.01	55	743.4	100.25
55-59	151	1411.6	114.88	92	2014.9	210.07	59	962.3	125.28
60-64	159	1936.4	153.57	98	2755.9	278.39	61	1310.4	167.78
65-69	192	2659.6	191.94	108	3377.1	324.96	84	2089.0	227.93
70-74	174	3455.1	261.93	95	4859.3	498.56	79	2564.1	288.48
75-79	162	4610.1	362.21	84	6222.2	678.90	78	3604.4	408.12
80-84	154	7657.9	617.09	56	8860.8	1184.07	98	7106.6	717.87
85+	188	11291.3	823.50	47	9873.9	1440.26	141	11858.7	998.68
Total deaths	2,062			1,151			911		
Connecticut									
. Crude rate		699.9	-		823.2	-		588.6	-
. AAMR (1940 Std. mil.)		705.2	15.90		950.2	28.46		514.4	17.84
. AAMR (1970 Std. mil.)		864.5	19.69		1129.8	35.64		662.1	22.40
. AAMR (2000 Std. mil.)		1095.7	26.03		1397.8	47.38		864.8	29.87
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		503.7	-		646.2	-		384.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.7	3.72	0	0.0	0.00	1	7.6	7.58
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	10.7	6.18	2	15.4	10.90	1	6.7	6.65
35-39	2	8.0	5.67	0	0.0	0.00	2	15.1	10.67
40-44	3	14.9	8.61	2	22.0	15.52	1	9.1	9.09
45-49	3	17.7	10.22	2	26.2	18.55	1	10.7	10.72
50-54	1	7.5	7.53	1	17.0	17.01	0	0.0	0.00
55-59	2	18.7	13.22	1	21.9	21.90	1	16.3	16.31
60-64	6	73.1	29.83	3	84.4	48.71	3	64.4	37.21
65-69	4	55.4	27.70	2	62.5	44.22	2	49.7	35.17
70-74	6	119.1	48.64	3	153.5	88.60	3	97.4	56.22
75-79	4	113.8	56.92	1	74.1	74.07	3	138.6	80.04
80-84	3	149.2	86.13	0	0.0	0.00	3	217.5	125.60
85+	6	360.4	147.12	0	0.0	0.00	6	504.6	206.01
Total deaths	44			17			27		
Connecticut									
. Crude rate		14.9	-		12.2	-		17.4	-
. AAMR (1940 Std. mil.)		14.8	2.30		14.9	3.66		14.1	2.88
. AAMR (1970 Std. mil.)		19.3	3.00		17.0	4.32		19.7	3.88
. AAMR (2000 Std. mil.)		25.4	4.09		19.2	4.90		27.3	5.44
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.0	-		4.5	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	7.4	5.26	1	7.3	7.29	1	7.6	7.58
5-9	1	3.5	3.54	0	0.0	0.00	1	7.1	7.13
10-14	1	3.9	3.92	0	0.0	0.00	1	8.1	8.07
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	8.9	6.29	2	17.8	12.60	0	0.0	0.00
25-29	21	80.6	17.59	8	64.5	22.80	13	95.3	26.43
30-34	34	121.4	20.82	19	146.4	33.58	15	99.8	25.76
35-39	55	220.5	29.73	37	316.5	52.03	18	135.8	32.01
40-44	63	313.2	39.46	44	482.9	72.80	19	172.7	39.62
45-49	30	177.0	32.31	21	275.4	60.10	9	96.5	32.16
50-54	19	143.1	32.83	14	238.1	63.63	5	67.6	30.23
55-59	8	74.8	26.44	7	153.3	57.94	1	16.3	16.31
60-64	4	48.7	24.36	4	112.5	56.24	0	0.0	0.00
65-69	3	41.6	23.99	2	62.5	44.22	1	24.9	24.87
70-74	4	79.4	39.71	3	153.5	88.60	1	32.5	32.46
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	49.7	49.73	1	158.2	158.23	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	248			163			85		
Connecticut									
. Crude rate		84.2	-		116.6	-		54.9	-
. AAMR (1940 Std. mil.)		82.2	5.27		121.1	9.63		50.9	5.55
. AAMR (1970 Std. mil.)		73.0	4.83		110.1	9.14		43.7	4.88
. AAMR (2000 Std. mil.)		91.0	5.95		137.8	11.29		53.8	5.98
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.6	-		26.2	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	3.9	3.92	0	0.0	0.00	1	8.1	8.07
15-19	1	4.2	4.21	1	8.3	8.26	0	0.0	0.00
20-24	4	17.8	8.90	3	26.7	15.43	1	8.9	8.89
25-29	2	7.7	5.43	1	8.1	8.06	1	7.3	7.33
30-34	3	10.7	6.18	2	15.4	10.90	1	6.7	6.65
35-39	10	40.1	12.68	4	34.2	17.11	6	45.3	18.48
40-44	10	49.7	15.72	6	65.9	26.88	4	36.4	18.18
45-49	25	147.5	29.50	15	196.7	50.79	10	107.2	33.90
50-54	35	263.6	44.56	19	323.1	74.13	16	216.3	54.07
55-59	47	439.4	64.09	28	613.2	115.89	19	309.9	71.10
60-64	53	645.5	88.66	35	984.3	166.37	18	386.7	91.14
65-69	54	748.0	101.79	36	1125.7	187.62	18	447.6	105.51
70-74	46	913.4	134.68	27	1381.1	265.79	19	616.7	141.48
75-79	44	1252.1	188.77	24	1777.8	362.89	20	924.2	206.66
80-84	21	1044.3	227.88	11	1740.5	524.78	10	725.2	229.32
85+	29	1741.7	323.43	10	2100.8	664.34	19	1598.0	366.60
Total deaths	385			222			163		
Connecticut									
. Crude rate		130.7	-		158.8	-		105.3	-
. AAMR (1940 Std. mil.)		141.1	7.33		200.3	13.55		98.8	8.03
. AAMR (1970 Std. mil.)		179.1	9.26		255.8	17.67		126.2	10.02
. AAMR (2000 Std. mil.)		217.9	11.64		308.6	22.80		157.7	12.68
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		129.9	-		156.8	-		110.5	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	4.2	4.21	1	8.3	8.26	0	0.0	0.00
20-24	1	4.5	4.45	1	8.9	8.91	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.0	4.01	1	8.6	8.55	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	18.7	13.22	1	21.9	21.90	1	16.3	16.31
60-64	1	12.2	12.18	1	28.1	28.12	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	60.1	60.06	1	210.1	210.08	0	0.0	0.00
Total deaths	7			6			1		
Connecticut									
. Crude rate		2.4	-		4.3	-		0.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.2	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	3.8	3.84	0	0.0	0.00	1	7.3	7.33
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	5.0	4.97	1	11.0	10.98	0	0.0	0.00
45-49	1	5.9	5.90	0	0.0	0.00	1	10.7	10.72
50-54	3	22.6	13.04	1	17.0	17.01	2	27.0	19.12
55-59	2	18.7	13.22	1	21.9	21.90	1	16.3	16.31
60-64	6	73.1	29.83	4	112.5	56.24	2	43.0	30.38
65-69	5	69.3	30.97	2	62.5	44.22	3	74.6	43.08
70-74	2	39.7	28.08	2	102.3	72.34	0	0.0	0.00
75-79	2	56.9	40.25	0	0.0	0.00	2	92.4	65.35
80-84	4	198.9	99.45	2	316.5	223.77	2	145.0	102.55
85+	5	300.3	134.30	2	420.2	297.10	3	252.3	145.67
Total deaths	32			15			17		
Connecticut									
. Crude rate		10.9	-		10.7	-		11.0	-
. AAMR (1940 Std. mil.)		11.1	2.04		13.5	3.53		9.8	2.50
. AAMR (1970 Std. mil.)		15.1	2.71		19.0	5.04		13.0	3.20
. AAMR (2000 Std. mil.)		19.6	3.66		24.9	7.25		17.0	4.24
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.8	-		15.4	-		10.6	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	3.8	3.84	0	0.0	0.00	1	7.3	7.33
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	5.0	4.97	1	11.0	10.98	0	0.0	0.00
45-49	1	5.9	5.90	0	0.0	0.00	1	10.7	10.72
50-54	3	22.6	13.04	1	17.0	17.01	2	27.0	19.12
55-59	2	18.7	13.22	1	21.9	21.90	1	16.3	16.31
60-64	5	60.9	27.23	3	84.4	48.71	2	43.0	30.38
65-69	5	69.3	30.97	2	62.5	44.22	3	74.6	43.08
70-74	2	39.7	28.08	2	102.3	72.34	0	0.0	0.00
75-79	1	28.5	28.46	0	0.0	0.00	1	46.2	46.21
80-84	3	149.2	86.13	2	316.5	223.77	1	72.5	72.52
85+	5	300.3	134.30	2	420.2	297.10	3	252.3	145.67
Total deaths	29			14			15		
Connecticut									
. Crude rate		9.8	-		10.0	-		9.7	-
. AAMR (1940 Std. mil.)		10.1	1.94		-	-		8.8	2.41
. AAMR (1970 Std. mil.)		13.5	2.54		-	-		11.4	2.97
. AAMR (2000 Std. mil.)		17.5	3.44		-	-		14.4	3.85
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.6	-		12.6	-		9.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	6	29.8	12.18	5	54.9	24.54	1	9.1	9.09
45-49	4	23.6	11.80	4	52.5	26.23	0	0.0	0.00
50-54	11	82.8	24.98	7	119.0	45.00	4	54.1	27.03
55-59	21	196.3	42.84	16	350.4	87.60	5	81.6	36.47
60-64	14	170.5	45.57	11	309.3	93.27	3	64.4	37.21
65-69	12	166.2	47.99	9	281.4	93.81	3	74.6	43.08
70-74	13	258.1	71.60	7	358.1	135.33	6	194.7	79.50
75-79	14	398.4	106.48	11	814.8	245.68	3	138.6	80.04
80-84	3	149.2	86.13	1	158.2	158.23	2	145.0	102.55
85+	5	300.3	134.30	1	210.1	210.08	4	336.4	168.21
Total deaths	103			72			31		
Connecticut									
. Crude rate		35.0	-		51.5	-		20.0	-
. AAMR (1940 Std. mil.)		39.0	3.89		66.1	7.83		18.8	3.52
. AAMR (1970 Std. mil.)		48.6	4.84		81.2	9.77		24.8	4.48
. AAMR (2000 Std. mil.)		57.4	5.87		93.8	11.75		30.9	5.66
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.6	-		55.2	-		27.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	6	29.8	12.18	5	54.9	24.54	1	9.1	9.09
45-49	3	17.7	10.22	3	39.3	22.72	0	0.0	0.00
50-54	11	82.8	24.98	7	119.0	45.00	4	54.1	27.03
55-59	17	158.9	38.54	13	284.7	78.97	4	65.2	32.62
60-64	12	146.1	42.19	9	253.1	84.36	3	64.4	37.21
65-69	12	166.2	47.99	9	281.4	93.81	3	74.6	43.08
70-74	11	218.4	65.86	6	306.9	125.29	5	162.3	72.58
75-79	14	398.4	106.48	11	814.8	245.68	3	138.6	80.04
80-84	3	149.2	86.13	1	158.2	158.23	2	145.0	102.55
85+	5	300.3	134.30	1	210.1	210.08	4	336.4	168.21
Total deaths	94			65			29		
Connecticut									
. Crude rate		31.9	-		46.5	-		18.7	-
. AAMR (1940 Std. mil.)		35.3	3.69		59.4	7.40		17.5	3.38
. AAMR (1970 Std. mil.)		44.3	4.62		73.4	9.30		23.1	4.32
. AAMR (2000 Std. mil.)		53.0	5.67		85.9	11.35		29.1	5.51
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		38.3	-		52.8	-		26.9	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	5.0	4.97	-	-	-	1	9.1	9.09
45-49	1	5.9	5.90	-	-	-	1	10.7	10.72
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	1	13.9	13.85	-	-	-	1	24.9	24.87
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	1	49.7	49.73	-	-	-	1	72.5	72.52
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	4			-			4		
Connecticut									
. Crude rate		-	-		-	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	1	12.2	12.18	-	-	-	1	21.5	21.48
65-69	2	27.7	19.59	-	-	-	2	49.7	35.17
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	3			-			3		
Connecticut									
. Crude rate		-	-		-	-		1.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	1	9.3	9.35	-	-	-	1	16.3	16.31
60-64	1	12.2	12.18	-	-	-	1	21.5	21.48
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	1	19.9	19.86	-	-	-	1	32.5	32.46
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	1	60.1	60.06	-	-	-	1	84.1	84.10
Total deaths	4			-			4		
Connecticut									
. Crude rate		-	-		-	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Prostate cancer (185)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	0	0.0	0.00	0	0.0	0.00	-	-	-
50-54	0	0.0	0.00	0	0.0	0.00	-	-	-
55-59	3	28.0	16.19	3	65.7	37.93	-	-	-
60-64	7	85.3	32.22	7	196.9	74.40	-	-	-
65-69	9	124.7	41.56	9	281.4	93.81	-	-	-
70-74	6	119.1	48.64	6	306.9	125.29	-	-	-
75-79	8	227.7	80.49	8	592.6	209.51	-	-	-
80-84	5	248.6	111.19	5	791.1	353.81	-	-	-
85+	2	120.1	84.94	2	420.2	297.10	-	-	-
Total deaths	40			40			-		
Connecticut									
. Crude rate		-	-		28.6	-		-	-
. AAMR (1940 Std. mil.)		-	-		36.6	5.83		-	-
. AAMR (1970 Std. mil.)		-	-		52.7	8.45		-	-
. AAMR (2000 Std. mil.)		-	-		66.8	11.44		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		15.5	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	3.9	3.92	0	0.0	0.00	1	8.1	8.07
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.0	4.01	0	0.0	0.00	1	7.5	7.54
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	3	17.7	10.22	1	13.1	13.11	2	21.4	15.16
50-54	1	7.5	7.53	1	17.0	17.01	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	3	41.6	23.99	2	62.5	44.22	1	24.9	24.87
70-74	1	19.9	19.86	1	51.2	51.15	0	0.0	0.00
75-79	2	56.9	40.25	0	0.0	0.00	2	92.4	65.35
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	60.1	60.06	1	210.1	210.08	0	0.0	0.00
Total deaths	13			6			7		
Connecticut									
. Crude rate		4.4	-		4.3	-		4.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.4	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes mellitus (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	3.8	3.84	1	8.1	8.06	0	0.0	0.00
30-34	1	3.6	3.57	0	0.0	0.00	1	6.7	6.65
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	5.0	4.97	1	11.0	10.98	0	0.0	0.00
45-49	3	17.7	10.22	0	0.0	0.00	3	32.2	18.57
50-54	5	37.7	16.84	2	34.0	24.05	3	40.6	23.41
55-59	13	121.5	33.71	5	109.5	48.97	8	130.5	46.13
60-64	5	60.9	27.23	1	28.1	28.12	4	85.9	42.96
65-69	7	97.0	36.65	3	93.8	54.16	4	99.5	49.74
70-74	10	198.6	62.79	2	102.3	72.34	8	259.7	91.80
75-79	6	170.7	69.71	3	222.2	128.30	3	138.6	80.04
80-84	5	248.6	111.19	1	158.2	158.23	4	290.1	145.03
85+	5	300.3	134.30	1	210.1	210.08	4	336.4	168.21
Total deaths	62			20			42		
Connecticut									
. Crude rate		21.0	-		14.3	-		27.1	-
. AAMR (1940 Std. mil.)		22.6	2.93		17.9	4.03		25.8	4.11
. AAMR (1970 Std. mil.)		29.3	3.77		23.1	5.32		33.3	5.19
. AAMR (2000 Std. mil.)		36.1	4.81		28.5	7.03		40.8	6.44
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.3	-		14.5	-		12.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	3.8	3.84	1	8.1	8.06	0	0.0	0.00
30-34	2	7.1	5.05	1	7.7	7.70	1	6.7	6.65
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	5	24.9	11.12	2	22.0	15.52	3	27.3	15.74
45-49	4	23.6	11.80	1	13.1	13.11	3	32.2	18.57
50-54	19	143.1	32.83	8	136.1	48.10	11	148.7	44.83
55-59	36	336.5	56.09	19	416.1	95.46	17	277.3	67.25
60-64	24	292.3	59.66	11	309.3	93.27	13	279.3	77.46
65-69	33	457.1	79.58	16	500.3	125.08	17	422.8	102.54
70-74	23	456.7	95.23	10	511.5	161.75	13	421.9	117.03
75-79	23	654.5	136.48	9	666.7	222.22	14	647.0	172.90
80-84	22	1094.0	233.24	6	949.4	387.58	16	1160.3	290.07
85+	22	1321.3	281.71	4	840.3	420.17	18	1513.9	356.82
Total deaths	214			88			126		
Connecticut									
. Crude rate		72.6	-		62.9	-		81.4	-
. AAMR (1940 Std. mil.)		77.0	5.39		80.6	8.64		73.7	6.87
. AAMR (1970 Std. mil.)		102.7	7.08		104.4	11.40		99.8	8.97
. AAMR (2000 Std. mil.)		129.0	9.24		125.9	14.76		128.2	11.69
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.6	3.57	0	0.0	0.00	1	6.7	6.65
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	28.5	28.46	1	74.1	74.07	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	2			1			1		
Connecticut									
. Crude rate		0.7	-		0.7	-		0.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.6	-		0.7	-		0.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Alzheimer's diseases (331.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	-	-	0	0.0	0.00
5-9	0	0.0	0.00	0	-	-	0	0.0	0.00
10-14	0	0.0	0.00	0	-	-	0	0.0	0.00
15-19	0	0.0	0.00	0	-	-	0	0.0	0.00
20-24	0	0.0	0.00	0	-	-	0	0.0	0.00
25-29	0	0.0	0.00	0	-	-	0	0.0	0.00
30-34	0	0.0	0.00	0	-	-	0	0.0	0.00
35-39	0	0.0	0.00	0	-	-	0	0.0	0.00
40-44	0	0.0	0.00	0	-	-	0	0.0	0.00
45-49	0	0.0	0.00	0	-	-	0	0.0	0.00
50-54	0	0.0	0.00	0	-	-	0	0.0	0.00
55-59	0	0.0	0.00	0	-	-	0	0.0	0.00
60-64	0	0.0	0.00	0	-	-	0	0.0	0.00
65-69	1	13.9	13.85	0	-	-	1	24.9	24.87
70-74	0	0.0	0.00	0	-	-	0	0.0	0.00
75-79	1	28.5	28.46	0	-	-	1	46.2	46.21
80-84	1	49.7	49.73	0	-	-	1	72.5	72.52
85+	4	240.2	120.12	0	-	-	4	336.4	168.21
Total deaths	7			-			7		
Connecticut									
. Crude rate		2.4	-		-	-		4.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.7	-		2.7	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	22.3	9.10	4	29.2	14.58	2	15.2	10.73
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	3.9	3.92	1	7.6	7.62	0	0.0	0.00
15-19	1	4.2	4.21	1	8.3	8.26	0	0.0	0.00
20-24	4	17.8	8.90	3	26.7	15.43	1	8.9	8.89
25-29	2	7.7	5.43	2	16.1	11.40	0	0.0	0.00
30-34	12	42.8	12.37	7	53.9	20.38	5	33.3	14.88
35-39	19	76.2	17.47	17	145.4	35.27	2	15.1	10.67
40-44	28	139.2	26.31	15	164.6	42.51	13	118.1	32.77
45-49	26	153.4	30.08	14	183.6	49.07	12	128.7	37.14
50-54	54	406.7	55.34	33	561.2	97.70	21	283.9	61.94
55-59	48	448.7	64.77	29	635.1	117.94	19	309.9	71.10
60-64	55	669.8	90.32	30	843.6	154.03	25	537.1	107.41
65-69	92	1274.4	132.87	46	1438.4	212.08	46	1144.0	168.67
70-74	78	1548.8	175.37	44	2250.6	339.30	34	1103.5	189.26
75-79	69	1963.6	236.39	38	2814.8	456.62	31	1432.5	257.29
80-84	82	4077.6	450.29	29	4588.6	852.08	53	3843.4	527.93
85+	101	6066.1	603.60	22	4621.8	985.38	79	6644.2	747.54
Total deaths	678			335			343		
Connecticut									
. Crude rate		230.1	-		239.6	-		221.6	-
. AAMR (1940 Std. mil.)		228.9	9.07		291.3	16.11		182.0	10.47
. AAMR (1970 Std. mil.)		314.5	12.29		385.3	22.02		261.4	14.30
. AAMR (2000 Std. mil.)		421.4	17.09		497.3	30.49		362.4	20.06
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		175.9	-		227.5	-		133.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.6	3.57	1	7.7	7.70	0	0.0	0.00
35-39	7	28.1	10.61	6	51.3	20.95	1	7.5	7.54
40-44	8	39.8	14.06	3	32.9	19.01	5	45.4	20.32
45-49	16	94.4	23.60	10	131.1	41.47	6	64.3	26.26
50-54	33	248.5	43.26	19	323.1	74.13	14	189.2	50.58
55-59	28	261.8	49.47	19	416.1	95.46	9	146.8	48.93
60-64	29	353.2	65.58	19	534.3	122.58	10	214.8	67.93
65-69	59	817.3	106.40	30	938.1	171.27	29	721.2	133.93
70-74	47	933.3	136.13	29	1483.4	275.46	18	584.2	137.70
75-79	40	1138.3	179.98	24	1777.8	362.89	16	739.4	184.84
80-84	42	2088.5	322.26	15	2373.4	612.81	27	1957.9	376.81
85+	53	3183.2	437.24	13	2731.1	757.47	40	3364.2	531.92
Total deaths	363			188			175		
Connecticut									
. Crude rate		123.2	-		134.5	-		113.1	-
. AAMR (1940 Std. mil.)		124.6	6.74		167.9	12.36		93.6	7.53
. AAMR (1970 Std. mil.)		172.9	9.18		226.3	17.01		135.0	10.31
. AAMR (2000 Std. mil.)		229.6	12.62		290.0	23.34		186.6	14.41
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		108.0	-		148.2	-		75.2	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.7	3.72	0	0.0	0.00	1	7.6	7.58
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.5	4.45	1	8.9	8.91	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.6	3.57	0	0.0	0.00	1	6.7	6.65
35-39	1	4.0	4.01	1	8.6	8.55	0	0.0	0.00
40-44	1	5.0	4.97	1	11.0	10.98	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	7.5	7.53	1	17.0	17.01	0	0.0	0.00
55-59	1	9.3	9.35	0	0.0	0.00	1	16.3	16.31
60-64	1	12.2	12.18	1	28.1	28.12	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	3	85.4	49.29	1	74.1	74.07	2	92.4	65.35
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	8	480.5	169.88	2	420.2	297.10	6	504.6	206.01
Total deaths	19			8			11		
Connecticut									
. Crude rate		6.4	-		5.7	-		7.1	-
. AAMR (1940 Std. mil.)		5.2	1.26		-	-		-	-
. AAMR (1970 Std. mil.)		8.0	1.87		-	-		-	-
. AAMR (2000 Std. mil.)		12.7	3.14		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.1	-		6.7	-		5.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.6	3.57	1	7.7	7.70	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	3	22.6	13.04	2	34.0	24.05	1	13.5	13.52
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	24.4	17.22	0	0.0	0.00	2	43.0	30.38
65-69	2	27.7	19.59	0	0.0	0.00	2	49.7	35.17
70-74	3	59.6	34.39	2	102.3	72.34	1	32.5	32.46
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	2	99.5	70.32	1	158.2	158.23	1	72.5	72.52
85+	2	120.1	84.94	0	0.0	0.00	2	168.2	118.94
Total deaths	15			6			9		
Connecticut									
. Crude rate		5.1	-		4.3	-		5.8	-
. AAMR (1940 Std. mil.)		5.3	1.40		-	-		-	-
. AAMR (1970 Std. mil.)		7.0	1.85		-	-		-	-
. AAMR (2000 Std. mil.)		9.1	2.48		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		2.5	-		2.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	10.7	6.18	0	0.0	0.00	3	20.0	11.52
35-39	3	12.0	6.94	3	25.7	14.82	0	0.0	0.00
40-44	3	14.9	8.61	2	22.0	15.52	1	9.1	9.09
45-49	4	23.6	11.80	2	26.2	18.55	2	21.4	15.16
50-54	4	30.1	15.06	4	68.0	34.01	0	0.0	0.00
55-59	6	56.1	22.90	2	43.8	30.97	4	65.2	32.62
60-64	9	109.6	36.54	3	84.4	48.71	6	128.9	52.62
65-69	11	152.4	45.94	9	281.4	93.81	2	49.7	35.17
70-74	11	218.4	65.86	3	153.5	88.60	8	259.7	91.80
75-79	11	313.0	94.38	7	518.5	195.98	4	184.8	92.42
80-84	13	646.4	179.29	4	632.9	316.46	9	652.6	217.55
85+	17	1021.0	247.63	3	630.3	363.88	14	1177.5	314.69
Total deaths	95			42			53		
Connecticut									
. Crude rate		32.2	-		30.0	-		34.2	-
. AAMR (1940 Std. mil.)		31.1	3.31		36.1	5.63		26.8	3.94
. AAMR (1970 Std. mil.)		44.5	4.65		49.1	7.90		39.9	5.57
. AAMR (2000 Std. mil.)		61.5	6.65		65.0	11.19		56.7	8.01
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.6	-		28.8	-		24.7	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.6	3.57	1	7.7	7.70	0	0.0	0.00
35-39	4	16.0	8.02	3	25.7	14.82	1	7.5	7.54
40-44	3	14.9	8.61	3	32.9	19.01	0	0.0	0.00
45-49	4	23.6	11.80	3	39.3	22.72	1	10.7	10.72
50-54	2	15.1	10.65	2	34.0	24.05	0	0.0	0.00
55-59	4	37.4	18.70	3	65.7	37.93	1	16.3	16.31
60-64	5	60.9	27.23	4	112.5	56.24	1	21.5	21.48
65-69	1	13.9	13.85	1	31.3	31.27	0	0.0	0.00
70-74	4	79.4	39.71	1	51.2	51.15	3	97.4	56.22
75-79	4	113.8	56.92	2	148.1	104.76	2	92.4	65.35
80-84	5	248.6	111.19	2	316.5	223.77	3	217.5	125.60
85+	8	480.5	169.88	1	210.1	210.08	7	588.7	222.52
Total deaths	45			26			19		
Connecticut									
. Crude rate		15.3	-		18.6	-		12.3	-
. AAMR (1940 Std. mil.)		14.6	2.26		22.0	4.38		8.6	2.14
. AAMR (1970 Std. mil.)		19.7	3.03		26.3	5.52		13.9	3.25
. AAMR (2000 Std. mil.)		27.5	4.38		33.4	7.46		21.6	5.05
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.0	-		16.6	-		10.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	9.9	7.03	1	11.0	10.98	1	9.1	9.09
45-49	2	11.8	8.34	2	26.2	18.55	0	0.0	0.00
50-54	2	15.1	10.65	0	0.0	0.00	2	27.0	19.12
55-59	3	28.0	16.19	1	21.9	21.90	2	32.6	23.07
60-64	6	73.1	29.83	5	140.6	62.88	1	21.5	21.48
65-69	1	13.9	13.85	1	31.3	31.27	0	0.0	0.00
70-74	3	59.6	34.39	3	153.5	88.60	0	0.0	0.00
75-79	2	56.9	40.25	2	148.1	104.76	0	0.0	0.00
80-84	8	397.8	140.65	3	474.7	274.06	5	362.6	162.15
85+	3	180.2	104.03	1	210.1	210.08	2	168.2	118.94
Total deaths	32			19			13		
Connecticut									
. Crude rate		10.9	-		13.6	-		8.4	-
. AAMR (1940 Std. mil.)		11.2	2.03		17.4	4.02		-	-
. AAMR (1970 Std. mil.)		15.5	2.78		24.1	5.70		-	-
. AAMR (2000 Std. mil.)		20.6	3.82		31.0	7.83		-	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		20.8	-		26.1	-		17.1	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----COPD-related (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	7.1	5.05	0	0.0	0.00	2	13.3	9.41
35-39	1	4.0	4.01	0	0.0	0.00	1	7.5	7.54
40-44	3	14.9	8.61	1	11.0	10.98	2	18.2	12.85
45-49	2	11.8	8.34	2	26.2	18.55	0	0.0	0.00
50-54	4	30.1	15.06	2	34.0	24.05	2	27.0	19.12
55-59	12	112.2	32.38	7	153.3	57.94	5	81.6	36.47
60-64	11	134.0	40.39	8	225.0	79.54	3	64.4	37.21
65-69	15	207.8	53.65	10	312.7	98.88	5	124.3	55.61
70-74	11	218.4	65.86	8	409.2	144.68	3	97.4	56.22
75-79	11	313.0	94.38	9	666.7	222.22	2	92.4	65.35
80-84	15	745.9	192.59	7	1107.6	418.63	8	580.1	205.11
85+	8	480.5	169.88	4	840.3	420.17	4	336.4	168.21
Total deaths	95			58			37		
Connecticut									
. Crude rate		32.2	-		41.5	-		23.9	-
. AAMR (1940 Std. mil.)		33.6	3.52		52.6	6.95		21.1	3.62
. AAMR (1970 Std. mil.)		45.9	4.77		74.1	9.95		28.1	4.71
. AAMR (2000 Std. mil.)		58.7	6.32		95.6	13.75		36.6	6.22
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	4.2	4.21	0	0.0	0.00	1	8.6	8.59
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	8.0	5.67	1	8.6	8.55	1	7.5	7.54
40-44	4	19.9	9.94	2	22.0	15.52	2	18.2	12.85
45-49	2	11.8	8.34	2	26.2	18.55	0	0.0	0.00
50-54	2	15.1	10.65	2	34.0	24.05	0	0.0	0.00
55-59	1	9.3	9.35	0	0.0	0.00	1	16.3	16.31
60-64	3	36.5	21.09	3	84.4	48.71	0	0.0	0.00
65-69	2	27.7	19.59	1	31.3	31.27	1	24.9	24.87
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	3	85.4	49.29	2	148.1	104.76	1	46.2	46.21
80-84	1	49.7	49.73	1	158.2	158.23	0	0.0	0.00
85+	1	60.1	60.06	1	210.1	210.08	0	0.0	0.00
Total deaths	22			15			7		
Connecticut									
. Crude rate		7.5	-		10.7	-		4.5	-
. AAMR (1940 Std. mil.)		7.8	1.70		12.7	3.33		-	-
. AAMR (1970 Std. mil.)		9.1	2.01		16.0	4.35		-	-
. AAMR (2000 Std. mil.)		11.3	2.55		20.9	6.12		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.5	-		10.9	-		4.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.6	3.57	1	7.7	7.70	0	0.0	0.00
35-39	2	8.0	5.67	1	8.6	8.55	1	7.5	7.54
40-44	1	5.0	4.97	1	11.0	10.98	0	0.0	0.00
45-49	2	11.8	8.34	1	13.1	13.11	1	10.7	10.72
50-54	3	22.6	13.04	2	34.0	24.05	1	13.5	13.52
55-59	5	46.7	20.90	4	87.6	43.80	1	16.3	16.31
60-64	4	48.7	24.36	2	56.2	39.77	2	43.0	30.38
65-69	4	55.4	27.70	0	0.0	0.00	4	99.5	49.74
70-74	3	59.6	34.39	1	51.2	51.15	2	64.9	45.90
75-79	2	56.9	40.25	1	74.1	74.07	1	46.2	46.21
80-84	6	298.4	121.80	1	158.2	158.23	5	362.6	162.15
85+	5	300.3	134.30	3	630.3	363.88	2	168.2	118.94
Total deaths	38			18			20		
Connecticut									
. Crude rate		12.9	-		12.9	-		12.9	-
. AAMR (1940 Std. mil.)		13.0	2.17		15.1	3.63		11.5	2.67
. AAMR (1970 Std. mil.)		17.4	2.88		20.1	4.99		15.8	3.57
. AAMR (2000 Std. mil.)		23.0	3.97		27.9	7.62		20.5	4.70
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.5	-		5.3	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	10.7	6.18	2	15.4	10.90	1	6.7	6.65
35-39	2	8.0	5.67	1	8.6	8.55	1	7.5	7.54
40-44	2	9.9	7.03	2	22.0	15.52	0	0.0	0.00
45-49	2	11.8	8.34	1	13.1	13.11	1	10.7	10.72
50-54	3	22.6	13.04	2	34.0	24.05	1	13.5	13.52
55-59	7	65.4	24.73	5	109.5	48.97	2	32.6	23.07
60-64	4	48.7	24.36	2	56.2	39.77	2	43.0	30.38
65-69	6	83.1	33.93	2	62.5	44.22	4	99.5	49.74
70-74	3	59.6	34.39	1	51.2	51.15	2	64.9	45.90
75-79	5	142.3	63.63	3	222.2	128.30	2	92.4	65.35
80-84	7	348.1	131.56	2	316.5	223.77	5	362.6	162.15
85+	5	300.3	134.30	3	630.3	363.88	2	168.2	118.94
Total deaths	49			26			23		
Connecticut									
. Crude rate		16.6	-		18.6	-		14.9	-
. AAMR (1940 Std. mil.)		16.8	2.46		21.8	4.35		13.2	2.87
. AAMR (1970 Std. mil.)		22.1	3.24		29.0	6.01		17.8	3.78
. AAMR (2000 Std. mil.)		29.0	4.41		39.3	8.87		23.0	4.95
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.3	-		6.7	-		4.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	7.4	5.26	1	7.3	7.29	1	7.6	7.58
5-9	2	7.1	5.00	1	7.0	7.02	1	7.1	7.13
10-14	4	15.7	7.84	3	22.9	13.21	1	8.1	8.07
15-19	4	16.8	8.42	3	24.8	14.31	1	8.6	8.59
20-24	5	22.3	9.95	1	8.9	8.91	4	35.6	17.79
25-29	10	38.4	12.14	10	80.6	25.49	0	0.0	0.00
30-34	11	39.3	11.84	10	77.0	24.36	1	6.7	6.65
35-39	14	56.1	15.00	13	111.2	30.84	1	7.5	7.54
40-44	12	59.7	17.22	9	98.8	32.93	3	27.3	15.74
45-49	14	82.6	22.07	12	157.4	45.43	2	21.4	15.16
50-54	7	52.7	19.93	5	85.0	38.03	2	27.0	19.12
55-59	5	46.7	20.90	4	87.6	43.80	1	16.3	16.31
60-64	3	36.5	21.09	2	56.2	39.77	1	21.5	21.48
65-69	5	69.3	30.97	5	156.3	69.92	0	0.0	0.00
70-74	8	158.9	56.16	4	204.6	102.30	4	129.8	64.91
75-79	3	85.4	49.29	1	74.1	74.07	2	92.4	65.35
80-84	2	99.5	70.32	1	158.2	158.23	1	72.5	72.52
85+	1	60.1	60.06	1	210.1	210.08	0	0.0	0.00
Total deaths	112			86			26		
Connecticut									
. Crude rate		38.0	-		61.5	-		16.8	-
. AAMR (1940 Std. mil.)		38.7	3.70		65.0	7.12		17.1	3.39
. AAMR (1970 Std. mil.)		39.1	3.87		64.6	7.50		18.7	3.75
. AAMR (2000 Std. mil.)		44.9	4.53		75.9	9.18		20.7	4.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.5	-		44.1	-		17.6	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.7	3.72	1	7.3	7.29	0	0.0	0.00
5-9	1	3.5	3.54	0	0.0	0.00	1	7.1	7.13
10-14	1	3.9	3.92	1	7.6	7.62	0	0.0	0.00
15-19	3	12.6	7.29	2	16.5	11.69	1	8.6	8.59
20-24	3	13.4	7.71	0	0.0	0.00	3	26.7	15.40
25-29	5	19.2	8.58	5	40.3	18.03	0	0.0	0.00
30-34	5	17.8	7.98	5	38.5	17.23	0	0.0	0.00
35-39	3	12.0	6.94	3	25.7	14.82	0	0.0	0.00
40-44	5	24.9	11.12	3	32.9	19.01	2	18.2	12.85
45-49	3	17.7	10.22	3	39.3	22.72	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	9.3	9.35	0	0.0	0.00	1	16.3	16.31
60-64	1	12.2	12.18	0	0.0	0.00	1	21.5	21.48
65-69	1	13.9	13.85	1	31.3	31.27	0	0.0	0.00
70-74	2	39.7	28.08	1	51.2	51.15	1	32.5	32.46
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	35			25			10		
Connecticut									
. Crude rate		11.9	-		17.9	-		6.5	-
. AAMR (1940 Std. mil.)		12.0	2.04		17.6	3.56		-	-
. AAMR (1970 Std. mil.)		11.3	1.99		15.9	3.37		-	-
. AAMR (2000 Std. mil.)		12.1	2.13		17.9	3.80		-	-
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.3	-		22.7	-		10.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	7.5	7.53	1	17.0	17.01	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	19.9	19.86	0	0.0	0.00	1	32.5	32.46
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	49.7	49.73	0	0.0	0.00	1	72.5	72.52
85+	1	60.1	60.06	1	210.1	210.08	0	0.0	0.00
Total deaths	4			2			2		
Connecticut									
. Crude rate		1.4	-		1.4	-		1.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.6	-		3.5	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	3.9	3.92	1	7.6	7.62	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.0	4.01	0	0.0	0.00	1	7.5	7.54
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	5.9	5.90	1	13.1	13.11	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	27.7	19.59	2	62.5	44.22	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	28.5	28.46	0	0.0	0.00	1	46.2	46.21
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	6			4			2		
Connecticut									
. Crude rate		2.0	-		2.9	-		1.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.0	-		1.5	-		0.9	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	4.2	4.21	1	8.3	8.26	0	0.0	0.00
20-24	1	4.5	4.45	1	8.9	8.91	0	0.0	0.00
25-29	3	11.5	6.65	1	8.1	8.06	2	14.7	10.37
30-34	2	7.1	5.05	2	15.4	10.90	0	0.0	0.00
35-39	3	12.0	6.94	3	25.7	14.82	0	0.0	0.00
40-44	1	5.0	4.97	1	11.0	10.98	0	0.0	0.00
45-49	1	5.9	5.90	1	13.1	13.11	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	9.3	9.35	0	0.0	0.00	1	16.3	16.31
60-64	1	12.2	12.18	0	0.0	0.00	1	21.5	21.48
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	14			10			4		
Connecticut									
. Crude rate		4.8	-		7.2	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.3	-		18.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	11.2	6.44	2	14.6	10.31	1	7.6	7.58
5-9	1	3.5	3.54	1	7.0	7.02	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	15	63.2	16.31	13	107.4	29.80	2	17.2	12.14
20-24	17	75.7	18.35	13	115.8	32.12	4	35.6	17.79
25-29	16	61.4	15.36	13	104.8	29.07	3	22.0	12.69
30-34	6	21.4	8.74	6	46.2	18.87	0	0.0	0.00
35-39	4	16.0	8.02	4	34.2	17.11	0	0.0	0.00
40-44	4	19.9	9.94	3	32.9	19.01	1	9.1	9.09
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	15.1	10.65	2	34.0	24.05	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	12.2	12.18	1	28.1	28.12	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	19.9	19.86	1	51.2	51.15	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	70			59			11		
Connecticut									
. Crude rate		23.8	-		42.2	-		7.1	-
. AAMR (1940 Std. mil.)		24.7	2.98		43.0	5.65		-	-
. AAMR (1970 Std. mil.)		22.5	2.77		39.1	5.27		-	-
. AAMR (2000 Std. mil.)		21.1	2.58		37.3	5.07		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.5	-		14.6	-		4.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	11.2	6.44	2	14.6	10.31	1	7.6	7.58
5-9	1	3.5	3.54	1	7.0	7.02	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	15	63.2	16.31	13	107.4	29.80	2	17.2	12.14
20-24	17	75.7	18.35	13	115.8	32.12	4	35.6	17.79
25-29	16	61.4	15.36	13	104.8	29.07	3	22.0	12.69
30-34	6	21.4	8.74	6	46.2	18.87	0	0.0	0.00
35-39	4	16.0	8.02	4	34.2	17.11	0	0.0	0.00
40-44	4	19.9	9.94	3	32.9	19.01	1	9.1	9.09
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	15.1	10.65	2	34.0	24.05	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	12.2	12.18	1	28.1	28.12	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	19.9	19.86	1	51.2	51.15	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	70			59			11		
Connecticut									
. Crude rate		23.8	-		42.2	-		7.1	-
. AAMR (1940 Std. mil.)		24.7	2.98		43.0	5.65		-	-
. AAMR (1970 Std. mil.)		22.5	2.77		39.1	5.27		-	-
. AAMR (2000 Std. mil.)		21.1	2.58		37.3	5.07		-	-
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.3	-		14.5	-		4.0	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	18.6	8.31	3	21.9	12.62	2	15.2	10.73
5-9	3	10.6	6.13	2	14.0	9.93	1	7.1	7.13
10-14	4	15.7	7.84	3	22.9	13.21	1	8.1	8.07
15-19	20	84.2	18.83	17	140.5	34.08	3	25.8	14.87
20-24	23	102.4	21.34	15	133.6	34.50	8	71.1	25.15
25-29	29	111.3	20.67	24	193.5	39.50	5	36.6	16.39
30-34	19	67.8	15.56	18	138.7	32.69	1	6.7	6.65
35-39	21	84.2	18.37	20	171.1	38.25	1	7.5	7.54
40-44	17	84.5	20.50	13	142.7	39.57	4	36.4	18.18
45-49	15	88.5	22.85	13	170.5	47.29	2	21.4	15.16
50-54	9	67.8	22.59	7	119.0	45.00	2	27.0	19.12
55-59	6	56.1	22.90	4	87.6	43.80	2	32.6	23.07
60-64	5	60.9	27.23	3	84.4	48.71	2	43.0	30.38
65-69	5	69.3	30.97	5	156.3	69.92	0	0.0	0.00
70-74	9	178.7	59.57	5	255.8	114.38	4	129.8	64.91
75-79	3	85.4	49.29	1	74.1	74.07	2	92.4	65.35
80-84	2	99.5	70.32	1	158.2	158.23	1	72.5	72.52
85+	1	60.1	60.06	1	210.1	210.08	0	0.0	0.00
Total deaths	196			155			41		
Connecticut									
. Crude rate		66.5	-		110.9	-		26.5	-
. AAMR (1940 Std. mil.)		68.2	4.92		114.9	9.35		27.6	4.36
. AAMR (1970 Std. mil.)		65.8	4.90		109.4	9.36		28.5	4.55
. AAMR (2000 Std. mil.)		70.6	5.36		119.9	10.71		29.6	4.83
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		52.1	-		79.2	-		26.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.7	3.72	1	7.3	7.29	0	0.0	0.00
5-9	1	3.5	3.54	0	0.0	0.00	1	7.1	7.13
10-14	1	3.9	3.92	1	7.6	7.62	0	0.0	0.00
15-19	3	12.6	7.29	2	16.5	11.69	1	8.6	8.59
20-24	3	13.4	7.71	0	0.0	0.00	3	26.7	15.40
25-29	5	19.2	8.58	5	40.3	18.03	0	0.0	0.00
30-34	4	14.3	7.14	4	30.8	15.41	0	0.0	0.00
35-39	3	12.0	6.94	3	25.7	14.82	0	0.0	0.00
40-44	5	24.9	11.12	3	32.9	19.01	2	18.2	12.85
45-49	3	17.7	10.22	3	39.3	22.72	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	9.3	9.35	0	0.0	0.00	1	16.3	16.31
60-64	1	12.2	12.18	0	0.0	0.00	1	21.5	21.48
65-69	1	13.9	13.85	1	31.3	31.27	0	0.0	0.00
70-74	2	39.7	28.08	1	51.2	51.15	1	32.5	32.46
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	34			24			10		
Connecticut									
. Crude rate		11.5	-		17.2	-		6.5	-
. AAMR (1940 Std. mil.)		11.7	2.02		17.0	3.51		-	-
. AAMR (1970 Std. mil.)		11.1	1.98		15.5	3.34		-	-
. AAMR (2000 Std. mil.)		11.8	2.11		17.3	3.76		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.0	-		22.2	-		10.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	7.5	7.53	1	17.0	17.01	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	19.9	19.86	0	0.0	0.00	1	32.5	32.46
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	60.1	60.06	1	210.1	210.08	0	0.0	0.00
Total deaths	3			2			1		
Connecticut									
. Crude rate		1.0	-		1.4	-		0.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.6	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	7.4	5.26	1	7.3	7.29	1	7.6	7.58
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	14	59.0	15.76	12	99.2	28.63	2	17.2	12.14
20-24	15	66.8	17.24	12	106.9	30.86	3	26.7	15.40
25-29	16	61.4	15.36	14	112.9	30.16	2	14.7	10.37
30-34	3	10.7	6.18	3	23.1	13.34	0	0.0	0.00
35-39	2	8.0	5.67	2	17.1	12.10	0	0.0	0.00
40-44	3	14.9	8.61	3	32.9	19.01	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	15.1	10.65	2	34.0	24.05	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	24.4	17.22	1	28.1	28.12	1	21.5	21.48
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	59			50			9		
Connecticut									
. Crude rate		20.0	-		35.8	-		5.8	-
. AAMR (1940 Std. mil.)		21.3	2.79		36.9	5.26		-	-
. AAMR (1970 Std. mil.)		19.4	2.59		33.2	4.82		-	-
. AAMR (2000 Std. mil.)		17.7	2.35		31.0	4.50		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.7	-		24.1	-		3.9	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.5	4.45	1	8.9	8.91	0	0.0	0.00
25-29	1	3.8	3.84	1	8.1	8.06	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	4.0	4.01	1	8.6	8.55	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	12.2	12.18	0	0.0	0.00	1	21.5	21.48
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	4			3			1		
Connecticut									
. Crude rate		1.4	-		2.1	-		0.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.5	-		11.5	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	7.4	5.26	1	7.3	7.29	1	7.6	7.58
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	13	54.7	15.18	11	90.9	27.41	2	17.2	12.14
20-24	14	62.3	16.65	11	98.0	29.55	3	26.7	15.40
25-29	15	57.6	14.87	13	104.8	29.07	2	14.7	10.37
30-34	3	10.7	6.18	3	23.1	13.34	0	0.0	0.00
35-39	1	4.0	4.01	1	8.6	8.55	0	0.0	0.00
40-44	3	14.9	8.61	3	32.9	19.01	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	15.1	10.65	2	34.0	24.05	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	12.2	12.18	1	28.1	28.12	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	54			46			8		
Connecticut									
. Crude rate		18.3	-		32.9	-		5.2	-
. AAMR (1940 Std. mil.)		19.4	2.66		34.1	5.06		-	-
. AAMR (1970 Std. mil.)		17.6	2.46		30.8	4.64		-	-
. AAMR (2000 Std. mil.)		16.0	2.22		28.6	4.34		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.6	-		11.0	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	8.9	6.29	1	8.9	8.91	1	8.9	8.89
25-29	2	7.7	5.43	2	16.1	11.40	0	0.0	0.00
30-34	5	17.8	7.98	5	38.5	17.23	0	0.0	0.00
35-39	9	36.1	12.03	9	77.0	25.66	0	0.0	0.00
40-44	6	29.8	12.18	6	65.9	26.88	0	0.0	0.00
45-49	9	53.1	17.70	7	91.8	34.70	2	21.4	15.16
50-54	3	22.6	13.04	3	51.0	29.46	0	0.0	0.00
55-59	2	18.7	13.22	1	21.9	21.90	1	16.3	16.31
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	38			34			4		
Connecticut									
. Crude rate		12.9	-		24.3	-		2.6	-
. AAMR (1940 Std. mil.)		12.8	2.10		24.7	4.28		-	-
. AAMR (1970 Std. mil.)		11.3	1.89		21.4	3.81		-	-
. AAMR (2000 Std. mil.)		13.9	2.29		26.9	4.73		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.9	-		8.5	-		3.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	6	29.8	12.18	4	43.9	21.95	2	18.2	12.85
45-49	1	5.9	5.90	1	13.1	13.11	0	0.0	0.00
50-54	4	30.1	15.06	3	51.0	29.46	1	13.5	13.52
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	24.4	17.22	2	56.2	39.77	0	0.0	0.00
65-69	2	27.7	19.59	2	62.5	44.22	0	0.0	0.00
70-74	1	19.9	19.86	1	51.2	51.15	0	0.0	0.00
75-79	1	28.5	28.46	0	0.0	0.00	1	46.2	46.21
80-84	1	49.7	49.73	1	158.2	158.23	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	18			14			4		
Connecticut									
. Crude rate		6.1	-		10.0	-		2.6	-
. AAMR (1940 Std. mil.)		6.7	1.59		-	-		-	-
. AAMR (1970 Std. mil.)		7.4	1.79		-	-		-	-
. AAMR (2000 Std. mil.)		8.9	2.18		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		10.8	-		3.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1995

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	8.9	6.29	1	8.9	8.91	1	8.9	8.89
25-29	2	7.7	5.43	2	16.1	11.40	0	0.0	0.00
30-34	5	17.8	7.98	5	38.5	17.23	0	0.0	0.00
35-39	12	48.1	13.89	12	102.6	29.63	0	0.0	0.00
40-44	6	29.8	12.18	5	54.9	24.54	1	9.1	9.09
45-49	12	70.8	20.43	9	118.0	39.34	3	32.2	18.57
50-54	2	15.1	10.65	2	34.0	24.05	0	0.0	0.00
55-59	2	18.7	13.22	1	21.9	21.90	1	16.3	16.31
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	43			37			6		
Connecticut									
. Crude rate		14.6	-		26.5	-		3.9	-
. AAMR (1940 Std. mil.)		14.4	2.22		26.5	4.41		-	-
. AAMR (1970 Std. mil.)		12.6	1.98		22.8	3.89		-	-
. AAMR (2000 Std. mil.)		15.6	2.43		28.9	4.86		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		7.3	-		2.9	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher