

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

## Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All causes-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	286	381.0	22.53	157	409.2	32.66	129	351.6	30.95
5-9	19	22.1	5.08	11	25.4	7.65	8	18.9	6.67
10-14	29	36.1	6.71	21	51.3	11.20	8	20.3	7.19
15-19	82	111.1	12.27	68	179.3	21.75	14	39.0	10.43
20-24	108	170.7	16.42	86	272.4	29.37	22	69.4	14.79
25-29	131	175.7	15.35	93	262.0	27.17	38	97.3	15.78
30-34	149	176.5	14.46	93	235.5	24.42	56	124.6	16.66
35-39	254	319.2	20.03	155	416.0	33.41	99	234.0	23.51
40-44	311	473.0	26.82	193	638.3	45.95	118	332.3	30.59
45-49	335	634.7	34.68	210	891.5	61.52	125	427.7	38.25
50-54	366	862.8	45.10	224	1192.0	79.64	142	601.0	50.43
55-59	466	1360.3	63.01	260	1767.9	109.64	206	1053.7	73.41
60-64	528	2032.6	88.46	303	2767.9	159.01	225	1497.0	99.80
65-69	499	2212.2	99.03	280	2850.5	170.35	219	1719.8	116.21
70-74	603	3719.9	151.49	294	4480.3	261.30	309	3202.7	182.20
75-79	567	4926.6	206.90	275	6342.3	382.45	292	4070.8	238.23
80-84	466	7332.8	339.69	196	9133.3	652.38	270	6414.8	390.39
85+	699	11989.7	453.49	199	11617.0	823.51	500	12144.8	543.13
Total deaths	5,898			3,118			2,780		
Connecticut									
. Crude rate		655.0	-		729.9	-		587.5	-
. AAMR (1940 Std. mil.)		633.8	8.50		820.7	14.93		488.6	9.79
. AAMR (1970 Std. mil.)		807.4	10.77		1021.3	19.20		646.4	12.50
. AAMR (2000 Std. mil.)		1026.7	14.20		1270.9	25.67		846.9	16.56
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		491.1	-		623.1	-		380.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is higher  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Septicemia-related (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	7	9.3	3.52	5	13.0	5.83	2	5.5	3.85
5-9	2	2.3	1.65	1	2.3	2.31	1	2.4	2.36
10-14	2	2.5	1.76	1	2.4	2.44	1	2.5	2.54
15-19	1	1.4	1.35	0	0.0	0.00	1	2.8	2.79
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	7	9.4	3.55	3	8.5	4.88	4	10.2	5.12
30-34	8	9.5	3.35	5	12.7	5.66	3	6.7	3.85
35-39	13	16.3	4.53	10	26.8	8.49	3	7.1	4.09
40-44	11	16.7	5.04	3	9.9	5.73	8	22.5	7.97
45-49	28	53.0	10.03	19	80.7	18.50	9	30.8	10.26
50-54	18	42.4	10.00	13	69.2	19.19	5	21.2	9.46
55-59	30	87.6	15.99	17	115.6	28.03	13	66.5	18.44
60-64	34	130.9	22.45	15	137.0	35.38	19	126.4	29.00
65-69	43	190.6	29.07	17	173.1	41.97	26	204.2	40.04
70-74	47	289.9	42.29	24	365.7	74.66	23	238.4	49.71
75-79	43	373.6	56.98	26	599.6	117.60	17	237.0	57.48
80-84	34	535.0	91.75	14	652.4	174.35	20	475.2	106.25
85+	50	857.6	121.29	15	875.7	226.09	35	850.1	143.70
Total deaths	378			188			190		
Connecticut									
. Crude rate		42.0	-		44.0	-		40.2	-
. AAMR (1940 Std. mil.)		40.3	2.14		49.9	3.69		33.5	2.57
. AAMR (1970 Std. mil.)		53.5	2.81		65.9	5.00		45.1	3.33
. AAMR (2000 Std. mil.)		69.5	3.76		85.7	6.92		58.8	4.38
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	5.3	2.66	3	7.8	4.51	1	2.7	2.73
5-9	1	1.2	1.17	1	2.3	2.31	0	0.0	0.00
10-14	2	2.5	1.76	0	0.0	0.00	2	5.1	3.59
15-19	1	1.4	1.35	1	2.6	2.64	0	0.0	0.00
20-24	2	3.2	2.24	0	0.0	0.00	2	6.3	4.46
25-29	13	17.4	4.84	6	16.9	6.90	7	17.9	6.77
30-34	39	46.2	7.40	22	55.7	11.88	17	37.8	9.18
35-39	71	89.2	10.59	49	131.5	18.79	22	52.0	11.08
40-44	79	120.2	13.52	53	175.3	24.08	26	73.2	14.36
45-49	56	106.1	14.18	43	182.5	27.84	13	44.5	12.34
50-54	21	49.5	10.80	17	90.5	21.94	4	16.9	8.46
55-59	16	46.7	11.68	12	81.6	23.55	4	20.5	10.23
60-64	3	11.5	6.67	1	9.1	9.13	2	13.3	9.41
65-69	4	17.7	8.87	4	40.7	20.36	0	0.0	0.00
70-74	1	6.2	6.17	0	0.0	0.00	1	10.4	10.36
75-79	1	8.7	8.69	1	23.1	23.06	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	314			213			101		
Connecticut									
. Crude rate		34.9	-		49.9	-		21.3	-
. AAMR (1940 Std. mil.)		33.3	1.90		49.9	3.46		19.7	1.97
. AAMR (1970 Std. mil.)		29.7	1.73		45.0	3.22		17.2	1.76
. AAMR (2000 Std. mil.)		36.9	2.12		56.1	3.93		21.1	2.13
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.1	-		18.1	-		4.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	5.3	2.66	2	5.2	3.69	2	5.5	3.85
5-9	2	2.3	1.65	2	4.6	3.26	0	0.0	0.00
10-14	3	3.7	2.16	1	2.4	2.44	2	5.1	3.59
15-19	3	4.1	2.35	2	5.3	3.73	1	2.8	2.79
20-24	3	4.7	2.74	3	9.5	5.49	0	0.0	0.00
25-29	8	10.7	3.79	4	11.3	5.63	4	10.2	5.12
30-34	12	14.2	4.10	4	10.1	5.06	8	17.8	6.30
35-39	21	26.4	5.76	8	21.5	7.59	13	30.7	8.52
40-44	48	73.0	10.54	22	72.8	15.51	26	73.2	14.36
45-49	52	98.5	13.66	23	97.6	20.36	29	99.2	18.43
50-54	116	273.4	25.39	59	314.0	40.87	57	241.2	31.95
55-59	161	470.0	37.04	86	584.8	63.06	75	383.6	44.30
60-64	173	666.0	50.63	108	986.6	94.93	65	432.5	53.64
65-69	162	718.2	56.43	105	1068.9	104.32	57	447.6	59.29
70-74	171	1054.9	80.67	89	1356.3	143.77	82	849.9	93.86
75-79	167	1451.0	112.28	91	2098.7	220.00	76	1059.5	121.54
80-84	123	1935.5	174.52	53	2469.7	339.24	70	1663.1	198.78
85+	100	1715.3	171.53	53	3094.0	424.99	47	1141.6	166.52
Total deaths	1,329			715			614		
Connecticut									
. Crude rate		147.6	-		167.4	-		129.8	-
. AAMR (1940 Std. mil.)		150.6	4.22		199.6	7.55		117.1	4.88
. AAMR (1970 Std. mil.)		196.1	5.45		266.2	10.17		150.5	6.16
. AAMR (2000 Std. mil.)		242.5	6.94		332.8	13.54		187.3	7.75
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		127.8	-		153.9	-		108.7	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	1.4	1.35	1	2.6	2.64	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	1.5	1.52	1	3.3	3.31	0	0.0	0.00
45-49	1	1.9	1.89	1	4.2	4.25	0	0.0	0.00
50-54	2	4.7	3.33	1	5.3	5.32	1	4.2	4.23
55-59	8	23.4	8.26	8	54.4	19.23	0	0.0	0.00
60-64	4	15.4	7.70	4	36.5	18.27	0	0.0	0.00
65-69	5	22.2	9.91	3	30.5	17.63	2	15.7	11.11
70-74	3	18.5	10.69	2	30.5	21.55	1	10.4	10.36
75-79	1	8.7	8.69	1	23.1	23.06	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	2	34.3	24.26	2	116.8	82.56	0	0.0	0.00
Total deaths	28			24			4		
Connecticut									
. Crude rate		3.1	-		5.6	-		0.8	-
. AAMR (1940 Std. mil.)		3.4	0.65		6.8	1.41		-	-
. AAMR (1970 Std. mil.)		4.1	0.77		8.4	1.73		-	-
. AAMR (2000 Std. mil.)		4.5	0.87		9.6	2.13		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.2	-		1.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.3	1.34	1	2.8	2.82	0	0.0	0.00
30-34	3	3.6	2.05	2	5.1	3.58	1	2.2	2.23
35-39	1	1.3	1.26	1	2.7	2.68	0	0.0	0.00
40-44	5	7.6	3.40	2	6.6	4.68	3	8.4	4.88
45-49	6	11.4	4.64	1	4.2	4.25	5	17.1	7.65
50-54	11	25.9	7.82	5	26.6	11.90	6	25.4	10.37
55-59	17	49.6	12.04	10	68.0	21.50	7	35.8	13.53
60-64	18	69.3	16.33	10	91.3	28.89	8	53.2	18.82
65-69	18	79.8	18.81	13	132.3	36.71	5	39.3	17.56
70-74	18	111.0	26.17	7	106.7	40.32	11	114.0	34.38
75-79	11	95.6	28.82	5	115.3	51.57	6	83.6	34.15
80-84	8	125.9	44.51	2	93.2	65.90	6	142.6	58.20
85+	12	205.8	59.42	5	291.9	130.54	7	170.0	64.26
Total deaths	129			64			65		
Connecticut									
. Crude rate		14.3	-		15.0	-		13.7	-
. AAMR (1940 Std. mil.)		14.7	1.33		17.9	2.26		12.3	1.59
. AAMR (1970 Std. mil.)		18.7	1.67		22.7	2.91		15.9	2.00
. AAMR (2000 Std. mil.)		22.9	2.10		27.3	3.73		19.9	2.52
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.3	-		14.8	-		10.3	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	2.4	1.68	1	2.5	2.53	1	2.2	2.23
35-39	1	1.3	1.26	1	2.7	2.68	0	0.0	0.00
40-44	5	7.6	3.40	2	6.6	4.68	3	8.4	4.88
45-49	5	9.5	4.24	1	4.2	4.25	4	13.7	6.84
50-54	8	18.9	6.67	3	16.0	9.22	5	21.2	9.46
55-59	16	46.7	11.68	9	61.2	20.40	7	35.8	13.53
60-64	16	61.6	15.40	8	73.1	25.84	8	53.2	18.82
65-69	14	62.1	16.59	9	91.6	30.54	5	39.3	17.56
70-74	18	111.0	26.17	7	106.7	40.32	11	114.0	34.38
75-79	10	86.9	27.48	4	92.3	46.13	6	83.6	34.15
80-84	8	125.9	44.51	2	93.2	65.90	6	142.6	58.20
85+	10	171.5	54.24	5	291.9	130.54	5	121.4	54.31
Total deaths	113			52			61		
Connecticut									
. Crude rate		12.5	-		12.2	-		12.9	-
. AAMR (1940 Std. mil.)		12.9	1.24		14.4	2.03		11.8	1.55
. AAMR (1970 Std. mil.)		16.6	1.58		18.9	2.68		15.1	1.96
. AAMR (2000 Std. mil.)		20.3	1.99		23.3	3.52		18.6	2.44
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.2	-		12.3	-		8.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.2	1.18	1	2.5	2.53	0	0.0	0.00
35-39	1	1.3	1.26	0	0.0	0.00	1	2.4	2.36
40-44	2	3.0	2.15	1	3.3	3.31	1	2.8	2.82
45-49	3	5.7	3.28	0	0.0	0.00	3	10.3	5.93
50-54	3	7.1	4.08	2	10.6	7.53	1	4.2	4.23
55-59	7	20.4	7.72	3	20.4	11.78	4	20.5	10.23
60-64	15	57.7	14.91	11	100.5	30.30	4	26.6	13.31
65-69	12	53.2	15.36	9	91.6	30.54	3	23.6	13.60
70-74	9	55.5	18.51	3	45.7	26.40	6	62.2	25.39
75-79	11	95.6	28.82	4	92.3	46.13	7	97.6	36.88
80-84	10	157.4	49.76	3	139.8	80.71	7	166.3	62.86
85+	7	120.1	45.38	1	58.4	58.38	6	145.7	59.50
Total deaths	81			38			43		
Connecticut									
. Crude rate		9.0	-		8.9	-		9.1	-
. AAMR (1940 Std. mil.)		9.1	1.03		11.1	1.81		7.5	1.20
. AAMR (1970 Std. mil.)		12.3	1.38		14.3	2.36		10.5	1.63
. AAMR (2000 Std. mil.)		15.4	1.78		16.5	2.88		14.1	2.20
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.2	-		7.2	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.3	1.34	1	2.8	2.82	0	0.0	0.00
30-34	3	3.6	2.05	1	2.5	2.53	2	4.5	3.15
35-39	3	3.8	2.18	1	2.7	2.68	2	4.7	3.34
40-44	11	16.7	5.04	7	23.2	8.75	4	11.3	5.63
45-49	11	20.8	6.28	7	29.7	11.23	4	13.7	6.84
50-54	35	82.5	13.95	20	106.4	23.80	15	63.5	16.39
55-59	43	125.5	19.14	25	170.0	34.00	18	92.1	21.70
60-64	60	231.0	29.82	43	392.8	59.90	17	113.1	27.43
65-69	38	168.5	27.33	28	285.0	53.87	10	78.5	24.83
70-74	54	333.1	45.33	33	502.9	87.54	21	217.7	47.50
75-79	47	408.4	59.57	29	668.8	124.20	18	250.9	59.15
80-84	28	440.6	83.27	19	885.4	203.12	9	213.8	71.28
85+	13	223.0	61.84	7	408.6	154.45	6	145.7	59.50
Total deaths	347			221			126		
Connecticut									
. Crude rate		38.5	-		51.7	-		26.6	-
. AAMR (1940 Std. mil.)		40.7	2.22		63.6	4.31		25.0	2.28
. AAMR (1970 Std. mil.)		52.2	2.83		83.3	5.72		31.5	2.84
. AAMR (2000 Std. mil.)		62.4	3.47		100.7	7.27		37.9	3.45
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.2	-		54.1	-		27.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.3	1.34	1	2.8	2.82	0	0.0	0.00
30-34	3	3.6	2.05	1	2.5	2.53	2	4.5	3.15
35-39	3	3.8	2.18	1	2.7	2.68	2	4.7	3.34
40-44	10	15.2	4.81	7	23.2	8.75	3	8.4	4.88
45-49	9	17.1	5.68	6	25.5	10.40	3	10.3	5.93
50-54	33	77.8	13.54	18	95.8	22.58	15	63.5	16.39
55-59	38	110.9	17.99	21	142.8	31.16	17	87.0	21.09
60-64	55	211.7	28.55	39	356.3	57.05	16	106.5	26.61
65-69	34	150.7	25.85	25	254.5	50.90	9	70.7	23.56
70-74	52	320.8	44.49	31	472.4	84.85	21	217.7	47.50
75-79	45	391.0	58.29	28	645.8	122.04	17	237.0	57.48
80-84	26	409.1	80.24	18	838.8	197.70	8	190.1	67.20
85+	13	223.0	61.84	7	408.6	154.45	6	145.7	59.50
Total deaths	322			203			119		
Connecticut									
. Crude rate		35.8	-		47.5	-		25.1	-
. AAMR (1940 Std. mil.)		37.7	2.13		58.2	4.12		23.6	2.22
. AAMR (1970 Std. mil.)		48.5	2.73		76.8	5.50		29.8	2.76
. AAMR (2000 Std. mil.)		58.3	3.36		93.5	7.05		35.8	3.36
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		37.8	-		51.8	-		26.8	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is lower







## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	3	3.6	2.05	-	-	-	3	6.7	3.85
35-39	1	1.3	1.26	-	-	-	1	2.4	2.36
40-44	2	3.0	2.15	-	-	-	2	5.6	3.98
45-49	4	7.6	3.79	-	-	-	4	13.7	6.84
50-54	2	4.7	3.33	-	-	-	2	8.5	5.99
55-59	2	5.8	4.13	-	-	-	2	10.2	7.23
60-64	1	3.8	3.85	-	-	-	1	6.7	6.65
65-69	3	13.3	7.68	-	-	-	3	23.6	13.60
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	3	26.1	15.05	-	-	-	3	41.8	24.15
80-84	1	15.7	15.74	-	-	-	1	23.8	23.76
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	22			-			22		
Connecticut									
. Crude rate		-	-		-	-		4.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		4.4	0.94
. AAMR (1970 Std. mil.)		-	-		-	-		4.8	1.05
. AAMR (2000 Std. mil.)		-	-		-	-		5.8	1.27
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									CT rate is higher

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	1.5	1.52	-	-	-	1	2.8	2.82
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	2	8.9	6.27	-	-	-	2	15.7	11.11
70-74	3	18.5	10.69	-	-	-	3	31.1	17.95
75-79	1	8.7	8.69	-	-	-	1	13.9	13.94
80-84	1	15.7	15.74	-	-	-	1	23.8	23.76
85+	1	17.2	17.15	-	-	-	1	24.3	24.29
Total deaths	9			-			9		
Connecticut									
. Crude rate		-	-		-	-		1.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	2	5.8	4.13	-	-	-	2	10.2	7.23
60-64	4	15.4	7.70	-	-	-	4	26.6	13.31
65-69	1	4.4	4.43	-	-	-	1	7.9	7.85
70-74	6	37.0	15.11	-	-	-	6	62.2	25.39
75-79	1	8.7	8.69	-	-	-	1	13.9	13.94
80-84	1	15.7	15.74	-	-	-	1	23.8	23.76
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	15			-			15		
Connecticut									
. Crude rate		-	-		-	-		3.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.6	1.58	1	3.2	3.17	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	1.3	1.26	1	2.7	2.68	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	2.4	2.36	1	5.3	5.32	0	0.0	0.00
55-59	1	2.9	2.92	0	0.0	0.00	1	5.1	5.11
60-64	1	3.8	3.85	1	9.1	9.13	0	0.0	0.00
65-69	2	8.9	6.27	1	10.2	10.18	1	7.9	7.85
70-74	2	12.3	8.72	1	15.2	15.24	1	10.4	10.36
75-79	5	43.4	19.43	2	46.1	32.62	3	41.8	24.15
80-84	2	31.5	22.25	0	0.0	0.00	2	47.5	33.60
85+	2	34.3	24.26	1	58.4	58.38	1	24.3	24.29
Total deaths	18			9			9		
Connecticut									
. Crude rate		2.0	-		2.1	-		1.9	-
. AAMR (1940 Std. mil.)		1.9	0.46		-	-		-	-
. AAMR (1970 Std. mil.)		2.7	0.64		-	-		-	-
. AAMR (2000 Std. mil.)		3.6	0.88		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.4	-		4.4	-		2.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	2.7	1.88	0	0.0	0.00	2	5.5	3.85
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.2	1.25	0	0.0	0.00	1	2.5	2.54
15-19	1	1.4	1.35	0	0.0	0.00	1	2.8	2.79
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	2.7	1.90	1	2.8	2.82	1	2.6	2.56
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	1.3	1.26	1	2.7	2.68	0	0.0	0.00
40-44	1	1.5	1.52	1	3.3	3.31	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	4	9.4	4.71	3	16.0	9.22	1	4.2	4.23
55-59	3	8.8	5.06	2	13.6	9.62	1	5.1	5.11
60-64	4	15.4	7.70	3	27.4	15.82	1	6.7	6.65
65-69	5	22.2	9.91	4	40.7	20.36	1	7.9	7.85
70-74	5	30.8	13.79	4	61.0	30.48	1	10.4	10.36
75-79	3	26.1	15.05	0	0.0	0.00	3	41.8	24.15
80-84	1	15.7	15.74	1	46.6	46.60	0	0.0	0.00
85+	5	85.8	38.35	2	116.8	82.56	3	72.9	42.07
Total deaths	38			22			16		
Connecticut									
. Crude rate		4.2	-		5.1	-		3.4	-
. AAMR (1940 Std. mil.)		4.2	0.70		6.1	1.32		2.9	0.78
. AAMR (1970 Std. mil.)		5.3	0.88		7.7	1.68		3.8	0.96
. AAMR (2000 Std. mil.)		6.4	1.10		9.4	2.20		4.6	1.18
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.2	-		3.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.2	1.25	1	2.4	2.44	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.6	1.58	0	0.0	0.00	1	3.2	3.15
25-29	3	4.0	2.32	0	0.0	0.00	3	7.7	4.44
30-34	10	11.8	3.75	8	20.3	7.16	2	4.5	3.15
35-39	9	11.3	3.77	7	18.8	7.10	2	4.7	3.34
40-44	11	16.7	5.04	6	19.8	8.10	5	14.1	6.30
45-49	20	37.9	8.47	13	55.2	15.31	7	24.0	9.05
50-54	44	103.7	15.64	21	111.7	24.39	23	97.3	20.30
55-59	60	175.1	22.61	25	170.0	34.00	35	179.0	30.26
60-64	87	334.9	35.91	38	347.1	56.31	49	326.0	46.57
65-69	97	430.0	43.66	45	458.1	68.29	52	408.4	56.63
70-74	105	647.7	63.21	42	640.0	98.76	63	653.0	82.27
75-79	90	782.0	82.43	36	830.3	138.38	54	752.8	102.45
80-84	70	1101.5	131.65	23	1071.8	223.48	47	1116.7	162.88
85+	91	1560.9	163.63	18	1050.8	247.67	73	1773.1	207.53
Total deaths	699			283			416		
Connecticut									
. Crude rate		77.6	-		66.2	-		87.9	-
. AAMR (1940 Std. mil.)		76.1	2.97		78.5	4.72		73.6	3.81
. AAMR (1970 Std. mil.)		104.4	4.00		104.5	6.38		102.9	5.11
. AAMR (2000 Std. mil.)		134.6	5.29		131.3	8.49		134.2	6.71
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: CT rate is higher









## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	19	25.3	5.81	10	26.1	8.24	9	24.5	8.18
5-9	3	3.5	2.02	3	6.9	3.99	0	0.0	0.00
10-14	7	8.7	3.30	5	12.2	5.47	2	5.1	3.59
15-19	7	9.5	3.58	4	10.5	5.27	3	8.4	4.83
20-24	10	15.8	5.00	4	12.7	6.34	6	18.9	7.73
25-29	25	33.5	6.71	14	39.4	10.54	11	28.2	8.49
30-34	48	56.9	8.21	29	73.4	13.64	19	42.3	9.70
35-39	73	91.7	10.74	42	112.7	17.39	31	73.3	13.16
40-44	109	165.8	15.88	62	205.1	26.04	47	132.4	19.31
45-49	151	286.1	23.28	93	394.8	40.94	58	198.4	26.06
50-54	186	438.5	32.15	111	590.7	56.06	75	317.4	36.65
55-59	237	691.8	44.94	125	849.9	76.02	112	572.9	54.13
60-64	306	1178.0	67.34	171	1562.1	119.45	135	898.2	77.31
65-69	290	1285.6	75.49	161	1639.0	129.17	129	1013.0	89.19
70-74	377	2325.7	119.78	181	2758.3	205.02	196	2031.5	145.11
75-79	335	2910.8	159.03	161	3713.1	292.63	174	2425.8	183.90
80-84	281	4421.7	263.78	117	5452.0	504.04	164	3896.4	304.26
85+	452	7753.0	364.67	113	6596.6	620.56	339	8234.2	447.22
Total deaths	2,916			1,406			1,510		
Connecticut									
. Crude rate		323.9	-		329.1	-		319.1	-
. AAMR (1940 Std. mil.)		308.6	5.93		381.6	10.32		254.5	6.99
. AAMR (1970 Std. mil.)		419.5	7.91		505.6	13.95		356.4	9.34
. AAMR (2000 Std. mil.)		554.6	10.75		649.4	19.05		484.3	12.75
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	3.2	2.24	2	6.3	4.48	0	0.0	0.00
25-29	5	6.7	3.00	2	5.6	3.98	3	7.7	4.44
30-34	8	9.5	3.35	6	15.2	6.20	2	4.5	3.15
35-39	10	12.6	3.97	5	13.4	6.00	5	11.8	5.28
40-44	28	42.6	8.05	15	49.6	12.81	13	36.6	10.15
45-49	43	81.5	12.42	24	101.9	20.80	19	65.0	14.91
50-54	69	162.7	19.58	43	228.8	34.89	26	110.0	21.58
55-59	85	248.1	26.91	44	299.2	45.10	41	209.7	32.75
60-64	121	465.8	42.35	73	666.8	78.05	48	319.4	46.10
65-69	106	469.9	45.64	62	631.2	80.16	44	345.5	52.09
70-74	155	956.2	76.80	65	990.6	122.86	90	932.8	98.33
75-79	143	1242.5	103.90	62	1429.9	181.60	81	1129.2	125.47
80-84	108	1699.4	163.53	53	2469.7	339.24	55	1306.7	176.20
85+	193	3310.5	238.29	45	2627.0	391.61	148	3594.9	295.49
Total deaths	1,076			501			575		
Connecticut									
. Crude rate		119.5	-		117.3	-		121.5	-
. AAMR (1940 Std. mil.)		112.7	3.58		138.4	6.26		93.9	4.21
. AAMR (1970 Std. mil.)		159.1	4.91		189.5	8.67		136.9	5.80
. AAMR (2000 Std. mil.)		213.7	6.77		245.6	11.96		189.9	8.06
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		104.7	-		143.0	-		73.3	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.3	1.34	1	2.8	2.82	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	2.5	1.78	0	0.0	0.00	2	4.7	3.34
40-44	2	3.0	2.15	1	3.3	3.31	1	2.8	2.82
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	3	7.1	4.08	2	10.6	7.53	1	4.2	4.23
55-59	7	20.4	7.72	5	34.0	15.20	2	10.2	7.23
60-64	8	30.8	10.89	5	45.7	20.43	3	20.0	11.52
65-69	5	22.2	9.91	1	10.2	10.18	4	31.4	15.71
70-74	3	18.5	10.69	1	15.2	15.24	2	20.7	14.66
75-79	5	43.4	19.43	0	0.0	0.00	5	69.7	31.17
80-84	3	47.2	27.25	1	46.6	46.60	2	47.5	33.60
85+	9	154.4	51.46	1	58.4	58.38	8	194.3	68.70
Total deaths	48			18			30		
Connecticut									
. Crude rate		5.3	-		4.2	-		6.3	-
. AAMR (1940 Std. mil.)		5.1	0.77		5.2	1.25		4.9	0.95
. AAMR (1970 Std. mil.)		6.9	1.01		6.3	1.52		6.9	1.29
. AAMR (2000 Std. mil.)		8.9	1.35		7.1	1.83		9.6	1.80
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		2.5	-		2.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	2.7	1.88	1	2.6	2.61	1	2.7	2.73
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	2.5	1.76	2	4.9	3.46	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.2	1.18	1	2.5	2.53	0	0.0	0.00
35-39	8	10.1	3.55	1	2.7	2.68	7	16.5	6.25
40-44	9	13.7	4.56	9	29.8	9.92	0	0.0	0.00
45-49	11	20.8	6.28	7	29.7	11.23	4	13.7	6.84
50-54	13	30.6	8.50	5	26.6	11.90	8	33.9	11.97
55-59	18	52.5	12.38	11	74.8	22.55	7	35.8	13.53
60-64	30	115.5	21.08	16	146.2	36.54	14	93.1	24.89
65-69	23	102.0	21.26	7	71.3	26.93	16	125.6	31.41
70-74	36	222.1	37.01	14	213.3	57.02	22	228.0	48.62
75-79	35	304.1	51.40	11	253.7	76.49	24	334.6	68.30
80-84	45	708.1	105.56	8	372.8	131.80	37	879.1	144.52
85+	54	926.2	126.05	12	700.5	202.22	42	1020.2	157.41
Total deaths	287			105			182		
Connecticut									
. Crude rate		31.9	-		24.6	-		38.5	-
. AAMR (1940 Std. mil.)		29.1	1.79		28.2	2.80		28.9	2.30
. AAMR (1970 Std. mil.)		42.3	2.54		38.2	3.85		43.7	3.29
. AAMR (2000 Std. mil.)		58.6	3.60		50.1	5.39		62.1	4.69
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.5	-		28.5	-		24.6	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is higher  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is higher





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.2	1.18	1	2.5	2.53	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	3.0	2.15	0	0.0	0.00	2	5.6	3.98
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	5.8	4.13	2	13.6	9.62	0	0.0	0.00
60-64	1	3.8	3.85	1	9.1	9.13	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	12.3	8.72	0	0.0	0.00	2	20.7	14.66
75-79	4	34.8	17.38	1	23.1	23.06	3	41.8	24.15
80-84	2	31.5	22.25	1	46.6	46.60	1	23.8	23.76
85+	4	68.6	34.31	1	58.4	58.38	3	72.9	42.07
Total deaths	18			7			11		
Connecticut									
. Crude rate		2.0	-		1.6	-		2.3	-
. AAMR (1940 Std. mil.)		1.7	0.42		-	-		-	-
. AAMR (1970 Std. mil.)		2.5	0.61		-	-		-	-
. AAMR (2000 Std. mil.)		3.7	0.92		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.2	-		4.9	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.3	1.33	0	0.0	0.00	1	2.7	2.73
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.2	1.25	0	0.0	0.00	1	2.5	2.54
15-19	2	2.7	1.92	1	2.6	2.64	1	2.8	2.79
20-24	1	1.6	1.58	0	0.0	0.00	1	3.2	3.15
25-29	1	1.3	1.34	1	2.8	2.82	0	0.0	0.00
30-34	1	1.2	1.18	1	2.5	2.53	0	0.0	0.00
35-39	3	3.8	2.18	1	2.7	2.68	2	4.7	3.34
40-44	3	4.6	2.63	0	0.0	0.00	3	8.4	4.88
45-49	6	11.4	4.64	2	8.5	6.00	4	13.7	6.84
50-54	5	11.8	5.27	3	16.0	9.22	2	8.5	5.99
55-59	5	14.6	6.53	3	20.4	11.78	2	10.2	7.23
60-64	10	38.5	12.17	6	54.8	22.38	4	26.6	13.31
65-69	11	48.8	14.70	5	50.9	22.76	6	47.1	19.24
70-74	14	86.4	23.08	8	121.9	43.10	6	62.2	25.39
75-79	11	95.6	28.82	5	115.3	51.57	6	83.6	34.15
80-84	10	157.4	49.76	5	233.0	104.20	5	118.8	53.13
85+	10	171.5	54.24	4	233.5	116.75	6	145.7	59.50
Total deaths	95			45			50		
Connecticut									
. Crude rate		10.6	-		10.5	-		10.6	-
. AAMR (1940 Std. mil.)		10.4	1.09		12.3	1.87		9.2	1.36
. AAMR (1970 Std. mil.)		13.8	1.44		17.0	2.60		12.0	1.72
. AAMR (2000 Std. mil.)		17.6	1.89		22.0	3.59		15.1	2.20
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		20.9	-		25.8	-		17.6	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.3	1.33	0	0.0	0.00	1	2.7	2.73
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.2	1.25	0	0.0	0.00	1	2.5	2.54
15-19	2	2.7	1.92	1	2.6	2.64	1	2.8	2.79
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.3	1.34	1	2.8	2.82	0	0.0	0.00
30-34	1	1.2	1.18	1	2.5	2.53	0	0.0	0.00
35-39	3	3.8	2.18	1	2.7	2.68	2	4.7	3.34
40-44	2	3.0	2.15	0	0.0	0.00	2	5.6	3.98
45-49	2	3.8	2.68	0	0.0	0.00	2	6.8	4.84
50-54	2	4.7	3.33	1	5.3	5.32	1	4.2	4.23
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	7.7	5.44	1	9.1	9.13	1	6.7	6.65
65-69	1	4.4	4.43	0	0.0	0.00	1	7.9	7.85
70-74	4	24.7	12.34	2	30.5	21.55	2	20.7	14.66
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	15.7	15.74	1	46.6	46.60	0	0.0	0.00
85+	1	17.2	17.15	1	58.4	58.38	0	0.0	0.00
Total deaths	24			10			14		
Connecticut									
. Crude rate		2.7	-		2.3	-		3.0	-
. AAMR (1940 Std. mil.)		2.7	0.56		-	-		-	-
. AAMR (1970 Std. mil.)		3.0	0.63		-	-		-	-
. AAMR (2000 Std. mil.)		3.5	0.75		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		1.1	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.3	1.34	0	0.0	0.00	1	2.6	2.56
30-34	1	1.2	1.18	0	0.0	0.00	1	2.2	2.23
35-39	5	6.3	2.81	3	8.1	4.65	2	4.7	3.34
40-44	5	7.6	3.40	3	9.9	5.73	2	5.6	3.98
45-49	10	18.9	5.99	8	34.0	12.01	2	6.8	4.84
50-54	4	9.4	4.71	4	21.3	10.64	0	0.0	0.00
55-59	7	20.4	7.72	4	27.2	13.60	3	15.3	8.86
60-64	11	42.3	12.77	6	54.8	22.38	5	33.3	14.88
65-69	6	26.6	10.86	3	30.5	17.63	3	23.6	13.60
70-74	6	37.0	15.11	4	61.0	30.48	2	20.7	14.66
75-79	1	8.7	8.69	0	0.0	0.00	1	13.9	13.94
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	17.2	17.15	1	58.4	58.38	0	0.0	0.00
Total deaths	58			36			22		
Connecticut									
. Crude rate		6.4	-		8.4	-		4.6	-
. AAMR (1940 Std. mil.)		6.9	0.92		10.0	1.68		4.7	1.00
. AAMR (1970 Std. mil.)		7.6	1.03		11.0	1.90		5.1	1.12
. AAMR (2000 Std. mil.)		8.5	1.14		12.6	2.21		5.5	1.20
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.5	-		10.7	-		4.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different







## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	10	13.3	4.21	6	15.6	6.38	4	10.9	5.45
5-9	5	5.8	2.61	1	2.3	2.31	4	9.4	4.71
10-14	8	10.0	3.52	7	17.1	6.47	1	2.5	2.54
15-19	13	17.6	4.89	11	29.0	8.75	2	5.6	3.94
20-24	22	34.8	7.41	19	60.2	13.81	3	9.5	5.46
25-29	21	28.2	6.15	19	53.5	12.28	2	5.1	3.62
30-34	16	19.0	4.74	10	25.3	8.01	6	13.4	5.45
35-39	36	45.2	7.54	22	59.0	12.59	14	33.1	8.84
40-44	34	51.7	8.87	26	86.0	16.86	8	22.5	7.97
45-49	34	64.4	11.05	27	114.6	22.06	7	24.0	9.05
50-54	18	42.4	10.00	17	90.5	21.94	1	4.2	4.23
55-59	15	43.8	11.31	12	81.6	23.55	3	15.3	8.86
60-64	10	38.5	12.17	5	45.7	20.43	5	33.3	14.88
65-69	9	39.9	13.30	3	30.5	17.63	6	47.1	19.24
70-74	9	55.5	18.51	7	106.7	40.32	2	20.7	14.66
75-79	6	52.1	21.28	2	46.1	32.62	4	55.8	27.88
80-84	3	47.2	27.25	2	93.2	65.90	1	23.8	23.76
85+	12	205.8	59.42	5	291.9	130.54	7	170.0	64.26
Total deaths	281			201			80		
Connecticut									
. Crude rate		31.2	-		47.0	-		16.9	-
. AAMR (1940 Std. mil.)		31.1	1.89		49.8	3.56		15.2	1.75
. AAMR (1970 Std. mil.)		31.5	1.94		49.9	3.70		16.2	1.88
. AAMR (2000 Std. mil.)		36.2	2.29		57.2	4.49		19.3	2.25
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.5	-		43.2	-		17.8	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	5.3	2.66	3	7.8	4.51	1	2.7	2.73
5-9	3	3.5	2.02	1	2.3	2.31	2	4.7	3.33
10-14	1	1.2	1.25	1	2.4	2.44	0	0.0	0.00
15-19	7	9.5	3.58	7	18.5	6.98	0	0.0	0.00
20-24	18	28.4	6.71	16	50.7	12.67	2	6.3	4.46
25-29	13	17.4	4.84	12	33.8	9.76	1	2.6	2.56
30-34	8	9.5	3.35	6	15.2	6.20	2	4.5	3.15
35-39	11	13.8	4.17	4	10.7	5.37	7	16.5	6.25
40-44	8	12.2	4.30	6	19.8	8.10	2	5.6	3.98
45-49	6	11.4	4.64	4	17.0	8.49	2	6.8	4.84
50-54	5	11.8	5.27	5	26.6	11.90	0	0.0	0.00
55-59	5	14.6	6.53	3	20.4	11.78	2	10.2	7.23
60-64	1	3.8	3.85	1	9.1	9.13	0	0.0	0.00
65-69	3	13.3	7.68	1	10.2	10.18	2	15.7	11.11
70-74	2	12.3	8.72	1	15.2	15.24	1	10.4	10.36
75-79	2	17.4	12.29	1	23.1	23.06	1	13.9	13.94
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	3	51.5	29.71	2	116.8	82.56	1	24.3	24.29
Total deaths	100			74			26		
Connecticut									
. Crude rate		11.1	-		17.3	-		5.5	-
. AAMR (1940 Std. mil.)		11.3	1.15		18.3	2.15		5.1	1.01
. AAMR (1970 Std. mil.)		11.0	1.13		17.7	2.15		5.0	1.03
. AAMR (2000 Std. mil.)		11.7	1.24		18.8	2.47		5.8	1.18
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.3	-		22.4	-		10.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	4	5.0	2.49	4	9.8	4.89	0	0.0	0.00
15-19	2	2.7	1.92	1	2.6	2.64	1	2.8	2.79
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.3	1.34	0	0.0	0.00	1	2.6	2.56
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	1.5	1.52	1	3.3	3.31	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	4.7	3.33	2	10.6	7.53	0	0.0	0.00
55-59	1	2.9	2.92	1	6.8	6.80	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	11			9			2		
Connecticut									
. Crude rate		1.2	-		2.1	-		0.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.5	-		2.3	-		0.4	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	2.7	1.88	0	0.0	0.00	2	5.5	3.85
5-9	2	2.3	1.65	0	0.0	0.00	2	4.7	3.33
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	1.4	1.35	0	0.0	0.00	1	2.8	2.79
20-24	1	1.6	1.58	1	3.2	3.17	0	0.0	0.00
25-29	1	1.3	1.34	1	2.8	2.82	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	4	6.1	3.04	3	9.9	5.73	1	2.8	2.82
45-49	1	1.9	1.89	1	4.2	4.25	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	3.8	3.85	0	0.0	0.00	1	6.7	6.65
65-69	2	8.9	6.27	1	10.2	10.18	1	7.9	7.85
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	15			7			8		
Connecticut									
. Crude rate		1.7	-		1.6	-		1.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.0	-		1.4	-		0.9	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	2.5	1.76	2	4.9	3.46	0	0.0	0.00
15-19	12	16.3	4.69	11	29.0	8.75	1	2.8	2.79
20-24	11	17.4	5.24	10	31.7	10.02	1	3.2	3.15
25-29	11	14.8	4.45	10	28.2	8.91	1	2.6	2.56
30-34	4	4.7	2.37	3	7.6	4.39	1	2.2	2.23
35-39	3	3.8	2.18	3	8.1	4.65	0	0.0	0.00
40-44	10	15.2	4.81	8	26.5	9.35	2	5.6	3.98
45-49	3	5.7	3.28	1	4.2	4.25	2	6.8	4.84
50-54	2	4.7	3.33	0	0.0	0.00	2	8.5	5.99
55-59	2	5.8	4.13	2	13.6	9.62	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	3	13.3	7.68	2	20.4	14.40	1	7.9	7.85
70-74	1	6.2	6.17	1	15.2	15.24	0	0.0	0.00
75-79	1	8.7	8.69	1	23.1	23.06	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	17.2	17.15	0	0.0	0.00	1	24.3	24.29
Total deaths	66			54			12		
Connecticut									
. Crude rate		7.3	-		12.6	-		2.5	-
. AAMR (1940 Std. mil.)		7.7	0.96		13.3	1.82		-	-
. AAMR (1970 Std. mil.)		7.3	0.93		12.5	1.77		-	-
. AAMR (2000 Std. mil.)		7.5	0.96		12.5	1.80		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.8	-		17.9	-		4.0	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is lower

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	12.0	4.00	4	10.4	5.21	5	13.6	6.09
5-9	3	3.5	2.02	1	2.3	2.31	2	4.7	3.33
10-14	2	2.5	1.76	2	4.9	3.46	0	0.0	0.00
15-19	39	52.8	8.46	35	92.3	15.60	4	11.1	5.57
20-24	50	79.0	11.18	45	142.5	21.25	5	15.8	7.05
25-29	40	53.7	8.48	34	95.8	16.43	6	15.4	6.27
30-34	24	28.4	5.80	20	50.6	11.32	4	8.9	4.45
35-39	20	25.1	5.62	12	32.2	9.30	8	18.9	6.68
40-44	11	16.7	5.04	8	26.5	9.35	3	8.4	4.88
45-49	5	9.5	4.24	4	17.0	8.49	1	3.4	3.42
50-54	5	11.8	5.27	4	21.3	10.64	1	4.2	4.23
55-59	3	8.8	5.06	2	13.6	9.62	1	5.1	5.11
60-64	3	11.5	6.67	1	9.1	9.13	2	13.3	9.41
65-69	5	22.2	9.91	5	50.9	22.76	0	0.0	0.00
70-74	1	6.2	6.17	1	15.2	15.24	0	0.0	0.00
75-79	1	8.7	8.69	1	23.1	23.06	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	221			179			42		
Connecticut									
. Crude rate		24.5	-		41.9	-		8.9	-
. AAMR (1940 Std. mil.)		25.9	1.76		43.9	3.31		9.0	1.41
. AAMR (1970 Std. mil.)		23.7	1.64		40.1	3.09		8.2	1.32
. AAMR (2000 Std. mil.)		22.7	1.56		38.4	2.97		8.3	1.29
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.5	-		13.3	-		3.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	20	26.6	5.96	11	28.7	8.64	9	24.5	8.18
5-9	8	9.3	3.30	2	4.6	3.26	6	14.1	5.77
10-14	12	14.9	4.32	11	26.9	8.11	1	2.5	2.54
15-19	65	88.1	10.92	58	153.0	20.09	7	19.5	7.37
20-24	84	132.8	14.48	75	237.6	27.43	9	28.4	9.46
25-29	73	97.9	11.46	64	180.3	22.54	9	23.0	7.68
30-34	44	52.1	7.86	33	83.6	14.55	11	24.5	7.38
35-39	63	79.2	9.97	41	110.0	17.18	22	52.0	11.08
40-44	56	85.2	11.38	43	142.2	21.69	13	36.6	10.15
45-49	42	79.6	12.28	32	135.8	24.01	10	34.2	10.82
50-54	25	58.9	11.79	21	111.7	24.39	4	16.9	8.46
55-59	20	58.4	13.05	16	108.8	27.20	4	20.5	10.23
60-64	13	50.0	13.88	6	54.8	22.38	7	46.6	17.60
65-69	17	75.4	18.28	10	101.8	32.19	7	55.0	20.78
70-74	11	67.9	20.46	9	137.2	45.72	2	20.7	14.66
75-79	8	69.5	24.58	4	92.3	46.13	4	55.8	27.88
80-84	3	47.2	27.25	2	93.2	65.90	1	23.8	23.76
85+	13	223.0	61.84	5	291.9	130.54	8	194.3	68.70
Total deaths	577			443			134		
Connecticut									
. Crude rate		64.1	-		103.7	-		28.3	-
. AAMR (1940 Std. mil.)		65.7	2.77		109.0	5.23		26.7	2.37
. AAMR (1970 Std. mil.)		63.3	2.72		104.2	5.16		26.9	2.41
. AAMR (2000 Std. mil.)		67.3	2.95		109.9	5.71		30.4	2.73
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		51.0	-		76.4	-		26.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	5.3	2.66	3	7.8	4.51	1	2.7	2.73
5-9	3	3.5	2.02	1	2.3	2.31	2	4.7	3.33
10-14	1	1.2	1.25	1	2.4	2.44	0	0.0	0.00
15-19	7	9.5	3.58	7	18.5	6.98	0	0.0	0.00
20-24	18	28.4	6.71	16	50.7	12.67	2	6.3	4.46
25-29	13	17.4	4.84	12	33.8	9.76	1	2.6	2.56
30-34	8	9.5	3.35	6	15.2	6.20	2	4.5	3.15
35-39	11	13.8	4.17	4	10.7	5.37	7	16.5	6.25
40-44	8	12.2	4.30	6	19.8	8.10	2	5.6	3.98
45-49	6	11.4	4.64	4	17.0	8.49	2	6.8	4.84
50-54	5	11.8	5.27	5	26.6	11.90	0	0.0	0.00
55-59	5	14.6	6.53	3	20.4	11.78	2	10.2	7.23
60-64	1	3.8	3.85	1	9.1	9.13	0	0.0	0.00
65-69	3	13.3	7.68	1	10.2	10.18	2	15.7	11.11
70-74	2	12.3	8.72	1	15.2	15.24	1	10.4	10.36
75-79	2	17.4	12.29	1	23.1	23.06	1	13.9	13.94
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	3	51.5	29.71	2	116.8	82.56	1	24.3	24.29
Total deaths	100			74			26		
Connecticut									
. Crude rate		11.1	-		17.3	-		5.5	-
. AAMR (1940 Std. mil.)		11.3	1.15		18.3	2.15		5.1	1.01
. AAMR (1970 Std. mil.)		11.0	1.13		17.7	2.15		5.0	1.03
. AAMR (2000 Std. mil.)		11.7	1.24		18.8	2.47		5.8	1.18
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.8	-		21.9	-		10.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	2.7	1.90	1	2.8	2.82	1	2.6	2.56
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	1.3	1.26	1	2.7	2.68	0	0.0	0.00
40-44	1	1.5	1.52	1	3.3	3.31	0	0.0	0.00
45-49	2	3.8	2.68	1	4.2	4.25	1	3.4	3.42
50-54	1	2.4	2.36	1	5.3	5.32	0	0.0	0.00
55-59	1	2.9	2.92	1	6.8	6.80	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	5	30.8	13.79	5	76.2	34.08	0	0.0	0.00
75-79	1	8.7	8.69	0	0.0	0.00	1	13.9	13.94
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	3	51.5	29.71	2	116.8	82.56	1	24.3	24.29
Total deaths	17			13			4		
Connecticut									
. Crude rate		1.9	-		3.0	-		0.8	-
. AAMR (1940 Std. mil.)		1.8	0.44		-	-		-	-
. AAMR (1970 Std. mil.)		2.2	0.55		-	-		-	-
. AAMR (2000 Std. mil.)		3.0	0.76		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.6	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.3	1.33	1	2.6	2.61	0	0.0	0.00
5-9	2	2.3	1.65	0	0.0	0.00	2	4.7	3.33
10-14	2	2.5	1.76	2	4.9	3.46	0	0.0	0.00
15-19	45	61.0	9.09	41	108.1	16.89	4	11.1	5.57
20-24	53	83.8	11.51	48	152.0	21.95	5	15.8	7.05
25-29	39	52.3	8.38	37	104.2	17.14	2	5.1	3.62
30-34	16	19.0	4.74	15	38.0	9.81	1	2.2	2.23
35-39	16	20.1	5.03	12	32.2	9.30	4	9.5	4.73
40-44	8	12.2	4.30	8	26.5	9.35	0	0.0	0.00
45-49	3	5.7	3.28	3	12.7	7.35	0	0.0	0.00
50-54	1	2.4	2.36	1	5.3	5.32	0	0.0	0.00
55-59	2	5.8	4.13	2	13.6	9.62	0	0.0	0.00
60-64	1	3.8	3.85	0	0.0	0.00	1	6.7	6.65
65-69	2	8.9	6.27	2	20.4	14.40	0	0.0	0.00
70-74	1	6.2	6.17	1	15.2	15.24	0	0.0	0.00
75-79	1	8.7	8.69	1	23.1	23.06	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	193			174			19		
Connecticut									
. Crude rate		21.4	-		40.7	-		4.0	-
. AAMR (1940 Std. mil.)		23.1	1.68		42.8	3.27		4.3	1.01
. AAMR (1970 Std. mil.)		21.0	1.55		38.7	3.01		4.0	0.96
. AAMR (2000 Std. mil.)		19.5	1.42		36.4	2.84		3.7	0.86
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.8	-		22.3	-		3.3	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: CT rate is higher

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	6	8.1	3.32	6	15.8	6.46	0	-	-
20-24	5	7.9	3.53	5	15.8	7.08	0	-	-
25-29	4	5.4	2.68	4	11.3	5.63	0	-	-
30-34	1	1.2	1.18	1	2.5	2.53	0	-	-
35-39	3	3.8	2.18	3	8.1	4.65	0	-	-
40-44	3	4.6	2.63	3	9.9	5.73	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	1	2.9	2.92	1	6.8	6.80	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	1	4.4	4.43	1	10.2	10.18	0	-	-
70-74	1	6.2	6.17	1	15.2	15.24	0	-	-
75-79	1	8.7	8.69	1	23.1	23.06	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	26			26			-		
Connecticut									
. Crude rate		2.9	-		6.1	-		-	-
. AAMR (1940 Std. mil.)		3.1	0.61		6.4	1.27		-	-
. AAMR (1970 Std. mil.)		2.9	0.59		6.2	1.27		-	-
. AAMR (2000 Std. mil.)		2.9	0.60		6.3	1.35		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.2	-		11.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.2	1.25	0	0.0	0.00	1	2.5	2.54
15-19	1	1.4	1.35	1	2.6	2.64	0	0.0	0.00
20-24	3	4.7	2.74	2	6.3	4.48	1	3.2	3.15
25-29	4	5.4	2.68	4	11.3	5.63	0	0.0	0.00
30-34	8	9.5	3.35	3	7.6	4.39	5	11.1	4.98
35-39	23	28.9	6.03	19	51.0	11.70	4	9.5	4.73
40-44	21	31.9	6.97	15	49.6	12.81	6	16.9	6.90
45-49	21	39.8	8.68	16	67.9	16.98	5	17.1	7.65
50-54	6	14.1	5.77	5	26.6	11.90	1	4.2	4.23
55-59	6	17.5	7.15	5	34.0	15.20	1	5.1	5.11
60-64	1	3.8	3.85	1	9.1	9.13	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	95			71			24		
Connecticut									
. Crude rate		10.6	-		16.6	-		5.1	-
. AAMR (1940 Std. mil.)		10.3	1.06		16.9	2.03		4.7	0.97
. AAMR (1970 Std. mil.)		9.2	0.97		15.2	1.88		4.2	0.88
. AAMR (2000 Std. mil.)		11.2	1.17		18.6	2.25		5.1	1.05
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.8	-		8.3	-		3.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.2	1.18	1	2.5	2.53	0	0.0	0.00
35-39	8	10.1	3.55	5	13.4	6.00	3	7.1	4.09
40-44	3	4.6	2.63	3	9.9	5.73	0	0.0	0.00
45-49	12	22.7	6.56	7	29.7	11.23	5	17.1	7.65
50-54	6	14.1	5.77	6	31.9	13.03	0	0.0	0.00
55-59	6	17.5	7.15	5	34.0	15.20	1	5.1	5.11
60-64	5	19.2	8.61	3	27.4	15.82	2	13.3	9.41
65-69	2	8.9	6.27	2	20.4	14.40	0	0.0	0.00
70-74	4	24.7	12.34	3	45.7	26.40	1	10.4	10.36
75-79	1	8.7	8.69	1	23.1	23.06	0	0.0	0.00
80-84	1	15.7	15.74	0	0.0	0.00	1	23.8	23.76
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	49			36			13		
Connecticut									
. Crude rate		5.4	-		8.4	-		2.7	-
. AAMR (1940 Std. mil.)		5.7	0.83		9.7	1.64		-	-
. AAMR (1970 Std. mil.)		6.0	0.89		10.2	1.77		-	-
. AAMR (2000 Std. mil.)		7.0	1.03		11.7	2.02		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.4	-		10.1	-		3.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1996-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	2.7	1.92	2	5.3	3.73	0	0.0	0.00
20-24	3	4.7	2.74	2	6.3	4.48	1	3.2	3.15
25-29	3	4.0	2.32	3	8.5	4.88	0	0.0	0.00
30-34	7	8.3	3.13	3	7.6	4.39	4	8.9	4.45
35-39	23	28.9	6.03	19	51.0	11.70	4	9.5	4.73
40-44	24	36.5	7.45	17	56.2	13.64	7	19.7	7.45
45-49	16	30.3	7.58	12	50.9	14.71	4	13.7	6.84
50-54	6	14.1	5.77	5	26.6	11.90	1	4.2	4.23
55-59	3	8.8	5.06	3	20.4	11.78	0	0.0	0.00
60-64	1	3.8	3.85	1	9.1	9.13	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	88			67			21		
Connecticut									
. Crude rate		9.8	-		15.7	-		4.4	-
. AAMR (1940 Std. mil.)		9.4	1.01		15.7	1.94		4.1	0.89
. AAMR (1970 Std. mil.)		8.3	0.91		14.0	1.77		3.5	0.78
. AAMR (2000 Std. mil.)		10.3	1.12		17.3	2.15		4.5	0.99
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.3	-		7.3	-		3.1	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: CT rate is higher