

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

## Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All causes-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	189	383.5	27.90	103	407.4	40.15	86	358.3	38.64
5-9	12	21.0	6.07	7	24.2	9.16	5	17.7	7.92
10-14	19	35.1	8.06	13	47.2	13.10	6	22.6	9.23
15-19	51	102.6	14.36	42	164.4	25.37	9	37.2	12.41
20-24	67	158.9	19.41	53	252.4	34.67	14	66.1	17.68
25-29	79	161.1	18.12	55	235.5	31.76	24	93.4	19.07
30-34	94	167.4	17.26	59	223.9	29.15	35	117.4	19.84
35-39	149	277.0	22.69	88	349.7	37.28	61	213.0	27.28
40-44	192	428.7	30.94	111	536.6	50.93	81	336.1	37.34
45-49	197	559.2	39.84	119	757.4	69.43	78	399.7	45.26
50-54	234	807.9	52.82	141	1096.3	92.32	93	577.6	59.89
55-59	319	1374.1	76.93	172	1724.1	131.46	147	1110.3	91.57
60-64	337	1917.8	104.47	201	2736.6	193.02	136	1329.8	114.03
65-69	338	2229.6	121.27	186	2832.3	207.68	152	1768.9	143.48
70-74	409	3722.9	184.09	196	4360.4	311.46	213	3281.5	224.84
75-79	388	4944.6	251.02	194	6571.8	471.83	194	3963.2	284.54
80-84	322	7477.9	416.73	133	8938.2	775.04	189	6706.9	487.85
85+	496	12249.9	550.04	135	11335.0	975.56	361	12631.2	664.80
Total deaths	3,892			2,008			1,884		
Connecticut									
. Crude rate		644.9	-		701.2	-		594.1	-
. AAMR (1940 Std. mil.)		615.1	10.18		783.3	17.76		484.9	11.84
. AAMR (1970 Std. mil.)		792.1	12.99		985.1	22.97		646.5	15.20
. AAMR (2000 Std. mil.)		1011.9	17.17		1226.6	30.64		851.7	20.20
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		478.8	-		602.5	-		375.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is higher  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	6.1	3.51	3	11.9	6.85	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	3.7	2.62	0	0.0	0.00	2	7.5	5.33
15-19	1	2.0	2.01	1	3.9	3.91	0	0.0	0.00
20-24	3	7.1	4.11	0	0.0	0.00	3	14.2	8.18
25-29	10	20.4	6.45	5	21.4	9.57	5	19.5	8.70
30-34	17	30.3	7.34	8	30.4	10.74	9	30.2	10.06
35-39	34	63.2	10.84	21	83.4	18.21	13	45.4	12.59
40-44	42	93.8	14.47	25	120.8	24.17	17	70.5	17.11
45-49	39	110.7	17.73	28	178.2	33.68	11	56.4	17.00
50-54	19	65.6	15.05	16	124.4	31.10	3	18.6	10.76
55-59	23	99.1	20.66	14	140.3	37.51	9	68.0	22.66
60-64	8	45.5	16.10	5	68.1	30.44	3	29.3	16.94
65-69	10	66.0	20.86	3	45.7	26.38	7	81.5	30.79
70-74	7	63.7	24.08	3	66.7	38.53	4	61.6	30.81
75-79	14	178.4	47.68	9	304.9	101.63	5	102.1	45.68
80-84	8	185.8	65.69	3	201.6	116.40	5	177.4	79.35
85+	16	395.2	98.79	4	335.9	167.93	12	419.9	121.21
Total deaths	256			148			108		
Connecticut									
. Crude rate		42.4	-		51.7	-		34.1	-
. AAMR (1940 Std. mil.)		40.5	2.58		54.5	4.55		29.5	2.94
. AAMR (1970 Std. mil.)		43.0	2.80		57.3	5.01		32.0	3.19
. AAMR (2000 Std. mil.)		54.8	3.63		72.1	6.53		41.2	4.12
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.5	-		18.1	-		9.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	2.0	2.03	1	4.0	3.96	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.8	1.78	1	3.8	3.80	0	0.0	0.00
35-39	3	5.6	3.22	2	7.9	5.62	1	3.5	3.49
40-44	4	8.9	4.47	1	4.8	4.83	3	12.4	7.19
45-49	6	17.0	6.95	3	19.1	11.02	3	15.4	8.88
50-54	1	3.5	3.45	1	7.8	7.77	0	0.0	0.00
55-59	9	38.8	12.92	5	50.1	22.41	4	30.2	15.11
60-64	4	22.8	11.38	1	13.6	13.61	3	29.3	16.94
65-69	5	33.0	14.75	0	0.0	0.00	5	58.2	26.02
70-74	3	27.3	15.77	2	44.5	31.46	1	15.4	15.41
75-79	11	140.2	42.27	6	203.3	82.98	5	102.1	45.68
80-84	8	185.8	65.69	3	201.6	116.40	5	177.4	79.35
85+	13	321.1	89.05	2	167.9	118.74	11	384.9	116.05
Total deaths	69			28			41		
Connecticut									
. Crude rate		11.4	-		9.8	-		12.9	-
. AAMR (1940 Std. mil.)		10.2	1.28		10.7	2.05		9.7	1.63
. AAMR (1970 Std. mil.)		14.2	1.74		14.4	2.85		13.8	2.19
. AAMR (2000 Std. mil.)		19.7	2.49		19.5	4.07		19.4	3.10
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.1	-		4.7	-		3.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	3.7	2.62	0	0.0	0.00	2	7.5	5.33
15-19	1	2.0	2.01	1	3.9	3.91	0	0.0	0.00
20-24	2	4.7	3.35	0	0.0	0.00	2	9.4	6.68
25-29	9	18.4	6.12	4	17.1	8.56	5	19.5	8.70
30-34	16	28.5	7.12	7	26.6	10.04	9	30.2	10.06
35-39	26	48.3	9.48	16	63.6	15.89	10	34.9	11.04
40-44	34	75.9	13.02	21	101.5	22.15	13	53.9	14.96
45-49	28	79.5	15.02	21	133.7	29.17	7	35.9	13.56
50-54	14	48.3	12.92	12	93.3	26.93	2	12.4	8.78
55-59	8	34.5	12.18	6	60.1	24.55	2	15.1	10.68
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	3	19.8	11.43	3	45.7	26.38	0	0.0	0.00
70-74	1	9.1	9.10	0	0.0	0.00	1	15.4	15.41
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	144			91			53		
Connecticut									
. Crude rate		23.9	-		31.8	-		16.7	-
. AAMR (1940 Std. mil.)		23.2	1.95		32.8	3.48		15.5	2.15
. AAMR (1970 Std. mil.)		20.9	1.80		30.0	3.27		13.6	1.93
. AAMR (2000 Std. mil.)		25.5	2.16		36.7	3.92		16.4	2.29
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.7	-		9.1	-		2.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	4.1	2.87	2	7.9	5.59	0	0.0	0.00
5-9	1	1.8	1.75	1	3.5	3.46	0	0.0	0.00
10-14	2	3.7	2.62	0	0.0	0.00	2	7.5	5.33
15-19	3	6.0	3.48	2	7.8	5.54	1	4.1	4.14
20-24	3	7.1	4.11	3	14.3	8.25	0	0.0	0.00
25-29	5	10.2	4.56	4	17.1	8.56	1	3.9	3.89
30-34	9	16.0	5.34	4	15.2	7.59	5	16.8	7.50
35-39	11	20.4	6.16	4	15.9	7.95	7	24.4	9.24
40-44	33	73.7	12.83	13	62.8	17.43	20	83.0	18.55
45-49	30	85.2	15.55	13	82.7	22.95	17	87.1	21.13
50-54	78	269.3	30.49	35	272.1	46.00	43	267.1	40.73
55-59	118	508.3	46.79	56	561.3	75.01	62	468.3	59.47
60-64	113	643.1	60.49	72	980.3	115.52	41	400.9	62.61
65-69	100	659.6	65.96	67	1020.3	124.64	33	384.0	66.85
70-74	119	1083.2	99.30	58	1290.3	169.43	61	939.8	120.32
75-79	114	1452.8	136.07	67	2269.6	277.28	47	960.2	140.05
80-84	89	2066.9	219.09	39	2621.0	419.69	50	1774.3	250.93
85+	67	1654.7	202.16	33	2770.8	482.33	34	1189.6	204.02
Total deaths	897			473			424		
Connecticut									
. Crude rate		148.6	-		165.2	-		133.7	-
. AAMR (1940 Std. mil.)		149.8	5.12		194.8	9.07		119.5	6.00
. AAMR (1970 Std. mil.)		195.7	6.62		260.9	12.25		153.7	7.56
. AAMR (2000 Std. mil.)		242.5	8.43		326.2	16.23		191.4	9.52
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		125.6	-		150.4	-		107.4	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.0	2.01	1	3.9	3.91	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	2.8	2.84	1	6.4	6.36	0	0.0	0.00
50-54	2	6.9	4.88	1	7.8	7.77	1	6.2	6.21
55-59	3	12.9	7.46	3	30.1	17.36	0	0.0	0.00
60-64	3	17.1	9.86	3	40.8	23.58	0	0.0	0.00
65-69	4	26.4	13.19	2	30.5	21.54	2	23.3	16.46
70-74	2	18.2	12.87	1	22.2	22.25	1	15.4	15.41
75-79	1	12.7	12.74	1	33.9	33.88	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	2	49.4	34.93	2	167.9	118.74	0	0.0	0.00
Total deaths	19			15			4		
Connecticut									
. Crude rate		3.1	-		5.2	-		1.3	-
. AAMR (1940 Std. mil.)		3.3	0.78		-	-		-	-
. AAMR (1970 Std. mil.)		4.1	0.95		-	-		-	-
. AAMR (2000 Std. mil.)		4.7	1.10		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.0	-		3.1	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.8	1.78	1	3.8	3.80	0	0.0	0.00
35-39	1	1.9	1.86	1	4.0	3.97	0	0.0	0.00
40-44	3	6.7	3.87	1	4.8	4.83	2	8.3	5.87
45-49	2	5.7	4.01	1	6.4	6.36	1	5.1	5.12
50-54	5	17.3	7.72	2	15.5	11.00	3	18.6	10.76
55-59	10	43.1	13.62	5	50.1	22.41	5	37.8	16.89
60-64	9	51.2	17.07	5	68.1	30.44	4	39.1	19.56
65-69	11	72.6	21.88	7	106.6	40.29	4	46.5	23.27
70-74	13	118.3	32.82	4	89.0	44.49	9	138.7	46.22
75-79	9	114.7	38.23	4	135.5	67.75	5	102.1	45.68
80-84	6	139.3	56.89	2	134.4	95.04	4	141.9	70.97
85+	9	222.3	74.09	4	335.9	167.93	5	174.9	78.24
Total deaths	79			37			42		
Connecticut									
. Crude rate		13.1	-		12.9	-		13.2	-
. AAMR (1940 Std. mil.)		12.9	1.50		14.9	2.49		11.5	1.85
. AAMR (1970 Std. mil.)		17.2	1.96		19.9	3.35		15.5	2.41
. AAMR (2000 Std. mil.)		21.7	2.53		25.2	4.53		19.6	3.08
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.1	-		12.1	-		8.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.0	2.04	1	4.3	4.28	0	0.0	0.00
30-34	1	1.8	1.78	1	3.8	3.80	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	2.8	2.84	0	0.0	0.00	1	5.1	5.12
50-54	2	6.9	4.88	1	7.8	7.77	1	6.2	6.21
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	11.4	8.05	2	27.2	19.25	0	0.0	0.00
65-69	2	13.2	9.33	2	30.5	21.54	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	24.7	24.70	0	0.0	0.00	1	35.0	34.99
Total deaths	10			7			3		
Connecticut									
. Crude rate		1.7	-		2.4	-		0.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.3	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.0	2.04	1	4.3	4.28	0	0.0	0.00
30-34	2	3.6	2.52	1	3.8	3.80	1	3.4	3.35
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	9	20.1	6.70	5	24.2	10.81	4	16.6	8.30
45-49	7	19.9	7.51	4	25.5	12.73	3	15.4	8.88
50-54	24	82.9	16.91	13	101.1	28.03	11	68.3	20.60
55-59	32	137.8	24.37	17	170.4	41.33	15	113.3	29.25
60-64	46	261.8	38.60	32	435.7	77.02	14	136.9	36.59
65-69	24	158.3	32.32	17	258.9	62.79	7	81.5	30.79
70-74	39	355.0	56.85	25	556.2	111.23	14	215.7	57.64
75-79	36	458.8	76.46	24	813.0	165.95	12	245.1	70.77
80-84	21	487.7	106.42	14	940.9	251.46	7	248.4	93.89
85+	9	222.3	74.09	5	419.8	187.75	4	140.0	69.98
Total deaths	250			158			92		
Connecticut									
. Crude rate		41.4	-		55.2	-		29.0	-
. AAMR (1940 Std. mil.)		43.4	2.79		67.0	5.37		27.3	2.91
. AAMR (1970 Std. mil.)		55.8	3.57		88.6	7.18		34.2	3.60
. AAMR (2000 Std. mil.)		66.7	4.37		107.6	9.14		40.7	4.33
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		38.7	-		52.7	-		27.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.0	2.04	1	4.3	4.28	0	0.0	0.00
30-34	2	3.6	2.52	1	3.8	3.80	1	3.4	3.35
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	8	17.9	6.31	5	24.2	10.81	3	12.4	7.19
45-49	6	17.0	6.95	4	25.5	12.73	2	10.2	7.25
50-54	22	76.0	16.19	11	85.5	25.79	11	68.3	20.60
55-59	27	116.3	22.38	13	130.3	36.14	14	105.7	28.26
60-64	44	250.4	37.75	30	408.4	74.57	14	136.9	36.59
65-69	20	131.9	29.50	14	213.2	56.98	6	69.8	28.51
70-74	37	336.8	55.37	23	511.7	106.69	14	215.7	57.64
75-79	34	433.3	74.31	23	779.1	162.46	11	224.7	67.76
80-84	19	441.2	101.23	13	873.7	242.31	6	212.9	86.92
85+	9	222.3	74.09	5	419.8	187.75	4	140.0	69.98
Total deaths	229			143			86		
Connecticut									
. Crude rate		37.9	-		49.9	-		27.1	-
. AAMR (1940 Std. mil.)		39.6	2.66		60.4	5.10		25.6	2.82
. AAMR (1970 Std. mil.)		51.2	3.42		80.5	6.86		32.1	3.49
. AAMR (2000 Std. mil.)		61.4	4.20		98.6	8.81		38.0	4.18
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		37.4	-		50.4	-		27.0	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	1	1.8	1.78	-	-	-	1	3.4	3.35
35-39	3	5.6	3.22	-	-	-	3	10.5	6.05
40-44	6	13.4	5.47	-	-	-	6	24.9	10.16
45-49	5	14.2	6.35	-	-	-	5	25.6	11.46
50-54	17	58.7	14.24	-	-	-	17	105.6	25.61
55-59	17	73.2	17.76	-	-	-	17	128.4	31.14
60-64	6	34.1	13.94	-	-	-	6	58.7	23.95
65-69	8	52.8	18.66	-	-	-	8	93.1	32.92
70-74	10	91.0	28.78	-	-	-	10	154.1	48.72
75-79	6	76.5	31.22	-	-	-	6	122.6	50.04
80-84	12	278.7	80.45	-	-	-	12	425.8	122.93
85+	6	148.2	60.50	-	-	-	6	209.9	85.71
Total deaths	97			-			97		
Connecticut									
. Crude rate		-	-		-	-		30.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		28.1	2.93
. AAMR (1970 Std. mil.)		-	-		-	-		34.3	3.53
. AAMR (2000 Std. mil.)		-	-		-	-		42.3	4.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		19.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: CT rate is higher



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	2	3.6	2.52	-	-	-	2	6.7	4.74
35-39	1	1.9	1.86	-	-	-	1	3.5	3.49
40-44	1	2.2	2.23	-	-	-	1	4.1	4.15
45-49	2	5.7	4.01	-	-	-	2	10.2	7.25
50-54	1	3.5	3.45	-	-	-	1	6.2	6.21
55-59	2	8.6	6.09	-	-	-	2	15.1	10.68
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	1	6.6	6.60	-	-	-	1	11.6	11.64
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	1	12.7	12.74	-	-	-	1	20.4	20.43
80-84	1	23.2	23.22	-	-	-	1	35.5	35.49
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	12			-			12		
Connecticut									
. Crude rate		-	-		-	-		3.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	2.2	2.23	-	-	-	1	4.1	4.15
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	2	13.2	9.33	-	-	-	2	23.3	16.46
70-74	2	18.2	12.87	-	-	-	2	30.8	21.79
75-79	1	12.7	12.74	-	-	-	1	20.4	20.43
80-84	1	23.2	23.22	-	-	-	1	35.5	35.49
85+	1	24.7	24.70	-	-	-	1	35.0	34.99
Total deaths	8			-			8		
Connecticut									
. Crude rate		-	-		-	-		2.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	2	8.6	6.09	-	-	-	2	15.1	10.68
60-64	3	17.1	9.86	-	-	-	3	29.3	16.94
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	6	54.6	22.30	-	-	-	6	92.4	37.74
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	11			-			11		
Connecticut									
. Crude rate		-	-		-	-		3.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		5.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.4	2.37	1	4.8	4.76	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	3.5	3.45	1	7.8	7.77	0	0.0	0.00
55-59	1	4.3	4.31	0	0.0	0.00	1	7.6	7.55
60-64	1	5.7	5.69	1	13.6	13.61	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	9.1	9.10	0	0.0	0.00	1	15.4	15.41
75-79	2	25.5	18.02	1	33.9	33.88	1	20.4	20.43
80-84	1	23.2	23.22	0	0.0	0.00	1	35.5	35.49
85+	1	24.7	24.70	0	0.0	0.00	1	35.0	34.99
Total deaths	9			4			5		
Connecticut									
. Crude rate		1.5	-		1.4	-		1.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.1	-		2.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.8	1.85	0	0.0	0.00	1	3.8	3.77
15-19	1	2.0	2.01	0	0.0	0.00	1	4.1	4.14
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.0	2.04	1	4.3	4.28	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	1.9	1.86	1	4.0	3.97	0	0.0	0.00
40-44	1	2.2	2.23	1	4.8	4.83	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	3.5	3.45	1	7.8	7.77	0	0.0	0.00
55-59	3	12.9	7.46	2	20.0	14.18	1	7.6	7.55
60-64	1	5.7	5.69	0	0.0	0.00	1	9.8	9.78
65-69	3	19.8	11.43	3	45.7	26.38	0	0.0	0.00
70-74	2	18.2	12.87	2	44.5	31.46	0	0.0	0.00
75-79	2	25.5	18.02	0	0.0	0.00	2	40.9	28.89
80-84	1	23.2	23.22	1	67.2	67.20	0	0.0	0.00
85+	2	49.4	34.93	0	0.0	0.00	2	70.0	49.48
Total deaths	20			12			8		
Connecticut									
. Crude rate		3.3	-		4.2	-		2.5	-
. AAMR (1940 Std. mil.)		3.3	0.75		-	-		-	-
. AAMR (1970 Std. mil.)		4.1	0.93		-	-		-	-
. AAMR (2000 Std. mil.)		4.9	1.17		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.1	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetes mellitus (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	3.6	2.52	2	7.6	5.37	0	0.0	0.00
35-39	1	1.9	1.86	0	0.0	0.00	1	3.5	3.49
40-44	2	4.5	3.16	1	4.8	4.83	1	4.1	4.15
45-49	7	19.9	7.51	3	19.1	11.02	4	20.5	10.25
50-54	8	27.6	9.77	5	38.9	17.39	3	18.6	10.76
55-59	8	34.5	12.18	3	30.1	17.36	5	37.8	16.89
60-64	20	113.8	25.45	12	163.4	47.16	8	78.2	27.66
65-69	19	125.3	28.75	7	106.6	40.29	12	139.6	40.31
70-74	19	172.9	39.68	10	222.5	70.35	9	138.7	46.22
75-79	15	191.2	49.36	8	271.0	95.81	7	143.0	54.05
80-84	14	325.1	86.89	6	403.2	164.62	8	283.9	100.37
85+	19	469.3	107.65	6	503.8	205.67	13	454.9	126.16
Total deaths	134			63			71		
Connecticut									
. Crude rate		22.2	-		22.0	-		22.4	-
. AAMR (1940 Std. mil.)		21.5	1.92		25.7	3.29		18.6	2.34
. AAMR (1970 Std. mil.)		29.5	2.58		35.4	4.55		25.6	3.09
. AAMR (2000 Std. mil.)		38.0	3.41		45.6	6.21		33.3	4.03
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.6	-		14.8	-		12.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available









## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	6.1	3.51	2	7.9	5.59	1	4.2	4.17
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	3.7	2.62	2	7.3	5.14	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	7.1	4.11	3	14.3	8.25	0	0.0	0.00
25-29	6	12.2	4.99	4	17.1	8.56	2	7.8	5.50
30-34	15	26.7	6.90	11	41.8	12.59	4	13.4	6.71
35-39	20	37.2	8.31	9	35.8	11.92	11	38.4	11.58
40-44	35	78.1	13.21	22	106.3	22.67	13	53.9	14.96
45-49	54	153.3	20.86	28	178.2	33.68	26	133.2	26.13
50-54	80	276.2	30.88	49	381.0	54.42	31	192.5	34.58
55-59	114	491.0	45.99	61	611.5	78.29	53	400.3	54.99
60-64	130	739.8	64.89	78	1061.9	120.24	52	508.5	70.51
65-69	141	930.1	78.33	71	1081.2	128.31	70	814.6	97.37
70-74	176	1602.0	120.76	76	1690.8	193.94	100	1540.6	154.06
75-79	170	2166.4	166.16	72	2439.0	287.44	98	2002.0	202.24
80-84	148	3437.1	282.52	56	3763.4	502.91	92	3264.7	340.37
85+	257	6347.2	395.93	52	4366.1	605.47	205	7172.8	500.97
Total deaths	1,354			596			758		
Connecticut									
. Crude rate		224.4	-		208.1	-		239.0	-
. AAMR (1940 Std. mil.)		206.2	5.85		240.6	10.00		178.8	7.01
. AAMR (1970 Std. mil.)		291.7	8.04		324.0	13.63		263.7	9.75
. AAMR (2000 Std. mil.)		395.1	11.16		416.7	18.60		370.5	13.70
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		167.1	-		214.2	-		128.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is higher  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	4.7	3.35	2	9.5	6.73	0	0.0	0.00
25-29	3	6.1	3.53	1	4.3	4.28	2	7.8	5.50
30-34	8	14.2	5.04	6	22.8	9.30	2	6.7	4.74
35-39	7	13.0	4.92	3	11.9	6.88	4	14.0	6.98
40-44	18	40.2	9.47	9	43.5	14.50	9	37.3	12.45
45-49	28	79.5	15.02	15	95.5	24.65	13	66.6	18.48
50-54	46	158.8	23.42	30	233.2	42.58	16	99.4	24.84
55-59	60	258.4	33.36	32	320.8	56.70	28	211.5	39.97
60-64	79	449.6	50.58	52	708.0	98.18	27	264.0	50.81
65-69	77	507.9	57.88	45	685.2	102.15	32	372.4	65.83
70-74	107	974.0	94.16	43	956.6	145.88	64	986.0	123.25
75-79	100	1274.4	127.44	43	1456.6	222.14	57	1164.5	154.24
80-84	68	1579.2	191.51	32	2150.5	380.16	36	1277.5	212.92
85+	135	3334.2	286.96	29	2434.9	452.15	106	3708.9	360.24
Total deaths	738			342			396		
Connecticut									
. Crude rate		122.3	-		119.4	-		124.9	-
. AAMR (1940 Std. mil.)		113.7	4.37		139.7	7.66		94.2	5.10
. AAMR (1970 Std. mil.)		160.0	5.97		188.7	10.44		138.0	7.06
. AAMR (2000 Std. mil.)		214.4	8.18		240.9	14.13		192.5	9.84
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		100.4	-		137.4	-		70.0	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.8	1.78	0	0.0	0.00	1	3.4	3.35
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	3.5	3.45	1	7.8	7.77	0	0.0	0.00
55-59	3	12.9	7.46	0	0.0	0.00	3	22.7	13.08
60-64	3	17.1	9.86	2	27.2	19.25	1	9.8	9.78
65-69	5	33.0	14.75	2	30.5	21.54	3	34.9	20.16
70-74	3	27.3	15.77	0	0.0	0.00	3	46.2	26.68
75-79	6	76.5	31.22	3	101.6	58.67	3	61.3	35.38
80-84	12	278.7	80.45	3	201.6	116.40	9	319.4	106.46
85+	14	345.8	92.41	4	335.9	167.93	10	349.9	110.65
Total deaths	48			15			33		
Connecticut									
. Crude rate		8.0	-		5.2	-		10.4	-
. AAMR (1940 Std. mil.)		6.5	0.99		-	-		7.1	1.34
. AAMR (1970 Std. mil.)		10.7	1.56		-	-		11.5	2.04
. AAMR (2000 Std. mil.)		16.0	2.38		-	-		17.2	3.04
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.1	-		6.6	-		5.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.0	2.04	1	4.3	4.28	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	3.7	2.63	0	0.0	0.00	2	7.0	4.94
40-44	2	4.5	3.16	1	4.8	4.83	1	4.1	4.15
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	6.9	4.88	2	15.5	11.00	0	0.0	0.00
55-59	5	21.5	9.63	4	40.1	20.05	1	7.6	7.55
60-64	4	22.8	11.38	2	27.2	19.25	2	19.6	13.83
65-69	3	19.8	11.43	0	0.0	0.00	3	34.9	20.16
70-74	1	9.1	9.10	0	0.0	0.00	1	15.4	15.41
75-79	4	51.0	25.49	0	0.0	0.00	4	81.7	40.86
80-84	1	23.2	23.22	1	67.2	67.20	0	0.0	0.00
85+	8	197.6	69.85	1	84.0	83.96	7	244.9	92.57
Total deaths	33			12			21		
Connecticut									
. Crude rate		5.5	-		4.2	-		6.6	-
. AAMR (1940 Std. mil.)		4.9	0.90		-	-		4.7	1.13
. AAMR (1970 Std. mil.)		6.6	1.18		-	-		6.8	1.53
. AAMR (2000 Std. mil.)		9.0	1.64		-	-		9.7	2.17
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		2.6	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	2.0	2.03	1	4.0	3.96	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	3.7	2.62	2	7.3	5.14	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.8	1.78	1	3.8	3.80	0	0.0	0.00
35-39	2	3.7	2.63	0	0.0	0.00	2	7.0	4.94
40-44	7	15.6	5.91	7	33.8	12.79	0	0.0	0.00
45-49	7	19.9	7.51	5	31.8	14.23	2	10.2	7.25
50-54	8	27.6	9.77	2	15.5	11.00	6	37.3	15.21
55-59	9	38.8	12.92	5	50.1	22.41	4	30.2	15.11
60-64	19	108.1	24.81	11	149.8	45.15	8	78.2	27.66
65-69	17	112.1	27.20	5	76.1	34.05	12	139.6	40.31
70-74	27	245.8	47.30	11	244.7	73.78	16	246.5	61.62
75-79	24	305.8	62.43	6	203.3	82.98	18	367.7	86.67
80-84	28	650.3	122.89	5	336.0	150.27	23	816.2	170.19
85+	40	987.9	156.20	6	503.8	205.67	34	1189.6	204.02
Total deaths	192			67			125		
Connecticut									
. Crude rate		31.8	-		23.4	-		39.4	-
. AAMR (1940 Std. mil.)		28.4	2.15		26.7	3.31		28.5	2.75
. AAMR (1970 Std. mil.)		41.8	3.06		35.4	4.46		44.2	4.02
. AAMR (2000 Std. mil.)		58.2	4.36		45.0	6.03		63.7	5.79
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		25.9	-		27.9	-		24.1	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is higher  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is higher





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.8	1.78	1	3.8	3.80	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.2	2.23	0	0.0	0.00	1	4.1	4.15
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	4.3	4.31	1	10.0	10.02	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	18.2	12.87	0	0.0	0.00	2	30.8	21.79
75-79	4	51.0	25.49	1	33.9	33.88	3	61.3	35.38
80-84	1	23.2	23.22	1	67.2	67.20	0	0.0	0.00
85+	4	98.8	49.39	1	84.0	83.96	3	105.0	60.60
Total deaths	14			5			9		
Connecticut									
. Crude rate		2.3	-		1.7	-		2.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.2	-		5.1	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	2.0	2.03	0	0.0	0.00	1	4.2	4.17
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.0	2.01	1	3.9	3.91	0	0.0	0.00
20-24	1	2.4	2.37	0	0.0	0.00	1	4.7	4.72
25-29	1	2.0	2.04	1	4.3	4.28	0	0.0	0.00
30-34	1	1.8	1.78	1	3.8	3.80	0	0.0	0.00
35-39	2	3.7	2.63	0	0.0	0.00	2	7.0	4.94
40-44	2	4.5	3.16	0	0.0	0.00	2	8.3	5.87
45-49	5	14.2	6.35	1	6.4	6.36	4	20.5	10.25
50-54	3	10.4	5.98	2	15.5	11.00	1	6.2	6.21
55-59	3	12.9	7.46	2	20.0	14.18	1	7.6	7.55
60-64	6	34.1	13.94	3	40.8	23.58	3	29.3	16.94
65-69	8	52.8	18.66	5	76.1	34.05	3	34.9	20.16
70-74	13	118.3	32.82	7	155.7	58.86	6	92.4	37.74
75-79	5	63.7	28.50	1	33.9	33.88	4	81.7	40.86
80-84	7	162.6	61.44	3	201.6	116.40	4	141.9	70.97
85+	6	148.2	60.50	3	251.9	145.43	3	105.0	60.60
Total deaths	65			30			35		
Connecticut									
. Crude rate		10.8	-		10.5	-		11.0	-
. AAMR (1940 Std. mil.)		10.6	1.35		12.1	2.25		9.7	1.70
. AAMR (1970 Std. mil.)		13.9	1.75		16.4	3.07		12.4	2.13
. AAMR (2000 Std. mil.)		17.5	2.27		20.8	4.16		15.7	2.73
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.1	-		26.1	-		17.8	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	2.0	2.03	0	0.0	0.00	1	4.2	4.17
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.0	2.01	1	3.9	3.91	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.0	2.04	1	4.3	4.28	0	0.0	0.00
30-34	1	1.8	1.78	1	3.8	3.80	0	0.0	0.00
35-39	2	3.7	2.63	0	0.0	0.00	2	7.0	4.94
40-44	2	4.5	3.16	0	0.0	0.00	2	8.3	5.87
45-49	2	5.7	4.01	0	0.0	0.00	2	10.2	7.25
50-54	1	3.5	3.45	1	7.8	7.77	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	5.7	5.69	0	0.0	0.00	1	9.8	9.78
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	3	27.3	15.77	1	22.2	22.25	2	30.8	21.79
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	23.2	23.22	1	67.2	67.20	0	0.0	0.00
85+	1	24.7	24.70	1	84.0	83.96	0	0.0	0.00
Total deaths	17			7			10		
Connecticut									
. Crude rate		2.8	-		2.4	-		3.2	-
. AAMR (1940 Std. mil.)		2.7	0.67		-	-		-	-
. AAMR (1970 Std. mil.)		3.0	0.76		-	-		-	-
. AAMR (2000 Std. mil.)		3.7	0.97		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		1.1	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.8	1.78	0	0.0	0.00	1	3.4	3.35
35-39	4	7.4	3.72	3	11.9	6.88	1	3.5	3.49
40-44	4	8.9	4.47	2	9.7	6.84	2	8.3	5.87
45-49	4	11.4	5.68	3	19.1	11.02	1	5.1	5.12
50-54	2	6.9	4.88	2	15.5	11.00	0	0.0	0.00
55-59	6	25.8	10.55	4	40.1	20.05	2	15.1	10.68
60-64	7	39.8	15.06	4	54.5	27.23	3	29.3	16.94
65-69	4	26.4	13.19	2	30.5	21.54	2	23.3	16.46
70-74	2	18.2	12.87	2	44.5	31.46	0	0.0	0.00
75-79	1	12.7	12.74	0	0.0	0.00	1	20.4	20.43
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	24.7	24.70	1	84.0	83.96	0	0.0	0.00
Total deaths	36			23			13		
Connecticut									
. Crude rate		6.0	-		8.0	-		4.1	-
. AAMR (1940 Std. mil.)		6.3	1.06		9.3	1.97		-	-
. AAMR (1970 Std. mil.)		6.9	1.18		10.4	2.25		-	-
. AAMR (2000 Std. mil.)		7.7	1.32		11.9	2.65		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.3	-		10.5	-		4.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	2.0	2.03	1	4.0	3.96	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.0	2.04	0	0.0	0.00	1	3.9	3.89
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	3	5.6	3.22	2	7.9	5.62	1	3.5	3.49
40-44	2	4.5	3.16	1	4.8	4.83	1	4.1	4.15
45-49	2	5.7	4.01	1	6.4	6.36	1	5.1	5.12
50-54	4	13.8	6.91	3	23.3	13.47	1	6.2	6.21
55-59	5	21.5	9.63	2	20.0	14.18	3	22.7	13.08
60-64	4	22.8	11.38	3	40.8	23.58	1	9.8	9.78
65-69	11	72.6	21.88	5	76.1	34.05	6	69.8	28.51
70-74	13	118.3	32.82	7	155.7	58.86	6	92.4	37.74
75-79	10	127.4	40.30	3	101.6	58.67	7	143.0	54.05
80-84	6	139.3	56.89	2	134.4	95.04	4	141.9	70.97
85+	11	271.7	81.91	4	335.9	167.93	7	244.9	92.57
Total deaths	73			34			39		
Connecticut									
. Crude rate		12.1	-		11.9	-		12.3	-
. AAMR (1940 Std. mil.)		11.3	1.38		13.4	2.33		9.8	1.66
. AAMR (1970 Std. mil.)		15.6	1.86		18.1	3.20		13.9	2.26
. AAMR (2000 Std. mil.)		20.7	2.52		23.7	4.44		18.6	3.05
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.4	-		5.5	-		3.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available





## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	10.1	4.54	4	15.8	7.91	1	4.2	4.17
5-9	5	8.8	3.92	1	3.5	3.46	4	14.2	7.09
10-14	4	7.4	3.70	4	14.5	7.27	0	0.0	0.00
15-19	9	18.1	6.03	7	27.4	10.36	2	8.3	5.85
20-24	12	28.5	8.22	11	52.4	15.79	1	4.7	4.72
25-29	10	20.4	6.45	9	38.5	12.85	1	3.9	3.89
30-34	10	17.8	5.63	7	26.6	10.04	3	10.1	5.81
35-39	28	52.0	9.84	18	71.5	16.86	10	34.9	11.04
40-44	27	60.3	11.60	19	91.8	21.07	8	33.2	11.73
45-49	15	42.6	10.99	12	76.4	22.05	3	15.4	8.88
50-54	9	31.1	10.36	8	62.2	21.99	1	6.2	6.21
55-59	6	25.8	10.55	4	40.1	20.05	2	15.1	10.68
60-64	8	45.5	16.10	4	54.5	27.23	4	39.1	19.56
65-69	9	59.4	19.79	3	45.7	26.38	6	69.8	28.51
70-74	7	63.7	24.08	5	111.2	49.75	2	30.8	21.79
75-79	5	63.7	28.50	2	67.8	47.91	3	61.3	35.38
80-84	2	46.4	32.84	1	67.2	67.20	1	35.5	35.49
85+	11	271.7	81.91	4	335.9	167.93	7	244.9	92.57
Total deaths	182			123			59		
Connecticut									
. Crude rate		30.2	-		43.0	-		18.6	-
. AAMR (1940 Std. mil.)		29.1	2.21		44.2	4.04		16.1	2.18
. AAMR (1970 Std. mil.)		30.1	2.32		44.6	4.26		17.8	2.41
. AAMR (2000 Std. mil.)		35.7	2.81		52.3	5.29		21.9	2.96
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.1	-		42.8	-		17.8	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	4.1	2.87	1	4.0	3.96	1	4.2	4.17
5-9	3	5.3	3.03	1	3.5	3.46	2	7.1	5.01
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	5	10.1	4.50	5	19.6	8.75	0	0.0	0.00
20-24	9	21.3	7.11	9	42.9	14.29	0	0.0	0.00
25-29	6	12.2	4.99	6	25.7	10.49	0	0.0	0.00
30-34	6	10.7	4.36	5	19.0	8.49	1	3.4	3.35
35-39	9	16.7	5.58	3	11.9	6.88	6	21.0	8.55
40-44	4	8.9	4.47	2	9.7	6.84	2	8.3	5.87
45-49	4	11.4	5.68	2	12.7	9.00	2	10.2	7.25
50-54	3	10.4	5.98	3	23.3	13.47	0	0.0	0.00
55-59	2	8.6	6.09	0	0.0	0.00	2	15.1	10.68
60-64	1	5.7	5.69	1	13.6	13.61	0	0.0	0.00
65-69	3	19.8	11.43	1	15.2	15.23	2	23.3	16.46
70-74	2	18.2	12.87	1	22.2	22.25	1	15.4	15.41
75-79	2	25.5	18.02	1	33.9	33.88	1	20.4	20.43
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	3	74.1	42.78	2	167.9	118.74	1	35.0	34.99
Total deaths	64			43			21		
Connecticut									
. Crude rate		10.6	-		15.0	-		6.6	-
. AAMR (1940 Std. mil.)		10.5	1.34		15.6	2.42		5.9	1.30
. AAMR (1970 Std. mil.)		10.5	1.36		15.6	2.49		6.1	1.38
. AAMR (2000 Std. mil.)		11.6	1.55		17.2	3.05		7.3	1.64
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.0	-		21.7	-		10.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.2	2.23	1	4.8	4.83	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	3.5	3.45	1	7.8	7.77	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	4	36.4	18.20	4	89.0	44.49	0	0.0	0.00
75-79	2	25.5	18.02	0	0.0	0.00	2	40.9	28.89
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	2	49.4	34.93	1	84.0	83.96	1	35.0	34.99
Total deaths	10			7			3		
Connecticut									
. Crude rate		1.7	-		2.4	-		0.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.6	-		3.6	-		1.7	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	3.7	2.62	2	7.3	5.14	0	0.0	0.00
15-19	1	2.0	2.01	0	0.0	0.00	1	4.1	4.14
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.0	2.04	0	0.0	0.00	1	3.9	3.89
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	4.3	4.31	1	10.0	10.02	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	5			3			2		
Connecticut									
. Crude rate		0.8	-		1.0	-		0.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		2.5	-		0.4	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	3.7	2.62	2	7.3	5.14	0	0.0	0.00
15-19	9	18.1	6.03	8	31.3	11.07	1	4.1	4.14
20-24	3	7.1	4.11	3	14.3	8.25	0	0.0	0.00
25-29	6	12.2	4.99	5	21.4	9.57	1	3.9	3.89
30-34	4	7.1	3.56	3	11.4	6.57	1	3.4	3.35
35-39	1	1.9	1.86	1	4.0	3.97	0	0.0	0.00
40-44	9	20.1	6.70	7	33.8	12.79	2	8.3	5.87
45-49	1	2.8	2.84	0	0.0	0.00	1	5.1	5.12
50-54	2	6.9	4.88	0	0.0	0.00	2	12.4	8.78
55-59	2	8.6	6.09	2	20.0	14.18	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	6.6	6.60	1	15.2	15.23	0	0.0	0.00
70-74	1	9.1	9.10	1	22.2	22.25	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	24.7	24.70	0	0.0	0.00	1	35.0	34.99
Total deaths	42			33			9		
Connecticut									
. Crude rate		7.0	-		11.5	-		2.8	-
. AAMR (1940 Std. mil.)		7.1	1.11		11.8	2.08		-	-
. AAMR (1970 Std. mil.)		6.8	1.07		11.2	2.02		-	-
. AAMR (2000 Std. mil.)		7.1	1.14		11.2	2.03		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.5	-		17.4	-		4.0	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is lower



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	8.1	4.06	1	4.0	3.96	3	12.5	7.22
5-9	2	3.5	2.48	1	3.5	3.46	1	3.5	3.54
10-14	2	3.7	2.62	2	7.3	5.14	0	0.0	0.00
15-19	21	42.2	9.21	19	74.4	17.06	2	8.3	5.85
20-24	32	75.9	13.42	28	133.3	25.20	4	18.9	9.45
25-29	27	55.1	10.59	21	89.9	19.62	6	23.4	9.53
30-34	18	32.0	7.55	14	53.1	14.20	4	13.4	6.71
35-39	16	29.7	7.43	9	35.8	11.92	7	24.4	9.24
40-44	8	17.9	6.31	5	24.2	10.81	3	12.4	7.19
45-49	3	8.5	4.92	2	12.7	9.00	1	5.1	5.12
50-54	2	6.9	4.88	1	7.8	7.77	1	6.2	6.21
55-59	1	4.3	4.31	1	10.0	10.02	0	0.0	0.00
60-64	1	5.7	5.69	0	0.0	0.00	1	9.8	9.78
65-69	2	13.2	9.33	2	30.5	21.54	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	12.7	12.74	1	33.9	33.88	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	140			107			33		
Connecticut									
. Crude rate		23.2	-		37.4	-		10.4	-
. AAMR (1940 Std. mil.)		24.2	2.07		38.8	3.78		10.4	1.83
. AAMR (1970 Std. mil.)		21.6	1.89		34.8	3.47		9.1	1.65
. AAMR (2000 Std. mil.)		21.1	1.82		33.6	3.35		9.6	1.68
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.6	-		12.4	-		3.3	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	18.3	6.09	5	19.8	8.85	4	16.7	8.33
5-9	7	12.3	4.63	2	6.9	4.90	5	17.7	7.92
10-14	8	14.8	5.23	8	29.1	10.28	0	0.0	0.00
15-19	39	78.4	12.56	34	133.1	22.82	5	20.7	9.25
20-24	50	118.6	16.77	45	214.3	31.94	5	23.6	10.56
25-29	44	89.7	13.52	36	154.1	25.69	8	31.1	11.01
30-34	32	57.0	10.07	24	91.1	18.59	8	26.8	9.48
35-39	49	91.1	13.01	32	127.2	22.48	17	59.4	14.40
40-44	45	100.5	14.98	32	154.7	27.34	13	53.9	14.96
45-49	19	53.9	12.37	14	89.1	23.81	5	25.6	11.46
50-54	13	44.9	12.45	9	70.0	23.32	4	24.8	12.42
55-59	9	38.8	12.92	7	70.2	26.52	2	15.1	10.68
60-64	9	51.2	17.07	4	54.5	27.23	5	48.9	21.86
65-69	12	79.2	22.85	6	91.4	37.30	6	69.8	28.51
70-74	8	72.8	25.75	6	133.5	54.49	2	30.8	21.79
75-79	6	76.5	31.22	3	101.6	58.67	3	61.3	35.38
80-84	2	46.4	32.84	1	67.2	67.20	1	35.5	35.49
85+	12	296.4	85.55	4	335.9	167.93	8	279.9	98.97
Total deaths	373			272			101		
Connecticut									
. Crude rate		61.8	-		95.0	-		31.8	-
. AAMR (1940 Std. mil.)		61.9	3.26		97.9	6.01		29.1	2.99
. AAMR (1970 Std. mil.)		59.8	3.21		93.3	5.92		29.6	3.05
. AAMR (2000 Std. mil.)		65.3	3.57		100.0	6.66		34.7	3.58
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		49.8	-		74.7	-		25.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	4.1	2.87	1	4.0	3.96	1	4.2	4.17
5-9	3	5.3	3.03	1	3.5	3.46	2	7.1	5.01
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	5	10.1	4.50	5	19.6	8.75	0	0.0	0.00
20-24	9	21.3	7.11	9	42.9	14.29	0	0.0	0.00
25-29	6	12.2	4.99	6	25.7	10.49	0	0.0	0.00
30-34	6	10.7	4.36	5	19.0	8.49	1	3.4	3.35
35-39	9	16.7	5.58	3	11.9	6.88	6	21.0	8.55
40-44	4	8.9	4.47	2	9.7	6.84	2	8.3	5.87
45-49	4	11.4	5.68	2	12.7	9.00	2	10.2	7.25
50-54	3	10.4	5.98	3	23.3	13.47	0	0.0	0.00
55-59	2	8.6	6.09	0	0.0	0.00	2	15.1	10.68
60-64	1	5.7	5.69	1	13.6	13.61	0	0.0	0.00
65-69	3	19.8	11.43	1	15.2	15.23	2	23.3	16.46
70-74	2	18.2	12.87	1	22.2	22.25	1	15.4	15.41
75-79	2	25.5	18.02	1	33.9	33.88	1	20.4	20.43
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	3	74.1	42.78	2	167.9	118.74	1	35.0	34.99
Total deaths	64			43			21		
Connecticut									
. Crude rate		10.6	-		15.0	-		6.6	-
. AAMR (1940 Std. mil.)		10.5	1.34		15.6	2.42		5.9	1.30
. AAMR (1970 Std. mil.)		10.5	1.36		15.6	2.49		6.1	1.38
. AAMR (2000 Std. mil.)		11.6	1.55		17.2	3.05		7.3	1.64
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.6	-		21.3	-		10.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.0	2.04	0	0.0	0.00	1	3.9	3.89
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	1.9	1.86	1	4.0	3.97	0	0.0	0.00
40-44	1	2.2	2.23	1	4.8	4.83	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	3.5	3.45	1	7.8	7.77	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	4	36.4	18.20	4	89.0	44.49	0	0.0	0.00
75-79	1	12.7	12.74	0	0.0	0.00	1	20.4	20.43
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	2	49.4	34.93	1	84.0	83.96	1	35.0	34.99
Total deaths	11			8			3		
Connecticut									
. Crude rate		1.8	-		2.8	-		0.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.6	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	1.8	1.75	0	0.0	0.00	1	3.5	3.54
10-14	2	3.7	2.62	2	7.3	5.14	0	0.0	0.00
15-19	25	50.3	10.05	23	90.0	18.77	2	8.3	5.85
20-24	33	78.3	13.62	29	138.1	25.64	4	18.9	9.45
25-29	24	48.9	9.99	22	94.2	20.08	2	7.8	5.50
30-34	11	19.6	5.90	10	38.0	12.00	1	3.4	3.35
35-39	12	22.3	6.44	8	31.8	11.24	4	14.0	6.98
40-44	5	11.2	4.99	5	24.2	10.81	0	0.0	0.00
45-49	2	5.7	4.01	2	12.7	9.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	8.6	6.09	2	20.0	14.18	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	6.6	6.60	1	15.2	15.23	0	0.0	0.00
70-74	1	9.1	9.10	1	22.2	22.25	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	119			105			14		
Connecticut									
. Crude rate		19.7	-		36.7	-		4.4	-
. AAMR (1940 Std. mil.)		21.2	1.96		38.6	3.80		-	-
. AAMR (1970 Std. mil.)		19.0	1.79		34.7	3.47		-	-
. AAMR (2000 Std. mil.)		17.8	1.65		32.6	3.25		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.2	-		21.1	-		3.3	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: CT rate is higher

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	4	8.0	4.02	4	15.7	7.83	0	-	-
20-24	1	2.4	2.37	1	4.8	4.76	0	-	-
25-29	1	2.0	2.04	1	4.3	4.28	0	-	-
30-34	1	1.8	1.78	1	3.8	3.80	0	-	-
35-39	1	1.9	1.86	1	4.0	3.97	0	-	-
40-44	2	4.5	3.16	2	9.7	6.84	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	1	4.3	4.31	1	10.0	10.02	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	1	6.6	6.60	1	15.2	15.23	0	-	-
70-74	1	9.1	9.10	1	22.2	22.25	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	13			13			-		
Connecticut									
. Crude rate		2.2	-		4.5	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.9	-		10.7	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	1.8	1.75	0	0.0	0.00	1	3.5	3.54
10-14	2	3.7	2.62	2	7.3	5.14	0	0.0	0.00
15-19	20	40.2	8.99	18	70.5	16.61	2	8.3	5.85
20-24	30	71.1	12.99	26	123.8	24.28	4	18.9	9.45
25-29	22	44.9	9.56	20	85.6	19.15	2	7.8	5.50
30-34	10	17.8	5.63	9	34.2	11.39	1	3.4	3.35
35-39	10	18.6	5.88	6	23.8	9.73	4	14.0	6.98
40-44	3	6.7	3.87	3	14.5	8.37	0	0.0	0.00
45-49	2	5.7	4.01	2	12.7	9.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	4.3	4.31	1	10.0	10.02	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	101			87			14		
Connecticut									
. Crude rate		16.7	-		30.4	-		4.4	-
. AAMR (1940 Std. mil.)		18.0	1.81		32.0	3.45		-	-
. AAMR (1970 Std. mil.)		16.0	1.63		28.3	3.10		-	-
. AAMR (2000 Std. mil.)		14.9	1.49		26.3	2.85		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.5	-		9.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	7.1	4.11	2	9.5	6.73	1	4.7	4.72
25-29	2	4.1	2.88	2	8.6	6.06	0	0.0	0.00
30-34	4	7.1	3.56	1	3.8	3.80	3	10.1	5.81
35-39	21	39.0	8.52	17	67.6	16.38	4	14.0	6.98
40-44	20	44.7	9.98	14	67.7	18.09	6	24.9	10.16
45-49	8	22.7	8.03	6	38.2	15.59	2	10.2	7.25
50-54	4	13.8	6.91	3	23.3	13.47	1	6.2	6.21
55-59	1	4.3	4.31	1	10.0	10.02	0	0.0	0.00
60-64	1	5.7	5.69	1	13.6	13.61	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	64			47			17		
Connecticut									
. Crude rate		10.6	-		16.4	-		5.4	-
. AAMR (1940 Std. mil.)		9.9	1.25		15.9	2.35		4.9	1.19
. AAMR (1970 Std. mil.)		8.6	1.11		13.9	2.10		4.1	1.03
. AAMR (2000 Std. mil.)		11.0	1.39		17.7	2.62		5.3	1.31
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.2	-		8.7	-		3.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.8	1.78	1	3.8	3.80	0	0.0	0.00
35-39	7	13.0	4.92	5	19.9	8.89	2	7.0	4.94
40-44	3	6.7	3.87	3	14.5	8.37	0	0.0	0.00
45-49	8	22.7	8.03	5	31.8	14.23	3	15.4	8.88
50-54	4	13.8	6.91	4	31.1	15.55	0	0.0	0.00
55-59	4	17.2	8.61	4	40.1	20.05	0	0.0	0.00
60-64	1	5.7	5.69	1	13.6	13.61	0	0.0	0.00
65-69	1	6.6	6.60	1	15.2	15.23	0	0.0	0.00
70-74	2	18.2	12.87	2	44.5	31.46	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	23.2	23.22	0	0.0	0.00	1	35.5	35.49
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	32			26			6		
Connecticut									
. Crude rate		5.3	-		9.1	-		1.9	-
. AAMR (1940 Std. mil.)		5.4	0.96		10.0	1.99		-	-
. AAMR (1970 Std. mil.)		5.4	0.99		10.0	2.06		-	-
. AAMR (2000 Std. mil.)		6.5	1.19		11.7	2.36		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.3	-		9.9	-		3.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1997-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.0	2.01	1	3.9	3.91	0	0.0	0.00
20-24	3	7.1	4.11	2	9.5	6.73	1	4.7	4.72
25-29	2	4.1	2.88	2	8.6	6.06	0	0.0	0.00
30-34	3	5.3	3.08	1	3.8	3.80	2	6.7	4.74
35-39	20	37.2	8.31	16	63.6	15.89	4	14.0	6.98
40-44	20	44.7	9.98	14	67.7	18.09	6	24.9	10.16
45-49	6	17.0	6.95	4	25.5	12.73	2	10.2	7.25
50-54	4	13.8	6.91	3	23.3	13.47	1	6.2	6.21
55-59	1	4.3	4.31	1	10.0	10.02	0	0.0	0.00
60-64	1	5.7	5.69	1	13.6	13.61	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	61			45			16		
Connecticut									
. Crude rate		10.1	-		15.7	-		5.0	-
. AAMR (1940 Std. mil.)		9.5	1.23		15.2	2.29		4.6	1.16
. AAMR (1970 Std. mil.)		8.2	1.09		13.2	2.05		3.9	1.01
. AAMR (2000 Std. mil.)		10.4	1.35		16.7	2.53		5.1	1.28
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.6	-		7.8	-		3.3	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: CT rate is higher