

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All causes-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	105	436.2	42.57	51	409.2	57.31	54	465.2	63.30
5-9	5	17.6	7.88	1	7.0	6.96	4	28.5	14.27
10-14	6	21.9	8.92	3	21.5	12.42	3	22.2	12.82
15-19	29	115.7	21.48	24	186.4	38.04	5	41.0	18.34
20-24	31	146.3	26.27	23	220.2	45.91	8	74.4	26.32
25-29	38	156.8	25.43	24	208.6	42.58	14	109.9	29.38
30-34	41	146.2	22.84	24	182.2	37.20	17	114.3	27.73
35-39	80	291.4	32.58	47	365.6	53.33	33	226.1	39.35
40-44	100	435.8	43.58	53	495.5	68.06	47	383.7	55.96
45-49	98	553.7	55.93	62	788.5	100.14	36	366.0	61.00
50-54	124	833.6	74.86	81	1215.5	135.05	43	523.6	79.85
55-59	167	1414.3	109.44	95	1873.4	192.21	72	1068.7	125.95
60-64	175	1951.2	147.49	104	2767.4	271.37	71	1362.5	161.70
65-69	178	2339.6	175.36	98	3011.7	304.23	80	1837.4	205.43
70-74	221	3976.3	267.47	107	4634.0	447.99	114	3508.8	328.63
75-79	214	5348.7	365.63	111	7390.1	701.44	103	4121.6	406.12
80-84	167	7529.3	582.64	72	9056.6	1067.33	95	6676.0	684.95
85+	251	11789.6	744.15	63	10063.9	1267.93	188	12508.3	912.26
Total deaths	2,030			1,043			987		
Connecticut									
. Crude rate		668.4	-		723.5	-		618.6	-
. AAMR (1940 Std. mil.)		633.3	14.53		805.1	25.30		502.5	16.99
. AAMR (1970 Std. mil.)		814.6	18.49		1012.5	32.59		666.6	21.69
. AAMR (2000 Std. mil.)		1035.3	24.21		1253.8	42.88		871.3	28.53
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		471.7	-		589.4	-		372.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	4.2	4.15	1	8.0	8.02	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	3.6	3.64	0	0.0	0.00	1	7.4	7.40
15-19	1	4.0	3.99	1	7.8	7.77	0	0.0	0.00
20-24	1	4.7	4.72	0	0.0	0.00	1	9.3	9.31
25-29	4	16.5	8.25	0	0.0	0.00	4	31.4	15.70
30-34	5	17.8	7.97	2	15.2	10.74	3	20.2	11.65
35-39	17	61.9	15.02	10	77.8	24.60	7	48.0	18.12
40-44	25	108.9	21.79	11	102.8	31.01	14	114.3	30.54
45-49	18	101.7	23.97	14	178.0	47.59	4	40.7	20.33
50-54	10	67.2	21.26	10	150.1	47.45	0	0.0	0.00
55-59	12	101.6	29.34	8	157.8	55.78	4	59.4	29.69
60-64	3	33.4	19.31	1	26.6	26.61	2	38.4	27.14
65-69	3	39.4	22.77	0	0.0	0.00	3	68.9	39.78
70-74	3	54.0	31.16	2	86.6	61.25	1	30.8	30.78
75-79	9	224.9	74.98	5	332.9	148.87	4	160.1	80.03
80-84	5	225.4	100.81	1	125.8	125.79	4	281.1	140.55
85+	8	375.8	132.85	2	319.5	225.91	6	399.2	162.97
Total deaths	126			68			58		
Connecticut									
. Crude rate		41.5	-		47.2	-		36.4	-
. AAMR (1940 Std. mil.)		38.9	3.54		49.6	6.10		30.5	4.16
. AAMR (1970 Std. mil.)		41.9	3.88		52.7	6.74		33.4	4.54
. AAMR (2000 Std. mil.)		54.2	5.11		66.8	8.82		44.0	6.02
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.8	-		16.7	-		9.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	3.6	3.64	0	0.0	0.00	1	7.4	7.40
15-19	1	4.0	3.99	1	7.8	7.77	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	4	16.5	8.25	0	0.0	0.00	4	31.4	15.70
30-34	4	14.3	7.13	1	7.6	7.59	3	20.2	11.65
35-39	11	40.1	12.08	7	54.4	20.58	4	27.4	13.70
40-44	19	82.8	19.00	8	74.8	26.44	11	89.8	27.07
45-49	15	84.8	21.88	12	152.6	44.06	3	30.5	17.61
50-54	8	53.8	19.01	8	120.0	42.44	0	0.0	0.00
55-59	4	33.9	16.94	3	59.2	34.16	1	14.8	14.84
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	67			40			27		
Connecticut									
. Crude rate		22.1	-		27.7	-		16.9	-
. AAMR (1940 Std. mil.)		21.4	2.64		29.1	4.65		15.4	2.99
. AAMR (1970 Std. mil.)		19.4	2.43		27.1	4.42		13.3	2.61
. AAMR (2000 Std. mil.)		23.8	2.94		33.0	5.29		16.5	3.20
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.6	-		7.2	-		2.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	8.3	5.88	2	16.0	11.35	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	7.3	5.15	0	0.0	0.00	2	14.8	10.47
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	9.4	6.67	2	19.1	13.54	0	0.0	0.00
25-29	3	12.4	7.14	2	17.4	12.29	1	7.9	7.85
30-34	3	10.7	6.18	0	0.0	0.00	3	20.2	11.65
35-39	7	25.5	9.64	3	23.3	13.47	4	27.4	13.70
40-44	16	69.7	17.43	3	28.0	16.19	13	106.1	29.43
45-49	16	90.4	22.60	7	89.0	33.65	9	91.5	30.50
50-54	35	235.3	39.77	17	255.1	61.87	18	219.2	51.66
55-59	59	499.7	65.05	30	591.6	108.01	29	430.5	79.93
60-64	61	680.1	87.08	42	1117.6	172.45	19	364.6	83.65
65-69	54	709.8	96.59	35	1075.6	181.81	19	436.4	100.11
70-74	53	953.6	130.98	28	1212.6	229.17	25	769.5	153.89
75-79	62	1549.6	196.80	37	2463.4	404.98	25	1000.4	200.08
80-84	47	2119.0	309.09	23	2893.1	603.25	24	1686.6	344.27
85+	25	1174.3	234.85	11	1757.2	529.81	14	931.5	248.95
Total deaths	447			242			205		
Connecticut									
. Crude rate		147.2	-		167.9	-		128.5	-
. AAMR (1940 Std. mil.)		148.3	7.16		198.7	12.90		114.2	8.22
. AAMR (1970 Std. mil.)		192.5	9.23		264.2	17.26		145.3	10.30
. AAMR (2000 Std. mil.)		235.4	11.57		322.9	22.20		180.2	12.92
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		123.5	-		147.7	-		105.5	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	4.1	4.13	1	8.7	8.69	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	3.6	3.64	1	7.8	7.78	0	0.0	0.00
40-44	2	8.7	6.16	0	0.0	0.00	2	16.3	11.54
45-49	2	11.3	7.99	1	12.7	12.72	1	10.2	10.17
50-54	2	13.4	9.51	1	15.0	15.01	1	12.2	12.18
55-59	2	16.9	11.98	1	19.7	19.72	1	14.8	14.84
60-64	5	55.7	24.93	4	106.4	53.22	1	19.2	19.19
65-69	8	105.2	37.18	5	153.7	68.72	3	68.9	39.78
70-74	8	143.9	50.89	2	86.6	61.25	6	184.7	75.39
75-79	3	75.0	43.29	1	66.6	66.58	2	80.0	56.59
80-84	4	180.3	90.17	2	251.6	177.89	2	140.5	99.38
85+	6	281.8	115.05	2	319.5	225.91	4	266.1	133.07
Total deaths	44			21			23		
Connecticut									
. Crude rate		14.5	-		14.6	-		14.4	-
. AAMR (1940 Std. mil.)		13.9	2.17		16.8	3.74		11.8	2.59
. AAMR (1970 Std. mil.)		18.6	2.85		22.1	4.95		16.2	3.43
. AAMR (2000 Std. mil.)		23.7	3.71		27.4	6.52		21.3	4.52
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.0	-		14.4	-		10.0	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	3.6	3.64	1	7.8	7.78	0	0.0	0.00
40-44	2	8.7	6.16	0	0.0	0.00	2	16.3	11.54
45-49	2	11.3	7.99	1	12.7	12.72	1	10.2	10.17
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	16.9	11.98	1	19.7	19.72	1	14.8	14.84
60-64	4	44.6	22.30	3	79.8	46.09	1	19.2	19.19
65-69	7	92.0	34.78	4	122.9	61.46	3	68.9	39.78
70-74	8	143.9	50.89	2	86.6	61.25	6	184.7	75.39
75-79	3	75.0	43.29	1	66.6	66.58	2	80.0	56.59
80-84	4	180.3	90.17	2	251.6	177.89	2	140.5	99.38
85+	5	234.9	105.03	2	319.5	225.91	3	199.6	115.24
Total deaths	38			17			21		
Connecticut									
. Crude rate		12.5	-		11.8	-		13.2	-
. AAMR (1940 Std. mil.)		11.9	2.00		13.4	3.33		10.9	2.50
. AAMR (1970 Std. mil.)		16.3	2.69		18.5	4.59		15.0	3.33
. AAMR (2000 Std. mil.)		21.0	3.52		23.8	6.26		19.5	4.33
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.9	-		11.8	-		8.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	4.1	4.13	1	8.7	8.69	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	13.4	9.51	1	15.0	15.01	1	12.2	12.18
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	11.1	11.15	1	26.6	26.61	0	0.0	0.00
65-69	1	13.1	13.14	1	30.7	30.73	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	47.0	46.97	0	0.0	0.00	1	66.5	66.53
Total deaths	6			4			2		
Connecticut									
. Crude rate		2.0	-		2.8	-		1.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.5	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	3.6	3.64	0	0.0	0.00	1	6.9	6.85
40-44	1	4.4	4.36	1	9.3	9.35	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	6.7	6.72	0	0.0	0.00	1	12.2	12.18
55-59	5	42.3	18.94	2	39.4	27.89	3	44.5	25.71
60-64	7	78.0	29.50	5	133.0	59.50	2	38.4	27.14
65-69	4	52.6	26.29	3	92.2	53.23	1	23.0	22.97
70-74	2	36.0	25.44	1	43.3	43.31	1	30.8	30.78
75-79	3	75.0	43.29	1	66.6	66.58	2	80.0	56.59
80-84	3	135.3	78.09	1	125.8	125.79	2	140.5	99.38
85+	1	47.0	46.97	0	0.0	0.00	1	66.5	66.53
Total deaths	28			14			14		
Connecticut									
. Crude rate		9.2	-		9.7	-		8.8	-
. AAMR (1940 Std. mil.)		9.6	1.85		-	-		-	-
. AAMR (1970 Std. mil.)		12.3	2.35		-	-		-	-
. AAMR (2000 Std. mil.)		14.3	2.80		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.2	-		7.3	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	4.1	4.13	1	8.7	8.69	0	0.0	0.00
30-34	1	3.6	3.57	0	0.0	0.00	1	6.7	6.73
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	4	17.4	8.72	1	9.3	9.35	3	24.5	14.14
45-49	4	22.6	11.30	1	12.7	12.72	3	30.5	17.61
50-54	12	80.7	23.29	10	150.1	47.45	2	24.4	17.22
55-59	17	144.0	34.92	9	177.5	59.16	8	118.7	41.98
60-64	24	267.6	54.62	19	505.6	115.99	5	96.0	42.91
65-69	13	170.9	47.39	9	276.6	92.19	4	91.9	45.93
70-74	14	251.9	67.32	11	476.4	143.64	3	92.3	53.31
75-79	24	599.9	122.44	16	1065.2	266.31	8	320.1	113.18
80-84	12	541.0	156.18	10	1257.9	397.77	2	140.5	99.38
85+	1	47.0	46.97	0	0.0	0.00	1	66.5	66.53
Total deaths	127			87			40		
Connecticut									
. Crude rate		41.8	-		60.3	-		25.1	-
. AAMR (1940 Std. mil.)		43.7	3.92		73.3	7.90		23.3	3.75
. AAMR (1970 Std. mil.)		56.0	5.02		96.8	10.52		28.6	4.58
. AAMR (2000 Std. mil.)		66.4	6.10		115.7	13.11		33.9	5.49
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		38.3	-		51.7	-		27.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	4.1	4.13	1	8.7	8.69	0	0.0	0.00
30-34	1	3.6	3.57	0	0.0	0.00	1	6.7	6.73
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	13.1	7.55	1	9.3	9.35	2	16.3	11.54
45-49	3	17.0	9.79	1	12.7	12.72	2	20.3	14.38
50-54	11	73.9	22.30	9	135.1	45.02	2	24.4	17.22
55-59	15	127.0	32.80	7	138.0	52.17	8	118.7	41.98
60-64	22	245.3	52.30	17	452.4	109.72	5	96.0	42.91
65-69	9	118.3	39.43	6	184.4	75.28	3	68.9	39.78
70-74	13	233.9	64.87	10	433.1	136.95	3	92.3	53.31
75-79	24	599.9	122.44	16	1065.2	266.31	8	320.1	113.18
80-84	11	495.9	149.53	10	1257.9	397.77	1	70.3	70.27
85+	1	47.0	46.97	0	0.0	0.00	1	66.5	66.53
Total deaths	114			78			36		
Connecticut									
. Crude rate		37.5	-		54.1	-		22.6	-
. AAMR (1940 Std. mil.)		39.0	3.70		65.4	7.44		21.0	3.57
. AAMR (1970 Std. mil.)		50.5	4.77		87.4	10.04		26.0	4.37
. AAMR (2000 Std. mil.)		60.4	5.85		106.2	12.72		30.5	5.19
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		36.9	-		49.5	-		27.0	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	1	3.6	3.57	-	-	-	1	6.7	6.73
35-39	1	3.6	3.64	-	-	-	1	6.9	6.85
40-44	2	8.7	6.16	-	-	-	2	16.3	11.54
45-49	2	11.3	7.99	-	-	-	2	20.3	14.38
50-54	10	67.2	21.26	-	-	-	10	121.8	38.51
55-59	8	67.8	23.95	-	-	-	8	118.7	41.98
60-64	6	66.9	27.31	-	-	-	6	115.1	47.01
65-69	7	92.0	34.78	-	-	-	7	160.8	60.77
70-74	4	72.0	35.98	-	-	-	4	123.1	61.56
75-79	4	100.0	49.99	-	-	-	4	160.1	80.03
80-84	7	315.6	119.29	-	-	-	7	491.9	185.93
85+	3	140.9	81.36	-	-	-	3	199.6	115.24
Total deaths	55			-			55		
Connecticut									
. Crude rate		-	-		-	-		34.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		31.8	4.40
. AAMR (1970 Std. mil.)		-	-		-	-		39.2	5.35
. AAMR (2000 Std. mil.)		-	-		-	-		47.3	6.54
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		18.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									CT rate is higher
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	1	3.6	3.57	-	-	-	1	6.7	6.73
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	4.4	4.36	-	-	-	1	8.2	8.16
45-49	1	5.7	5.65	-	-	-	1	10.2	10.17
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	2	16.9	11.98	-	-	-	2	29.7	20.99
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	1	25.0	24.99	-	-	-	1	40.0	40.02
80-84	1	45.1	45.09	-	-	-	1	70.3	70.27
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	7			-			7		
Connecticut									
. Crude rate		-	-		-	-		4.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	4.4	4.36	-	-	-	1	8.2	8.16
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	1	18.0	17.99	-	-	-	1	30.8	30.78
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	1	45.1	45.09	-	-	-	1	70.3	70.27
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	3			-			3		
Connecticut									
. Crude rate		-	-		-	-		1.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	1	11.1	11.15	-	-	-	1	19.2	19.19
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	3	54.0	31.16	-	-	-	3	92.3	53.31
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	4			-			4		
Connecticut									
. Crude rate		-	-		-	-		2.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		5.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Bladder cancer (188)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	0	0.0	0.00	0	0.0	0.00	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	2	16.9	11.98	2	39.4	27.89	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	1	13.1	13.14	1	30.7	30.73	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	1	47.0	46.97	1	159.7	159.74	0	-	-
Total deaths	4			4			-		
Connecticut									
. Crude rate		1.3	-		2.8	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.6	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.6	3.57	1	7.6	7.59	0	0.0	0.00
35-39	5	18.2	8.14	4	31.1	15.56	1	6.9	6.85
40-44	5	21.8	9.74	2	18.7	13.22	3	24.5	14.14
45-49	5	28.3	12.63	4	50.9	25.44	1	10.2	10.17
50-54	11	73.9	22.30	5	75.0	33.55	6	73.1	29.83
55-59	16	135.5	33.88	7	138.0	52.17	9	133.6	44.53
60-64	31	345.6	62.08	12	319.3	92.18	19	364.6	83.65
65-69	32	420.6	74.35	15	461.0	119.02	17	390.4	94.70
70-74	43	773.7	117.98	22	952.8	203.14	21	646.4	141.05
75-79	33	824.8	143.58	16	1065.2	266.31	17	680.3	164.99
80-84	29	1307.5	242.79	8	1006.3	355.78	21	1475.8	322.04
85+	32	1503.1	265.70	6	958.5	391.29	26	1729.9	339.26
Total deaths	243			102			141		
Connecticut									
. Crude rate		80.0	-		70.7	-		88.4	-
. AAMR (1940 Std. mil.)		75.8	5.04		81.6	8.18		70.9	6.34
. AAMR (1970 Std. mil.)		106.1	6.89		110.6	11.19		101.5	8.68
. AAMR (2000 Std. mil.)		138.1	9.15		139.7	14.73		133.9	11.49
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	-	-	0	0.0	0.00
5-9	0	0.0	0.00	0	-	-	0	0.0	0.00
10-14	0	0.0	0.00	0	-	-	0	0.0	0.00
15-19	0	0.0	0.00	0	-	-	0	0.0	0.00
20-24	0	0.0	0.00	0	-	-	0	0.0	0.00
25-29	0	0.0	0.00	0	-	-	0	0.0	0.00
30-34	0	0.0	0.00	0	-	-	0	0.0	0.00
35-39	0	0.0	0.00	0	-	-	0	0.0	0.00
40-44	0	0.0	0.00	0	-	-	0	0.0	0.00
45-49	0	0.0	0.00	0	-	-	0	0.0	0.00
50-54	0	0.0	0.00	0	-	-	0	0.0	0.00
55-59	0	0.0	0.00	0	-	-	0	0.0	0.00
60-64	0	0.0	0.00	0	-	-	0	0.0	0.00
65-69	0	0.0	0.00	0	-	-	0	0.0	0.00
70-74	0	0.0	0.00	0	-	-	0	0.0	0.00
75-79	0	0.0	0.00	0	-	-	0	0.0	0.00
80-84	0	0.0	0.00	0	-	-	0	0.0	0.00
85+	2	93.9	66.43	0	-	-	2	133.1	94.09
Total deaths	2			-			2		
Connecticut									
. Crude rate		0.7	-		-	-		1.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.5	-		0.6	-		0.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	12.5	7.20	2	16.0	11.35	1	8.6	8.61
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	3.6	3.64	1	7.2	7.17	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.7	4.72	1	9.6	9.57	0	0.0	0.00
25-29	3	12.4	7.14	2	17.4	12.29	1	7.9	7.85
30-34	7	25.0	9.44	5	38.0	16.98	2	13.5	9.51
35-39	13	47.4	13.13	6	46.7	19.05	7	48.0	18.12
40-44	18	78.4	18.49	10	93.5	29.56	8	65.3	23.09
45-49	30	169.5	30.95	17	216.2	52.44	13	132.2	36.66
50-54	44	295.8	44.59	27	405.2	77.97	17	207.0	50.21
55-59	58	491.2	64.50	35	690.2	116.66	23	341.4	71.19
60-64	70	780.5	93.28	40	1064.4	168.30	30	575.7	105.11
65-69	73	959.5	112.30	37	1137.1	186.93	36	826.8	137.80
70-74	100	1799.2	179.92	44	1905.6	287.28	56	1723.6	230.33
75-79	88	2199.5	234.46	42	2796.3	431.47	46	1840.7	271.40
80-84	73	3291.3	385.21	27	3396.2	653.60	46	3232.6	476.62
85+	128	6012.2	531.41	26	4153.4	814.54	102	6786.4	671.96
Total deaths	710			322			388		
Connecticut									
. Crude rate		233.8	-		223.3	-		243.2	-
. AAMR (1940 Std. mil.)		214.0	8.39		254.9	14.42		182.0	9.98
. AAMR (1970 Std. mil.)		299.1	11.40		340.2	19.41		265.0	13.74
. AAMR (2000 Std. mil.)		400.5	15.58		433.3	26.08		368.4	19.04
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		162.1	-		206.3	-		125.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	7	29.1	10.99	5	40.1	17.94	2	17.2	12.18
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	7.3	5.15	1	7.2	7.17	1	7.4	7.40
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	9.4	6.67	1	9.6	9.57	1	9.3	9.31
25-29	8	33.0	11.67	4	34.8	17.38	4	31.4	15.70
30-34	13	46.4	12.86	7	53.1	20.09	6	40.4	16.47
35-39	25	91.1	18.21	12	93.3	26.95	13	89.1	24.70
40-44	28	122.0	23.06	11	102.8	31.01	17	138.8	33.66
45-49	44	248.6	37.48	30	381.5	69.66	14	142.3	38.04
50-54	63	423.5	53.36	41	615.2	96.09	22	267.9	57.12
55-59	85	719.9	78.08	47	926.8	135.19	38	564.0	91.50
60-64	107	1193.0	115.33	59	1570.0	204.39	48	921.1	132.95
65-69	109	1432.7	137.23	60	1843.9	238.04	49	1125.4	160.77
70-74	134	2410.9	208.27	64	2771.8	346.47	70	2154.5	257.51
75-79	117	2924.3	270.35	59	3928.1	511.39	58	2320.9	304.75
80-84	99	4463.5	448.60	38	4779.9	775.40	61	4286.7	548.86
85+	159	7468.3	592.27	40	6389.8	1010.31	119	7917.5	725.80
Total deaths	1,002			479			523		
Connecticut									
. Crude rate		329.9	-		332.2	-		327.8	-
. AAMR (1940 Std. mil.)		307.3	10.10		378.6	17.56		254.2	11.91
. AAMR (1970 Std. mil.)		419.6	13.48		502.8	23.54		357.5	15.97
. AAMR (2000 Std. mil.)		551.7	18.12		639.5	31.61		484.9	21.67
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.7	4.72	1	9.6	9.57	0	0.0	0.00
25-29	1	4.1	4.13	0	0.0	0.00	1	7.9	7.85
30-34	4	14.3	7.13	3	22.8	13.15	1	6.7	6.73
35-39	5	18.2	8.14	2	15.6	11.00	3	20.6	11.86
40-44	9	39.2	13.07	3	28.0	16.19	6	49.0	20.00
45-49	14	79.1	21.14	8	101.7	35.97	6	61.0	24.90
50-54	23	154.6	32.24	15	225.1	58.12	8	97.4	34.44
55-59	27	228.7	44.01	16	315.5	78.88	11	163.3	49.23
60-64	47	524.0	76.44	29	771.7	143.30	18	345.4	81.42
65-69	36	473.2	78.86	20	614.6	137.44	16	367.5	91.87
70-74	54	971.6	132.21	21	909.5	198.47	33	1015.7	176.81
75-79	56	1399.7	187.04	26	1731.0	339.48	30	1200.5	219.18
80-84	36	1623.1	270.51	18	2264.2	533.67	18	1264.9	298.15
85+	68	3194.0	387.33	17	2715.7	658.64	51	3393.2	475.14
Total deaths	381			179			202		
Connecticut									
. Crude rate		125.4	-		124.2	-		126.6	-
. AAMR (1940 Std. mil.)		115.2	6.17		142.2	10.80		95.7	7.25
. AAMR (1970 Std. mil.)		162.1	8.42		194.9	14.85		138.5	9.95
. AAMR (2000 Std. mil.)		216.4	11.47		251.7	20.26		190.9	13.66
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		96.8	-		131.8	-		68.0	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.6	3.57	0	0.0	0.00	1	6.7	6.73
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	16.9	11.98	0	0.0	0.00	2	29.7	20.99
60-64	1	11.1	11.15	1	26.6	26.61	0	0.0	0.00
65-69	3	39.4	22.77	2	61.5	43.46	1	23.0	22.97
70-74	2	36.0	25.44	0	0.0	0.00	2	61.6	43.53
75-79	2	50.0	35.35	1	66.6	66.58	1	40.0	40.02
80-84	4	180.3	90.17	0	0.0	0.00	4	281.1	140.55
85+	8	375.8	132.85	2	319.5	225.91	6	399.2	162.97
Total deaths	23			6			17		
Connecticut									
. Crude rate		7.6	-		4.2	-		10.7	-
. AAMR (1940 Std. mil.)		5.9	1.33		-	-		6.9	1.84
. AAMR (1970 Std. mil.)		9.6	2.03		-	-		11.2	2.78
. AAMR (2000 Std. mil.)		14.4	3.10		-	-		16.9	4.20
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.1	-		6.8	-		5.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	3.6	3.64	0	0.0	0.00	1	6.9	6.85
40-44	2	8.7	6.16	1	9.3	9.35	1	8.2	8.16
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	6.7	6.72	1	15.0	15.01	0	0.0	0.00
55-59	5	42.3	18.94	4	78.9	39.44	1	14.8	14.84
60-64	2	22.3	15.77	1	26.6	26.61	1	19.2	19.19
65-69	1	13.1	13.14	0	0.0	0.00	1	23.0	22.97
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	6	281.8	115.05	0	0.0	0.00	6	399.2	162.97
Total deaths	18			7			11		
Connecticut									
. Crude rate		5.9	-		4.9	-		6.9	-
. AAMR (1940 Std. mil.)		5.1	1.29		-	-		-	-
. AAMR (1970 Std. mil.)		6.7	1.60		-	-		-	-
. AAMR (2000 Std. mil.)		9.2	2.26		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.4	-		2.5	-		2.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	4.2	4.15	1	8.0	8.02	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	3.6	3.64	1	7.2	7.17	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	3.6	3.64	0	0.0	0.00	1	6.9	6.85
40-44	4	17.4	8.72	4	37.4	18.70	0	0.0	0.00
45-49	3	17.0	9.79	2	25.4	17.99	1	10.2	10.17
50-54	5	33.6	15.03	1	15.0	15.01	4	48.7	24.35
55-59	5	42.3	18.94	2	39.4	27.89	3	44.5	25.71
60-64	6	66.9	27.31	3	79.8	46.09	3	57.6	33.24
65-69	10	131.4	41.57	4	122.9	61.46	6	137.8	56.26
70-74	16	287.9	71.97	6	259.9	106.08	10	307.8	97.33
75-79	10	249.9	79.04	3	199.7	115.32	7	280.1	105.87
80-84	14	631.2	168.70	3	377.4	217.87	11	773.0	233.07
85+	13	610.6	169.35	1	159.7	159.74	12	798.4	230.48
Total deaths	89			31			58		
Connecticut									
. Crude rate		29.3	-		21.5	-		36.4	-
. AAMR (1940 Std. mil.)		26.9	2.96		24.4	4.43		27.8	3.89
. AAMR (1970 Std. mil.)		38.3	4.12		31.7	5.87		41.2	5.49
. AAMR (2000 Std. mil.)		51.4	5.65		39.0	7.57		57.0	7.61
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		25.1	-		26.6	-		23.6	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is higher
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	8.3	5.88	2	16.0	11.35	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.7	4.72	1	9.6	9.57	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	3	10.9	6.31	2	15.6	11.00	1	6.9	6.85
40-44	1	4.4	4.36	1	9.3	9.35	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	6.7	6.72	1	15.0	15.01	0	0.0	0.00
55-59	1	8.5	8.47	1	19.7	19.72	0	0.0	0.00
60-64	5	55.7	24.93	2	53.2	37.63	3	57.6	33.24
65-69	6	78.9	32.20	3	92.2	53.23	3	68.9	39.78
70-74	4	72.0	35.98	4	173.2	86.62	0	0.0	0.00
75-79	5	125.0	55.89	1	66.6	66.58	4	160.1	80.03
80-84	9	405.8	135.26	4	503.1	251.57	5	351.4	157.14
85+	19	892.4	204.74	6	958.5	391.29	13	864.9	239.89
Total deaths	57			28			29		
Connecticut									
. Crude rate		18.8	-		19.4	-		18.2	-
. AAMR (1940 Std. mil.)		14.9	2.12		19.9	3.87		10.8	2.26
. AAMR (1970 Std. mil.)		23.3	3.15		29.4	5.75		18.6	3.55
. AAMR (2000 Std. mil.)		34.6	4.76		42.0	8.80		29.2	5.50
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.2	-		16.3	-		11.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	4.2	4.15	0	0.0	0.00	1	8.6	8.61
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	4.0	3.99	1	7.8	7.77	0	0.0	0.00
20-24	1	4.7	4.72	0	0.0	0.00	1	9.3	9.31
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	3.6	3.64	0	0.0	0.00	1	6.9	6.85
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	4	22.6	11.30	1	12.7	12.72	3	30.5	17.61
50-54	1	6.7	6.72	1	15.0	15.01	0	0.0	0.00
55-59	1	8.5	8.47	0	0.0	0.00	1	14.8	14.84
60-64	1	11.1	11.15	1	26.6	26.61	0	0.0	0.00
65-69	3	39.4	22.77	2	61.5	43.46	1	23.0	22.97
70-74	8	143.9	50.89	3	129.9	75.01	5	153.9	68.82
75-79	4	100.0	49.99	1	66.6	66.58	3	120.0	69.31
80-84	3	135.3	78.09	2	251.6	177.89	1	70.3	70.27
85+	2	93.9	66.43	1	159.7	159.74	1	66.5	66.53
Total deaths	31			13			18		
Connecticut									
. Crude rate		10.2	-		9.0	-		11.3	-
. AAMR (1940 Std. mil.)		10.1	1.85		-	-		10.2	2.47
. AAMR (1970 Std. mil.)		13.2	2.41		-	-		12.9	3.08
. AAMR (2000 Std. mil.)		16.6	3.10		-	-		15.9	3.84
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.2	-		25.9	-		18.1	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	3.6	3.57	0	0.0	0.00	1	6.7	6.73
35-39	2	7.3	5.15	2	15.6	11.00	0	0.0	0.00
40-44	2	8.7	6.16	2	18.7	13.22	0	0.0	0.00
45-49	2	11.3	7.99	2	25.4	17.99	0	0.0	0.00
50-54	1	6.7	6.72	1	15.0	15.01	0	0.0	0.00
55-59	4	33.9	16.94	3	59.2	34.16	1	14.8	14.84
60-64	1	11.1	11.15	1	26.6	26.61	0	0.0	0.00
65-69	1	13.1	13.14	1	30.7	30.73	0	0.0	0.00
70-74	1	18.0	17.99	1	43.3	43.31	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	15			13			2		
Connecticut									
. Crude rate		4.9	-		9.0	-		1.3	-
. AAMR (1940 Std. mil.)		5.1	1.33		-	-		-	-
. AAMR (1970 Std. mil.)		5.2	1.40		-	-		-	-
. AAMR (2000 Std. mil.)		5.9	1.55		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.2	-		10.3	-		4.4	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	4.2	4.15	0	0.0	0.00	1	8.6	8.61
5-9	4	14.1	7.05	0	0.0	0.00	4	28.5	14.27
10-14	2	7.3	5.15	2	14.3	10.14	0	0.0	0.00
15-19	5	19.9	8.92	4	31.1	15.53	1	8.2	8.20
20-24	5	23.6	10.55	4	38.3	19.15	1	9.3	9.31
25-29	5	20.6	9.22	5	43.5	19.44	0	0.0	0.00
30-34	6	21.4	8.74	4	30.4	15.18	2	13.5	9.51
35-39	10	36.4	11.52	7	54.4	20.58	3	20.6	11.86
40-44	13	56.7	15.71	11	102.8	31.01	2	16.3	11.54
45-49	10	56.5	17.87	8	101.7	35.97	2	20.3	14.38
50-54	6	40.3	16.47	5	75.0	33.55	1	12.2	12.18
55-59	4	33.9	16.94	3	59.2	34.16	1	14.8	14.84
60-64	5	55.7	24.93	2	53.2	37.63	3	57.6	33.24
65-69	6	78.9	32.20	1	30.7	30.73	5	114.8	51.36
70-74	4	72.0	35.98	3	129.9	75.01	1	30.8	30.78
75-79	4	100.0	49.99	2	133.2	94.16	2	80.0	56.59
80-84	1	45.1	45.09	0	0.0	0.00	1	70.3	70.27
85+	4	187.9	93.94	1	159.7	159.74	3	199.6	115.24
Total deaths	95			62			33		
Connecticut									
. Crude rate		31.3	-		43.0	-		20.7	-
. AAMR (1940 Std. mil.)		30.8	3.21		44.8	5.77		18.7	3.36
. AAMR (1970 Std. mil.)		32.2	3.42		44.7	5.97		21.5	3.85
. AAMR (2000 Std. mil.)		37.1	4.01		51.8	7.13		24.4	4.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.1	-		43.0	-		17.8	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	4.2	4.15	0	0.0	0.00	1	8.6	8.61
5-9	2	7.0	4.98	0	0.0	0.00	2	14.3	10.09
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	3	12.0	6.91	3	23.3	13.45	0	0.0	0.00
20-24	3	14.2	8.17	3	28.7	16.58	0	0.0	0.00
25-29	3	12.4	7.14	3	26.1	15.05	0	0.0	0.00
30-34	3	10.7	6.18	3	22.8	13.15	0	0.0	0.00
35-39	3	10.9	6.31	1	7.8	7.78	2	13.7	9.69
40-44	3	13.1	7.55	2	18.7	13.22	1	8.2	8.16
45-49	3	17.0	9.79	2	25.4	17.99	1	10.2	10.17
50-54	2	13.4	9.51	2	30.0	21.22	0	0.0	0.00
55-59	1	8.5	8.47	0	0.0	0.00	1	14.8	14.84
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	13.1	13.14	0	0.0	0.00	1	23.0	22.97
70-74	1	18.0	17.99	1	43.3	43.31	0	0.0	0.00
75-79	2	50.0	35.35	1	66.6	66.58	1	40.0	40.02
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	31			21			10		
Connecticut									
. Crude rate		10.2	-		14.6	-		6.3	-
. AAMR (1940 Std. mil.)		10.3	1.87		15.3	3.38		-	-
. AAMR (1970 Std. mil.)		10.1	1.88		14.6	3.34		-	-
. AAMR (2000 Std. mil.)		11.0	2.07		15.9	3.76		-	-
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.6	-		21.6	-		9.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	1	3.6	3.64	1	7.2	7.17	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	0	0.0	0.00	0	0.0	0.00	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	1	8.5	8.47	1	19.7	19.72	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	2			2			-		
Connecticut									
. Crude rate		0.7	-		1.4	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.7	-		2.7	-		0.6	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	2	7.0	4.98	0	0.0	0.00	2	14.3	10.09
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	4.0	3.99	0	0.0	0.00	1	8.2	8.20
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	13.1	7.55	2	18.7	13.22	1	8.2	8.16
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	11.1	11.15	0	0.0	0.00	1	19.2	19.19
65-69	1	13.1	13.14	0	0.0	0.00	1	23.0	22.97
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	8			2			6		
Connecticut									
. Crude rate		2.6	-		1.4	-		3.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.0	-		1.3	-		0.7	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	8	31.9	11.28	7	54.4	20.54	1	8.2	8.20
20-24	3	14.2	8.17	3	28.7	16.58	0	0.0	0.00
25-29	2	8.3	5.83	1	8.7	8.69	1	7.9	7.85
30-34	3	10.7	6.18	2	15.2	10.74	1	6.7	6.73
35-39	1	3.6	3.64	1	7.8	7.78	0	0.0	0.00
40-44	3	13.1	7.55	2	18.7	13.22	1	8.2	8.16
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	6.7	6.72	0	0.0	0.00	1	12.2	12.18
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	13.1	13.14	1	30.7	30.73	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	22			17			5		
Connecticut									
. Crude rate		7.2	-		11.8	-		3.1	-
. AAMR (1940 Std. mil.)		7.6	1.65		12.2	2.99		-	-
. AAMR (1970 Std. mil.)		7.1	1.55		11.4	2.85		-	-
. AAMR (2000 Std. mil.)		6.8	1.46		10.7	2.64		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.4	-		17.2	-		4.0	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	4.2	4.15	0	0.0	0.00	1	8.6	8.61
5-9	1	3.5	3.52	1	7.0	6.96	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	10	39.9	12.61	8	62.1	21.96	2	16.4	11.60
20-24	15	70.8	18.28	11	105.3	31.75	4	37.2	18.61
25-29	16	66.0	16.50	11	95.6	28.83	5	39.3	17.56
30-34	9	32.1	10.70	8	60.7	21.47	1	6.7	6.73
35-39	9	32.8	10.93	5	38.9	17.39	4	27.4	13.70
40-44	5	21.8	9.74	4	37.4	18.70	1	8.2	8.16
45-49	1	5.7	5.65	1	12.7	12.72	0	0.0	0.00
50-54	1	6.7	6.72	1	15.0	15.01	0	0.0	0.00
55-59	1	8.5	8.47	1	19.7	19.72	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	26.3	18.59	2	61.5	43.46	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	25.0	24.99	1	66.6	66.58	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	72			54			18		
Connecticut									
. Crude rate		23.7	-		37.5	-		11.3	-
. AAMR (1940 Std. mil.)		24.6	2.94		38.8	5.33		11.9	2.84
. AAMR (1970 Std. mil.)		21.9	2.67		35.0	4.95		10.2	2.50
. AAMR (2000 Std. mil.)		21.9	2.64		35.4	5.04		10.1	2.40
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.3	-		11.3	-		3.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	4.2	4.15	0	0.0	0.00	1	8.6	8.61
5-9	2	7.0	4.98	0	0.0	0.00	2	14.3	10.09
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	3	12.0	6.91	3	23.3	13.45	0	0.0	0.00
20-24	3	14.2	8.17	3	28.7	16.58	0	0.0	0.00
25-29	3	12.4	7.14	3	26.1	15.05	0	0.0	0.00
30-34	3	10.7	6.18	3	22.8	13.15	0	0.0	0.00
35-39	3	10.9	6.31	1	7.8	7.78	2	13.7	9.69
40-44	3	13.1	7.55	2	18.7	13.22	1	8.2	8.16
45-49	3	17.0	9.79	2	25.4	17.99	1	10.2	10.17
50-54	2	13.4	9.51	2	30.0	21.22	0	0.0	0.00
55-59	1	8.5	8.47	0	0.0	0.00	1	14.8	14.84
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	13.1	13.14	0	0.0	0.00	1	23.0	22.97
70-74	1	18.0	17.99	1	43.3	43.31	0	0.0	0.00
75-79	2	50.0	35.35	1	66.6	66.58	1	40.0	40.02
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	31			21			10		
Connecticut									
. Crude rate		10.2	-		14.6	-		6.3	-
. AAMR (1940 Std. mil.)		10.3	1.87		15.3	3.38		-	-
. AAMR (1970 Std. mil.)		10.1	1.88		14.6	3.34		-	-
. AAMR (2000 Std. mil.)		11.0	2.07		15.9	3.76		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.2	-		21.0	-		9.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	4.1	4.13	0	0.0	0.00	1	7.9	7.85
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	6.7	6.72	1	15.0	15.01	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	36.0	25.44	2	86.6	61.25	0	0.0	0.00
75-79	1	25.0	24.99	0	0.0	0.00	1	40.0	40.02
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	47.0	46.97	1	159.7	159.74	0	0.0	0.00
Total deaths	6			4			2		
Connecticut									
. Crude rate		2.0	-		2.8	-		1.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.6	-		3.7	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	14	55.8	14.92	12	93.2	26.90	2	16.4	11.60
20-24	15	70.8	18.28	11	105.3	31.75	4	37.2	18.61
25-29	13	53.6	14.87	11	95.6	28.83	2	15.7	11.10
30-34	7	25.0	9.44	7	53.1	20.09	0	0.0	0.00
35-39	6	21.9	8.92	5	38.9	17.39	1	6.9	6.85
40-44	4	17.4	8.72	4	37.4	18.70	0	0.0	0.00
45-49	1	5.7	5.65	1	12.7	12.72	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	8.5	8.47	1	19.7	19.72	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	13.1	13.14	1	30.7	30.73	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	62			53			9		
Connecticut									
. Crude rate		20.4	-		36.8	-		5.6	-
. AAMR (1940 Std. mil.)		21.8	2.80		38.1	5.27		-	-
. AAMR (1970 Std. mil.)		19.3	2.53		33.7	4.75		-	-
. AAMR (2000 Std. mil.)		18.4	2.36		32.8	4.57		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.4	-		19.8	-		3.3	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	3	12.0	6.91	3	23.3	13.45	0	-	-
20-24	1	4.7	4.72	1	9.6	9.57	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	1	3.6	3.57	1	7.6	7.59	0	-	-
35-39	1	3.6	3.64	1	7.8	7.78	0	-	-
40-44	1	4.4	4.36	1	9.3	9.35	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	1	13.1	13.14	1	30.7	30.73	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	8			8			-		
Connecticut									
. Crude rate		2.6	-		5.5	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.4	-		11.4	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	10	39.9	12.61	8	62.1	21.96	2	16.4	11.60
20-24	13	61.3	17.01	9	86.2	28.72	4	37.2	18.61
25-29	12	49.5	14.29	10	86.9	27.49	2	15.7	11.10
30-34	6	21.4	8.74	6	45.6	18.60	0	0.0	0.00
35-39	4	14.6	7.28	3	23.3	13.47	1	6.9	6.85
40-44	3	13.1	7.55	3	28.0	16.19	0	0.0	0.00
45-49	1	5.7	5.65	1	12.7	12.72	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	8.5	8.47	1	19.7	19.72	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	50			41			9		
Connecticut									
. Crude rate		16.5	-		28.4	-		5.6	-
. AAMR (1940 Std. mil.)		17.6	2.52		29.5	4.65		-	-
. AAMR (1970 Std. mil.)		15.5	2.25		25.8	4.12		-	-
. AAMR (2000 Std. mil.)		14.7	2.10		25.1	3.97		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.5	-		7.6	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is higher
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	14.2	8.17	2	19.1	13.54	1	9.3	9.31
25-29	2	8.3	5.83	2	17.4	12.29	0	0.0	0.00
30-34	4	14.3	7.13	1	7.6	7.59	3	20.2	11.65
35-39	9	32.8	10.93	8	62.2	22.00	1	6.9	6.85
40-44	9	39.2	13.07	8	74.8	26.44	1	8.2	8.16
45-49	5	28.3	12.63	4	50.9	25.44	1	10.2	10.17
50-54	3	20.2	11.64	2	30.0	21.22	1	12.2	12.18
55-59	1	8.5	8.47	1	19.7	19.72	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	36			28			8		
Connecticut									
. Crude rate		11.9	-		19.4	-		5.0	-
. AAMR (1940 Std. mil.)		11.3	1.91		19.0	3.63		-	-
. AAMR (1970 Std. mil.)		9.8	1.69		16.6	3.24		-	-
. AAMR (2000 Std. mil.)		12.1	2.04		20.6	3.95		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.3	-		8.9	-		3.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	5	18.2	8.14	4	31.1	15.56	1	6.9	6.85
40-44	2	8.7	6.16	2	18.7	13.22	0	0.0	0.00
45-49	4	22.6	11.30	2	25.4	17.99	2	20.3	14.38
50-54	2	13.4	9.51	2	30.0	21.22	0	0.0	0.00
55-59	4	33.9	16.94	4	78.9	39.44	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	18.0	17.99	1	43.3	43.31	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	18			15			3		
Connecticut									
. Crude rate		5.9	-		10.4	-		1.9	-
. AAMR (1940 Std. mil.)		5.9	1.41		11.1	2.91		-	-
. AAMR (1970 Std. mil.)		5.7	1.41		11.0	2.99		-	-
. AAMR (2000 Std. mil.)		6.9	1.65		13.0	3.43		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.1	-		9.7	-		2.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Black Resident Age-Specific Mortality Rates by Sex, 1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
 U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
 for
 Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	4.0	3.99	1	7.8	7.77	0	0.0	0.00
20-24	3	14.2	8.17	2	19.1	13.54	1	9.3	9.31
25-29	2	8.3	5.83	2	17.4	12.29	0	0.0	0.00
30-34	3	10.7	6.18	1	7.6	7.59	2	13.5	9.51
35-39	8	29.1	10.30	7	54.4	20.58	1	6.9	6.85
40-44	9	39.2	13.07	8	74.8	26.44	1	8.2	8.16
45-49	4	22.6	11.30	3	38.2	22.03	1	10.2	10.17
50-54	3	20.2	11.64	2	30.0	21.22	1	12.2	12.18
55-59	1	8.5	8.47	1	19.7	19.72	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	34			27			7		
Connecticut									
. Crude rate		11.2	-		18.7	-		4.4	-
. AAMR (1940 Std. mil.)		10.8	1.87		18.3	3.57		-	-
. AAMR (1970 Std. mil.)		9.4	1.67		16.1	3.20		-	-
. AAMR (2000 Std. mil.)		11.4	1.98		19.6	3.83		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.9	-		8.2	-		3.6	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Black Resident AAMR (1940 Std. mil.) vs:
 . The CT HP 2000 target: No comparison is available
 . The U.S. AAMR (1940 Std. mil.): CT rate is higher
 . THE U.S. HP 2000 target: CT rate is higher