

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

## Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All causes-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	102	136.0	13.46	64	166.2	20.78	38	104.1	16.88
5-9	9	14.1	4.69	5	15.4	6.89	4	12.7	6.36
10-14	10	16.5	5.23	6	19.5	7.96	4	13.5	6.73
15-19	46	78.9	11.64	37	123.6	20.32	9	31.8	10.59
20-24	70	102.8	12.29	55	161.5	21.78	15	44.1	11.38
25-29	97	141.8	14.40	73	217.9	25.51	24	68.8	14.04
30-34	117	198.8	18.38	93	323.1	33.50	24	79.8	16.29
35-39	117	253.3	23.42	88	393.6	41.96	29	121.7	22.60
40-44	90	238.0	25.09	67	372.6	45.52	23	116.0	24.18
45-49	102	364.2	36.06	76	575.4	66.00	26	175.7	34.46
50-54	94	452.1	46.63	60	619.2	79.94	34	306.3	52.52
55-59	107	665.5	64.34	59	784.4	102.12	48	561.0	80.97
60-64	97	781.8	79.38	61	1064.9	136.35	36	538.9	89.82
65-69	130	1417.5	124.32	73	1850.9	216.63	57	1090.5	144.44
70-74	94	1365.7	140.86	42	1505.9	232.37	52	1270.2	176.14
75-79	114	2223.5	208.25	59	2990.4	389.31	55	1743.8	235.14
80-84	123	4383.5	395.24	52	5220.9	724.01	71	3922.7	465.53
85+	135	6447.0	554.87	42	5991.4	924.50	93	6676.2	692.29
Total deaths	1,654			1,012			642		
Connecticut									
. Crude rate		258.3	-		321.4	-		197.2	-
. AAMR (1940 Std. mil.)		333.3	8.65		446.2	15.02		235.7	9.82
. AAMR (1970 Std. mil.)		415.5	11.27		533.7	19.61		316.3	13.16
. AAMR (2000 Std. mil.)		534.8	15.52		670.7	27.08		422.0	18.37
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		527.3	-		688.4	-		396.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	5.3	2.67	2	5.2	3.67	2	5.5	3.87
5-9	1	1.6	1.56	0	0.0	0.00	1	3.2	3.18
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	3.4	2.43	1	3.3	3.34	1	3.5	3.53
20-24	8	11.8	4.15	5	14.7	6.57	3	8.8	5.09
25-29	25	36.6	7.31	17	50.8	12.31	8	22.9	8.10
30-34	40	68.0	10.75	32	111.2	19.65	8	26.6	9.40
35-39	40	86.6	13.69	34	152.1	26.08	6	25.2	10.28
40-44	19	50.2	11.53	15	83.4	21.54	4	20.2	10.09
45-49	15	53.6	13.83	13	98.4	27.30	2	13.5	9.56
50-54	11	52.9	15.95	7	72.2	27.30	4	36.0	18.01
55-59	5	31.1	13.91	4	53.2	26.59	1	11.7	11.69
60-64	3	24.2	13.96	3	52.4	30.24	0	0.0	0.00
65-69	3	32.7	18.89	2	50.7	35.86	1	19.1	19.13
70-74	1	14.5	14.53	1	35.9	35.86	0	0.0	0.00
75-79	3	58.5	33.78	2	101.4	71.68	1	31.7	31.71
80-84	2	71.3	50.40	1	100.4	100.40	1	55.2	55.25
85+	3	143.3	82.71	1	142.7	142.65	2	143.6	101.52
Total deaths	185			140			45		
Connecticut									
. Crude rate		28.9	-		44.5	-		13.8	-
. AAMR (1940 Std. mil.)		31.1	2.39		50.2	4.48		14.0	2.17
. AAMR (1970 Std. mil.)		28.9	2.41		46.2	4.57		13.7	2.26
. AAMR (2000 Std. mil.)		36.1	3.12		57.7	5.91		17.0	3.01
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.4	-		25.2	-		8.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.5	1.47	1	2.9	2.94	0	0.0	0.00
25-29	2	2.9	2.07	2	6.0	4.22	0	0.0	0.00
30-34	3	5.1	2.94	1	3.5	3.47	2	6.7	4.70
35-39	2	4.3	3.06	2	8.9	6.33	0	0.0	0.00
40-44	4	10.6	5.29	3	16.7	9.63	1	5.0	5.04
45-49	3	10.7	6.18	2	15.1	10.71	1	6.8	6.76
50-54	4	19.2	9.62	3	31.0	17.87	1	9.0	9.01
55-59	1	6.2	6.22	1	13.3	13.29	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	10.9	10.90	1	25.4	25.35	0	0.0	0.00
70-74	1	14.5	14.53	1	35.9	35.86	0	0.0	0.00
75-79	3	58.5	33.78	2	101.4	71.68	1	31.7	31.71
80-84	2	71.3	50.40	1	100.4	100.40	1	55.2	55.25
85+	2	95.5	67.54	1	142.7	142.65	1	71.8	71.79
Total deaths	29			21			8		
Connecticut									
. Crude rate		4.5	-		6.7	-		2.5	-
. AAMR (1940 Std. mil.)		5.7	1.11		9.6	2.20		-	-
. AAMR (1970 Std. mil.)		6.8	1.40		11.5	2.88		-	-
. AAMR (2000 Std. mil.)		9.3	2.02		15.3	4.15		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.0	-		4.6	-		3.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Septicemia-related (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.3	1.33	1	2.6	2.60	0	0.0	0.00
5-9	1	1.6	1.56	0	0.0	0.00	1	3.2	3.18
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.5	1.47	1	2.9	2.94	0	0.0	0.00
25-29	3	4.4	2.53	3	9.0	5.17	0	0.0	0.00
30-34	8	13.6	4.81	5	17.4	7.77	3	10.0	5.76
35-39	11	23.8	7.18	6	26.8	10.96	5	21.0	9.38
40-44	9	23.8	7.93	7	38.9	14.71	2	10.1	7.13
45-49	5	17.9	7.98	4	30.3	15.14	1	6.8	6.76
50-54	6	28.9	11.78	5	51.6	23.08	1	9.0	9.01
55-59	6	37.3	15.24	4	53.2	26.59	2	23.4	16.53
60-64	6	48.4	19.74	3	52.4	30.24	3	44.9	25.93
65-69	12	130.8	37.77	8	202.8	71.71	4	76.5	38.26
70-74	4	58.1	29.06	2	71.7	50.71	2	48.9	34.54
75-79	6	117.0	47.78	4	202.7	101.37	2	63.4	44.84
80-84	5	178.2	79.69	1	100.4	100.40	4	221.0	110.50
85+	11	525.3	158.39	2	285.3	201.74	9	646.1	215.36
Total deaths	95			56			39		
Connecticut									
. Crude rate		14.8	-		17.8	-		12.0	-
. AAMR (1940 Std. mil.)		19.9	2.15		27.0	3.81		13.8	2.34
. AAMR (1970 Std. mil.)		24.8	2.78		31.2	4.73		19.0	3.21
. AAMR (2000 Std. mil.)		33.0	3.90		38.5	6.18		27.2	4.77
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	4.0	2.31	1	2.6	2.60	2	5.5	3.87
5-9	1	1.6	1.56	0	0.0	0.00	1	3.2	3.18
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	1.7	1.72	0	0.0	0.00	1	3.5	3.53
20-24	6	8.8	3.60	3	8.8	5.09	3	8.8	5.09
25-29	22	32.2	6.86	15	44.8	11.56	7	20.1	7.58
30-34	35	59.5	10.05	30	104.2	19.03	5	16.6	7.44
35-39	34	73.6	12.63	28	125.3	23.67	6	25.2	10.28
40-44	14	37.0	9.90	11	61.2	18.45	3	15.1	8.73
45-49	10	35.7	11.29	9	68.1	22.71	1	6.8	6.76
50-54	6	28.9	11.78	3	31.0	17.87	3	27.0	15.60
55-59	2	12.4	8.80	2	26.6	18.80	0	0.0	0.00
60-64	3	24.2	13.96	3	52.4	30.24	0	0.0	0.00
65-69	1	10.9	10.90	1	25.4	25.35	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	138			106			32		
Connecticut									
. Crude rate		21.6	-		33.7	-		9.8	-
. AAMR (1940 Std. mil.)		22.1	1.96		35.8	3.64		9.5	1.74
. AAMR (1970 Std. mil.)		18.8	1.75		30.4	3.29		8.2	1.54
. AAMR (2000 Std. mil.)		22.7	2.08		37.2	3.92		9.4	1.79
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.7	-		15.7	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	2.7	1.89	2	5.2	3.67	0	0.0	0.00
5-9	1	1.6	1.56	0	0.0	0.00	1	3.2	3.18
10-14	1	1.7	1.65	0	0.0	0.00	1	3.4	3.36
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	4	5.9	2.94	2	5.9	4.15	2	5.9	4.16
25-29	5	7.3	3.27	2	6.0	4.22	3	8.6	4.96
30-34	7	11.9	4.50	5	17.4	7.77	2	6.7	4.70
35-39	12	26.0	7.50	4	17.9	8.95	8	33.6	11.87
40-44	9	23.8	7.93	3	16.7	9.63	6	30.3	12.35
45-49	22	78.6	16.75	11	83.3	25.11	11	74.3	22.41
50-54	20	96.2	21.51	11	113.5	34.23	9	81.1	27.02
55-59	32	199.0	35.18	19	252.6	57.95	13	151.9	42.14
60-64	26	209.5	41.09	16	279.3	69.83	10	149.7	47.34
65-69	38	414.3	67.22	19	481.7	110.52	19	363.5	83.39
70-74	19	276.0	63.33	8	286.8	101.41	11	268.7	81.01
75-79	33	643.7	112.05	16	810.9	202.74	17	539.0	130.73
80-84	23	819.7	170.91	12	1204.8	347.80	11	607.7	183.24
85+	10	477.6	151.02	2	285.3	201.74	8	574.3	203.05
Total deaths	264			132			132		
Connecticut									
. Crude rate		41.2	-		41.9	-		40.6	-
. AAMR (1940 Std. mil.)		63.4	4.01		74.5	6.66		55.0	4.95
. AAMR (1970 Std. mil.)		80.2	5.16		94.9	8.81		69.3	6.27
. AAMR (2000 Std. mil.)		98.0	6.56		114.8	11.30		86.0	7.95
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		134.3	-		165.4	-		112.2	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.2	2.17	1	4.5	4.47	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	7.1	5.05	2	15.1	10.71	0	0.0	0.00
50-54	2	9.6	6.80	2	20.6	14.59	0	0.0	0.00
55-59	2	12.4	8.80	2	26.6	18.80	0	0.0	0.00
60-64	2	16.1	11.40	1	17.5	17.46	1	15.0	14.97
65-69	1	10.9	10.90	1	25.4	25.35	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	2	39.0	27.58	1	50.7	50.68	1	31.7	31.71
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	12			10			2		
Connecticut									
. Crude rate		1.9	-		3.2	-		0.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.4	-		3.7	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available



## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.5	1.46	1	3.0	2.99	0	0.0	0.00
30-34	1	1.7	1.70	1	3.5	3.47	0	0.0	0.00
35-39	1	2.2	2.17	0	0.0	0.00	1	4.2	4.20
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	3.6	3.57	1	7.6	7.57	0	0.0	0.00
50-54	1	4.8	4.81	0	0.0	0.00	1	9.0	9.01
55-59	2	12.4	8.80	1	13.3	13.29	1	11.7	11.69
60-64	3	24.2	13.96	0	0.0	0.00	3	44.9	25.93
65-69	1	10.9	10.90	1	25.4	25.35	0	0.0	0.00
70-74	2	29.1	20.55	2	71.7	50.71	0	0.0	0.00
75-79	5	97.5	43.61	1	50.7	50.68	4	126.8	63.41
80-84	2	71.3	50.40	0	0.0	0.00	2	110.5	78.13
85+	4	191.0	95.51	0	0.0	0.00	4	287.2	143.58
Total deaths	24			8			16		
Connecticut									
. Crude rate		3.7	-		2.5	-		4.9	-
. AAMR (1940 Std. mil.)		5.3	1.12		-	-		5.8	1.54
. AAMR (1970 Std. mil.)		7.6	1.62		-	-		9.0	2.27
. AAMR (2000 Std. mil.)		10.7	2.38		-	-		13.1	3.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		14.0	-		17.0	-		11.7	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.5	1.46	1	3.0	2.99	0	0.0	0.00
30-34	1	1.7	1.70	1	3.5	3.47	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	3.6	3.57	1	7.6	7.57	0	0.0	0.00
50-54	1	4.8	4.81	0	0.0	0.00	1	9.0	9.01
55-59	2	12.4	8.80	1	13.3	13.29	1	11.7	11.69
60-64	3	24.2	13.96	0	0.0	0.00	3	44.9	25.93
65-69	1	10.9	10.90	1	25.4	25.35	0	0.0	0.00
70-74	1	14.5	14.53	1	35.9	35.86	0	0.0	0.00
75-79	3	58.5	33.78	1	50.7	50.68	2	63.4	44.84
80-84	1	35.6	35.64	0	0.0	0.00	1	55.2	55.25
85+	3	143.3	82.71	0	0.0	0.00	3	215.4	124.34
Total deaths	18			7			11		
Connecticut									
. Crude rate		2.8	-		2.2	-		3.4	-
. AAMR (1940 Std. mil.)		4.0	0.99		-	-		-	-
. AAMR (1970 Std. mil.)		5.6	1.38		-	-		-	-
. AAMR (2000 Std. mil.)		7.6	1.97		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.7	-		14.2	-		10.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.2	2.17	0	0.0	0.00	1	4.2	4.20
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	14.5	14.53	1	35.9	35.86	0	0.0	0.00
75-79	1	19.5	19.50	0	0.0	0.00	1	31.7	31.71
80-84	1	35.6	35.64	0	0.0	0.00	1	55.2	55.25
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	4			1			3		
Connecticut									
. Crude rate		0.6	-		0.3	-		0.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.5	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.2	2.17	1	4.5	4.47	0	0.0	0.00
40-44	1	2.6	2.64	1	5.6	5.56	0	0.0	0.00
45-49	5	17.9	7.98	4	30.3	15.14	1	6.8	6.76
50-54	3	14.4	8.33	1	10.3	10.32	2	18.0	12.74
55-59	5	31.1	13.91	4	53.2	26.59	1	11.7	11.69
60-64	5	40.3	18.02	5	87.3	39.04	0	0.0	0.00
65-69	15	163.6	42.23	7	177.5	67.08	8	153.1	54.11
70-74	4	58.1	29.06	2	71.7	50.71	2	48.9	34.54
75-79	11	214.6	64.69	7	354.8	134.10	4	126.8	63.41
80-84	6	213.8	87.29	5	502.0	224.50	1	55.2	55.25
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	56			37			19		
Connecticut									
. Crude rate		8.7	-		11.8	-		5.8	-
. AAMR (1940 Std. mil.)		14.6	1.98		22.2	3.69		9.0	2.10
. AAMR (1970 Std. mil.)		19.0	2.59		29.6	5.07		11.5	2.67
. AAMR (2000 Std. mil.)		22.7	3.17		36.5	6.55		13.4	3.12
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		40.7	-		60.4	-		25.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.2	2.17	1	4.5	4.47	0	0.0	0.00
40-44	1	2.6	2.64	1	5.6	5.56	0	0.0	0.00
45-49	5	17.9	7.98	4	30.3	15.14	1	6.8	6.76
50-54	3	14.4	8.33	1	10.3	10.32	2	18.0	12.74
55-59	5	31.1	13.91	4	53.2	26.59	1	11.7	11.69
60-64	4	32.2	16.12	4	69.8	34.92	0	0.0	0.00
65-69	15	163.6	42.23	7	177.5	67.08	8	153.1	54.11
70-74	4	58.1	29.06	2	71.7	50.71	2	48.9	34.54
75-79	11	214.6	64.69	7	354.8	134.10	4	126.8	63.41
80-84	6	213.8	87.29	5	502.0	224.50	1	55.2	55.25
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	55			36			19		
Connecticut									
. Crude rate		8.6	-		11.4	-		5.8	-
. AAMR (1940 Std. mil.)		14.3	1.95		21.5	3.63		9.0	2.10
. AAMR (1970 Std. mil.)		18.7	2.56		28.9	5.01		11.5	2.67
. AAMR (2000 Std. mil.)		22.4	3.15		35.8	6.52		13.4	3.12
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.3	-		57.9	-		25.0	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Malignant melanoma of skin (172)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	-	-	0	0.0	0.00
5-9	0	0.0	0.00	0	-	-	0	0.0	0.00
10-14	0	0.0	0.00	0	-	-	0	0.0	0.00
15-19	0	0.0	0.00	0	-	-	0	0.0	0.00
20-24	0	0.0	0.00	0	-	-	0	0.0	0.00
25-29	0	0.0	0.00	0	-	-	0	0.0	0.00
30-34	0	0.0	0.00	0	-	-	0	0.0	0.00
35-39	0	0.0	0.00	0	-	-	0	0.0	0.00
40-44	0	0.0	0.00	0	-	-	0	0.0	0.00
45-49	0	0.0	0.00	0	-	-	0	0.0	0.00
50-54	0	0.0	0.00	0	-	-	0	0.0	0.00
55-59	0	0.0	0.00	0	-	-	0	0.0	0.00
60-64	0	0.0	0.00	0	-	-	0	0.0	0.00
65-69	1	10.9	10.90	0	-	-	1	19.1	19.13
70-74	0	0.0	0.00	0	-	-	0	0.0	0.00
75-79	0	0.0	0.00	0	-	-	0	0.0	0.00
80-84	0	0.0	0.00	0	-	-	0	0.0	0.00
85+	0	0.0	0.00	0	-	-	0	0.0	0.00
Total deaths	1			-			1		
Connecticut									
. Crude rate		0.2	-		-	-		0.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.8	-		2.6	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	1.5	1.46	-	-	-	1	2.9	2.87
30-34	1	1.7	1.70	-	-	-	1	3.3	3.33
35-39	1	2.2	2.17	-	-	-	1	4.2	4.20
40-44	1	2.6	2.64	-	-	-	1	5.0	5.04
45-49	2	7.1	5.05	-	-	-	2	13.5	9.56
50-54	2	9.6	6.80	-	-	-	2	18.0	12.74
55-59	2	12.4	8.80	-	-	-	2	23.4	16.53
60-64	2	16.1	11.40	-	-	-	2	29.9	21.17
65-69	1	10.9	10.90	-	-	-	1	19.1	19.13
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	2	71.3	50.40	-	-	-	2	110.5	78.13
85+	1	47.8	47.76	-	-	-	1	71.8	71.79
Total deaths	16			-			16		
Connecticut									
. Crude rate		-	-		-	-		4.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		6.5	1.69
. AAMR (1970 Std. mil.)		-	-		-	-		7.5	1.99
. AAMR (2000 Std. mil.)		-	-		-	-		9.3	2.53
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		23.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower



## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	1	1.5	1.46	-	-	-	1	2.9	2.87
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	2.6	2.64	-	-	-	1	5.0	5.04
45-49	2	7.1	5.05	-	-	-	2	13.5	9.56
50-54	1	4.8	4.81	-	-	-	1	9.0	9.01
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	1	10.9	10.90	-	-	-	1	19.1	19.13
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	1	19.5	19.50	-	-	-	1	31.7	31.71
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	7			-			7		
Connecticut									
. Crude rate		-	-		-	-		2.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	-	-	-	-	-	0	-	-
5-9	0	-	-	-	-	-	0	-	-
10-14	0	-	-	-	-	-	0	-	-
15-19	0	-	-	-	-	-	0	-	-
20-24	0	-	-	-	-	-	0	-	-
25-29	0	-	-	-	-	-	0	-	-
30-34	0	-	-	-	-	-	0	-	-
35-39	0	-	-	-	-	-	0	-	-
40-44	0	-	-	-	-	-	0	-	-
45-49	0	-	-	-	-	-	0	-	-
50-54	0	-	-	-	-	-	0	-	-
55-59	0	-	-	-	-	-	0	-	-
60-64	0	-	-	-	-	-	0	-	-
65-69	0	-	-	-	-	-	0	-	-
70-74	0	-	-	-	-	-	0	-	-
75-79	0	-	-	-	-	-	0	-	-
80-84	0	-	-	-	-	-	0	-	-
85+	0	-	-	-	-	-	0	-	-
Total deaths	-			-			-		
Connecticut									
. Crude rate		-	-		-	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	2	7.1	5.05	-	-	-	2	13.5	9.56
50-54	1	4.8	4.81	-	-	-	1	9.0	9.01
55-59	2	12.4	8.80	-	-	-	2	23.4	16.53
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	1	10.9	10.90	-	-	-	1	19.1	19.13
70-74	1	14.5	14.53	-	-	-	1	24.4	24.43
75-79	1	19.5	19.50	-	-	-	1	31.7	31.71
80-84	1	35.6	35.64	-	-	-	1	55.2	55.25
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	9			-			9		
Connecticut									
. Crude rate		-	-		-	-		2.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Prostate cancer (185)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	1	3.6	3.57	1	7.6	7.57	-	-	-
50-54	1	4.8	4.81	1	10.3	10.32	-	-	-
55-59	1	6.2	6.22	1	13.3	13.29	-	-	-
60-64	0	0.0	0.00	0	0.0	0.00	-	-	-
65-69	2	21.8	15.42	2	50.7	35.86	-	-	-
70-74	0	0.0	0.00	0	0.0	0.00	-	-	-
75-79	2	39.0	27.58	2	101.4	71.68	-	-	-
80-84	1	35.6	35.64	1	100.4	100.40	-	-	-
85+	0	0.0	0.00	0	0.0	0.00	-	-	-
Total deaths	8			8			-		
Connecticut									
. Crude rate		-	-		2.5	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		16.0	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Bladder cancer (188)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	0	0.0	0.00	0	0.0	0.00	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	1	8.1	8.06	1	17.5	17.46	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	1	14.5	14.53	1	35.9	35.86	0	-	-
75-79	1	19.5	19.50	1	50.7	50.68	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	3			3			-		
Connecticut									
. Crude rate		0.5	-		1.0	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.8	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.3	1.33	1	2.6	2.60	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.5	1.46	1	3.0	2.99	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.6	2.64	0	0.0	0.00	1	5.0	5.04
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	4.8	4.81	0	0.0	0.00	1	9.0	9.01
55-59	2	12.4	8.80	1	13.3	13.29	1	11.7	11.69
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	10.9	10.90	0	0.0	0.00	1	19.1	19.13
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	7			3			4		
Connecticut									
. Crude rate		1.1	-		1.0	-		1.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.4	-		2.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.3	1.33	1	2.6	2.60	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.7	1.65	0	0.0	0.00	1	3.4	3.36
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.5	1.46	0	0.0	0.00	1	2.9	2.87
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	4.3	3.06	0	0.0	0.00	2	8.4	5.93
40-44	1	2.6	2.64	1	5.6	5.56	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	3	18.7	10.77	1	13.3	13.29	2	23.4	16.53
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	29.1	20.55	1	35.9	35.86	1	24.4	24.43
75-79	1	19.5	19.50	1	50.7	50.68	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	12			5			7		
Connecticut									
. Crude rate		1.9	-		1.6	-		2.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.1	-		6.5	-		3.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetes mellitus (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.5	1.46	1	3.0	2.99	0	0.0	0.00
30-34	1	1.7	1.70	1	3.5	3.47	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.6	2.64	0	0.0	0.00	1	5.0	5.04
45-49	1	3.6	3.57	1	7.6	7.57	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	3	18.7	10.77	1	13.3	13.29	2	23.4	16.53
60-64	6	48.4	19.74	3	52.4	30.24	3	44.9	25.93
65-69	4	43.6	21.81	2	50.7	35.86	2	38.3	27.06
70-74	5	72.6	32.49	1	35.9	35.86	4	97.7	48.85
75-79	5	97.5	43.61	1	50.7	50.68	4	126.8	63.41
80-84	7	249.5	94.29	3	301.2	173.90	4	221.0	110.50
85+	5	238.8	106.78	0	0.0	0.00	5	358.9	160.52
Total deaths	39			14			25		
Connecticut									
. Crude rate		6.1	-		4.4	-		7.7	-
. AAMR (1940 Std. mil.)		9.1	1.51		-	-		9.7	2.04
. AAMR (1970 Std. mil.)		13.4	2.20		-	-		14.8	2.99
. AAMR (2000 Std. mil.)		18.1	3.09		-	-		20.6	4.26
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.6	-		12.3	-		10.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	2.9	2.07	2	6.0	4.22	0	0.0	0.00
30-34	1	1.7	1.70	1	3.5	3.47	0	0.0	0.00
35-39	3	6.5	3.75	1	4.5	4.47	2	8.4	5.93
40-44	5	13.2	5.91	3	16.7	9.63	2	10.1	7.13
45-49	5	17.9	7.98	3	22.7	13.11	2	13.5	9.56
50-54	7	33.7	12.72	6	61.9	25.28	1	9.0	9.01
55-59	15	93.3	24.09	6	79.8	32.56	9	105.2	35.06
60-64	22	177.3	37.80	11	192.0	57.90	11	164.7	49.65
65-69	27	294.4	56.66	15	380.3	98.20	12	229.6	66.27
70-74	18	261.5	61.64	6	215.1	87.83	12	293.1	84.61
75-79	17	331.6	80.42	7	354.8	134.10	10	317.1	100.26
80-84	19	677.1	155.34	9	903.6	301.20	10	552.5	174.71
85+	13	620.8	172.18	4	570.6	285.31	9	646.1	215.36
Total deaths	154			74			80		
Connecticut									
. Crude rate		24.0	-		23.5	-		24.6	-
. AAMR (1940 Std. mil.)		38.3	3.16		43.5	5.17		34.2	3.96
. AAMR (1970 Std. mil.)		52.0	4.29		58.6	7.14		47.2	5.35
. AAMR (2000 Std. mil.)		65.8	5.65		73.6	9.62		60.1	6.97
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	-	-	-	-	-	0	-	-
5-9	0	-	-	-	-	-	0	-	-
10-14	0	-	-	-	-	-	0	-	-
15-19	0	-	-	-	-	-	0	-	-
20-24	0	-	-	-	-	-	0	-	-
25-29	0	-	-	-	-	-	0	-	-
30-34	0	-	-	-	-	-	0	-	-
35-39	0	-	-	-	-	-	0	-	-
40-44	0	-	-	-	-	-	0	-	-
45-49	0	-	-	-	-	-	0	-	-
50-54	0	-	-	-	-	-	0	-	-
55-59	0	-	-	-	-	-	0	-	-
60-64	0	-	-	-	-	-	0	-	-
65-69	0	-	-	-	-	-	0	-	-
70-74	0	-	-	-	-	-	0	-	-
75-79	0	-	-	-	-	-	0	-	-
80-84	0	-	-	-	-	-	0	-	-
85+	0	-	-	-	-	-	0	-	-
Total deaths	-			-			-		
Connecticut									
. Crude rate		-	-		-	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.6	-		0.6	-		0.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Alzheimer's diseases (331.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	4.8	4.81	0	0.0	0.00	1	9.0	9.01
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	8.1	8.06	0	0.0	0.00	1	15.0	14.97
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	14.5	14.53	0	0.0	0.00	1	24.4	24.43
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	47.8	47.76	1	142.7	142.65	0	0.0	0.00
Total deaths	4			1			3		
Connecticut									
. Crude rate		0.6	-		0.3	-		0.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.1	-		2.4	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	4.0	2.31	1	2.6	2.60	2	5.5	3.87
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	1.7	1.72	0	0.0	0.00	1	3.5	3.53
20-24	3	4.4	2.54	1	2.9	2.94	2	5.9	4.16
25-29	8	11.7	4.14	7	20.9	7.90	1	2.9	2.87
30-34	13	22.1	6.13	9	31.3	10.42	4	13.3	6.65
35-39	8	17.3	6.12	5	22.4	10.00	3	12.6	7.27
40-44	16	42.3	10.58	13	72.3	20.05	3	15.1	8.73
45-49	26	92.8	18.21	19	143.9	33.00	7	47.3	17.88
50-54	30	144.3	26.34	15	154.8	39.97	15	135.1	34.89
55-59	39	242.6	38.84	18	239.3	56.40	21	245.4	53.56
60-64	37	298.2	49.02	23	401.5	83.73	14	209.6	56.01
65-69	49	534.3	76.33	27	684.6	131.75	22	420.9	89.73
70-74	45	653.8	97.46	21	753.0	164.31	24	586.2	119.66
75-79	50	975.2	137.92	28	1419.2	268.20	22	697.5	148.71
80-84	66	2352.1	289.52	28	2811.2	531.28	38	2099.4	340.58
85+	80	3820.4	427.14	26	3709.0	727.39	54	3876.5	527.53
Total deaths	474			241			233		
Connecticut									
. Crude rate		74.0	-		76.5	-		71.6	-
. AAMR (1940 Std. mil.)		106.5	5.08		131.0	8.70		87.9	6.09
. AAMR (1970 Std. mil.)		153.4	7.29		184.6	12.72		130.7	8.72
. AAMR (2000 Std. mil.)		213.6	10.67		252.3	18.74		185.8	12.77
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		197.2	-		260.2	-		147.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diseases of the heart (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	2.7	1.89	1	2.6	2.60	1	2.7	2.74
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	2.9	2.08	0	0.0	0.00	2	5.9	4.16
25-29	7	10.2	3.87	6	17.9	7.31	1	2.9	2.87
30-34	9	15.3	5.10	7	24.3	9.19	2	6.7	4.70
35-39	5	10.8	4.84	2	8.9	6.33	3	12.6	7.27
40-44	10	26.4	8.36	8	44.5	15.73	2	10.1	7.13
45-49	15	53.6	13.83	14	106.0	28.33	1	6.8	6.76
50-54	26	125.0	24.52	14	144.5	38.61	12	108.1	31.20
55-59	29	180.4	33.49	12	159.5	46.05	17	198.7	48.19
60-64	30	241.8	44.14	18	314.2	74.07	12	179.6	51.86
65-69	39	425.3	68.10	21	532.5	116.19	18	344.4	81.17
70-74	31	450.4	80.89	14	502.0	134.16	17	415.2	100.71
75-79	38	741.2	120.23	23	1165.7	243.07	15	475.6	122.80
80-84	55	1960.1	264.30	22	2208.8	470.93	33	1823.2	317.38
85+	58	2769.8	363.69	20	2853.1	637.97	38	2727.9	442.53
Total deaths	356			182			174		
Connecticut									
. Crude rate		55.6	-		57.8	-		53.5	-
. AAMR (1940 Std. mil.)		80.7	4.44		99.5	7.59		66.4	5.32
. AAMR (1970 Std. mil.)		116.6	6.38		141.1	11.15		99.0	7.62
. AAMR (2000 Std. mil.)		161.8	9.30		193.4	16.48		139.6	11.07
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		157.5	-		213.9	-		112.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	12.0	4.00	5	13.0	5.81	4	11.0	5.48
5-9	1	1.6	1.56	0	0.0	0.00	1	3.2	3.18
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	3.4	2.43	2	6.7	4.72	0	0.0	0.00
20-24	4	5.9	2.94	1	2.9	2.94	3	8.8	5.09
25-29	21	30.7	6.70	18	53.7	12.67	3	8.6	4.96
30-34	28	47.6	8.99	19	66.0	15.14	9	29.9	9.98
35-39	36	77.9	12.99	21	93.9	20.50	15	62.9	16.25
40-44	26	68.8	13.49	20	111.2	24.87	6	30.3	12.35
45-49	29	103.5	19.23	22	166.6	35.51	7	47.3	17.88
50-54	42	202.0	31.17	23	237.4	49.49	19	171.1	39.26
55-59	47	292.3	42.64	23	305.8	63.76	24	280.5	57.26
60-64	51	411.0	57.56	31	541.2	97.20	20	299.4	66.95
65-69	69	752.4	90.57	40	1014.2	160.36	29	554.8	103.03
70-74	57	828.1	109.69	26	932.2	182.83	31	757.2	136.00
75-79	66	1287.3	158.46	35	1773.9	299.85	31	982.9	176.53
80-84	82	2922.3	322.72	32	3212.9	567.96	50	2762.4	390.67
85+	91	4345.7	455.56	29	4136.9	768.21	62	4450.8	565.26
Total deaths	661			347			314		
Connecticut									
. Crude rate		103.2	-		110.2	-		96.5	-
. AAMR (1940 Std. mil.)		145.5	5.90		180.2	10.09		117.6	7.00
. AAMR (1970 Std. mil.)		201.5	8.26		242.0	14.27		170.1	9.89
. AAMR (2000 Std. mil.)		275.5	11.88		322.9	20.57		239.1	14.32
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	2.9	2.07	2	6.0	4.22	0	0.0	0.00
30-34	1	1.7	1.70	1	3.5	3.47	0	0.0	0.00
35-39	3	6.5	3.75	2	8.9	6.33	1	4.2	4.20
40-44	9	23.8	7.93	7	38.9	14.71	2	10.1	7.13
45-49	8	28.6	10.10	8	60.6	21.41	0	0.0	0.00
50-54	17	81.8	19.83	10	103.2	32.63	7	63.1	23.83
55-59	20	124.4	27.82	9	119.6	39.88	11	128.6	38.76
60-64	22	177.3	37.80	13	227.0	62.95	9	134.7	44.91
65-69	30	327.1	59.72	15	380.3	98.20	15	287.0	74.10
70-74	23	334.2	69.68	12	430.3	124.21	11	268.7	81.01
75-79	28	546.1	103.21	16	810.9	202.74	12	380.5	109.83
80-84	46	1639.3	241.71	20	2008.0	449.01	26	1436.5	281.71
85+	39	1862.5	298.23	15	2139.8	552.49	24	1722.9	351.69
Total deaths	248			130			118		
Connecticut									
. Crude rate		38.7	-		41.3	-		36.3	-
. AAMR (1940 Std. mil.)		57.6	3.77		73.3	6.57		46.0	4.46
. AAMR (1970 Std. mil.)		84.6	5.48		106.5	9.81		69.5	6.45
. AAMR (2000 Std. mil.)		117.6	7.96		147.6	14.58		97.6	9.28
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		125.6	-		174.7	-		87.0	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	8.1	8.06	1	17.5	17.46	0	0.0	0.00
65-69	1	10.9	10.90	1	25.4	25.35	0	0.0	0.00
70-74	1	14.5	14.53	1	35.9	35.86	0	0.0	0.00
75-79	1	19.5	19.50	0	0.0	0.00	1	31.7	31.71
80-84	1	35.6	35.64	0	0.0	0.00	1	55.2	55.25
85+	4	191.0	95.51	0	0.0	0.00	4	287.2	143.58
Total deaths	9			3			6		
Connecticut									
. Crude rate		1.4	-		1.0	-		1.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.7	-		6.6	-		5.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available



## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.7	1.70	1	3.5	3.47	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.6	2.64	1	5.6	5.56	0	0.0	0.00
45-49	1	3.6	3.57	0	0.0	0.00	1	6.8	6.76
50-54	1	4.8	4.81	0	0.0	0.00	1	9.0	9.01
55-59	1	6.2	6.22	1	13.3	13.29	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	14.5	14.53	1	35.9	35.86	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	6			4			2		
Connecticut									
. Crude rate		0.9	-		1.3	-		0.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.8	-		2.1	-		1.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Hypertension-related (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.7	1.70	1	3.5	3.47	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	4	10.6	5.29	3	16.7	9.63	1	5.0	5.04
45-49	8	28.6	10.10	5	37.9	16.93	3	20.3	11.70
50-54	7	33.7	12.72	2	20.6	14.59	5	45.0	20.14
55-59	7	43.5	16.46	3	39.9	23.03	4	46.8	23.38
60-64	6	48.4	19.74	1	17.5	17.46	5	74.9	33.47
65-69	8	87.2	30.84	4	101.4	50.71	4	76.5	38.26
70-74	9	130.8	43.59	5	179.3	80.17	4	97.7	48.85
75-79	9	175.5	58.51	2	101.4	71.68	7	221.9	83.89
80-84	11	392.0	118.20	8	803.2	283.98	3	165.7	95.69
85+	9	429.8	143.27	1	142.7	142.65	8	574.3	203.05
Total deaths	79			35			44		
Connecticut									
. Crude rate		12.3	-		11.1	-		13.5	-
. AAMR (1940 Std. mil.)		18.7	2.16		20.0	3.44		18.1	2.84
. AAMR (1970 Std. mil.)		25.9	2.99		27.6	4.96		25.0	3.81
. AAMR (2000 Std. mil.)		34.7	4.18		36.7	6.97		33.5	5.25
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.3	1.33	0	0.0	0.00	1	2.7	2.74
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.5	1.47	1	2.9	2.94	0	0.0	0.00
25-29	1	1.5	1.46	1	3.0	2.99	0	0.0	0.00
30-34	3	5.1	2.94	1	3.5	3.47	2	6.7	4.70
35-39	1	2.2	2.17	1	4.5	4.47	0	0.0	0.00
40-44	3	7.9	4.58	2	11.1	7.87	1	5.0	5.04
45-49	9	32.1	10.71	5	37.9	16.93	4	27.0	13.52
50-54	3	14.4	8.33	1	10.3	10.32	2	18.0	12.74
55-59	8	49.8	17.59	5	66.5	29.73	3	35.1	20.24
60-64	3	24.2	13.96	2	34.9	24.69	1	15.0	14.97
65-69	7	76.3	28.85	5	126.8	56.70	2	38.3	27.06
70-74	10	145.3	45.94	4	143.4	71.71	6	146.6	59.83
75-79	11	214.6	64.69	4	202.7	101.37	7	221.9	83.89
80-84	9	320.7	106.91	5	502.0	224.50	4	221.0	110.50
85+	18	859.6	202.61	3	428.0	247.08	15	1076.8	278.03
Total deaths	88			40			48		
Connecticut									
. Crude rate		13.7	-		12.7	-		14.7	-
. AAMR (1940 Std. mil.)		19.1	2.12		21.9	3.56		16.6	2.55
. AAMR (1970 Std. mil.)		27.9	3.09		29.9	5.09		25.8	3.81
. AAMR (2000 Std. mil.)		40.1	4.67		39.8	7.26		39.0	5.94
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		28.1	-		31.0	-		26.1	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	3.6	3.57	0	0.0	0.00	1	6.8	6.76
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	8.1	8.06	1	17.5	17.46	0	0.0	0.00
65-69	1	10.9	10.90	0	0.0	0.00	1	19.1	19.13
70-74	1	14.5	14.53	1	35.9	35.86	0	0.0	0.00
75-79	1	19.5	19.50	1	50.7	50.68	0	0.0	0.00
80-84	1	35.6	35.64	1	100.4	100.40	0	0.0	0.00
85+	2	95.5	67.54	2	285.3	201.74	0	0.0	0.00
Total deaths	8			6			2		
Connecticut									
. Crude rate		1.2	-		1.9	-		0.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.0	-		3.4	-		2.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Atherosclerosis-related (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	3.6	3.57	0	0.0	0.00	1	6.8	6.76
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	6.2	6.22	0	0.0	0.00	1	11.7	11.69
60-64	4	32.2	16.12	2	34.9	24.69	2	29.9	21.17
65-69	2	21.8	15.42	0	0.0	0.00	2	38.3	27.06
70-74	3	43.6	25.16	3	107.6	62.10	0	0.0	0.00
75-79	1	19.5	19.50	1	50.7	50.68	0	0.0	0.00
80-84	5	178.2	79.69	3	301.2	173.90	2	110.5	78.13
85+	14	668.6	178.68	5	713.3	318.98	9	646.1	215.36
Total deaths	31			14			17		
Connecticut									
. Crude rate		4.8	-		4.4	-		5.2	-
. AAMR (1940 Std. mil.)		6.3	1.19		-	-		5.6	1.48
. AAMR (1970 Std. mil.)		11.1	2.01		-	-		9.6	2.35
. AAMR (2000 Std. mil.)		18.0	3.38		-	-		15.5	3.90
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	8.1	8.06	1	17.5	17.46	0	0.0	0.00
65-69	1	10.9	10.90	1	25.4	25.35	0	0.0	0.00
70-74	2	29.1	20.55	1	35.9	35.86	1	24.4	24.43
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	35.6	35.64	0	0.0	0.00	1	55.2	55.25
85+	2	95.5	67.54	1	142.7	142.65	1	71.8	71.79
Total deaths	7			4			3		
Connecticut									
. Crude rate		1.1	-		1.3	-		0.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.7	-		5.9	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.3	1.33	0	0.0	0.00	1	2.7	2.74
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	3.4	2.40	2	6.9	4.91	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.6	2.64	1	5.6	5.56	0	0.0	0.00
45-49	1	3.6	3.57	1	7.6	7.57	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	6.2	6.22	1	13.3	13.29	0	0.0	0.00
60-64	1	8.1	8.06	1	17.5	17.46	0	0.0	0.00
65-69	3	32.7	18.89	3	76.1	43.92	0	0.0	0.00
70-74	2	29.1	20.55	1	35.9	35.86	1	24.4	24.43
75-79	8	156.0	55.17	2	101.4	71.68	6	190.2	77.66
80-84	6	213.8	87.29	3	301.2	173.90	3	165.7	95.69
85+	13	620.8	172.18	4	570.6	285.31	9	646.1	215.36
Total deaths	39			19			20		
Connecticut									
. Crude rate		6.1	-		6.0	-		6.1	-
. AAMR (1940 Std. mil.)		7.6	1.28		10.0	2.38		5.6	1.32
. AAMR (1970 Std. mil.)		13.2	2.17		15.7	3.84		11.1	2.52
. AAMR (2000 Std. mil.)		21.1	3.60		23.5	6.17		19.1	4.37
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.7	-		18.2	-		10.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.3	1.33	1	2.6	2.60	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.5	1.46	1	3.0	2.99	0	0.0	0.00
30-34	1	1.7	1.70	1	3.5	3.47	0	0.0	0.00
35-39	1	2.2	2.17	0	0.0	0.00	1	4.2	4.20
40-44	2	5.3	3.74	0	0.0	0.00	2	10.1	7.13
45-49	1	3.6	3.57	0	0.0	0.00	1	6.8	6.76
50-54	2	9.6	6.80	1	10.3	10.32	1	9.0	9.01
55-59	3	18.7	10.77	1	13.3	13.29	2	23.4	16.53
60-64	1	8.1	8.06	1	17.5	17.46	0	0.0	0.00
65-69	3	32.7	18.89	3	76.1	43.92	0	0.0	0.00
70-74	4	58.1	29.06	1	35.9	35.86	3	73.3	42.31
75-79	6	117.0	47.78	4	202.7	101.37	2	63.4	44.84
80-84	4	142.6	71.28	0	0.0	0.00	4	221.0	110.50
85+	4	191.0	95.51	1	142.7	142.65	3	215.4	124.34
Total deaths	34			15			19		
Connecticut									
. Crude rate		5.3	-		4.8	-		5.8	-
. AAMR (1940 Std. mil.)		7.5	1.34		-	-		7.0	1.66
. AAMR (1970 Std. mil.)		10.6	1.91		-	-		10.1	2.39
. AAMR (2000 Std. mil.)		14.6	2.74		-	-		14.7	3.54
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		19.5	-		26.9	-		14.8	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower



## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----COPD-related (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.3	1.33	1	2.6	2.60	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	1.7	1.72	1	3.3	3.34	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.5	1.46	1	3.0	2.99	0	0.0	0.00
30-34	1	1.7	1.70	1	3.5	3.47	0	0.0	0.00
35-39	3	6.5	3.75	0	0.0	0.00	3	12.6	7.27
40-44	3	7.9	4.58	0	0.0	0.00	3	15.1	8.73
45-49	1	3.6	3.57	0	0.0	0.00	1	6.8	6.76
50-54	8	38.5	13.60	4	41.3	20.64	4	36.0	18.01
55-59	7	43.5	16.46	2	26.6	18.80	5	58.4	26.13
60-64	3	24.2	13.96	2	34.9	24.69	1	15.0	14.97
65-69	11	119.9	36.16	9	228.2	76.06	2	38.3	27.06
70-74	8	116.2	41.09	2	71.7	50.71	6	146.6	59.83
75-79	16	312.1	78.02	10	506.8	160.28	6	190.2	77.66
80-84	9	320.7	106.91	3	301.2	173.90	6	331.5	135.33
85+	10	477.6	151.02	3	428.0	247.08	7	502.5	189.93
Total deaths	83			39			44		
Connecticut									
. Crude rate		13.0	-		12.4	-		13.5	-
. AAMR (1940 Std. mil.)		19.1	2.17		22.4	3.69		16.9	2.66
. AAMR (1970 Std. mil.)		27.1	3.07		31.9	5.34		23.7	3.67
. AAMR (2000 Std. mil.)		36.7	4.34		41.9	7.49		33.2	5.26
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.3	1.33	1	2.6	2.60	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	1.5	1.46	1	3.0	2.99	0	0.0	0.00
30-34	1	1.7	1.70	1	3.5	3.47	0	0.0	0.00
35-39	1	2.2	2.17	0	0.0	0.00	1	4.2	4.20
40-44	2	5.3	3.74	0	0.0	0.00	2	10.1	7.13
45-49	1	3.6	3.57	0	0.0	0.00	1	6.8	6.76
50-54	1	4.8	4.81	1	10.3	10.32	0	0.0	0.00
55-59	1	6.2	6.22	0	0.0	0.00	1	11.7	11.69
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	19.5	19.50	0	0.0	0.00	1	31.7	31.71
80-84	1	35.6	35.64	0	0.0	0.00	1	55.2	55.25
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	11			4			7		
Connecticut									
. Crude rate		1.7	-		1.3	-		2.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.4	-		1.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	3.4	2.40	1	3.5	3.47	1	3.3	3.33
35-39	5	10.8	4.84	4	17.9	8.95	1	4.2	4.20
40-44	7	18.5	7.00	7	38.9	14.71	0	0.0	0.00
45-49	6	21.4	8.75	6	45.4	18.55	0	0.0	0.00
50-54	12	57.7	16.66	12	123.8	35.75	0	0.0	0.00
55-59	6	37.3	15.24	5	66.5	29.73	1	11.7	11.69
60-64	7	56.4	21.32	6	104.7	42.76	1	15.0	14.97
65-69	5	54.5	24.38	5	126.8	56.70	0	0.0	0.00
70-74	2	29.1	20.55	1	35.9	35.86	1	24.4	24.43
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	35.6	35.64	0	0.0	0.00	1	55.2	55.25
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	53			47			6		
Connecticut									
. Crude rate		8.3	-		14.9	-		1.8	-
. AAMR (1940 Std. mil.)		12.8	1.81		24.9	3.73		-	-
. AAMR (1970 Std. mil.)		13.6	1.98		26.0	4.03		-	-
. AAMR (2000 Std. mil.)		15.2	2.18		28.7	4.33		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.2	-		12.8	-		5.5	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.3	1.33	1	2.6	2.60	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.5	1.47	1	2.9	2.94	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.7	1.70	1	3.5	3.47	0	0.0	0.00
35-39	3	6.5	3.75	1	4.5	4.47	2	8.4	5.93
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	7.1	5.05	1	7.6	7.57	1	6.8	6.76
50-54	1	4.8	4.81	1	10.3	10.32	0	0.0	0.00
55-59	1	6.2	6.22	0	0.0	0.00	1	11.7	11.69
60-64	4	32.2	16.12	3	52.4	30.24	1	15.0	14.97
65-69	3	32.7	18.89	2	50.7	35.86	1	19.1	19.13
70-74	3	43.6	25.16	1	35.9	35.86	2	48.9	34.54
75-79	1	19.5	19.50	1	50.7	50.68	0	0.0	0.00
80-84	1	35.6	35.64	1	100.4	100.40	0	0.0	0.00
85+	1	47.8	47.76	1	142.7	142.65	0	0.0	0.00
Total deaths	23			15			8		
Connecticut									
. Crude rate		3.6	-		4.8	-		2.5	-
. AAMR (1940 Std. mil.)		5.3	1.16		-	-		-	-
. AAMR (1970 Std. mil.)		6.5	1.45		-	-		-	-
. AAMR (2000 Std. mil.)		7.6	1.77		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.5	-		5.7	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.3	1.33	1	2.6	2.60	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	1.5	1.47	1	2.9	2.94	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.7	1.70	1	3.5	3.47	0	0.0	0.00
35-39	3	6.5	3.75	1	4.5	4.47	2	8.4	5.93
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	7.1	5.05	1	7.6	7.57	1	6.8	6.76
50-54	1	4.8	4.81	1	10.3	10.32	0	0.0	0.00
55-59	2	12.4	8.80	0	0.0	0.00	2	23.4	16.53
60-64	4	32.2	16.12	3	52.4	30.24	1	15.0	14.97
65-69	5	54.5	24.38	3	76.1	43.92	2	38.3	27.06
70-74	3	43.6	25.16	1	35.9	35.86	2	48.9	34.54
75-79	1	19.5	19.50	1	50.7	50.68	0	0.0	0.00
80-84	1	35.6	35.64	1	100.4	100.40	0	0.0	0.00
85+	1	47.8	47.76	1	142.7	142.65	0	0.0	0.00
Total deaths	26			16			10		
Connecticut									
. Crude rate		4.1	-		5.1	-		3.1	-
. AAMR (1940 Std. mil.)		6.2	1.27		8.4	2.22		-	-
. AAMR (1970 Std. mil.)		7.5	1.57		10.9	2.98		-	-
. AAMR (2000 Std. mil.)		8.7	1.87		13.3	3.99		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.1	-		6.5	-		4.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	10.7	3.77	5	13.0	5.81	3	8.2	4.74
5-9	4	6.3	3.13	3	9.2	5.33	1	3.2	3.18
10-14	4	6.6	3.31	3	9.8	5.63	1	3.4	3.36
15-19	14	24.0	6.42	12	40.1	11.57	2	7.1	4.99
20-24	19	27.9	6.40	15	44.1	11.37	4	11.8	5.88
25-29	16	23.4	5.85	15	44.8	11.56	1	2.9	2.87
30-34	14	23.8	6.36	14	48.6	13.00	0	0.0	0.00
35-39	5	10.8	4.84	5	22.4	10.00	0	0.0	0.00
40-44	9	23.8	7.93	6	33.4	13.62	3	15.1	8.73
45-49	6	21.4	8.75	5	37.9	16.93	1	6.8	6.76
50-54	5	24.0	10.75	5	51.6	23.08	0	0.0	0.00
55-59	3	18.7	10.77	3	39.9	23.03	0	0.0	0.00
60-64	1	8.1	8.06	0	0.0	0.00	1	15.0	14.97
65-69	2	21.8	15.42	1	25.4	25.35	1	19.1	19.13
70-74	1	14.5	14.53	1	35.9	35.86	0	0.0	0.00
75-79	1	19.5	19.50	0	0.0	0.00	1	31.7	31.71
80-84	2	71.3	50.40	0	0.0	0.00	2	110.5	78.13
85+	2	95.5	67.54	1	142.7	142.65	1	71.8	71.79
Total deaths	116			94			22		
Connecticut									
. Crude rate		18.1	-		29.9	-		6.8	-
. AAMR (1940 Std. mil.)		18.5	1.80		30.5	3.34		6.9	1.53
. AAMR (1970 Std. mil.)		18.4	1.91		29.1	3.41		8.1	1.88
. AAMR (2000 Std. mil.)		20.0	2.32		31.1	4.10		9.4	2.44
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		33.8	-		49.4	-		18.9	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	2.7	1.89	2	5.2	3.67	0	0.0	0.00
5-9	3	4.7	2.71	2	6.2	4.36	1	3.2	3.18
10-14	2	3.3	2.34	2	6.5	4.60	0	0.0	0.00
15-19	9	15.4	5.15	8	26.7	9.45	1	3.5	3.53
20-24	11	16.2	4.87	10	29.4	9.29	1	2.9	2.94
25-29	7	10.2	3.87	6	17.9	7.31	1	2.9	2.87
30-34	7	11.9	4.50	7	24.3	9.19	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	4	10.6	5.29	3	16.7	9.63	1	5.0	5.04
45-49	1	3.6	3.57	1	7.6	7.57	0	0.0	0.00
50-54	1	4.8	4.81	1	10.3	10.32	0	0.0	0.00
55-59	1	6.2	6.22	1	13.3	13.29	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	10.9	10.90	0	0.0	0.00	1	19.1	19.13
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	49			43			6		
Connecticut									
. Crude rate		7.7	-		13.7	-		1.8	-
. AAMR (1940 Std. mil.)		7.3	1.09		12.7	2.01		-	-
. AAMR (1970 Std. mil.)		6.9	1.06		11.8	1.90		-	-
. AAMR (2000 Std. mil.)		6.6	1.03		11.2	1.88		-	-
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		18.8	-		26.7	-		11.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available



## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.3	1.33	1	2.6	2.60	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	2.6	2.64	1	5.6	5.56	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	8.1	8.06	0	0.0	0.00	1	15.0	14.97
65-69	1	10.9	10.90	1	25.4	25.35	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	19.5	19.50	0	0.0	0.00	1	31.7	31.71
80-84	1	35.6	35.64	0	0.0	0.00	1	55.2	55.25
85+	1	47.8	47.76	0	0.0	0.00	1	71.8	71.79
Total deaths	7			3			4		
Connecticut									
. Crude rate		1.1	-		1.0	-		1.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.7	-		3.6	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	1	1.6	1.56	1	3.1	3.08	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	2	2.9	2.08	2	5.9	4.15	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	2	3.4	2.40	2	6.9	4.91	0	-	-
35-39	0	0.0	0.00	0	0.0	0.00	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	2	7.1	5.05	2	15.1	10.71	0	-	-
50-54	1	4.8	4.81	1	10.3	10.32	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	8			8			-		
Connecticut									
. Crude rate		1.2	-		2.5	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		3.2	-		0.6	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	5	6.7	2.98	2	5.2	3.67	3	8.2	4.74
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	3.3	2.34	1	3.3	3.25	1	3.4	3.36
15-19	2	3.4	2.43	1	3.3	3.34	1	3.5	3.53
20-24	1	1.5	1.47	0	0.0	0.00	1	2.9	2.94
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	5.3	3.74	0	0.0	0.00	2	10.1	7.13
45-49	1	3.6	3.57	0	0.0	0.00	1	6.8	6.76
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	13			4			9		
Connecticut									
. Crude rate		2.0	-		1.3	-		2.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.7	-		2.0	-		1.1	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	3.3	2.34	2	6.5	4.60	0	0.0	0.00
15-19	5	8.6	3.84	4	13.4	6.68	1	3.5	3.53
20-24	7	10.3	3.89	7	20.6	7.77	0	0.0	0.00
25-29	9	13.2	4.39	6	17.9	7.31	3	8.6	4.96
30-34	8	13.6	4.81	7	24.3	9.19	1	3.3	3.33
35-39	8	17.3	6.12	8	35.8	12.65	0	0.0	0.00
40-44	7	18.5	7.00	6	33.4	13.62	1	5.0	5.04
45-49	5	17.9	7.98	5	37.9	16.93	0	0.0	0.00
50-54	1	4.8	4.81	1	10.3	10.32	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	16.1	11.40	1	17.5	17.46	1	15.0	14.97
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	14.5	14.53	1	35.9	35.86	0	0.0	0.00
75-79	1	19.5	19.50	1	50.7	50.68	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	56			49			7		
Connecticut									
. Crude rate		8.7	-		15.6	-		2.2	-
. AAMR (1940 Std. mil.)		9.1	1.27		16.7	2.50		-	-
. AAMR (1970 Std. mil.)		8.4	1.24		15.5	2.52		-	-
. AAMR (2000 Std. mil.)		9.5	1.43		17.9	3.01		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.4	-		18.8	-		4.6	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	4.0	2.31	2	5.2	3.67	1	2.7	2.74
5-9	1	1.6	1.56	1	3.1	3.08	0	0.0	0.00
10-14	2	3.3	2.34	1	3.3	3.25	1	3.4	3.36
15-19	19	32.6	7.48	17	56.8	13.77	2	7.1	4.99
20-24	18	26.4	6.23	18	52.9	12.46	0	0.0	0.00
25-29	16	23.4	5.85	12	35.8	10.34	4	11.5	5.73
30-34	9	15.3	5.10	6	20.8	8.51	3	10.0	5.76
35-39	6	13.0	5.30	5	22.4	10.00	1	4.2	4.20
40-44	4	10.6	5.29	4	22.2	11.12	0	0.0	0.00
45-49	5	17.9	7.98	4	30.3	15.14	1	6.8	6.76
50-54	1	4.8	4.81	1	10.3	10.32	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	8.1	8.06	1	17.5	17.46	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	14.5	14.53	1	35.9	35.86	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	35.6	35.64	1	100.4	100.40	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	87			74			13		
Connecticut									
. Crude rate		13.6	-		23.5	-		4.0	-
. AAMR (1940 Std. mil.)		13.1	1.44		23.1	2.80		-	-
. AAMR (1970 Std. mil.)		12.2	1.41		21.9	2.88		-	-
. AAMR (2000 Std. mil.)		12.3	1.52		22.3	3.27		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.4	-		14.6	-		4.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	4.0	2.31	2	5.2	3.67	1	2.7	2.74
5-9	1	1.6	1.56	1	3.1	3.08	0	0.0	0.00
10-14	2	3.3	2.34	1	3.3	3.25	1	3.4	3.36
15-19	19	32.6	7.48	17	56.8	13.77	2	7.1	4.99
20-24	18	26.4	6.23	18	52.9	12.46	0	0.0	0.00
25-29	16	23.4	5.85	12	35.8	10.34	4	11.5	5.73
30-34	9	15.3	5.10	6	20.8	8.51	3	10.0	5.76
35-39	6	13.0	5.30	5	22.4	10.00	1	4.2	4.20
40-44	4	10.6	5.29	4	22.2	11.12	0	0.0	0.00
45-49	5	17.9	7.98	4	30.3	15.14	1	6.8	6.76
50-54	1	4.8	4.81	1	10.3	10.32	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	8.1	8.06	1	17.5	17.46	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	14.5	14.53	1	35.9	35.86	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	35.6	35.64	1	100.4	100.40	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	87			74			13		
Connecticut									
. Crude rate		13.6	-		23.5	-		4.0	-
. AAMR (1940 Std. mil.)		13.1	1.44		23.1	2.80		-	-
. AAMR (1970 Std. mil.)		12.2	1.41		21.9	2.88		-	-
. AAMR (2000 Std. mil.)		12.3	1.52		22.3	3.27		-	-
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		9.3	-		14.3	-		4.2	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	12	16.0	4.62	8	20.8	7.35	4	11.0	5.48
5-9	5	7.8	3.50	4	12.3	6.16	1	3.2	3.18
10-14	8	13.2	4.68	6	19.5	7.96	2	6.7	4.76
15-19	38	65.2	10.58	33	110.2	19.19	5	17.6	7.89
20-24	46	67.6	9.96	42	123.3	19.03	4	11.8	5.88
25-29	42	61.4	9.47	33	98.5	17.15	9	25.8	8.60
30-34	32	54.4	9.61	28	97.3	18.38	4	13.3	6.65
35-39	22	47.6	10.16	21	93.9	20.50	1	4.2	4.20
40-44	20	52.9	11.83	16	89.0	22.25	4	20.2	10.09
45-49	17	60.7	14.72	15	113.6	29.32	2	13.5	9.56
50-54	7	33.7	12.72	7	72.2	27.30	0	0.0	0.00
55-59	3	18.7	10.77	3	39.9	23.03	0	0.0	0.00
60-64	4	32.2	16.12	2	34.9	24.69	2	29.9	21.17
65-69	2	21.8	15.42	1	25.4	25.35	1	19.1	19.13
70-74	3	43.6	25.16	3	107.6	62.10	0	0.0	0.00
75-79	2	39.0	27.58	1	50.7	50.68	1	31.7	31.71
80-84	3	106.9	61.73	1	100.4	100.40	2	110.5	78.13
85+	2	95.5	67.54	1	142.7	142.65	1	71.8	71.79
Total deaths	268			225			43		
Connecticut									
. Crude rate		41.9	-		71.5	-		13.2	-
. AAMR (1940 Std. mil.)		42.0	2.67		72.7	5.10		13.0	2.05
. AAMR (1970 Std. mil.)		40.2	2.71		68.7	5.18		13.5	2.27
. AAMR (2000 Std. mil.)		43.1	3.16		73.7	6.12		14.9	2.76
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		55.6	-		84.4	-		28.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	2.7	1.89	2	5.2	3.67	0	0.0	0.00
5-9	3	4.7	2.71	2	6.2	4.36	1	3.2	3.18
10-14	2	3.3	2.34	2	6.5	4.60	0	0.0	0.00
15-19	9	15.4	5.15	8	26.7	9.45	1	3.5	3.53
20-24	11	16.2	4.87	10	29.4	9.29	1	2.9	2.94
25-29	7	10.2	3.87	6	17.9	7.31	1	2.9	2.87
30-34	6	10.2	4.16	6	20.8	8.51	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	4	10.6	5.29	3	16.7	9.63	1	5.0	5.04
45-49	1	3.6	3.57	1	7.6	7.57	0	0.0	0.00
50-54	1	4.8	4.81	1	10.3	10.32	0	0.0	0.00
55-59	1	6.2	6.22	1	13.3	13.29	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	10.9	10.90	0	0.0	0.00	1	19.1	19.13
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	48			42			6		
Connecticut									
. Crude rate		7.5	-		13.3	-		1.8	-
. AAMR (1940 Std. mil.)		7.2	1.08		12.5	1.99		-	-
. AAMR (1970 Std. mil.)		6.8	1.05		11.6	1.89		-	-
. AAMR (2000 Std. mil.)		6.4	1.03		11.0	1.86		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		18.6	-		26.1	-		10.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available



## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.3	1.33	1	2.6	2.60	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	1.7	1.70	1	3.5	3.47	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	5.3	3.74	2	11.1	7.87	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	8.1	8.06	0	0.0	0.00	1	15.0	14.97
65-69	1	10.9	10.90	1	25.4	25.35	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	19.5	19.50	0	0.0	0.00	1	31.7	31.71
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	47.8	47.76	0	0.0	0.00	1	71.8	71.79
Total deaths	8			5			3		
Connecticut									
. Crude rate		1.2	-		1.6	-		0.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.6	-		3.6	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	1.6	1.56	1	3.1	3.08	0	0.0	0.00
10-14	3	5.0	2.86	2	6.5	4.60	1	3.4	3.36
15-19	24	41.2	8.41	22	73.5	15.67	2	7.1	4.99
20-24	20	29.4	6.57	20	58.7	13.13	0	0.0	0.00
25-29	18	26.3	6.20	13	38.8	10.76	5	14.3	6.41
30-34	10	17.0	5.37	8	27.8	9.83	2	6.7	4.70
35-39	5	10.8	4.84	4	17.9	8.95	1	4.2	4.20
40-44	4	10.6	5.29	3	16.7	9.63	1	5.0	5.04
45-49	4	14.3	7.14	4	30.3	15.14	0	0.0	0.00
50-54	1	4.8	4.81	1	10.3	10.32	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	8.1	8.06	1	17.5	17.46	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	29.1	20.55	2	71.7	50.71	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	35.6	35.64	1	100.4	100.40	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	94			82			12		
Connecticut									
. Crude rate		14.7	-		26.0	-		3.7	-
. AAMR (1940 Std. mil.)		14.3	1.51		25.8	2.99		-	-
. AAMR (1970 Std. mil.)		13.4	1.51		24.9	3.13		-	-
. AAMR (2000 Std. mil.)		13.2	1.60		24.8	3.49		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.6	-		23.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	1.7	1.65	1	3.3	3.25	0	0.0	0.00
15-19	5	8.6	3.84	4	13.4	6.68	1	3.5	3.53
20-24	2	2.9	2.08	2	5.9	4.15	0	0.0	0.00
25-29	3	4.4	2.53	1	3.0	2.99	2	5.7	4.05
30-34	4	6.8	3.40	4	13.9	6.95	0	0.0	0.00
35-39	2	4.3	3.06	2	8.9	6.33	0	0.0	0.00
40-44	2	5.3	3.74	1	5.6	5.56	1	5.0	5.04
45-49	2	7.1	5.05	2	15.1	10.71	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	8.1	8.06	1	17.5	17.46	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	14.5	14.53	1	35.9	35.86	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	23			19			4		
Connecticut									
. Crude rate		3.6	-		6.0	-		1.2	-
. AAMR (1940 Std. mil.)		3.8	0.82		6.7	1.63		-	-
. AAMR (1970 Std. mil.)		3.6	0.83		6.5	1.71		-	-
. AAMR (2000 Std. mil.)		3.8	0.89		6.9	1.86		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		12.0	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	1.6	1.56	1	3.1	3.08	0	0.0	0.00
10-14	2	3.3	2.34	1	3.3	3.25	1	3.4	3.36
15-19	17	29.2	7.07	16	53.4	13.36	1	3.5	3.53
20-24	16	23.5	5.88	16	47.0	11.75	0	0.0	0.00
25-29	14	20.5	5.47	11	32.8	9.90	3	8.6	4.96
30-34	6	10.2	4.16	4	13.9	6.95	2	6.7	4.70
35-39	3	6.5	3.75	2	8.9	6.33	1	4.2	4.20
40-44	2	5.3	3.74	2	11.1	7.87	0	0.0	0.00
45-49	2	7.1	5.05	2	15.1	10.71	0	0.0	0.00
50-54	1	4.8	4.81	1	10.3	10.32	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	14.5	14.53	1	35.9	35.86	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	35.6	35.64	1	100.4	100.40	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	66			58			8		
Connecticut									
. Crude rate		10.3	-		18.4	-		2.5	-
. AAMR (1940 Std. mil.)		9.8	1.23		17.7	2.42		-	-
. AAMR (1970 Std. mil.)		9.2	1.22		17.1	2.55		-	-
. AAMR (2000 Std. mil.)		8.9	1.30		16.9	2.91		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.1	-		9.9	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	1.7	1.72	1	3.3	3.34	0	0.0	0.00
20-24	4	5.9	2.94	3	8.8	5.09	1	2.9	2.94
25-29	6	8.8	3.58	5	14.9	6.68	1	2.9	2.87
30-34	6	10.2	4.16	5	17.4	7.77	1	3.3	3.33
35-39	3	6.5	3.75	3	13.4	7.75	0	0.0	0.00
40-44	2	5.3	3.74	2	11.1	7.87	0	0.0	0.00
45-49	3	10.7	6.18	3	22.7	13.11	0	0.0	0.00
50-54	1	4.8	4.81	1	10.3	10.32	0	0.0	0.00
55-59	1	6.2	6.22	1	13.3	13.29	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	19.5	19.50	1	50.7	50.68	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	28			25			3		
Connecticut									
. Crude rate		4.4	-		7.9	-		0.9	-
. AAMR (1940 Std. mil.)		4.5	0.88		8.6	1.80		-	-
. AAMR (1970 Std. mil.)		4.0	0.85		7.9	1.82		-	-
. AAMR (2000 Std. mil.)		4.7	1.02		9.3	2.25		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		6.9	-		3.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	5.1	2.94	1	3.5	3.47	2	6.7	4.70
35-39	5	10.8	4.84	3	13.4	7.75	2	8.4	5.93
40-44	6	15.9	6.48	6	33.4	13.62	0	0.0	0.00
45-49	7	25.0	9.45	7	53.0	20.03	0	0.0	0.00
50-54	7	33.7	12.72	7	72.2	27.30	0	0.0	0.00
55-59	5	31.1	13.91	5	66.5	29.73	0	0.0	0.00
60-64	4	32.2	16.12	4	69.8	34.92	0	0.0	0.00
65-69	4	43.6	21.81	4	101.4	50.71	0	0.0	0.00
70-74	1	14.5	14.53	1	35.9	35.86	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	42			38			4		
Connecticut									
. Crude rate		6.6	-		12.1	-		1.2	-
. AAMR (1940 Std. mil.)		9.7	1.55		19.9	3.31		-	-
. AAMR (1970 Std. mil.)		9.9	1.64		20.7	3.58		-	-
. AAMR (2000 Std. mil.)		11.2	1.79		23.0	3.87		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.4	-		11.6	-		3.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1989-1991

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
 U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
 for  
 Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	1.7	1.72	1	3.3	3.34	0	0.0	0.00
20-24	3	4.4	2.54	2	5.9	4.15	1	2.9	2.94
25-29	8	11.7	4.14	7	20.9	7.90	1	2.9	2.87
30-34	4	6.8	3.40	4	13.9	6.95	0	0.0	0.00
35-39	3	6.5	3.75	3	13.4	7.75	0	0.0	0.00
40-44	2	5.3	3.74	2	11.1	7.87	0	0.0	0.00
45-49	3	10.7	6.18	3	22.7	13.11	0	0.0	0.00
50-54	1	4.8	4.81	1	10.3	10.32	0	0.0	0.00
55-59	1	6.2	6.22	1	13.3	13.29	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	19.5	19.50	1	50.7	50.68	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	27			25			2		
Connecticut									
. Crude rate		4.2	-		7.9	-		0.6	-
. AAMR (1940 Std. mil.)		4.3	0.87		8.6	1.80		-	-
. AAMR (1970 Std. mil.)		3.9	0.84		7.9	1.82		-	-
. AAMR (2000 Std. mil.)		4.5	1.01		9.3	2.25		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.1	-		5.5	-		2.7	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:  
 . The CT HP 2000 target: No comparison is available  
 . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
 . THE U.S. HP 2000 target: CT rate is not significantly different