

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All causes-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	47	174.2	25.41	25	179.7	35.94	22	168.4	35.90
5-9	3	13.5	7.77	1	8.8	8.82	2	18.3	12.91
10-14	4	18.8	9.39	4	36.9	18.46	0	0.0	0.00
15-19	15	75.8	19.58	14	136.1	36.38	1	10.5	10.53
20-24	28	122.7	23.18	22	189.9	40.48	6	53.4	21.79
25-29	32	136.6	24.15	28	241.4	45.61	4	33.8	16.92
30-34	53	243.6	33.46	41	382.8	59.79	12	108.6	31.36
35-39	49	282.7	40.39	36	423.3	70.55	13	147.3	40.84
40-44	29	215.5	40.02	23	356.7	74.38	6	85.6	34.95
45-49	43	407.4	62.12	25	499.3	99.86	18	324.4	76.46
50-54	33	439.3	76.47	20	576.4	128.88	13	321.6	89.20
55-59	42	728.9	112.47	25	926.3	185.25	17	555.0	134.61
60-64	31	712.6	127.99	15	760.3	196.30	16	673.1	168.28
65-69	43	1320.2	201.33	28	1962.2	370.81	15	819.7	211.64
70-74	26	1047.1	205.36	16	1612.9	403.23	10	670.7	212.09
75-79	38	2068.6	335.57	16	2266.3	566.57	22	1945.2	414.71
80-84	33	3113.2	541.94	11	2933.3	884.43	22	3211.7	684.73
85+	49	6274.0	896.29	17	6692.9	1623.27	32	6072.1	1073.41
Total deaths	598			367			231		
Connecticut									
. Crude rate		263.7	-		327.3	-		201.5	-
. AAMR (1940 Std. mil.)		325.3	14.10		433.4	24.37		229.8	16.04
. AAMR (1970 Std. mil.)		394.3	17.90		504.8	31.07		299.6	20.91
. AAMR (2000 Std. mil.)		501.7	24.37		626.7	42.62		396.0	28.84
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		504.3	-		655.7	-		380.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.7	3.71	1	7.2	7.19	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	4	17.5	8.76	1	8.6	8.63	3	26.7	15.41
25-29	14	59.8	15.97	11	94.8	28.59	3	25.4	14.65
30-34	21	96.5	21.06	16	149.4	37.35	5	45.3	20.24
35-39	22	126.9	27.06	15	176.4	45.54	7	79.3	29.97
40-44	9	66.9	22.29	8	124.1	43.87	1	14.3	14.27
45-49	7	66.3	25.06	7	139.8	52.84	0	0.0	0.00
50-54	2	26.6	18.83	1	28.8	28.82	1	24.7	24.74
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	4	92.0	45.98	3	152.1	87.79	1	42.1	42.07
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	94.3	94.34	0	0.0	0.00	1	146.0	145.99
85+	1	128.0	128.04	0	0.0	0.00	1	189.8	189.75
Total deaths	86			63			23		
Connecticut									
. Crude rate		37.9	-		56.2	-		20.1	-
. AAMR (1940 Std. mil.)		37.9	4.24		57.9	7.63		19.0	4.08
. AAMR (1970 Std. mil.)		33.3	4.02		49.3	6.93		17.7	4.11
. AAMR (2000 Std. mil.)		41.5	5.14		60.0	8.17		22.9	5.63
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		20.1	-		31.2	-		9.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.7	3.71	1	7.2	7.19	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.4	4.38	0	0.0	0.00	1	8.9	8.90
25-29	1	4.3	4.27	1	8.6	8.62	0	0.0	0.00
30-34	1	4.6	4.60	1	9.3	9.34	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	7.4	7.43	1	15.5	15.51	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	13.3	13.31	1	28.8	28.82	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	46.0	32.51	1	50.7	50.68	1	42.1	42.07
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	94.3	94.34	0	0.0	0.00	1	146.0	145.99
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	9			6			3		
Connecticut									
. Crude rate		4.0	-		5.4	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.9	-		4.5	-		3.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia-related (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	7.4	5.24	1	7.2	7.19	1	7.7	7.65
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.4	4.38	0	0.0	0.00	1	8.9	8.90
25-29	1	4.3	4.27	1	8.6	8.62	0	0.0	0.00
30-34	6	27.6	11.26	4	37.3	18.67	2	18.1	12.80
35-39	2	11.5	8.16	2	23.5	16.63	0	0.0	0.00
40-44	1	7.4	7.43	1	15.5	15.51	0	0.0	0.00
45-49	3	28.4	16.41	1	20.0	19.97	2	36.0	25.49
50-54	2	26.6	18.83	2	57.6	40.76	0	0.0	0.00
55-59	4	69.4	34.71	2	74.1	52.40	2	65.3	46.17
60-64	4	92.0	45.98	3	152.1	87.79	1	42.1	42.07
65-69	2	61.4	43.42	1	70.1	70.08	1	54.6	54.64
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	2	108.9	76.98	1	141.6	141.64	1	88.4	88.42
80-84	2	188.7	133.42	0	0.0	0.00	2	292.0	206.45
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	32			19			13		
Connecticut									
. Crude rate		14.1	-		16.9	-		11.3	-
. AAMR (1940 Std. mil.)		18.6	3.47		23.8	5.85		-	-
. AAMR (1970 Std. mil.)		20.6	4.06		25.0	6.58		-	-
. AAMR (2000 Std. mil.)		23.6	4.77		27.6	7.26		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	13.1	7.59	1	8.6	8.63	2	17.8	12.58
25-29	13	55.5	15.39	10	86.2	27.26	3	25.4	14.65
30-34	19	87.3	20.04	14	130.7	34.94	5	45.3	20.24
35-39	19	109.6	25.15	12	141.1	40.73	7	79.3	29.97
40-44	8	59.4	21.02	7	108.6	41.03	1	14.3	14.27
45-49	7	66.3	25.06	7	139.8	52.84	0	0.0	0.00
50-54	1	13.3	13.31	0	0.0	0.00	1	24.7	24.74
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	46.0	32.51	2	101.4	71.68	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	72			53			19		
Connecticut									
. Crude rate		31.8	-		47.3	-		16.6	-
. AAMR (1940 Std. mil.)		31.1	3.77		48.1	6.87		15.3	3.57
. AAMR (1970 Std. mil.)		25.8	3.28		40.5	6.13		12.2	2.91
. AAMR (2000 Std. mil.)		31.8	3.99		49.7	7.34		15.2	3.65
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.7	-		22.3	-		3.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	5.1	5.06	0	0.0	0.00	1	10.5	10.53
20-24	2	8.8	6.20	2	17.3	12.21	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	5	23.0	10.28	2	18.7	13.20	3	27.2	15.68
35-39	7	40.4	15.26	2	23.5	16.63	5	56.6	25.33
40-44	4	29.7	14.86	3	46.5	26.86	1	14.3	14.27
45-49	11	104.2	31.42	5	99.9	44.66	6	108.1	44.14
50-54	14	186.4	49.81	7	201.7	76.25	7	173.2	65.46
55-59	10	173.6	54.88	4	148.2	74.10	6	195.9	79.97
60-64	13	298.9	82.89	7	354.8	134.10	6	252.4	103.05
65-69	15	460.5	118.91	11	770.8	232.42	4	218.6	109.29
70-74	7	281.9	106.55	6	604.8	246.92	1	67.1	67.07
75-79	13	707.7	196.27	6	849.9	346.95	7	618.9	233.93
80-84	6	566.0	231.08	3	800.0	461.88	3	438.0	252.85
85+	10	1280.4	404.90	5	1968.5	880.34	5	948.8	424.30
Total deaths	118			63			55		
Connecticut									
. Crude rate		52.0	-		56.2	-		48.0	-
. AAMR (1940 Std. mil.)		76.9	7.33		98.2	12.76		62.1	8.73
. AAMR (1970 Std. mil.)		96.7	9.34		128.2	17.18		75.7	10.65
. AAMR (2000 Std. mil.)		121.3	12.19		162.4	23.42		95.2	13.69
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		133.1	-		162.7	-		111.7	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	0	0.0	0.00	0	0.0	0.00	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	1	9.5	9.47	1	20.0	19.97	0	-	-
50-54	3	39.9	23.06	3	86.5	49.92	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	4			4			-		
Connecticut									
. Crude rate		1.8	-		3.6	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.5	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	26.6	18.83	2	57.6	40.76	0	0.0	0.00
55-59	1	17.4	17.36	0	0.0	0.00	1	32.6	32.65
60-64	2	46.0	32.51	1	50.7	50.68	1	42.1	42.07
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	40.3	40.27	1	100.8	100.81	0	0.0	0.00
75-79	2	108.9	76.98	2	283.3	200.31	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	128.0	128.04	0	0.0	0.00	1	189.8	189.75
Total deaths	9			6			3		
Connecticut									
. Crude rate		4.0	-		5.4	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.2	-		16.2	-		10.9	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	13.3	13.31	1	28.8	28.82	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	23.0	22.99	1	50.7	50.68	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	2	108.9	76.98	2	283.3	200.31	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	128.0	128.04	0	0.0	0.00	1	189.8	189.75
Total deaths	5			4			1		
Connecticut									
. Crude rate		2.2	-		3.6	-		0.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.0	-		13.5	-		9.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	13.3	13.31	1	28.8	28.82	0	0.0	0.00
55-59	1	17.4	17.36	0	0.0	0.00	1	32.6	32.65
60-64	1	23.0	22.99	0	0.0	0.00	1	42.1	42.07
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	40.3	40.27	1	100.8	100.81	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	4			2			2		
Connecticut									
. Crude rate		1.8	-		1.8	-		1.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.6	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	9.5	9.47	1	20.0	19.97	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	30.7	30.70	0	0.0	0.00	1	54.6	54.64
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	54.4	54.44	0	0.0	0.00	1	88.4	88.42
80-84	1	94.3	94.34	0	0.0	0.00	1	146.0	145.99
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	4			1			3		
Connecticut									
. Crude rate		1.8	-		0.9	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.4	-		7.6	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	7.4	7.43	1	15.5	15.51	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	26.6	18.83	1	28.8	28.82	1	24.7	24.74
55-59	2	34.7	24.54	2	74.1	52.40	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	6	184.2	75.21	6	420.5	171.65	0	0.0	0.00
70-74	3	120.8	69.76	2	201.6	142.56	1	67.1	67.07
75-79	6	326.6	133.34	4	566.6	283.29	2	176.8	125.04
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	128.0	128.04	1	393.7	393.70	0	0.0	0.00
Total deaths	21			17			4		
Connecticut									
. Crude rate		9.3	-		15.2	-		3.5	-
. AAMR (1940 Std. mil.)		15.2	3.38		29.4	7.24		-	-
. AAMR (1970 Std. mil.)		20.3	4.49		39.6	9.83		-	-
. AAMR (2000 Std. mil.)		24.9	5.62		48.9	12.74		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		40.8	-		58.5	-		27.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Malignant melanoma of skin (172)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	-	-	0	0.0	0.00
5-9	0	0.0	0.00	0	-	-	0	0.0	0.00
10-14	0	0.0	0.00	0	-	-	0	0.0	0.00
15-19	0	0.0	0.00	0	-	-	0	0.0	0.00
20-24	0	0.0	0.00	0	-	-	0	0.0	0.00
25-29	0	0.0	0.00	0	-	-	0	0.0	0.00
30-34	0	0.0	0.00	0	-	-	0	0.0	0.00
35-39	0	0.0	0.00	0	-	-	0	0.0	0.00
40-44	0	0.0	0.00	0	-	-	0	0.0	0.00
45-49	0	0.0	0.00	0	-	-	0	0.0	0.00
50-54	0	0.0	0.00	0	-	-	0	0.0	0.00
55-59	0	0.0	0.00	0	-	-	0	0.0	0.00
60-64	0	0.0	0.00	0	-	-	0	0.0	0.00
65-69	0	0.0	0.00	0	-	-	0	0.0	0.00
70-74	0	0.0	0.00	0	-	-	0	0.0	0.00
75-79	0	0.0	0.00	0	-	-	0	0.0	0.00
80-84	0	0.0	0.00	0	-	-	0	0.0	0.00
85+	1	128.0	128.04	0	-	-	1	189.8	189.75
Total deaths	1			-			1		
Connecticut									
. Crude rate		0.4	-		-	-		0.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.6	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	2	9.2	6.50	-	-	-	2	18.1	12.80
35-39	1	5.8	5.77	-	-	-	1	11.3	11.33
40-44	1	7.4	7.43	-	-	-	1	14.3	14.27
45-49	4	37.9	18.95	-	-	-	4	72.1	36.04
50-54	2	26.6	18.83	-	-	-	2	49.5	34.99
55-59	1	17.4	17.36	-	-	-	1	32.6	32.65
60-64	2	46.0	32.51	-	-	-	2	84.1	59.50
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	13			-			13		
Connecticut									
. Crude rate		-	-		-	-		11.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	3	17.3	9.99	-	-	-	3	34.0	19.62
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	3			-			3		
Connecticut									
. Crude rate		-	-		-	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	-	-	-	-	-	0	-	-
5-9	0	-	-	-	-	-	0	-	-
10-14	0	-	-	-	-	-	0	-	-
15-19	0	-	-	-	-	-	0	-	-
20-24	0	-	-	-	-	-	0	-	-
25-29	0	-	-	-	-	-	0	-	-
30-34	0	-	-	-	-	-	0	-	-
35-39	0	-	-	-	-	-	0	-	-
40-44	0	-	-	-	-	-	0	-	-
45-49	0	-	-	-	-	-	0	-	-
50-54	0	-	-	-	-	-	0	-	-
55-59	0	-	-	-	-	-	0	-	-
60-64	0	-	-	-	-	-	0	-	-
65-69	0	-	-	-	-	-	0	-	-
70-74	0	-	-	-	-	-	0	-	-
75-79	0	-	-	-	-	-	0	-	-
80-84	0	-	-	-	-	-	0	-	-
85+	0	-	-	-	-	-	0	-	-
Total deaths	-			-			-		
Connecticut									
. Crude rate		-	-		-	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	13.3	13.31	-	-	-	1	24.7	24.74
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	1	23.0	22.99	-	-	-	1	42.1	42.07
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	1	128.0	128.04	-	-	-	1	189.8	189.75
Total deaths	3			-			3		
Connecticut									
. Crude rate		-	-		-	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Prostate cancer (185)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	1	9.5	9.47	1	20.0	19.97	-	-	-
50-54	0	0.0	0.00	0	0.0	0.00	-	-	-
55-59	0	0.0	0.00	0	0.0	0.00	-	-	-
60-64	0	0.0	0.00	0	0.0	0.00	-	-	-
65-69	2	61.4	43.42	2	140.2	99.10	-	-	-
70-74	0	0.0	0.00	0	0.0	0.00	-	-	-
75-79	0	0.0	0.00	0	0.0	0.00	-	-	-
80-84	2	188.7	133.42	2	533.3	377.12	-	-	-
85+	0	0.0	0.00	0	0.0	0.00	-	-	-
Total deaths	5			5			-		
Connecticut									
. Crude rate		-	-		4.5	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		16.6	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Bladder cancer (188)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	-	-	0	-	-	0	-	-
5-9	0	-	-	0	-	-	0	-	-
10-14	0	-	-	0	-	-	0	-	-
15-19	0	-	-	0	-	-	0	-	-
20-24	0	-	-	0	-	-	0	-	-
25-29	0	-	-	0	-	-	0	-	-
30-34	0	-	-	0	-	-	0	-	-
35-39	0	-	-	0	-	-	0	-	-
40-44	0	-	-	0	-	-	0	-	-
45-49	0	-	-	0	-	-	0	-	-
50-54	0	-	-	0	-	-	0	-	-
55-59	0	-	-	0	-	-	0	-	-
60-64	0	-	-	0	-	-	0	-	-
65-69	0	-	-	0	-	-	0	-	-
70-74	0	-	-	0	-	-	0	-	-
75-79	0	-	-	0	-	-	0	-	-
80-84	0	-	-	0	-	-	0	-	-
85+	0	-	-	0	-	-	0	-	-
Total deaths	-			-			-		
Connecticut									
. Crude rate		-	-		-	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.1	-		3.6	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	30.7	30.70	0	0.0	0.00	1	54.6	54.64
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	2	256.1	181.08	1	393.7	393.70	1	189.8	189.75
Total deaths	3			1			2		
Connecticut									
. Crude rate		1.3	-		0.9	-		1.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.7	-		4.2	-		3.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	13.3	13.31	0	0.0	0.00	1	24.7	24.74
55-59	1	17.4	17.36	0	0.0	0.00	1	32.6	32.65
60-64	1	23.0	22.99	1	50.7	50.68	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	3			1			2		
Connecticut									
. Crude rate		1.3	-		0.9	-		1.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.3	-		4.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes mellitus (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	9.5	9.47	0	0.0	0.00	1	18.0	18.02
50-54	1	13.3	13.31	1	28.8	28.82	0	0.0	0.00
55-59	3	52.1	30.06	0	0.0	0.00	3	97.9	56.55
60-64	1	23.0	22.99	0	0.0	0.00	1	42.1	42.07
65-69	1	30.7	30.70	0	0.0	0.00	1	54.6	54.64
70-74	2	80.5	56.96	1	100.8	100.81	1	67.1	67.07
75-79	2	108.9	76.98	0	0.0	0.00	2	176.8	125.04
80-84	1	94.3	94.34	0	0.0	0.00	1	146.0	145.99
85+	2	256.1	181.08	0	0.0	0.00	2	379.5	268.35
Total deaths	14			2			12		
Connecticut									
. Crude rate		6.2	-		1.8	-		10.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.0	-		12.7	-		11.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	4.6	4.60	0	0.0	0.00	1	9.1	9.05
35-39	1	5.8	5.77	1	11.8	11.76	0	0.0	0.00
40-44	1	7.4	7.43	0	0.0	0.00	1	14.3	14.27
45-49	2	18.9	13.40	1	20.0	19.97	1	18.0	18.02
50-54	4	53.2	26.62	2	57.6	40.76	2	49.5	34.99
55-59	6	104.1	42.51	2	74.1	52.40	4	130.6	65.30
60-64	7	160.9	60.82	2	101.4	71.68	5	210.3	94.07
65-69	8	245.6	86.84	4	280.3	140.15	4	218.6	109.29
70-74	4	161.1	80.55	2	201.6	142.56	2	134.1	94.85
75-79	11	598.8	180.55	2	283.3	200.31	9	795.8	265.25
80-84	4	377.4	188.68	0	0.0	0.00	4	583.9	291.97
85+	10	1280.4	404.90	2	787.4	556.78	8	1518.0	536.70
Total deaths	59			18			41		
Connecticut									
. Crude rate		26.0	-		16.1	-		35.8	-
. AAMR (1940 Std. mil.)		38.6	5.21		29.6	7.13		44.5	7.34
. AAMR (1970 Std. mil.)		54.8	7.27		39.2	9.59		64.4	10.21
. AAMR (2000 Std. mil.)		73.7	10.21		49.4	13.08		87.9	14.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	-	-	0	-	-	0	-	-
5-9	0	-	-	0	-	-	0	-	-
10-14	0	-	-	0	-	-	0	-	-
15-19	0	-	-	0	-	-	0	-	-
20-24	0	-	-	0	-	-	0	-	-
25-29	0	-	-	0	-	-	0	-	-
30-34	0	-	-	0	-	-	0	-	-
35-39	0	-	-	0	-	-	0	-	-
40-44	0	-	-	0	-	-	0	-	-
45-49	0	-	-	0	-	-	0	-	-
50-54	0	-	-	0	-	-	0	-	-
55-59	0	-	-	0	-	-	0	-	-
60-64	0	-	-	0	-	-	0	-	-
65-69	0	-	-	0	-	-	0	-	-
70-74	0	-	-	0	-	-	0	-	-
75-79	0	-	-	0	-	-	0	-	-
80-84	0	-	-	0	-	-	0	-	-
85+	0	-	-	0	-	-	0	-	-
Total deaths	-			-			-		
Connecticut									
. Crude rate		-	-		-	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.5	-		0.5	-		0.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Alzheimer's diseases (331.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	-	-	0	0.0	0.00
5-9	0	0.0	0.00	0	-	-	0	0.0	0.00
10-14	0	0.0	0.00	0	-	-	0	0.0	0.00
15-19	0	0.0	0.00	0	-	-	0	0.0	0.00
20-24	0	0.0	0.00	0	-	-	0	0.0	0.00
25-29	0	0.0	0.00	0	-	-	0	0.0	0.00
30-34	0	0.0	0.00	0	-	-	0	0.0	0.00
35-39	0	0.0	0.00	0	-	-	0	0.0	0.00
40-44	0	0.0	0.00	0	-	-	0	0.0	0.00
45-49	0	0.0	0.00	0	-	-	0	0.0	0.00
50-54	0	0.0	0.00	0	-	-	0	0.0	0.00
55-59	0	0.0	0.00	0	-	-	0	0.0	0.00
60-64	0	0.0	0.00	0	-	-	0	0.0	0.00
65-69	0	0.0	0.00	0	-	-	0	0.0	0.00
70-74	0	0.0	0.00	0	-	-	0	0.0	0.00
75-79	0	0.0	0.00	0	-	-	0	0.0	0.00
80-84	0	0.0	0.00	0	-	-	0	0.0	0.00
85+	1	128.0	128.04	0	-	-	1	189.8	189.75
Total deaths	1			-			1		
Connecticut									
. Crude rate		0.4	-		-	-		0.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		2.2	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.7	3.71	1	7.2	7.19	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	8.5	6.04	2	17.2	12.19	0	0.0	0.00
30-34	2	9.2	6.50	2	18.7	13.20	0	0.0	0.00
35-39	2	11.5	8.16	2	23.5	16.63	0	0.0	0.00
40-44	2	14.9	10.51	1	15.5	15.51	1	14.3	14.27
45-49	9	85.3	28.42	3	59.9	34.59	6	108.1	44.14
50-54	7	93.2	35.22	5	144.1	64.44	2	49.5	34.99
55-59	16	277.7	69.42	11	407.6	122.88	5	163.2	73.00
60-64	8	183.9	65.02	3	152.1	87.79	5	210.3	94.07
65-69	17	522.0	126.59	11	770.8	232.42	6	327.9	133.85
70-74	11	443.0	133.57	6	604.8	246.92	5	335.3	149.97
75-79	12	653.2	188.57	3	424.9	245.33	9	795.8	265.25
80-84	14	1320.8	352.99	4	1066.7	533.33	10	1459.9	461.65
85+	24	3073.0	627.27	8	3149.6	1113.55	16	3036.1	759.01
Total deaths	127			62			65		
Connecticut									
. Crude rate		56.0	-		55.3	-		56.7	-
. AAMR (1940 Std. mil.)		80.3	7.43		95.2	12.52		67.3	8.86
. AAMR (1970 Std. mil.)		114.4	10.43		129.0	17.43		101.2	12.70
. AAMR (2000 Std. mil.)		157.0	15.01		170.1	25.15		144.6	18.54
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		181.3	-		237.6	-		136.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diseases of the heart (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	8.5	6.04	2	17.2	12.19	0	0.0	0.00
30-34	2	9.2	6.50	2	18.7	13.20	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	7.4	7.43	0	0.0	0.00	1	14.3	14.27
45-49	7	66.3	25.06	3	59.9	34.59	4	72.1	36.04
50-54	6	79.9	32.61	4	115.3	57.64	2	49.5	34.99
55-59	12	208.3	60.12	8	296.4	104.80	4	130.6	65.30
60-64	7	160.9	60.82	3	152.1	87.79	4	168.3	84.14
65-69	15	460.5	118.91	10	700.8	221.60	5	273.2	122.19
70-74	6	241.6	98.65	3	302.4	174.60	3	201.2	116.17
75-79	9	489.9	163.31	2	283.3	200.31	7	618.9	233.93
80-84	13	1226.4	340.15	3	800.0	461.88	10	1459.9	461.65
85+	18	2304.7	543.23	7	2755.9	1041.63	11	2087.3	629.34
Total deaths	98			47			51		
Connecticut									
. Crude rate		43.2	-		41.9	-		44.5	-
. AAMR (1940 Std. mil.)		62.6	6.59		73.2	11.01		53.2	7.89
. AAMR (1970 Std. mil.)		89.4	9.24		100.1	15.39		79.8	11.30
. AAMR (2000 Std. mil.)		122.2	13.26		132.5	22.47		113.2	16.36
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		144.3	-		195.2	-		103.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	4.3	4.27	1	8.6	8.62	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	4	37.9	18.95	3	59.9	34.59	1	18.0	18.02
50-54	3	39.9	23.06	3	86.5	49.92	0	0.0	0.00
55-59	8	138.8	49.09	7	259.4	98.03	1	32.6	32.65
60-64	7	160.9	60.82	3	152.1	87.79	4	168.3	84.14
65-69	14	429.8	114.88	10	700.8	221.60	4	218.6	109.29
70-74	3	120.8	69.76	2	201.6	142.56	1	67.1	67.07
75-79	7	381.1	144.03	1	141.6	141.64	6	530.5	216.58
80-84	11	1037.7	312.89	1	266.7	266.67	10	1459.9	461.65
85+	15	1920.6	495.90	6	2362.2	964.37	9	1707.8	569.26
Total deaths	73			37			36		
Connecticut									
. Crude rate		32.2	-		33.0	-		31.4	-
. AAMR (1940 Std. mil.)		47.3	5.77		59.9	10.09		35.6	6.33
. AAMR (1970 Std. mil.)		69.5	8.24		80.8	13.76		58.2	9.77
. AAMR (2000 Std. mil.)		95.6	11.88		104.4	19.74		85.9	14.61
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		114.2	-		158.1	-		79.1	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	-	-	0	-	-	0	-	-
5-9	0	-	-	0	-	-	0	-	-
10-14	0	-	-	0	-	-	0	-	-
15-19	0	-	-	0	-	-	0	-	-
20-24	0	-	-	0	-	-	0	-	-
25-29	0	-	-	0	-	-	0	-	-
30-34	0	-	-	0	-	-	0	-	-
35-39	0	-	-	0	-	-	0	-	-
40-44	0	-	-	0	-	-	0	-	-
45-49	0	-	-	0	-	-	0	-	-
50-54	0	-	-	0	-	-	0	-	-
55-59	0	-	-	0	-	-	0	-	-
60-64	0	-	-	0	-	-	0	-	-
65-69	0	-	-	0	-	-	0	-	-
70-74	0	-	-	0	-	-	0	-	-
75-79	0	-	-	0	-	-	0	-	-
80-84	0	-	-	0	-	-	0	-	-
85+	0	-	-	0	-	-	0	-	-
Total deaths	-	-	-	-	-	-	-	-	-
Connecticut									
. Crude rate		-	-		-	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.7	-		6.4	-		5.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	23.0	22.99	0	0.0	0.00	1	42.1	42.07
65-69	1	30.7	30.70	1	70.1	70.08	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	54.4	54.44	0	0.0	0.00	1	88.4	88.42
80-84	1	94.3	94.34	1	266.7	266.67	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	4			2			2		
Connecticut									
. Crude rate		1.8	-		1.8	-		1.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		2.2	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension-related (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	5	47.4	21.18	0	0.0	0.00	5	90.1	40.30
50-54	2	26.6	18.83	2	57.6	40.76	0	0.0	0.00
55-59	3	52.1	30.06	2	74.1	52.40	1	32.6	32.65
60-64	3	69.0	39.82	0	0.0	0.00	3	126.2	72.87
65-69	2	61.4	43.42	1	70.1	70.08	1	54.6	54.64
70-74	6	241.6	98.65	3	302.4	174.60	3	201.2	116.17
75-79	5	272.2	121.72	0	0.0	0.00	5	442.1	197.71
80-84	3	283.0	163.40	1	266.7	266.67	2	292.0	206.45
85+	9	1152.4	384.12	0	0.0	0.00	9	1707.8	569.26
Total deaths	38			9			29		
Connecticut									
. Crude rate		16.8	-		8.0	-		25.3	-
. AAMR (1940 Std. mil.)		23.7	3.99		-	-		28.6	5.66
. AAMR (1970 Std. mil.)		35.2	5.81		-	-		43.9	8.27
. AAMR (2000 Std. mil.)		50.3	8.66		-	-		64.9	12.49
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	5.8	5.77	1	11.8	11.76	0	0.0	0.00
40-44	1	7.4	7.43	1	15.5	15.51	0	0.0	0.00
45-49	2	18.9	13.40	0	0.0	0.00	2	36.0	25.49
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	34.7	24.54	1	37.1	37.05	1	32.6	32.65
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	30.7	30.70	0	0.0	0.00	1	54.6	54.64
70-74	5	201.4	90.06	3	302.4	174.60	2	134.1	94.85
75-79	2	108.9	76.98	1	141.6	141.64	1	88.4	88.42
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	6	768.2	313.64	1	393.7	393.70	5	948.8	424.30
Total deaths	20			8			12		
Connecticut									
. Crude rate		8.8	-		7.1	-		10.5	-
. AAMR (1940 Std. mil.)		11.8	2.78		-	-		-	-
. AAMR (1970 Std. mil.)		17.8	4.11		-	-		-	-
. AAMR (2000 Std. mil.)		26.4	6.34		-	-		-	-
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.2	-		28.6	-		24.1	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	-	-	0	-	-	0	-	-
5-9	0	-	-	0	-	-	0	-	-
10-14	0	-	-	0	-	-	0	-	-
15-19	0	-	-	0	-	-	0	-	-
20-24	0	-	-	0	-	-	0	-	-
25-29	0	-	-	0	-	-	0	-	-
30-34	0	-	-	0	-	-	0	-	-
35-39	0	-	-	0	-	-	0	-	-
40-44	0	-	-	0	-	-	0	-	-
45-49	0	-	-	0	-	-	0	-	-
50-54	0	-	-	0	-	-	0	-	-
55-59	0	-	-	0	-	-	0	-	-
60-64	0	-	-	0	-	-	0	-	-
65-69	0	-	-	0	-	-	0	-	-
70-74	0	-	-	0	-	-	0	-	-
75-79	0	-	-	0	-	-	0	-	-
80-84	0	-	-	0	-	-	0	-	-
85+	0	-	-	0	-	-	0	-	-
Total deaths	-			-			-		
Connecticut									
. Crude rate		-	-		-	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.4	-		2.8	-		2.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.7	3.71	1	7.2	7.19	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	1	5.8	5.77	1	11.8	11.76	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	2			2			-		
Connecticut									
. Crude rate		0.9	-		1.8	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.4	-		5.6	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	7.4	5.24	0	0.0	0.00	2	15.3	10.82
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	14.9	10.51	1	15.5	15.51	1	14.3	14.27
45-49	1	9.5	9.47	1	20.0	19.97	0	0.0	0.00
50-54	1	13.3	13.31	1	28.8	28.82	0	0.0	0.00
55-59	1	17.4	17.36	1	37.1	37.05	0	0.0	0.00
60-64	1	23.0	22.99	1	50.7	50.68	0	0.0	0.00
65-69	1	30.7	30.70	1	70.1	70.08	0	0.0	0.00
70-74	2	80.5	56.96	1	100.8	100.81	1	67.1	67.07
75-79	1	54.4	54.44	1	141.6	141.64	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	3	384.1	221.77	2	787.4	556.78	1	189.8	189.75
Total deaths	15			10			5		
Connecticut									
. Crude rate		6.6	-		8.9	-		4.4	-
. AAMR (1940 Std. mil.)		8.6	2.37		-	-		-	-
. AAMR (1970 Std. mil.)		11.7	3.21		-	-		-	-
. AAMR (2000 Std. mil.)		16.0	4.68		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.6	-		16.7	-		10.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	4.3	4.27	0	0.0	0.00	1	8.5	8.46
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	9.5	9.47	0	0.0	0.00	1	18.0	18.02
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	34.7	24.54	1	37.1	37.05	1	32.6	32.65
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	3	92.1	53.18	2	140.2	99.10	1	54.6	54.64
70-74	1	40.3	40.27	0	0.0	0.00	1	67.1	67.07
75-79	1	54.4	54.44	0	0.0	0.00	1	88.4	88.42
80-84	3	283.0	163.40	1	266.7	266.67	2	292.0	206.45
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	12			4			8		
Connecticut									
. Crude rate		5.3	-		3.6	-		7.0	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		19.9	-		26.4	-		15.4	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----COPD-related (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	4.3	4.27	0	0.0	0.00	1	8.5	8.46
30-34	1	4.6	4.60	0	0.0	0.00	1	9.1	9.05
35-39	1	5.8	5.77	1	11.8	11.76	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	9.5	9.47	0	0.0	0.00	1	18.0	18.02
50-54	2	26.6	18.83	0	0.0	0.00	2	49.5	34.99
55-59	2	34.7	24.54	1	37.1	37.05	1	32.6	32.65
60-64	2	46.0	32.51	1	50.7	50.68	1	42.1	42.07
65-69	7	214.9	81.23	3	210.2	121.38	4	218.6	109.29
70-74	3	120.8	69.76	1	100.8	100.81	2	134.1	94.85
75-79	4	217.7	108.87	1	141.6	141.64	3	265.3	153.14
80-84	4	377.4	188.68	1	266.7	266.67	3	438.0	252.85
85+	4	512.2	256.08	3	1181.1	681.91	1	189.8	189.75
Total deaths	32			12			20		
Connecticut									
. Crude rate		14.1	-		10.7	-		17.4	-
. AAMR (1940 Std. mil.)		21.0	3.86		-	-		23.2	5.40
. AAMR (1970 Std. mil.)		29.3	5.35		-	-		30.7	7.08
. AAMR (2000 Std. mil.)		38.6	7.33		-	-		38.5	9.03
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	9.5	9.47	0	0.0	0.00	1	18.0	18.02
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	30.7	30.70	1	70.1	70.08	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	2			1			1		
Connecticut									
. Crude rate		0.9	-		0.9	-		0.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.4	-		1.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	9.2	6.50	1	9.3	9.34	1	9.1	9.05
35-39	1	5.8	5.77	1	11.8	11.76	0	0.0	0.00
40-44	3	22.3	12.87	2	31.0	21.93	1	14.3	14.27
45-49	1	9.5	9.47	0	0.0	0.00	1	18.0	18.02
50-54	2	26.6	18.83	2	57.6	40.76	0	0.0	0.00
55-59	2	34.7	24.54	2	74.1	52.40	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	3	92.1	53.18	2	140.2	99.10	1	54.6	54.64
70-74	1	40.3	40.27	0	0.0	0.00	1	67.1	67.07
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	15			10			5		
Connecticut									
. Crude rate		6.6	-		8.9	-		4.4	-
. AAMR (1940 Std. mil.)		9.6	2.59		-	-		-	-
. AAMR (1970 Std. mil.)		10.1	2.85		-	-		-	-
. AAMR (2000 Std. mil.)		11.4	3.13		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.1	-		11.6	-		4.7	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.4	4.38	1	8.6	8.63	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	3	52.1	30.06	2	74.1	52.40	1	32.6	32.65
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	30.7	30.70	0	0.0	0.00	1	54.6	54.64
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	54.4	54.44	1	141.6	141.64	0	0.0	0.00
80-84	1	94.3	94.34	0	0.0	0.00	1	146.0	145.99
85+	3	384.1	221.77	1	393.7	393.70	2	379.5	268.35
Total deaths	10			5			5		
Connecticut									
. Crude rate		4.4	-		4.5	-		4.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.4	-		5.4	-		3.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis-related (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	5.1	5.06	0	0.0	0.00	1	10.5	10.53
20-24	1	4.4	4.38	1	8.6	8.63	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	9.2	6.50	2	18.7	13.20	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	7.4	7.43	1	15.5	15.51	0	0.0	0.00
45-49	2	18.9	13.40	1	20.0	19.97	1	18.0	18.02
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	4	69.4	34.71	3	111.2	64.17	1	32.6	32.65
60-64	3	69.0	39.82	0	0.0	0.00	3	126.2	72.87
65-69	3	92.1	53.18	2	140.2	99.10	1	54.6	54.64
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	4	217.7	108.87	2	283.3	200.31	2	176.8	125.04
80-84	8	754.7	266.83	4	1066.7	533.33	4	583.9	291.97
85+	5	640.2	286.31	1	393.7	393.70	4	759.0	379.51
Total deaths	34			17			17		
Connecticut									
. Crude rate		15.0	-		15.2	-		14.8	-
. AAMR (1940 Std. mil.)		20.2	3.60		24.0	6.06		17.2	4.45
. AAMR (1970 Std. mil.)		29.8	5.31		34.4	9.15		26.4	6.49
. AAMR (2000 Std. mil.)		41.8	7.83		47.6	13.53		37.4	9.46
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	4.4	4.38	1	8.6	8.63	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	3	52.1	30.06	2	74.1	52.40	1	32.6	32.65
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	30.7	30.70	0	0.0	0.00	1	54.6	54.64
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	54.4	54.44	1	141.6	141.64	0	0.0	0.00
80-84	1	94.3	94.34	0	0.0	0.00	1	146.0	145.99
85+	3	384.1	221.77	1	393.7	393.70	2	379.5	268.35
Total deaths	10			5			5		
Connecticut									
. Crude rate		4.4	-		4.5	-		4.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.1	-		6.4	-		4.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	7.4	5.24	2	14.4	10.16	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.7	4.69	1	9.2	9.23	0	0.0	0.00
15-19	3	15.2	8.76	3	29.2	16.84	0	0.0	0.00
20-24	5	21.9	9.80	4	34.5	17.26	1	8.9	8.90
25-29	5	21.3	9.55	5	43.1	19.27	0	0.0	0.00
30-34	5	23.0	10.28	5	46.7	20.88	0	0.0	0.00
35-39	5	28.8	12.90	5	58.8	26.29	0	0.0	0.00
40-44	4	29.7	14.86	3	46.5	26.86	1	14.3	14.27
45-49	2	18.9	13.40	1	20.0	19.97	1	18.0	18.02
50-54	1	13.3	13.31	1	28.8	28.82	0	0.0	0.00
55-59	2	34.7	24.54	1	37.1	37.05	1	32.6	32.65
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	40.3	40.27	1	100.8	100.81	0	0.0	0.00
75-79	1	54.4	54.44	1	141.6	141.64	0	0.0	0.00
80-84	1	94.3	94.34	1	266.7	266.67	0	0.0	0.00
85+	1	128.0	128.04	0	0.0	0.00	1	189.8	189.75
Total deaths	39			34			5		
Connecticut									
. Crude rate		17.2	-		30.3	-		4.4	-
. AAMR (1940 Std. mil.)		17.8	2.96		32.0	5.83		-	-
. AAMR (1970 Std. mil.)		18.0	3.25		32.1	6.65		-	-
. AAMR (2000 Std. mil.)		21.5	4.26		37.6	8.54		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		29.5	-		43.1	-		16.4	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.7	3.71	1	7.2	7.19	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	3	15.2	8.76	3	29.2	16.84	0	0.0	0.00
20-24	4	17.5	8.76	3	25.9	14.95	1	8.9	8.90
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	4.6	4.60	1	9.3	9.34	0	0.0	0.00
35-39	1	5.8	5.77	1	11.8	11.76	0	0.0	0.00
40-44	1	7.4	7.43	1	15.5	15.51	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	13.3	13.31	1	28.8	28.82	0	0.0	0.00
55-59	1	17.4	17.36	0	0.0	0.00	1	32.6	32.65
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	13			11			2		
Connecticut									
. Crude rate		5.7	-		9.8	-		1.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.9	-		22.2	-		9.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	17.4	17.36	1	37.1	37.05	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	128.0	128.04	0	0.0	0.00	1	189.8	189.75
Total deaths	2			1			1		
Connecticut									
. Crude rate		0.9	-		0.9	-		0.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.4	-		3.5	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	-	-	0	-	-	0	-	-
5-9	0	-	-	0	-	-	0	-	-
10-14	0	-	-	0	-	-	0	-	-
15-19	0	-	-	0	-	-	0	-	-
20-24	0	-	-	0	-	-	0	-	-
25-29	0	-	-	0	-	-	0	-	-
30-34	0	-	-	0	-	-	0	-	-
35-39	0	-	-	0	-	-	0	-	-
40-44	0	-	-	0	-	-	0	-	-
45-49	0	-	-	0	-	-	0	-	-
50-54	0	-	-	0	-	-	0	-	-
55-59	0	-	-	0	-	-	0	-	-
60-64	0	-	-	0	-	-	0	-	-
65-69	0	-	-	0	-	-	0	-	-
70-74	0	-	-	0	-	-	0	-	-
75-79	0	-	-	0	-	-	0	-	-
80-84	0	-	-	0	-	-	0	-	-
85+	0	-	-	0	-	-	0	-	-
Total deaths	-			-			-		
Connecticut									
. Crude rate		-	-		-	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		2.7	-		0.5	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	-	-	0	-	-	0	-	-
5-9	0	-	-	0	-	-	0	-	-
10-14	0	-	-	0	-	-	0	-	-
15-19	0	-	-	0	-	-	0	-	-
20-24	0	-	-	0	-	-	0	-	-
25-29	0	-	-	0	-	-	0	-	-
30-34	0	-	-	0	-	-	0	-	-
35-39	0	-	-	0	-	-	0	-	-
40-44	0	-	-	0	-	-	0	-	-
45-49	0	-	-	0	-	-	0	-	-
50-54	0	-	-	0	-	-	0	-	-
55-59	0	-	-	0	-	-	0	-	-
60-64	0	-	-	0	-	-	0	-	-
65-69	0	-	-	0	-	-	0	-	-
70-74	0	-	-	0	-	-	0	-	-
75-79	0	-	-	0	-	-	0	-	-
80-84	0	-	-	0	-	-	0	-	-
85+	0	-	-	0	-	-	0	-	-
Total deaths	-			-			-		
Connecticut									
. Crude rate		-	-		-	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.3	-		1.7	-		1.0	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	1	4.7	4.69	1	9.2	9.23	0	-	-
15-19	1	5.1	5.06	1	9.7	9.72	0	-	-
20-24	4	17.5	8.76	4	34.5	17.26	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	1	4.6	4.60	1	9.3	9.34	0	-	-
35-39	2	11.5	8.16	2	23.5	16.63	0	-	-
40-44	2	14.9	10.51	2	31.0	21.93	0	-	-
45-49	2	18.9	13.40	2	39.9	28.24	0	-	-
50-54	1	13.3	13.31	1	28.8	28.82	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	14			14			-		
Connecticut									
. Crude rate		6.2	-		12.5	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.2	-		18.4	-		4.3	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	7.4	5.24	1	7.2	7.19	1	7.7	7.65
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.7	4.69	1	9.2	9.23	0	0.0	0.00
15-19	9	45.5	15.17	9	87.5	29.17	0	0.0	0.00
20-24	10	43.8	13.85	8	69.0	24.41	2	17.8	12.58
25-29	7	29.9	11.30	7	60.3	22.81	0	0.0	0.00
30-34	10	46.0	14.54	10	93.4	29.53	0	0.0	0.00
35-39	4	23.1	11.54	3	35.3	20.37	1	11.3	11.33
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	43			39			4		
Connecticut									
. Crude rate		19.0	-		34.8	-		3.5	-
. AAMR (1940 Std. mil.)		16.9	2.60		30.6	4.92		-	-
. AAMR (1970 Std. mil.)		14.7	2.31		26.5	4.35		-	-
. AAMR (2000 Std. mil.)		14.1	2.18		25.5	4.13		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.6	-		16.8	-		4.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	7.4	5.24	1	7.2	7.19	1	7.7	7.65
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.7	4.69	1	9.2	9.23	0	0.0	0.00
15-19	9	45.5	15.17	9	87.5	29.17	0	0.0	0.00
20-24	10	43.8	13.85	8	69.0	24.41	2	17.8	12.58
25-29	6	25.6	10.46	6	51.7	21.11	0	0.0	0.00
30-34	10	46.0	14.54	10	93.4	29.53	0	0.0	0.00
35-39	4	23.1	11.54	3	35.3	20.37	1	11.3	11.33
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	42			38			4		
Connecticut									
. Crude rate		18.5	-		33.9	-		3.5	-
. AAMR (1940 Std. mil.)		16.5	2.57		29.9	4.87		-	-
. AAMR (1970 Std. mil.)		14.5	2.29		25.9	4.31		-	-
. AAMR (2000 Std. mil.)		13.8	2.16		24.9	4.09		-	-
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.5	-		16.5	-		4.4	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	14.8	7.41	3	21.6	12.45	1	7.7	7.65
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	3	14.1	8.13	3	27.7	15.99	0	0.0	0.00
15-19	13	65.7	18.23	13	126.4	35.06	0	0.0	0.00
20-24	19	83.2	19.10	16	138.1	34.52	3	26.7	15.41
25-29	12	51.2	14.79	12	103.4	29.86	0	0.0	0.00
30-34	16	73.5	18.39	16	149.4	37.35	0	0.0	0.00
35-39	12	69.2	19.99	11	129.3	39.00	1	11.3	11.33
40-44	6	44.6	18.20	5	77.5	34.68	1	14.3	14.27
45-49	6	56.8	23.20	5	99.9	44.66	1	18.0	18.02
50-54	2	26.6	18.83	2	57.6	40.76	0	0.0	0.00
55-59	2	34.7	24.54	1	37.1	37.05	1	32.6	32.65
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	40.3	40.27	1	100.8	100.81	0	0.0	0.00
75-79	1	54.4	54.44	1	141.6	141.64	0	0.0	0.00
80-84	1	94.3	94.34	1	266.7	266.67	0	0.0	0.00
85+	1	128.0	128.04	0	0.0	0.00	1	189.8	189.75
Total deaths	99			90			9		
Connecticut									
. Crude rate		43.7	-		80.3	-		7.9	-
. AAMR (1940 Std. mil.)		42.9	4.43		79.3	8.70		-	-
. AAMR (1970 Std. mil.)		40.2	4.41		73.8	8.84		-	-
. AAMR (2000 Std. mil.)		44.0	5.25		80.3	10.50		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		52.1	-		79.7	-		25.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	3.7	3.71	1	7.2	7.19	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	3	15.2	8.76	3	29.2	16.84	0	0.0	0.00
20-24	4	17.5	8.76	3	25.9	14.95	1	8.9	8.90
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	4.6	4.60	1	9.3	9.34	0	0.0	0.00
35-39	1	5.8	5.77	1	11.8	11.76	0	0.0	0.00
40-44	1	7.4	7.43	1	15.5	15.51	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	13.3	13.31	1	28.8	28.82	0	0.0	0.00
55-59	1	17.4	17.36	0	0.0	0.00	1	32.6	32.65
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	13			11			2		
Connecticut									
. Crude rate		5.7	-		9.8	-		1.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.6	-		21.8	-		9.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	17.4	17.36	1	37.1	37.05	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	128.0	128.04	0	0.0	0.00	1	189.8	189.75
Total deaths	2			1			1		
Connecticut									
. Crude rate		0.9	-		0.9	-		0.9	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		3.4	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.7	4.69	1	9.2	9.23	0	0.0	0.00
15-19	10	50.6	15.99	10	97.2	30.75	0	0.0	0.00
20-24	12	52.6	15.18	10	86.3	27.29	2	17.8	12.58
25-29	4	17.1	8.54	4	34.5	17.24	0	0.0	0.00
30-34	7	32.2	12.16	7	65.4	24.70	0	0.0	0.00
35-39	5	28.8	12.90	5	58.8	26.29	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	9.5	9.47	1	20.0	19.97	0	0.0	0.00
50-54	1	13.3	13.31	1	28.8	28.82	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	41			39			2		
Connecticut									
. Crude rate		18.1	-		34.8	-		1.7	-
. AAMR (1940 Std. mil.)		17.1	2.72		32.6	5.32		-	-
. AAMR (1970 Std. mil.)		15.3	2.47		29.0	4.82		-	-
. AAMR (2000 Std. mil.)		14.7	2.40		28.3	4.78		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.0	-		25.8	-		4.1	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	1	5.1	5.06	1	9.7	9.72	0	-	-
20-24	2	8.8	6.20	2	17.3	12.21	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	2	11.5	8.16	2	23.5	16.63	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	1	9.5	9.47	1	20.0	19.97	0	-	-
50-54	1	13.3	13.31	1	28.8	28.82	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	7			7			-		
Connecticut									
. Crude rate		3.1	-		6.2	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.7	-		11.8	-		1.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.7	4.69	1	9.2	9.23	0	0.0	0.00
15-19	9	45.5	15.17	9	87.5	29.17	0	0.0	0.00
20-24	9	39.4	13.14	7	60.4	22.84	2	17.8	12.58
25-29	3	12.8	7.39	3	25.9	14.93	0	0.0	0.00
30-34	7	32.2	12.16	7	65.4	24.70	0	0.0	0.00
35-39	3	17.3	9.99	3	35.3	20.37	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	32			30			2		
Connecticut									
. Crude rate		14.1	-		26.8	-		1.7	-
. AAMR (1940 Std. mil.)		13.0	2.31		24.2	4.43		-	-
. AAMR (1970 Std. mil.)		11.5	2.09		21.3	3.99		-	-
. AAMR (2000 Std. mil.)		10.8	1.92		20.2	3.73		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.4	-		12.5	-		2.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.7	4.69	1	9.2	9.23	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	4	17.1	8.54	4	34.5	17.24	0	0.0	0.00
30-34	5	23.0	10.28	5	46.7	20.88	0	0.0	0.00
35-39	4	23.1	11.54	4	47.0	23.52	0	0.0	0.00
40-44	3	22.3	12.87	2	31.0	21.93	1	14.3	14.27
45-49	4	37.9	18.95	3	59.9	34.59	1	18.0	18.02
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	21			19			2		
Connecticut									
. Crude rate		9.3	-		16.9	-		1.7	-
. AAMR (1940 Std. mil.)		9.2	2.04		16.6	3.90		-	-
. AAMR (1970 Std. mil.)		7.7	1.77		13.8	3.34		-	-
. AAMR (2000 Std. mil.)		9.5	2.19		16.9	4.12		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.3	-		7.1	-		3.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	9.2	6.50	1	9.3	9.34	1	9.1	9.05
35-39	1	5.8	5.77	1	11.8	11.76	0	0.0	0.00
40-44	5	37.2	16.62	4	62.0	31.02	1	14.3	14.27
45-49	1	9.5	9.47	1	20.0	19.97	0	0.0	0.00
50-54	1	13.3	13.31	1	28.8	28.82	0	0.0	0.00
55-59	1	17.4	17.36	1	37.1	37.05	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	3	92.1	53.18	2	140.2	99.10	1	54.6	54.64
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	14			11			3		
Connecticut									
. Crude rate		6.2	-		9.8	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		11.0	-		3.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1992

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	4.7	4.69	1	9.2	9.23	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	4	17.1	8.54	4	34.5	17.24	0	0.0	0.00
30-34	6	27.6	11.26	6	56.0	22.87	0	0.0	0.00
35-39	5	28.8	12.90	5	58.8	26.29	0	0.0	0.00
40-44	2	14.9	10.51	1	15.5	15.51	1	14.3	14.27
45-49	4	37.9	18.95	3	59.9	34.59	1	18.0	18.02
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	22			20			2		
Connecticut									
. Crude rate		9.7	-		17.8	-		1.7	-
. AAMR (1940 Std. mil.)		9.5	2.06		17.1	3.92		-	-
. AAMR (1970 Std. mil.)		7.9	1.76		14.1	3.32		-	-
. AAMR (2000 Std. mil.)		9.7	2.18		17.2	4.08		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.3	-		5.9	-		2.7	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher