

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All causes-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	124	218.5	19.63	64	218.0	27.25	60	219.1	28.29
5-9	11	23.2	6.99	9	37.0	12.34	2	8.6	6.10
10-14	21	48.3	10.55	12	54.4	15.71	9	42.0	14.01
15-19	51	122.2	17.12	38	174.6	28.33	13	65.1	18.06
20-24	54	121.0	16.47	42	181.3	27.98	12	55.9	16.14
25-29	93	199.2	20.65	63	270.3	34.06	30	128.3	23.42
30-34	106	231.5	22.48	83	368.1	40.40	23	98.9	20.63
35-39	116	312.0	28.97	87	477.8	51.23	29	152.8	28.38
40-44	105	366.4	35.76	83	596.9	65.51	22	149.2	31.80
45-49	96	424.3	43.30	68	633.6	76.84	28	235.4	44.49
50-54	80	486.9	54.44	54	707.4	96.26	26	295.6	57.98
55-59	97	794.5	80.67	66	1181.1	145.38	31	468.2	84.09
60-64	80	899.0	100.51	50	1223.7	173.06	30	623.3	113.80
65-69	85	1257.2	136.36	48	1622.2	234.14	37	973.2	159.99
70-74	83	1596.5	175.23	46	2209.4	325.76	37	1187.0	195.15
75-79	95	2536.7	260.26	46	3267.0	481.70	49	2096.7	299.53
80-84	85	3637.1	394.50	31	3600.5	646.66	54	3658.5	497.86
85+	89	5238.4	555.27	34	6060.6	1039.39	55	4833.0	651.69
Total deaths	1,471			924			547		
Connecticut									
. Crude rate		311.5	-		394.0	-		230.1	-
. AAMR (1940 Std. mil.)		380.8	10.51		523.7	18.50		256.7	11.61
. AAMR (1970 Std. mil.)		454.5	13.17		607.0	23.33		327.0	14.97
. AAMR (2000 Std. mil.)		564.6	17.37		744.4	31.11		417.4	19.97
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		513.0	-		664.7	-		388.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	6	10.6	4.32	3	10.2	5.90	3	11.0	6.33
5-9	1	2.1	2.11	1	4.1	4.11	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	4.8	3.39	0	0.0	0.00	2	10.0	7.09
20-24	6	13.4	5.49	4	17.3	8.63	2	9.3	6.59
25-29	36	77.1	12.85	19	81.5	18.70	17	72.7	17.63
30-34	45	98.3	14.65	32	141.9	25.09	13	55.9	15.51
35-39	45	121.0	18.04	31	170.3	30.58	14	73.8	19.72
40-44	42	146.6	22.62	34	244.5	41.93	8	54.2	19.18
45-49	25	110.5	22.10	22	205.0	43.70	3	25.2	14.56
50-54	8	48.7	17.22	7	91.7	34.66	1	11.4	11.37
55-59	6	49.1	20.06	5	89.5	40.02	1	15.1	15.10
60-64	3	33.7	19.46	2	48.9	34.61	1	20.8	20.78
65-69	5	74.0	33.07	4	135.2	67.59	1	26.3	26.30
70-74	1	19.2	19.23	1	48.0	48.03	0	0.0	0.00
75-79	3	80.1	46.25	3	213.1	123.01	0	0.0	0.00
80-84	5	213.9	95.68	0	0.0	0.00	5	338.8	151.50
85+	2	117.7	83.24	0	0.0	0.00	2	175.7	124.27
Total deaths	241			168			73		
Connecticut									
. Crude rate		51.0	-		71.6	-		30.7	-
. AAMR (1940 Std. mil.)		53.4	3.57		80.1	6.51		28.9	3.48
. AAMR (1970 Std. mil.)		49.5	3.57		73.4	6.49		27.6	3.55
. AAMR (2000 Std. mil.)		61.5	4.54		89.9	7.88		34.9	4.77
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.5	-		33.3	-		10.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.5	2.49	1	3.4	3.41	1	3.7	3.65
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.1	2.14	0	0.0	0.00	1	4.3	4.28
30-34	2	4.4	3.09	0	0.0	0.00	2	8.6	6.08
35-39	1	2.7	2.69	0	0.0	0.00	1	5.3	5.27
40-44	2	7.0	4.94	1	7.2	7.19	1	6.8	6.78
45-49	2	8.8	6.25	2	18.6	13.18	0	0.0	0.00
50-54	1	6.1	6.09	0	0.0	0.00	1	11.4	11.37
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	22.5	15.89	1	24.5	24.47	1	20.8	20.78
65-69	1	14.8	14.79	1	33.8	33.80	0	0.0	0.00
70-74	1	19.2	19.23	1	48.0	48.03	0	0.0	0.00
75-79	2	53.4	37.76	2	142.0	100.44	0	0.0	0.00
80-84	5	213.9	95.68	0	0.0	0.00	5	338.8	151.50
85+	1	58.9	58.86	0	0.0	0.00	1	87.9	87.87
Total deaths	23			9			14		
Connecticut									
. Crude rate		4.9	-		3.8	-		5.9	-
. AAMR (1940 Std. mil.)		6.0	1.31		-	-		-	-
. AAMR (1970 Std. mil.)		7.9	1.81		-	-		-	-
. AAMR (2000 Std. mil.)		10.7	2.54		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.8	-		4.5	-		3.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Septicemia-related (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	7.0	3.52	1	3.4	3.41	3	11.0	6.33
5-9	1	2.1	2.11	1	4.1	4.11	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	4.8	3.39	0	0.0	0.00	2	10.0	7.09
20-24	1	2.2	2.24	1	4.3	4.32	0	0.0	0.00
25-29	3	6.4	3.71	1	4.3	4.29	2	8.6	6.05
30-34	7	15.3	5.78	4	17.7	8.87	3	12.9	7.45
35-39	3	8.1	4.66	1	5.5	5.49	2	10.5	7.45
40-44	7	24.4	9.23	5	36.0	16.08	2	13.6	9.59
45-49	3	13.3	7.66	3	28.0	16.14	0	0.0	0.00
50-54	4	24.3	12.17	3	39.3	22.69	1	11.4	11.37
55-59	2	16.4	11.58	2	35.8	25.31	0	0.0	0.00
60-64	5	56.2	25.13	2	48.9	34.61	3	62.3	35.99
65-69	6	88.7	36.23	4	135.2	67.59	2	52.6	37.20
70-74	3	57.7	33.32	2	96.1	67.93	1	32.1	32.08
75-79	8	213.6	75.53	5	355.1	158.81	3	128.4	74.11
80-84	10	427.9	135.31	1	116.1	116.14	9	609.8	203.25
85+	5	294.3	131.61	1	178.3	178.25	4	351.5	175.75
Total deaths	74			37			37		
Connecticut									
. Crude rate		15.7	-		15.8	-		15.6	-
. AAMR (1940 Std. mil.)		19.7	2.41		23.8	4.14		16.2	2.82
. AAMR (1970 Std. mil.)		25.5	3.25		28.9	5.39		22.4	3.94
. AAMR (2000 Std. mil.)		33.6	4.48		36.0	7.05		30.7	5.62
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.3	3.05	2	6.8	4.82	1	3.7	3.65
5-9	1	2.1	2.11	1	4.1	4.11	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	4	9.0	4.48	2	8.6	6.11	2	9.3	6.59
25-29	34	72.8	12.49	18	77.2	18.20	16	68.4	17.11
30-34	40	87.3	13.81	29	128.6	23.88	11	47.3	14.27
35-39	39	104.9	16.80	27	148.3	28.54	12	63.2	18.26
40-44	33	115.2	20.05	27	194.2	37.37	6	40.7	16.61
45-49	20	88.4	19.77	17	158.4	38.42	3	25.2	14.56
50-54	7	42.6	16.10	7	91.7	34.66	0	0.0	0.00
55-59	5	41.0	18.31	4	71.6	35.79	1	15.1	15.10
60-64	1	11.2	11.24	1	24.5	24.47	0	0.0	0.00
65-69	3	44.4	25.62	3	101.4	58.54	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	190			138			52		
Connecticut									
. Crude rate		40.2	-		58.8	-		21.9	-
. AAMR (1940 Std. mil.)		41.0	3.08		63.8	5.69		20.1	2.83
. AAMR (1970 Std. mil.)		35.3	2.78		56.1	5.31		16.4	2.36
. AAMR (2000 Std. mil.)		42.9	3.33		68.4	6.29		19.6	2.86
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.8	-		24.1	-		3.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.3	3.05	2	6.8	4.82	1	3.7	3.65
5-9	1	2.1	2.11	0	0.0	0.00	1	4.3	4.32
10-14	1	2.3	2.30	1	4.5	4.54	0	0.0	0.00
15-19	2	4.8	3.39	0	0.0	0.00	2	10.0	7.09
20-24	4	9.0	4.48	2	8.6	6.11	2	9.3	6.59
25-29	3	6.4	3.71	3	12.9	7.43	0	0.0	0.00
30-34	9	19.7	6.55	7	31.0	11.73	2	8.6	6.08
35-39	8	21.5	7.61	5	27.5	12.28	3	15.8	9.13
40-44	8	27.9	9.87	5	36.0	16.08	3	20.3	11.74
45-49	20	88.4	19.77	10	93.2	29.47	10	84.1	26.59
50-54	16	97.4	24.35	8	104.8	37.05	8	91.0	32.16
55-59	22	180.2	38.42	12	214.7	61.99	10	151.0	47.76
60-64	23	258.5	53.89	15	367.1	94.79	8	166.2	58.77
65-69	28	414.1	78.27	17	574.5	139.34	11	289.3	87.23
70-74	21	403.9	88.14	14	672.4	179.71	7	224.6	84.88
75-79	16	427.2	106.81	9	639.2	213.07	7	299.5	113.21
80-84	17	727.4	176.43	8	929.2	328.50	9	609.8	203.25
85+	7	412.0	155.72	3	534.8	308.74	4	351.5	175.75
Total deaths	209			121			88		
Connecticut									
. Crude rate		44.3	-		51.6	-		37.0	-
. AAMR (1940 Std. mil.)		65.8	4.72		87.8	8.32		49.2	5.43
. AAMR (1970 Std. mil.)		81.2	5.93		109.6	10.79		60.5	6.69
. AAMR (2000 Std. mil.)		96.6	7.27		130.7	13.50		72.5	8.17
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		132.6	-		161.8	-		111.2	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	12.2	8.61	2	26.2	18.53	0	0.0	0.00
55-59	1	8.2	8.19	1	17.9	17.90	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	1	19.2	19.23	1	48.0	48.03	0	0.0	0.00
75-79	1	26.7	26.70	1	71.0	71.02	0	0.0	0.00
80-84	1	42.8	42.79	0	0.0	0.00	1	67.8	67.75
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	6			5			1		
Connecticut									
. Crude rate		1.3	-		2.1	-		0.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.5	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.2	2.18	1	4.4	4.43	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	3.5	3.49	1	7.2	7.19	0	0.0	0.00
45-49	2	8.8	6.25	2	18.6	13.18	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	4	32.8	16.38	3	53.7	31.00	1	15.1	15.10
60-64	1	11.2	11.24	1	24.5	24.47	0	0.0	0.00
65-69	1	14.8	14.79	1	33.8	33.80	0	0.0	0.00
70-74	3	57.7	33.32	2	96.1	67.93	1	32.1	32.08
75-79	3	80.1	46.25	2	142.0	100.44	1	42.8	42.79
80-84	2	85.6	60.51	1	116.1	116.14	1	67.8	67.75
85+	1	58.9	58.86	0	0.0	0.00	1	87.9	87.87
Total deaths	19			14			5		
Connecticut									
. Crude rate		4.0	-		6.0	-		2.1	-
. AAMR (1940 Std. mil.)		6.0	1.40		-	-		-	-
. AAMR (1970 Std. mil.)		7.9	1.88		-	-		-	-
. AAMR (2000 Std. mil.)		10.0	2.46		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.0	-		15.8	-		11.1	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.2	2.18	1	4.4	4.43	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	3.5	3.49	1	7.2	7.19	0	0.0	0.00
45-49	2	8.8	6.25	2	18.6	13.18	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	16.4	11.58	1	17.9	17.90	1	15.1	15.10
60-64	1	11.2	11.24	1	24.5	24.47	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	38.5	27.20	1	48.0	48.03	1	32.1	32.08
75-79	3	80.1	46.25	2	142.0	100.44	1	42.8	42.79
80-84	2	85.6	60.51	1	116.1	116.14	1	67.8	67.75
85+	1	58.9	58.86	0	0.0	0.00	1	87.9	87.87
Total deaths	15			10			5		
Connecticut									
. Crude rate		3.2	-		4.3	-		2.1	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.9	-		13.1	-		9.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	0	0.0	0.00	0	0.0	0.00	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	2	16.4	11.58	2	35.8	25.31	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	1	14.8	14.79	1	33.8	33.80	0	-	-
70-74	1	19.2	19.23	1	48.0	48.03	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	4			4			-		
Connecticut									
. Crude rate		0.8	-		1.7	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.5	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.7	2.69	1	5.5	5.49	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	6.1	6.09	0	0.0	0.00	1	11.4	11.37
55-59	1	8.2	8.19	1	17.9	17.90	0	0.0	0.00
60-64	1	11.2	11.24	1	24.5	24.47	0	0.0	0.00
65-69	1	14.8	14.79	0	0.0	0.00	1	26.3	26.30
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	5			3			2		
Connecticut									
. Crude rate		1.1	-		1.3	-		0.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.3	-		7.4	-		5.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.2	2.18	1	4.4	4.43	0	0.0	0.00
35-39	1	2.7	2.69	1	5.5	5.49	0	0.0	0.00
40-44	2	7.0	4.94	2	14.4	10.17	0	0.0	0.00
45-49	4	17.7	8.84	3	28.0	16.14	1	8.4	8.41
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	3	24.6	14.19	3	53.7	31.00	0	0.0	0.00
60-64	3	33.7	19.46	2	48.9	34.61	1	20.8	20.78
65-69	9	133.1	44.37	8	270.4	95.59	1	26.3	26.30
70-74	3	57.7	33.32	1	48.0	48.03	2	64.2	45.37
75-79	7	186.9	70.65	4	284.1	142.05	3	128.4	74.11
80-84	1	42.8	42.79	1	116.1	116.14	0	0.0	0.00
85+	1	58.9	58.86	1	178.3	178.25	0	0.0	0.00
Total deaths	35			27			8		
Connecticut									
. Crude rate		7.4	-		11.5	-		3.4	-
. AAMR (1940 Std. mil.)		11.7	2.04		20.7	4.11		-	-
. AAMR (1970 Std. mil.)		14.9	2.63		26.4	5.39		-	-
. AAMR (2000 Std. mil.)		17.8	3.19		31.7	6.79		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		40.8	-		58.1	-		27.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.2	2.18	1	4.4	4.43	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	2	7.0	4.94	2	14.4	10.17	0	0.0	0.00
45-49	4	17.7	8.84	3	28.0	16.14	1	8.4	8.41
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	3	24.6	14.19	3	53.7	31.00	0	0.0	0.00
60-64	2	22.5	15.89	1	24.5	24.47	1	20.8	20.78
65-69	8	118.3	41.83	8	270.4	95.59	0	0.0	0.00
70-74	3	57.7	33.32	1	48.0	48.03	2	64.2	45.37
75-79	7	186.9	70.65	4	284.1	142.05	3	128.4	74.11
80-84	1	42.8	42.79	1	116.1	116.14	0	0.0	0.00
85+	1	58.9	58.86	1	178.3	178.25	0	0.0	0.00
Total deaths	32			25			7		
Connecticut									
. Crude rate		6.8	-		10.7	-		2.9	-
. AAMR (1940 Std. mil.)		10.7	1.94		19.4	3.99		-	-
. AAMR (1970 Std. mil.)		13.8	2.53		25.0	5.28		-	-
. AAMR (2000 Std. mil.)		16.7	3.11		30.4	6.71		-	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.2	-		55.7	-		26.5	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Malignant melanoma of skin (172)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.1	2.14	1	4.3	4.29	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	11.2	11.24	0	0.0	0.00	1	20.8	20.78
65-69	1	14.8	14.79	0	0.0	0.00	1	26.3	26.30
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	3			1			2		
Connecticut									
. Crude rate		0.6	-		0.4	-		0.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.5	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	2.2	2.24	-	-	-	1	4.7	4.66
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	1	2.2	2.18	-	-	-	1	4.3	4.30
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	3.5	3.49	-	-	-	1	6.8	6.78
45-49	4	17.7	8.84	-	-	-	4	33.6	16.82
50-54	2	12.2	8.61	-	-	-	2	22.7	16.08
55-59	3	24.6	14.19	-	-	-	3	45.3	26.16
60-64	4	44.9	22.47	-	-	-	4	83.1	41.55
65-69	2	29.6	20.92	-	-	-	2	52.6	37.20
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	2	85.6	60.51	-	-	-	2	135.5	95.81
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	20			-			20		
Connecticut									
. Crude rate		-	-		-	-		8.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		11.9	2.73
. AAMR (1970 Std. mil.)		-	-		-	-		13.3	3.11
. AAMR (2000 Std. mil.)		-	-		-	-		14.7	3.43
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	1	2.7	2.69	-	-	-	1	5.3	5.27
40-44	1	3.5	3.49	-	-	-	1	6.8	6.78
45-49	1	4.4	4.42	-	-	-	1	8.4	8.41
50-54	1	6.1	6.09	-	-	-	1	11.4	11.37
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	4			-			4		
Connecticut									
. Crude rate		-	-		-	-		1.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	1	14.8	14.79	-	-	-	1	26.3	26.30
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	1			-			1		
Connecticut									
. Crude rate		-	-		-	-		0.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	1	2.7	2.69	-	-	-	1	5.3	5.27
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	2	16.4	11.58	-	-	-	2	30.2	21.36
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	1	14.8	14.79	-	-	-	1	26.3	26.30
70-74	1	19.2	19.23	-	-	-	1	32.1	32.08
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	1	58.9	58.86	-	-	-	1	87.9	87.87
Total deaths	6			-			6		
Connecticut									
. Crude rate		-	-		-	-		2.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Prostate cancer (185)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	0	0.0	0.00	0	0.0	0.00	-	-	-
50-54	0	0.0	0.00	0	0.0	0.00	-	-	-
55-59	0	0.0	0.00	0	0.0	0.00	-	-	-
60-64	2	22.5	15.89	2	48.9	34.61	-	-	-
65-69	0	0.0	0.00	0	0.0	0.00	-	-	-
70-74	2	38.5	27.20	2	96.1	67.93	-	-	-
75-79	0	0.0	0.00	0	0.0	0.00	-	-	-
80-84	1	42.8	42.79	1	116.1	116.14	-	-	-
85+	1	58.9	58.86	1	178.3	178.25	-	-	-
Total deaths	6			6			-		
Connecticut									
. Crude rate		-	-		2.6	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		16.4	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Bladder cancer (188)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	-	-	0	0.0	0.00
5-9	0	0.0	0.00	0	-	-	0	0.0	0.00
10-14	0	0.0	0.00	0	-	-	0	0.0	0.00
15-19	0	0.0	0.00	0	-	-	0	0.0	0.00
20-24	0	0.0	0.00	0	-	-	0	0.0	0.00
25-29	0	0.0	0.00	0	-	-	0	0.0	0.00
30-34	0	0.0	0.00	0	-	-	0	0.0	0.00
35-39	0	0.0	0.00	0	-	-	0	0.0	0.00
40-44	0	0.0	0.00	0	-	-	0	0.0	0.00
45-49	1	4.4	4.42	0	-	-	1	8.4	8.41
50-54	0	0.0	0.00	0	-	-	0	0.0	0.00
55-59	0	0.0	0.00	0	-	-	0	0.0	0.00
60-64	0	0.0	0.00	0	-	-	0	0.0	0.00
65-69	1	14.8	14.79	0	-	-	1	26.3	26.30
70-74	0	0.0	0.00	0	-	-	0	0.0	0.00
75-79	0	0.0	0.00	0	-	-	0	0.0	0.00
80-84	0	0.0	0.00	0	-	-	0	0.0	0.00
85+	0	0.0	0.00	0	-	-	0	0.0	0.00
Total deaths	2			-			2		
Connecticut									
. Crude rate		0.4	-		-	-		0.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.7	-		1.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.4	2.40	0	0.0	0.00	1	5.0	5.01
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	3.5	3.49	0	0.0	0.00	1	6.8	6.78
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	12.2	8.61	0	0.0	0.00	2	22.7	16.08
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	14.8	14.79	1	33.8	33.80	0	0.0	0.00
70-74	1	19.2	19.23	0	0.0	0.00	1	32.1	32.08
75-79	1	26.7	26.70	0	0.0	0.00	1	42.8	42.79
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	7			1			6		
Connecticut									
. Crude rate		1.5	-		0.4	-		2.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.3	-		3.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.76	0	0.0	0.00	1	3.7	3.65
5-9	1	2.1	2.11	0	0.0	0.00	1	4.3	4.32
10-14	1	2.3	2.30	1	4.5	4.54	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.2	2.24	1	4.3	4.32	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	11.2	11.24	0	0.0	0.00	1	20.8	20.78
65-69	3	44.4	25.62	3	101.4	58.54	0	0.0	0.00
70-74	1	19.2	19.23	1	48.0	48.03	0	0.0	0.00
75-79	1	26.7	26.70	0	0.0	0.00	1	42.8	42.79
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	10			6			4		
Connecticut									
. Crude rate		2.1	-		2.6	-		1.7	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.3	-		4.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes mellitus (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.2	2.18	1	4.4	4.43	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	10.5	6.04	1	7.2	7.19	2	13.6	9.59
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	3	18.3	10.54	1	13.1	13.10	2	22.7	16.08
55-59	2	16.4	11.58	1	17.9	17.90	1	15.1	15.10
60-64	3	33.7	19.46	1	24.5	24.47	2	41.6	29.38
65-69	3	44.4	25.62	1	33.8	33.80	2	52.6	37.20
70-74	4	76.9	38.47	2	96.1	67.93	2	64.2	45.37
75-79	5	133.5	59.71	3	213.1	123.01	2	85.6	60.51
80-84	4	171.2	85.58	1	116.1	116.14	3	203.3	117.35
85+	1	58.9	58.86	0	0.0	0.00	1	87.9	87.87
Total deaths	29			12			17		
Connecticut									
. Crude rate		6.1	-		5.1	-		7.2	-
. AAMR (1940 Std. mil.)		9.3	1.77		-	-		9.5	2.39
. AAMR (1970 Std. mil.)		12.4	2.39		-	-		12.6	3.13
. AAMR (2000 Std. mil.)		15.8	3.10		-	-		16.0	4.01
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		12.4	-		13.4	-		11.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	4.4	3.09	2	8.9	6.27	0	0.0	0.00
35-39	1	2.7	2.69	1	5.5	5.49	0	0.0	0.00
40-44	5	17.4	7.80	2	14.4	10.17	3	20.3	11.74
45-49	4	17.7	8.84	3	28.0	16.14	1	8.4	8.41
50-54	10	60.9	19.25	4	52.4	26.20	6	68.2	27.85
55-59	18	147.4	34.75	11	196.9	59.35	7	105.7	39.96
60-64	19	213.5	48.98	10	244.7	77.39	9	187.0	62.33
65-69	10	147.9	46.77	5	169.0	75.57	5	131.5	58.81
70-74	13	250.0	69.35	6	288.2	117.65	7	224.6	84.88
75-79	18	480.6	113.29	8	568.2	200.88	10	427.9	135.31
80-84	19	813.0	186.52	7	813.0	307.29	12	813.0	234.70
85+	9	529.7	176.57	1	178.3	178.25	8	703.0	248.54
Total deaths	128			60			68		
Connecticut									
. Crude rate		27.1	-		25.6	-		28.6	-
. AAMR (1940 Std. mil.)		41.3	3.75		46.5	6.12		36.9	4.67
. AAMR (1970 Std. mil.)		56.0	5.06		60.9	8.22		51.5	6.33
. AAMR (2000 Std. mil.)		71.2	6.65		74.1	10.50		67.5	8.43
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									
. The U.S. AAMR (1940 Std. mil.):									
. THE U.S. HP 2000 target:									

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	1	2.2	2.18	1	4.4	4.43	0	-	-
35-39	0	0.0	0.00	0	0.0	0.00	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	1			1			-		
Connecticut									
. Crude rate		0.2	-		0.4	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.4	-		0.5	-		0.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Alzheimer's diseases (331.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	-	-	0	0.0	0.00
5-9	0	0.0	0.00	0	-	-	0	0.0	0.00
10-14	0	0.0	0.00	0	-	-	0	0.0	0.00
15-19	0	0.0	0.00	0	-	-	0	0.0	0.00
20-24	0	0.0	0.00	0	-	-	0	0.0	0.00
25-29	0	0.0	0.00	0	-	-	0	0.0	0.00
30-34	0	0.0	0.00	0	-	-	0	0.0	0.00
35-39	0	0.0	0.00	0	-	-	0	0.0	0.00
40-44	0	0.0	0.00	0	-	-	0	0.0	0.00
45-49	0	0.0	0.00	0	-	-	0	0.0	0.00
50-54	0	0.0	0.00	0	-	-	0	0.0	0.00
55-59	0	0.0	0.00	0	-	-	0	0.0	0.00
60-64	1	11.2	11.24	0	-	-	1	20.8	20.78
65-69	0	0.0	0.00	0	-	-	0	0.0	0.00
70-74	0	0.0	0.00	0	-	-	0	0.0	0.00
75-79	1	26.7	26.70	0	-	-	1	42.8	42.79
80-84	0	0.0	0.00	0	-	-	0	0.0	0.00
85+	0	0.0	0.00	0	-	-	0	0.0	0.00
Total deaths	2			-			2		
Connecticut									
. Crude rate		0.4	-		-	-		0.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		2.4	-		2.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	7.0	3.52	3	10.2	5.90	1	3.7	3.65
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	4.6	3.25	1	4.5	4.54	1	4.7	4.67
15-19	1	2.4	2.40	1	4.6	4.60	0	0.0	0.00
20-24	2	4.5	3.17	0	0.0	0.00	2	9.3	6.59
25-29	7	15.0	5.67	6	25.7	10.51	1	4.3	4.28
30-34	8	17.5	6.18	6	26.6	10.86	2	8.6	6.08
35-39	15	40.3	10.42	13	71.4	19.80	2	10.5	7.45
40-44	12	41.9	12.09	8	57.5	20.34	4	27.1	13.56
45-49	21	92.8	20.25	13	121.1	33.60	8	67.3	23.78
50-54	23	140.0	29.19	18	235.8	55.58	5	56.9	25.42
55-59	41	335.8	52.45	26	465.3	91.25	15	226.6	58.50
60-64	31	348.4	62.57	22	538.4	114.79	9	187.0	62.33
65-69	33	488.1	84.97	18	608.3	143.38	15	394.5	101.87
70-74	35	673.2	113.79	20	960.6	214.80	15	481.2	124.25
75-79	44	1174.9	177.12	17	1207.4	292.83	27	1155.3	222.34
80-84	35	1497.6	253.15	10	1161.4	367.28	25	1693.8	338.75
85+	47	2766.3	403.51	17	3030.3	734.96	30	2636.2	481.30
Total deaths	361			199			162		
Connecticut									
. Crude rate		76.4	-		84.9	-		68.1	-
. AAMR (1940 Std. mil.)		108.0	5.92		140.8	10.38		80.4	6.68
. AAMR (1970 Std. mil.)		147.1	8.07		183.1	14.00		117.6	9.44
. AAMR (2000 Std. mil.)		194.9	11.14		234.0	19.24		162.9	13.33
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		182.8	-		238.7	-		137.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Diseases of the heart (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.3	3.05	2	6.8	4.82	1	3.7	3.65
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	4.6	3.25	1	4.5	4.54	1	4.7	4.67
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	4.5	3.17	0	0.0	0.00	2	9.3	6.59
25-29	6	12.9	5.25	5	21.5	9.59	1	4.3	4.28
30-34	7	15.3	5.78	5	22.2	9.92	2	8.6	6.08
35-39	11	29.6	8.92	10	54.9	17.37	1	5.3	5.27
40-44	8	27.9	9.87	5	36.0	16.08	3	20.3	11.74
45-49	15	66.3	17.12	10	93.2	29.47	5	42.0	18.80
50-54	15	91.3	23.57	11	144.1	43.45	4	45.5	22.74
55-59	34	278.5	47.76	22	393.7	83.94	12	181.2	52.32
60-64	29	325.9	60.51	21	514.0	112.15	8	166.2	58.77
65-69	27	399.3	76.85	14	473.1	126.45	13	341.9	94.83
70-74	30	577.0	105.35	18	864.6	203.78	12	385.0	111.14
75-79	28	747.7	141.30	12	852.3	246.03	16	684.6	171.16
80-84	30	1283.7	234.37	8	929.2	328.50	22	1490.5	317.78
85+	40	2354.3	372.25	14	2495.5	666.96	26	2284.7	448.07
Total deaths	287			158			129		
Connecticut									
. Crude rate		60.8	-		67.4	-		54.3	-
. AAMR (1940 Std. mil.)		86.1	5.31		113.2	9.37		63.7	5.96
. AAMR (1970 Std. mil.)		117.9	7.25		147.9	12.64		93.5	8.41
. AAMR (2000 Std. mil.)		155.9	9.98		187.9	17.27		129.8	11.92
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		145.3	-		195.5	-		105.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	12	21.1	6.11	8	27.2	9.63	4	14.6	7.30
5-9	1	2.1	2.11	1	4.1	4.11	0	0.0	0.00
10-14	5	11.5	5.15	1	4.5	4.54	4	18.7	9.34
15-19	3	7.2	4.15	1	4.6	4.60	2	10.0	7.09
20-24	7	15.7	5.93	2	8.6	6.11	5	23.3	10.42
25-29	19	40.7	9.34	12	51.5	14.86	7	29.9	11.31
30-34	26	56.8	11.13	20	88.7	19.83	6	25.8	10.54
35-39	33	88.8	15.45	27	148.3	28.54	6	31.6	12.91
40-44	27	94.2	18.13	21	151.0	32.95	6	40.7	16.61
45-49	35	154.7	26.15	24	223.6	45.65	11	92.5	27.88
50-54	31	188.7	33.89	21	275.1	60.03	10	113.7	35.96
55-59	51	417.7	58.49	35	626.3	105.87	16	241.7	60.41
60-64	45	505.7	75.38	27	660.8	127.17	18	374.0	88.15
65-69	48	710.0	102.47	24	811.1	165.56	24	631.2	128.85
70-74	51	981.0	137.36	29	1392.9	258.65	22	705.8	150.48
75-79	54	1441.9	196.22	22	1562.5	333.13	32	1369.3	242.06
80-84	57	2439.0	323.06	20	2322.9	519.41	37	2506.8	412.11
85+	62	3649.2	463.45	22	3921.6	836.08	40	3514.9	555.76
Total deaths	567			317			250		
Connecticut									
. Crude rate		120.1	-		135.2	-		105.2	-
. AAMR (1940 Std. mil.)		162.8	7.17		209.8	12.40		123.6	8.27
. AAMR (1970 Std. mil.)		215.3	9.63		266.8	16.64		173.7	11.38
. AAMR (2000 Std. mil.)		282.9	13.20		343.2	22.95		234.6	15.76
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.2	2.24	0	0.0	0.00	1	4.7	4.66
25-29	3	6.4	3.71	3	12.9	7.43	0	0.0	0.00
30-34	1	2.2	2.18	1	4.4	4.43	0	0.0	0.00
35-39	2	5.4	3.80	2	11.0	7.77	0	0.0	0.00
40-44	5	17.4	7.80	3	21.6	12.46	2	13.6	9.59
45-49	9	39.8	13.26	5	46.6	20.84	4	33.6	16.82
50-54	12	73.0	21.09	8	104.8	37.05	4	45.5	22.74
55-59	27	221.1	42.56	18	322.1	75.92	9	135.9	45.31
60-64	22	247.2	52.71	16	391.6	97.90	6	124.7	50.89
65-69	18	266.2	62.75	11	371.7	112.09	7	184.1	69.59
70-74	21	403.9	88.14	13	624.4	173.18	8	256.7	90.74
75-79	18	480.6	113.29	8	568.2	200.88	10	427.9	135.31
80-84	23	984.2	205.21	6	696.9	284.49	17	1151.8	279.34
85+	30	1765.7	322.38	11	1960.8	591.20	19	1669.6	383.03
Total deaths	192			105			87		
Connecticut									
. Crude rate		40.7	-		44.8	-		36.6	-
. AAMR (1940 Std. mil.)		59.4	4.46		79.7	7.98		43.0	4.90
. AAMR (1970 Std. mil.)		83.0	6.13		106.5	10.87		64.3	6.98
. AAMR (2000 Std. mil.)		110.2	8.48		135.3	14.89		90.6	10.02
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		113.8	-		157.4	-		79.2	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	12.2	8.61	2	26.2	18.53	0	0.0	0.00
55-59	1	8.2	8.19	0	0.0	0.00	1	15.1	15.10
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	26.7	26.70	0	0.0	0.00	1	42.8	42.79
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	58.9	58.86	0	0.0	0.00	1	87.9	87.87
Total deaths	5			2			3		
Connecticut									
. Crude rate		1.1	-		0.9	-		1.3	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		2.3	-		2.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Hypertension-related (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.4	2.40	0	0.0	0.00	1	5.0	5.01
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.7	2.69	1	5.5	5.49	0	0.0	0.00
40-44	1	3.5	3.49	1	7.2	7.19	0	0.0	0.00
45-49	2	8.8	6.25	0	0.0	0.00	2	16.8	11.89
50-54	4	24.3	12.17	3	39.3	22.69	1	11.4	11.37
55-59	9	73.7	24.57	7	125.3	47.35	2	30.2	21.36
60-64	4	44.9	22.47	3	73.4	42.39	1	20.8	20.78
65-69	3	44.4	25.62	2	67.6	47.79	1	26.3	26.30
70-74	3	57.7	33.32	1	48.0	48.03	2	64.2	45.37
75-79	11	293.7	88.56	4	284.1	142.05	7	299.5	113.21
80-84	5	213.9	95.68	2	232.3	164.25	3	203.3	117.35
85+	7	412.0	155.72	0	0.0	0.00	7	615.1	232.49
Total deaths	51			24			27		
Connecticut									
. Crude rate		10.8	-		10.2	-		11.4	-
. AAMR (1940 Std. mil.)		15.6	2.26		18.8	3.88		12.6	2.56
. AAMR (1970 Std. mil.)		22.0	3.15		23.7	5.04		19.6	3.82
. AAMR (2000 Std. mil.)		29.6	4.41		28.1	6.23		28.7	5.72
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.76	1	3.4	3.41	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.4	2.40	1	4.6	4.60	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.1	2.14	1	4.3	4.29	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	4	10.8	5.38	3	16.5	9.51	1	5.3	5.27
40-44	4	14.0	6.98	3	21.6	12.46	1	6.8	6.78
45-49	5	22.1	9.88	2	18.6	13.18	3	25.2	14.56
50-54	5	30.4	13.61	4	52.4	26.20	1	11.4	11.37
55-59	6	49.1	20.06	4	71.6	35.79	2	30.2	21.36
60-64	2	22.5	15.89	1	24.5	24.47	1	20.8	20.78
65-69	4	59.2	29.58	2	67.6	47.79	2	52.6	37.20
70-74	3	57.7	33.32	2	96.1	67.93	1	32.1	32.08
75-79	15	400.5	103.42	5	355.1	158.81	10	427.9	135.31
80-84	3	128.4	74.11	1	116.1	116.14	2	135.5	95.81
85+	5	294.3	131.61	3	534.8	308.74	2	175.7	124.27
Total deaths	59			33			26		
Connecticut									
. Crude rate		12.5	-		14.1	-		10.9	-
. AAMR (1940 Std. mil.)		17.3	2.32		21.8	3.97		13.4	2.72
. AAMR (1970 Std. mil.)		23.0	3.16		28.6	5.47		18.8	3.76
. AAMR (2000 Std. mil.)		30.7	4.36		38.3	7.89		25.3	5.14
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.6	-		29.0	-		24.4	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	42.8	42.79	1	116.1	116.14	0	0.0	0.00
85+	1	58.9	58.86	0	0.0	0.00	1	87.9	87.87
Total deaths	2			1			1		
Connecticut									
. Crude rate		0.4	-		0.4	-		0.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.4	-		2.7	-		2.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.3	3.05	1	3.4	3.41	2	7.3	5.16
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.2	2.24	1	4.3	4.32	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.2	2.18	1	4.4	4.43	0	0.0	0.00
35-39	3	8.1	4.66	3	16.5	9.51	0	0.0	0.00
40-44	2	7.0	4.94	2	14.4	10.17	0	0.0	0.00
45-49	3	13.3	7.66	2	18.6	13.18	1	8.4	8.41
50-54	2	12.2	8.61	1	13.1	13.10	1	11.4	11.37
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	3	33.7	19.46	2	48.9	34.61	1	20.8	20.78
65-69	1	14.8	14.79	0	0.0	0.00	1	26.3	26.30
70-74	1	19.2	19.23	1	48.0	48.03	0	0.0	0.00
75-79	5	133.5	59.71	4	284.1	142.05	1	42.8	42.79
80-84	5	213.9	95.68	2	232.3	164.25	3	203.3	117.35
85+	7	412.0	155.72	3	534.8	308.74	4	351.5	175.75
Total deaths	37			23			14		
Connecticut									
. Crude rate		7.8	-		9.8	-		5.9	-
. AAMR (1940 Std. mil.)		9.3	1.61		13.8	3.04		-	-
. AAMR (1970 Std. mil.)		13.5	2.38		19.8	4.66		-	-
. AAMR (2000 Std. mil.)		19.8	3.68		29.0	7.31		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.5	-		17.5	-		10.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.76	0	0.0	0.00	1	3.7	3.65
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.4	2.40	1	4.6	4.60	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.2	2.18	0	0.0	0.00	1	4.3	4.30
35-39	1	2.7	2.69	1	5.5	5.49	0	0.0	0.00
40-44	1	3.5	3.49	1	7.2	7.19	0	0.0	0.00
45-49	1	4.4	4.42	1	9.3	9.32	0	0.0	0.00
50-54	3	18.3	10.54	0	0.0	0.00	3	34.1	19.69
55-59	1	8.2	8.19	0	0.0	0.00	1	15.1	15.10
60-64	1	11.2	11.24	0	0.0	0.00	1	20.8	20.78
65-69	4	59.2	29.58	2	67.6	47.79	2	52.6	37.20
70-74	9	173.1	57.70	4	192.1	96.06	5	160.4	71.74
75-79	6	160.2	65.41	3	213.1	123.01	3	128.4	74.11
80-84	4	171.2	85.58	4	464.6	232.29	0	0.0	0.00
85+	2	117.7	83.24	0	0.0	0.00	2	175.7	124.27
Total deaths	36			17			19		
Connecticut									
. Crude rate		7.6	-		7.2	-		8.0	-
. AAMR (1940 Std. mil.)		11.2	1.94		12.7	3.18		10.5	2.51
. AAMR (1970 Std. mil.)		15.5	2.68		18.4	4.72		13.9	3.28
. AAMR (2000 Std. mil.)		20.0	3.55		24.5	6.43		17.3	4.17
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.4	-		27.8	-		17.2	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----COPD-related (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.76	0	0.0	0.00	1	3.7	3.65
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	4.8	3.39	2	9.2	6.50	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	6.6	3.78	1	4.4	4.43	2	8.6	6.08
35-39	3	8.1	4.66	3	16.5	9.51	0	0.0	0.00
40-44	1	3.5	3.49	1	7.2	7.19	0	0.0	0.00
45-49	1	4.4	4.42	1	9.3	9.32	0	0.0	0.00
50-54	5	30.4	13.61	1	13.1	13.10	4	45.5	22.74
55-59	10	81.9	25.90	3	53.7	31.00	7	105.7	39.96
60-64	3	33.7	19.46	2	48.9	34.61	1	20.8	20.78
65-69	7	103.5	39.13	4	135.2	67.59	3	78.9	45.56
70-74	12	230.8	66.63	5	240.2	107.40	7	224.6	84.88
75-79	14	373.8	99.91	10	710.2	224.59	4	171.2	85.58
80-84	10	427.9	135.31	7	813.0	307.29	3	203.3	117.35
85+	6	353.1	144.17	2	356.5	252.09	4	351.5	175.75
Total deaths	78			42			36		
Connecticut									
. Crude rate		16.5	-		17.9	-		15.1	-
. AAMR (1940 Std. mil.)		24.0	2.81		30.8	4.90		19.7	3.42
. AAMR (1970 Std. mil.)		33.2	3.90		44.7	7.30		26.2	4.48
. AAMR (2000 Std. mil.)		43.5	5.27		60.4	10.27		33.2	5.79
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.4	2.40	1	4.6	4.60	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.2	2.18	0	0.0	0.00	1	4.3	4.30
35-39	1	2.7	2.69	1	5.5	5.49	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	2	12.2	8.61	0	0.0	0.00	2	22.7	16.08
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	11.2	11.24	0	0.0	0.00	1	20.8	20.78
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	38.5	27.20	1	48.0	48.03	1	32.1	32.08
75-79	1	26.7	26.70	0	0.0	0.00	1	42.8	42.79
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	9			3			6		
Connecticut									
. Crude rate		1.9	-		1.3	-		2.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.5	-		1.3	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	2.1	2.14	0	0.0	0.00	1	4.3	4.28
30-34	2	4.4	3.09	1	4.4	4.43	1	4.3	4.30
35-39	2	5.4	3.80	1	5.5	5.49	1	5.3	5.27
40-44	2	7.0	4.94	2	14.4	10.17	0	0.0	0.00
45-49	5	22.1	9.88	4	37.3	18.64	1	8.4	8.41
50-54	4	24.3	12.17	3	39.3	22.69	1	11.4	11.37
55-59	3	24.6	14.19	3	53.7	31.00	0	0.0	0.00
60-64	5	56.2	25.13	3	73.4	42.39	2	41.6	29.38
65-69	3	44.4	25.62	1	33.8	33.80	2	52.6	37.20
70-74	3	57.7	33.32	2	96.1	67.93	1	32.1	32.08
75-79	3	80.1	46.25	2	142.0	100.44	1	42.8	42.79
80-84	1	42.8	42.79	0	0.0	0.00	1	67.8	67.75
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	34			22			12		
Connecticut									
. Crude rate		7.2	-		9.4	-		5.0	-
. AAMR (1940 Std. mil.)		10.8	1.91		15.7	3.45		-	-
. AAMR (1970 Std. mil.)		12.4	2.27		17.9	4.13		-	-
. AAMR (2000 Std. mil.)		14.2	2.62		20.6	4.81		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.0	-		11.3	-		4.8	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: CT rate is higher

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.2	2.18	1	4.4	4.43	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	22.5	15.89	1	24.5	24.47	1	20.8	20.78
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	38.5	27.20	0	0.0	0.00	2	64.2	45.37
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	2	85.6	60.51	0	0.0	0.00	2	135.5	95.81
85+	4	235.4	117.72	4	713.0	356.51	0	0.0	0.00
Total deaths	11			6			5		
Connecticut									
. Crude rate		2.3	-		2.6	-		2.1	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.5	-		5.5	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Nephritis-related (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	2.1	2.11	1	4.1	4.11	0	0.0	0.00
10-14	1	2.3	2.30	0	0.0	0.00	1	4.7	4.67
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.2	2.24	1	4.3	4.32	0	0.0	0.00
25-29	2	4.3	3.03	1	4.3	4.29	1	4.3	4.28
30-34	5	10.9	4.88	4	17.7	8.87	1	4.3	4.30
35-39	3	8.1	4.66	3	16.5	9.51	0	0.0	0.00
40-44	1	3.5	3.49	1	7.2	7.19	0	0.0	0.00
45-49	3	13.3	7.66	3	28.0	16.14	0	0.0	0.00
50-54	2	12.2	8.61	1	13.1	13.10	1	11.4	11.37
55-59	2	16.4	11.58	1	17.9	17.90	1	15.1	15.10
60-64	9	101.1	33.71	5	122.4	54.73	4	83.1	41.55
65-69	8	118.3	41.83	5	169.0	75.57	3	78.9	45.56
70-74	9	173.1	57.70	3	144.1	83.19	6	192.5	78.58
75-79	7	186.9	70.65	4	284.1	142.05	3	128.4	74.11
80-84	9	385.1	128.37	2	232.3	164.25	7	474.3	179.25
85+	8	470.9	166.48	6	1069.5	436.63	2	175.7	124.27
Total deaths	71			41			30		
Connecticut									
. Crude rate		15.0	-		17.5	-		12.6	-
. AAMR (1940 Std. mil.)		20.9	2.61		27.0	4.47		16.2	3.08
. AAMR (1970 Std. mil.)		28.8	3.61		37.4	6.44		22.8	4.26
. AAMR (2000 Std. mil.)		37.7	4.90		51.3	9.58		29.1	5.53
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.2	2.18	1	4.4	4.43	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	6.1	6.09	1	13.1	13.10	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	22.5	15.89	1	24.5	24.47	1	20.8	20.78
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	2	38.5	27.20	0	0.0	0.00	2	64.2	45.37
75-79	1	26.7	26.70	1	71.0	71.02	0	0.0	0.00
80-84	3	128.4	74.11	0	0.0	0.00	3	203.3	117.35
85+	4	235.4	117.72	4	713.0	356.51	0	0.0	0.00
Total deaths	14			8			6		
Connecticut									
. Crude rate		3.0	-		3.4	-		2.5	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.3	-		6.6	-		4.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	14.1	4.98	4	13.6	6.81	4	14.6	7.30
5-9	5	10.5	4.71	5	20.6	9.20	0	0.0	0.00
10-14	5	11.5	5.15	2	9.1	6.41	3	14.0	8.09
15-19	12	28.8	8.30	8	36.8	13.00	4	20.0	10.02
20-24	10	22.4	7.09	9	38.9	12.95	1	4.7	4.66
25-29	17	36.4	8.83	15	64.4	16.62	2	8.6	6.05
30-34	16	34.9	8.73	14	62.1	16.59	2	8.6	6.08
35-39	15	40.3	10.42	13	71.4	19.80	2	10.5	7.45
40-44	14	48.9	13.06	12	86.3	24.91	2	13.6	9.59
45-49	4	17.7	8.84	4	37.3	18.64	0	0.0	0.00
50-54	5	30.4	13.61	3	39.3	22.69	2	22.7	16.08
55-59	4	32.8	16.38	3	53.7	31.00	1	15.1	15.10
60-64	1	11.2	11.24	1	24.5	24.47	0	0.0	0.00
65-69	3	44.4	25.62	2	67.6	47.79	1	26.3	26.30
70-74	1	19.2	19.23	1	48.0	48.03	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	58.9	58.86	0	0.0	0.00	1	87.9	87.87
Total deaths	121			96			25		
Connecticut									
. Crude rate		25.6	-		40.9	-		10.5	-
. AAMR (1940 Std. mil.)		26.1	2.47		42.3	4.56		10.7	2.23
. AAMR (1970 Std. mil.)		24.7	2.46		39.1	4.48		10.9	2.33
. AAMR (2000 Std. mil.)		26.5	2.73		42.3	4.87		11.3	2.60
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.2	-		44.2	-		17.0	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: CT rate is not significantly different

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.3	3.05	2	6.8	4.82	1	3.7	3.65
5-9	4	8.4	4.21	4	16.5	8.23	0	0.0	0.00
10-14	2	4.6	3.25	0	0.0	0.00	2	9.3	6.61
15-19	8	19.2	6.78	5	23.0	10.28	3	15.0	8.68
20-24	4	9.0	4.48	4	17.3	8.63	0	0.0	0.00
25-29	7	15.0	5.67	6	25.7	10.51	1	4.3	4.28
30-34	1	2.2	2.18	0	0.0	0.00	1	4.3	4.30
35-39	1	2.7	2.69	1	5.5	5.49	0	0.0	0.00
40-44	2	7.0	4.94	2	14.4	10.17	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	3	18.3	10.54	2	26.2	18.53	1	11.4	11.37
55-59	1	8.2	8.19	1	17.9	17.90	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	29.6	20.92	1	33.8	33.80	1	26.3	26.30
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	38			28			10		
Connecticut									
. Crude rate		8.0	-		11.9	-		4.2	-
. AAMR (1940 Std. mil.)		8.4	1.43		12.3	2.47		-	-
. AAMR (1970 Std. mil.)		8.4	1.47		12.1	2.51		-	-
. AAMR (2000 Std. mil.)		7.8	1.41		11.4	2.48		-	-
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.1	-		22.5	-		9.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.3	2.30	1	4.5	4.54	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	3.5	3.49	1	7.2	7.19	0	0.0	0.00
45-49	1	4.4	4.42	1	9.3	9.32	0	0.0	0.00
50-54	2	12.2	8.61	1	13.1	13.10	1	11.4	11.37
55-59	1	8.2	8.19	1	17.9	17.90	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	14.8	14.79	1	33.8	33.80	0	0.0	0.00
70-74	1	19.2	19.23	1	48.0	48.03	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	8			7			1		
Connecticut									
. Crude rate		1.7	-		3.0	-		0.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.4	-		3.4	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	1.8	1.76	0	0.0	0.00	1	3.7	3.65
5-9	1	2.1	2.11	1	4.1	4.11	0	0.0	0.00
10-14	2	4.6	3.25	1	4.5	4.54	1	4.7	4.67
15-19	1	2.4	2.40	1	4.6	4.60	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	2	4.3	3.03	2	8.6	6.07	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	2.7	2.69	1	5.5	5.49	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	8			6			2		
Connecticut									
. Crude rate		1.7	-		2.6	-		0.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		2.8	-		0.6	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Residential fires (E890-E899)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.5	2.49	1	3.4	3.41	1	3.7	3.65
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	2.2	2.24	0	0.0	0.00	1	4.7	4.66
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	8.2	8.19	1	17.9	17.90	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	4			2			2		
Connecticut									
. Crude rate		0.8	-		0.9	-		0.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		0.5	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.0	-		1.7	-		1.0	-
. HP 2000 (1940 Std. mil.)		1.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	4.8	3.39	2	9.2	6.50	0	0.0	0.00
20-24	3	6.7	3.88	3	13.0	7.48	0	0.0	0.00
25-29	6	12.9	5.25	6	25.7	10.51	0	0.0	0.00
30-34	4	8.7	4.37	4	17.7	8.87	0	0.0	0.00
35-39	4	10.8	5.38	4	22.0	10.98	0	0.0	0.00
40-44	6	20.9	8.55	5	36.0	16.08	1	6.8	6.78
45-49	2	8.8	6.25	1	9.3	9.32	1	8.4	8.41
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	16.4	11.58	2	35.8	25.31	0	0.0	0.00
60-64	1	11.2	11.24	1	24.5	24.47	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	30			28			2		
Connecticut									
. Crude rate		6.4	-		11.9	-		0.8	-
. AAMR (1940 Std. mil.)		6.7	1.26		12.6	2.50		-	-
. AAMR (1970 Std. mil.)		6.0	1.19		11.3	2.38		-	-
. AAMR (2000 Std. mil.)		6.7	1.31		12.5	2.59		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.4	-		18.5	-		4.2	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: CT rate is not significantly different
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: CT rate is lower

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.5	2.49	0	0.0	0.00	2	7.3	5.16
5-9	1	2.1	2.11	0	0.0	0.00	1	4.3	4.32
10-14	4	9.2	4.60	4	18.1	9.07	0	0.0	0.00
15-19	26	62.3	12.22	23	105.7	22.04	3	15.0	8.68
20-24	24	53.8	10.98	21	90.7	19.78	3	14.0	8.07
25-29	16	34.3	8.57	11	47.2	14.23	5	21.4	9.56
30-34	9	19.7	6.55	8	35.5	12.54	1	4.3	4.30
35-39	6	16.1	6.59	3	16.5	9.51	3	15.8	9.13
40-44	4	14.0	6.98	4	28.8	14.38	0	0.0	0.00
45-49	6	26.5	10.83	4	37.3	18.64	2	16.8	11.89
50-54	3	18.3	10.54	3	39.3	22.69	0	0.0	0.00
55-59	3	24.6	14.19	3	53.7	31.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	104			84			20		
Connecticut									
. Crude rate		22.0	-		35.8	-		8.4	-
. AAMR (1940 Std. mil.)		22.1	2.21		36.2	4.07		7.9	1.79
. AAMR (1970 Std. mil.)		20.5	2.10		33.8	3.89		7.1	1.63
. AAMR (2000 Std. mil.)		19.4	2.03		32.0	3.79		7.0	1.63
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.7	-		16.9	-		4.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	3.5	2.49	0	0.0	0.00	2	7.3	5.16
5-9	1	2.1	2.11	0	0.0	0.00	1	4.3	4.32
10-14	4	9.2	4.60	4	18.1	9.07	0	0.0	0.00
15-19	26	62.3	12.22	23	105.7	22.04	3	15.0	8.68
20-24	24	53.8	10.98	21	90.7	19.78	3	14.0	8.07
25-29	16	34.3	8.57	11	47.2	14.23	5	21.4	9.56
30-34	9	19.7	6.55	8	35.5	12.54	1	4.3	4.30
35-39	6	16.1	6.59	3	16.5	9.51	3	15.8	9.13
40-44	4	14.0	6.98	4	28.8	14.38	0	0.0	0.00
45-49	6	26.5	10.83	4	37.3	18.64	2	16.8	11.89
50-54	3	18.3	10.54	3	39.3	22.69	0	0.0	0.00
55-59	3	24.6	14.19	3	53.7	31.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	104			84			20		
Connecticut									
. Crude rate		22.0	-		35.8	-		8.4	-
. AAMR (1940 Std. mil.)		22.1	2.21		36.2	4.07		7.9	1.79
. AAMR (1970 Std. mil.)		20.5	2.10		33.8	3.89		7.1	1.63
. AAMR (2000 Std. mil.)		19.4	2.03		32.0	3.79		7.0	1.63
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.6	-		16.6	-		4.5	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	10	17.6	5.57	4	13.6	6.81	6	21.9	8.95
5-9	6	12.6	5.16	5	20.6	9.20	1	4.3	4.32
10-14	9	20.7	6.90	6	27.2	11.11	3	14.0	8.09
15-19	41	98.3	15.35	34	156.2	26.79	7	35.1	13.26
20-24	37	82.9	13.63	33	142.5	24.80	4	18.6	9.32
25-29	39	83.5	13.38	32	137.3	24.27	7	29.9	11.31
30-34	31	67.7	12.16	28	124.2	23.47	3	12.9	7.45
35-39	27	72.6	13.98	22	120.8	25.76	5	26.4	11.79
40-44	24	83.8	17.10	21	151.0	32.95	3	20.3	11.74
45-49	12	53.0	15.31	9	83.9	27.95	3	25.2	14.56
50-54	8	48.7	17.22	6	78.6	32.09	2	22.7	16.08
55-59	9	73.7	24.57	8	143.2	50.62	1	15.1	15.10
60-64	2	22.5	15.89	2	48.9	34.61	0	0.0	0.00
65-69	3	44.4	25.62	2	67.6	47.79	1	26.3	26.30
70-74	1	19.2	19.23	1	48.0	48.03	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	58.9	58.86	0	0.0	0.00	1	87.9	87.87
Total deaths	260			213			47		
Connecticut									
. Crude rate		55.1	-		90.8	-		19.8	-
. AAMR (1940 Std. mil.)		55.9	3.58		93.0	6.66		19.6	2.94
. AAMR (1970 Std. mil.)		51.9	3.46		85.7	6.43		18.9	2.92
. AAMR (2000 Std. mil.)		53.5	3.67		88.6	6.75		19.5	3.18
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		53.6	-		81.9	-		26.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	5.3	3.05	2	6.8	4.82	1	3.7	3.65
5-9	4	8.4	4.21	4	16.5	8.23	0	0.0	0.00
10-14	2	4.6	3.25	0	0.0	0.00	2	9.3	6.61
15-19	8	19.2	6.78	5	23.0	10.28	3	15.0	8.68
20-24	4	9.0	4.48	4	17.3	8.63	0	0.0	0.00
25-29	6	12.9	5.25	5	21.5	9.59	1	4.3	4.28
30-34	1	2.2	2.18	0	0.0	0.00	1	4.3	4.30
35-39	1	2.7	2.69	1	5.5	5.49	0	0.0	0.00
40-44	2	7.0	4.94	2	14.4	10.17	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	3	18.3	10.54	2	26.2	18.53	1	11.4	11.37
55-59	1	8.2	8.19	1	17.9	17.90	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	29.6	20.92	1	33.8	33.80	1	26.3	26.30
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	37			27			10		
Connecticut									
. Crude rate		7.8	-		11.5	-		4.2	-
. AAMR (1940 Std. mil.)		8.2	1.42		11.9	2.45		-	-
. AAMR (1970 Std. mil.)		8.2	1.46		11.8	2.50		-	-
. AAMR (2000 Std. mil.)		7.6	1.41		11.1	2.46		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.6	-		22.1	-		9.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is lower
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	2.3	2.30	1	4.5	4.54	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	3.5	3.49	1	7.2	7.19	0	0.0	0.00
45-49	2	8.8	6.25	1	9.3	9.32	1	8.4	8.41
50-54	2	12.2	8.61	1	13.1	13.10	1	11.4	11.37
55-59	1	8.2	8.19	1	17.9	17.90	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	14.8	14.79	1	33.8	33.80	0	0.0	0.00
70-74	1	19.2	19.23	1	48.0	48.03	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	9			7			2		
Connecticut									
. Crude rate		1.9	-		3.0	-		0.8	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		3.4	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): No comparison is available
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

All firearms (E922.0-.3, E922.8-.9, E955.0-.4, E965.0-.4, E970, E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	2.1	2.11	0	0.0	0.00	1	4.3	4.32
10-14	4	9.2	4.60	4	18.1	9.07	0	0.0	0.00
15-19	28	67.1	12.68	25	114.9	22.98	3	15.0	8.68
20-24	22	49.3	10.51	19	82.0	18.82	3	14.0	8.07
25-29	14	30.0	8.01	10	42.9	13.57	4	17.1	8.55
30-34	11	24.0	7.24	11	48.8	14.71	0	0.0	0.00
35-39	4	10.8	5.38	2	11.0	7.77	2	10.5	7.45
40-44	7	24.4	9.23	7	50.3	19.03	0	0.0	0.00
45-49	5	22.1	9.88	5	46.6	20.84	0	0.0	0.00
50-54	3	18.3	10.54	3	39.3	22.69	0	0.0	0.00
55-59	2	16.4	11.58	2	35.8	25.31	0	0.0	0.00
60-64	1	11.2	11.24	1	24.5	24.47	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	102			89			13		
Connecticut									
. Crude rate		21.6	-		38.0	-		5.5	-
. AAMR (1940 Std. mil.)		22.0	2.22		38.7	4.23		-	-
. AAMR (1970 Std. mil.)		20.4	2.11		36.1	4.05		-	-
. AAMR (2000 Std. mil.)		19.4	2.05		34.8	4.01		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.5	-		26.9	-		4.6	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: CT rate is higher

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	2	4.8	3.39	2	9.2	6.50	0	-	-
20-24	2	4.5	3.17	2	8.6	6.11	0	-	-
25-29	2	4.3	3.03	2	8.6	6.07	0	-	-
30-34	3	6.6	3.78	3	13.3	7.68	0	-	-
35-39	1	2.7	2.69	1	5.5	5.49	0	-	-
40-44	4	14.0	6.98	4	28.8	14.38	0	-	-
45-49	1	4.4	4.42	1	9.3	9.32	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	1	11.2	11.24	1	24.5	24.47	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	16			16			-		
Connecticut									
. Crude rate		3.4	-		6.8	-		-	-
. AAMR (1940 Std. mil.)		3.5	0.91		7.2	1.87		-	-
. AAMR (1970 Std. mil.)		3.2	0.86		6.5	1.78		-	-
. AAMR (2000 Std. mil.)		3.5	0.94		7.2	1.94		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		12.1	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	1	2.1	2.11	0	0.0	0.00	1	4.3	4.32
10-14	4	9.2	4.60	4	18.1	9.07	0	0.0	0.00
15-19	24	57.5	11.74	21	96.5	21.06	3	15.0	8.68
20-24	20	44.8	10.02	17	73.4	17.80	3	14.0	8.07
25-29	12	25.7	7.42	8	34.3	12.14	4	17.1	8.55
30-34	8	17.5	6.18	8	35.5	12.54	0	0.0	0.00
35-39	3	8.1	4.66	1	5.5	5.49	2	10.5	7.45
40-44	3	10.5	6.04	3	21.6	12.46	0	0.0	0.00
45-49	4	17.7	8.84	4	37.3	18.64	0	0.0	0.00
50-54	3	18.3	10.54	3	39.3	22.69	0	0.0	0.00
55-59	2	16.4	11.58	2	35.8	25.31	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	84			71			13		
Connecticut									
. Crude rate		17.8	-		30.3	-		5.5	-
. AAMR (1940 Std. mil.)		18.0	2.00		30.7	3.75		-	-
. AAMR (1970 Std. mil.)		16.8	1.90		28.8	3.59		-	-
. AAMR (2000 Std. mil.)		15.6	1.81		27.0	3.48		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.6	-		12.8	-		2.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is higher
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.4	2.40	1	4.6	4.60	0	0.0	0.00
20-24	4	9.0	4.48	4	17.3	8.63	0	0.0	0.00
25-29	10	21.4	6.77	9	38.6	12.87	1	4.3	4.28
30-34	15	32.8	8.46	15	66.5	17.18	0	0.0	0.00
35-39	14	37.7	10.06	12	65.9	19.03	2	10.5	7.45
40-44	11	38.4	11.57	8	57.5	20.34	3	20.3	11.74
45-49	1	4.4	4.42	1	9.3	9.32	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	8.2	8.19	1	17.9	17.90	0	0.0	0.00
60-64	1	11.2	11.24	1	24.5	24.47	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	58			52			6		
Connecticut									
. Crude rate		12.3	-		22.2	-		2.5	-
. AAMR (1940 Std. mil.)		11.7	1.57		21.3	3.04		-	-
. AAMR (1970 Std. mil.)		9.7	1.35		17.6	2.65		-	-
. AAMR (2000 Std. mil.)		11.8	1.64		21.2	3.14		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.7	-		8.1	-		3.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	2.2	2.18	1	4.4	4.43	0	0.0	0.00
35-39	3	8.1	4.66	2	11.0	7.77	1	5.3	5.27
40-44	3	10.5	6.04	3	21.6	12.46	0	0.0	0.00
45-49	5	22.1	9.88	4	37.3	18.64	1	8.4	8.41
50-54	3	18.3	10.54	3	39.3	22.69	0	0.0	0.00
55-59	2	16.4	11.58	2	35.8	25.31	0	0.0	0.00
60-64	1	11.2	11.24	1	24.5	24.47	0	0.0	0.00
65-69	1	14.8	14.79	1	33.8	33.80	0	0.0	0.00
70-74	1	19.2	19.23	1	48.0	48.03	0	0.0	0.00
75-79	2	53.4	37.76	2	142.0	100.44	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	22			20			2		
Connecticut									
. Crude rate		4.7	-		8.5	-		0.8	-
. AAMR (1940 Std. mil.)		6.4	1.40		13.1	3.04		-	-
. AAMR (1970 Std. mil.)		6.8	1.57		14.4	3.57		-	-
. AAMR (2000 Std. mil.)		8.2	1.88		17.3	4.34		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		10.9	-		3.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different
- . THE U.S. HP 2000 target: No comparison is available

Connecticut Hispanic Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives
for
Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	2.4	2.40	1	4.6	4.60	0	0.0	0.00
20-24	4	9.0	4.48	4	17.3	8.63	0	0.0	0.00
25-29	12	25.7	7.42	9	38.6	12.87	3	12.8	7.41
30-34	15	32.8	8.46	15	66.5	17.18	0	0.0	0.00
35-39	17	45.7	11.09	14	76.9	20.55	3	15.8	9.13
40-44	12	41.9	12.09	9	64.7	21.57	3	20.3	11.74
45-49	2	8.8	6.25	2	18.6	13.18	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	1	11.2	11.24	1	24.5	24.47	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	64			55			9		
Connecticut									
. Crude rate		13.6	-		23.5	-		3.8	-
. AAMR (1940 Std. mil.)		12.8	1.63		22.3	3.08		-	-
. AAMR (1970 Std. mil.)		10.5	1.37		18.3	2.63		-	-
. AAMR (2000 Std. mil.)		12.9	1.70		22.5	3.21		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.7	-		2.9	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Hispanic Resident AAMR (1940 Std. mil.) vs:
. The CT HP 2000 target: No comparison is available
. The U.S. AAMR (1940 Std. mil.): CT rate is higher
. THE U.S. HP 2000 target: CT rate is higher