

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

## Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All causes-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	10	314.3	99.38	8	494.7	174.92	2	127.8	90.37
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	27.3	27.33	1	52.7	52.71	0	0.0	0.00
30-34	5	140.3	62.76	2	107.4	75.95	3	176.4	101.83
35-39	6	168.0	68.59	2	106.4	75.22	4	236.5	118.27
40-44	5	161.1	72.04	4	266.3	133.16	1	62.4	62.42
45-49	12	515.7	148.87	8	719.4	254.35	4	329.2	164.61
50-54	14	770.9	206.04	11	1237.3	373.07	3	323.6	186.84
55-59	13	914.2	253.55	9	1325.5	441.83	4	538.4	269.18
60-64	6	587.7	239.91	2	444.4	314.27	4	700.5	350.26
65-69	17	1770.8	429.49	12	3000.0	866.03	5	892.9	399.30
70-74	17	2496.3	605.45	9	3191.5	1063.83	8	2005.0	708.88
75-79	14	2509.0	670.55	4	1574.8	787.40	10	3289.5	1040.22
80-84	9	2486.2	828.73	3	1973.7	1139.51	6	2857.1	1166.42
85+	18	4891.3	1152.89	9	9183.7	3061.22	9	3333.3	1111.11
Total deaths	147			84			63		
Connecticut									
. Crude rate		379.5	-		430.5	-		327.8	-
. AAMR (1940 Std. mil.)		354.1	30.68		469.1	52.84		261.2	35.23
. AAMR (1970 Std. mil.)		437.0	37.20		576.1	64.99		334.2	43.78
. AAMR (2000 Std. mil.)		540.8	45.91		710.9	83.52		428.7	55.27
. HP 2000 (1940 Std. mil.)		328.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		507.1	-		654.4	-		385.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
Total deaths	-			-			-		
Connecticut									
. Crude rate	-	-		-	-		-	-	-
. AAMR (1940 Std. mil.)	-	-		-	-		-	-	-
. AAMR (1970 Std. mil.)	-	-		-	-		-	-	-
. AAMR (2000 Std. mil.)	-	-		-	-		-	-	-
. HP 2000 (1940 Std. mil.)	-	-		-	-		-	-	-
United States									
. AAMR (1940 Std. mil.)		3.9			4.4			3.5	-
. HP 2000 (1940 Std. mil.)		-			-			-	-
Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target: No comparison is available									
. The U.S. AAMR (1940 Std. mil.): No comparison is available									
. THE U.S. HP 2000 target: No comparison is available									

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Septicemia-related (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	28.0	28.00	1	53.2	53.19	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	43.0	42.97	0	0.0	0.00	1	82.3	82.30
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	2			1			1		
Connecticut									
. Crude rate		5.2	-		5.1	-		5.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----HIV infection (042-044)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	1	32.2	32.22	1	66.6	66.58	-	-	-
45-49	0	0.0	0.00	0	0.0	0.00	-	-	-
50-54	0	0.0	0.00	0	0.0	0.00	-	-	-
55-59	0	0.0	0.00	0	0.0	0.00	-	-	-
60-64	0	0.0	0.00	0	0.0	0.00	-	-	-
65-69	0	0.0	0.00	0	0.0	0.00	-	-	-
70-74	0	0.0	0.00	0	0.0	0.00	-	-	-
75-79	0	0.0	0.00	0	0.0	0.00	-	-	-
80-84	0	0.0	0.00	0	0.0	0.00	-	-	-
85+	0	0.0	0.00	0	0.0	0.00	-	-	-
Total deaths	1			1			-		
Connecticut									
. Crude rate		2.6	-		5.1	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.3	-		26.4	-		4.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	56.0	39.60	1	53.2	53.19	1	59.1	59.14
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	3	128.9	74.43	1	89.9	89.93	2	164.6	116.40
50-54	5	275.3	123.13	4	449.9	224.97	1	107.9	107.87
55-59	8	562.6	198.90	5	736.4	329.32	3	403.8	233.12
60-64	4	391.8	195.89	0	0.0	0.00	4	700.5	350.26
65-69	3	312.5	180.42	3	750.0	433.01	0	0.0	0.00
70-74	3	440.5	254.34	1	354.6	354.61	2	501.3	354.44
75-79	3	537.6	310.40	1	393.7	393.70	2	657.9	465.20
80-84	2	552.5	390.67	0	0.0	0.00	2	952.4	673.44
85+	4	1087.0	543.48	2	2040.8	1443.08	2	740.7	523.78
Total deaths	37			18			19		
Connecticut									
. Crude rate		95.5	-		92.2	-		98.9	-
. AAMR (1940 Std. mil.)		96.4	16.61		105.6	25.54		88.8	21.65
. AAMR (1970 Std. mil.)		117.0	19.72		126.9	30.53		110.5	26.16
. AAMR (2000 Std. mil.)		139.5	23.30		153.9	38.41		132.3	30.76
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		131.6	-		159.6	-		111.1	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is lower

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	70.3	70.32	1	147.3	147.28	0	0.0	0.00
60-64	1	97.9	97.94	0	0.0	0.00	1	175.1	175.13
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	179.2	179.21	1	393.7	393.70	0	0.0	0.00
80-84	1	276.2	276.24	0	0.0	0.00	1	476.2	476.19
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	4			2			2		
Connecticut									
. Crude rate		10.3	-		10.2	-		10.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.4	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available



## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colorectal cancer (153.0-154.3,154.8,159.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
Total deaths	-			-			-		
Connecticut									
. Crude rate	-	-		-	-		-	-	-
. AAMR (1940 Std. mil.)	-	-		-	-		-	-	-
. AAMR (1970 Std. mil.)	-	-		-	-		-	-	-
. AAMR (2000 Std. mil.)	-	-		-	-		-	-	-
. HP 2000 (1940 Std. mil.)	-	-		-	-		-	-	-
United States									
. AAMR (1940 Std. mil.)		12.9	-		15.7	-		10.7	-
. HP 2000 (1940 Std. mil.)		13.2	-		-	-		-	-
Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target: No comparison is available									
. The U.S. AAMR (1940 Std. mil.): No comparison is available									
. THE U.S. HP 2000 target: No comparison is available									

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
Total deaths	-			-			-		
Connecticut									
. Crude rate	-	-		-	-		-	-	-
. AAMR (1940 Std. mil.)	-	-		-	-		-	-	-
. AAMR (1970 Std. mil.)	-	-		-	-		-	-	-
. AAMR (2000 Std. mil.)	-	-		-	-		-	-	-
. HP 2000 (1940 Std. mil.)	-	-		-	-		-	-	-
United States									
. AAMR (1940 Std. mil.)	10.8	-		12.9	-		9.1	-	-
. HP 2000 (1940 Std. mil.)	-	-		-	-		-	-	-
Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target: No comparison is available									
. The U.S. AAMR (1940 Std. mil.): No comparison is available									
. THE U.S. HP 2000 target: No comparison is available									

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Rectal cancer (154)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
Total deaths	-			-			-		
Connecticut									
. Crude rate	-	-		-	-		-	-	-
. AAMR (1940 Std. mil.)	-	-		-	-		-	-	-
. AAMR (1970 Std. mil.)	-	-		-	-		-	-	-
. AAMR (2000 Std. mil.)	-	-		-	-		-	-	-
. HP 2000 (1940 Std. mil.)	-	-		-	-		-	-	-
United States									
. AAMR (1940 Std. mil.)		2.0			2.6			1.5	-
. HP 2000 (1940 Std. mil.)		-			-			-	-
Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target: No comparison is available									
. The U.S. AAMR (1940 Std. mil.): No comparison is available									
. THE U.S. HP 2000 target: No comparison is available									







## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Malignant melanoma of skin (172)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
Total deaths	-			-			-		
Connecticut									
. Crude rate	-	-		-	-		-	-	-
. AAMR (1940 Std. mil.)	-	-		-	-		-	-	-
. AAMR (1970 Std. mil.)	-	-		-	-		-	-	-
. AAMR (2000 Std. mil.)	-	-		-	-		-	-	-
. HP 2000 (1940 Std. mil.)	-	-		-	-		-	-	-
United States									
. AAMR (1940 Std. mil.)		1.7	-		2.5	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target: No comparison is available									
. The U.S. AAMR (1940 Std. mil.): No comparison is available									
. THE U.S. HP 2000 target: No comparison is available									

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	55.1	55.07	-	-	-	1	107.9	107.87
55-59	1	70.3	70.32	-	-	-	1	134.6	134.59
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	2			-			2		
Connecticut									
. Crude rate		-	-		-	-		10.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available



## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cervical cancer (180)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	1	28.0	28.00	-	-	-	1	59.1	59.14
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	1	271.7	271.74	-	-	-	1	370.4	370.37
Total deaths	2			-			2		
Connecticut									
. Crude rate		-	-		-	-		10.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		2.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		1.3	-
Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
Total deaths	-			-			-		
Connecticut									
. Crude rate	-	-		-	-		-	-	-
. AAMR (1940 Std. mil.)	-	-		-	-		-	-	-
. AAMR (1970 Std. mil.)	-	-		-	-		-	-	-
. AAMR (2000 Std. mil.)	-	-		-	-		-	-	-
. HP 2000 (1940 Std. mil.)	-	-		-	-		-	-	-
United States									
. AAMR (1940 Std. mil.)	-	-		-	-		1.2	-	-
. HP 2000 (1940 Std. mil.)	-	-		-	-		-	-	-
Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target: No comparison is available									
. The U.S. AAMR (1940 Std. mil.): No comparison is available									
. THE U.S. HP 2000 target: No comparison is available									

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	1	97.9	97.94	-	-	-	1	175.1	175.13
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	1			-			1		
Connecticut									
. Crude rate		-	-		-	-		5.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available



## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Bladder cancer (188)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
Total deaths	-			-			-		
Connecticut									
. Crude rate	-	-		-	-		-	-	-
. AAMR (1940 Std. mil.)	-	-		-	-		-	-	-
. AAMR (1970 Std. mil.)	-	-		-	-		-	-	-
. AAMR (2000 Std. mil.)	-	-		-	-		-	-	-
. HP 2000 (1940 Std. mil.)	-	-		-	-		-	-	-
United States									
. AAMR (1940 Std. mil.)	2.2	-		3.7	-		1.1	-	-
. HP 2000 (1940 Std. mil.)	-	-		-	-		-	-	-
Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target: No comparison is available									
. The U.S. AAMR (1940 Std. mil.): No comparison is available									
. THE U.S. HP 2000 target: No comparison is available									

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
Total deaths	-			-			-		
Connecticut									
. Crude rate	-	-		-	-		-	-	-
. AAMR (1940 Std. mil.)	-	-		-	-		-	-	-
. AAMR (1970 Std. mil.)	-	-		-	-		-	-	-
. AAMR (2000 Std. mil.)	-	-		-	-		-	-	-
. HP 2000 (1940 Std. mil.)	-	-		-	-		-	-	-
United States									
. AAMR (1940 Std. mil.)		3.5			4.5			2.9	-
. HP 2000 (1940 Std. mil.)		-			-			-	-
Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target: No comparison is available									
. The U.S. AAMR (1940 Std. mil.): No comparison is available									
. THE U.S. HP 2000 target: No comparison is available									

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Leukemia (204-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	28.0	28.00	1	53.2	53.19	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	2	140.6	99.45	1	147.3	147.28	1	134.6	134.59
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	104.2	104.17	1	250.0	250.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	4			3			1		
Connecticut									
. Crude rate		10.3	-		15.4	-		5.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.9	-		6.2	-		3.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available





## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	28.1	28.07	1	53.7	53.71	0	0.0	0.00
35-39	1	28.0	28.00	0	0.0	0.00	1	59.1	59.14
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	43.0	42.97	0	0.0	0.00	1	82.3	82.30
50-54	1	55.1	55.07	1	112.5	112.49	0	0.0	0.00
55-59	1	70.3	70.32	1	147.3	147.28	0	0.0	0.00
60-64	2	195.9	138.51	0	0.0	0.00	2	350.3	247.67
65-69	4	416.7	208.33	1	250.0	250.00	3	535.7	309.29
70-74	3	440.5	254.34	0	0.0	0.00	3	751.9	434.10
75-79	2	358.4	253.44	0	0.0	0.00	2	657.9	465.20
80-84	2	552.5	390.67	1	657.9	657.89	1	476.2	476.19
85+	2	543.5	384.30	1	1020.4	1020.41	1	370.4	370.37
Total deaths	20			6			14		
Connecticut									
. Crude rate		51.6	-		30.7	-		72.8	-
. AAMR (1940 Std. mil.)		49.5	11.62		-	-		-	-
. AAMR (1970 Std. mil.)		63.6	14.66		-	-		-	-
. AAMR (2000 Std. mil.)		78.1	17.84		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	1	146.8	146.84	-	-	-	1	250.6	250.63
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	1			-			1		
Connecticut									
. Crude rate		2.6	-		-	-		5.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.6	-		0.5	-		0.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Alzheimer's diseases (331.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
Total deaths	-			-			-		
Connecticut									
. Crude rate	-	-		-	-		-	-	-
. AAMR (1940 Std. mil.)	-	-		-	-		-	-	-
. AAMR (1970 Std. mil.)	-	-		-	-		-	-	-
. AAMR (2000 Std. mil.)	-	-		-	-		-	-	-
. HP 2000 (1940 Std. mil.)	-	-		-	-		-	-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		2.6	-		2.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target: No comparison is available									
. The U.S. AAMR (1940 Std. mil.): No comparison is available									
. THE U.S. HP 2000 target: No comparison is available									

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	28.1	28.07	1	53.7	53.71	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	96.6	55.80	3	199.7	115.32	0	0.0	0.00
45-49	5	214.9	96.09	4	359.7	179.86	1	82.3	82.30
50-54	5	275.3	123.13	5	562.4	251.53	0	0.0	0.00
55-59	4	281.3	140.65	4	589.1	294.55	0	0.0	0.00
60-64	1	97.9	97.94	1	222.2	222.22	0	0.0	0.00
65-69	7	729.2	275.60	5	1250.0	559.02	2	357.1	252.54
70-74	8	1174.7	415.33	4	1418.4	709.22	4	1002.5	501.25
75-79	9	1612.9	537.63	2	787.4	556.78	7	2302.6	870.31
80-84	3	828.7	478.47	2	1315.8	930.40	1	476.2	476.19
85+	9	2445.7	815.22	5	5102.0	2281.70	4	1481.5	740.74
Total deaths	55			36			19		
Connecticut									
. Crude rate		142.0	-		184.5	-		98.9	-
. AAMR (1940 Std. mil.)		127.1	18.19		199.5	34.48		68.1	16.88
. AAMR (1970 Std. mil.)		167.6	23.21		253.9	43.54		103.9	24.67
. AAMR (2000 Std. mil.)		218.7	30.00		330.3	58.54		143.7	33.47
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		177.7	-		231.3	-		134.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diseases of the heart (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	28.1	28.07	1	53.7	53.71	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	96.6	55.80	3	199.7	115.32	0	0.0	0.00
45-49	5	214.9	96.09	4	359.7	179.86	1	82.3	82.30
50-54	5	275.3	123.13	5	562.4	251.53	0	0.0	0.00
55-59	2	140.6	99.45	2	294.6	208.28	0	0.0	0.00
60-64	1	97.9	97.94	1	222.2	222.22	0	0.0	0.00
65-69	6	625.0	255.16	5	1250.0	559.02	1	178.6	178.57
70-74	8	1174.7	415.33	4	1418.4	709.22	4	1002.5	501.25
75-79	5	896.1	400.73	2	787.4	556.78	3	986.8	569.75
80-84	2	552.5	390.67	1	657.9	657.89	1	476.2	476.19
85+	7	1902.2	718.95	4	4081.6	2040.82	3	1111.1	641.50
Total deaths	45			32			13		
Connecticut									
. Crude rate		116.2	-		164.0	-		67.6	-
. AAMR (1940 Std. mil.)		106.6	16.79		179.7	32.86		-	-
. AAMR (1970 Std. mil.)		136.4	20.94		224.5	40.97		-	-
. AAMR (2000 Std. mil.)		175.6	26.66		288.5	54.19		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		140.5	-		188.5	-		101.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Heart disease-related (390-398,402,404-429)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	62.9	44.44	2	123.7	87.46	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	56.1	39.69	2	107.4	75.95	0	0.0	0.00
35-39	1	28.0	28.00	0	0.0	0.00	1	59.1	59.14
40-44	3	96.6	55.80	3	199.7	115.32	0	0.0	0.00
45-49	8	343.8	121.55	6	539.6	220.28	2	164.6	116.40
50-54	5	275.3	123.13	5	562.4	251.53	0	0.0	0.00
55-59	6	421.9	172.26	3	441.8	255.09	3	403.8	233.12
60-64	2	195.9	138.51	1	222.2	222.22	1	175.1	175.13
65-69	11	1145.8	345.48	7	1750.0	661.44	4	714.3	357.14
70-74	11	1615.3	487.02	6	2127.7	868.61	5	1253.1	560.42
75-79	8	1433.7	506.89	2	787.4	556.78	6	1973.7	805.75
80-84	4	1105.0	552.49	2	1315.8	930.40	2	952.4	673.44
85+	10	2717.4	859.31	5	5102.0	2281.70	5	1851.9	828.17
Total deaths	73			44			29		
Connecticut									
. Crude rate		188.5	-		225.5	-		150.9	-
. AAMR (1940 Std. mil.)		175.1	21.57		246.4	38.38		117.0	23.42
. AAMR (1970 Std. mil.)		222.6	26.80		307.1	47.88		160.2	30.78
. AAMR (2000 Std. mil.)		279.8	33.47		388.2	62.55		206.3	38.94
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	3	96.6	55.80	3	199.7	115.32	0	0.0	0.00
45-49	3	128.9	74.43	2	179.9	127.18	1	82.3	82.30
50-54	3	165.2	95.38	3	337.5	194.83	0	0.0	0.00
55-59	1	70.3	70.32	1	147.3	147.28	0	0.0	0.00
60-64	1	97.9	97.94	1	222.2	222.22	0	0.0	0.00
65-69	5	520.8	232.92	4	1000.0	500.00	1	178.6	178.57
70-74	6	881.1	359.69	2	709.2	501.49	4	1002.5	501.25
75-79	3	537.6	310.40	2	787.4	556.78	1	328.9	328.95
80-84	2	552.5	390.67	1	657.9	657.89	1	476.2	476.19
85+	3	815.2	470.67	1	1020.4	1020.41	2	740.7	523.78
Total deaths	30			20			10		
Connecticut									
. Crude rate		77.5	-		102.5	-		52.0	-
. AAMR (1940 Std. mil.)		74.0	14.09		115.8	26.61		-	-
. AAMR (1970 Std. mil.)		94.0	17.60		140.8	32.51		-	-
. AAMR (2000 Std. mil.)		117.6	21.86		171.9	40.12		-	-
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		110.2	-		151.7	-		76.6	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	0	0.0	0.00	0	0.0	0.00	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	1	55.1	55.07	1	112.5	112.49	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	1			1			-		
Connecticut									
. Crude rate		2.6	-		5.1	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.0	-		6.7	-		5.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available









## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Atherosclerosis (440)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	1	179.2	179.21	-	-	-	1	328.9	328.95
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	1			-			1		
Connecticut									
. Crude rate		2.6	-		-	-		5.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		2.6	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									No comparison is available
. THE U.S. HP 2000 target:									No comparison is available



## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	-	-	-	-	-	0	-	-
5-9	0	-	-	-	-	-	0	-	-
10-14	0	-	-	-	-	-	0	-	-
15-19	0	-	-	-	-	-	0	-	-
20-24	0	-	-	-	-	-	0	-	-
25-29	0	-	-	-	-	-	0	-	-
30-34	0	-	-	-	-	-	0	-	-
35-39	0	-	-	-	-	-	0	-	-
40-44	0	-	-	-	-	-	0	-	-
45-49	0	-	-	-	-	-	0	-	-
50-54	0	-	-	-	-	-	0	-	-
55-59	0	-	-	-	-	-	0	-	-
60-64	0	-	-	-	-	-	0	-	-
65-69	0	-	-	-	-	-	0	-	-
70-74	0	-	-	-	-	-	0	-	-
75-79	0	-	-	-	-	-	0	-	-
80-84	0	-	-	-	-	-	0	-	-
85+	0	-	-	-	-	-	0	-	-
Total deaths	-	-	-	-	-	-	-	-	-
Connecticut									
. Crude rate		-	-		-	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.3	-		5.3	-		2.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available



## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	104.2	104.17	1	250.0	250.00	0	0.0	0.00
70-74	1	146.8	146.84	1	354.6	354.61	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	1	276.2	276.24	0	0.0	0.00	1	476.2	476.19
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	3			2			1		
Connecticut									
. Crude rate		7.7	-		10.2	-		5.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.1	-		26.9	-		17.0	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available



## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----COPD-related (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	1	70.3	70.32	1	147.3	147.28	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	208.3	147.31	2	500.0	353.55	0	0.0	0.00
70-74	1	146.8	146.84	1	354.6	354.61	0	0.0	0.00
75-79	1	179.2	179.21	0	0.0	0.00	1	328.9	328.95
80-84	1	276.2	276.24	0	0.0	0.00	1	476.2	476.19
85+	1	271.7	271.74	1	1020.4	1020.41	0	0.0	0.00
Total deaths	7			5			2		
Connecticut									
. Crude rate		18.1	-		25.6	-		10.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	0	0.0	0.00	0	0.0	0.00	-	-	-
50-54	0	0.0	0.00	0	0.0	0.00	-	-	-
55-59	0	0.0	0.00	0	0.0	0.00	-	-	-
60-64	0	0.0	0.00	0	0.0	0.00	-	-	-
65-69	1	104.2	104.17	1	250.0	250.00	-	-	-
70-74	0	0.0	0.00	0	0.0	0.00	-	-	-
75-79	0	0.0	0.00	0	0.0	0.00	-	-	-
80-84	0	0.0	0.00	0	0.0	0.00	-	-	-
85+	0	0.0	0.00	0	0.0	0.00	-	-	-
Total deaths	1			1			-		
Connecticut									
. Crude rate		2.6	-		5.1	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.5	-		1.3	-		1.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available



## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	-	-	0	-	-	0	-	-
5-9	0	-	-	0	-	-	0	-	-
10-14	0	-	-	0	-	-	0	-	-
15-19	0	-	-	0	-	-	0	-	-
20-24	0	-	-	0	-	-	0	-	-
25-29	0	-	-	0	-	-	0	-	-
30-34	0	-	-	0	-	-	0	-	-
35-39	0	-	-	0	-	-	0	-	-
40-44	0	-	-	0	-	-	0	-	-
45-49	0	-	-	0	-	-	0	-	-
50-54	0	-	-	0	-	-	0	-	-
55-59	0	-	-	0	-	-	0	-	-
60-64	0	-	-	0	-	-	0	-	-
65-69	0	-	-	0	-	-	0	-	-
70-74	0	-	-	0	-	-	0	-	-
75-79	0	-	-	0	-	-	0	-	-
80-84	0	-	-	0	-	-	0	-	-
85+	0	-	-	0	-	-	0	-	-
Total deaths	-	-	-	-	-	-	-	-	-
Connecticut									
. Crude rate		-	-		-	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.3	-		5.2	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Nephritis-related (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	28.0	28.00	0	0.0	0.00	1	59.1	59.14
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	104.2	104.17	1	250.0	250.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	1	179.2	179.21	0	0.0	0.00	1	328.9	328.95
80-84	1	276.2	276.24	1	657.9	657.89	0	0.0	0.00
85+	1	271.7	271.74	1	1020.4	1020.41	0	0.0	0.00
Total deaths	5			3			2		
Connecticut									
. Crude rate		12.9	-		15.4	-		10.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	-	-	0	0.0	0.00
5-9	0	0.0	0.00	0	-	-	0	0.0	0.00
10-14	0	0.0	0.00	0	-	-	0	0.0	0.00
15-19	0	0.0	0.00	0	-	-	0	0.0	0.00
20-24	0	0.0	0.00	0	-	-	0	0.0	0.00
25-29	0	0.0	0.00	0	-	-	0	0.0	0.00
30-34	0	0.0	0.00	0	-	-	0	0.0	0.00
35-39	0	0.0	0.00	0	-	-	0	0.0	0.00
40-44	0	0.0	0.00	0	-	-	0	0.0	0.00
45-49	1	43.0	42.97	0	-	-	1	82.3	82.30
50-54	0	0.0	0.00	0	-	-	0	0.0	0.00
55-59	0	0.0	0.00	0	-	-	0	0.0	0.00
60-64	0	0.0	0.00	0	-	-	0	0.0	0.00
65-69	0	0.0	0.00	0	-	-	0	0.0	0.00
70-74	0	0.0	0.00	0	-	-	0	0.0	0.00
75-79	0	0.0	0.00	0	-	-	0	0.0	0.00
80-84	0	0.0	0.00	0	-	-	0	0.0	0.00
85+	0	0.0	0.00	0	-	-	0	0.0	0.00
Total deaths	1			-			1		
Connecticut									
. Crude rate		2.6	-		-	-		5.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.2	-		6.4	-		4.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	31.4	31.43	1	61.8	61.84	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	28.1	28.07	0	0.0	0.00	1	58.8	58.79
35-39	3	84.0	48.50	1	53.2	53.19	2	118.3	83.63
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	43.0	42.97	1	89.9	89.93	0	0.0	0.00
50-54	2	110.1	77.88	1	112.5	112.49	1	107.9	107.87
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	104.2	104.17	0	0.0	0.00	1	178.6	178.57
70-74	1	146.8	146.84	1	354.6	354.61	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	271.7	271.74	0	0.0	0.00	1	370.4	370.37
Total deaths	11			5			6		
Connecticut									
. Crude rate		28.4	-		25.6	-		31.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.2	-		43.9	-		17.1	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	31.4	31.43	1	61.8	61.84	0	-	-
5-9	0	0.0	0.00	0	0.0	0.00	0	-	-
10-14	0	0.0	0.00	0	0.0	0.00	0	-	-
15-19	0	0.0	0.00	0	0.0	0.00	0	-	-
20-24	0	0.0	0.00	0	0.0	0.00	0	-	-
25-29	0	0.0	0.00	0	0.0	0.00	0	-	-
30-34	0	0.0	0.00	0	0.0	0.00	0	-	-
35-39	1	28.0	28.00	1	53.2	53.19	0	-	-
40-44	0	0.0	0.00	0	0.0	0.00	0	-	-
45-49	0	0.0	0.00	0	0.0	0.00	0	-	-
50-54	0	0.0	0.00	0	0.0	0.00	0	-	-
55-59	0	0.0	0.00	0	0.0	0.00	0	-	-
60-64	0	0.0	0.00	0	0.0	0.00	0	-	-
65-69	0	0.0	0.00	0	0.0	0.00	0	-	-
70-74	0	0.0	0.00	0	0.0	0.00	0	-	-
75-79	0	0.0	0.00	0	0.0	0.00	0	-	-
80-84	0	0.0	0.00	0	0.0	0.00	0	-	-
85+	0	0.0	0.00	0	0.0	0.00	0	-	-
Total deaths	2			2			-		
Connecticut									
. Crude rate		5.2	-		10.2	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.1	-		22.5	-		9.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available



## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	55.1	55.07	-	-	-	1	107.9	107.87
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	1	104.2	104.17	-	-	-	1	178.6	178.57
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	2			-			2		
Connecticut									
. Crude rate		5.2	-		-	-		10.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		3.7	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
Total deaths	-			-			-		
Connecticut									
. Crude rate	-	-		-	-		-	-	-
. AAMR (1940 Std. mil.)	-	-		-	-		-	-	-
. AAMR (1970 Std. mil.)	-	-		-	-		-	-	-
. AAMR (2000 Std. mil.)	-	-		-	-		-	-	-
. HP 2000 (1940 Std. mil.)	1.0	-		-	-		-	-	-
United States									
. AAMR (1940 Std. mil.)	1.4	-		2.5	-		0.4	-	-
. HP 2000 (1940 Std. mil.)	1.3	-		-	-		-	-	-
Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target: No comparison is available									
. The U.S. AAMR (1940 Std. mil.): No comparison is available									
. THE U.S. HP 2000 target: No comparison is available									



## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	28.1	28.07	0	0.0	0.00	1	58.8	58.79
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	2	85.9	60.77	2	179.9	127.18	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	3			2			1		
Connecticut									
. Crude rate		7.7	-		10.2	-		5.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.3	-		18.7	-		4.1	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	28.1	28.07	0	0.0	0.00	1	58.8	58.79
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	55.1	55.07	0	0.0	0.00	1	107.9	107.87
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	104.2	104.17	1	250.0	250.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	3			1			2		
Connecticut									
. Crude rate		7.7	-		5.1	-		10.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.3	-		16.4	-		4.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	1	28.1	28.07	0	0.0	0.00	1	58.8	58.79
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
50-54	1	55.1	55.07	0	0.0	0.00	1	107.9	107.87
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	104.2	104.17	1	250.0	250.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	3			1			2		
Connecticut									
. Crude rate		7.7	-		5.1	-		10.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.1	-		15.9	-		4.0	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	31.4	31.43	1	61.8	61.84	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	3	84.2	48.61	0	0.0	0.00	3	176.4	101.83
35-39	3	84.0	48.50	1	53.2	53.19	2	118.3	83.63
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	3	128.9	74.43	3	269.8	155.76	0	0.0	0.00
50-54	3	165.2	95.38	1	112.5	112.49	2	215.7	152.56
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	2	208.3	147.31	1	250.0	250.00	1	178.6	178.57
70-74	1	146.8	146.84	1	354.6	354.61	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	1	271.7	271.74	0	0.0	0.00	1	370.4	370.37
Total deaths	17			8			9		
Connecticut									
. Crude rate		43.9	-		41.0	-		46.8	-
. AAMR (1940 Std. mil.)		41.9	10.43		-	-		-	-
. AAMR (1970 Std. mil.)		41.8	10.66		-	-		-	-
. AAMR (2000 Std. mil.)		50.6	12.71		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		53.0	-		80.9	-		25.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available





## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	1	55.1	55.07	-	-	-	1	107.9	107.87
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	1			-			1		
Connecticut									
. Crude rate		2.6	-		-	-		5.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.5	-		3.4	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	0	0.0	0.00	0	0.0	0.00	-	-	-
50-54	0	0.0	0.00	0	0.0	0.00	-	-	-
55-59	0	0.0	0.00	0	0.0	0.00	-	-	-
60-64	0	0.0	0.00	0	0.0	0.00	-	-	-
65-69	1	104.2	104.17	1	250.0	250.00	-	-	-
70-74	0	0.0	0.00	0	0.0	0.00	-	-	-
75-79	0	0.0	0.00	0	0.0	0.00	-	-	-
80-84	0	0.0	0.00	0	0.0	0.00	-	-	-
85+	0	0.0	0.00	0	0.0	0.00	-	-	-
Total deaths	1			1			-		
Connecticut									
. Crude rate		2.6	-		5.1	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		14.9	-		26.1	-		4.2	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
Total deaths	-			-			-		
Connecticut									
. Crude rate	-	-		-	-		-	-	-
. AAMR (1940 Std. mil.)	-	-		-	-		-	-	-
. AAMR (1970 Std. mil.)	-	-		-	-		-	-	-
. AAMR (2000 Std. mil.)	-	-		-	-		-	-	-
. HP 2000 (1940 Std. mil.)	-	-		-	-		-	-	-
United States									
. AAMR (1940 Std. mil.)	6.8	-		11.9	-		1.9	-	-
. HP 2000 (1940 Std. mil.)	-	-		-	-		-	-	-
Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target: No comparison is available									
. The U.S. AAMR (1940 Std. mil.): No comparison is available									
. THE U.S. HP 2000 target: No comparison is available									



## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All poisoning (E850-E869, E950-E952, E962, E972, E980-E982)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	56.0	39.60	0	0.0	0.00	2	118.3	83.63
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	43.0	42.97	1	89.9	89.93	0	0.0	0.00
50-54	1	55.1	55.07	1	112.5	112.49	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
70-74	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	4			2			2		
Connecticut									
. Crude rate		10.3	-		10.2	-		10.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.8	-		8.3	-		3.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	-	-	-
5-9	0	0.0	0.00	0	0.0	0.00	-	-	-
10-14	0	0.0	0.00	0	0.0	0.00	-	-	-
15-19	0	0.0	0.00	0	0.0	0.00	-	-	-
20-24	0	0.0	0.00	0	0.0	0.00	-	-	-
25-29	0	0.0	0.00	0	0.0	0.00	-	-	-
30-34	0	0.0	0.00	0	0.0	0.00	-	-	-
35-39	0	0.0	0.00	0	0.0	0.00	-	-	-
40-44	0	0.0	0.00	0	0.0	0.00	-	-	-
45-49	1	43.0	42.97	1	89.9	89.93	-	-	-
50-54	0	0.0	0.00	0	0.0	0.00	-	-	-
55-59	0	0.0	0.00	0	0.0	0.00	-	-	-
60-64	0	0.0	0.00	0	0.0	0.00	-	-	-
65-69	0	0.0	0.00	0	0.0	0.00	-	-	-
70-74	0	0.0	0.00	0	0.0	0.00	-	-	-
75-79	0	0.0	0.00	0	0.0	0.00	-	-	-
80-84	0	0.0	0.00	0	0.0	0.00	-	-	-
85+	0	0.0	0.00	0	0.0	0.00	-	-	-
Total deaths	1			1			-		
Connecticut									
. Crude rate		2.6	-		5.1	-		-	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.9	-		10.9	-		3.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available

## Connecticut Native American Resident Age-Specific Mortality Rates by Sex, 1994-1998

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
 U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
 for  
 Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	2	56.0	39.60	-	-	-	2	118.3	83.63
40-44	0	0.0	0.00	-	-	-	0	0.0	0.00
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	0	0.0	0.00	-	-	-	0	0.0	0.00
55-59	0	0.0	0.00	-	-	-	0	0.0	0.00
60-64	0	0.0	0.00	-	-	-	0	0.0	0.00
65-69	0	0.0	0.00	-	-	-	0	0.0	0.00
70-74	0	0.0	0.00	-	-	-	0	0.0	0.00
75-79	0	0.0	0.00	-	-	-	0	0.0	0.00
80-84	0	0.0	0.00	-	-	-	0	0.0	0.00
85+	0	0.0	0.00	-	-	-	0	0.0	0.00
Total deaths	2			-			2		
Connecticut									
. Crude rate		5.2	-		-	-		10.4	-
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. AAMR (1970 Std. mil.)		-	-		-	-		-	-
. AAMR (2000 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.0	-		7.0	-		3.0	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT Native American Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: No comparison is available
- . The U.S. AAMR (1940 Std. mil.): No comparison is available
- . THE U.S. HP 2000 target: No comparison is available