

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

## Causes of Death for the Age-Specific Mortality Tables

	Page		Page
All causes	2	Hypertension with or without renal disease	33
Infectious diseases and parasitic disease	3	Hypertension-related	34
Septicemia	4	Cerebrovascular disease	35
Septicemia-related	5	Atherosclerosis	36
HIV infection	6	Atherosclerosis-related	37
All cancer	7	Aortic aneurysm	38
Oral cavity or pharynx	8	Pneumonia & influenza	39
Colorectal cancer	9	Chronic obstructive pulmonary disease	40
Colon cancer	10	COPD-related	41
Rectal cancer	11	Asthma	42
Pancreatic cancer	12	Chronic liver disease and cirrhosis	43
Lung and other respiratory cancer	13	Nephritis, nephrotic syndrome/nephrosis	44
Lung cancer	14	Nephritis-related	45
Malignant melanoma of skin	15	End stage renal disease	46
Female breast cancer	16	Unintentional injuries	47
Cervical cancer	17	Motor vehicle accidents	48
Endometrial cancer	18	Falls and fall related injuries	49
Ovarian cancer	19	Drowning	50
Prostate cancer	20	Residential fires	51
Bladder cancer	21	Suicide	52
Brain & other CNS cancer	22	Homicide and legal intervention	53
Leukemia	23	Homicide	54
Diabetes mellitus	24	All injury	55
Diabetes-related	25	All motor vehicle accidents	56
Diabetic ketoacidosis	26	All falls	57
Alzheimer's diseases	27	All firearms	58
Cardiovascular disease	28	Suicide	59
Diseases of the heart	29	Homicide	60
Heart disease-related	30	All poisoning	61
Coronary heart disease	31	Alcohol-induced	62
Congestive heart failure	32	Drug-induced	63



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Infectious diseases and parasitic disease (1-139)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	15	3.8	0.98	7	3.4	1.30	8	4.2	1.47
5-9	6	1.6	0.64	1	0.5	0.51	5	2.7	1.20
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	4	1.2	0.61	2	1.2	0.83	2	1.3	0.89
20-24	13	3.6	0.99	7	3.8	1.42	6	3.4	1.38
25-29	67	15.9	1.94	41	19.3	3.01	26	12.4	2.43
30-34	142	27.8	2.34	105	41.1	4.01	37	14.5	2.39
35-39	175	34.4	2.60	131	51.7	4.52	44	17.2	2.60
40-44	130	29.1	2.55	104	47.3	4.63	26	11.4	2.24
45-49	86	21.5	2.32	76	38.6	4.42	10	4.9	1.56
50-54	68	21.4	2.59	54	34.6	4.71	14	8.6	2.30
55-59	51	20.1	2.81	38	30.7	4.98	13	10.0	2.77
60-64	58	23.6	3.10	41	34.9	5.45	17	13.3	3.22
65-69	76	30.5	3.49	49	43.5	6.21	27	19.7	3.80
70-74	98	42.9	4.33	54	54.9	7.48	44	33.8	5.10
75-79	150	81.7	6.67	82	111.7	12.33	68	61.7	7.49
80-84	188	158.7	11.57	79	191.4	21.53	109	141.2	13.52
85+	277	274.0	16.46	67	253.9	31.01	210	281.1	19.40
Total deaths	1,604			938			666		
Connecticut									
. Crude rate		27.6	-		33.2	-		22.3	-
. AAMR (1940 Std. mil.)		17.4	0.49		24.9	0.85		10.4	0.52
. AAMR (1970 Std. mil.)		19.1	0.50		26.2	0.87		12.5	0.54
. AAMR (2000 Std. mil.)		25.3	0.64		34.2	1.14		17.1	0.68
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.5	-		33.3	-		10.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Septicemia (038)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	0.8	0.44	1	0.5	0.49	2	1.0	0.73
5-9	2	0.5	0.37	0	0.0	0.00	2	1.1	0.76
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	2	0.5	0.39	0	0.0	0.00	2	1.1	0.79
25-29	1	0.2	0.24	0	0.0	0.00	1	0.5	0.48
30-34	3	0.6	0.34	0	0.0	0.00	3	1.2	0.68
35-39	8	1.6	0.56	3	1.2	0.68	5	2.0	0.88
40-44	13	2.9	0.81	7	3.2	1.20	6	2.6	1.08
45-49	10	2.5	0.79	10	5.1	1.60	0	0.0	0.00
50-54	15	4.7	1.22	7	4.5	1.70	8	4.9	1.74
55-59	11	4.3	1.31	9	7.3	2.43	2	1.5	1.08
60-64	25	10.2	2.04	13	11.1	3.07	12	9.4	2.71
65-69	55	22.0	2.97	34	30.2	5.17	21	15.4	3.35
70-74	83	36.3	3.99	46	46.8	6.90	37	28.4	4.67
75-79	113	61.6	5.79	65	88.5	10.98	48	43.6	6.29
80-84	150	126.6	10.34	61	147.8	18.92	89	115.3	12.22
85+	239	236.4	15.29	58	219.8	28.86	181	242.2	18.01
Total deaths	733			314			419		
Connecticut									
. Crude rate		12.6	-		11.1	-		14.0	-
. AAMR (1940 Std. mil.)		4.9	0.22		5.9	0.36		4.2	0.28
. AAMR (1970 Std. mil.)		7.6	0.29		8.9	0.51		6.6	0.36
. AAMR (2000 Std. mil.)		11.1	0.41		12.8	0.74		9.9	0.49
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.8	-		4.5	-		3.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: No comparison is available





## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All cancer (140-208)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	13	3.3	0.91	7	3.4	1.30	6	3.1	1.27
5-9	10	2.6	0.83	6	3.1	1.25	4	2.1	1.07
10-14	6	1.7	0.69	5	2.8	1.24	1	0.6	0.58
15-19	15	4.6	1.18	5	2.9	1.32	10	6.3	1.99
20-24	23	6.3	1.32	11	5.9	1.79	12	6.7	1.94
25-29	29	6.9	1.27	21	9.9	2.16	8	3.8	1.35
30-34	76	14.9	1.71	41	16.0	2.51	35	13.8	2.32
35-39	120	23.6	2.15	55	21.7	2.93	65	25.5	3.16
40-44	222	49.6	3.33	100	45.4	4.54	122	53.7	4.86
45-49	368	92.0	4.79	176	89.3	6.73	192	94.6	6.83
50-54	552	173.4	7.38	254	162.9	10.22	298	183.4	10.62
55-59	709	279.1	10.48	365	295.1	15.45	344	263.8	14.23
60-64	1,192	485.2	14.05	638	542.5	21.48	554	432.6	18.38
65-69	1,776	711.9	16.89	970	860.3	27.62	806	589.5	20.77
70-74	2,265	991.5	20.83	1,226	1247.2	35.62	1,039	798.4	24.77
75-79	2,250	1225.7	25.84	1,170	1593.6	46.59	1,080	980.5	29.83
80-84	1,729	1459.2	35.09	837	2027.7	70.09	892	1155.3	38.68
85+	1,839	1818.8	42.41	746	2826.5	103.49	1,093	1462.9	44.25
Total deaths	13,194			6,633			6,561		
Connecticut									
. Crude rate		227.0	-		234.9	-		219.5	-
. AAMR (1940 Std. mil.)		120.9	1.19		142.4	1.87		106.3	1.56
. AAMR (1970 Std. mil.)		160.5	1.45		195.7	2.43		138.2	1.84
. AAMR (2000 Std. mil.)		201.8	1.77		252.7	3.18		172.2	2.17
. HP 2000 (1940 Std. mil.)		120.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		132.6	-		161.8	-		111.2	-
. HP 2000 (1940 Std. mil.)		130.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is lower

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Oral cavity or pharynx (140.0-149.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	1	0.2	0.20	1	0.4	0.39	0	0.0	0.00
40-44	3	0.7	0.39	2	0.9	0.64	1	0.4	0.44
45-49	8	2.0	0.71	7	3.6	1.34	1	0.5	0.49
50-54	11	3.5	1.04	9	5.8	1.92	2	1.2	0.87
55-59	16	6.3	1.57	11	8.9	2.68	5	3.8	1.72
60-64	24	9.8	1.99	17	14.5	3.51	7	5.5	2.07
65-69	34	13.6	2.34	21	18.6	4.06	13	9.5	2.64
70-74	36	15.8	2.63	21	21.4	4.66	15	11.5	2.98
75-79	38	20.7	3.36	20	27.2	6.09	18	16.3	3.85
80-84	16	13.5	3.38	7	17.0	6.41	9	11.7	3.89
85+	17	16.8	4.08	5	18.9	8.47	12	16.1	4.64
Total deaths	204			121			83		
Connecticut									
. Crude rate		3.5	-		4.3	-		2.8	-
. AAMR (1940 Std. mil.)		2.1	0.16		3.0	0.28		1.3	0.16
. AAMR (1970 Std. mil.)		2.6	0.19		3.7	0.34		1.7	0.20
. AAMR (2000 Std. mil.)		3.1	0.22		4.4	0.40		2.1	0.24
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		3.5	-		1.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available





## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Colon cancer (153)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	4	0.8	0.39	2	0.8	0.55	2	0.8	0.56
35-39	3	0.6	0.34	1	0.4	0.39	2	0.8	0.55
40-44	9	2.0	0.67	2	0.9	0.64	7	3.1	1.16
45-49	20	5.0	1.12	13	6.6	1.83	7	3.4	1.30
50-54	34	10.7	1.83	18	11.5	2.72	16	9.8	2.46
55-59	43	16.9	2.58	25	20.2	4.04	18	13.8	3.25
60-64	113	46.0	4.33	67	57.0	6.96	46	35.9	5.30
65-69	137	54.9	4.69	73	64.7	7.58	64	46.8	5.85
70-74	185	81.0	5.95	112	113.9	10.77	73	56.1	6.57
75-79	204	111.1	7.78	109	148.5	14.22	95	86.2	8.85
80-84	206	173.9	12.11	83	201.1	22.07	123	159.3	14.36
85+	285	281.9	16.70	99	375.1	37.70	186	248.9	18.25
Total deaths	1,243			604			639		
Connecticut									
. Crude rate		21.4	-		21.4	-		21.4	-
. AAMR (1940 Std. mil.)		9.8	0.32		12.1	0.53		8.0	0.40
. AAMR (1970 Std. mil.)		14.1	0.42		17.7	0.73		11.6	0.50
. AAMR (2000 Std. mil.)		18.8	0.54		23.8	1.00		15.7	0.63
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.9	-		13.1	-		9.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Pancreatic cancer (157)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.3	0.25	0	0.0	0.00	1	0.5	0.52
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	4	0.8	0.39	4	1.6	0.79	0	0.0	0.00
40-44	5	1.1	0.50	2	0.9	0.64	3	1.3	0.76
45-49	17	4.2	1.03	13	6.6	1.83	4	2.0	0.99
50-54	30	9.4	1.72	20	12.8	2.87	10	6.2	1.95
55-59	41	16.1	2.52	24	19.4	3.96	17	13.0	3.16
60-64	53	21.6	2.96	35	29.8	5.03	18	14.1	3.31
65-69	96	38.5	3.93	58	51.4	6.75	38	27.8	4.51
70-74	142	62.2	5.22	71	72.2	8.57	71	54.6	6.47
75-79	125	68.1	6.09	62	84.4	10.72	63	57.2	7.21
80-84	97	81.9	8.31	38	92.1	14.93	59	76.4	9.95
85+	101	99.9	9.94	29	109.9	20.40	72	96.4	11.36
Total deaths	712			356			356		
Connecticut									
. Crude rate		12.2	-		12.6	-		11.9	-
. AAMR (1940 Std. mil.)		6.3	0.27		7.9	0.45		4.9	0.31
. AAMR (1970 Std. mil.)		8.5	0.33		10.6	0.57		6.9	0.39
. AAMR (2000 Std. mil.)		10.8	0.41		13.3	0.72		8.9	0.48
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.3	-		7.4	-		5.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Lung and other respiratory cancer (160-165)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	8	1.6	0.55	3	1.2	0.68	5	2.0	0.88
35-39	17	3.3	0.81	9	3.6	1.18	8	3.1	1.11
40-44	53	11.8	1.63	26	11.8	2.32	27	11.9	2.29
45-49	88	22.0	2.34	43	21.8	3.33	45	22.2	3.31
50-54	150	47.1	3.85	81	52.0	5.77	69	42.5	5.11
55-59	224	88.2	5.89	124	100.3	9.00	100	76.7	7.67
60-64	393	160.0	8.07	231	196.4	12.92	162	126.5	9.94
65-69	612	245.3	9.92	357	316.6	16.76	255	186.5	11.68
70-74	669	292.9	11.32	396	402.9	20.24	273	209.8	12.70
75-79	607	330.7	13.42	364	495.8	25.99	243	220.6	14.15
80-84	416	351.1	17.21	232	562.0	36.90	184	238.3	17.57
85+	269	266.0	16.22	156	591.1	47.32	113	151.2	14.23
Total deaths	3,506			2,022			1,484		
Connecticut									
. Crude rate		60.3	-		71.6	-		49.6	-
. AAMR (1940 Std. mil.)		34.1	0.63		44.4	1.05		26.6	0.78
. AAMR (1970 Std. mil.)		44.4	0.78		60.1	1.35		33.8	0.93
. AAMR (2000 Std. mil.)		53.4	0.91		74.9	1.70		39.9	1.05
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		40.8	-		58.1	-		27.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is lower
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Lung cancer (162.2-.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	6	1.2	0.48	3	1.2	0.68	3	1.2	0.68
35-39	15	2.9	0.76	7	2.8	1.04	8	3.1	1.11
40-44	52	11.6	1.61	25	11.4	2.27	27	11.9	2.29
45-49	86	21.5	2.32	42	21.3	3.29	44	21.7	3.27
50-54	146	45.9	3.79	78	50.0	5.66	68	41.9	5.08
55-59	216	85.0	5.79	118	95.4	8.78	98	75.2	7.59
60-64	385	156.7	7.99	225	191.3	12.76	160	124.9	9.88
65-69	586	234.9	9.70	341	302.5	16.38	245	179.2	11.45
70-74	649	284.1	11.15	379	385.6	19.81	270	207.5	12.63
75-79	590	321.4	13.23	356	484.9	25.70	234	212.4	13.89
80-84	401	338.4	16.90	220	533.0	35.93	181	234.4	17.42
85+	262	259.1	16.01	150	568.3	46.40	112	149.9	14.16
Total deaths	3,394			1,944			1,450		
Connecticut									
. Crude rate		58.4	-		68.8	-		48.5	-
. AAMR (1940 Std. mil.)		33.0	0.62		42.7	1.03		26.0	0.77
. AAMR (1970 Std. mil.)		43.0	0.76		57.8	1.32		33.0	0.92
. AAMR (2000 Std. mil.)		51.7	0.89		72.0	1.67		39.0	1.04
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		39.2	-		55.7	-		26.5	-
. HP 2000 (1940 Std. mil.)		42.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Malignant melanoma of skin (172)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.2	0.24	1	0.5	0.47	0	0.0	0.00
30-34	4	0.8	0.39	1	0.4	0.39	3	1.2	0.68
35-39	7	1.4	0.52	3	1.2	0.68	4	1.6	0.78
40-44	8	1.8	0.63	5	2.3	1.02	3	1.3	0.76
45-49	9	2.2	0.75	4	2.0	1.01	5	2.5	1.10
50-54	14	4.4	1.18	9	5.8	1.92	5	3.1	1.38
55-59	19	7.5	1.72	11	8.9	2.68	8	6.1	2.17
60-64	19	7.7	1.77	13	11.1	3.07	6	4.7	1.91
65-69	19	7.6	1.75	13	11.5	3.20	6	4.4	1.79
70-74	23	10.1	2.10	15	15.3	3.94	8	6.1	2.17
75-79	26	14.2	2.78	18	24.5	5.78	8	7.3	2.57
80-84	20	16.9	3.77	9	21.8	7.27	11	14.2	4.30
85+	7	6.9	2.62	2	7.6	5.36	5	6.7	2.99
Total deaths	176			104			72		
Connecticut									
. Crude rate		3.0	-		3.7	-		2.4	-
. AAMR (1940 Std. mil.)		2.0	0.16		2.6	0.27		1.5	0.20
. AAMR (1970 Std. mil.)		2.4	0.18		3.2	0.31		1.7	0.21
. AAMR (2000 Std. mil.)		2.8	0.21		3.8	0.37		2.1	0.25
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.9	-		2.5	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Female breast cancer (174)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.3	0.27	-	-	-	1	0.6	0.56
25-29	2	0.5	0.33	-	-	-	2	1.0	0.67
30-34	7	1.4	0.52	-	-	-	7	2.8	1.04
35-39	24	4.7	0.96	-	-	-	24	9.4	1.92
40-44	33	7.4	1.28	-	-	-	33	14.5	2.53
45-49	55	13.7	1.85	-	-	-	55	27.1	3.65
50-54	83	26.1	2.86	-	-	-	83	51.1	5.61
55-59	73	28.7	3.36	-	-	-	73	56.0	6.55
60-64	111	45.2	4.29	-	-	-	111	86.7	8.23
65-69	146	58.5	4.84	-	-	-	146	106.8	8.84
70-74	157	68.7	5.49	-	-	-	157	120.6	9.63
75-79	155	84.4	6.78	-	-	-	155	140.7	11.30
80-84	109	92.0	8.81	-	-	-	109	141.2	13.52
85+	155	153.3	12.31	-	-	-	155	207.4	16.66
Total deaths	1,111			-			1,111		
Connecticut									
. Crude rate		-	-		-	-		37.2	-
. AAMR (1940 Std. mil.)		-	-		-	-		20.5	0.71
. AAMR (1970 Std. mil.)		-	-		-	-		25.2	0.81
. AAMR (2000 Std. mil.)		-	-		-	-		30.5	0.94
. HP 2000 (1940 Std. mil.)		-	-		-	-		23.1	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		21.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		20.6	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is lower  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different





## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Endometrial cancer (182)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	0	0.0	0.00	-	-	-	0	0.0	0.00
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	0	0.0	0.00	-	-	-	0	0.0	0.00
40-44	1	0.2	0.22	-	-	-	1	0.4	0.44
45-49	0	0.0	0.00	-	-	-	0	0.0	0.00
50-54	3	0.9	0.54	-	-	-	3	1.8	1.07
55-59	3	1.2	0.68	-	-	-	3	2.3	1.33
60-64	8	3.3	1.15	-	-	-	8	6.2	2.21
65-69	7	2.8	1.06	-	-	-	7	5.1	1.94
70-74	16	7.0	1.75	-	-	-	16	12.3	3.07
75-79	18	9.8	2.31	-	-	-	18	16.3	3.85
80-84	10	8.4	2.67	-	-	-	10	13.0	4.10
85+	11	10.9	3.28	-	-	-	11	14.7	4.44
Total deaths	77			-			77		
Connecticut									
. Crude rate		-	-		-	-		2.6	-
. AAMR (1940 Std. mil.)		-	-		-	-		1.1	0.15
. AAMR (1970 Std. mil.)		-	-		-	-		1.6	0.19
. AAMR (2000 Std. mil.)		-	-		-	-		2.0	0.23
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		1.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Ovarian cancer (183)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	-	-	-	0	0.0	0.00
5-9	0	0.0	0.00	-	-	-	0	0.0	0.00
10-14	0	0.0	0.00	-	-	-	0	0.0	0.00
15-19	0	0.0	0.00	-	-	-	0	0.0	0.00
20-24	1	0.3	0.27	-	-	-	1	0.6	0.56
25-29	0	0.0	0.00	-	-	-	0	0.0	0.00
30-34	0	0.0	0.00	-	-	-	0	0.0	0.00
35-39	2	0.4	0.28	-	-	-	2	0.8	0.55
40-44	10	2.2	0.71	-	-	-	10	4.4	1.39
45-49	15	3.7	0.97	-	-	-	15	7.4	1.91
50-54	24	7.5	1.54	-	-	-	24	14.8	3.02
55-59	22	8.7	1.85	-	-	-	22	16.9	3.60
60-64	37	15.1	2.48	-	-	-	37	28.9	4.75
65-69	34	13.6	2.34	-	-	-	34	24.9	4.26
70-74	57	25.0	3.31	-	-	-	57	43.8	5.80
75-79	45	24.5	3.65	-	-	-	45	40.9	6.09
80-84	55	46.4	6.26	-	-	-	55	71.2	9.61
85+	59	58.4	7.60	-	-	-	59	79.0	10.28
Total deaths	361			-			361		
Connecticut									
. Crude rate		-	-		-	-		12.1	-
. AAMR (1940 Std. mil.)		-	-		-	-		6.1	0.38
. AAMR (1970 Std. mil.)		-	-		-	-		7.8	0.44
. AAMR (2000 Std. mil.)		-	-		-	-		9.7	0.52
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		6.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:									
. The CT HP 2000 target:									No comparison is available
. The U.S. AAMR (1940 Std. mil.):									CT rate is not significantly different
. THE U.S. HP 2000 target:									No comparison is available





## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Brain & other CNS cancer (191-192)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	0.8	0.44	1	0.5	0.49	2	1.0	0.73
5-9	2	0.5	0.37	1	0.5	0.51	1	0.5	0.54
10-14	1	0.3	0.28	1	0.6	0.55	0	0.0	0.00
15-19	3	0.9	0.53	0	0.0	0.00	3	1.9	1.09
20-24	3	0.8	0.48	2	1.1	0.76	1	0.6	0.56
25-29	1	0.2	0.24	1	0.5	0.47	0	0.0	0.00
30-34	7	1.4	0.52	3	1.2	0.68	4	1.6	0.79
35-39	6	1.2	0.48	4	1.6	0.79	2	0.8	0.55
40-44	13	2.9	0.81	9	4.1	1.36	4	1.8	0.88
45-49	13	3.2	0.90	8	4.1	1.43	5	2.5	1.10
50-54	27	8.5	1.63	15	9.6	2.48	12	7.4	2.13
55-59	25	9.8	1.97	14	11.3	3.03	11	8.4	2.54
60-64	27	11.0	2.12	20	17.0	3.80	7	5.5	2.07
65-69	35	14.0	2.37	17	15.1	3.66	18	13.2	3.10
70-74	44	19.3	2.90	20	20.3	4.55	24	18.4	3.76
75-79	45	24.5	3.65	19	25.9	5.94	26	23.6	4.63
80-84	25	21.1	4.22	13	31.5	8.73	12	15.5	4.49
85+	13	12.9	3.57	6	22.7	9.28	7	9.4	3.54
Total deaths	293			154			139		
Connecticut									
. Crude rate		5.0	-		5.5	-		4.6	-
. AAMR (1940 Std. mil.)		3.4	0.22		4.0	0.34		2.9	0.28
. AAMR (1970 Std. mil.)		4.0	0.25		4.8	0.39		3.4	0.31
. AAMR (2000 Std. mil.)		4.7	0.28		5.6	0.46		4.0	0.34
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.5	-		4.3	-		3.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available







## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetes-related (250)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.3	0.28	1	0.6	0.55	0	0.0	0.00
15-19	1	0.3	0.30	0	0.0	0.00	1	0.6	0.63
20-24	1	0.3	0.27	1	0.5	0.54	0	0.0	0.00
25-29	5	1.2	0.53	5	2.4	1.05	0	0.0	0.00
30-34	24	4.7	0.96	8	3.1	1.11	16	6.3	1.57
35-39	17	3.3	0.81	7	2.8	1.04	10	3.9	1.24
40-44	36	8.0	1.34	26	11.8	2.32	10	4.4	1.39
45-49	68	17.0	2.06	41	20.8	3.25	27	13.3	2.56
50-54	103	32.3	3.19	62	39.8	5.05	41	25.2	3.94
55-59	174	68.5	5.19	106	85.7	8.33	68	52.2	6.32
60-64	270	109.9	6.69	151	128.4	10.45	119	92.9	8.52
65-69	510	204.4	9.05	269	238.6	14.55	241	176.3	11.35
70-74	720	315.2	11.75	345	351.0	18.90	375	288.2	14.88
75-79	808	440.2	15.48	396	539.4	27.10	412	374.0	18.43
80-84	795	671.0	23.80	353	855.2	45.52	442	572.5	27.23
85+	952	941.5	30.52	268	1015.4	62.03	684	915.5	35.00
Total deaths	4,485			2,039			2,446		
Connecticut									
. Crude rate		77.1	-		72.2	-		81.8	-
. AAMR (1940 Std. mil.)		34.8	0.60		41.1	0.98		29.9	0.74
. AAMR (1970 Std. mil.)		50.2	0.78		59.3	1.32		43.6	0.96
. AAMR (2000 Std. mil.)		67.7	1.02		79.7	1.81		59.5	1.22
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		-	-		-	-		-	-
. HP 2000 (1940 Std. mil.)		34.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): No comparison is available  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Diabetic ketoacidosis (DKA) (250.1)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.3	0.28	1	0.6	0.55	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	1	0.2	0.24	1	0.5	0.47	0	0.0	0.00
30-34	3	0.6	0.34	2	0.8	0.55	1	0.4	0.39
35-39	1	0.2	0.20	0	0.0	0.00	1	0.4	0.39
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	0.2	0.25	1	0.5	0.51	0	0.0	0.00
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
60-64	2	0.8	0.58	1	0.9	0.85	1	0.8	0.78
65-69	1	0.4	0.40	0	0.0	0.00	1	0.7	0.73
70-74	1	0.4	0.44	0	0.0	0.00	1	0.8	0.77
75-79	1	0.5	0.54	0	0.0	0.00	1	0.9	0.91
80-84	2	1.7	1.19	0	0.0	0.00	2	2.6	1.83
85+	4	4.0	1.98	0	0.0	0.00	4	5.4	2.68
Total deaths	18			6			12		
Connecticut									
. Crude rate		0.3	-		0.2	-		0.4	-
. AAMR (1940 Std. mil.)		0.2	0.05		-	-		-	-
. AAMR (1970 Std. mil.)		0.2	0.06		-	-		-	-
. AAMR (2000 Std. mil.)		0.3	0.07		-	-		-	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		0.4	-		0.5	-		0.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Alzheimer's diseases (331.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
45-49	1	0.2	0.25	0	0.0	0.00	1	0.5	0.49
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	7	2.8	1.04	3	2.4	1.40	4	3.1	1.53
60-64	8	3.3	1.15	4	3.4	1.70	4	3.1	1.56
65-69	25	10.0	2.00	11	9.8	2.94	14	10.2	2.74
70-74	27	11.8	2.27	13	13.2	3.67	14	10.8	2.88
75-79	73	39.8	4.65	29	39.5	7.33	44	39.9	6.02
80-84	117	98.7	9.13	50	121.1	17.13	67	86.8	10.60
85+	236	233.4	15.19	46	174.3	25.70	190	254.3	18.45
Total deaths	494			156			338		
Connecticut									
. Crude rate		8.5	-		5.5	-		11.3	-
. AAMR (1940 Std. mil.)		2.5	0.13		2.4	0.21		2.5	0.17
. AAMR (1970 Std. mil.)		4.5	0.21		4.4	0.35		4.6	0.27
. AAMR (2000 Std. mil.)		7.5	0.34		6.9	0.57		7.6	0.41
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		2.4	-		2.2	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cardiovascular disease (390-459)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	21	5.3	1.16	14	6.9	1.84	7	3.6	1.37
5-9	4	1.0	0.52	2	1.0	0.72	2	1.1	0.76
10-14	6	1.7	0.69	2	1.1	0.78	4	2.3	1.15
15-19	7	2.1	0.81	7	4.1	1.56	0	0.0	0.00
20-24	8	2.2	0.78	3	1.6	0.93	5	2.8	1.26
25-29	31	7.3	1.32	18	8.5	2.00	13	6.2	1.72
30-34	68	13.3	1.62	41	16.0	2.51	27	10.6	2.04
35-39	99	19.5	1.96	67	26.4	3.23	32	12.5	2.22
40-44	179	40.0	2.99	126	57.3	5.10	53	23.3	3.20
45-49	324	81.0	4.50	240	121.7	7.86	84	41.4	4.52
50-54	434	136.3	6.54	327	209.7	11.60	107	65.9	6.37
55-59	619	243.7	9.79	453	366.3	17.21	166	127.3	9.88
60-64	1,007	409.9	12.92	675	574.0	22.09	332	259.3	14.23
65-69	1,715	687.5	16.60	1,134	1005.8	29.87	581	425.0	17.63
70-74	2,568	1124.2	22.18	1,496	1521.9	39.35	1,072	823.7	25.16
75-79	3,549	1933.3	32.45	1,871	2548.4	58.92	1,678	1523.4	37.19
80-84	4,058	3424.8	53.76	1,715	4154.8	100.33	2,343	3034.6	62.69
85+	8,438	8345.4	90.85	2,358	8934.2	183.99	6,080	8137.4	104.36
Total deaths	23,135			10,549			12,586		
Connecticut									
. Crude rate		397.9	-		373.5	-		421.0	-
. AAMR (1940 Std. mil.)		151.9	1.20		201.8	2.13		111.8	1.31
. AAMR (1970 Std. mil.)		238.2	1.64		305.2	3.00		187.3	1.82
. AAMR (2000 Std. mil.)		351.2	2.32		435.8	4.37		290.3	2.62
. HP 2000 (1940 Std. mil.)		84.4	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		182.8	-		238.7	-		137.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is higher  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available





## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Coronary heart disease (CHD) (402,410-414,429.2)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	2	0.5	0.36	1	0.5	0.49	1	0.5	0.52
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.3	0.27	0	0.0	0.00	1	0.6	0.56
25-29	9	2.1	0.71	9	4.2	1.41	0	0.0	0.00
30-34	19	3.7	0.85	16	6.3	1.57	3	1.2	0.68
35-39	37	7.3	1.20	29	11.4	2.13	8	3.1	1.11
40-44	91	20.3	2.13	66	30.0	3.69	25	11.0	2.20
45-49	197	49.2	3.51	159	80.7	6.40	38	18.7	3.04
50-54	287	90.1	5.32	230	147.5	9.73	57	35.1	4.65
55-59	400	157.5	7.87	324	262.0	14.56	76	58.3	6.69
60-64	671	273.1	10.54	476	404.8	18.55	195	152.3	10.90
65-69	1,061	425.3	13.06	752	667.0	24.32	309	226.0	12.86
70-74	1,546	676.8	17.21	943	959.3	31.24	603	463.4	18.87
75-79	2,075	1130.4	24.81	1,139	1551.4	45.97	936	849.7	27.77
80-84	2,288	1931.0	40.37	997	2415.3	76.49	1,291	1672.1	46.54
85+	4,706	4654.3	67.85	1,340	5077.1	138.70	3,366	4505.0	77.65
Total deaths	13,390			6,481			6,909		
Connecticut									
. Crude rate		230.3	-		229.5	-		231.1	-
. AAMR (1940 Std. mil.)		89.8	0.93		126.9	1.71		59.8	0.93
. AAMR (1970 Std. mil.)		139.6	1.26		188.8	2.36		101.8	1.33
. AAMR (2000 Std. mil.)		203.4	1.76		264.6	3.38		158.7	1.93
. HP 2000 (1940 Std. mil.)		84.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		113.8	-		157.4	-		79.2	-
. HP 2000 (1940 Std. mil.)		100.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Congestive heart failure (CHF) (428.0)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.3	0.27	0	0.0	0.00	1	0.6	0.56
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	1	0.2	0.22	1	0.5	0.45	0	0.0	0.00
45-49	6	1.5	0.61	4	2.0	1.01	2	1.0	0.70
50-54	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
55-59	11	4.3	1.31	4	3.2	1.62	7	5.4	2.03
60-64	12	4.9	1.41	8	6.8	2.41	4	3.1	1.56
65-69	34	13.6	2.34	17	15.1	3.66	17	12.4	3.02
70-74	75	32.8	3.79	41	41.7	6.51	34	26.1	4.48
75-79	132	71.9	6.26	61	83.1	10.64	71	64.5	7.65
80-84	174	146.9	11.13	79	191.4	21.53	95	123.0	12.62
85+	503	497.5	22.18	142	538.0	45.15	361	483.2	25.43
Total deaths	949			357			592		
Connecticut									
. Crude rate		16.3	-		12.6	-		19.8	-
. AAMR (1940 Std. mil.)		4.6	0.18		5.4	0.30		4.1	0.22
. AAMR (1970 Std. mil.)		8.6	0.29		10.0	0.53		7.8	0.35
. AAMR (2000 Std. mil.)		14.3	0.47		16.4	0.89		13.2	0.55
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.3	-		7.0	-		5.6	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Hypertension with or without renal disease (401,403)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	2	0.4	0.28	2	0.8	0.55	0	0.0	0.00
35-39	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
40-44	4	0.9	0.45	4	1.8	0.91	0	0.0	0.00
45-49	4	1.0	0.50	3	1.5	0.88	1	0.5	0.49
50-54	6	1.9	0.77	5	3.2	1.43	1	0.6	0.62
55-59	6	2.4	0.96	4	3.2	1.62	2	1.5	1.08
60-64	10	4.1	1.29	6	5.1	2.08	4	3.1	1.56
65-69	20	8.0	1.79	11	9.8	2.94	9	6.6	2.19
70-74	35	15.3	2.59	15	15.3	3.94	20	15.4	3.44
75-79	35	19.1	3.22	14	19.1	5.10	21	19.1	4.16
80-84	48	40.5	5.85	21	50.9	11.10	27	35.0	6.73
85+	93	92.0	9.54	24	90.9	18.56	69	92.3	11.12
Total deaths	263			109			154		
Connecticut									
. Crude rate		4.5	-		3.9	-		5.2	-
. AAMR (1940 Std. mil.)		1.7	0.13		2.1	0.22		1.4	0.14
. AAMR (1970 Std. mil.)		2.7	0.17		3.1	0.30		2.3	0.21
. AAMR (2000 Std. mil.)		4.0	0.25		4.5	0.45		3.6	0.29
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.2	-		2.3	-		2.1	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Cerebrovascular disease (430-438)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	3	0.8	0.44	3	1.5	0.85	0	0.0	0.00
5-9	1	0.3	0.26	0	0.0	0.00	1	0.5	0.54
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.3	0.30	1	0.6	0.59	0	0.0	0.00
20-24	1	0.3	0.27	0	0.0	0.00	1	0.6	0.56
25-29	4	0.9	0.47	1	0.5	0.47	3	1.4	0.82
30-34	11	2.2	0.65	3	1.2	0.68	8	3.1	1.11
35-39	18	3.5	0.83	12	4.7	1.37	6	2.4	0.96
40-44	22	4.9	1.05	14	6.4	1.70	8	3.5	1.24
45-49	37	9.2	1.52	18	9.1	2.15	19	9.4	2.15
50-54	46	14.4	2.13	29	18.6	3.45	17	10.5	2.54
55-59	58	22.8	3.00	27	21.8	4.20	31	23.8	4.27
60-64	101	41.1	4.09	54	45.9	6.25	47	36.7	5.35
65-69	178	71.4	5.35	101	89.6	8.91	77	56.3	6.42
70-74	294	128.7	7.51	144	146.5	12.21	150	115.3	9.41
75-79	539	293.6	12.65	253	344.6	21.66	286	259.6	15.35
80-84	683	576.4	22.06	251	608.1	38.38	432	559.5	26.92
85+	1,415	1399.5	37.20	357	1352.6	71.59	1,058	1416.0	43.53
Total deaths	3,412			1,268			2,144		
Connecticut									
. Crude rate		58.7	-		44.9	-		71.7	-
. AAMR (1940 Std. mil.)		20.0	0.41		22.0	0.67		18.4	0.53
. AAMR (1970 Std. mil.)		33.3	0.60		35.9	1.01		31.3	0.74
. AAMR (2000 Std. mil.)		51.7	0.89		54.7	1.58		49.3	1.08
. HP 2000 (1940 Std. mil.)		16.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		26.6	-		29.0	-		24.4	-
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is higher  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is not significantly different





## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Aortic aneurysm (441)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.3	0.27	1	0.5	0.54	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
35-39	2	0.4	0.28	2	0.8	0.56	0	0.0	0.00
40-44	3	0.7	0.39	1	0.5	0.45	2	0.9	0.62
45-49	2	0.5	0.35	2	1.0	0.72	0	0.0	0.00
50-54	2	0.6	0.44	2	1.3	0.91	0	0.0	0.00
55-59	7	2.8	1.04	6	4.9	1.98	1	0.8	0.77
60-64	15	6.1	1.58	11	9.4	2.82	4	3.1	1.56
65-69	58	23.3	3.05	45	39.9	5.95	13	9.5	2.64
70-74	73	32.0	3.74	44	44.8	6.75	29	22.3	4.14
75-79	57	31.1	4.11	33	44.9	7.82	24	21.8	4.45
80-84	68	57.4	6.96	35	84.8	14.33	33	42.7	7.44
85+	66	65.3	8.03	33	125.0	21.77	33	44.2	7.69
Total deaths	354			215			139		
Connecticut									
. Crude rate		6.1	-		7.6	-		4.6	-
. AAMR (1940 Std. mil.)		2.7	0.16		4.2	0.30		1.5	0.15
. AAMR (1970 Std. mil.)		3.9	0.21		6.2	0.42		2.4	0.21
. AAMR (2000 Std. mil.)		5.2	0.28		8.3	0.59		3.3	0.28
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		3.4	-		5.6	-		1.9	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Pneumonia & influenza (480-487)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	2.3	0.76	3	1.5	0.85	6	3.1	1.27
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	2	0.6	0.43	1	0.6	0.59	1	0.6	0.63
20-24	1	0.3	0.27	1	0.5	0.54	0	0.0	0.00
25-29	3	0.7	0.41	2	0.9	0.67	1	0.5	0.48
30-34	8	1.6	0.55	6	2.3	0.96	2	0.8	0.56
35-39	13	2.6	0.71	8	3.2	1.12	5	2.0	0.88
40-44	17	3.8	0.92	11	5.0	1.51	6	2.6	1.08
45-49	23	5.7	1.20	11	5.6	1.68	12	5.9	1.71
50-54	17	5.3	1.29	12	7.7	2.22	5	3.1	1.38
55-59	29	11.4	2.12	18	14.6	3.43	11	8.4	2.54
60-64	41	16.7	2.61	26	22.1	4.34	15	11.7	3.02
65-69	81	32.5	3.61	55	48.8	6.58	26	19.0	3.73
70-74	154	67.4	5.43	84	85.5	9.32	70	53.8	6.43
75-79	305	166.1	9.51	157	213.8	17.07	148	134.4	11.04
80-84	435	367.1	17.60	219	530.5	35.85	216	279.8	19.04
85+	1,110	1097.8	32.95	371	1405.7	72.98	739	989.1	36.38
Total deaths	2,248			985			1,263		
Connecticut									
. Crude rate		38.7	-		34.9	-		42.3	-
. AAMR (1940 Std. mil.)		12.0	0.31		15.8	0.55		9.6	0.37
. AAMR (1970 Std. mil.)		21.0	0.46		27.7	0.89		17.2	0.53
. AAMR (2000 Std. mil.)		34.2	0.72		44.9	1.47		28.5	0.81
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		13.5	-		17.5	-		10.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic obstructive pulmonary disease (COPD) (490-496)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.3	0.25	0	0.0	0.00	1	0.5	0.52
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.3	0.30	1	0.6	0.59	0	0.0	0.00
20-24	3	0.8	0.48	1	0.5	0.54	2	1.1	0.79
25-29	2	0.5	0.33	1	0.5	0.47	1	0.5	0.48
30-34	2	0.4	0.28	1	0.4	0.39	1	0.4	0.39
35-39	10	2.0	0.62	3	1.2	0.68	7	2.7	1.04
40-44	6	1.3	0.55	4	1.8	0.91	2	0.9	0.62
45-49	12	3.0	0.87	6	3.0	1.24	6	3.0	1.21
50-54	20	6.3	1.40	6	3.8	1.57	14	8.6	2.30
55-59	44	17.3	2.61	21	17.0	3.71	23	17.6	3.68
60-64	122	49.7	4.50	61	51.9	6.64	61	47.6	6.10
65-69	225	90.2	6.01	118	104.7	9.63	107	78.3	7.57
70-74	348	152.3	8.17	175	178.0	13.46	173	132.9	10.11
75-79	451	245.7	11.57	219	298.3	20.16	232	210.6	13.83
80-84	440	371.3	17.70	207	501.5	34.86	233	301.8	19.77
85+	497	491.5	22.05	211	799.5	55.04	286	382.8	22.63
Total deaths	2,184			1,035			1,149		
Connecticut									
. Crude rate		37.6	-		36.6	-		38.4	-
. AAMR (1940 Std. mil.)		15.4	0.38		18.4	0.61		13.7	0.49
. AAMR (1970 Std. mil.)		23.5	0.52		29.3	0.92		20.4	0.65
. AAMR (2000 Std. mil.)		32.6	0.70		42.3	1.35		27.8	0.83
. HP 2000 (1940 Std. mil.)		20.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		21.4	-		27.8	-		17.2	-
. HP 2000 (1940 Std. mil.)		25.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower





## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Asthma (493)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	1	0.3	0.30	1	0.6	0.59	0	0.0	0.00
20-24	2	0.5	0.39	0	0.0	0.00	2	1.1	0.79
25-29	2	0.5	0.33	1	0.5	0.47	1	0.5	0.48
30-34	2	0.4	0.28	1	0.4	0.39	1	0.4	0.39
35-39	7	1.4	0.52	2	0.8	0.56	5	2.0	0.88
40-44	5	1.1	0.50	3	1.4	0.79	2	0.9	0.62
45-49	4	1.0	0.50	1	0.5	0.51	3	1.5	0.85
50-54	5	1.6	0.70	1	0.6	0.64	4	2.5	1.23
55-59	3	1.2	0.68	2	1.6	1.14	1	0.8	0.77
60-64	6	2.4	1.00	2	1.7	1.20	4	3.1	1.56
65-69	5	2.0	0.90	3	2.7	1.54	2	1.5	1.03
70-74	10	4.4	1.38	2	2.0	1.44	8	6.1	2.17
75-79	4	2.2	1.09	0	0.0	0.00	4	3.6	1.82
80-84	8	6.8	2.39	3	7.3	4.20	5	6.5	2.90
85+	15	14.8	3.83	4	15.2	7.58	11	14.7	4.44
Total deaths	79			26			53		
Connecticut									
. Crude rate		1.4	-		0.9	-		1.8	-
. AAMR (1940 Std. mil.)		0.9	0.11		0.7	0.14		1.0	0.17
. AAMR (1970 Std. mil.)		1.0	0.12		0.8	0.16		1.2	0.17
. AAMR (2000 Std. mil.)		1.3	0.14		1.0	0.21		1.5	0.21
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.5	-		1.3	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Chronic liver disease and cirrhosis (571)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	1	0.3	0.27	0	0.0	0.00	1	0.6	0.56
25-29	6	1.4	0.58	3	1.4	0.82	3	1.4	0.82
30-34	13	2.5	0.71	8	3.1	1.11	5	2.0	0.88
35-39	22	4.3	0.92	14	5.5	1.48	8	3.1	1.11
40-44	48	10.7	1.55	31	14.1	2.53	17	7.5	1.81
45-49	47	11.7	1.71	35	17.8	3.00	12	5.9	1.71
50-54	60	18.8	2.43	52	33.4	4.63	8	4.9	1.74
55-59	50	19.7	2.78	36	29.1	4.85	14	10.7	2.87
60-64	51	20.8	2.91	37	31.5	5.17	14	10.9	2.92
65-69	67	26.9	3.28	48	42.6	6.15	19	13.9	3.19
70-74	76	33.3	3.82	46	46.8	6.90	30	23.1	4.21
75-79	52	28.3	3.93	23	31.3	6.53	29	26.3	4.89
80-84	32	27.0	4.77	21	50.9	11.10	11	14.2	4.30
85+	22	21.8	4.64	10	37.9	11.98	12	16.1	4.64
Total deaths	547			364			183		
Connecticut									
. Crude rate		9.4	-		12.9	-		6.1	-
. AAMR (1940 Std. mil.)		6.7	0.31		10.0	0.54		3.8	0.32
. AAMR (1970 Std. mil.)		7.5	0.33		11.2	0.59		4.3	0.34
. AAMR (2000 Std. mil.)		8.9	0.38		13.2	0.70		5.2	0.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		8.0	-		11.3	-		4.8	-
. HP 2000 (1940 Std. mil.)		6.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is higher

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Nephritis, nephrotic syndrome/nephrosis (580-589)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.3	0.25	1	0.5	0.49	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	4	0.8	0.39	4	1.6	0.78	0	0.0	0.00
35-39	6	1.2	0.48	3	1.2	0.68	3	1.2	0.68
40-44	3	0.7	0.39	1	0.5	0.45	2	0.9	0.62
45-49	4	1.0	0.50	3	1.5	0.88	1	0.5	0.49
50-54	12	3.8	1.09	7	4.5	1.70	5	3.1	1.38
55-59	13	5.1	1.42	7	5.7	2.14	6	4.6	1.88
60-64	27	11.0	2.12	16	13.6	3.40	11	8.6	2.59
65-69	42	16.8	2.60	27	23.9	4.61	15	11.0	2.83
70-74	58	25.4	3.33	30	30.5	5.57	28	21.5	4.07
75-79	87	47.4	5.08	47	64.0	9.34	40	36.3	5.74
80-84	114	96.2	9.01	56	135.7	18.13	58	75.1	9.86
85+	172	170.1	12.97	81	306.9	34.10	91	121.8	12.77
Total deaths	543			283			260		
Connecticut									
. Crude rate		9.3	-		10.0	-		8.7	-
. AAMR (1940 Std. mil.)		3.7	0.19		5.0	0.32		2.8	0.22
. AAMR (1970 Std. mil.)		5.7	0.25		8.1	0.48		4.3	0.29
. AAMR (2000 Std. mil.)		8.2	0.35		12.2	0.75		6.2	0.39
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.5	-		5.5	-		3.7	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----End stage renal disease (ESRD) (581-588,591,593.8,593.9)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.3	0.25	1	0.5	0.49	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
30-34	4	0.8	0.39	4	1.6	0.78	0	0.0	0.00
35-39	7	1.4	0.52	3	1.2	0.68	4	1.6	0.78
40-44	3	0.7	0.39	1	0.5	0.45	2	0.9	0.62
45-49	5	1.2	0.56	3	1.5	0.88	2	1.0	0.70
50-54	16	5.0	1.26	10	6.4	2.03	6	3.7	1.51
55-59	13	5.1	1.42	7	5.7	2.14	6	4.6	1.88
60-64	31	12.6	2.27	19	16.2	3.71	12	9.4	2.71
65-69	51	20.4	2.86	31	27.5	4.94	20	14.6	3.27
70-74	72	31.5	3.71	38	38.7	6.27	34	26.1	4.48
75-79	105	57.2	5.58	56	76.3	10.19	49	44.5	6.35
80-84	131	110.6	9.66	66	159.9	19.68	65	84.2	10.44
85+	200	197.8	13.99	94	356.2	36.73	106	141.9	13.78
Total deaths	639			333			306		
Connecticut									
. Crude rate		11.0	-		11.8	-		10.2	-
. AAMR (1940 Std. mil.)		4.3	0.20		5.9	0.35		3.3	0.24
. AAMR (1970 Std. mil.)		6.7	0.27		9.5	0.52		5.1	0.31
. AAMR (2000 Std. mil.)		9.7	0.38		14.3	0.81		7.3	0.42
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		5.3	-		6.6	-		4.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Unintentional injuries (E800-E949)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	30	7.6	1.38	18	8.8	2.08	12	6.2	1.80
5-9	18	4.7	1.11	15	7.6	1.97	3	1.6	0.93
10-14	30	8.5	1.55	19	10.5	2.41	11	6.3	1.91
15-19	95	28.9	2.97	63	37.2	4.68	32	20.2	3.56
20-24	108	29.7	2.86	84	45.2	4.93	24	13.5	2.75
25-29	137	32.4	2.77	114	53.7	5.03	23	10.9	2.28
30-34	147	28.8	2.38	119	46.6	4.27	28	11.0	2.08
35-39	136	26.7	2.29	107	42.2	4.08	29	11.4	2.11
40-44	108	24.1	2.32	93	42.3	4.38	15	6.6	1.70
45-49	82	20.5	2.26	66	33.5	4.12	16	7.9	1.97
50-54	44	13.8	2.08	26	16.7	3.27	18	11.1	2.61
55-59	56	22.0	2.95	44	35.6	5.36	12	9.2	2.66
60-64	49	19.9	2.85	34	28.9	4.96	15	11.7	3.02
65-69	80	32.1	3.59	42	37.3	5.75	38	27.8	4.51
70-74	97	42.5	4.31	52	52.9	7.34	45	34.6	5.15
75-79	116	63.2	5.87	54	73.6	10.01	62	56.3	7.15
80-84	150	126.6	10.34	76	184.1	21.12	74	95.8	11.14
85+	260	257.1	15.95	97	367.5	37.32	163	218.2	17.09
Total deaths	1,743			1,123			620		
Connecticut									
. Crude rate		30.0	-		39.8	-		20.7	-
. AAMR (1940 Std. mil.)		23.3	0.64		34.4	1.10		12.5	0.65
. AAMR (1970 Std. mil.)		24.4	0.63		35.4	1.10		14.3	0.67
. AAMR (2000 Std. mil.)		28.4	0.69		41.5	1.27		17.1	0.71
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		30.2	-		44.2	-		17.0	-
. HP 2000 (1940 Std. mil.)		29.3	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is lower

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Motor vehicle accidents (E810-E825)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	9	2.3	0.76	5	2.5	1.10	4	2.1	1.04
5-9	10	2.6	0.83	9	4.6	1.53	1	0.5	0.54
10-14	15	4.2	1.09	9	5.0	1.66	6	3.5	1.41
15-19	71	21.6	2.57	48	28.3	4.09	23	14.5	3.02
20-24	83	22.8	2.50	65	35.0	4.34	18	10.1	2.38
25-29	69	16.3	1.97	55	25.9	3.49	14	6.7	1.78
30-34	63	12.4	1.56	44	17.2	2.60	19	7.5	1.71
35-39	38	7.5	1.21	30	11.8	2.16	8	3.1	1.11
40-44	27	6.0	1.16	22	10.0	2.13	5	2.2	0.98
45-49	25	6.2	1.25	19	9.6	2.21	6	3.0	1.21
50-54	23	7.2	1.51	12	7.7	2.22	11	6.8	2.04
55-59	22	8.7	1.85	18	14.6	3.43	4	3.1	1.53
60-64	20	8.1	1.82	13	11.1	3.07	7	5.5	2.07
65-69	33	13.2	2.30	16	14.2	3.55	17	12.4	3.02
70-74	34	14.9	2.55	18	18.3	4.32	16	12.3	3.07
75-79	29	15.8	2.93	11	15.0	4.52	18	16.3	3.85
80-84	32	27.0	4.77	17	41.2	9.99	15	19.4	5.02
85+	16	15.8	3.96	9	34.1	11.37	7	9.4	3.54
Total deaths	619			420			199		
Connecticut									
. Crude rate		10.6	-		14.9	-		6.7	-
. AAMR (1940 Std. mil.)		10.6	0.46		15.1	0.78		6.1	0.49
. AAMR (1970 Std. mil.)		10.4	0.45		14.7	0.75		6.2	0.49
. AAMR (2000 Std. mil.)		10.5	0.43		15.0	0.74		6.3	0.46
. HP 2000 (1940 Std. mil.)		10.8	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		16.1	-		22.5	-		9.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Falls and fall related injuries (E880-E888)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.3	0.25	0	0.0	0.00	1	0.5	0.52
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.3	0.28	1	0.6	0.55	0	0.0	0.00
15-19	3	0.9	0.53	2	1.2	0.83	1	0.6	0.63
20-24	2	0.5	0.39	2	1.1	0.76	0	0.0	0.00
25-29	2	0.5	0.33	2	0.9	0.67	0	0.0	0.00
30-34	3	0.6	0.34	3	1.2	0.68	0	0.0	0.00
35-39	9	1.8	0.59	7	2.8	1.04	2	0.8	0.55
40-44	3	0.7	0.39	2	0.9	0.64	1	0.4	0.44
45-49	12	3.0	0.87	10	5.1	1.60	2	1.0	0.70
50-54	9	2.8	0.94	5	3.2	1.43	4	2.5	1.23
55-59	9	3.5	1.18	7	5.7	2.14	2	1.5	1.08
60-64	10	4.1	1.29	8	6.8	2.41	2	1.6	1.10
65-69	12	4.8	1.39	8	7.1	2.51	4	2.9	1.46
70-74	24	10.5	2.14	11	11.2	3.37	13	10.0	2.77
75-79	35	19.1	3.22	12	16.3	4.72	23	20.9	4.35
80-84	51	43.0	6.03	26	63.0	12.35	25	32.4	6.48
85+	156	154.3	12.35	49	185.7	26.52	107	143.2	13.84
Total deaths	342			155			187		
Connecticut									
. Crude rate		5.9	-		5.5	-		6.3	-
. AAMR (1940 Std. mil.)		2.3	0.16		3.2	0.29		1.6	0.17
. AAMR (1970 Std. mil.)		3.5	0.20		4.6	0.37		2.7	0.22
. AAMR (2000 Std. mil.)		5.3	0.29		6.8	0.56		4.3	0.32
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.4	-		3.4	-		1.6	-
. HP 2000 (1940 Std. mil.)		2.3	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: CT rate is not significantly different

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Drowning (E830,E832,E910)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	1.0	0.50	4	2.0	0.98	0	0.0	0.00
5-9	1	0.3	0.26	1	0.5	0.51	0	0.0	0.00
10-14	2	0.6	0.40	1	0.6	0.55	1	0.6	0.58
15-19	6	1.8	0.75	3	1.8	1.02	3	1.9	1.09
20-24	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
25-29	4	0.9	0.47	4	1.9	0.94	0	0.0	0.00
30-34	8	1.6	0.55	8	3.1	1.11	0	0.0	0.00
35-39	8	1.6	0.56	7	2.8	1.04	1	0.4	0.39
40-44	5	1.1	0.50	3	1.4	0.79	2	0.9	0.62
45-49	3	0.7	0.43	3	1.5	0.88	0	0.0	0.00
50-54	1	0.3	0.31	1	0.6	0.64	0	0.0	0.00
55-59	3	1.2	0.68	3	2.4	1.40	0	0.0	0.00
60-64	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
65-69	1	0.4	0.40	1	0.9	0.89	0	0.0	0.00
70-74	1	0.4	0.44	0	0.0	0.00	1	0.8	0.77
75-79	3	1.6	0.94	3	4.1	2.36	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	2	2.0	1.40	2	7.6	5.36	0	0.0	0.00
Total deaths	52			44			8		
Connecticut									
. Crude rate		0.9	-		1.6	-		0.3	-
. AAMR (1940 Std. mil.)		0.9	0.13		1.4	0.23		-	-
. AAMR (1970 Std. mil.)		0.8	0.13		1.4	0.22		-	-
. AAMR (2000 Std. mil.)		0.9	0.12		1.5	0.24		-	-
. HP 2000 (1940 Std. mil.)		1.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		1.6	-		2.8	-		0.6	-
. HP 2000 (1940 Std. mil.)		1.3	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: CT rate is not significantly different  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is lower



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Suicide (E950-E959)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	3	0.8	0.49	3	1.7	0.96	0	0.0	0.00
15-19	26	7.9	1.55	21	12.4	2.70	5	3.2	1.41
20-24	44	12.1	1.82	39	21.0	3.36	5	2.8	1.26
25-29	54	12.8	1.74	45	21.2	3.16	9	4.3	1.43
30-34	64	12.5	1.57	51	20.0	2.80	13	5.1	1.42
35-39	60	11.8	1.52	46	18.2	2.68	14	5.5	1.47
40-44	55	12.3	1.66	45	20.5	3.05	10	4.4	1.39
45-49	45	11.2	1.68	30	15.2	2.78	15	7.4	1.91
50-54	36	11.3	1.88	29	18.6	3.45	7	4.3	1.63
55-59	40	15.7	2.49	28	22.6	4.28	12	9.2	2.66
60-64	33	13.4	2.34	24	20.4	4.17	9	7.0	2.34
65-69	28	11.2	2.12	17	15.1	3.66	11	8.0	2.43
70-74	26	11.4	2.23	22	22.4	4.77	4	3.1	1.54
75-79	22	12.0	2.56	15	20.4	5.28	7	6.4	2.40
80-84	21	17.7	3.87	15	36.3	9.38	6	7.8	3.17
85+	15	14.8	3.83	14	53.0	14.18	1	1.3	1.34
Total deaths	572			444			128		
Connecticut									
. Crude rate		9.8	-		15.7	-		4.3	-
. AAMR (1940 Std. mil.)		9.0	0.40		14.4	0.71		3.8	0.36
. AAMR (1970 Std. mil.)		8.6	0.38		14.0	0.69		3.7	0.34
. AAMR (2000 Std. mil.)		9.5	0.40		15.7	0.76		4.1	0.37
. HP 2000 (1940 Std. mil.)		6.7	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		11.4	-		18.5	-		4.2	-
. HP 2000 (1940 Std. mil.)		10.5	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is higher
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Homicide and legal intervention (E960-E978)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	1.0	0.50	1	0.5	0.49	3	1.6	0.90
5-9	3	0.8	0.45	1	0.5	0.51	2	1.1	0.76
10-14	4	1.1	0.56	4	2.2	1.11	0	0.0	0.00
15-19	36	11.0	1.83	28	16.5	3.12	8	5.0	1.78
20-24	43	11.8	1.80	35	18.8	3.18	8	4.5	1.59
25-29	32	7.6	1.34	21	9.9	2.16	11	5.2	1.58
30-34	21	4.1	0.90	15	5.9	1.52	6	2.4	0.96
35-39	14	2.8	0.74	11	4.3	1.31	3	1.2	0.68
40-44	13	2.9	0.81	9	4.1	1.36	4	1.8	0.88
45-49	18	4.5	1.06	14	7.1	1.90	4	2.0	0.99
50-54	9	2.8	0.94	7	4.5	1.70	2	1.2	0.87
55-59	7	2.8	1.04	6	4.9	1.98	1	0.8	0.77
60-64	5	2.0	0.91	4	3.4	1.70	1	0.8	0.78
65-69	4	1.6	0.80	2	1.8	1.25	2	1.5	1.03
70-74	5	2.2	0.98	1	1.0	1.02	4	3.1	1.54
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	3	2.5	1.46	0	0.0	0.00	3	3.9	2.24
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	221			159			62		
Connecticut									
. Crude rate		3.8	-		5.6	-		2.1	-
. AAMR (1940 Std. mil.)		4.4	0.31		6.5	0.53		2.3	0.31
. AAMR (1970 Std. mil.)		4.1	0.29		6.0	0.50		2.2	0.29
. AAMR (2000 Std. mil.)		3.9	0.27		5.7	0.45		2.1	0.27
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.7	-		16.9	-		4.5	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Homicide (E960-E969)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	4	1.0	0.50	1	0.5	0.49	3	1.6	0.90
5-9	3	0.8	0.45	1	0.5	0.51	2	1.1	0.76
10-14	4	1.1	0.56	4	2.2	1.11	0	0.0	0.00
15-19	36	11.0	1.83	28	16.5	3.12	8	5.0	1.78
20-24	43	11.8	1.80	35	18.8	3.18	8	4.5	1.59
25-29	32	7.6	1.34	21	9.9	2.16	11	5.2	1.58
30-34	21	4.1	0.90	15	5.9	1.52	6	2.4	0.96
35-39	13	2.6	0.71	10	3.9	1.25	3	1.2	0.68
40-44	12	2.7	0.77	8	3.6	1.29	4	1.8	0.88
45-49	18	4.5	1.06	14	7.1	1.90	4	2.0	0.99
50-54	9	2.8	0.94	7	4.5	1.70	2	1.2	0.87
55-59	7	2.8	1.04	6	4.9	1.98	1	0.8	0.77
60-64	5	2.0	0.91	4	3.4	1.70	1	0.8	0.78
65-69	4	1.6	0.80	2	1.8	1.25	2	1.5	1.03
70-74	5	2.2	0.98	1	1.0	1.02	4	3.1	1.54
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	3	2.5	1.46	0	0.0	0.00	3	3.9	2.24
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	219			157			62		
Connecticut									
. Crude rate		3.8	-		5.6	-		2.1	-
. AAMR (1940 Std. mil.)		4.4	0.31		6.4	0.53		2.3	0.31
. AAMR (1970 Std. mil.)		4.1	0.29		5.9	0.50		2.2	0.29
. AAMR (2000 Std. mil.)		3.9	0.26		5.6	0.45		2.1	0.27
. HP 2000 (1940 Std. mil.)		5.0	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		10.6	-		16.6	-		4.5	-
. HP 2000 (1940 Std. mil.)		7.2	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:

- . The CT HP 2000 target: CT rate is lower
- . The U.S. AAMR (1940 Std. mil.): CT rate is lower
- . THE U.S. HP 2000 target: CT rate is lower

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All injury (E800-E999)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	34	8.6	1.47	19	9.3	2.14	15	7.8	2.01
5-9	21	5.5	1.20	16	8.1	2.03	5	2.7	1.20
10-14	37	10.4	1.72	26	14.4	2.82	11	6.3	1.91
15-19	159	48.4	3.84	114	67.3	6.30	45	28.4	4.23
20-24	197	54.1	3.86	160	86.1	6.81	37	20.8	3.41
25-29	229	54.2	3.58	186	87.6	6.42	43	20.5	3.12
30-34	239	46.9	3.03	190	74.4	5.40	49	19.3	2.75
35-39	221	43.5	2.92	173	68.3	5.19	48	18.8	2.71
40-44	183	40.9	3.02	153	69.5	5.62	30	13.2	2.41
45-49	153	38.2	3.09	117	59.4	5.49	36	17.7	2.96
50-54	91	28.6	3.00	64	41.0	5.13	27	16.6	3.20
55-59	104	40.9	4.01	78	63.1	7.14	26	19.9	3.91
60-64	87	35.4	3.80	62	52.7	6.70	25	19.5	3.90
65-69	113	45.3	4.26	61	54.1	6.93	52	38.0	5.27
70-74	128	56.0	4.95	75	76.3	8.81	53	40.7	5.59
75-79	141	76.8	6.47	72	98.1	11.56	69	62.6	7.54
80-84	174	146.9	11.13	91	220.5	23.11	83	107.5	11.80
85+	275	272.0	16.40	111	420.6	39.92	164	219.5	17.14
Total deaths	2,586			1,768			818		
Connecticut									
. Crude rate		44.5	-		62.6	-		27.4	-
. AAMR (1940 Std. mil.)		37.4	0.82		56.6	1.43		18.8	0.81
. AAMR (1970 Std. mil.)		37.8	0.80		56.6	1.41		20.3	0.81
. AAMR (2000 Std. mil.)		42.7	0.85		64.3	1.56		23.6	0.85
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		53.6	-		81.9	-		26.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All motor vehicle accidents (E810-E819,E958.5,E988.5)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	8	2.0	0.71	5	2.5	1.10	3	1.6	0.90
5-9	9	2.3	0.78	8	4.1	1.44	1	0.5	0.54
10-14	15	4.2	1.09	9	5.0	1.66	6	3.5	1.41
15-19	69	21.0	2.53	46	27.1	4.00	23	14.5	3.02
20-24	81	22.3	2.47	63	33.9	4.27	18	10.1	2.38
25-29	66	15.6	1.92	52	24.5	3.39	14	6.7	1.78
30-34	60	11.8	1.52	41	16.0	2.51	19	7.5	1.71
35-39	37	7.3	1.20	29	11.4	2.13	8	3.1	1.11
40-44	27	6.0	1.16	22	10.0	2.13	5	2.2	0.98
45-49	25	6.2	1.25	19	9.6	2.21	6	3.0	1.21
50-54	23	7.2	1.51	12	7.7	2.22	11	6.8	2.04
55-59	22	8.7	1.85	18	14.6	3.43	4	3.1	1.53
60-64	19	7.7	1.77	13	11.1	3.07	6	4.7	1.91
65-69	33	13.2	2.30	16	14.2	3.55	17	12.4	3.02
70-74	33	14.4	2.51	17	17.3	4.19	16	12.3	3.07
75-79	29	15.8	2.93	11	15.0	4.52	18	16.3	3.85
80-84	30	25.3	4.62	15	36.3	9.38	15	19.4	5.02
85+	16	15.8	3.96	9	34.1	11.37	7	9.4	3.54
Total deaths	602			405			197		
Connecticut									
. Crude rate		10.4	-		14.3	-		6.6	-
. AAMR (1940 Std. mil.)		10.3	0.45		14.6	0.76		6.0	0.49
. AAMR (1970 Std. mil.)		10.1	0.44		14.2	0.74		6.1	0.48
. AAMR (2000 Std. mil.)		10.2	0.42		14.4	0.73		6.2	0.46
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.6	-		22.1	-		9.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----All falls (E880-E886,E888,E957,E968.1,E987)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	1	0.3	0.25	0	0.0	0.00	1	0.5	0.52
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	1	0.3	0.28	1	0.6	0.55	0	0.0	0.00
15-19	3	0.9	0.53	2	1.2	0.83	1	0.6	0.63
20-24	2	0.5	0.39	2	1.1	0.76	0	0.0	0.00
25-29	3	0.7	0.41	3	1.4	0.82	0	0.0	0.00
30-34	5	1.0	0.44	5	2.0	0.88	0	0.0	0.00
35-39	11	2.2	0.65	8	3.2	1.12	3	1.2	0.68
40-44	3	0.7	0.39	2	0.9	0.64	1	0.4	0.44
45-49	14	3.5	0.94	10	5.1	1.60	4	2.0	0.99
50-54	9	2.8	0.94	6	3.8	1.57	3	1.8	1.07
55-59	9	3.5	1.18	7	5.7	2.14	2	1.5	1.08
60-64	11	4.5	1.35	9	7.7	2.55	2	1.6	1.10
65-69	12	4.8	1.39	9	8.0	2.66	3	2.2	1.27
70-74	20	8.8	1.96	11	11.2	3.37	9	6.9	2.31
75-79	27	14.7	2.83	12	16.3	4.72	15	13.6	3.52
80-84	38	32.1	5.20	20	48.5	10.83	18	23.3	5.50
85+	85	84.1	9.12	35	132.6	22.42	50	66.9	9.46
Total deaths	254			142			112		
Connecticut									
. Crude rate		4.4	-		5.0	-		3.7	-
. AAMR (1940 Std. mil.)		2.1	0.16		3.2	0.29		1.2	0.16
. AAMR (1970 Std. mil.)		2.8	0.19		4.2	0.36		1.8	0.20
. AAMR (2000 Std. mil.)		4.0	0.25		5.9	0.51		2.7	0.26
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		2.3	-		3.4	-		1.4	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is not significantly different  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

All firearms (E922.0-.3,E922.8-.9,E955.0-.4,E965.0-.4,E970,E985.0-.4)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	3	0.8	0.45	1	0.5	0.51	2	1.1	0.76
10-14	6	1.7	0.69	6	3.3	1.35	0	0.0	0.00
15-19	43	13.1	2.00	38	22.4	3.64	5	3.2	1.41
20-24	64	17.6	2.20	56	30.1	4.03	8	4.5	1.59
25-29	50	11.8	1.67	37	17.4	2.86	13	6.2	1.72
30-34	40	7.8	1.24	32	12.5	2.21	8	3.1	1.11
35-39	35	6.9	1.16	29	11.4	2.13	6	2.4	0.96
40-44	36	8.0	1.34	30	13.6	2.49	6	2.6	1.08
45-49	33	8.2	1.44	27	13.7	2.64	6	3.0	1.21
50-54	22	6.9	1.47	18	11.5	2.72	4	2.5	1.23
55-59	25	9.8	1.97	20	16.2	3.62	5	3.8	1.72
60-64	11	4.5	1.35	11	9.4	2.82	0	0.0	0.00
65-69	13	5.2	1.45	12	10.6	3.07	1	0.7	0.73
70-74	16	7.0	1.75	12	12.2	3.52	4	3.1	1.54
75-79	9	4.9	1.63	9	12.3	4.09	0	0.0	0.00
80-84	7	5.9	2.23	6	14.5	5.93	1	1.3	1.30
85+	8	7.9	2.80	8	30.3	10.72	0	0.0	0.00
Total deaths	421			352			69		
Connecticut									
. Crude rate		7.2	-		12.5	-		2.3	-
. AAMR (1940 Std. mil.)		7.5	0.39		12.7	0.71		2.5	0.31
. AAMR (1970 Std. mil.)		7.1	0.37		12.2	0.68		2.3	0.29
. AAMR (2000 Std. mil.)		7.3	0.36		12.6	0.68		2.3	0.28
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		15.5	-		26.9	-		4.6	-
. HP 2000 (1940 Std. mil.)		11.6	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: CT rate is lower

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm suicide (E955.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	2	0.6	0.40	2	1.1	0.78	0	0.0	0.00
15-19	12	3.7	1.06	12	7.1	2.04	0	0.0	0.00
20-24	27	7.4	1.43	24	12.9	2.64	3	1.7	0.97
25-29	25	5.9	1.18	19	8.9	2.05	6	2.9	1.17
30-34	26	5.1	1.00	20	7.8	1.75	6	2.4	0.96
35-39	26	5.1	1.00	22	8.7	1.85	4	1.6	0.78
40-44	27	6.0	1.16	22	10.0	2.13	5	2.2	0.98
45-49	23	5.7	1.20	18	9.1	2.15	5	2.5	1.10
50-54	16	5.0	1.26	14	9.0	2.40	2	1.2	0.87
55-59	23	9.1	1.89	18	14.6	3.43	5	3.8	1.72
60-64	10	4.1	1.29	10	8.5	2.69	0	0.0	0.00
65-69	12	4.8	1.39	12	10.6	3.07	0	0.0	0.00
70-74	13	5.7	1.58	11	11.2	3.37	2	1.5	1.09
75-79	8	4.4	1.54	8	10.9	3.85	0	0.0	0.00
80-84	7	5.9	2.23	6	14.5	5.93	1	1.3	1.30
85+	8	7.9	2.80	8	30.3	10.72	0	0.0	0.00
Total deaths	265			226			39		
Connecticut									
. Crude rate		4.6	-		8.0	-		1.3	-
. AAMR (1940 Std. mil.)		4.3	0.28		7.4	0.52		1.3	0.21
. AAMR (1970 Std. mil.)		4.1	0.26		7.3	0.50		1.1	0.19
. AAMR (2000 Std. mil.)		4.5	0.28		8.1	0.55		1.3	0.21
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		12.1	-		1.8	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

-----Firearm homicide (E965.0-.4)-----

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	3	0.8	0.45	1	0.5	0.51	2	1.1	0.76
10-14	4	1.1	0.56	4	2.2	1.11	0	0.0	0.00
15-19	29	8.8	1.64	24	14.2	2.89	5	3.2	1.41
20-24	36	9.9	1.65	31	16.7	3.00	5	2.8	1.26
25-29	23	5.4	1.14	16	7.5	1.88	7	3.3	1.26
30-34	13	2.5	0.71	12	4.7	1.36	1	0.4	0.39
35-39	7	1.4	0.52	5	2.0	0.88	2	0.8	0.55
40-44	8	1.8	0.63	7	3.2	1.20	1	0.4	0.44
45-49	10	2.5	0.79	9	4.6	1.52	1	0.5	0.49
50-54	6	1.9	0.77	4	2.6	1.28	2	1.2	0.87
55-59	2	0.8	0.56	2	1.6	1.14	0	0.0	0.00
60-64	1	0.4	0.41	1	0.9	0.85	0	0.0	0.00
65-69	1	0.4	0.40	0	0.0	0.00	1	0.7	0.73
70-74	3	1.3	0.76	1	1.0	1.02	2	1.5	1.09
75-79	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
80-84	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
85+	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
Total deaths	146			117			29		
Connecticut									
. Crude rate		2.5	-		4.1	-		1.0	-
. AAMR (1940 Std. mil.)		3.1	0.26		4.9	0.47		1.2	0.23
. AAMR (1970 Std. mil.)		2.9	0.25		4.6	0.44		1.1	0.22
. AAMR (2000 Std. mil.)		2.6	0.22		4.2	0.39		1.0	0.19
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		7.6	-		12.8	-		2.3	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available



## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Alcohol-induced (291,303,305.0,357.5,425.5,535.3,571.0-.3,790.3,E860)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
20-24	3	0.8	0.48	2	1.1	0.76	1	0.6	0.56
25-29	5	1.2	0.53	4	1.9	0.94	1	0.5	0.48
30-34	8	1.6	0.55	6	2.3	0.96	2	0.8	0.56
35-39	22	4.3	0.92	15	5.9	1.53	7	2.7	1.04
40-44	47	10.5	1.53	33	15.0	2.61	14	6.2	1.65
45-49	36	9.0	1.50	28	14.2	2.68	8	3.9	1.39
50-54	40	12.6	1.99	35	22.4	3.79	5	3.1	1.38
55-59	29	11.4	2.12	25	20.2	4.04	4	3.1	1.53
60-64	31	12.6	2.27	24	20.4	4.17	7	5.5	2.07
65-69	43	17.2	2.63	33	29.3	5.10	10	7.3	2.31
70-74	20	8.8	1.96	12	12.2	3.52	8	6.1	2.17
75-79	17	9.3	2.25	12	16.3	4.72	5	4.5	2.03
80-84	6	5.1	2.07	6	14.5	5.93	0	0.0	0.00
85+	2	2.0	1.40	2	7.6	5.36	0	0.0	0.00
Total deaths	309			237			72		
Connecticut									
. Crude rate		5.3	-		8.4	-		2.4	-
. AAMR (1940 Std. mil.)		4.3	0.25		7.0	0.47		1.9	0.23
. AAMR (1970 Std. mil.)		4.5	0.26		7.3	0.48		1.9	0.23
. AAMR (2000 Std. mil.)		5.2	0.30		8.5	0.55		2.3	0.27
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		6.8	-		10.9	-		3.0	-
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is lower  
. THE U.S. HP 2000 target: No comparison is available

## Connecticut White Resident Age-Specific Mortality Rates by Sex, 1993-1994

Comparison of Connecticut age-adjusted mortality rates (AAMRS) to  
U.S. AAMRs and U.S. Healthy People (HP) 2000 target objectives  
for

Drug-induced (292,304,305.2-.9,E850-E858,E950.0-.5,E962.0,E980.0-.5)

Age	Both Sexes			Males			Females		
	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error	No. Of Deaths	Rate per 100,000	Std. Error
0-4	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
5-9	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
10-14	0	0.0	0.00	0	0.0	0.00	0	0.0	0.00
15-19	6	1.8	0.75	3	1.8	1.02	3	1.9	1.09
20-24	17	4.7	1.13	12	6.5	1.86	5	2.8	1.26
25-29	58	13.7	1.80	49	23.1	3.30	9	4.3	1.43
30-34	71	13.9	1.65	59	23.1	3.01	12	4.7	1.36
35-39	87	17.1	1.83	63	24.9	3.13	24	9.4	1.92
40-44	73	16.3	1.91	63	28.6	3.61	10	4.4	1.39
45-49	26	6.5	1.27	21	10.7	2.32	5	2.5	1.10
50-54	8	2.5	0.89	7	4.5	1.70	1	0.6	0.62
55-59	6	2.4	0.96	2	1.6	1.14	4	3.1	1.53
60-64	7	2.8	1.08	5	4.3	1.90	2	1.6	1.10
65-69	5	2.0	0.90	1	0.9	0.89	4	2.9	1.46
70-74	9	3.9	1.31	6	6.1	2.49	3	2.3	1.33
75-79	5	2.7	1.22	1	1.4	1.36	4	3.6	1.82
80-84	5	4.2	1.89	1	2.4	2.42	4	5.2	2.59
85+	3	3.0	1.71	1	3.8	3.79	2	2.7	1.89
Total deaths	386			294			92		
Connecticut									
. Crude rate		6.6	-		10.4	-		3.1	-
. AAMR (1940 Std. mil.)		6.1	0.32		9.5	0.56		2.7	0.30
. AAMR (1970 Std. mil.)		5.2	0.27		8.0	0.48		2.4	0.27
. AAMR (2000 Std. mil.)		6.3	0.32		9.7	0.57		2.9	0.30
. HP 2000 (1940 Std. mil.)		-	-		-	-		-	-
United States									
. AAMR (1940 Std. mil.)		4.8	-		6.7	-		2.9	-
. HP 2000 (1940 Std. mil.)		3.0	-		-	-		-	-

Comparison of the CT White Resident AAMR (1940 Std. mil.) vs:  
. The CT HP 2000 target: No comparison is available  
. The U.S. AAMR (1940 Std. mil.): CT rate is higher  
. THE U.S. HP 2000 target: CT rate is higher