

Connecticut Registration Report

Births, Deaths, and Marriages Calendar Year 2012

**State of Connecticut
Department of Public Health**

Raul Pino, MD, MPH, Commissioner

March, 2016



<http://www.ct.gov/dph/RegistrationReport>

Prepared by:

Amy C. Smart, MS
Epidemiologist, Public Health Associate

Carol L. Stone, PhD, MPH, MA, MAS
Supervising Epidemiologist

Lloyd Mueller, PhD
Senior Epidemiologist

Federico A. Amadeo, MPA
Associate Research Analyst

Karyn Backus, MPH
Epidemiologist 3

The authors gratefully acknowledge the contributions of the following staff of
The State of Connecticut, Department of Public Health:

Janet Brancifort, MPH, RRT
Deputy Commissioner

Diane Aye, MPH, PhD
Section Chief, Health Statistics and Surveillance

Vital Records Unit:
Jane Purtill, State Registrar
David Antolini, Supervisor
Dianne Gustafson
Carol Mangiafico
Lisa Carmona
Jibrelle Wilson-Williams

Information Technology Unit:
Audrey Peacock
George Rypysc

Suggested citation:

Smart, A.C., Stone, C.L., Mueller, L.M., Amadeo, F.A., Backus, K. (2016). Registration Report for the Year Ended December 31, 2012, Connecticut Department of Public Health, Hartford, CT (<http://www.ct.gov/dph/RegistrationReport>).

TABLE OF CONTENTS

Topic	Page
Highlights of 2012	5
List of Tables	7
List of Figures	8
Introduction	11
Population Distribution	13
Age and Sex	14
Towns	15
Births	16
Number and Rate	16
Demographic Factors	16
Poor Birth Outcomes	18
Low Birth Weight	18
Preterm Births	25
Births to Teenage Mothers	27
Risk Factors For Poor Birth Outcomes	29
Prenatal Care	29
Tobacco Use During Pregnancy	31
Alcohol Use During Pregnancy	31
Fetal and Infant Deaths	32
Fetal Deaths	32
Infant Deaths	35
Deaths (All Ages)	37
All Causes of Death	37
Leading Causes of Death	38
Age and Sex	38
Race/Ethnicity and Sex	41
Leading Causes of Death, 2001 to 2011	41
Marriages	43
Marriage Rate	43
Town of Occurrence	43
Appendix I: Notes	45
Appendix II: Rate Definitions	47
Appendix III: Health District Constituent Towns	50
Appendix IV: Glossary	50
Appendix V: Statistical Analyses	53
Tables	56



**VITAL
STATISTICS
HIGHLIGHTS**

CONNECTICUT VITAL STATISTICS HIGHLIGHTS OF 2012

Population

The estimated population of Connecticut in 2012 was **3,590,347**, a 0.27% increase from the 2011 estimate of 3,580,709.

Among all state residents in 2012:

- 48.7% were males (1,749,915); and
- 51.3% were females (1,840,431).

Of the 169 towns in Connecticut, 27 towns experienced a population decline over the decade, while a majority of towns experienced population growth (142 towns).

Births

There were 36,512 **live births** to Connecticut residents in 2012, a small decline from the number of births occurring in 2011.

Among all births in 2012:

- 51% were males (18,613) and 49% were females (17,898);
- 56.5% were to non-Hispanic White mothers (28,063);
- 12.6% were to non-Hispanic Black/African American mothers (5,014); and
- 21.8% were to Hispanic/Latino mothers (7,945).

Of all births in Connecticut during 2012, 28.4% were to **foreign-born mothers**. Eighteen towns reported birth rates of over 30% to mothers born outside the U.S.

The percentage of births to **teen mothers** continued its decline since 2010 and accounted for 5.2% of all births in 2012.

Among all births:

- 2.5% were non-Hispanic White teens (509);
- 8.1% were non-Hispanic Black/African American teens (370); and
- 12.1% were Hispanic/Latino teens (958).

Among all births in the state in 2012, 7.9% were **low birth weight (LBW)**.

Among all births:

- 6.4% born to non-Hispanic White mothers were LBW (1,322);
- 12.3% born to non-Hispanic Black/African American mothers were LBW (565); and
- 8.8% born to Hispanic/Latino mothers were LBW (702).

CONNECTICUT VITAL STATISTICS HIGHLIGHTS OF 2012

Deaths

There were 29,375 **deaths** to Connecticut residents in 2012, compared to 29,529 in 2011.

Overall, 87.1% of Connecticut resident deaths were non-Hispanic White (25,547), 6.9% were non-Hispanic Black/African American (2,036), and 4.5% were Hispanic/Latino (1,315). This percent distribution differs from that at the national level, with 79.3% non-Hispanic White deaths, 11.4% non-Hispanic Black/African American deaths, and 6.2% Hispanic/Latino deaths.

The five **leading causes of death** in rank order for persons of all ages and sexes were:

1. Diseases of the heart
2. Malignant neoplasms
3. Chronic lower respiratory diseases
4. Accidents
5. Cerebrovascular disease

Due to the Sandy Hook Elementary School shooting in Newtown, Connecticut in 2012, “Homicide (by discharge of a firearm)” replaced “Accidents” as the number one cause of death for children aged 5-9 years old.

There were 183 resident **fetal deaths** in Connecticut, representing a statewide rate of 5.0 per 1,000 live births and fetal deaths. Perinatal conditions accounted for 90.2% of all fetal deaths (165).

In 2012, there were 192 resident **infant deaths**, with a mortality rate of 5.3 per 1,000 live births. This reflects a decrease in infant deaths over the decade, falling from 274 infant deaths in 2002, with a mortality rate of 6.5 per 1,000 live births.

The town of Bridgeport experienced a significant increase in its infant mortality rate since the previous year, jumping from 4.87 per 1,000 in 2011 to 10.37 per 1,000 in 2012.

Marriages

In 2012, there were 19,216 marriages in Connecticut, 288 fewer marriages than registered in 2011. Of all marriages in the state, 668 were same-sex marriages.

The towns of Eastford (0.5 persons per 1,000) and Sterling (1.58 persons per 1,000) had the lowest marriage rates, while West Hartford (75.5 persons per 1,000) and East Hartford (32.77 persons per 1,000) had the highest marriage rates.



Be brave.
Ask questions.

I had abdominal pain and periods that weren't normal for me. Menopause, I thought. But no, I had uterine and ovarian cancers.

If you have symptoms lasting two weeks or longer, be brave. Go to the doctor. Ask questions.

— Jenny Allen
Writer/performer "I Got Sick Then I Got Better"

Gynecologic cancer includes cervical, ovarian, uterine, vaginal, and vulvar cancers. Signs and symptoms are not the same for everybody...so get the *Inside Knowledge*. Get the facts about gynecologic cancer.



www.cdc.gov/cancer/knowledge
1-800-CDC-INFO



U.S. Department of Health and Human Services
Centers for Disease Control and Prevention

LIST OF TABLES

Table	Page
1 Connecticut, 2012: Estimated population by Age and Sex	56
2A Connecticut 2012: Population, births, deaths, fetal deaths, and infant deaths by place of occurrence and residence; and marriages by place of occurrence	57
2B Connecticut, 2012: Resident births, deaths, fetal deaths, and infant deaths by race and Hispanic/Latino ethnicity for counties, health districts, and towns	60
3 Connecticut Resident Births, 2012: Birth weight and gestational age by mother's race and Hispanic/Latino ethnicity; infant's sex; place of delivery; plurality; birth order; mother's marital status, education, and age; initiation and adequacy of prenatal care; and smoking and alcohol use during pregnancy	63
4 Connecticut Resident Births, 2012: Births to teenagers, low birth weight births, and prenatal care timing and adequacy for counties, health districts, towns by mother's race and Hispanic/Latino ethnicity, and foreign-born mothers	68
5 Connecticut Resident Fetal Deaths, 2012: Birth weight and gestational age by mother's race and Hispanic/Latino ethnicity, sex, place of delivery, gestational age, plurality, and mother's age	83
6 Connecticut resident fetal deaths, 2012: Cause of death by mother's race and Hispanic ethnicity and by gestational age	86
7 Connecticut resident infant, neonatal, and postneonatal deaths, 2012: Deaths by infant's race and ethnicity for counties, health districts, and towns	87
8 Connecticut resident infant, neonatal, and postneonatal deaths, 2012: Cause of death by infant's race and ethnicity	90
9 Connecticut resident deaths, 2012: Selected causes of death by decedent's age, race, and Hispanic ethnicity	91
10 Connecticut resident deaths, 2012: Top five leading causes of death, by age and sex	112
11 Statistical Analysis of Birth Outcomes and Their Risk Factors, Infant Mortality and Fetal Mortality at the State, Health District, and Town Levels for Connecticut, 2012	116
12 Statistical Analysis of Birth Outcomes and Their Risk Factors for Racial and Ethnic Groups for Connecticut, 2012	121
13 Connecticut Teen Birth Rates, 2008-2012: Statistical comparison of town-state teen birth rates (ages 15-19)	122

LIST OF FIGURES

Figure		Page
1	Estimated Population Age Distribution by Sex, Connecticut, July 1, 2012	14
2	Town Population Growth, Connecticut, 2002-2012	15
3	Race Distributions for All Births, Singletons and Multiples in Connecticut, 2012	17
4	Percentage of Low Birth Weight by Race/Ethnicity, All Births, Singletons, and Multiples in Connecticut, 2012	21
5	Trend in Births to Teenage Mothers by Race/Ethnicity in Connecticut, 2002-2012	27
6.	Percentage of Women Receiving Late or No Prenatal Care, Connecticut, 2012	29
7.	Percentage of Fetal Deaths Compared to Live Births by Mothers Age, Connecticut, 2012	34
8.	Top Three Leading Causes of Death by Age, Connecticut, 2012	39



In the battle against whooping cough, she needs more than cute.

She needs the safe, proven protection of vaccines.
For more reasons to vaccinate, talk to your child's doctor or go to <http://www.cdc.gov/vaccines> or call 1-800-CDC-INFO.

Immunization. Power to Protect.



U.S. Department of Health and Human Services
Centers for Disease Control and Prevention



AMERICAN ACADEMY OF FAMILY PHYSICIANS
STRONG MEDICINE FOR AMERICA

American Academy of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

INTRODUCTION

The *Registration Report* is a statistical summary of vital events for the State of Connecticut. The series has a long history, with annual reports beginning in 1848 and with only one lost year in 1852.

Although the narrative portion of the *Registration Report* was not created between 1999 through 2009, tables for the registration report have been produced annually throughout this 12-year period and are available online (see **Availability on the Internet**, below). The Section's vital statistics database contains records pertaining to four types of events: births, deaths, fetal deaths, and marriages. Records of divorces are not maintained by the Connecticut Department of Public Health and are not included in this edition.

Completeness of Registration

The statistics presented in the *Registration Report* reflect not only vital events that occur in Connecticut but also those involving Connecticut residents that occur in other states and Canada. The Connecticut Department of Public Health reciprocates with every state in the U.S. and the provinces of Canada to exchange copies of birth and death records for non-residents. The exception is New York City, which does not report cause of death for non-resident deaths or birth weight for non-resident births. Registration of births in Connecticut is essentially 100% complete, and there is virtually no under-reporting of deaths. Because there is no interstate transfer of marriage or fetal death records, however, it is not possible to determine the completeness of registration of these events for Connecticut residents.

Local Health District Information

Summary statistics are reported for multi-town

Local Health Districts in **Table 2B**, **Table 4**, and **Table 7**. Summations for local health districts may enable local health agencies to better understand and serve their resident populations. The composition of the respective health districts reflects membership as of July 1, 2012 (see listing and map in **Appendix III**).

Rates and Percentages

Rates were calculated using the equations given in **Appendix II**. Caution should be used in drawing conclusions based on rates or percentages that were calculated from small numbers of events. Due to the variability of these figures, the data tables do not contain rates or percentages based on less than five related events. Percentages based on birth data do not include records lacking information about the characteristic of interest. The term "unknown" as used in this report includes both "missing" responses (no code entered) and responses coded as "unknown."

Town specific birth rates for teenage women (15 – 19 years old) were added in this year's report (Table 13). These rates cannot currently be calculated annually due to the lack of appropriate town level population estimates. Table 13 takes advantage of town population data from the 2010 Census to calculate five-year (2008 – 2012) estimates for teen birth rates in each Connecticut town. Since the number of teen births for many towns is too low to produce reliable teen birth rate estimates, we have used 5-year aggregate rates to provide more stable estimates and to prevent many towns from being dropped out of the analysis due to small numbers.

Tests of Statistical Significance

Statistical assessments of data for birth risk factors and outcomes, infant deaths, and fetal deaths have been included to distinguish group differences attributable to chance from those signifying noteworthy patterns. Two types of assessments appear in **Table 11** and **Table 12**: 1) Comparisons between the current and prior years (2012 and 2011); and 2) Comparisons among selected demographic subgroups or geographic regions for the current year alone. Town-to-state comparisons are provided (**Table 13**). The health status of the state's largest eight towns is discussed, regardless of the level of statistical significance, as these towns are considered to be of broad interest. A more complete discussion of the methods used in this assessment, are given in **Appendix V**. In addition, trends across multiple years appear for selected indicators in this narrative, and these analyses were conducted with statistical software.

Population Estimation Methodology

Population estimates are used to calculate rates of births, deaths, and marriages. The U.S. Census Bureau's Population Estimates Program issues total population estimates for Connecticut counties as of July 1 of each year, by race, sex, ethnicity, and single age.

Inclusion Marital Status

"Presumptive marital status" in editions prior to 2010 of the *Registration Report* were estimated within the agency. In 1998, the birth record was modified to enable reporting of actual rather than presumptive marital status.

Comparability of Cause-of-death Data

The system for classifying cause of death, the *International Classification of Diseases* (ICD), is revised occasionally to reflect changes in medical practices and new medical knowledge. This

edition of the *Registration Report* used the ninth revision of the ICD (known as the ICD-9), which became effective in 1979, as well as the *Addendum to the International Classification of Diseases Ninth Revision* for the classification of infection with human immunodeficiency virus.

Same-Sex Marriages

Same-sex marriages in Connecticut became possible on November 11, 2008. Although not currently included in the 2012 Registration Tables, information about same-sex marriages is included in this report.

Divorces

Information about divorces is not gathered by DPH and is therefore not included in this edition of the *Registration Report*.

Availability on the Internet

Full reports (1992-1998, 2010, 2011, and 2012), tables (1998-2012), and methods discussion (1999-2006) are available on the internet at the following web site:

<http://www.ct.gov/dph/RegistrationReport>

For Further Information

Definitions of the technical terms used in this document are given in the *Glossary* in **Appendix IV**. For questions about this report, please contact the Health Statistics and Surveillance Section of the State of Connecticut Department of Public Health.

Mailing address

410 Capitol Avenue, MS 11PSI,
P.O. Box 340308,
Hartford, Connecticut 06134-0308

Telephone

(860) 509-7658



A CHILD'S FIRST LINE OF DEFENSE AGAINST MRSA: A WELL-INFORMED PARENT.

MRSA is methicillin-resistant *Staphylococcus aureus*, a potentially dangerous type of staph bacteria that is resistant to certain antibiotics and may cause skin and other infections. Staph, including MRSA, is usually spread by having direct contact with someone else's infected area. When treated early, MRSA skin infections usually get better.

To protect yourself and your family from MRSA, keep hands and skin clean, cover cuts and scrapes, and avoid sharing personal items such as towels or razors.

What are the signs and symptoms of an MRSA skin infection?

MRSA and other staph skin infections appear as a bump or infected area on the skin that may be:

- > Red
- > Swollen
- > Painful
- > Warm to the touch
- > Full of pus or other drainage
- > Accompanied by a fever

If you or someone in your family experiences these signs and symptoms, cover the area with a bandage and contact your healthcare professional. This is especially important if MRSA signs and symptoms are accompanied by a fever.



**For more information, please call
1-800-CDC-INFO or visit www.cdc.gov/MRSA.**

POPULATION DISTRIBUTION


Age and Sex

The estimated July 1, 2012 population of Connecticut was 3,590,347 (**Table 1**), which is 129,843 (3.8%) higher than the census count a decade earlier on July 1, 2002 [1], and 9,637 (0.27%) higher than the census count the previous year on July 1, 2011 [2]. Of the total 2012 Connecticut population, 1,749,915 (48.7%) were males and 1,840,431 (51.3%) were females (**Figure 1; Table 1**). In the age groups from less

than 1 year old through 25-29 years old, the number of males exceeded that of females. In all subsequent 5-year age cohorts, however, females exceeded males. By ages 80-84 and 85+ years old, females outnumbered males by factors of 1.5 and 2.1, respectively.

For both sexes, the population grew throughout the decade for the age groups of 15-29, 45-74, and for individuals 85 years and older. There was a population decrease in ages 0-14, 30-44, and 75-84 years old (**Table 1**). The population of men between the ages of 80-84 increased during

Figure 1
Estimated Population Age Distribution by Sex
Connecticut, July 1, 2012



In 2012, the population in Connecticut had:

- More males for ages 0-29 years;**
- More females for ages 30+ years;**
- 1.5 times more females than males for ages 80-84 years; and**
- 2.1 times more females than males for ages 85+ years.**

the decade, while that of women in this age group decreased. These data indicate a progressive increase in population over the past ten years with a shift toward greater numbers of older individuals in their sixth, seventh, and ninth decade of life.

Towns

Compared to the estimated populations of the 169 towns in Connecticut on July 1, 2002 [3], the 2012 estimated population was lower in 27 towns, with an increase in population in the remaining 142 towns (**Table 2A and Figure 2**). Four towns experienced a decrease in population of at least 5%; these towns were Bridgewater, Sharon, Sherman, and Salisbury, with losses of 8.8% (165 residents), 8.7% (261 residents), 8.2% (324 residents), and 8.0% (321 residents),

respectively. Only the town of Oxford experienced a population gain of at least 20% over the decade, with an increase of 2,389 residents (23%). The towns of Union, Sterling and Mansfield fell close behind with increases in population by 18% (131 residents), 19% (595 residents) and 19% (4,094 residents), respectively.


Of the five towns in Connecticut with populations over 100,000, New Haven experienced the greatest increase from 2002 to 2012 with 6,565 new residents, an increase of 5.3% (**Table 2A**). The towns of Bridgeport, Stamford and Waterbury increased by 4.5% (6,321 residents), 4.4% (5,259 residents) and 1.9% (2,032 residents), respectively. The town of Hartford increased by only 335 residents; a 0.3% increase in population over the decade.

Figure 2
Town Population Growth
Connecticut, 2002-2012

Between 2002 and 2012, the population in Connecticut:

Increased by at least 15% in:
 Ellington;
 Lyme;
 Mansfield;
 Oxford;
 Sterling; and
 Union.

Decreased by at least 5% in:
 Bridgewater;
 Salisbury;
 Sharon; and
 Sherman.



BIRTHS

Number and Rate

The total number of live births among Connecticut residents in 2012 was 36,512 (**Table 2A**). This represents a decrease of 694 live births compared to the previous year, or an overall decline of 1.9%, continuing the downward trend in births since 2008 [4]. In 2012, the birth rate, which is based on the entire population of state residents, was 10.2 live births per 1,000 population, representing a decrease of 0.2% compared to the previous year, and representing a total decrease of 1.9% since 2002.

Demographic Factors

Town of Residence

In 2012, town-specific birth rates in Connecticut ranged from a high of 15.8 per 1,000 population in Hartford to a low of 3.0 per 1,000 in Mansfield (**Table 2A**). Eight towns (New Britain, Danbury, Norwalk, Waterbury, Stamford, New Haven, Hartford, and Bridgeport) each registered more than 1,000 births during the year. Together, these eight towns accounted for one-third of all resident births.

Mother's Race and Ethnicity

In 2012, of the 36,512 resident live births in Connecticut, 20,666 (56.6%) were to non-Hispanic White mothers, 4,594 (12.6%) were to non-Hispanic Black/African American mothers, and 7,945 (21.8%) were to Hispanic/Latino mothers (**Table 3**). Relative to 2011 [2], these figures represented a decrease in births of 1.9% for non-Hispanic White mothers, 1.8% for non-Hispanic Black/African American mothers and 5.4% for

Hispanic/Latino mothers. In 2012, race was classified as either “Unknown Race/Ethnicity” or “Other Non-Hispanic” for 345 births, representing less than 1% of all resident births.

Infant's Sex

Of all Connecticut resident births in 2012, 18,613 (51%) were male and 17,898 (49%) were female (**Table 3**), representing the same male-to-female ratio as the previous year [5].

Place of Delivery

All but 1,119 (3.1%) of Connecticut resident births during 2012 occurred in hospitals (**Table 3**). There were 193 home births, and 926 births were reported as “Unknown Race/Ethnicity” or “Other Non-Hispanic.” These figures represent an increase of 27 home births since 2011 (166 home births), and an increase of “Unknown Race/Ethnicity” or “Other Non-Hispanic” of 50 births (976 “Unknown Race/Ethnicity” or “Other Non-Hispanic” births) in 2012.

Live Birth Order

Of babies delivered in Connecticut during 2012, 43% (15,806) were first-born; 34% (12,289) were second-born, and 23% (8,401) were third-born or more (**Table 3**). Of the remaining 16 deliveries, the birth order was not known.

Plurality


Live births can be singleton or they can be multiple, resulting in twins, triplets and higher orders. Twins, triplets and high order newborns are at a higher risk of poor birth outcomes than singleton babies (see **Poor Birth Outcomes**).

Of all Connecticut resident births in 2012, 1,530 (4.2%) were multiple births (**Table 3**); 63% (966

Figure 3
Race Distributions for All Births, Singletons and
Multiples in Connecticut, 2012

In 2012, the distribution of race for singleton births resembled the distribution of all Connecticut births.

In contrast, the percentage of multiple births was much higher among non-Hispanic White mothers and lower among Hispanic/Latino mothers.



births) of the multiple births were to non-Hispanic White mothers, 15% (228 births) were to non-Hispanic Black/African American mothers, and 14.4% (220 births) were to Hispanic/Latino mothers (**Figure 3**).

Recent information from the CDC indicates that the incidence of multiple births throughout the nation has been steadily rising for the past four decades [5]. This national increase corresponds with birth rates in Connecticut; a significant indicator due to the impact multiple births have on poor health outcomes such as rates of preterm births and low birthweight. For more discussion

on multiple births, see **Low Birth Weight**, in **Poor Birth Outcomes** (next section).

Mother's Marital Status

In Connecticut during 2012, 13,833 resident births (38%) were to unmarried mothers (**Table 3**). A decade earlier, in 2002, only 29% of births were to unmarried mothers [2], indicating that births to unmarried mothers are becoming more common in the state.

Mother's Education

During 2012, 12,630 (35%) resident births in Connecticut were to mothers with an education of

12 years or less (**Table 3**), compared to 38% in 2002 [6].

Among all births in 2012 to mothers with an education level of 12 years or less, 40.8% were Hispanic/Latino, 37.2% were non-Hispanic White and 16.5% were non-Hispanic Black/African American (**Table 3**). Of the remaining 23,882 births, 15,084 (41.3%) were born to mothers with at least some college (13-16 years of total education) while 8,606 (23.6%) births were to mothers with a post-college education (17 or more years).

Foreign-Born Mothers

A mother born in one of the 50 states or the District of Columbia is classified as native-born. All others are defined as foreign-born, including those born in Puerto Rico or other U.S. territories [20]. Of all births in Connecticut during 2012, 28.4% were to foreign-born mothers (**Table 4**). Eighteen towns reported birth rates of over 30% for mothers born outside the U.S., including both Danbury and Stamford, for which over half of their births were to foreign-born mothers (54.3% and 55.1%, respectively).

Mother's Age

In 2012, 1,910 or 5.2% of all Connecticut resident births were to teenage mothers less than twenty years of age (**Table 4**). The number of teenage births dropped significantly in 2011 to 5.5% (2,045 births) following a rate of 6.1% in 2010 [7]. Before this year, the percentage of births to teenage mothers had not changed significantly since 2003.

Of all resident births in 2012, 1.5% (549) were to mothers under the age of 18; these included 21 births to mothers less than 15 years old (**Tables 3 and 4**). Among all teen births, 26.6% were to non-

Hispanic White mothers under the age of twenty years old, while 19.4% were to non-Hispanic Black/African American mothers. Births to Hispanic/Latino mothers under twenty years old accounted for half (50.2%) of all teen births in 2012. The percentage of births to Hispanic/Latino mothers under the age of twenty years old in Connecticut was 4.8 times higher than births to non-Hispanic White mothers under the age of twenty. More discussion of teen births is included in the next section, **Poor Birth Outcomes**.

Mothers aged 20 to 34 accounted for 27,068 (74%) of all 2012 resident births (**Table 3**); this percentage has not changed significantly across the decade [6]. In 2012, those aged 20 to 24 years, 25 to 29 years, and 30-34 years represented 17%, 26%, and 31%, respectively, of all resident births. For the sixth consecutive year, more births occurred to women aged 30-34 than to women in any other 5-year age cohort.

Of all resident births in Connecticut during 2012, 7,531 (21%) were to mothers 35 years and older (**Table 3**). 1,584 (4.3%) of these births were to women at least 40 years old. This percentage was slightly lower than the 4.4% that occurred in 2011, continuing a downward trend of 0.1% since 2010.

Poor Birth Outcomes

Low Birth Weight

Babies born with a birth weight less than 2,500 grams, or about 5.5 pounds, are classified as low birth weight. A low birth weight infant can be born too small, too early, or both. A subset of low birth weight are babies born with a birth weight less than 1,500 grams, or about 3.3 pounds, and



Help him fight measles with the most powerful defense.

Vaccines. For more reasons to vaccinate, talk to your child's doctor or go to <http://www.cdc.gov/vaccines> or call 1-800-CDC-INFO.

Immunization. Power to Protect.



U.S. Department of
Health and Human Services
Centers for Disease
Control and Prevention



AMERICAN ACADEMY OF
FAMILY PHYSICIANS
STRONG MEDICINE FOR AMERICA

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

these births are classified as very low birth weight. Compared to babies born with a birth weight of at least 2,500 grams, babies born low birth weight or very low birth weight are at a higher risk of infant death and poor child development [8]. The rate of low birth weight and very low birth weight are expressed per 100 live births, and are shown in this report as a percentage.

During 2012, a total of 2,873 or 7.9% of all births in Connecticut were low birth weight (**Table 4**), a slight increase from 7.7% in 2011 [6]. The percentage of low birth weight infants in Connecticut during 2012 was not significantly different from the national rate (**Table 11**).

In 2012, a total of 536 or 1.5% of all births were very low birth weight, a rate consistent with the previous two years (**Table 4**). The percentage of very low birth weight has varied only slightly in the past ten years, from a previous high of 1.7% in 2006 to a low of 1.4% in 2009 [6]. The number of very low birth weight infants in 2012 did not change significantly from the previous year and was not significantly different from the U.S. percentage in 2012 (**Table 11**).

As in the past, the characteristics of low birth weight in 2012 were not distributed evenly across all communities in the state (**Table 3** and **Table 4**). Variation in low birth weight occurred within categories defined by mother's race/ethnicity, infant's sex, plurality of births, live birth order, mother's marital status, mother's education, mother's age, time of initiation and adequacy of prenatal care, tobacco use during pregnancy, alcohol use during pregnancy and mother's place of residence, as noted below.

Mother's Race/Ethnicity

The percentages of low birth weight babies in 2012 born to non-Hispanic White, non-Hispanic Black/African American, and Hispanic/Latino mothers were 6.4%, 12.3%, and 8.8%, respectively (**Table 3** and **Table 4**). The percentage of low birth weight babies born to non-Hispanic Black/African American and Hispanic/Latino mothers was 1.9-times and 1.4-times higher, respectively, than that of babies born to non-Hispanic White mothers. These numbers were significantly higher than that of babies born to non-Hispanic White mothers (**Table 12**), with a significant increase in the number of Hispanic/Latino giving birth to low birth weight infants when compared to the previous year (**Table 12**).

During 2012, 1.1% of all births to non-Hispanic White mothers had a very low birth weight (**Table 3** and **Table 4**). In sharp contrast, 3.1% of births to non-Hispanic Black/African American mothers were very low birth weight. The percentage of infants with a very low birth weight born to Hispanic/Latino mothers (1.6%) was also elevated compared to babies born to non-Hispanic White mothers. These percentages represent disparities of 2.8-times and 1.5-times higher than babies born to non-Hispanic White mothers and are significantly significant when compared to non-Hispanic White mothers (**Table 12**). While the numbers have slightly increased since 2011 (2.7-times and 1.3-times for babies born to non-Hispanic Black/African American and Hispanic/Latino mothers, respectively), the change is not statistically significant [6].

Infant's Sex

As in previous years, the percentage of low birth weight female babies in 2012 (8.5%) was greater than that among male babies (7.2%) (**Table 3**) [6]. A higher rate of low birth weight among

females was consistent for mothers of all known racial/ethnic categories: non-Hispanic White, non-Hispanic Black/African American, and Hispanic/Latino.

Among all infants born with a very low birth weight, female babies born to non-Hispanic Black/African American mothers had a higher percentage (3.2%) of very low birth weight babies compared to males (2.9%; **Table 3**). However, a higher percentage (1.8%) of male babies born to Hispanic/Latino mothers had a very low birth weight compared to females (1.4%). The percentages of very low birth

weight babies born to non-Hispanic White and other non-Hispanic mothers in 2012 were the same despite differences in infant sex.

Plurality


More than half (51.8%) of all multiple births in 2012 were low birth weight, compared to only 6.0% of singleton births (**Table 3**); the percentage of low birth among multiple births was twelve times higher than that among singleton births (**Figure 4**). This ratio increased since the previous year, where the percentage of low birth among multiple births was ten times higher than that of singleton births.

Figure 4
Percentage of Low Birth Weight by Race/Ethnicity
All Births, Singletons, and Multiples in Connecticut, 2012

In 2012, the percentage of low birth weight babies among multiples was twelve times higher than that among singletons.

51.8% of all multiple births were low birth weight:

- 49.5% non-Hispanic White mothers;
- 58.8% non-Hispanic Black/African American mothers; and
- 55.5% Hispanic/Latino mothers.



The percentage of very low birth weight among multiple births (10.6%) was about ten times higher than that among singleton births (1.1%); (**Table 3**). This ratio decreased from the previous year, in which the percentage of very low birth among multiples (12.2%) was eleven times higher than that of singleton births.

Racial and ethnic disparities in 2012 among mothers who give birth to infants with a very low birth weight were most pronounced among singleton births (**Table 3**). Of all singleton births, 1.1% were very low birth weight. Although only about one in 135 singleton babies born to non-Hispanic White mothers were very low birth weight (0.7%), about one in every 40 babies born to non-Hispanic Black/African American mothers were very low birth weight (2.5%). About one in every 75 singleton babies born to Hispanic/Latino mothers were very low birth weight (1.3%).

Of all singleton low birth weight babies, 25% of babies born to non-Hispanic Black/African American mothers were very low birth weight compared to only 16% of babies born to non-Hispanic White mothers (**Table 3**).

Live Birth Order

By order of live births to one mother in 2012, 8.1% of first-born infants had a low birth weight and 1.6% were very low birth weight (**Table 3**). These numbers represent a higher rate of low birth weight among first-born infants compared to the overall incidence of these poor birth outcomes. In contrast, 7.0% and 1.3% of second born babies were low birth weight and very low birth weight, respectively. 8.6% and 1.4% of third-order or higher-order babies born to one mother were low birth weight and very low birth weight, respectively.

Mother's Marital Status

Among all babies born to married mothers in 2012, 6.7% were low birth weight and 1.1% were very low birth weight (**Table 3**), which is lower than the overall incidence of these poor birth outcomes. The percent of low birth weight and very low birth weight to unmarried mothers was correspondingly higher (9.9% and 2.0%, respectively).

Mother's Education

Of all births in Connecticut during 2012 to mothers with a known level of education, mothers with no more than a high school degree had an increased incidence of low birth weight and very low birth weight (**Table 3**), compared to those with at least some post-high school education. The percentage of low birth weight infants to mothers with less than a high school degree (10%) was much higher than the overall percentage of low birth weight babies (7.9%).

The percentage of very low birth weight babies to mothers with at least 12 years of education (1.6%) was slightly more than the overall percentage of 1.5% (**Table 3**). Births to mothers with an unknown reported level of education were at greatest risk for low birth weight (19.6%) and very low birth weight (7.1%).

Mother's Age

Lower percentages of low birth weight were found among mothers who were over 20 years of age or younger than 40 years of age (**Table 3**). Mothers who were 15 years old or at least 45 years old had the highest percentages of low birth weight deliveries (13.0% and 20.7%, respectively).

Where calculations were available, high rates of low birth weight deliveries were consistently elevated among non-Hispanic Black/African American mothers, with a low of 10.6% for 20-24 year old mothers and a high of 17.7% in the 17 year old age cohort. In addition, percentages for low birth weight among Hispanic/Latino mothers were higher than that for non-Hispanic White mothers.

Initiation of Prenatal Care

The trimester of pregnancy in which women begin prenatal care is a strong indicator of risk of low birth weight (**Table 3**). Pregnant women who do not receive adequate prenatal care run the risk that complications will go undetected or may not be

managed in a timely manner, which increases the possibility of adverse outcomes for the mother and baby. In general, the benefits of early and ongoing prenatal care are improved birth weight and decreased risk of preterm delivery.

Of a total of 40 weeks gestation for a normal pregnancy, the first trimester constitutes the first 12 weeks of pregnancy. The second and third trimesters constitute between 13 and 28 weeks, and 29 and 40 weeks gestation, respectively.

The percentage of women in Connecticut who gave birth to low birth weight infants in 2012 and who initiated prenatal care in their first trimester of pregnancy was 7.4% (**Table 3**). Among women



who initiated prenatal care in their second trimester, the rate of low birth weight was 10.2%. One in every eight women who received no prenatal care during pregnancy had a low birth weight baby, and one in every nineteen women gave birth to a *very* low birth weight baby.

Adequacy of Prenatal Care

Adequacy of prenatal care is measured using the Adequacy of Prenatal Care Utilization (APNCU) index, or Kotelchuck Index. This index measures two distinct components of prenatal care—adequacy of initiation and adequacy of received services (visits). While the APNCU is a summary of these two components, quality of the prenatal care is not measured, only its utilization [9].

The APNCU Index uses five categories to characterize prenatal care: “Intensive,” “Adequate,” “Intermediate,” “Inadequate” or “Unknown.” The category “Adequate” refers to the minimum recommended level of care (for a pregnancy with no complications), while “Intensive” refers to a level of care exceeding recommended standards.

Among women with Inadequate prenatal care in 2012, the low birth weight rate was 9.3% (**Table 3**). In contrast, among women with either Intermediate or Adequate prenatal care, the low birth weight rate was 4.2% or 3.8%, respectively. Women with Intensive prenatal care had a low birth weight rate of 13%, a value much higher than any other level of prenatal care adequacy. This number indicates that women with Intensive prenatal care may experience signs of preterm labor and exhibit other problems that lead to low birth weight babies.

Smoking During Pregnancy

Of women who gave birth in 2012, the rate of low birth weight was nearly two times higher among those who reported smoking cigarettes during pregnancy (14%), compared to 7.6% for those who did not smoke (**Table 3**). This relationship was true for all racial/ethnic subgroups.

Alcohol Use During Pregnancy

The rate of low birth weight births during 2012 among women who reported alcohol consumption during pregnancy was 14.8% (**Table 3**), nearly double the rate of low birth weight births among women who did not drink alcohol while pregnant (7.8%). However, a small number, only 149 women who gave birth in 2012, reported drinking alcohol during pregnancy, which could result in unreliable measures of low birth weight and alcohol use.

Mother’s Place of Residence

The rate of low birth weight during 2012 varied greatly across towns within Connecticut (**Table 4**). Of the eight towns with 1,000 or more births, nine of these towns had a low birth weight rate that exceeded the overall state rate of 7.9%: Hartford (11.1%), New Britain (10.1%), New Haven (9.9%), Waterbury (9.4%), Bridgeport (8.7%), Danbury (8.4%) and Stamford (8.3%). Norwalk was the only town with over 1,000 births that fell below the state rate with 6.8%. The total number of low birth weight babies for these nine towns accounted for 1,081, or 38% of all low birth weight babies born to Connecticut mothers. Compared to the U.S. value, for towns with 100 or more low birth weight infants born in 2012, percentages were significantly higher in Hartford,

New Britain and New Haven (**Table 11**). None of these towns had significant changes in rates of low birth weight babies born in 2011. Although the Connecticut towns of New Milford and South Windsor did not have a significantly lower rate of low birth weight infants compared to the U.S. reference group, both towns experienced a significant decrease relative to the prior year.

Preterm Births

A preterm, or premature, birth is one that occurs before 37 weeks gestation, whereas a full term birth occurs at 40 weeks. A baby born premature is at increased risk of developmental delays, chronic health conditions, and poor academic achievement in childhood [10,11].

In 2012, 9.9% of all Connecticut resident births were premature, which is significantly lower than the overall U.S. rate of preterm births (**Table 11**), and a 0.3% decrease from the previous year (**Table 3**) [12]. Substantial variation occurred within the categories defined by mother's race/ethnicity, infant's sex, plurality, live birth order, mother's marital status, mother's education, mother's age, time of initiation of prenatal care, adequacy of prenatal care, mother's use of tobacco and alcohol during pregnancy, and mother's place of residence. These differences were similar to those noted for low birth weight deliveries and are described below.

Mother's Race/Ethnicity

Premature births in 2012 were highest among non-Hispanic Black/African Americans at 12.8%. Similarly, 8.6% of births to non-Hispanic White mothers were premature and 11.4% were

Hispanic/Latino (**Table 3**). Relative to non-Hispanic Whites, the percentage of preterm delivery was 1.5 times greater for non-Hispanic Black/African Americans and 1.3 times greater for Hispanics/Latinos. For both of these minority racial/ethnic groups, percentages of prematurity were significantly higher than that for non-Hispanic Whites (**Table 12**).

Infant's Sex

Despite a higher percentage of low birth weight among female infants in 2012, the number of males born prematurely was higher when compared to females; 10.3% and 9.4%, respectively (**Table 3**).

Plurality

In 2012, infants were born prematurely 6.6 times more frequently with multiple births (52.6%) than with singleton births (8.0%) (**Table 3**).

Live Birth Order

Prematurity in 2012 among third-or-more born infants occurred more frequently than that among second-born or first-born infants (11.6%, 9.4%, and 9.3%, respectively; **Table 3**).

Mother's Marital Status

Among unmarried women, the percentage of premature delivery was 1.3 times higher than that among married women at 11.4% and 9.0%, respectively (**Table 3**).

Mother's Education

The percent of premature delivery decreased with increasing education (**Table 3**). Among mothers with less than 12 years of education, 12.4% of

infants were born premature compared to mothers with at least a high school degree (10.7%), some college education or a college degree (9.1%), and post-college education (8.9%).

Mother's Age

The percentage of preterm births in 2012 among women aged 19-34 years old was less than the overall statewide percentage of 10.2% (**Table 3**). Women aged 15-18 and 35 years and older demonstrated a higher percentage of births born prematurely than the overall statewide percentage.

Premature births to non-Hispanic Black/African American mothers were consistently in double digits for each age cohort except 18 year olds; with a high of 17.7% for 17 year old mothers (**Table 3**). Hispanic/Latino women had percentages of premature births in double digits for all ages with a high of 42.9% for mothers less than 15 years old. Data for mothers less than 15 years old were not available for non-Hispanic White and non-Hispanic Black/African American mothers.

Initiation of Prenatal Care

The trimester of pregnancy in which women begin prenatal care is a strong indicator of risk for low birth weight. Generally, the later the prenatal care begins, the greater the likelihood of low birth weight deliveries. Of a total of 40 weeks gestation, the first trimester constitutes the first 12 weeks of pregnancy. The second and third trimester constitute between 13 and 28 weeks, and 29 and 40 weeks gestation, respectively.

Relative to women who began prenatal care in the first trimester of gestation in 2012 (9.4%), the percent of premature delivery was two times greater for those who received no prenatal care (19.9%) and 1.1 times greater for those who began prenatal care during the last trimester at 8.3% (**Table 3**).


Adequacy of Prenatal Care

Premature delivery in 2012 varied with adequacy of prenatal care (**Table 3**). The percentage of women who had a preterm baby among those who received "Inadequate" care was 3.2 times higher than those who received "Adequate" care (10.7% and 3.3%, respectively). The percentage of women who had a premature delivery among those with "Intermediate" care was also elevated (4.2%). Among women who had "Intensive" prenatal care, the percentage of preterm delivery was 18.6%.

Smoking and Alcohol Use

Among women who reported smoking cigarettes during pregnancy in 2012, 14.4% had a preterm delivery, over four percent higher than that among women who did not report smoking during pregnancy (9.7%; **Table 3**). Few women self-reported alcohol use during pregnancy, but among those who reported drinking during pregnancy in 2012, 9.5% had a preterm baby, compared to 9.8% of those who reported not drinking alcohol during pregnancy.

Figure 5
Trend in Births to Teenage Mothers by Race/Ethnicity in Connecticut, 2002-2012



Disparities in teen birth rates among minority race/ethnicities decreased over the decade from 2002-2012.

Teen births among non-Hispanic White mothers in 2012 was 2.5% compared to:

- 8.1% for non-Hispanic Black/African American teen mothers; and
- 12.1% for Hispanic/Latino teen mothers.

Mother’s Place of Residence

Towns in Connecticut with a rate of preterm birth significantly higher than the overall state rate were East Hartford (14.7%), Hartford (12.7%), New Britain (12.3%), New Haven (11.8%) and West Haven (13.0%; **Table 3**). While the town of Milford’s overall prematurity percentage was not significantly higher than the national rate, there was a significant increase in relation to the previous year (**Table 11**). Both Newington and New Milford’s preterm birth rates decreased significantly over the year. Lastly, the Eastern Highlands District of Connecticut experienced a significant increase in preterm birth rates since 2011.

Births to Teenage Mothers

In 2012, a total of 1,910 or 5.2% of all live Connecticut resident births were to mothers under the age of 20 years (**Table 4**), representing a small decrease in percentage from the previous year (5.5%). The percent of teen births in Connecticut was significantly less than that of the national percentage, but not significantly different from the previous year (**Table 11**). Before a drop in teen births in 2011, the state of Connecticut averaged a teen birth rate of 6.9% for nearly a decade.

Race/Ethnicity

Dramatic differences in teen birth rates in 2012 were observed among non-Hispanic White, non-

Hispanic Black/African American, and Hispanic/Latino women (**Table 4** and **Figure 5**).

While the percentage of teen births among non-Hispanic White women in 2012 was 2.5%, non-Hispanic Black/African American women (8.1%) and Hispanic/Latino women (12.1%) represented much higher rates of teenage births (**Table 4**). The difference in percentages among women of minority race/ethnicity were significant at rates three to five times higher than that among non-Hispanic White women (**Table 12**). In addition, a significant decrease in teen births among non-Hispanic Black/African American women was observed since the previous year (**Table 12**).

Compared to 2002, the percentage of teen births among non-Hispanic White, non-Hispanic Black/African American, and Hispanic/Latino women decreased in 2012 (**Figure 5**). Among Hispanic/Latino women, for instance, the percentage of teen births decreased from 17.5% in 2002 to 12.1% in 2012. Similarly, the percent of teen births among non-Hispanic Black/African American women decreased from 14.0% in 2002 to 8.1% in 2012. Among non-Hispanic White women, the percentage of teen births decreased from 3.5% in 2002 to 2.5% in 2012.

Disparities in teen births among non-Hispanic Black/African American women and Hispanic/Latino women decreased over the decade (**Table 4**). Relative to non-Hispanic White women, teen births among non-Hispanic Black/African American women occurred 4 times more in 2002 and 3.2 times more in 2012. Similarly, births to Hispanic/Latino teenagers had a disparity ratio of

4.9 in 2002 and 4.8 in 2012 when compared to non-Hispanic White women (**Figure 5**).

Despite the decreasing trend in teen births among women of minority race/ethnicity, significant disparities remained in 2012 (**Table 4**): nearly one of every eight births to Hispanic/Latino women was to a teen mother, and nearly one of every eleven births to non-Hispanic/Latino Black/African American women was to a teen mother. In sharp contrast, only one of every 40 births to non-Hispanic White women was to a teen mother.

Health District and Town of Residence

Of the eight towns with 1,000 or more births in 2012, five exceeded the state percentage (5.2%) of teen births (**Table 4**). They were: Bridgeport (8.4%), Hartford (12.7%), New Haven (10.3%), Waterbury (9.1%) and New Britain (11.2%). The percentage of teen births in all these towns was significantly higher than the state percentage (**Table 11**). The town of Bridgeport, however, experienced a significant drop in teen birth rate from 10.6% in 2011. Lastly, these five towns accounted for 46% of all births to teenage mothers in Connecticut, but represented only one-fourth (23.4%) of all births in the state (**Table 4**). The remaining three towns with 1,000 or more births in 2012 were Stamford, Norwalk and Danbury. Each of these towns had teen birth rates less than the state percentage, at 2.8%, 3.6% and 5.0%, respectively.

Compared to the overall percentage of teen births in Connecticut, towns with less than 1,000 births in 2012 that had a significantly higher rate of births to teen mothers were East Hartford (8.1%), Meriden

(9.7%), Norwich (8.8%) and Windham (10.6%) (Table 4 and Table 11). None of these towns experienced a significant change in teen birth rate compared to the previous year.

Overall, of Connecticut's 169 towns, nineteen towns reported teen birth rates of mothers aged 15-19 years old to be significantly higher than the state rate between 2008 and 2012 (Table 13). In contrast, a majority of towns (83 towns) reported birth rates of mothers 15-19 years old to be significantly lower than the state rate between 2008-2012.

birth outcomes. Generally, the later the prenatal care begins, the greater the likelihood of complications and low birth weight deliveries. A normal pregnancy consists of a total of 40 weeks gestation. The first trimester constitutes the first 12 weeks of pregnancy, while the second and third trimester constitute between 13 and 28 weeks, and 29 and 40 weeks gestation, respectively.


Adequacy of prenatal care, as defined by the Adequacy of Prenatal Care Utilization (APNCU) index, or Kotelchuck Index, is a measure involving the timing of the first prenatal visit, the total number of prenatal visits, and the duration of gestation at the time of birth [7]. Categories of prenatal care adequacy increase from Inadequate and Intermediate, to Adequate and Intensive.

Risk Factors For Poor Birth Outcomes

Prenatal Care

The trimester of pregnancy in which a woman begins prenatal care is a strong indicator of risk and poor

Figure 2
Percentage of Women Receiving Late or No Prenatal Care Connecticut, 2012



Compared to the statewide percentage of 13.1%, the following towns were:

Significantly higher:

Bridgeport, Hartford, Meriden, New Britain, New Haven, Norwalk, and Waterbury; and

Significantly lower:

East Haven, Fairfield, Middletown, Milford, New Milford, Shelton, Trumbull, West Hartford, and Wethersfield.

Initiation of Prenatal Care

Of all live births in Connecticut during 2012, 86% began prenatal care during the first trimester of pregnancy, 10.9% during the second trimester, and 1.2% in the third trimester (**Table 3**). An additional 330 women (0.9%) received no prenatal care, a 0.6% increase from the previous year. Lastly, trimester of initiation of prenatal care was unknown for 338 (0.9%) of all births in the state. The statewide percentage of late or no prenatal care at 13.0% was significantly higher than the national percentage (**Table 11**).

The rate of late or no prenatal care for non-Hispanic Black/African American and Hispanic/Latino mothers were 20.6% and 19.4% respectively, compared to only 9.2% for non-Hispanic White mothers (**Table 4**), representing disparity ratios of 2.2 and 2.1, respectively. The percentage of late or no prenatal care for non-Hispanic White mothers represented a significantly lower rate compared to non-Hispanic Black/African American and Hispanic/Latino mothers (**Table 12**). Relative to 2011, the 2012 percentages of late or no prenatal care for non-Hispanic Black/African American, Hispanic/Latino, and non-Hispanic White mothers did not change significantly.

Of the eight towns with 1,000 or more births in 2012, all exceeded the statewide percentage of late or no prenatal care (13.1%), accounting for 48.8% of all the births to women in Connecticut who received late or no prenatal care (**Table 4**). New Haven had the highest percentage at 23.4%; next were Waterbury, 23.2%; Hartford,

20.2%; New Britain, 18.0%; Norwalk, 17.3%; Bridgeport, 16.4%; Stamford, 14.4% and Danbury 13.3% (**Figure 6**).

Among these towns with 1,000 or more births in 2012, Bridgeport and Danbury experienced a significant decrease since 2011 in women receiving late or no prenatal care. On the other hand, Waterbury had a significant increase, while the rest saw no significant difference since the previous year (**Table 11**). While the town of Meriden only had 781 births in 2012, it had a rate of 18.1% for late or no prenatal care, which was significantly higher than the national percentage, but not significantly different from the previous year.

Adequacy of Prenatal Care

Among all births in Connecticut during 2012 for which adequacy of prenatal care was known, 41.3% of mothers received adequate prenatal care, 35.3% received intensive prenatal care, and 23.4% received non-adequate prenatal care (**Table 4**). The percentage of mothers who received non-adequate care in the state was significantly higher than the nationwide percentage (**Table 11**), and increased significantly from the previous year (22.2% to 23.4%). Of note, adequacy of prenatal care was unknown for 2.2% (794) of all births in the state (**Table 3**).

Of the eight towns with 1,000 or more births in 2012, two towns, Danbury with 11.5%, and Waterbury with 17.4%, were below the state percentage for non-adequate care (23.4%) (**Table 4**). The remaining six towns with higher percentages of non-adequate prenatal care were Bridgeport 33.9%, Stamford, 36.9%; Hartford, 27.3%; Norwalk,

27.5%; New Haven, 26.0% and New Britain, 39.6% (**Table 11**). Among these six towns, the percentage of non-adequate prenatal care in 2012 increased significantly in Norwalk (23.6% to 27.4%) and Stamford (32.2% to 36.9%).

Tobacco Use During Pregnancy

Tobacco use during pregnancy is associated with miscarriage, low birth weight and preterm birth, as well as placental problems and some birth defects [13]. In Connecticut, the likelihood of a low birth weight baby among mothers who report smoking during pregnancy is 2.4 times greater than that of mothers who do not smoke tobacco during pregnancy [14].

Underreporting of tobacco use during pregnancy is likely because of the well-known risks associated with this behavior.

In 2012, 1,654 (4.5%) Connecticut births were to mothers who reported using tobacco during pregnancy (**Table 3** and **Table 11**). This was significantly lower than the national percentage, but was not significantly different from the 2011 rate of 4.6%. (**Table 11**).

The percentage of non-Hispanic Black/African American mothers who reported smoking during pregnancy was 4.0%, a significantly low number when compared to 5.5% among non-Hispanic White mothers (**Table 12**). The percentage among Hispanic/Latino mothers (3.6%) was also significantly less than that among non-Hispanic White mothers. Only non-Hispanic Black/African American mothers had a significant decrease in smoking rates since the previous year (5.0% to 4.0%).

The percentage of mothers who reported smoking during pregnancy in 2012 was significantly higher than the statewide percentage in the following health districts: Bristol-Burlington, 8.4%; North Central, 8.6%; Northeast, 12.9%; Torrington Area 10.5% and Uncas Regional, 12.0% (**Table 11**). These percentages did not change significantly from the previous year. Twelve Connecticut towns reported a significantly greater percentage of births to mothers who reported smoking during pregnancy. Towns with a prevalence of smoking during pregnancy in the double digits were Norwich, 13.4%; Torrington, 17.2% and Windham, 10.6%.


Alcohol Use During Pregnancy

Alcohol use during pregnancy is associated with an increased risk of the baby being born with fetal alcohol spectrum disorders, with an accompanying constellation of serious effects that include physical abnormalities, and developmental and behavioral disorders [15]. Alcohol use during pregnancy is also associated with miscarriages and stillbirths. Similar to tobacco use during pregnancy, underreporting of alcohol use during pregnancy is likely because of the well-known risks associated with this behavior.

In 2012, among births for which information was available, 149 mothers reported drinking alcohol during pregnancy, representing 0.4% of all births in Connecticut (**Table 3**). Information on alcohol use during pregnancy was not available for 303 births.

Connecticut Infant Mortality—1918

Total deaths under one year, 3955
 Infant death rate per 1000 births, 106.4



This little graphic shows that

3955 babies under one year of age died in Connecticut in 1918.

2337 babies died when less than three months old.

59% of infant deaths occurred within the first three months of life.

833 babies died within one day after birth.

21% of infant deaths occurred before the babies were two days old.

Pre-natal care of mothers and the proper feeding of infants should reduce this mortality by one-half.

Have you a Visiting Nurse in your town?

FETAL AND INFANT DEATHS

Fetal Deaths

Records of fetal death, or stillbirth, refer to an intrauterine death of a fetus occurring at 20 or more weeks gestation. During 2012, there were 183 resident fetal deaths in Connecticut, representing a statewide rate of 5.0 per 1,000 live births and fetal deaths (**Table 2A**). This rate did not change significantly relative to the 2011 rate of 5.6 per 1,000, but was significantly lower than the national rate (**Table 11**) [16].

Among fetal deaths of known sex in 2012, 96 (52.5%) were male and 85 (46.4%) were female (**Table 5**). A majority of fetal deaths (152 or 83%) occurred between 17 and 36 weeks gestation. The remaining 31 (17%) occurred at 37 weeks or more gestation.

Of all fetal deaths in 2012 of known plurality, 7.7% (14) were of multiple plurality (**Table 5**). A disproportionate burden of fetal deaths occurred among multiple births, where the percent of multiple live births in 2012 was only 4.2% (**Table 3**).

In Connecticut, the percentage of fetal deaths in 2012 among women less than 20 years of age was 7.0%, 45.4% for women 20-29 years old, 42.6% for women 30-39 years old, and 4.4% for women at least 40 years old (**Table 5**). In comparison, the percent of *live births* by mother's age among women less than 20 years old was 5.2%, 43.7% for women 20-29 years

old, 47.7% for women 30-39 years old, and 4.3%, for women at least 40 years of age (**Table 3**). These data indicate that the burden of fetal deaths were disproportionately reduced among mothers aged 30-39 years old (47.7% live births, 42.6% fetal deaths), compared to mothers of either younger or older age groups (**Figure 7**).

Mother's Race/Ethnicity

Of all resident fetal deaths of known race/ethnicity in 2012, 66 (36.1%) were to non-Hispanic White mothers, 32 (17.5%) were to non-Hispanic Black/African American mothers, and 54 (29.5%) were to Hispanic/Latino mothers (**Table 5**). A disproportionate burden of fetal deaths occurred among non-Hispanic Black/African American and Hispanic/Latino women, where the percent distribution of all live births was only 12.6% and 21.8%, respectively (**Table 3**).


The fetal death rate among non-Hispanic Black/African American mothers in 2012 (6.92 per 1,000 live births and fetal deaths) and among Hispanic/Latino mothers (6.75 per 1,000) were both significantly higher than that among non-Hispanic White mothers at 3.2 per 1,000 (**Table 12**). The fetal death rate only among Hispanic/Latino mothers was significantly higher than the previous year.

Town of Residence

Among the eight towns in Connecticut with 1,000 or more live births in 2012, all but two had higher fetal death rates than the statewide rate of 5.0 per 1,000 live births and fetal deaths (**Table 2A**). Towns with higher fetal deaths were: Waterbury,

Figure 7

Percentage of Fetal Deaths Compared to Live Births by Mother's Age, Connecticut, 2012



Fetal deaths were disproportionately reduced among mothers aged 30-39 years old:

Under 20 years old:

- 5.2% live births
- 7.0% fetal deaths

20-29 years old:

- 43.7% live births
- 45.4% fetal deaths

30-39 years old:

- 47.7% live births
- 42.6% fetal deaths

Older than 39 years:

- 4.3% live births
- 4.4% fetal deaths

5.3; New Haven, 7.3; Norwalk, 9.3; Hartford, 8.1; Bridgeport, 8; and new Britain, 7.7 per 1,000. Stamford, with 1,831 live births in 2012, had a fetal death rate of 2.7 per 1,000. None of these towns were significantly different from the fetal death rate in the state or experienced a significant change relative to its rate in the previous year (**Table 11**) [16].

Low Birth Weight and Premature Delivery

Six out of seven resident fetal deaths in 2012 (84.8%) were low birth weight (less than 2,500 grams), and 72.0% were very low birth weight (less than 1,500 grams) (**Table 5**). The percent

of fetal deaths with low birth weight was uniformly high for mothers of all racial/ethnic groups. Overall, 83.1% of resident fetal deaths were delivered prematurely (less than 37 weeks of gestation).

Leading Causes of Fetal Death

In 2012, 165 of the 183 fetal deaths (90.2%) were caused by perinatal conditions (**Table 6**). Within this broad category of causes of death, three leading causes were: 1) "Other disorders originating in the perinatal period" (81 deaths); 2) "Disorders related to short gestation and low birthweight" (34 deaths); and 3) "Fetus affected by

complications of placenta, cord, and membranes" (25 deaths) (**Table 6**). Congenital malformations, deformations and chromosomal abnormalities were associated with five (2.7%) of all fetal deaths. The remaining twelve fetal deaths (6.6%) were associated with other undefined causes.

Infant Deaths

Infant deaths occur after a baby is born, but before the first year of life is completed, or within 364 days of life. An infant mortality rate is an estimate of the number of infant deaths for every 1,000 live births. A neonatal death occurs before the first month of life (before 28 days), and a post-neonatal death occurs between 28 and 364 days of life. Neonatal deaths often occur as a result of a baby's condition that is evident at birth while post-neonatal deaths are usually related to other events. Infant mortality is considered an indicator of a population's overall health and well-being [17].

In 2012, there were 192 resident infant deaths, with a mortality rate of 5.3 per 1,000 live births (**Table 2A**). This rate reflects a decrease in infant deaths over the decade, falling from 274 infant deaths in 2002, with a mortality rate of 6.5 per 1,000 live births [3]. Of all Connecticut infant deaths in 2012, 150 occurred in the neonatal period and 42 occurred in the post-neonatal period, with mortality rates of 4.1 and 1.2 per 1,000 live births, respectively. The overall infant mortality rate in the state of Connecticut was not significantly different from the national rate, and did not change significantly from the previous

year (**Table 11**) [16]. The infant mortality rate reflected a decrease since 2002, when there were 274 deaths and an infant mortality rate of 6.5 per 1,000.

Infant's Race

In 2012, infant mortality rates varied dramatically by race, with a disproportionately high rate of deaths among infants born to non-Hispanic Black/African American mothers (**Table 7**). Of all infant deaths, 74 were to babies born to non-Hispanic White mothers, while 55 and 57 were to babies born to a non-Hispanic Black/African American or Hispanic/Latino mother, respectively (**Table 12**). The infant mortality rate in the non-Hispanic Black/African American (11.97 per 1,000 live births) and Hispanic/Latino (7.17 per 1,000) communities were both significantly higher than that in the non-Hispanic White community (3.58 per 1,000) [16]. These disparities had not changed significantly from the previous year.

Town of Residence

In 2012, infant deaths occurred to residents in 58 Connecticut towns (**Table 2A**). Twelve of these towns suffered the loss of at least five babies during the year. These twelve towns suffered infant mortality rates ranging from a low of 4.0 per 1,000 live births in Waterbury to 18.8 per 1,000 in Wethersfield. Overall, these twelve towns accounted for 66% of all infant deaths in the state of Connecticut.

The towns of Bridgeport (10.4 per 1,000), Hartford (10.7 per 1,000), New Haven (11.0 per 1,000) and Wethersfield (18.9 per 1,000) all experienced an infant mortality rate significantly higher than the statewide rate of 5.3 per 1,000. Only the town of

Stamford at 0.55 per 1,000 live births, had an infant mortality rate less than the statewide rate (**Table 11**). Bridgeport also experienced a significant increase in infant mortality rate since the previous year, jumping from 4.87 per 1,000 in 2011 to 10.37 in 2012.

Leading Causes of Infant Death

Neonatal deaths in 2012 occurred largely as a result of “Certain conditions originating in the perinatal period” (121 of 150 neonatal deaths;

Table 8). Within this broad category, most deaths were caused by “Disorders related to short gestation and low birth weight” (58 deaths) or “Complications of pregnancy, labor and delivery” (22 deaths).

Of the 42 total post-neonatal deaths that occurred in 2012, 14 were caused by sudden infant death syndrome, nine were due to congenital malformations, and six were due to diseases of the circulatory system (**Table 8**).

NO MORE EXCUSES
THERE ARE MANY PLACES TO GET YOUR FLU VACCINE.

Anyone can get the flu, and it can be serious. Every year, protect yourself and those around you by getting a flu vaccine.



U.S. Department of Health and Human Services
 Centers for Disease Control and Prevention

DEATHS (All Ages)

There were 29,375 deaths to Connecticut residents in 2012, with a crude death rate of 8.2 deaths per 1,000 population (**Table 2A**). Males accounted for 14,038 (47.9%) of all resident deaths, while 15,282 (52.1%) were females. In 2012, there were 18,754 deaths to persons aged 75 years and over, representing 64% of total resident deaths. This percent is higher than that of the national cohort (56%) [19].

Overall, 25,545 (87.1%) of Connecticut resident deaths were non-Hispanic White, 2,036 (6.9%) were non-Hispanic Black/African American, and 1,315 (4.5%) were Hispanic/Latino (**Table 9**). This percent distribution by race/ethnicity differs from that at the national level, where 79.3% of deaths were non-Hispanic White, 11.4% were non-Hispanic Black/African American, and 6.2% were Hispanic/Latino [19].

Among Hispanic/Latino residents in 2012, deaths to males outnumbered female deaths, while deaths to non-Hispanic Black/African American and non-Hispanic White females outnumbered deaths to males. Race was unknown for 157 deaths, and ethnicity was unknown for 102 deaths (**Table 2B**, footnote b).

All Causes of Death

Age at Death

Among non-Hispanic White resident deaths in Connecticut in 2012, more than half (58.3%) occurred to those at least 80 years old (**Table 9**).

In contrast, only 29.2% and 24.0% of deaths to non-Hispanic Black/African American and Hispanic/Latino residents, respectively, occurred among residents at least 80 years old.

The disparity ratio for resident deaths by race/ethnicity was consistently higher for non-Hispanic Black/African American and Hispanic/Latino residents compared to non-Hispanic White residents before the age of 80 years old.

The ratio of deaths among Hispanic/Latino residents no more than five years old (5.1%), was over 14-times higher than the non-Hispanic White population (0.36%) for the same age cohort (**Table 9**). Deaths among non-Hispanic Black/African American residents five years old and younger (2.8%) was nearly half that of Hispanic/Latinos (5.1%), when compared to non-Hispanic White resident deaths of the same age (0.36%).

The disparity ratio of deaths to Hispanic/Latino residents aged 30-39 years old was also elevated over five-times the number of non-Hispanic White deaths (6.0% for Hispanic/Latinos *versus* 1.1% for non-Hispanic Whites) and nearly three times higher for non-Hispanic Black/African American deaths aged 30-39 years old (3.1% for non-Hispanic Black/African American *versus* 1.1% for non-Hispanic Whites); (**Table 9**).

Town of Residence

Of the five towns that reported 700 or more Connecticut resident deaths (**Table 2A**), only Waterbury (9.1 per 1,000) had a crude death rate above the state rate of 8.2 per 1,000 population.

The rate for the remaining four towns with crude death rates below the state rate were: Bridgeport, 6.7; New Haven, 6.3; Stamford, 6.2 and Hartford, 6.2. Among Connecticut's 169 towns, Warren had the lowest crude death rate at 3.5 per 1,000 and North Canaan had the highest (19.0 per 1,000).

Leading Causes of Death

The five leading causes of death in 2012 for persons of all ages and sexes are shown in rank order in **Table 10**. By proportional share of total deaths, they were: 1) "Diseases of the heart" (24.7%); 2) "Malignant neoplasm" (22.7%); 3) "Chronic lower respiratory diseases" (4.7%); 4) "Accidents (unintentional injuries)" (4.6%); and 5) Cerebrovascular disease" (4.3%). These rankings correspond with those of the previous year, but over the decade, "Cerebrovascular disease" has shifted down from the third leading cause of death, previously outranking both "Chronic lower respiratory diseases" and "Accidents."

Age and Sex

The five leading causes of death by age and sex are detailed in **Table 10** and summarized in **Figure 8**. Over the year, between 2011 and 2012, the number of deaths increased in age groups 5-9, 15-19, 25-74, whereas deaths in all other age groups decreased. Total deaths in each age group during 2012 ranged from a low of 24 (ages 10-14) to a high of 11,777 (age 85+). A total of 192 deaths occurred among infants less than one year old. The number of deaths to males exceeded deaths to females for all age groups less than 75 years old, except for ages 5-9 where males had 18 deaths and females had 22 deaths.

Cause of death for both sexes in 2012 was comparable to data from the previous year. In 2011, "Accidents" was ranked first for ages 1-45 years old. However, due to the Sandy Hook Elementary School shooting in Newtown, Connecticut, "Homicide (by discharge of a firearm)" replaced "Accidents" as the number one cause of death in 2012 for children aged 5-9 years old, and accounted for 20 of the 40 deaths in that age group statewide.

"Malignant neoplasms" was the leading cause of death between ages 45-84 years old, with "Diseases of the heart" ranked second. For those aged 85 years and older, "Diseases of the heart" outranked "Malignant neoplasms" as the leading cause of death.

Age <1 Year

See **Infant Deaths**, p. 34.

Ages 1-19 Years

Deaths in 2012 to residents one through 19 years old accounted for 171 or 0.6% of all deaths (**Table 10; Figure 8**). Of this number, a total of 48 deaths (28.1%) were caused by "Accidents (unintentional injuries)."

Among teens 15-19 years old, there were a total of 77 deaths in 2012 (**Table 10**). "Accidents" was ranked first among cause of death for this age group, among both males and females (**Figure 8**). Of the 30 deaths due to "Accidents," a large majority (nineteen or 63%) were caused by "Motor vehicle accidents," fourteen (73.7%) of which were to males and the remaining five (26.3%) to females.

Figure 8
Top Three Leading Causes of Death by Age
Connecticut, 2012

		Female Age (Years)											
		1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Rank													
1		Unintentional injuries, Malignant neoplasms	Homicide	Unintentional injuries	Unintentional injuries	Unintentional injuries	Unintentional injuries	Malignant neoplasms	Malignant neoplasms	Malignant neoplasms	Malignant neoplasms	Malignant neoplasms	Diseases of the heart
2		Congenital anomalies, Diseases of the heart, Influenza and Pneumonia	Malignant neoplasms	Malignant neoplasms, Diseases of the heart	Suicide	Suicide	Malignant neoplasms	Unintentional injuries	Diseases of the heart	Diseases of the heart	Diseases of the heart	Diseases of the heart	Malignant neoplasms
3			Unintentional injuries, Cerebrovascular disease, Influenza and Pneumonia		Homicide	Diseases of the heart	Unintentional injuries	Diseases of the heart	Unintentional injuries	Unintentional injuries	Chronic lower respiratory diseases	Chronic lower respiratory diseases	Chronic lower respiratory diseases
		Male Age (Years)											
		1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
Rank													
1		Unintentional injuries	Homicide	Unintentional injuries	Unintentional injuries	Unintentional injuries	Unintentional injuries	Unintentional injuries	Diseases of the heart	Malignant neoplasms	Malignant neoplasms	Malignant neoplasms	Diseases of the heart
2		Congenital anomalies	Malignant neoplasms, Unintentional injuries	Malignant neoplasms	Suicide	Homicide	Suicide	Diseases of the heart	Malignant neoplasms	Diseases of the heart	Diseases of the heart	Diseases of the heart	Malignant neoplasms
3				Malignant neoplasms	Homicide	Diseases of the heart, Cerebrovascular disease, Suicide	Homicide	Suicide	Diseases of the heart	Unintentional injuries	Unintentional injuries	Chronic lower respiratory diseases	Chronic lower respiratory diseases

Source: Table 10

“Suicide” and “Homicide” were ranked second and third among males in this age group. Among females, “Suicides” and “Diseases of the heart” were ranked second and third, respectively.

Ages 20-34 Years

The age group encompassing 20 through 34 year olds accounted for a total 560 deaths, or 1.9% of all deaths in 2012 (**Table 10**). Within this age group, “Accidents” continued to be the leading cause of death to both males and females, followed by “Homicides” and “Suicides” for males and “Malignant neoplasms” and “Suicides” for females (**Figure 8**).

Within this age category, there were a total of 217 deaths due to “Accidents (unintentional injuries)” (**Table 10**). “Accidental poisoning & exposure to noxious substances” claimed the most lives, with 114 deaths (52.5%) of all deaths due to “Accidents.” A total of 62 (54.3%) males, and 17 (14.9%) females died from “Motor vehicle accidents” in 2012.

Ages 35-54 Years

Deaths in 2012 to residents between 35-54 years old accounted for 2,457 deaths, or 8.4% of all deaths (**Table 10**). Within the 35-44 age group, “Accidents” continued to be the leading cause of death (**Figure 8**), followed by “Malignant neoplasms,” “Diseases of the heart,” “Suicide,” and “Chronic liver disease and cirrhosis.” Similarly, within the 45-54 age group, leading causes of death varied slightly with “Accidents” as the third cause after “Malignant neoplasms” and “Diseases of the heart.” “Chronic lower respiratory diseases” and “Diabetes mellitus” also added to the list for this age group as the fourth

and fifth leading causes of death, respectively.

Within the 35-54 year age group, there were a total of 603 (24.5%) deaths in 2012 due to “Malignant neoplasms” (**Table 10**). Of this total, 299 (49.6%) occurred to males and the remaining 304 (50.4%) occurred to females. Of all deaths to males of this cause, “Trachea, bronchus & lung cancer” (64 deaths) was the most frequent, followed by “Colorectal cancer” (30 deaths). Of all female deaths due to “Malignant neoplasms,” a total of 75 and 40 deaths were due to “Breast cancer” and “Pancreatic cancer,” respectively.

Ages 55-74 Years

The next two consecutive age groups, 55-64 and 65-74, accounted for 7,184 deaths, or 24.5% of all deaths in 2012 (**Table 10**). A total of 4,201 of these deaths were males and 2,983 females. The five leading causes of death for ages 55-64 did not differ between males and females, and were “Malignant neoplasms” (1,110 or 36.3% of all deaths to this age group), “Diseases of the heart” (651 or 21.3% of all deaths) “Accidents” (145 or 4.7% of all deaths), with “Chronic lower respiratory diseases,” and “Diabetes mellitus” in fourth and fifth place (**Figure 8**).

“Malignant neoplasms,” remained the leading cause of death for both age groups between 55-74 years old. The most frequent cause of death in this category was “Trachea, bronchus, & lung cancer,” with 781 deaths total or 29.5% of all cancer deaths to males and 28.7% of all cancer deaths to females (**Table 10**). “Breast cancer” also had high numbers of deaths in this age group with 196 deaths or 15.6% of all cancer deaths to females.

Ages 75+ Years

The two age groups starting at 75 years of age accounted for the majority of all deaths in 2012, totaling 18,754 deaths, or 64% of total deaths (**Table 10**). For both sexes in this age range, the two leading causes of death were either “Malignant neoplasms,” with 3,302 or 17.6% of all deaths in this age group, or “Diseases of the heart,” with 5,199 or 27.7% of all deaths in this age group. Whereas “Malignant neoplasms” was ranked first as a cause of death among 75-84 year olds, “Diseases of the heart” was ranked first as a cause of death among residents 85 years of age or older (**Figure 8**).

Race/Ethnicity and Sex

Among all deaths in 2012, a total of 25,545 were non-Hispanic White residents, 2,036 were non-Hispanic Black/African American residents, and 1,315 were Hispanic/Latino residents (**Table 9**). Among non-Hispanic White resident deaths and non-Hispanic Black/African American residents, a slight majority were females, 52.8% and 52.1%, respectively. In contrast, among Hispanic/Latino residents, only 42.2% of deaths were female.

Within each race/ethnicity and sex group, a majority of deaths in 2012 were caused by the four leading causes of death: “Diseases of the heart,” “Malignant neoplasms,” “Chronic lower respiratory diseases,” and “Accidents.” A greater percentage of deaths to Hispanic/Latino males were caused by “Accidents;” 11.6% of all deaths to Hispanic/Latino males were caused by “Accidents,” compared to 5.6% of deaths to non-Hispanic White males and 7.1% to non-Hispanic Black/African American males. (**Table 9**).

Compared to non-Hispanic White females, a greater percentage of deaths to non-Hispanic Black/African American females in 2012 were caused by “Malignant neoplasms.” Similar to Hispanic/Latino males, females also outnumbered non-Hispanic White and non-Hispanic Black/African American female deaths caused by “Accidents” at 5.0%, compared to only 3.3% and 2.6%, respectively.

Leading Causes of Death, 2002-2012

Compared to the top three leading causes of death in 2012 (**Table 10**), the leading causes of death in 2002 differed in several ways [18].

Both male and female age-specific death rates for each leading cause of death for children less than 15 years old were very small (five or fewer) in 2002 and 2012 (**Table 10**). However, the leading cause of death for 5-9 year olds in 2002 went from a rate of 4.2 per 100,000 (females) and 2.4 per 100,000 (males) to 11.3 per 100,000 (females) and 7.2 per 100,000 (males) in 2012 [18]. In addition, the leading cause of death for both sexes changed from “Malignant neoplasms” in 2002 to “Homicide (by discharge of a firearm)” in 2012. This shift in leading cause of death among this age group reflects the Sandy Hook Elementary School shooting that occurred in Newtown, CT in 2012.

For deaths among women aged 15 through 24 years old, “Accidents (unintentional injuries)” was the leading cause of death in both 2002 and 2012 (**Table 10**). The rate of “Accidents” among females 15-19 years old in 2002 was 10.7 per 100,000 and dropped over the decade to 6.4 per 100,000 in 2012. For females 20-24 years old, however, the rate of “Accidents” increased from

17.3 per 100,000 to 19.1 per 100,000, respectively. More striking was the drop in the death rate due to “Accidents” among 15-19 year old males, which went from 46.5 per 100,000 in 2002 to 16.8 per 100,000 in 2012. “Accidents” remained the leading cause of death for males at least 44 years old, but death rates after 20 years old only slightly decreased over the decade. “Malignant neoplasms” remained the leading cause of death for both sexes over the decade between ages 45-74 years old with a consistent decrease in age-specific death rate from 2002-2012 among both males and females [18].

In 2002, “Malignant neoplasms” continued as the leading cause of death for ages 75-85 years old, while “Disease of the heart” ranked as the number one cause of death by 2012 for the same age group. For those aged 85 years and older, “Diseases of the heart” was the leading cause in 2002 and 2012. Both sexes experienced very high death rates at this age in 2002 at 5,610 per 100,000 for males and 5,270 per 100,000 for females. By 2012, rates for each sex had slightly decreased to 4,523 per 100,000 for males and 3745 per 100,000 for females.



Are you the picture of health?

“Colorectal cancer is the 2nd leading cancer killer. But it doesn’t have to be.”

*Katie Couric, Co-Founder
EIF's National Colorectal Cancer Research Alliance*

Colorectal cancer and precancerous polyps don't always cause symptoms. So you can look healthy and feel fine and not know there may be a problem. ■ Screening helps find polyps so they can be removed **before** they turn into colorectal cancer. This is one cancer you can prevent! ■ Screening can also find colorectal cancer early, when treatment often leads to a cure. ■ If you're 50 or older, make sure you really are the picture of health. Get screened for colorectal cancer.

1-800-CDC-INFO (1-800-232-4636) • www.cdc.gov/screenforlife

Photo by Andrew Eccles



MARRIAGES

Marriage Rate

In 2012, there were 19,216 marriages in Connecticut (**Table 2A**), which was 288 fewer marriages than registered in the previous year [18]. The marriage rate was 10.7 persons per 1,000 population, down slightly from 10.9 per 1,000 in 2011. Of all marriages in the state during 2012, a total of 668 were same-sex marriages (data not shown). There were 1,262 same-sex marriages in 2011, 1,791 in 2010, 2,706 in 2009, and 543 in 2008, the first year for which same-sex marriages became possible in the state (data not shown).

Town of Occurrence

Marriages are registered by town of occurrence. Two towns registered over 1,000 marriages (**Table 2A**); New Haven registered 1,250

marriages and Hartford registered 1,098 marriages. Four towns each registered between 500 and 1,000 marriages in 2012. These towns were: Bridgeport, 948 marriages; Stamford, 740 marriages; Waterbury, 569 marriages; and Danbury, 500 marriages. The fewest number of marriages were registered in the towns of Franklin, Union, Sterling, Eastford and Hartland, each with five or less marriages.

The marriage rate in 2012 varied by town from a low of 0.5 persons per 1,000 population, to a high of 75.50 per 1,000 (**Table 2A**). The towns of Eastford (0.5 persons per 1,000) and Sterling (1.58 persons per 1,000) had the lowest marriage rates, while the towns of West Hartford (75.5 persons per 1,000) and East Hartford (32.77 persons per 1,000) had the highest marriage rates.

rethink
your
drink

*Find healthier drinks that
quench your thirst*





Stop serious childhood diseases in their tracks like you do your curious explorer.

Put up a wall of protection with safe, proven vaccines. For more reasons to vaccinate, talk to your child's doctor or go to www.cdc.gov/vaccines or call 1-800-CDC-INFO.

Immunization. Power to Protect.



U.S. Department of
Health and Human Services
Centers for Disease
Control and Prevention



AMERICAN ACADEMY OF
FAMILY PHYSICIANS
STRONG MEDICINE FOR AMERICA

American Academy
of Pediatrics



DEDICATED TO THE HEALTH OF ALL CHILDREN™

APPENDIX I NOTES

- [1] Estimated Populations in Connecticut as of July 1, 2002. Annual Registration Report, 2002, Table 1, Connecticut Department of Public Health, Office of Policy, Planning and Evaluation (http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598&dphNav_GID=1601), viewed on October 7, 2015.
- [2] Estimated Populations in Connecticut as of July 1, 2011. Annual Registration Report, 2011, Table 1, Connecticut Department of Public Health, Health Information Systems and Reporting (http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598&dphNav_GID=1601), viewed on October 7, 2015.
- [3] Population, Births, Deaths, Fetal Deaths, and Infant Deaths by Place of Occurrence and Residence and Marriages by Place of Occurrence. Annual Registration Report, 2002, Table 2A, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT (http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598&dphNav_GID=1601), viewed on October 7, 2015.
- [4] Connecticut Resident births, 2002 through 2012, Table 2A, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT (http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598&dphNav_GID=16001), viewed on October 8, 2015.
- [5] Centers for Disease Control and Prevention. NCHS Data Brief, Number 80, January 2012 (<http://www.cdc.gov/nchs/data/databriefs/db80.htm>), viewed on October 9, 2015.
- [6] Connecticut Resident births, 2002 through 2012, Tables 3 and 4, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT (http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598&dphNav_GID=16001), viewed on October 8, 2015.
- [7] Connecticut Resident births, 2001, Tables 3 and 4, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT (http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598&dphNav_GID=16001), viewed on October 8, 2015.
- [8] Aarnoudse-Moens, CSH, Weisglas-Kuperus, N, van Goudoever, JB, Oosteriaan, J (2009) Meta-analysis of neurobehavioral outcomes in very preterm and/or very low birth weight children. *Pediatrics* 124 (2): 717-727.
- [9] Kotelchuck M. An evaluation of the Kessner Adequacy of Prenatal Care Index and a proposed Adequacy of Prenatal Care Utilization Index. *Am J Public Health* 1994; 84: 1414-1420.
- [10] Preterm Births. U.S. Centers for Disease Control and Prevention (<http://www.cdc.gov/reproductivehealth/maternalinfanthealth/pretermbirth.htm>), accessed on October 23, 2015.
- [11] Hack, MMB, Taylor, HG, Klein, N, Eiben, R, Schatshneider, C (1994) School-age outcomes in children with birth weights less

- than 750 grams. *New England J Med* 331 (12):754-759.
- [12] Gestational age is calculated using the date of the last menstrual period (LMP) or the clinical estimate of gestational age, if the LMP is not available. (**Table 3**).
- [13] United States Department of Health and Human Services, Centers for Disease Control and Prevention: Tobacco Use and Pregnancy (<http://www.cdc.gov/reproductivehealth/tobaccousepregnancy>), accessed on October 23, 2015.
- [14] Stone, CL, Mueller, LM (2007) Association between WIC enrollment during pregnancy and low birth weight outcomes in Connecticut. Connecticut Department of Public Health, Hartford, Connecticut (http://www.ct.gov/dph/lib/dph/family_health/bwm_website_050409.pdf), accessed on October 23, 2015.
- [15] United States Department of Health and Human Services, Centers for Disease Control and Prevention: Alcohol Use and Pregnancy (<http://www.cdc.gov/ncbddd/fasd/alcohol-use.html>), accessed on October 15, 2015.
- [16] The annual number of fetal and infant deaths in Connecticut is small even in the most highly populated towns, so standard tests of single-year differences are statistically significant only when the changes are great. Methods other than the simple one-year comparisons are needed. Such analyses are, however, beyond the scope of this report.
- [17] Report of the Secretary's Advisory Committee on Infant Mortality (SACIM): Recommendations for Department of Health and Human Services (HHS) Action and Framework for a National Strategy, January 2013, (<http://www.hrsa.gov/advisorycommittees/mchbadvisory/InfantMortality/Correspondence/recommendationsjan2013.pdf>), accessed on October 16, 2015.
- [18] Connecticut Resident Deaths, 2002, Table 10, Connecticut Department of Public Health, Health Statistics and Surveillance, Hartford, CT (http://www.ct.gov/dph/cwp/view.asp?a=3132&q=394598&dphNav_GID=16001), accessed on October 22, 2015.
- [19] Centers for Disease Control and Prevention, National Center for Health Statistics. Compressed Mortality File 1999-2014 on CDC WONDER Online Database, released December 2015. Data are from the Compressed Mortality File 1999-2014 Series No. 2T, 2015, as compiled from data provided by the 57 vital statistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at <http://wonder.cdc.gov/cmfi-icd10.html> on Feb 24, 2016.
- [20] National Center for Health Statistics. Vital statistics available. 2012 natality public use file. Hyattsville, MD: National Center for Health Statistics. Available from http://www.cdc.gov/nchs/data_access/VitalStatsOnline.htm, accessed on February 23, 2016.

APPENDIX II RATE DEFINITIONS

Crude birth rate

$$\left(\frac{\text{Number of resident live births}}{\text{Total resident population}} \right) \times 1,000$$

Marriage rate

$$\left(\frac{\text{Number of registered marriages} \times 2}{\text{Mid-year total resident population}} \right) \times 1,000$$

Crude death rate

$$\left(\frac{\text{Number of resident deaths}}{\text{Total resident population}} \right) \times 1,000$$

Age-specific birth rate

$$\left(\frac{\text{Number of live births in a specific age group}}{\text{Total resident population in specific age group}} \right) \times 100,000$$

Age-specific death rate

$$\left(\frac{\text{Number of deaths in a specific age group}}{\text{Total resident population in specific age group}} \right) \times 100,000$$

Infant death rate

$$\left(\frac{\text{Number of infant deaths}}{\text{Number of live births}} \right) \times 1,000$$

Fetal death rate

$$\left(\frac{\text{Number of fetal deaths}}{\text{Number of live births and fetal deaths}} \right) \times 1,000$$

Feto-infant death rate


$$\left(\frac{\text{Number of fetal and infant deaths}}{\text{Number of live births and fetal deaths}} \right) \times 1,000$$

APPENDIX III

HEALTH DISTRICT CONSTITUENT TOWNS

July, 2012

Health District	District No	Constituent Towns
Bristol-Burlington	1	Bristol, Burlington
Connecticut River Area	2	Clinton, Deep River, Old Saybrook
Central Connecticut	3	Berlin, Newington, Rocky Hill, Wethersfield
Chatham	4	Colchester, Hebron, Marlborough, Portland, East Hampton, Haddam, East Haddam
Chesprocott	5	Cheshire, Prospect, Wolcott
East Shore	6	Branford, East Haven, North Branford
Eastern Highlands	7	Andover, Ashford, Bolton, Chaplin, Columbia, Coventry, Mansfield, Scotland, Tolland, Willington
Farmington Valley	8	Avon, Barkhamsted, Canton, Colebrook, East Granby, Farmington, Granby, Hartland, New Hartford, Simsbury
Ledge Light	9	East Lyme, Groton, Ledyard, New London, Waterford
Naugatuck Valley	10	Ansonia, Beacon Falls, Derby, Naugatuck, Seymour, Shelton
Newtown	11	Bridgewater, Newtown, Roxbury
North Central	12	East Windsor, Ellington, Enfield, Stafford, Suffield, Vernon, Windsor Locks
Northeast	13	Brooklyn, Canterbury, Eastford, Hampton, Killingly, Plainfield, Pomfret, Putnam, Sterling, Thompson, Union, Woodstock
Plainville-Southington Regional	14	Plainville, Southington
Pomperaug	15	Oxford, Southbury, Woodbury
Quinnipiack Valley	16	Bethany, Hamden, North Haven, Woodbridge
Torrington Area	17	Bethlehem, Canaan, Cornwall, Goshen, Harwinton, Kent, Litchfield, Morris, Norfolk, North Canaan, Plymouth, Salisbury, Thomaston, Torrington, Warren, Watertown, Winchester
Trumbull-Monroe	18	Monroe, Trumbull
Uncas Regional	19	Bozrah, Griswold, Lisbon, Montville, Norwich, Sprague, Voluntown
West Hartford-Bloomfield	20	Bloomfield, West Hartford
Westport Weston	21	Weston, Westport



State of Connecticut Local Health Departments and Districts July 2012

Health Districts¹

- 1 Bristol-Burlington Health District
- 2 CT River Area Health District
- 3 Central Connecticut Health District
- 4 Chatham Health District
- 5 Chesproct Health District
- 6 East Shore Health District
- 7 Eastern Highlands Health District
- 8 Farmington Valley Health District
- 9 Ledge Light Health District
- 10 Naugatuck Valley Health District
- 11 Newton Health District
- 12 North Central Health District
- 13 Northeast District Dept of Health
- 14 Plainville-Southington Regional Health District
- 15 Permpaug Valley Health District
- 16 Quinnipiac Valley Health District
- 17 Torrington Area Health District
- 18 Trumbull-Monroe Health District
- 19 Uncas Health District
- 20 West Hartford-Bloomfield Health District
- 21 Westport Weston Health District

¹Health Districts are defined as towns, cities, boroughs united to form district departments of health and have a full-time Health Director.

Sovereign Nations

- A Mohegan Tribe
- B Mashantucket Tribe

October 15, 2012

APPENDIX IV GLOSSARY

Adequacy of prenatal care: This publication uses the Adequacy of Prenatal Care Utilization (APNCU) Index as a measure of adequacy of prenatal care. The index characterizes prenatal care utilization based on two independent dimensions—time of initiation of prenatal care, and number of prenatal care visits after care has begun.

The APNCU Index classifies prenatal care utilization by comparing the *actual* number of prenatal care visits to the *expected* number of visits. The expected number of visits is the total number recommended by the American College of Obstetricians and Gynecologists (ACOG), adjusted for the length of gestation at birth. The ACOG recommendations for a full-term (40-wk) pregnancy without complications are: one visit every 4 weeks for the first 28 weeks; one visit every 2-3 weeks until 36 weeks; and weekly visits for the rest of the pregnancy.

When prenatal care begins by the fourth month of pregnancy, the care is considered *intensive* if actual visits are 110% or more of expected visits, *adequate* if the actual-to-expected ratio is 80-109%, *intermediate* with an actual-to-expected ratio of 50-79%, and *inadequate* with an actual-to-expected ratio of less than 50%. In cases where prenatal care

begins after the fourth month of gestation, the care is termed *inadequate* regardless of the total number of visits. The APNCU Index has been adopted by the National Center for Health Statistics for reporting adequacy of prenatal care.

Age-specific birth rate: The number of live births to women in a specific age group per 1,000 females in the population in the same age group.

Age-specific death rate: The number of deaths in a specific age group, per 1,000 population in the same age group.

Birth Order: The rank of the most recent birth, relative to other siblings by age.

Birth weight: The first weight of a fetus or infant at time of delivery. This weight is usually measured during the first hour of life. See also “Low birth weight” and “Very low birth weight.”

Cause of death: The underlying cause of death determined to be the primary condition leading to death, based on the international rules and sequential procedure set forth for manual classification of the underlying causes of death by the National Center for Health Statistics and the World Health Organization (*International Classification of Disease, Ninth Revision*). See also "Underlying cause of death."

Crude death rate: The number of deaths per 1,000 population. This rate should not be used for making comparisons between different populations when the age, race, and sex distributions of the populations are different. See also "Age-specific death rate."

Ethnicity: See "Hispanic/Latino ethnicity."

Fetal death: Death prior to the complete expulsion or extraction from the mother of a product of conception, which has passed through at least the 20th week of gestation. The fetus shows no signs of life such as heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles.

Gestational age: The number of completed weeks elapsed between the first day of the last normal menstrual period (LMP) and the date of delivery.

Health district: A local governmental entity consisting of two or more towns that is responsible for the public health of its constituent towns. See **Appendix II** for a listing of the 20 health districts in existence in Connecticut as of July, 2010.

Hispanic/Latino ethnicity: Refers to people whose origins are from Spain, the Spanish-speaking countries of Central America, South America, and the Caribbean, or persons of Hispanic/Latino origin identifying themselves as Spanish, Spanish-American, Hispanic/Latino, Hispano, Latino, and so on. In Connecticut, the birth, death, and fetal death certificates have a separate line item for the individual's Hispanic/Latino status, to attempt to distinguish Hispanic/

Latino ethnicity from race. Individuals identifying themselves as "Hispanic/Latino" can be of any race, and are also counted in the race breakdown as either "White," "Black/African American," or "Other."

Infant death: Death occurring to an individual of less than one year (365 days) of age, comprising the sum of *neonatal death* and *postneonatal death*. See also "Neonatal death" and "Postneonatal death."

Live birth: The complete expulsion or extraction from the mother of a product of conception, regardless of the duration of pregnancy; after such separation, the product shows signs of life (e.g., heartbeat, pulsation of the umbilical cord, or movement of voluntary muscles).

Live birth order: The number of children born alive to the same mother, including the current birth (first born, second born, third born, etc.).

Low birth weight: A birth weight of less than 2,500 grams (approximately 5 lbs., 8 oz.).

Neonatal death: Death occurring to an infant less than 28 days of age.

Occurrence: Place of occurrence identifies where the vital event actually took place, regardless of the place of residence of the individual.

Plurality: The number of siblings born as the result of a single pregnancy; commonly expressed as *singleton* or *multiple*. A singleton pregnancy results in a single delivery, while a multiple pregnancy results in twins, triplets, or

higher order deliveries.

Post-neonatal death: Death occurring to an infant aged 28 days to 364 days, inclusive.

Premature: A live birth or fetal death that occurs before the completion of the 37th week of gestation.

Race: A population of individuals who identify themselves from a common history, nationality, or geographical place. When responses in the "race" line item on vital records are associated with the definition of Hispanic/Latino origin, they are re-coded to "white race," as described in the National Center for Health Statistics instruction manuals for coding vital records. Individuals identifying themselves as either "White," "Black/African American," or "Other" race can be of any ethnic group. See also "Hispanic/Latino ethnicity."

Residence: The usual place of abode of the person to whom the vital event occurred. For births and fetal deaths, residence is defined as the mother's usual place of residence.

Teenage mother: A woman under 20 years of age on the date of delivery.

Trimester of pregnancy: One-third of the total gestation period of a full-term pregnancy, or 13 weeks per trimester. The "third trimester" classification comprises pregnancies of 27 or more weeks gestation. The weekly count begins on the first day of last menstrual period.

Underlying cause of death: The disease or injury that initiated the sequence of events leading directly to death, or the circumstances of the accident or violence that produced the fatal injury.

APPENDIX V STATISTICAL ANALYSES

Tests of statistical significance in this publication were conducted on data for birth outcomes and risk factors, infant deaths, and fetal deaths, by health district and town, and for racial/ethnic groups. Two types of statistical assessments were made: 1) Comparisons between the current and prior years (2011 and 2010) for the same town, health district, or racial/ethnic group; and 2) Comparisons between a reference group and the other groups within the current year. In the current-year comparisons, the reference group for towns and health districts was the state of Connecticut, while the reference group for racial/ethnic groups was "non-Hispanic/Latino White." Results for the state, health districts, and towns are shown in **Table 11** and **Table 12**.

To balance the need to screen out random fluctuations with the need to detect meaningful differences, analyses were limited to geographic regions with at least 200 births or more infant or fetal deaths, and appropriate significance levels were selected. For determining annual significant changes for fetal and infant deaths, an additional criterion—a total of 10 or more deaths in both years combined was applied. Comparisons were labeled "significant" in either of two situations: $p < 0.01$ for comparisons within the current data year; or $p < 0.05$ for differences between the current year and prior year. The latter, less stringent probability level was used because statistically significant changes


over time are more difficult to detect than significant differences within the same year.

A limitation of annual significance testing is that single-year figures for some towns are too small to allow valid conclusions to be drawn. Readers are thus cautioned to use the statistical assessments as a guide, not as an absolute dictum. Also, the choice of an appropriate "p-value" for use as a reporting threshold varies with the point of view of the reader or analyst. The *Registration Report* is often used by persons primarily concerned with information about a single town. The appropriate "p-value" for single-town analyses can differ considerably from that used in this report to survey all 169 Connecticut towns.

Table 13 provides p-values that are adjusted for maximum number of state-to-town rate comparisons. These adjusted probability levels are found in the far right column of **Table 13**. If the reader is interested in finding out which of Connecticut's 169 towns have teen birth rates that differ significantly ($p < 0.05$) from the state rate, these are the figures to examine. For those who are interested in only a single town – state comparison, examine the figures in the adjacent column "Single Town – State Comparisons."

For more information about the importance of adjusting for multiple comparisons in statistical assessments, please see this webpage:

http://www.ct.gov/dph/lib/dph/hisr/hcqsar/mortality/pdf/guide_to_aamr_state-town_comparisons.pdf




HIV TREATMENT WORKS

“Hear this, HIV:
I’m going to take care of me so
I can take care of those I love.”

Angie – Loganville, GA
Living with HIV since 1995.

I break into dance whenever the mood and music move me. I won’t let my HIV rob me of anything in life. I know that staying in care and on treatment helps me to be the best mother, wife, and HIV prevention educator I can be. I tell other HIV-positive women: All the fear that you have can be overcome. Every day I wash down my pills with a prayer. I’ll continue to do so until my dying day—and HIV will not be the cause of it.

Get in care. Stay in care. Live well.
cdc.gov/HIVTreatmentWorks





**REGISTRATION
TABLES**

2012

TABLE 1
CONNECTICUT, 2012
 Estimated Population^a by Age and Sex

AGE (Years)	BOTH SEXES		MALES			FEMALES		
			Number	Percent of		Number	Percent of	
	Number	Age Group		Males	Age Group		Females	
All Ages	3,590,347	100.0%	1,749,915	48.7%	100.0%	1,840,431	51.3%	100.0%
<1 ^b	36,512	1.0%	18,613	51.0%	1.1%	17,898	49.0%	1.0%
1-4	156,944	4.4%	80,208	51.1%	4.6%	76,736	48.9%	4.2%
5-9	218,015	6.1%	111,379	51.1%	6.4%	106,636	48.9%	5.8%
10-14	234,533	6.5%	120,003	51.2%	6.9%	114,530	48.8%	6.2%
15-19	255,676	7.1%	130,690	51.1%	7.5%	124,986	48.9%	6.8%
20-24	228,946	6.4%	118,759	51.9%	6.8%	110,187	48.1%	6.0%
25-29	220,289	6.1%	111,730	50.7%	6.4%	108,559	49.3%	5.9%
30-34	214,261	6.0%	106,094	49.5%	6.1%	108,167	50.5%	5.9%
35-39	207,877	5.8%	101,879	49.0%	5.8%	105,998	51.0%	5.8%
40-44	250,572	7.0%	121,804	48.6%	7.0%	128,768	51.4%	7.0%
45-49	278,654	7.8%	135,737	48.7%	7.8%	142,917	51.3%	7.8%
50-54	287,883	8.0%	140,268	48.7%	8.0%	147,615	51.3%	8.0%
55-59	257,584	7.2%	125,410	48.7%	7.2%	132,174	51.3%	7.2%
60-64	209,889	5.8%	100,301	47.8%	5.7%	109,588	52.2%	6.0%
65-69	168,381	4.7%	79,521	47.2%	4.5%	88,860	52.8%	4.8%
70-74	113,236	3.2%	51,093	45.1%	2.9%	62,143	54.9%	3.4%
75-79	87,681	2.4%	37,623	42.9%	2.1%	50,058	57.1%	2.7%
80-84	75,246	2.1%	30,195	40.1%	1.7%	45,051	59.9%	2.4%
85+	88,168	2.5%	28,608	32.4%	1.6%	59,560	67.6%	3.2%

NOTES:

^a All figures except those for <1 year of age are estimates from the National Center for Health Statistics: Vintage 2012 postcensal estimates of the resident population of the United States for July 1, 2010-July 1, 2012, by year, county, single-year of age (0, 1, 2, ..., 85 years and over), bridged race, Hispanic origin, and sex. Prepared under a collaborative arrangement with the U.S. Census Bureau. Available from: http://www.cdc.gov/nchs/nvss/bridged_race.htm as of June 13, 2013, following release by the U.S. Census Bureau of the unbridged Vintage 2012 postcensal estimates by 5-year age group on June 13, 2013.

^b The <1 year age group represents registered 2012 Connecticut resident births. In 2012, there was 1 birth of unknown sex.

TABLE 2A
CONNECTICUT, 2012
 Population, Births, Deaths, Fetal Deaths, and Infant Deaths by Place of Occurrence and Residence
 and Marriages by Place of Occurrence^{3b}

GEOGRAPHIC AREA	2012 ESTIMATED POPULATION	BIRTHS			DEATHS			FETAL DEATHS			INFANT DEATHS						MARRIAGES Occurrence ^e		
		Occur- rence	Residence		Occur- rence	Residence		Occur- rence	Residence		Residence								
			Number	Rate ^c		Number	Rate ^c		Number	Rate ^d	Number	Rate ^d	Total		Neonatal			Post-neonatal	
													Number	Rate ^d	Number	Rate ^d		Number	Rate ^d
CONNECTICUT	3,590,347	37,294	36,512	10.2	29,375	29,321	8.2	192	183	5.0	186	192	5.3	150	4.1	42	1.2	19,216	
COUNTY																			
Fairfield County	933,835	11,400	10,091	10.8	6,473	6,518	7.0	52	46	4.6	30	39	3.9	35	3.5	4	a	4,791	
Hartford County	897,259	10,803	9,467	10.6	8,059	7,723	8.6	52	47	5	81	67	7.1	52	5.5	15	1.6	4,562	
Litchfield County	187,530	835	1,439	7.7	1,449	1,752	9.3	5	5	3.5	1	14	9.7	12	8.3	2	a	875	
Middlesex County	165,602	1,163	1,443	8.7	1,349	1,413	8.5	4	3	a	3	3	a	3	a	-	-	1,298	
New Haven County	862,813	9,496	8,949	10.4	8,321	7,529	8.7	63	59	6.6	63	49	5.5	35	3.9	14	1.6	4,583	
New London County	274,170	2,404	2,782	10.1	2,126	2,367	8.6	10	15	5.4	6	13	4.7	8	2.9	5	1.8	1,999	
Tolland County	151,539	212	1,157	7.6	733	940	6.2	2	5	4.3	1	3	a	1	a	2	a	458	
Windham County	117,599	981	1,183	10.1	864	969	8.2	4	3	a	1	2	a	2	a	-	-	650	
HEALTH DISTRICT^f																			
Bristol-Burlington	70,037	622	741	10.6	561	615	8.8	2	2	a	-	5	6.7	5	6.7	-	-	238	
Central Connecticut	97,504	3	843	8.6	493	1005	10.3	-	1	a	-	5	5.9	5	5.9	-	-	305	
Chatham	72,172	7	589	8.2	327	519	7.2	-	-	-	-	2	a	2	a	-	-	378	
Chesprocott	55,666	1	364	6.5	243	475	8.5	-	1	a	-	3	a	2	a	1	a	254	
CT River Area	28,037	-	191	6.8	158	276	9.8	-	2	a	-	-	-	-	-	-	-	208	
East Shore	71,593	1	585	8.2	1,306	779	10.9	-	5	8.5	1	3	a	2	a	1	a	401	
Eastern Highlands	81,004	4	520	6.4	201	418	5.2	-	1	a	-	1	a	-	-	1	a	266	
Farmington Valley	108,538	628	786	7.2	814	859	7.9	6	2	a	23	7	8.9	7	8.9	-	-	637	
Ledge Light	121,105	1502	1,350	11.1	1085	977	8.1	8	8	5.9	1	5	3.7	3	a	2	a	940	
Naugatuck Valley	126,649	617	1,199	9.5	841	1,141	9.0	3	10	8.3	-	3	a	3	a	-	-	475	
Newtown	31,981	1	184	5.8	171	255	8.0	-	1	a	-	2	a	2	a	-	-	102	
North Central	166,440	608	1,597	9.6	1,238	1,463	8.8	3	7	4.4	2	4	a	3	a	1	a	609	
Northeast	85,080	583	812	9.5	526	696	8.2	3	3	a	-	1	a	1	a	-	-	507	
Plainville-Southgtn ^l	61,253	4	485	7.9	374	522	8.5	-	3	a	-	2	a	2	a	-	-	265	
Pomperaug	42,544	1	253	5.9	221	434	10.2	-	2	a	-	1	a	1	a	-	-	138	
Quinnipiack Valley	99,411	6	886	8.9	476	941	9.5	-	4	a	-	3	a	2	a	1	a	382	
Torrington Area	135,076	385	1064	7.9	1064	1375	10.2	2	3	a	-	10	9.4	8	7.5	2	a	638	
Trumbull-Monroe	56,308	1	399	7.1	242	492	8.7	-	1	a	-	-	-	-	-	-	-	349	
Uncas Regional	84,766	895	912	10.8	657	711	8.4	2	4	a	5	7	7.7	4	a	3	a	502	
W Hrtfd-Bloomfield	83,876	6	769	9.2	635	873	10.4	-	2	a	-	4	a	4	a	-	-	349	
Weston-Westport	37,418	3	253	6.8	92	168	4.5	-	-	-	-	-	-	-	-	-	-	154	
TOWN																			
Andover	3,272	-	15	4.6	9	17	5.2	-	-	-	-	-	-	-	-	-	-	10	
Ansonia	19,158	-	220	11.5	54	180	9.4	-	2	a	-	-	-	-	-	-	-	63	
Ashford	4,284	1	44	10.3	9	28	6.5	-	-	-	-	-	-	-	-	-	-	16	
Avon	18,283	1	122	6.7	127	142	7.8	-	-	-	-	2	a	2	a	-	-	82	
Barkhamsted	3,759	-	24	6.4	9	25	6.7	-	-	-	-	-	-	-	-	-	-	26	
Beacon Falls	6,065	-	43	7.1	8	32	5.3	-	1	a	-	-	-	-	-	-	-	16	
Berlin	20,463	1	145	7.1	88	213	10.4	-	-	-	-	-	-	-	-	-	-	65	
Bethany	5,550	-	34	6.1	9	29	5.2	-	-	-	-	-	-	-	-	-	-	9	
Bethel	19,161	1	152	7.9	90	134	7.0	-	-	-	-	-	-	-	-	-	-	79	
Bethlehem	3,566	-	16	4.5	16	40	11.2	-	1	a	-	1	a	1	a	-	-	8	
Bloomfield	20,602	2	180	8.7	169	253	12.3	-	1	a	-	1	a	1	a	-	-	88	
Bolton	4,960	-	44	8.9	9	31	6.3	-	-	-	-	-	-	-	-	-	-	58	
Bozrah	2,638	1	18	6.8	7	18	6.8	-	-	-	-	-	-	-	-	-	-	8	
Branford	28,024	1	238	8.5	1,140	317	11.3	-	3	a	1	-	-	-	-	-	-	254	
Bridgeport	146,425	3,236	2,124	14.5	1,673	981	6.7	24	17	8	23	22	10.4	19	8.9	3	a	948	
Bridgewater	1,702	-	8	4.7	9	19	11.2	-	-	-	-	-	-	-	-	-	-	8	
Bristol	60,603	620	653	10.8	548	570	9.4	2	2	a	-	5	7.7	5	7.7	-	-	229	
Brookfield	16,783	1	110	6.6	52	115	6.9	-	-	-	-	-	-	-	-	-	-	168	
Brooklyn	8,203	1	66	8.0	36	74	9.0	-	-	-	-	-	-	-	-	-	-	39	
Burlington	9,434	2	88	9.3	13	45	4.8	-	-	-	-	-	-	-	-	-	-	9	
Canaan	1,218	1	9	7.4	4	16	13.1	-	-	-	-	-	-	-	-	-	-	10	
Canterbury	5,106	1	47	9.2	15	32	6.3	-	-	-	-	-	-	-	-	-	-	49	
Canton	10,351	-	78	7.5	65	94	9.1	-	-	-	-	-	-	-	-	-	-	28	
Chaplin	2,286	-	12	5.2	4	14	6.1	-	-	-	-	-	-	-	-	-	-	8	
Cheshire	29,300	-	164	5.6	115	239	8.2	-	1	a	-	-	-	-	-	-	-	52	
Chester	4,245	-	25	5.9	48	44	10.4	-	-	-	-	-	-	-	-	-	-	15	
Clinton	13,196	-	98	7.4	42	102	7.7	-	1	a	-	-	-	-	-	-	-	52	
Colchester	16,187	1	140	8.6	111	131	8.1	-	-	-	-	1	a	1	a	-	-	37	
Colebrook	1,461	-	6	4.1	2	8	5.5	-	-	-	-	-	-	-	-	-	-	9	
Columbia	5,461	-	40	7.3	6	33	6.0	-	-	-	-	-	-	-	-	-	-	15	
Cornwall	1,399	-	5	3.6	5	11	7.9	-	-	-	-	-	-	-	-	-	-	10	
Coventry	12,425	1	110	8.9	24	69	5.6	-	-	-	-	-	-	-	-	-	-	39	
Cromwell	14,217	1	156	11.0	112	151	10.6	-	-	-	-	-	-	-	-	-	-	39	
Danbury	82,807	2,113	1,093	13.2	861	482	5.8	6	4	a	2	1	a	1	a	-	-	500	
Darien	21,114	2	199	9.4	38	116	5.5	-	1	a	-	-	-	-	-	-	-	147	
Deep River	4,603	-	34	7.4	14	44	9.6	-	-	-	-	-	-	-	-	-	-	33	
Derby	12,830	614	127	9.9	349	113	8.8	3	2	a	-	-	-	-	-	-	-	54	
Durham	7,368	-	47	6.4	15	47	6.4	-	-	-	-	-	-	-	-	-	-	17	
Eastford	1,730	-	13	7.5	5	12	6.9	-	-	-	-	-	-	-	-	-	-	2	
East Granby	5,184	2	44	8.5	12	32	6.2	-	-	-	-	-	-	-	-	-	-	7	
East Haddam	9,158	1	71	7.8	38	55	6.0	-	-	-	-	-	-	-	-	-	-	62	
East Hampton	12,940	1	107	8.3	28	98	7.6	-	-	-	-	-	-	-	-	-	-	35	
East Hartford	51,272	3	694	13.5	212	476	9.3	-	3	a	-	8	11.5	6	8.6	2	a	212	
East Haven	29,190	-	246	8.4	108	325	11.1	-	1	a	-	2	a	1	a	1	a	77	
East Lyme	18,892	4	120	6.4	107	161	8.5	-	-	-	-	-	-	-	-	-	-	117	

Connecticut Department of Public Health

GEOGRAPHIC AREA	2012 ESTIMATED POPULATION	BIRTHS			DEATHS			FETAL DEATHS			INFANT DEATHS						MARRIAGES Occurrence ^g										
		Occurrence	Residence		Occurrence	Residence		Occurrence	Residence		Residence																
			Number	Rate ^c		Number	Rate ^c		Number	Rate ^g	Number	Rate ^g	Total	Neonatal	Post-neonatal	Number		Rate ^g	Number	Rate ^g							
Easton	7,603	1	44	5.8	20	59	7.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	
East Windsor	11,387	2	132	11.6	65	123	10.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
Ellington	15,779	-	138	8.7	23	82	5.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
Enfield	44,660	2	390	8.7	205	406	9.1	-	3	a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	164
Essex	6,648	-	27	4.1	65	68	10.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
Fairfield	60,450	2	474	7.8	385	491	8.1	-	3	a	-	1	a	-	1	a	-	-	-	-	-	-	-	-	-	-	206
Farmington	25,529	622	206	8.1	395	244	9.6	6	1	a	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	181
Franklin	1,991	-	13	6.5	5	15	7.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
Glastonbury	34,698	2	231	6.7	183	257	7.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	148
Goshen	2,952	-	20	6.8	7	21	7.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
Granby	11,316	1	80	7.1	58	87	7.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
Greenwich	62,256	2,239	682	11.0	559	400	6.4	5	-	-	3	1	a	-	1	a	-	-	-	-	-	-	-	-	-	-	310
Griswold	11,986	1	111	9.3	23	81	6.8	-	-	-	-	1	a	-	-	-	-	-	-	-	-	1	a	-	-	-	48
Groton	39,896	12	621	15.6	220	267	6.7	-	3	a	-	3	a	-	2	a	-	1	a	-	-	-	-	-	-	-	377
Guilford	22,403	1	130	5.8	86	158	7.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
Haddam	8,358	1	62	7.4	22	53	6.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
Hamden	60,863	6	613	10.1	337	585	9.6	-	4	a	-	1	a	-	-	-	-	1	a	-	-	-	-	-	-	-	239
Hampton	1,869	1	10	5.4	3	11	5.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
Hartford	124,893	6,647	1,968	15.8	2,719	770	6.2	29	16	8.1	52	21	10.7	-	15	7.6	-	6	3.0	-	-	-	-	-	-	-	1,098
Hartland	2,132	-	12	5.6	4	12	5.6	-	1	a	-	1	a	-	1	a	-	-	-	-	-	-	-	-	-	-	2
Harwinton	5,600	1	34	6.1	8	33	5.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
Hebron	9,624	1	62	6.4	21	52	5.4	-	-	-	-	1	a	-	1	a	-	-	-	-	-	-	-	-	-	-	25
Kent	2,951	-	25	8.5	27	34	11.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
Killingly	17,269	2	193	11.2	136	168	9.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
Killingworth	6,504	1	40	6.2	11	37	5.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
Lebanon	7,326	3	62	8.5	19	59	8.1	-	1	a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
Ledyard	15,077	1	129	8.6	23	83	5.5	-	1	a	-	1	a	-	1	a	-	-	-	-	-	-	-	-	-	-	50
Lisbon	4,355	1	28	6.4	9	35	8.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
Litchfield	8,353	-	43	5.1	51	88	10.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
Lyme	2,403	-	12	5.0	11	25	10.4	-	1	a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
Madison	18,291	3	84	4.6	67	147	8.0	-	1	a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
Manchester	58,289	1,226	747	12.8	519	451	7.7	8	5	6.7	1	2	a	-	1	a	-	1	a	-	-	-	-	-	-	-	315
Mansfield	25,648	2	76	3.0	67	100	3.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
Marlborough	6,433	-	47	7.3	77	55	8.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
Meriden	60,638	935	785	12.9	646	546	9.0	7	6	7.6	2	6	7.6	-	5	6.4	-	1	a	-	-	-	-	-	-	-	294
Middlebury	7,572	-	54	7.1	39	60	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
Middlefield	4,416	1	18	4.1	6	32	7.2	-	-	-	-	1	a	-	1	a	-	-	-	-	-	-	-	-	-	-	18
Middletown	47,325	1,154	556	11.7	799	416	8.8	4	1	a	3	2	a	-	2	a	-	-	-	-	-	-	-	-	-	-	412
Milford	52,981	123	441	8.3	375	484	9.1	-	2	a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	260
Monroe	19,794	-	128	6.5	38	132	6.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	211
Montville	19,686	1	175	8.9	98	176	8.9	-	2	a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95
Morris	2,356	-	16	6.8	4	12	5.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
Naugatuck	31,774	2	359	11.3	121	250	7.9	-	3	a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	116
New Britain	73,153	1,653	1,044	14.3	837	663	9.1	7	8	7.7	5	9	8.6	-	5	4.8	-	4	a	-	-	-	-	-	-	-	416
New Canaan	20,110	1	142	7.1	60	102	5.1	-	1	a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
New Fairfield	14,112	1	100	7.1	25	78	5.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
New Hartford	6,903	-	50	7.2	16	52	7.5	-	-	-	-	2	a	-	2	a	-	-	-	-	-	-	-	-	-	-	29
New Haven	130,741	5677	1907	14.6	1916	821	6.3	44	14	7.3	56	21	11.0	-	16	8.4	-	5	2.6	-	-	-	-	-	-	-	1,250
Newington	30,602	1	250	8.2	168	275	9.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
New London	27,707	1,485	338	12.2	573	226	8.2	8	4	a	1	1	a	-	-	-	-	1	a	-	-	-	-	-	-	-	258
New Milford	27,835	214	240	8.6	219	189	6.8	-	1	a	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
Newtown	28,042	1	169	6.0	158	220	7.8	-	1	a	-	1	a	-	1	a	-	-	-	-	-	-	-	-	-	-	81
Norfolk	1,685	-	6	3.6	4	12	7.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
North Branford	14,379	-	101	7.0	58	137	9.5	-	1	a	-	1	a	-	1	a	-	-	-	-	-	-	-	-	-	-	70
North Canaan	3,259	-	27	8.3	73	62	19.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
North Haven	24,033	-	181	7.5	66	228	9.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	103
North Stonington	5,303	1	45	8.5	11	36	6.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
Norwalk	87,190	1,610	1,177	13.5	627	525	6.0	11	11	9.3	2	6	5.1	-	6	5.1	-	-	-	-	-	-	-	-	-	-	460
Norwich	40,502	891	524	12.9	505	365	9.0	2	2	a	5	6	11.5	-	4	a	-	2	a	-	-	-	-	-	-	-	308
Old Lyme	7,592	2	51	6.7	26	58	7.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
Old Saybrook	10,238	-	59	5.8	102	130	12.7	-	1	a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	123
Orange	13,935	-	95	6.8	46	123	8.8	-	2	a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
Oxford	12,819	-	89	6.9	25	96	7.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
Plainfield	15,267	1	165	10.8	77	133	8.7	-	2	a	-	1	a	-	1	a	-	-	-	-	-	-	-	-	-	-	55
Plainville	17,819	1	164	9.2	83	163	9.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
Plymouth	12,089	-	100	8.3	46	119	9.8	-	-	-	-	3	a	-	2	a	-	1	a	-	-	-	-	-	-	-	43
Pomfret	4,217	1	23	5.5	5	25	5.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
Portland	9,472	2	100	10.6	30	75	7.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	118
Preston	4,753	-	39	8.2	15	45	9.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
Prospect	9,642	-	77	8.0																							

Connecticut Department of Public Health

GEOGRAPHIC AREA	2012 ESTIMATED POPULATION	BIRTHS			DEATHS			FETAL DEATHS			INFANT DEATHS						MARRIAGES Occurrence ^g		
		Occurrence	Residence		Occurrence	Residence		Occurrence	Residence		Occurrence	Residence							
			Number	Rate ^c		Number	Rate ^c		Number	Rate ^g		Total	Neonatal	Post-neonatal	Number	Rate ^g		Number	Rate ^g
Sprague	2,988	-	34	11.4	8	21	7.0	-	-	-	-	-	-	-	-	-	-	-	15
Stafford	11,987	205	95	7.9	185	110	9.2	2	1	a	1	-	-	-	-	-	-	-	45
Stamford	125,109	2,182	1,831	14.6	817	781	6.2	6	5	2.7	-	1	a	1	a	-	-	-	740
Sterling	3,799	-	35	9.2	8	18	4.7	-	1	a	-	-	-	-	-	-	-	-	3
Stonington	18,556	-	121	6.5	178	283	15.3	-	1	a	-	-	-	-	-	-	-	-	297
Stratford	52,077	3	515	9.9	217	532	10.2	-	-	-	-	3	a	3	a	-	-	-	242
Suffield	15,868	-	75	4.7	83	122	7.7	-	1	a	-	1	a	1	a	-	-	-	34
Thomaston	7,788	2	54	6.9	15	75	9.6	-	-	-	-	-	-	-	-	-	-	-	18
Thompson	9,373	1	85	9.1	25	78	8.3	-	-	-	-	-	-	-	-	-	-	-	122
Tolland	14,964	-	116	7.8	58	82	5.5	-	1	a	-	1	a	-	-	1	a	-	38
Torrington	35,808	380	374	10.4	569	417	11.6	2	2	a	-	4	a	4	a	-	-	-	134
Trumbull	36,514	1	271	7.4	204	360	9.9	-	1	a	-	-	-	-	-	-	-	-	138
Union	852	-	3	a	4	7	8.2	-	-	-	-	-	-	-	-	-	-	-	4
Vernon	29,122	2	351	12.1	289	253	8.7	-	2	a	-	1	a	-	-	1	a	-	86
Voluntown	2,611	-	22	8.4	7	15	5.7	-	-	-	-	-	-	-	-	-	-	-	19
Wallingford	45,179	1	356	7.9	532	459	10.2	-	3	a	-	-	-	-	-	-	-	-	199
Warren	1,447	-	8	5.5	1	5	3.5	-	-	-	-	-	-	-	-	-	-	-	19
Washington	3,534	-	15	4.2	10	25	7.1	-	-	-	-	-	-	-	-	-	-	-	44
Waterbury	109,915	2,128	1,514	13.8	1502	1000	9.1	9	8	5.3	4	6	4.0	3	a	3	a	-	569
Waterford	19,533	-	142	7.3	162	240	12.3	-	-	-	-	-	-	-	-	-	-	-	138
Watertown	22,261	-	163	7.3	87	204	9.2	-	-	-	-	1	a	-	-	1	a	-	60
Westbrook	6,914	-	43	6.2	17	61	8.8	-	-	-	-	-	-	-	-	-	-	-	230
West Hartford	63,274	4	589	9.3	466	620	9.8	-	1	a	-	3	a	3	a	-	-	-	261
West Haven	55,404	3	666	12.0	290	444	8.0	-	3	a	-	6	9.0	4	a	2	a	-	250
Weston	10,350	2	63	6.1	17	38	3.7	-	-	-	-	-	-	-	-	-	-	-	11
Westport	27,068	1	190	7.0	75	130	4.8	-	-	-	-	-	-	-	-	-	-	-	143
Wethersfield	26,710	1	265	9.9	70	276	10.3	-	-	-	-	5	18.9	5	18.9	-	-	-	129
Willington	5,994	-	48	8.0	14	40	6.7	-	-	-	-	-	-	-	-	-	-	-	15
Wilton	18,617	-	108	5.8	122	147	7.9	-	-	-	-	-	-	-	-	-	-	-	30
Winchester	11,071	1	93	8.4	64	115	10.4	-	-	-	-	1	a	1	a	-	-	-	59
Windham	25,091	397	303	12.1	328	234	9.3	1	-	-	1	1	a	1	a	-	-	-	105
Windsor	29,140	4	262	9.0	165	268	9.2	-	1	a	-	3	a	2	a	1	a	-	105
Windsor Locks	12,546	-	113	9.0	60	133	10.6	-	-	-	-	1	a	1	a	-	-	-	47
Wolcott	16,724	1	123	7.4	84	153	9.1	-	-	-	-	1	a	1	a	-	-	-	175
Woodbridge	8,965	-	58	6.5	64	99	11.0	-	-	-	-	2	a	2	a	-	-	-	31
Woodbury	9,848	-	66	6.7	19	68	6.9	-	-	-	-	1	a	1	a	-	-	-	36
Woodstock	7,904	-	44	5.6	19	45	5.7	-	-	-	-	-	-	-	-	-	-	-	54
Out-Of-State ^g		917	1,696	-	903	957	-	-	9	5.3	11	5	2.9	4	a	1	a	-	-
Unknown State		-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown CT Town		-	1	-	1	110	-	-	-	-	-	2	a	2	a	-	-	-	-

NOTES:

- ^a Rates are not calculated for less than five events because of the high degree of variability associated with small numbers.
- ^b A dash (-) represents the quantity zero.
- ^c Live birth and death rates are per 1,000 population. CT town of residence was unknown for 1 births and 110 deaths.
- ^d Fetal and infant death rates are per 1,000 live births. CT town of residence was unknown for 2 infant deaths.
- ^e Marriage statistics are based on the number of events occurring in a county or town and may or may not reflect the county or town of residence of either party.
- ^f Beginning with the 2010 Registration Reports, Health District statistics are tabulated using the districting that was in effect for the year during which these events occurred. Previous Registration Reports used the districting that was current at the time that the Registration Report was published.
- ^g Out-of-state occurrence refers to events to Connecticut residents that occurred in other states. Out-of-state residence refers to events that occurred in Connecticut to residents of other states.

TABLE 2B
CONNECTICUT, 2012
 Resident Births, Deaths, Fetal Deaths, and Infant Deaths^a by Race and Hispanic Ethnicity^b for Counties, Health Districts, and Towns

GEOGRAPHIC AREA	RESIDENT BIRTHS						RESIDENT DEATHS					RESIDENT FETAL DEATHS					RESIDENT INFANT DEATHS				
	Mother's Race/Ethnicity						Decedent's Race/Ethnicity					Mother's Race/Ethnicity					Infant's Race/Ethnicity				
	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity	
	Total	White	Black	Other		Total	White	Black	Other		Total	White	Black	Other		Total	White	Black	Other		
CONNECTICUT	36,512	28,063	5,014	3,350	7,945	29,321	26,765	2,081	307	1,315	183	124	43	14	54	192	113	59	4	57	
COUNTY																					
Fairfield County	10,091	7,568	1,403	1,113	2,601	6,518	5,868	540	91	357	46	34	9	3	22	39	19	13	-	18	
Hartford County	9,467	6,815	1,638	957	2,318	7,723	6,964	658	87	475	47	29	17	1	15	67	38	26	3	20	
Litchfield County	1,439	1,336	37	64	121	1,752	1,722	17	10	26	5	4	-	1	-	14	14	-	-	-	
Middlesex County	1,443	1,250	91	99	124	1,413	1,349	51	10	12	3	2	1	-	-	3	2	1	-	-	
New Haven County	8,949	6,702	1,556	683	2,167	7,529	6,738	707	57	337	59	38	13	7	13	49	25	17	1	16	
New London County	2,782	2,271	225	282	363	2,367	2,235	93	36	52	15	10	2	2	3	13	10	2	-	2	
Tolland County	1,157	1,018	37	101	59	940	919	11	10	8	5	4	1	-	-	3	3	-	-	-	
Windham County	1,183	1,102	27	51	192	969	955	4	6	42	3	3	-	-	-	2	2	-	-	1	
HEALTH DISTRICT^c																					
Bristol-Burlington	741	671	33	35	119	615	602	10	2	17	2	1	1	-	-	5	5	-	-	1	
Central Connecticut	843	681	37	122	70	1,005	983	12	10	26	1	1	-	-	1	5	5	-	-	-	
Chatham	589	574	4	9	21	519	508	6	5	3	-	-	-	-	-	2	2	-	-	-	
Chesprocott	364	332	8	24	12	475	465	8	1	2	1	-	-	1	-	3	3	-	-	-	
CT River Area	191	178	-	12	20	276	271	2	1	1	2	2	-	-	-	-	-	-	-	-	
East Shore	585	501	30	52	66	779	762	10	6	9	5	3	-	2	-	3	2	1	-	-	
Eastern Highlands	520	466	7	47	22	418	410	5	3	3	1	1	-	-	-	1	1	-	-	-	
Farmington Valley	786	688	19	77	28	859	846	8	5	11	2	2	-	-	1	7	6	1	-	1	
Ledge Light	1,350	1,070	119	160	224	977	893	61	20	35	8	4	1	2	2	5	4	-	-	2	
Naugatuck Valley	1,199	1,020	91	88	173	1,141	1,104	30	6	19	10	4	4	2	-	3	3	-	-	-	
Newtown	184	172	2	10	7	255	248	1	6	1	1	1	-	-	-	2	2	-	-	-	
North Central	1,597	1,370	80	145	257	1,463	1,430	18	13	39	7	6	1	-	1	4	4	-	-	1	
Northeast	812	771	11	27	20	696	688	-	5	9	3	3	-	-	-	1	1	-	-	-	
Plainville-Southngtn	485	451	8	23	39	522	513	7	1	7	3	3	-	-	-	2	2	-	-	-	
Pomperaug	253	240	6	7	12	434	428	2	2	3	2	2	-	-	-	1	1	-	-	-	
Quinnipiack Valley	886	617	166	101	87	941	833	94	12	14	4	2	1	-	1	3	2	1	-	1	
Torrington Area	1,064	990	29	44	106	1,375	1,349	14	9	18	3	2	-	1	-	10	10	-	-	-	
Trumbull-Monroe	399	355	13	31	27	492	485	7	-	5	1	1	-	-	-	-	-	-	-	-	
Uncas Regional	912	711	101	98	125	711	671	29	11	12	4	3	1	-	1	7	5	2	-	-	
W Hrtfd-Bloomfield	769	519	163	82	86	873	736	124	11	26	2	1	1	-	1	4	2	1	1	-	
Weston-Westport	253	229	3	20	9	168	164	2	2	2	-	-	-	-	-	-	-	-	-	-	
TOWN																					
Andover	15	15	-	-	-	17	16	1	-	-	-	-	-	-	-	-	-	-	-	-	
Ansonia	220	175	35	10	52	180	167	12	1	3	2	1	1	-	-	-	-	-	-	-	
Ashford	44	36	-	8	4	28	27	-	1	-	-	-	-	-	-	-	-	-	-	-	
Avon	122	106	1	14	1	142	138	2	2	2	-	-	-	-	-	2	1	1	-	-	
Barkhamsted	24	24	-	-	1	25	25	-	-	1	-	-	-	-	-	-	-	-	-	-	
Beacon Falls	43	38	2	3	3	32	32	-	-	1	1	1	-	-	-	-	-	-	-	-	
Berlin	145	140	2	3	8	213	212	1	-	2	-	-	-	-	-	-	-	-	-	-	
Bethany	34	30	-	4	2	29	27	1	-	-	-	-	-	-	-	-	-	-	-	-	
Bethel	152	136	7	9	19	134	128	2	4	-	-	-	-	-	-	-	-	-	-	-	
Bethlehem	16	16	-	-	1	40	39	1	-	-	1	1	-	-	-	1	1	-	-	-	
Bloomfield	180	53	116	9	12	253	148	102	1	7	1	-	1	-	-	1	-	1	-	-	
Bolton	44	41	2	1	3	31	30	1	-	2	-	-	-	-	-	-	-	-	-	-	
Bozrah	18	17	1	-	-	18	17	1	-	-	-	-	-	-	-	-	-	-	-	-	
Branford	238	199	8	30	18	317	311	3	3	1	3	2	-	1	-	-	-	-	-	-	
Bridgeport	2,124	1,146	770	208	948	981	692	271	12	209	17	11	5	1	10	22	9	10	-	12	
Bridgewater	8	7	-	1	-	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bristol	653	589	33	29	115	570	558	10	2	17	2	1	1	-	-	5	5	-	-	1	
Brookfield	110	102	-	8	3	115	115	-	-	1	-	-	-	-	-	-	-	-	-	-	
Brooklyn	66	62	1	3	-	74	74	-	-	1	-	-	-	-	-	-	-	-	-	-	
Burlington	88	82	-	6	4	45	44	-	-	-	-	-	-	-	-	-	-	-	-	-	
Canaan	9	9	-	-	-	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	
Canterbury	47	45	1	1	2	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	
Canton	78	70	1	7	1	94	94	-	-	1	-	-	-	-	-	-	-	-	-	-	
Chaplin	12	10	1	1	-	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cheshire	164	143	4	17	3	239	236	1	1	2	1	-	-	1	-	-	-	-	-	-	
Chester	25	24	-	1	1	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	
Clinton	98	93	-	5	11	102	101	1	-	-	1	1	-	-	-	-	-	-	-	-	
Colchester	140	135	2	2	3	131	128	1	2	2	-	-	-	-	-	1	1	-	-	-	
Colebrook	6	6	-	-	-	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	
Columbia	40	39	-	1	1	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cornwall	5	5	-	-	1	11	10	-	1	-	-	-	-	-	-	-	-	-	-	-	
Coventry	110	104	-	6	6	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cromwell	156	140	6	10	9	151	141	8	1	3	-	-	-	-	-	-	-	-	-	-	
Danbury	1,093	845	90	157	372	482	447	24	9	24	4	3	1	-	3	1	-	1	-	-	
Darien	199	189	-	9	9	116	115	-	1	1	1	1	-	-	-	-	-	-	-	-	
Deep River	34	31	-	3	4	44	42	-	1	1	-	-	-	-	-	-	-	-	-	-	
Derby	127	101	17	9	21	113	111	2	-	3	2	-	1	1	-	-	-	-	-	-	
Durham	47	45	-	2	1	47	47	-	-	1	-	-	-	-	-	-	-	-	-	-	
Eastford	13	13	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	
East Granby	44	41	1	2	4	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	
East Haddam	71	70	-	-	3	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	
East Hampton	107	105	1	1	3	98	97	1	-	-	-	-	-	-	-	-	-	-	-	-	
East Hartford	694	380	238	73	253	476	402	68	5	39	3	1	2	-	1	8	2	6	-	2	
East Haven	246	206	20</																		

Connecticut Department of Public Health

GEOGRAPHIC AREA	RESIDENT BIRTHS					RESIDENT DEATHS					RESIDENT FETAL DEATHS					RESIDENT INFANT DEATHS					
	Mother's Race/Ethnicity					Decedent's Race/Ethnicity					Mother's Race/Ethnicity					Infant's Race/Ethnicity					
	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity	
	Total	White	Black	Other		Total	White	Black	Other		Total	White	Black	Other		Total	White	Black	Other		
Enfield	390	345	16	29	36	406	402	2	2	2	3	3	-	-	-	-	-	-	-	-	-
Essex	27	24	2	1	2	68	67	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Fairfield	474	430	10	34	34	491	479	8	4	11	3	3	-	-	1	1	1	-	-	-	-
Farmington	206	163	7	36	12	244	240	2	2	3	1	1	-	-	-	-	-	-	-	-	-
Franklin	13	12	-	1	-	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glastonbury	231	197	7	27	11	257	249	2	6	1	-	-	-	-	-	-	-	-	-	-	-
Goshen	20	20	-	-	1	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Granby	80	76	3	1	3	87	86	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich	682	578	18	86	92	400	386	3	11	6	-	-	-	-	1	1	-	-	-	-	1
Griswold	111	100	2	8	8	81	77	4	-	-	-	-	-	-	1	1	-	-	-	-	-
Groton	621	480	50	90	76	267	242	14	10	6	3	1	1	1	-	3	3	-	-	-	1
Guilford	130	124	1	5	9	158	156	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Haddam	62	61	-	1	1	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hamden	613	379	159	74	74	585	493	88	3	9	4	2	1	-	1	1	-	1	-	-	1
Hampton	10	10	-	-	-	11	11	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Hartford	1,968	1,093	723	142	1,005	770	468	283	13	232	16	7	9	-	7	21	10	10	1	-	10
Hartland	12	12	-	-	1	12	12	-	-	1	1	1	-	-	1	1	1	-	-	-	1
Harwinton	34	34	-	-	-	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hebron	62	61	-	1	-	52	51	-	1	1	-	-	-	-	1	1	-	-	-	-	-
Kent	25	25	-	-	2	34	33	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Killingly	193	177	6	10	6	168	162	-	4	4	-	-	-	-	-	-	-	-	-	-	-
Killingworth	40	40	-	-	1	37	36	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lebanon	62	58	1	3	3	59	59	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Ledyard	129	114	3	12	12	83	75	4	4	1	1	-	-	-	1	1	1	-	-	-	-
Lisbon	28	27	-	1	-	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Litchfield	43	41	1	1	-	88	87	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Lyme	12	11	-	1	1	25	25	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Madison	84	81	-	3	8	147	147	-	-	3	1	1	-	-	-	-	-	-	-	-	-
Manchester	747	445	136	164	107	451	410	28	11	9	5	1	3	1	-	2	1	1	-	-	1
Mansfield	76	59	3	14	4	100	98	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Marlborough	47	44	1	2	2	55	52	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Meriden	785	643	94	47	268	546	516	26	3	52	6	6	-	-	2	6	4	2	-	-	2
Middlebury	54	52	-	2	4	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Middlefield	18	18	-	-	1	32	31	1	-	-	-	-	-	-	-	1	1	-	-	-	-
Middletown	556	405	82	68	65	416	374	36	6	6	1	-	1	-	-	2	1	1	-	-	-
Milford	441	376	11	53	26	484	476	4	4	4	2	1	-	1	-	-	-	-	-	-	-
Monroe	128	117	3	8	7	132	129	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Montville	175	136	10	29	15	176	167	4	5	1	2	2	-	-	-	-	-	-	-	-	-
Morris	16	14	-	2	2	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Naugatuck	359	315	18	26	54	250	241	8	-	4	3	1	1	1	-	-	-	-	-	-	-
New Britain	1,044	807	144	67	515	663	608	48	7	95	8	8	-	-	4	9	5	4	-	-	5
New Canaan	142	129	2	11	4	102	100	1	1	-	1	1	-	-	-	-	-	-	-	-	-
New Fairfield	100	95	1	4	5	78	77	-	1	1	-	-	-	-	-	-	-	-	-	-	-
New Hartford	50	49	1	-	-	52	51	-	1	1	-	-	-	-	-	2	2	-	-	-	-
New Haven	1,907	1,057	688	162	679	821	472	331	7	105	14	8	6	-	6	21	7	9	-	-	10
Newington	250	192	16	40	21	275	267	6	2	10	-	-	-	-	-	-	-	-	-	-	-
New London	338	243	56	39	122	226	184	38	2	23	4	3	-	1	1	1	-	-	-	-	1
New Milford	240	213	7	19	12	189	186	3	-	4	1	1	-	-	-	-	-	-	-	-	-
Newtown	169	158	2	9	7	220	213	1	6	1	1	1	-	-	-	1	1	-	-	-	-
Norfolk	6	6	-	-	-	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Branford	101	96	2	3	5	137	136	1	-	1	1	1	-	-	-	1	1	-	-	-	-
North Canaan	27	27	-	-	1	62	60	1	-	1	-	-	-	-	-	-	-	-	-	-	-
North Haven	181	162	4	15	8	228	219	2	7	5	-	-	-	-	-	-	-	-	-	-	-
North Stonington	45	43	-	2	1	36	36	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Norwalk	1,177	902	148	127	398	525	428	81	13	27	11	8	2	1	5	6	2	1	-	-	4
Norwich	524	377	88	58	99	365	339	20	6	11	2	1	1	-	1	6	4	2	-	-	-
Old Lyme	51	50	-	1	3	58	57	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Old Saybrook	59	54	-	4	5	130	128	1	-	-	1	1	-	-	-	-	-	-	-	-	-
Orange	95	78	3	14	3	123	120	1	2	2	2	2	-	-	-	-	-	-	-	-	-
Oxford	89	86	2	1	4	96	95	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plainfield	165	158	2	5	8	133	132	-	-	2	2	2	-	-	-	1	1	-	-	-	-
Plainville	164	156	2	5	17	163	158	4	-	6	-	-	-	-	-	-	-	-	-	-	-
Plymouth	100	99	1	-	7	119	116	2	1	1	-	-	-	-	-	3	3	-	-	-	-
Pomfret	23	22	-	-	-	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland	100	98	-	2	9	75	72	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Preston	39	33	1	5	1	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prospect	77	74	1	2	2	83	82	1	-	-	-	-	-	-	-	2	2	-	-	-	-
Putnam	128	124	1	2	1	93	93	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Redding	44	44	-	-	3	82	81	1	-	-	-	-	-	-	-	1	1	-	-	-	-
Ridgefield	153	139	1	13	9	177	175	-	2	3	-	-	-	-	-	-	-	-	-	-	-
Rocky Hill	183	107	9	66	16	241	232	3	6	3	1	1	-	-	1	-	-	-	-	-	-
Roxbury	7	7	-	-	-	16	16	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Salem	37	35	-	2	-	27	26	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Salisbury	17	17	-	-	1	51	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scotland	15	15	-	-	-	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Seymour	146	133	5	8	11	151	145	4	2	1	-	-	-	-	-	1	1	-	-	-	-
Sharon	13	13	-	-	1	35	35	-	-	1	1	1	-	-	-	-	-	-	-	-	-
Shelton	304	258	14	32	32	415	408	4	3	7	2	1	1	-	-	2	2	-	-	-	-
Sherman	18	17	-	1	-	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simsbury	164	141	5	17	5	163	160	3	-	2	-	-	-	-	-	2	2	-	-	-	-
Somers	59	56	-	3	-	64	63	1	-	2	1	1	-	-	-	-	-	-	-	-	-
Southbury	98	90	4	4	4	270	265	2	1	2	2	2	-	-	-	-	-	-	-	-	-
Southington	321	295	6	18	22	359	355	3	1	1	3	3	-	-	-	2	2	-	-	-	-
South Windsor	220	169	6	45	14	210	197	9	4	1	-	-	-	-	-	1	-	-	-	-	1
Sprague	34	34	-	-	3	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stafford	95	94	-	1	2	110	110	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Stamford	1,831	1,291	228	308	523	781	661	92	22	37	5	4	-	1	3	1	-	-	-	-	1
Sterling	35	34	-	1	-	18	18	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Stonington	121	113	1	7	2	283	280														

Connecticut Department of Public Health

GEOGRAPHIC AREA	RESIDENT BIRTHS					RESIDENT DEATHS					RESIDENT FETAL DEATHS					RESIDENT INFANT DEATHS				
	Mother's Race/Ethnicity					Decedent's Race/Ethnicity					Mother's Race/Ethnicity					Infant's Race/Ethnicity				
	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity	Race				Hispanic Ethnicity
	Total	White	Black	Other		Total	White	Black	Other		Total	White	Black	Other		Total	White	Black	Other	
Stratford	515	387	94	34	101	532	488	42	-	20	-	-	-	-	-	3	2	1	-	-
Suffield	75	67	2	5	-	122	119	2	1	-	1	1	-	-	-	1	1	-	-	-
Thomaston	54	51	-	3	2	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-
Thompson	85	81	-	4	3	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-
Tolland	116	111	1	4	1	82	79	2	1	1	1	1	-	-	-	1	1	-	-	-
Torrington	374	320	23	30	73	417	406	6	5	9	2	1	-	1	-	4	4	-	-	-
Trumbull	271	238	10	23	20	360	356	4	-	3	1	1	-	-	-	-	-	-	-	-
Union	3	3	-	-	-	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Vernon	351	270	30	50	37	253	245	4	4	1	2	1	1	-	-	1	1	-	-	-
Voluntown	22	20	-	2	-	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-
Wallingford	356	322	9	25	50	459	448	7	3	11	3	2	1	-	-	-	-	-	-	-
Warren	8	8	-	-	-	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington	15	15	-	-	1	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-
Waterbury	1,514	1,123	309	81	614	1,000	837	149	7	107	8	5	2	1	2	6	3	2	-	2
Waterford	142	132	5	5	8	240	235	3	2	4	-	-	-	-	-	-	-	-	-	-
Watertown	163	158	2	3	5	204	202	2	-	4	-	-	-	-	-	1	1	-	-	-
Westbrook	43	42	-	1	8	61	61	-	-	1	-	-	-	-	-	-	-	-	-	-
West Hartford	589	466	47	73	74	620	588	22	10	19	1	1	-	-	1	3	2	-	1	-
West Haven	666	458	154	53	192	444	390	48	6	14	3	3	-	-	2	6	3	2	1	1
Weston	63	58	-	4	3	38	38	-	-	1	-	-	-	-	-	-	-	-	-	-
Westport	190	171	3	16	6	130	126	2	2	1	-	-	-	-	-	-	-	-	-	-
Wethersfield	265	242	10	13	25	276	272	2	2	11	-	-	-	-	-	5	5	-	-	-
Willington	48	36	-	12	3	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-
Wilton	108	95	2	11	3	147	146	1	-	2	-	-	-	-	-	-	-	-	-	-
Winchester	93	88	2	3	6	115	113	1	1	2	-	-	-	-	-	1	1	-	-	-
Windham	303	273	15	15	168	234	229	4	-	33	-	-	-	-	-	1	1	-	-	1
Windsor	262	145	90	27	22	268	214	48	6	9	1	-	1	-	-	3	-	3	-	-
Windsor Locks	113	93	5	15	7	133	132	-	1	-	-	-	-	-	-	1	1	-	-	-
Wolcott	123	115	3	5	7	153	147	6	-	-	-	-	-	-	-	1	1	-	-	-
Woodbridge	58	46	3	8	3	99	94	3	2	-	-	-	-	-	-	2	2	-	-	-
Woodbury	66	64	-	2	4	68	68	-	-	1	-	-	-	-	-	1	1	-	-	-
Woodstock	44	42	-	1	-	45	44	-	1	-	-	-	-	-	-	-	-	-	-	-
Unknown CT Town	1	1	-	-	-	110	15	-	-	6	-	-	-	-	-	2	-	-	-	-

NOTES:

^a A dash (-) represents the quantity zero.

^b Race and ethnicity as reported here are not mutually exclusive groups. Individuals identifying themselves as "Hispanic" can be of any race and are counted in the race breakdown as either "white," "black," or "other". "Other" refers to cases where a self-reported race is something other than "white" or "black" but is not "unknown". For reporting purposes, only the main components of race and only the Hispanic component of ethnicity are shown; counts for those of unknown race or ethnicity are omitted. Consequently, the race and/or the ethnicity components do not sum to the total number of events. For CT residents, race is unknown for 85 births, 157 deaths, 3 infant deaths, and 2 fetal deaths; ethnicity of CT residents is unknown for 302 births, 102 deaths, 1 infant death, and 19 fetal deaths.

^c Beginning with the 2010 Registration Reports, Health District statistics are tabulated using the districting that was in effect for the year during which these events occurred. Previous Registration Reports used the districting that was current at the time that the Registration Report was published.

TABLE 3
CONNECTICUT RESIDENT BIRTHS, 2012
 Birthweight and Gestational Age by Mother's Race and Hispanic Ethnicity; Infant's Sex; Place of Delivery; Plurality;
 Birth Order; Mother's Presumptive Marital Status, Education, and Age; Initiation and Adequacy of Prenatal Care; and
 Smoking and Alcohol Use during Pregnancy^{a,b,c}

	TOTAL BIRTHS	BIRTHWEIGHT (grams) ^d							% Very Low BWT (<1,500g)	% Low BWT (<2,500g)	GESTATIONAL AGE ^e			% Pre-mature ^f
		<500	500-999	1,000-1,499	1,500-2,499	2,500-3,499	3,500+	Un-known			17-36 WKS	37+ WKS	Un-known	
MOTHER'S RACE & ETHNICITY														
MOTHER'S RACE/ETHNICITY ^g	36,512	75	188	273	2,337	20,258	13,362	19	1.5	7.9	3,601	32,875	36	9.9
White non-Hispanic	20,666	28	68	127	1,099	10,657	8,685	2	1.1	6.4	1,784	18,869	13	8.6
Black non-Hispanic	4,594	26	58	56	425	2,817	1,206	6	3.1	12.3	589	4,003	2	12.8
Other non-Hispanic	2,962	3	6	23	214	1,941	774	1	1.1	8.3	279	2,683	-	9.4
Hispanic	7,945	17	52	62	571	4,670	2,569	4	1.6	8.8	908	7,031	6	11.4
Unknown Race/Ethn	345	1	4	5	28	173	128	6	2.9	11.2	41	289	15	12.4
MOTHER'S RACE	36,512	75	188	273	2,337	20,258	13,362	19	1.5	7.9	3,601	32,875	36	9.9
White	28,063	45	120	186	1,635	14,965	11,106	6	1.3	7.1	2,630	25,411	22	9.4
Black	5,014	26	59	61	458	3,076	1,328	6	2.9	12.1	646	4,365	3	12.9
Other	3,350	4	8	26	238	2,170	903	1	1.1	8.2	316	3,034	-	9.4
Unknown	85	-	1	-	6	47	25	6	b	b	9	65	11	12.2
MOTHER'S ETHNICITY	36,512	75	188	273	2,337	20,258	13,362	19	1.5	7.9	3,601	32,875	36	9.9
Non-Hispanic	28,265	57	132	206	1,743	15,442	10,676	9	1.4	7.6	2,658	25,591	16	9.4
Hispanic	7,945	17	52	62	571	4,670	2,569	4	1.6	8.8	908	7,031	6	11.4
Unknown	302	1	4	5	23	146	117	6	3.4	11.1	35	253	14	12.2
INFANT'S SEX														
MALE	18,613	34	103	140	1,069	9,547	7,712	8	1.5	7.2	1,921	16,672	20	10.3
White Non-Hispanic	10,519	12	38	63	528	4,911	4,966	1	1.1	6.1	978	9,535	6	9.3
Black Non-Hispanic	2,346	11	32	25	171	1,370	735	2	2.9	10.2	278	2,068	-	11.8
Other Non-Hispanic	1,518	1	1	14	107	950	445	-	1.1	8.1	155	1,363	-	10.2
Hispanic	4,063	9	30	36	253	2,237	1,498	-	1.8	8.1	490	3,568	5	12.1
Unknown Race/Ethn	167	1	2	2	10	79	68	5	3.1	9.3	20	138	9	12.7
FEMALE	17,898	41	85	133	1,268	10,711	5,650	10	1.4	8.5	1,680	16,203	15	9.4
White Non-Hispanic	10,147	16	30	64	571	5,746	3,719	1	1.1	6.7	806	9,334	7	7.9
Black Non-Hispanic	2,247	15	26	31	254	1,447	471	3	3.2	14.5	311	1,935	1	13.8
Other Non-Hispanic	1,444	2	5	9	107	991	329	1	1.1	8.5	124	1,320	-	8.6
Hispanic	3,882	8	22	26	318	2,433	1,071	4	1.4	9.6	418	3,463	1	10.8
Unknown Race/Ethn	178	-	2	3	18	94	60	1	2.8	13.0	21	151	6	12.2
UNKNOWN	1	-	-	-	-	-	-	1	b	b	-	-	1	b
White Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Non-Hispanic	1	-	-	-	-	-	-	1	b	b	-	-	1	b
Other Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLACE OF DELIVERY														
IN-HOSPITAL	35,393	70	180	256	2,261	19,699	12,917	10	1.4	7.8	3,464	31,911	18	9.8
White Non-Hispanic	20,003	26	65	116	1,064	10,334	8,397	1	1.0	6.4	1,711	18,281	11	8.6
Black Non-Hispanic	4,539	25	57	55	420	2,784	1,193	5	3.0	12.3	576	3,961	2	12.7
Other Non-Hispanic	2,882	2	6	23	205	1,897	749	-	1.1	8.2	267	2,615	-	9.3
Hispanic	7,889	17	52	62	568	4,636	2,550	4	1.7	8.9	903	6,982	4	11.5
Unknown Race/Ethn	80	-	-	-	4	48	28	-	a	a	7	72	1	8.9
HOME BIRTH	193	-	-	1	8	76	107	1	a	4.7	10	180	3	5.3
White Non-Hispanic	148	-	-	-	3	54	90	1	b	a	4	142	2	a
Black Non-Hispanic	11	-	-	1	2	6	2	-	a	a	3	8	-	a
Other Non-Hispanic	7	-	-	-	1	2	4	-	a	a	1	6	-	a
Hispanic	24	-	-	-	2	13	9	-	a	a	2	21	1	a
Unknown Race/Ethn	3	-	-	-	-	1	2	-	a	a	-	3	-	a
Other AND Unknown	926	5	8	16	68	483	338	8	3.2	10.6	127	784	15	13.9
White Non-Hispanic	515	2	3	11	32	269	198	-	3.1	9.3	69	446	-	13.4
Black Non-Hispanic	44	1	1	-	3	27	11	1	a	11.6	10	34	-	22.7
Other Non-Hispanic	73	1	-	-	8	42	21	1	a	12.5	11	62	-	15.1
Hispanic	32	-	-	-	1	21	10	-	a	a	3	28	1	a
Unknown Race/Ethn	262	1	4	5	24	124	98	6	3.9	13.3	34	214	14	13.7
PLURALITY														
SINGLETONS	34,982	51	151	172	1,709	19,552	13,332	15	1.1	6.0	2,797	32,150	35	8.0
White Non-Hispanic	19,700	15	45	70	714	10,189	8,665	2	0.7	4.3	1,288	18,399	13	6.5
Black Non-Hispanic	4,366	23	51	34	324	2,729	1,201	4	2.5	9.9	476	3,889	1	10.9
Other Non-Hispanic	2,861	3	4	21	168	1,892	772	1	1.0	6.9	215	2,646	-	7.5
Hispanic	7,725	9	47	44	481	4,576	2,566	2	1.3	7.5	786	6,933	6	10.2
Unknown Race/Ethn	330	1	4	3	22	166	128	6	2.5	9.3	32	283	15	10.2
MULTIPLE BIRTHS	1,530	24	37	101	628	706	30	4	10.6	51.8	804	725	1	52.6
White Non-Hispanic	966	13	23	57	385	468	20	-	9.6	49.5	496	470	-	51.3
Black Non-Hispanic	228	3	7	22	101	88	5	2	14.2	58.8	113	114	1	49.8
Other Non-Hispanic	101	-	2	2	46	49	2	-	a	49.5	64	37	-	63.4
Hispanic	220	8	5	18	90	94	3	2	14.2	55.5	122	98	-	55.5
Unknown Race/Ethn	15	-	-	2	6	7	-	-	a	53.3	9	6	-	60.0
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

	TOTAL BIRTHS	BIRTHWEIGHT (grams) ^d							Un-known	% Very Low BWT (<1,500g)	% Low BWT (<2,500g)	GESTATIONAL AGE ^e			% Pre-mature ^f
		<500	500-999	1,000-1,499	1,500-2,499	2,500-3,499	3,500+	17-36 WKS				37+ WKS	Un-known		
LIVE BIRTH ORDER^h															
FIRST BORN	15,806	39	102	113	1,031	9,142	5,373	6	1.6	8.1	1,475	14,318	13	9.3	
White Non-Hispanic	9,322	16	32	53	505	5,058	3,656	2	1.1	6.5	774	8,541	7	8.3	
Black Non-Hispanic	1,891	13	37	25	168	1,183	464	1	4.0	12.9	237	1,652	2	12.5	
Other Non-Hispanic	1,395	1	4	11	107	931	341	-	1.1	8.8	117	1,278	-	8.4	
Hispanic	3,041	8	26	24	234	1,880	867	2	1.9	9.6	325	2,714	2	10.7	
Unknown Race/Ethn	157	1	3	-	17	90	45	1	a	13.5	22	133	2	14.2	
SECOND BORN	12,289	14	51	97	700	6,624	4,798	5	1.3	7.0	1,153	11,130	6	9.4	
White Non-Hispanic	7,227	5	21	53	340	3,585	3,223	-	1.1	5.8	598	6,626	3	8.3	
Black Non-Hispanic	1,346	6	16	11	121	835	355	2	2.5	11.5	156	1,190	-	11.6	
Other Non-Hispanic	1,100	-	1	7	78	721	292	1	0.7	7.8	116	984	-	10.5	
Hispanic	2,504	3	12	21	155	1,439	872	2	1.4	7.6	269	2,233	2	10.8	
Unknown Race/Ethn	112	-	1	5	6	44	56	-	5.4	10.7	14	97	1	12.6	
THIRD OR MORE	8,401	22	35	63	606	4,483	3,189	3	1.4	8.6	973	7,422	6	11.6	
White Non-Hispanic	4,114	7	15	21	254	2,012	1,805	-	1.0	7.2	412	3,699	3	10.0	
Black Non-Hispanic	1,355	7	5	20	136	798	386	3	2.4	12.4	196	1,159	-	14.5	
Other Non-Hispanic	467	2	1	5	29	289	141	-	1.7	7.9	46	421	-	9.9	
Hispanic	2,399	6	14	17	182	1,350	830	-	1.5	9.1	314	2,084	1	13.1	
Unknown Race/Ethn	66	-	-	-	5	34	27	-	a	7.6	5	59	2	7.8	
UNKNOWN	16	-	-	-	-	9	2	5	b	b	-	5	11	b	
White Non-Hispanic	3	-	-	-	-	2	1	-	a	a	-	3	-	a	
Black Non-Hispanic	2	-	-	-	-	1	1	-	a	a	-	2	-	a	
Other Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic	1	-	-	-	-	1	-	-	a	a	-	-	1	b	
Unknown Race/Ethn	10	-	-	-	-	5	-	5	b	b	-	-	10	b	
MOTHER'S MARITAL STATUS															
MARRIED	22,669	28	86	144	1,253	12,119	9,030	9	1.1	6.7	2,032	20,619	18	9.0	
White Non-Hispanic	15,692	18	47	83	776	7,893	6,875	-	0.9	5.9	1,300	14,389	3	8.3	
Black Non-Hispanic	1,484	2	26	20	124	867	443	2	3.2	11.6	205	1,279	-	13.8	
Other Non-Hispanic	2,494	2	5	20	178	1,662	626	1	1.1	8.2	236	2,258	-	9.5	
Hispanic	2,716	5	5	17	153	1,562	973	1	1.0	6.6	259	2,455	2	9.5	
Unknown Race/Ethn	283	1	3	4	22	135	113	5	2.9	10.8	32	238	13	11.9	
UNMARRIED	13,833	47	102	129	1,084	8,131	4,330	10	2.0	9.9	1,569	12,246	18	11.4	
White Non-Hispanic	4,970	10	21	44	323	2,760	1,810	2	1.5	8.0	484	4,476	10	9.8	
Black Non-Hispanic	3,108	24	32	36	301	1,948	763	4	3.0	12.7	384	2,722	2	12.4	
Other Non-Hispanic	468	1	1	3	36	279	148	-	1.1	8.8	43	425	-	9.2	
Hispanic	5,227	12	47	45	418	3,107	1,595	3	2.0	10.0	649	4,574	4	12.4	
Unknown Race/Ethn	60	-	1	1	6	37	14	1	a	13.6	9	49	2	15.5	
UNKNOWN	10	-	-	-	-	8	2	-	a	a	-	10	-	a	
White Non-Hispanic	4	-	-	-	-	4	-	-	a	a	-	4	-	a	
Black Non-Hispanic	2	-	-	-	-	2	-	-	a	a	-	2	-	a	
Other Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic	2	-	-	-	-	1	1	-	a	a	-	2	-	a	
Unknown Race/Ethn	2	-	-	-	-	1	1	-	a	a	-	2	-	a	
MOTHER'S EDUCATION															
HIGH SCHOOL (<=11)	4,118	6	35	48	323	2,458	1,245	3	2.2	10.0	509	3,605	4	12.4	
White Non-Hispanic	858	1	6	11	61	487	292	-	2.1	9.2	95	761	2	11.1	
Black Non-Hispanic	554	-	6	11	55	357	124	1	3.1	13.0	72	482	-	13.0	
Other Non-Hispanic	193	-	1	-	11	124	57	-	a	6.2	14	179	-	7.3	
Hispanic	2,498	5	22	26	195	1,483	765	2	2.1	9.9	327	2,169	2	13.1	
Unknown Race/Ethn	15	-	-	-	1	7	7	-	a	a	1	14	-	a	
HIGH SCHOOL (12)	8,512	19	52	69	612	4,926	2,831	3	1.6	8.8	906	7,597	9	10.7	
White Non-Hispanic	3,842	4	16	35	224	2,083	1,480	-	1.4	7.3	353	3,485	4	9.2	
Black Non-Hispanic	1,525	8	16	14	168	952	365	2	2.5	13.5	201	1,322	2	13.2	
Other Non-Hispanic	446	-	1	1	29	299	116	-	a	7.0	40	406	-	9.0	
Hispanic	2,651	7	19	18	182	1,567	858	-	1.7	8.5	301	2,347	3	11.4	
Unknown Race/Ethn	48	-	-	1	9	25	12	1	a	21.3	11	37	-	22.9	
COLLEGE (13-16 YRS)	15,084	36	69	107	873	8,228	5,768	3	1.4	7.2	1,378	13,700	6	9.1	
White Non-Hispanic	9,459	15	27	51	461	4,833	4,071	1	1.0	5.9	767	8,689	3	8.1	
Black Non-Hispanic	1,999	12	29	25	163	1,201	569	-	3.3	11.5	247	1,752	-	12.4	
Other Non-Hispanic	1,219	3	2	11	86	797	319	1	1.3	8.4	121	1,098	-	9.9	
Hispanic	2,259	5	9	16	154	1,323	751	1	1.3	8.1	228	2,031	-	10.1	
Unknown Race/Ethn	148	1	2	4	9	74	58	-	4.7	10.8	15	130	3	10.3	
POST-COLLEGE (17+YRS)	8,606	8	27	47	506	4,548	3,468	2	1.0	6.8	767	7,835	4	8.9	
White Non-Hispanic	6,459	5	16	28	352	3,229	2,829	-	0.8	6.2	560	5,896	3	8.7	
Black Non-Hispanic	480	3	7	6	34	286	143	1	3.3	10.4	59	421	-	12.3	
Other Non-Hispanic	1,087	-	2	11	84	714	276	-	1.2	8.9	98	989	-	9.0	
Hispanic	487	-	1	2	33	271	179	1	a	7.4	43	444	-	8.8	
Unknown Race/Ethn	93	-	1	-	3	48	41	-	a	a	7	85	1	7.6	
UNKNOWN	192	6	5	2	23	98	50	8	7.1	19.6	41	138	13	22.9	
White Non-Hispanic	48	3	3	2	1	25	13	1	17.0	19.1	9	38	1	19.1	
Black Non-Hispanic	36	3	-	-	5	21	5	2	a	23.5	10	26	-	27.8	
Other Non-Hispanic	17	-	-	-	4	7	6	-	a	a	6	11	-	35.3	
Hispanic	50	-	1	-	7	26	16	-	a	16.0	9	40	1	18.4	
Unknown Race/Ethn	41	-	1	-	6	19	10	5	b	19.4	7	23	11	23.3	

Connecticut Department of Public Health

	TOTAL BIRTHS	BIRTHWEIGHT (grams) ^d							% Very Low BWT (<1,500g)	% Low BWT (<2,500g)	GESTATIONAL AGE ^e			% Pre-mature ^f
		<500	500-999	1,000-1,499	1,500-2,499	2,500-3,499	3,500+	Un-known			17-36 WKS	37+ WKS	Un-known	
MOTHER'S AGE														
LESS THAN 15 YRS	21	-	2	2	-	16	1	-	a	a	7	14	-	33.3
White Non-Hispanic	1	-	-	-	-	1	-	-	a	a	-	1	-	a
Black Non-Hispanic	6	-	-	1	-	4	1	-	a	a	1	5	-	a
Other Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	14	-	2	1	-	11	-	-	a	a	6	8	-	42.9
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 YRS	69	-	-	2	7	46	14	-	a	13.0	12	57	-	17.4
White Non-Hispanic	11	-	-	1	-	3	7	-	a	a	1	10	-	a
Black Non-Hispanic	14	-	-	-	1	12	1	-	a	a	3	11	-	a
Other Non-Hispanic	3	-	-	-	-	3	-	-	a	a	-	3	-	a
Hispanic	41	-	-	1	6	28	6	-	a	17.1	8	33	-	19.5
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16 YRS	152	-	-	-	11	102	39	-	a	7.2	19	132	1	12.6
White Non-Hispanic	33	-	-	-	2	16	15	-	a	a	1	31	1	a
Black Non-Hispanic	28	-	-	-	4	21	3	-	a	a	4	24	-	a
Other Non-Hispanic	4	-	-	-	-	3	1	-	a	a	-	4	-	a
Hispanic	86	-	-	-	5	61	20	-	a	5.8	14	72	-	16.3
Unknown Race/Ethn	1	-	-	-	-	1	-	-	a	a	-	1	-	a
17 YRS	307	-	4	3	28	189	81	2	2.3	11.5	38	268	1	12.4
White Non-Hispanic	63	-	-	-	5	29	29	-	a	7.9	9	54	-	14.3
Black Non-Hispanic	62	-	1	3	7	42	9	-	a	17.7	11	51	-	17.7
Other Non-Hispanic	5	-	-	-	1	4	-	-	a	a	-	5	-	a
Hispanic	176	-	3	-	15	113	43	2	a	10.3	18	157	1	10.3
Unknown Race/Ethn	1	-	-	-	-	1	-	-	a	a	-	1	-	a
18 YRS	505	3	2	1	41	308	150	-	1.2	9.3	55	449	1	10.9
White Non-Hispanic	145	-	-	-	8	89	48	-	a	5.5	15	130	-	10.3
Black Non-Hispanic	92	1	1	-	9	60	21	-	a	12.0	9	83	-	9.8
Other Non-Hispanic	17	-	-	-	-	6	11	-	a	a	-	17	-	a
Hispanic	248	2	1	1	23	151	70	-	a	10.9	31	216	1	12.6
Unknown Race/Ethn	3	-	-	-	1	2	-	-	a	a	-	3	-	a
19 YRS	856	2	7	7	64	548	227	1	1.9	9.4	87	767	2	10.2
White Non-Hispanic	256	-	2	-	11	155	88	-	a	5.1	24	232	-	9.4
Black Non-Hispanic	168	2	2	3	17	113	31	-	4.2	14.3	20	148	-	11.9
Other Non-Hispanic	33	-	-	-	1	22	10	-	a	a	2	31	-	a
Hispanic	393	-	3	4	34	256	96	-	1.8	10.4	40	352	1	10.2
Unknown Race/Ethn	6	-	-	-	1	2	2	1	b	a	1	4	1	a
20-24 YRS	6,099	13	42	60	390	3,732	1,858	4	1.9	8.3	586	5,507	6	9.6
White Non-Hispanic	2,359	1	8	28	118	1,340	863	1	1.6	6.6	197	2,158	4	8.4
Black Non-Hispanic	1,179	9	12	7	97	771	280	3	2.4	10.6	119	1,058	2	10.1
Other Non-Hispanic	298	-	1	1	27	196	73	-	a	9.7	26	272	-	8.7
Hispanic	2,224	3	20	23	138	1,407	633	-	2.1	8.3	232	1,992	-	10.4
Unknown Race/Ethn	39	-	1	1	10	18	9	-	a	30.8	12	27	-	30.8
25-29 YRS	9,483	23	38	55	589	5,212	3,561	5	1.2	7.4	860	8,611	12	9.1
White Non-Hispanic	5,250	8	17	28	254	2,640	2,303	-	1.0	5.8	398	4,848	4	7.6
Black Non-Hispanic	1,171	6	12	8	101	726	318	-	2.2	10.8	129	1,042	-	11.0
Other Non-Hispanic	860	2	-	6	60	586	206	-	0.9	7.9	76	784	-	8.8
Hispanic	2,114	7	8	10	168	1,217	703	1	1.2	9.1	246	1,866	2	11.6
Unknown Race/Ethn	88	-	1	3	6	43	31	4	a	11.9	11	71	6	13.4
30-34 YRS	11,486	22	58	78	676	6,182	4,466	4	1.4	7.3	1,079	10,400	7	9.4
White Non-Hispanic	7,577	11	24	33	381	3,939	3,188	1	0.9	5.9	599	6,975	3	7.9
Black Non-Hispanic	1,111	5	19	20	112	628	326	1	4.0	14.1	174	937	-	15.7
Other Non-Hispanic	1,052	-	1	9	78	677	287	-	1.0	8.4	106	946	-	10.1
Hispanic	1,625	5	12	15	99	878	615	1	2.0	8.1	189	1,436	-	11.6
Unknown Race/Ethn	121	1	2	1	6	60	50	1	a	8.3	11	106	4	9.4
35-39 YRS	5,947	9	28	46	374	3,091	2,397	2	1.4	7.7	616	5,327	4	10.4
White Non-Hispanic	3,944	6	12	31	224	1,925	1,746	-	1.2	6.9	388	3,555	1	9.8
Black Non-Hispanic	580	2	11	6	60	337	163	1	3.3	13.6	90	490	-	15.5
Other Non-Hispanic	559	1	3	3	32	364	155	1	1.3	7.0	49	510	-	8.8
Hispanic	797	-	2	6	54	430	305	-	1.0	7.8	84	713	-	10.5
Unknown Race/Ethn	67	-	-	-	4	35	28	-	a	a	5	59	3	7.8
40-44 YRS	1,473	2	5	17	139	773	536	1	1.6	11.1	214	1,257	2	14.5
White Non-Hispanic	955	2	3	5	83	483	379	-	1.0	9.7	129	826	-	13.5
Black Non-Hispanic	169	-	-	8	17	93	50	1	4.8	14.9	28	141	-	16.6
Other Non-Hispanic	121	-	1	3	14	73	30	-	a	14.9	19	102	-	15.7
Hispanic	214	-	1	1	25	115	72	-	a	12.6	37	176	1	17.4
Unknown Race/Ethn	14	-	-	-	-	9	5	-	a	a	1	12	1	a
45+ YRS	111	1	2	2	18	57	31	-	4.5	20.7	28	83	-	25.2
White Non-Hispanic	70	-	2	1	13	35	19	-	a	22.9	23	47	-	32.9
Black Non-Hispanic	14	1	-	-	-	10	3	-	a	a	1	13	-	a
Other Non-Hispanic	10	-	-	1	1	7	1	-	a	a	1	9	-	a
Hispanic	13	-	-	-	4	3	6	-	a	a	3	10	-	a
Unknown Race/Ethn	4	-	-	-	-	2	2	-	a	a	-	4	-	a
UNKNOWN	3	-	-	-	-	2	1	-	a	a	-	3	-	a
White Non-Hispanic	2	-	-	-	-	2	-	-	a	a	-	2	-	a
Black Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	1	-	-	-	-	-	1	-	a	a	-	1	-	a

Connecticut Department of Public Health

	TOTAL BIRTHS	BIRTHWEIGHT (grams) ^d							% Very Low BWT (<1,500g)	% Low BWT (<2,500g)	GESTATIONAL AGE ^e			% Pre-mature ^f
		<500	500-999	1,000-1,499	1,500-2,499	2,500-3,499	3,500+	Un-known			17-36 WKS	37+ WKS	Un-known	
INITIATION OF PRENATAL CARE¹														
NONE	330	4	7	6	27	197	88	1	5.2	13.4	64	257	9	19.9
White Non-Hispanic	227	3	3	3	18	132	67	1	4.0	11.9	42	179	6	19.0
Black Non-Hispanic	45	1	1	2	5	29	7	-	a	20.0	12	32	1	27.3
Other Non-Hispanic	15	-	-	-	-	11	4	-	a	a	3	12	-	a
Hispanic	23	-	3	1	2	12	5	-	a	26.1	5	16	2	23.8
Unknown Race/Ethn	20	-	-	-	2	13	5	-	a	a	2	18	-	a
FIRST TRIMESTER	31,418	59	139	211	1,911	17,303	11,786	9	1.3	7.4	2,939	28,474	5	9.4
White Non-Hispanic	18,632	20	50	107	939	9,573	7,942	1	1.0	6.0	1,539	17,090	3	8.3
Black Non-Hispanic	3,592	20	45	39	327	2,191	965	5	2.9	12.0	442	3,149	1	12.3
Other Non-Hispanic	2,575	3	4	22	191	1,669	685	1	1.1	8.5	235	2,340	-	9.1
Hispanic	6,357	16	37	40	434	3,741	2,088	1	1.5	8.3	694	5,662	1	10.9
Unknown Race/Ethn	262	-	3	3	20	129	106	1	2.3	10.0	29	233	-	11.1
SECOND TRIMESTER	3,980	5	24	44	333	2,315	1,256	3	1.8	10.2	466	3,511	3	11.7
White Non-Hispanic	1,476	1	10	14	119	776	556	-	1.7	9.8	152	1,324	-	10.3
Black Non-Hispanic	790	3	7	13	73	490	204	-	2.9	12.2	100	690	-	12.7
Other Non-Hispanic	311	-	1	1	22	218	69	-	a	7.7	37	274	-	11.9
Hispanic	1,376	1	6	15	116	817	418	3	1.6	10.1	175	1,199	2	12.7
Unknown Race/Ethn	27	-	-	1	3	14	9	-	a	a	2	24	1	a
THIRD TRIMESTER	446	-	4	2	24	277	139	-	1.3	6.7	37	408	1	8.3
White Non-Hispanic	178	-	2	-	9	99	68	-	a	6.2	13	164	1	7.3
Black Non-Hispanic	98	-	1	1	8	71	17	-	a	10.2	10	88	-	10.2
Other Non-Hispanic	39	-	-	-	-	29	10	-	a	a	1	38	-	a
Hispanic	127	-	1	1	7	74	44	-	a	7.1	13	114	-	10.2
Unknown Race/Ethn	4	-	-	-	-	4	-	-	a	a	-	4	-	a
UNKNOWN	338	7	14	10	42	166	93	6	9.3	22.0	95	225	18	29.7
White Non-Hispanic	153	4	3	3	14	77	52	-	6.5	15.7	38	112	3	25.3
Black Non-Hispanic	69	2	4	1	12	36	13	1	10.3	27.9	25	44	-	36.2
Other Non-Hispanic	22	-	1	-	1	14	6	-	a	a	3	19	-	a
Hispanic	62	-	5	5	12	26	14	-	16.1	35.5	21	40	1	34.4
Unknown Race/Ethn	32	1	1	1	3	13	8	5	b	22.2	8	10	14	44.4
ADEQUACY OF PRENATAL CARE (APNCU INDEX)														
INTENSIVE	12,598	42	106	170	1,315	7,033	3,926	6	2.5	13.0	2,339	10,255	4	18.6
White Non-Hispanic	7,375	13	38	85	670	3,898	2,671	-	1.8	10.9	1,223	6,149	3	16.6
Black Non-Hispanic	1,474	15	35	32	223	872	294	3	5.6	20.7	343	1,131	-	23.3
Other Non-Hispanic	958	2	3	18	116	624	194	1	2.4	14.5	185	773	-	19.3
Hispanic	2,718	12	29	34	302	1,602	737	2	2.8	13.9	579	2,138	1	21.3
Unknown Race/Ethn	73	-	1	1	4	37	30	-	a	8.2	9	64	-	12.3
ADEQUATE	14,749	6	17	42	492	8,108	6,081	3	0.4	3.8	487	14,261	1	3.3
White Non-Hispanic	8,652	2	4	20	213	4,376	4,036	1	0.3	2.8	224	8,428	-	2.6
Black Non-Hispanic	1,668	2	7	10	94	1,043	510	2	1.1	6.8	91	1,576	1	5.5
Other Non-Hispanic	1,265	1	2	3	49	824	386	-	0.5	4.3	43	1,222	-	3.4
Hispanic	3,031	1	4	9	128	1,797	1,092	-	0.5	4.7	124	2,907	-	4.1
Unknown Race/Ethn	133	-	-	-	8	68	57	-	a	6.0	5	128	-	3.8
INTERMEDIATE	5,151	8	9	16	182	2,830	2,106	-	0.6	4.2	215	4,936	-	4.2
White Non-Hispanic	2,813	2	5	7	79	1,406	1,314	-	0.5	3.3	104	2,709	-	3.7
Black Non-Hispanic	705	4	2	2	35	429	233	-	1.1	6.1	34	671	-	4.8
Other Non-Hispanic	426	-	-	2	23	279	122	-	a	5.9	21	405	-	4.9
Hispanic	1,179	2	2	5	44	703	423	-	0.8	4.5	56	1,123	-	4.7
Unknown Race/Ethn	28	-	-	-	1	13	14	-	a	a	-	28	-	a
INADEQUATE	3,220	8	18	26	247	1,884	1,035	2	1.6	9.3	344	2,863	13	10.7
White Non-Hispanic	1,401	5	8	7	96	752	532	1	1.4	8.3	140	1,254	7	10.0
Black Non-Hispanic	625	2	2	11	53	410	147	-	2.4	10.9	74	550	1	11.9
Other Non-Hispanic	260	-	-	-	18	184	58	-	a	6.9	17	243	-	6.5
Hispanic	914	1	8	8	79	525	292	1	1.9	10.5	113	797	4	12.4
Unknown Race/Ethn	20	-	-	-	1	13	6	-	a	a	-	19	1	a
UNKNOWN	794	11	38	19	101	403	214	8	8.7	21.5	216	560	18	27.8
White Non-Hispanic	425	6	13	8	41	225	132	-	6.4	16.0	93	329	3	22.0
Black Non-Hispanic	122	3	12	1	20	63	22	1	13.2	29.8	47	75	-	38.5
Other Non-Hispanic	53	-	1	-	8	30	14	-	a	17.0	13	40	-	24.5
Hispanic	103	1	9	6	18	43	25	1	15.7	33.3	36	66	1	35.3
Unknown Race/Ethn	91	1	3	4	14	42	21	6	9.4	25.9	27	50	14	35.1
SMOKING DURING PREGNANCY														
YES	1,654	7	10	24	193	1,058	362	-	2.5	14.1	237	1,413	4	14.4
White Non-Hispanic	1,128	2	4	15	127	707	273	-	1.9	13.1	145	979	4	12.9
Black Non-Hispanic	183	3	1	6	24	130	19	-	5.5	18.6	29	154	-	15.8
Other Non-Hispanic	41	-	-	-	4	30	7	-	a	a	5	36	-	12.2
Hispanic	289	2	5	3	37	186	56	-	3.5	16.3	57	232	-	19.7
Unknown Race/Ethn	13	-	-	-	1	5	7	-	a	a	1	12	-	a
NO	34,814	68	177	248	2,142	19,177	12,989	13	1.4	7.6	3,359	31,435	20	9.7
White Non-Hispanic	19,526	26	64	111	971	9,944	8,409	1	1.0	6.0	1,636	17,882	8	8.4
Black Non-Hispanic	4,405	23	57	50	401	2,683	1,185	6	3.0	12.1	560	3,843	2	12.7
Other Non-Hispanic	2,919	3	6	23	210	1,910	766	1	1.1	8.3	274	2,645	-	9.4
Hispanic	7,647	15	46	59	533	4,481	2,509	4	1.6	8.5	849	6,793	5	11.1
Unknown Race/Ethn	317	1	4	5	27	159	120	1	3.2	11.7	40	272	5	12.8
UNKNOWN	44	-	1	1	2	23	11	6	b	b	5	27	12	15.6
White Non-Hispanic	12	-	-	1	1	6	3	1	a	a	3	8	1	a
Black Non-Hispanic	6	-	-	-	-	4	2	-	a	a	-	6	-	a
Other Non-Hispanic	2	-	-	-	-	1	1	-	a	a	-	2	-	a
Hispanic	9	-	1	-	1	3	4	-	a	a	2	6	1	a
Unknown Race/Ethn	15	-	-	-	-	9	1	5	b	b	-	5	10	b

Connecticut Department of Public Health

	TOTAL BIRTHS	BIRTHWEIGHT (grams) ^d							% Very Low BWT (<1,500g)	% Low BWT (<2,500g)	GESTATIONAL AGE ^e			% Pre-mature ^f
		<500	500-999	1,000-1,499	1,500-2,499	2,500-3,499	3,500+	Un-known			17-36 WKS	37+ WKS	Un-known	
ALCOHOL USE DURING PREGNANCY														
YES	149	1	1	2	18	83	44	-	a	14.8	14	133	2	9.5
White Non-Hispanic	90	1	-	1	11	49	28	-	a	14.4	7	82	1	7.9
Black Non-Hispanic	24	-	-	1	4	15	4	-	a	20.8	3	21	-	a
Other Non-Hispanic	4	-	-	-	1	1	2	-	a	a	1	3	-	a
Hispanic	24	-	1	-	2	14	7	-	a	a	3	20	1	a
Unknown Race/Ethn	7	-	-	-	-	4	3	-	a	a	-	7	-	a
NO	36,060	72	183	268	2,300	19,995	13,230	12	1.5	7.8	3,543	32,495	22	9.8
White Non-Hispanic	20,377	25	65	123	1,075	10,493	8,595	1	1.0	6.3	1,746	18,620	11	8.6
Black Non-Hispanic	4,536	26	58	55	418	2,778	1,195	6	3.1	12.3	582	3,952	2	12.8
Other Non-Hispanic	2,943	3	6	23	213	1,929	768	1	1.1	8.3	275	2,668	-	9.3
Hispanic	7,903	17	50	62	568	4,649	2,554	3	1.6	8.8	901	6,998	4	11.4
Unknown Race/Ethn	301	1	4	5	26	146	118	1	3.3	12.0	39	257	5	13.2
UNKNOWN	303	2	4	3	19	180	88	7	3.0	9.5	44	247	12	15.1
White Non-Hispanic	199	2	3	3	13	115	62	1	4.0	10.6	31	167	1	15.7
Black Non-Hispanic	34	-	-	-	3	24	7	-	a	a	4	30	-	a
Other Non-Hispanic	15	-	-	-	-	11	4	-	a	a	3	12	-	a
Hispanic	18	-	1	-	1	7	8	1	a	a	4	13	1	a
Unknown Race/Ethn	37	-	-	-	2	23	7	5	b	b	2	25	10	a

NOTES:

Starting with 2007 births, the reported birthweight (BWT) and gestational age (GAGE) values have been modified using the National Vital Statistics System data quality edits published by the National Center for Health Statistics (NCHS). Since NCHS makes these edits prior to publishing US natality statistics, adopting NCHS edits assures that published DPH statistics more closely match the published NCHS state-level statistics. The quality assurance edits for GAGE include 1) changing the GAGE range to 17-47 weeks; 2) applying a series of consistency checks between BWT, GAGE based on mother's report of last menstrual period (LMP), and clinical estimate of GAGE; and 3) imputing GAGE using values from records with similar BWT and race/ethnicity for births where month and year of LMP is known but day of LMP is unknown. The imputation process used by NCHS to impute unknown GAGE values cannot be precisely reproduced at the state level; however, DPH staff developed an analytic process to approximate it.

^b Age-specific death rates and crude death rates were calculated per 100,000 population using 2012 population counts (Table 1) as the denominators. Rates for persons under 1 year of age were the exception; for this group, rates were calculated per 1,000 live births. Denominators for the 1-4 year age group were derived by subtracting 2010 resident births of known sex

^b Percentages were not calculated when the number of unknown events was greater than the number of known events

^c A dash (-) represents the quantity zero.

^d In 2012, BWT was recoded to 'unknown' for 7 records where BWT values were inconsistent with both clinical and LMP-based estimates of gestational age.

^e In 2012, 1,067 gestational age values were imputed of which 11.3% were preterm.

^f "Prematurity" refers to births of less than 37 weeks gestation for events where gestational age was known or imputed.

^g Mother's Race/Ethnicity represents mutually exclusive groups.

^h "Live birth order" identifies the birth order of each child based on the current pregnancy and all previous pregnancies.

ⁱ "Trimester of initiation of prenatal care" refers to the pregnancy stage in which the first prenatal visit occurred.

Connecticut Department of Public Health

TABLE 4
CONNECTICUT RESIDENT BIRTHS, 2012
Births to Teenagers, Low Birthweight Births, Prenatal Care Timing and Adequacy, and Foreign-born Mothers
for Counties, Health Districts, and Towns by Mother's Race and Hispanic Ethnicity^{a,b}

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}				PRENATAL CARE								FOREIGN-BORN MOTHERS ^h	
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT		Low BWT		TIMING (Late ^e or None)		ADEQUACY (APNCU Index)						No.	%
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%		
CONNECTICUT																					
MOTHER'S RACE/ETHN ^g	36,512	21	0.1	549	1.5	1,910	5.2	536	1.5	2,873	7.9	4,756	13.1	8,371	23.4	14,749	41.3	12,598	35.3	10,347	28.4
White non-Hisp	20,666	1	a	108	0.5	509	2.5	223	1.1	1,322	6.4	1,881	9.2	4,214	20.8	8,652	42.7	7,375	36.4	2,395	11.6
Black non-Hisp	4,594	6	0.1	110	2.4	370	8.1	140	3.1	565	12.3	933	20.6	1,330	29.7	1,668	37.3	1,474	33.0	1,380	30.2
Other non-Hisp	2,962	-	a	12	0.4	62	2.1	32	1.1	246	8.3	365	12.4	686	23.6	1,265	43.5	958	32.9	2,262	76.6
Hispanic	7,945	14	0.2	317	4.0	958	12.1	131	1.6	702	8.8	1,526	19.4	2,093	26.7	3,031	38.7	2,718	34.7	4,265	53.9
Unk Race/Ethn	345	-	a	2	a	11	3.2	10	2.9	38	11.2	51	16.3	48	18.9	133	52.4	73	28.7	45	13.5
MOTHER'S RACE	36,512	21	0.1	549	1.5	1,910	5.2	536	1.5	2,873	7.9	4,756	13.1	8,371	23.4	14,749	41.3	12,598	35.3	10,347	28.4
White	28,063	12	0.0	400	1.4	1,371	4.9	351	1.3	1,986	7.1	3,275	11.8	6,115	22.3	11,483	41.8	9,875	35.9	6,270	22.4
Black	5,014	7	0.1	125	2.5	430	8.6	146	2.9	604	12.1	1,018	20.6	1,443	29.5	1,824	37.3	1,620	33.1	1,536	30.8
Other	3,350	2	a	22	0.7	104	3.1	38	1.1	276	8.2	444	13.4	789	24.0	1,422	43.2	1,080	32.8	2,505	75.0
Unknown	85	-	a	2	a	5	6.0	1	a	7	8.9	19	26.8	24	35.8	20	29.9	23	34.8	36	47.4
MOTHER'S ETHNICITY	36,512	21	0.1	549	1.5	1,910	5.2	536	1.5	2,873	7.9	4,756	13.1	8,371	23.4	14,749	41.3	12,598	35.3	10,347	28.4
Non-Hispanic	28,265	7	0.0	230	0.8	943	3.3	395	1.4	2,138	7.6	3,193	11.4	6,243	22.6	11,596	41.9	9,822	35.5	6,062	21.5
Hispanic	7,945	14	0.2	317	4.0	958	12.1	131	1.6	702	8.8	1,526	19.4	2,093	26.7	3,031	38.7	2,718	34.7	4,265	53.9
Unknown	302	-	a	2	a	9	3.0	10	3.4	33	11.1	37	13.7	35	16.3	122	56.7	58	27.0	20	6.8
COUNTIES																					
Fairfield County	10,091	2	a	101	1.0	390	3.9	118	1.2	764	7.6	1,308	13.1	2,602	26.6	3,861	39.4	3,329	34.0	3,918	39.0
White non-Hisp	5,270	-	a	15	0.3	59	1.1	47	0.9	336	6.4	473	9.0	1,146	22.6	2,057	40.5	1,875	36.9	995	19.0
Black non-Hisp	1,276	-	a	27	2.1	89	7.0	29	2.3	160	12.5	239	19.0	432	34.9	443	35.8	362	29.3	456	35.9
Other non-Hisp	917	-	a	1	a	15	1.6	8	0.9	74	8.1	83	9.2	237	26.4	362	40.3	300	33.4	740	81.1
Hispanic	2,601	2	a	58	2.2	225	8.7	34	1.3	192	7.4	496	19.2	786	30.6	997	38.8	787	30.6	1,725	66.4
Unk Race/Ethn	27	-	a	-	a	2	a	-	a	2	a	17	70.8	1	a	2	a	5	62.5	2	a
Hartford County	9,467	10	0.1	182	1.9	610	6.4	182	1.9	795	8.4	1,270	13.5	2,687	28.7	3,643	39.0	3,017	32.3	2,786	29.6
White non-Hisp	4,603	-	a	16	0.3	113	2.5	63	1.4	279	6.1	431	9.4	1,273	27.9	1,901	41.7	1,388	30.4	543	11.8
Black non-Hisp	1,499	2	a	34	2.3	121	8.1	57	3.8	184	12.3	287	19.4	468	31.8	515	35.0	489	33.2	525	35.4
Other non-Hisp	878	-	a	2	a	11	1.3	9	1.0	79	9.0	124	14.2	226	26.0	359	41.3	284	32.7	707	80.7
Hispanic	2,318	8	0.3	128	5.5	361	15.6	50	2.2	241	10.4	407	17.7	687	30.0	794	34.7	810	35.4	976	42.4
Unk Race/Ethn	169	-	a	2	a	4	a	3	a	12	7.2	21	12.9	33	21.6	74	48.4	46	30.1	35	21.7
Litchfield County	1,439	-	a	14	1.0	56	3.9	22	1.5	100	7.0	136	9.6	189	13.4	564	40.1	653	46.4	179	12.5
White non-Hisp	1,299	-	a	8	0.6	44	3.6	18	1.5	83	6.7	98	8.0	155	12.8	492	40.7	563	46.5	62	5.0
Black non-Hisp	18	-	a	1	a	1	a	-	a	-	a	6	33.3	4	a	7	41.2	5	31.3		
Other non-Hisp	50	-	a	-	a	2	a	4	a	5	10.0	8	16.0	5	10.4	16	33.3	27	56.3	30	61.2
Hispanic	121	-	a	5	4.1	9	7.4	-	a	12	9.9	21	17.4	21	17.4	47	38.8	53	43.8	81	66.9
Unk Race/Ethn	11	-	a	-	a	-	a	-	a	-	a	3	a	2	a	5	50.0	3	a	1	a
Middlesex County	1,443	-	a	7	0.5	36	2.5	15	1.0	80	5.5	126	8.8	289	20.3	642	45.0	496	34.8	233	16.2
White non-Hisp	1,134	-	a	3	a	23	2.0	10	0.9	61	5.4	92	8.1	230	20.5	506	45.1	385	34.3	80	7.1
Black non-Hisp	84	-	a	1	a	4	a	4	a	10	11.9	9	10.7	19	22.6	28	33.3	37	44.0	19	22.6
Other non-Hisp	93	-	a	-	a	2	a	-	a	-	a	8	8.6	14	15.2	51	55.4	27	29.3	69	75.0
Hispanic	124	-	a	3	a	7	5.6	1	a	8	6.5	15	12.1	25	20.2	54	43.5	45	36.3	65	52.4
Unk Race/Ethn	8	-	a	-	a	-	a	-	a	1	a	2	a	1	a	3	a	2	a	-	a
New Haven County	8,949	7	0.1	190	2.1	555	6.2	126	1.4	742	8.3	1,387	15.7	1,783	20.4	3,715	42.5	3,239	37.1	2,376	26.6
White non-Hisp	4,685	-	a	33	0.7	124	2.6	41	0.9	312	6.7	463	10.0	828	18.1	2,013	43.9	1,743	38.0	535	11.4
Black non-Hisp	1,455	3	a	43	3.0	140	9.6	42	2.9	176	12.1	343	24.1	350	24.9	570	40.6	484	34.5	274	18.9
Other non-Hisp	626	-	a	8	1.3	18	2.9	8	1.3	61	9.7	85	13.7	135	22.1	287	47.0	189	30.9	452	72.2
Hispanic	2,167	4	a	106	4.9	273	12.6	35	1.6	193	8.9	492	22.9	467	21.9	840	39.5	822	38.6	1,112	51.4
Unk Race/Ethn	16	-	a	-	a	-	a	-	a	-	a	4	a	3	a	5	55.6	1	a	3	a
New London County	2,782	1	a	27	1.0	136	4.9	44	1.6	216	7.8	311	11.3	402	14.7	1,412	51.5	929	33.9	503	18.1
White non-Hisp	1,943	-	a	15	0.8	70	3.6	30	1.5	136	7.0	177	9.2	275	14.4	986	51.5	653	34.1	85	4.4
Black non-Hisp	206	1	a	4	a	13	6.3	6	2.9	27	13.1	39	18.9	39	19.0	90	43.9	76	37.1	79	38.3
Other non-Hisp	259	-	a	-	a	9	3.5	2	a	17	6.6	44	17.1	33	12.9	141	55.1	82	32.0	161	62.4
Hispanic	363	-	a	8	2.2	44	12.1	6	1.7	35	9.6	51	14.2	55	15.4	189	52.8	114	31.8	177	48.8
Unk Race/Ethn	11	-	a	-	a	-	a	-	a	1	a	-	a	-	a	6	60.0	4	a	1	a
Tolland County	1,157	1	a	9	0.8	33	2.9	11	1.0	91	7.9	111	9.7	262	22.9	495	43.3	385	33.7	175	15.2
White non-Hisp	940	1	a	7	0.7	22	2.3	9	1.0	70	7.4	89	9.5	216	23.2	404	43.3	312	33.5	60	6.4
Black non-Hisp	33	-	a	-	a	1	a	1	a	5	15.2	7	21.9	11	34.4	13	40.6	8	25.0	12	36.4
Other non-Hisp	96	-	a	-	a	2	a	1	a	7	7.4	8	8.4	24	25.3	37	38.9	34	35.8	77	80.2
Hispanic	59	-	a	2	a	6	10.2	-	a	6	10.2	6	10.5	10	17.5	22	38.6	25	43.9	24	41.4
Unk Race/Ethn	29	-	a	-	a	2	a	-	a	3	a	1	a	1	a	19	73.1	6	23.1	2	a
Windham County	1,183	-	a	19	1.6	94	7.9	18	1.5	85	7.2	106	9.1	157	14.0	417	37.1	550	48.9	177	15.0
White non-Hisp	852	-	a	11	1.3	54	6.3	5	0.6	45	5.3	58	6.9	91	10.8	293	34.9	456	54.3	35	4.1
Black non-Hisp	23	-	a	-	a	1	a	1	a	3	a	3	a	5	23.8	5	23.8	11	52.4	10	43.5
Other non-Hisp	43	-	a	1	a	3	a	-	a	3	a	5	11.9	12	30.8	12	30.8	15	38.5	26	60.5
Hispanic	192	-	a	7	3.6	33	17.2	5	2.6	15	7.8	38	19.8	42	21.9	88	45.8	62	32.3	105	54.7
Unk Race/Ethn	73	-	a	-	a	3	a	7	9.9	19	26.8	2	a	7	21.9	19	59.4	6	18.8	1	a
HEALTH DISTRICTS																					

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}		PRENATAL CARE						FOREIGN-BORN MOTHERS ^h					
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT	Low BWT	TIMING (Late ^e or None)		ADEQUACY (APNCU Index)			No.	%					
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.			%				
Canton	78	-	a	-	a	-	a	-	a	3	a	5	6.4	27	34.6	26	33.3	25	32.1	5	6.4
White non-Hisp	69	-	a	-	a	-	a	-	a	3	a	5	7.2	23	33.3	23	33.3	23	33.3	2	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a
Other non-Hisp	7	-	a	-	a	-	a	-	a	-	a	2	a	3	a	3	a	2	a	3	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chaplin	12	-	a	-	a	-	a	-	a	-	a	3	a	3	a	5	41.7	4	a	2	a
White non-Hisp	10	-	a	-	a	-	a	-	a	-	a	2	a	1	a	5	50.0	4	a	1	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	-	a
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	1	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Age-specific death rates and	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshire	164	-	a	1	a	2	a	1	a	14	8.5	7	4.3	30	18.5	86	53.1	46	28.4	25	15.2
White non-Hisp	141	-	a	1	a	2	a	-	a	10	7.1	7	5.0	27	19.3	73	52.1	40	28.6	10	7.1
Black non-Hisp	4	-	a	-	a	-	a	-	a	2	a	1	a	1	a	-	a	2	a	2	a
Other non-Hisp	16	-	a	-	a	-	a	1	a	2	a	-	a	2	a	10	62.5	4	a	12	75.0
Hispanic	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	-	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chester	25	-	a	-	a	-	a	-	a	-	a	1	a	4	a	10	40.0	11	44.0	2	a
White non-Hisp	24	-	a	-	a	-	a	-	a	-	a	1	a	3	a	10	41.7	11	45.8	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Clinton	98	-	a	1	a	3	a	-	a	5	5.1	8	8.2	24	25.0	41	42.7	31	32.3	18	18.4
White non-Hisp	83	-	a	1	a	2	a	-	a	5	6.0	6	7.3	21	25.9	35	43.2	25	30.9	5	6.0
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	4	-	a	-	a	1	a	-	a	-	a	1	a	1	a	1	a	2	a	2	a
Hispanic	11	-	a	-	a	-	a	-	a	-	a	1	a	2	a	5	45.5	4	a	11	100.0
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Colchester	140	-	a	-	a	2	a	3	a	14	10.0	5	3.6	29	21.3	49	36.0	58	42.6	6	4.3
White non-Hisp	133	-	a	-	a	1	a	3	a	12	9.0	5	3.8	29	22.1	47	35.9	55	42.0	4	a
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	2	a
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Hispanic	3	-	a	-	a	1	a	-	a	2	a	-	a	-	a	2	a	-	a	-	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a
Colebrook	6	-	a	-	a	1	a	-	a	-	a	-	a	3	a	2	a	1	a	-	a
White non-Hisp	6	-	a	-	a	1	a	-	a	-	a	-	a	3	a	2	a	1	a	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Columbia	40	-	a	-	a	-	a	-	a	1	a	1	a	5	12.5	23	57.5	12	30.0	3	a
White non-Hisp	39	-	a	-	a	-	a	-	a	1	a	1	a	5	12.8	23	59.0	11	28.2	3	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cornwall	5	-	a	-	a	-	a	-	a	1	a	3	a	2	a	1	a	2	a	2	a
White non-Hisp	4	-	a	-	a	-	a	-	a	1	a	2	a	1	a	1	a	2	a	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coventry	110	-	a	3	a	4	a	2	a	11	10.1	8	7.3	23	21.1	44	40.4	42	38.5	14	12.7
White non-Hisp	98	-	a	3	a	3	a	2	a	9	9.2	8	8.2	18	18.6	42	43.3	37	38.1	7	7.1
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	6	-	a	-	a	1	a	-	a	2	a	-	a	4	a	1	a	1	a	3	a
Hispanic	6	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	4	a	4	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cromwell	156	-	a	-	a	1	a	1	a	10	6.4	16	10.3	34	21.9	69	44.5	52	33.5	19	12.2
White non-Hisp	130	-	a	-	a	1	a	1	a	10	7.7	14	10.8	27	20.9	60	46.5	42	32.6	7	5.4
Black non-Hisp	6	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	3	a	-	a
Other non-Hisp	10	-	a	-	a	-	a	-	a	-	a	1	a	2	a	5	50.0	3	a	9	90.0
Hispanic	9	-	a	-	a	-	a	-	a	-	a	1	a	4	a	1	a	4	a	3	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Danbury	1,093	1	a	16	1.5	55	5.0	14	1.3	92	8.4	145	13.3	125	11.5	251	23.2	707	65.3	593	54.3
White non-Hisp	551	-	a	6	1.1	22	4.0	6	1.1	47	8.5	60	10.9	49	8.9	127	23.1	373	67.9	174	31.6
Black non-Hisp	59	-	a	1	a	1	a	1	a	9	15.3	8	14.0	7	12.7	15	27.3	33	60.0	14	23.7
Other non-Hisp	107	-	a	-	a	1	a	3	a	15	14.0	9	8.4	8	7.5	22	20.6	77	72.0	94	87.9
Hispanic	372	1	a	9	2.4	30	8.1	4	a	21	5.6	67	18.1	61	16.6	86	23.4	221	60.1	310	83.3
Unk Race/Ethn	4	-	a	-	a	1	a	-	a	-	a	1	a	-	a	1	a	3	a	1	a
Darien	199	-	a	-	a	1	a	2	a	11	5.5	32	16.3	53	30.1	77	43.8	46	26.1	31	15.7
White non-Hisp	177	-	a	-	a	1	a	2	a	10	5.6	27	15.4	51	32.1	66	41.5	42	26.4	20	11.4
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	9	-	a	-	a	-	a	-	a	-	a	1	a	1	a	6	66.7				

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}				PRENATAL CARE									FOREIGN-BORN MOTHERS ^h	
		<15 yrs			<18 yrs			<20 yrs		Very Low BWT		Low BWT		TIMING (Late ^e or None)		ADEQUACY (APNCU Index)						
		No.	%	a	No.	%	a	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	
														(Late ^e or None)	Non-Adequate ^f	Adequate	Intensive			No.	%	
Derby	127	-	a	3	a	7	5.5	3	a	10	7.9	18	14.2	26	20.6	46	36.5	54	42.9	20	15.7	
White non-Hisp	84	-	a	2	a	3	a	2	a	5	6.0	8	9.5	18	21.7	22	26.5	43	51.8	9	10.7	
Black non-Hisp	15	-	a	1	a	2	a	1	a	3	a	4	a	3	a	6	40.0	6	40.0	3	a	
Other non-Hisp	7	-	a	-	a	-	a	-	a	-	a	2	a	1	a	4	a	2	a	4	a	
Hispanic	21	-	a	-	a	2	a	-	a	2	a	4	a	4	a	14	66.7	3	a	4	a	
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Durham	47	-	a	-	a	-	a	-	a	1	a	4	a	11	23.4	23	48.9	13	27.7	4	a	
White non-Hisp	44	-	a	-	a	-	a	-	a	1	a	3	a	9	20.5	22	50.0	13	29.5	2	a	
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	2	a	
Hispanic	1	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	-	a	
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Eastford	13	-	a	1	a	1	a	-	a	-	a	2	a	2	a	2	a	7	63.6	1	a	
White non-Hisp	12	-	a	1	a	1	a	-	a	-	a	2	a	2	a	2	a	7	63.6	1	a	
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	
East Granby	44	-	a	-	a	2	a	-	a	3	a	4	a	12	27.3	18	40.9	14	31.8	5	11.4	
White non-Hisp	35	-	a	-	a	2	a	-	a	3	a	3	a	10	28.6	16	45.7	9	25.7	1	a	
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	1	a	
Hispanic	4	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	3	a	2	a	
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	-	a	
East Haddam	71	-	a	1	a	2	a	1	a	2	a	8	11.4	12	17.1	33	47.1	25	35.7	2	a	
White non-Hisp	67	-	a	1	a	2	a	1	a	2	a	7	10.4	12	17.9	32	47.8	23	34.3	2	a	
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hispanic	3	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	2	a	-	a	
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	
East Hampton	107	-	a	-	a	1	a	1	a	6	5.6	11	10.3	28	26.2	46	43.0	33	30.8	11	10.3	
White non-Hisp	101	-	a	-	a	1	a	1	a	5	5.0	10	9.9	26	25.7	43	42.6	32	31.7	7	6.9	
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	
Hispanic	3	-	a	-	a	-	a	-	a	1	a	1	a	2	a	-	a	1	a	2	a	
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	
East Hartford	694	1	a	18	2.6	57	8.2	17	2.5	78	11.3	109	16.1	199	29.5	245	36.4	230	34.1	265	38.3	
White non-Hisp	160	-	a	1	a	7	4.4	1	a	14	8.8	11	7.0	37	23.7	58	37.2	61	39.1	14	8.8	
Black non-Hisp	222	-	a	4	a	17	7.7	13	5.9	33	14.9	47	21.9	68	31.9	73	34.3	72	33.8	97	43.7	
Other non-Hisp	55	-	a	-	a	2	a	-	a	4	a	7	12.7	16	29.1	27	49.1	12	21.8	44	80.0	
Hispanic	253	1	a	13	5.1	31	12.3	3	a	26	10.3	44	17.7	76	30.9	86	35.0	84	34.1	107	42.5	
Unk Race/Ethn	4	-	a	-	a	-	a	-	a	1	a	-	a	2	a	1	a	1	a	3	a	
East Haven	246	-	a	3	a	10	4.1	5	2.0	20	8.1	15	6.2	54	23.0	104	44.3	77	32.8	58	23.6	
White non-Hisp	163	-	a	1	a	6	3.7	3	a	12	7.4	10	6.2	40	25.5	72	45.9	45	28.7	11	6.7	
Black non-Hisp	20	-	a	1	a	1	a	2	a	5	25.0	2	a	2	a	7	41.2	8	47.1	9	45.0	
Other non-Hisp	18	-	a	-	a	-	a	-	a	1	a	1	a	6	33.3	7	38.9	5	27.8	16	88.9	
Hispanic	43	-	a	1	a	3	a	-	a	2	a	2	a	6	14.0	18	41.9	19	44.2	22	51.2	
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	
East Lyme	120	-	a	1	a	1	a	1	a	11	9.2	10	8.3	15	12.5	70	58.3	35	29.2	25	20.8	
White non-Hisp	96	-	a	-	a	-	a	1	a	8	8.3	6	6.3	10	10.4	56	58.3	30	31.3	10	10.4	
Black non-Hisp	5	-	a	1	a	1	a	-	a	-	a	1	a	3	a	3	a	1	a	3	a	
Other non-Hisp	13	-	a	-	a	-	a	-	a	2	a	1	a	1	a	9	69.2	3	a	10	76.9	
Hispanic	6	-	a	-	a	-	a	-	a	1	a	2	a	3	a	2	a	1	a	2	a	
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Easton	44	-	a	-	a	-	a	-	a	4	a	2	a	7	16.3	20	46.5	16	37.2	7	15.9	
White non-Hisp	40	-	a	-	a	-	a	-	a	3	a	2	a	7	17.9	17	43.6	15	38.5	5	12.5	
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Other non-Hisp	1	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a	-	a	1	a	
Hispanic	3	-	a	-	a	-	a	-	a	-	a	-	a	2	a	2	a	1	a	1	a	
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
East Windsor	132	-	a	-	a	7	5.3	3	a	8	6.1	16	12.5	30	23.6	55	43.3	42	33.1	30	22.7	
White non-Hisp	93	-	a	-	a	4	a	2	a	4	a	8	8.8	22	24.2	44	48.4	25	27.5	5	5.4	
Black non-Hisp	11	-	a	-	a	3	a	-	a	1	a	1	a	4	a	2	a	4	a	3	a	
Other non-Hisp	20	-	a	-	a	-	a	1	a	3	a	5	26.3	3	a	5	26.3	11	57.9	18	90.0	
Hispanic	5	-	a	-	a	-	a	-	a	-	a	2	a	1	a	2	a	1	a	3	a	
Unk Race/Ethn	3	-	a	-	a	-	a	-	a	-	a	-	a	2	a	2	a	1	a	1	a	
Ellington	138	-	a	-	a	1	a	1	a	9	6.5	7	5.1	39	28.7	59	43.4	38	27.9	12	8.8	
White non-Hisp	125	-	a	-	a	1	a	1	a	9	7.2	6	4.9	39	31.7	52	42.3	32	26.0	3	a	
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	
Other non-Hisp	8	-	a	-	a	-	a	-	a	-	a	-	a	-	a	4	a	4	a	7	87.5	
Hispanic	2	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	2	a	1	a	
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	2	a	2	a	-	a	-	a	
Enfield	390	-	a	3	a	14	3.6	5	1.3	27	6.9	40	10.5	90	24.5	164	44.6	114	31.0	53	13.7	
White non-Hisp	256	-	a	1	a	8	3.1	2	a	15	5.9	26	10.4	68	27.5	101	40.9	78	31.6	19	7.5	
Black non-Hisp	15	-	a	-	a	1	a	1	a	4	a	2	a	-	a	7	50.0	7	50.0	5	35.7	
Other non-Hisp	26	-	a	-	a	1	a	-	a	1	a	2	a	4	a	17	70.8	3	a	16	61.5	
Hispanic	36	-	a	2	a	4	a	-	a	2	a	6	16.7	14	40.0	13	37.1	8	22.9	12	33.3	
Unk Race/Ethn	57	-	a	-	a	-	a	2	a	5	8.8	4	a	4	a	26	54.2	18	37.5	1	a	
Essex	27	-	a	-	a	-	a	1	a	3	a	3	a	5	19.2	13	50.0	8	30.8	4	a	
White non-Hisp	22	-	a	-	a	-	a	1	a	2	a	2	a	3	a	11	52.4	7	33.3			

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}			PRENATAL CARE						FOREIGN-BORN MOTHERS ^h				
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT		Low BWT		TIMING (Late ^e or None)		ADEQUACY (APNCU Index)							
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.			%		
Hartland	12	-	a	-	a	1	a	1	a	1	a	-	a	5	41.7	5	41.7	2	a	-	a
White non-Hisp	10	-	a	-	a	-	a	-	a	-	a	-	a	3	a	5	50.0	2	a	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	1	a	1	a	1	a	-	a	1	a	-	a	-	a	-	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a
Harwinton	34	-	a	-	a	-	a	-	a	1	a	1	a	5	14.7	14	41.2	15	44.1	-	a
White non-Hisp	34	-	a	-	a	-	a	-	a	1	a	1	a	5	14.7	14	41.2	15	44.1	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hebron	62	1	a	1	a	1	a	-	a	5	8.1	5	8.1	17	27.4	25	40.3	20	32.3	3	a
White non-Hisp	61	1	a	1	a	1	a	-	a	5	8.2	5	8.2	17	27.9	24	39.3	20	32.8	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kent	25	-	a	-	a	1	a	1	a	1	a	2	a	1	a	9	40.9	12	54.5	3	a
White non-Hisp	23	-	a	-	a	1	a	1	a	1	a	2	a	1	a	9	45.0	10	50.0	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Killingly	193	-	a	2	a	21	10.9	3	a	18	9.3	11	5.9	23	13.1	55	31.3	98	55.7	13	6.7
White non-Hisp	160	-	a	1	a	16	10.0	2	a	11	6.9	11	6.9	19	12.1	46	29.3	92	58.6	2	a
Black non-Hisp	5	-	a	-	a	-	a	1	a	1	a	-	a	1	a	-	a	3	a	4	a
Other non-Hisp	9	-	a	-	a	-	a	-	a	2	a	-	a	1	a	3	a	3	a	6	66.7
Hispanic	6	-	a	1	a	4	a	-	a	-	a	-	a	2	a	4	a	-	a	1	a
Unk Race/Ethn	13	-	a	-	a	1	a	-	a	4	a	-	a	1	a	2	a	-	a	-	a
Killingworth	40	-	a	-	a	-	a	-	a	-	a	2	a	8	20.5	18	46.2	13	33.3	2	a
White non-Hisp	39	-	a	-	a	-	a	-	a	-	a	1	a	8	21.1	17	44.7	13	34.2	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	-	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lebanon	62	-	a	-	a	2	a	2	a	3	a	8	13.1	13	21.3	29	47.5	19	31.1	4	a
White non-Hisp	56	-	a	-	a	1	a	2	a	3	a	6	10.9	11	20.0	25	45.5	19	34.5	1	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	-	a	1	a
Other non-Hisp	2	-	a	-	a	1	a	-	a	-	a	1	a	1	a	1	a	-	a	1	a
Hispanic	3	-	a	-	a	-	a	-	a	-	a	1	a	1	a	2	a	-	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ledyard	129	-	a	-	a	2	a	4	a	10	7.8	10	7.8	16	12.6	69	54.3	42	33.1	16	12.4
White non-Hisp	103	-	a	-	a	1	a	2	a	8	7.8	9	8.8	15	14.9	50	49.5	36	35.6	5	4.9
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Other non-Hisp	11	-	a	-	a	-	a	-	a	-	a	-	a	-	a	10	90.9	1	a	6	54.5
Hispanic	12	-	a	-	a	1	a	2	a	2	a	1	a	1	a	7	58.3	4	a	4	a
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a
Lisbon	28	-	a	1	a	5	17.9	-	a	-	a	-	a	-	a	15	53.6	13	46.4	1	a
White non-Hisp	27	-	a	1	a	5	18.5	-	a	-	a	-	a	-	a	14	51.9	13	48.1	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Litchfield	43	-	a	-	a	1	a	-	a	1	a	2	a	6	14.0	18	41.9	19	44.2	2	a
White non-Hisp	41	-	a	-	a	1	a	-	a	1	a	2	a	6	14.6	17	41.5	18	43.9	1	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lyme	12	-	a	-	a	-	a	-	a	-	a	3	a	1	a	5	45.5	5	45.5	3	a
White non-Hisp	10	-	a	-	a	-	a	-	a	-	a	2	a	1	a	3	a	5	55.6	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	-	a	1	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Madison	84	-	a	-	a	-	a	-	a	1	a	4	a	16	19.8	37	45.7	28	34.6	16	19.0
White non-Hisp	73	-	a	-	a	-	a	-	a	1	a	4	a	13	18.3	31	43.7	27	38.0	7	9.6
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	2	a	1	a	-	a	3	a
Hispanic	8	-	a	-	a	-	a	-	a	-	a	-	a	1	a	5	71.4	1	a	6	75.0
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manchester	747	-	a	3	a	28	3.7	10	1.3	66	8.8	92	12.4	182	24.5	302	40.7	258	34.8	256	34.4
White non-Hisp	350	-	a	1	a	7	2.0	3	a	27	7.7	34	9.7	82	23.5	157	45.0	110	31.5	21	6.0
Black non-Hisp	130	-	a	1	a	6	4.6	6	4.6	20	15.4	22	16.9	39	30.2	39	30.2	51	39.5	45	34.6
Other non-Hisp	157	-	a	-	a	-	a	-	a	8	5.1	18	11.5	33	21.3	69	44.5	53	34.2	141	89.8
Hispanic	107	-	a	1	a	15	14.0	1	a	11	10										

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}				PRENATAL CARE						FOREIGN-BORN MOTHERS ^h			
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT		Low BWT		TIMING (Late ^e or None)		ADEQUACY (APNCU Index)			No.	%			
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%		
Marlborough	47	-	a	-	a	1	a	-	a	2	a	2	a	8	17.4	20	43.5	18	39.1	6	12.8
White non-Hisp	42	-	a	-	a	1	a	-	a	2	a	1	a	8	19.0	16	38.1	18	42.9	6	14.3
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	-	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meriden	785	-	a	22	2.8	76	9.7	20	2.5	72	9.2	141	18.1	179	23.0	370	47.6	229	29.4	204	26.0
White non-Hisp	395	-	a	5	1.3	22	5.6	8	2.0	33	8.4	54	13.8	80	20.4	187	47.7	125	31.9	30	7.6
Black non-Hisp	80	-	a	1	a	6	7.5	2	a	6	7.5	16	20.0	18	22.5	36	45.0	26	32.5	14	17.5
Other non-Hisp	39	-	a	1	a	2	a	1	a	5	12.8	7	17.9	11	28.2	20	51.3	8	20.5	31	79.5
Hispanic	268	-	a	15	5.6	46	17.2	9	3.4	28	10.4	64	24.1	68	25.7	127	47.9	70	26.4	129	48.1
Unk Race/Ethn	3	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	-	a	-	a
Middlebury	54	-	a	-	a	-	a	-	a	4	a	7	13.0	7	13.0	23	42.6	24	44.4	6	11.1
White non-Hisp	49	-	a	-	a	-	a	-	a	4	a	7	14.3	7	14.3	20	40.8	22	44.9	4	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Hispanic	4	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	2	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Middlefield	18	-	a	-	a	1	a	-	a	1	a	-	a	4	a	8	44.4	6	33.3	-	a
White non-Hisp	17	-	a	-	a	1	a	-	a	1	a	-	a	4	a	7	41.2	6	35.3	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Middletown	556	-	a	3	a	22	4.0	9	1.6	32	5.8	50	9.0	98	17.7	258	46.5	199	35.9	128	23.0
White non-Hisp	347	-	a	-	a	11	3.2	4	a	16	4.6	29	8.4	65	18.8	162	46.8	119	34.4	40	11.5
Black non-Hisp	75	-	a	1	a	4	a	4	a	10	13.3	9	12.0	16	21.3	25	33.3	34	45.3	16	21.3
Other non-Hisp	66	-	a	-	a	1	a	-	a	-	a	3	a	9	13.6	39	59.1	18	27.3	48	72.7
Hispanic	65	-	a	2	a	6	9.2	1	a	5	7.7	8	12.3	7	10.8	31	47.7	27	41.5	24	36.9
Unk Race/Ethn	3	-	a	-	a	-	a	-	a	1	a	1	a	1	a	1	a	1	a	-	a
Milford	441	-	a	2	a	11	2.5	2	a	31	7.0	33	7.6	86	20.2	163	38.3	177	41.5	75	17.0
White non-Hisp	352	-	a	2	a	10	2.8	2	a	24	6.8	27	7.8	66	19.4	129	37.9	145	42.6	16	4.6
Black non-Hisp	11	-	a	-	a	-	a	-	a	-	a	1	a	3	a	4	a	4	a	1	a
Other non-Hisp	51	-	a	-	a	-	a	-	a	5	9.8	3	a	11	22.4	19	38.8	19	38.8	44	86.3
Hispanic	26	-	a	-	a	1	a	-	a	2	a	2	a	6	23.1	11	42.3	9	34.6	14	53.8
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a
Monroe	128	-	a	-	a	-	a	-	a	11	8.6	7	5.5	36	28.1	53	41.4	39	30.5	21	16.4
White non-Hisp	111	-	a	-	a	-	a	-	a	11	9.9	5	4.5	32	28.8	45	40.5	34	30.6	11	9.9
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a
Other non-Hisp	8	-	a	-	a	-	a	-	a	-	a	1	a	3	a	3	a	2	a	5	62.5
Hispanic	7	-	a	-	a	-	a	-	a	-	a	1	a	1	a	4	a	2	a	4	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Montville	175	-	a	-	a	7	4.0	2	a	11	6.3	21	12.1	29	16.8	87	50.3	57	32.9	35	20.0
White non-Hisp	122	-	a	-	a	5	4.1	2	a	6	4.9	10	8.3	18	15.0	63	52.5	39	32.5	7	5.7
Black non-Hisp	9	-	a	-	a	-	a	-	a	2	a	3	a	3	a	3	a	3	a	2	a
Other non-Hisp	28	-	a	-	a	1	a	-	a	2	a	5	17.9	4	a	16	57.1	8	28.6	20	71.4
Hispanic	15	-	a	-	a	1	a	-	a	1	a	3	a	4	a	4	a	7	46.7	6	40.0
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Morris	16	-	a	-	a	-	a	-	a	1	a	1	a	2	a	5	31.3	9	56.3	3	a
White non-Hisp	13	-	a	-	a	-	a	-	a	1	a	1	a	2	a	4	a	7	53.8	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Naugatuck	359	1	a	6	1.7	18	5.0	5	1.4	30	8.4	46	12.8	50	14.0	148	41.5	159	44.5	72	20.2
White non-Hisp	266	-	a	2	a	10	3.8	2	a	16	6.0	29	10.9	32	12.0	111	41.7	123	46.2	34	12.8
Black non-Hisp	15	-	a	-	a	-	a	-	a	1	a	3	a	3	a	5	33.3	7	46.7	6	40.0
Other non-Hisp	24	-	a	-	a	-	a	-	a	4	a	4	a	5	21.7	13	56.5	5	21.7	19	79.2
Hispanic	54	1	a	4	a	8	14.8	3	a	9	16.7	10	18.5	10	18.9	19	35.8	24	45.3	13	25.0
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Britain	1,044	2	a	35	3.4	117	11.2	24	2.3	105	10.1	187	18.0	410	39.6	416	40.2	209	20.2	395	38.0
White non-Hisp	330	-	a	4	a	12	3.6	4	a	24	7.3	54	16.4	118	35.9	146	44.4	65	19.8	106	32.1
Black non-Hisp	113	-	a	3	a	6	5.3	7	6.2	17	15.0	29	25.9	44	39.6	39	35.1	28	25.2	35	31.3
Other non-Hisp	62	-	a	1	a	2	a	2	a	11	17.7	10	16.1	22	35.5	20	32.3	20	32.3	41	66.1
Hispanic	515	2	a	26	5.0	94	18.3	11	2.1	51	9.9	86	16.8	214	42.0	204	40.1	91	17.9	197	38.4
Unk Race/Ethn	24	-	a	1	a	3	a	-	a	2	a	8	33.3	12	50.0	7	29.2	5	20.8	16	72.7
New Canaan	142	-	a	-	a	-	a	1	a	9	6.3	18	12.9	50	38.8	42	32.6	37	28.7	23	16.2
White non-Hisp	123	-	a	-	a	-	a	1	a	8	6.5	15	12.5	41	36.6	37	33.0	34	30.4	15	12.2
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a
Other non-Hisp	11	-	a	-	a	-	a	-	a	1	a	1	a	7	63.6	3	a	1	a	5	45.5
Hispanic	4	-	a	-	a	-	a	-	a	-	a	-	a	2	a	2	a	-	a	3	a
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	2	a	-	a	-	a	-	a	-	a	-	a
New Fairfield	100	-	a	-	a	-	a	2													

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}				PRENATAL CARE			FOREIGN-BORN MOTHERS ^h						
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT		Low BWT		TIMING (Late ^e or None)		ADEQUACY (APNCU Index)			No.	%			
		No.	%	No.	%	No.	%	No.	%	No.	%	(Late ^e or None)	No.	%	No.	%	No.	%	No.	%	
New Haven	1,907	2	a	70	3.7	196	10.3	38	2.0	188	9.9	437	23.4	479	26.0	787	42.7	576	31.3	648	34.0
White non-Hisp	428	-	a	3	a	11	2.6	3	a	32	7.5	62	14.7	90	21.6	210	50.4	117	28.1	92	21.5
Black non-Hisp	652	2	a	30	4.6	88	13.5	20	3.1	83	12.8	181	28.5	188	30.1	250	40.0	187	29.9	59	9.1
Other non-Hisp	147	-	a	4	a	6	4.1	3	a	14	9.5	19	13.0	28	19.9	68	48.2	45	31.9	99	67.3
Hispanic	679	-	a	33	4.9	91	13.4	12	1.8	59	8.7	174	26.2	172	26.1	259	39.4	227	34.5	397	58.5
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	1	a
Newington	250	-	a	2	a	5	2.0	2	a	13	5.2	21	8.4	79	31.7	91	36.5	79	31.7	74	30.0
White non-Hisp	172	-	a	-	a	2	a	2	a	7	4.1	14	8.1	49	28.5	65	37.8	58	33.7	22	12.9
Black non-Hisp	15	-	a	-	a	-	a	-	a	1	a	-	a	8	53.3	4	a	3	a	7	50.0
Other non-Hisp	40	-	a	-	a	-	a	-	a	4	a	3	a	11	28.2	15	38.5	13	33.3	33	84.6
Hispanic	21	-	a	2	a	3	a	-	a	1	a	4	a	10	47.6	6	28.6	5	23.8	10	47.6
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	2	a
New London	338	-	a	6	1.8	26	7.7	5	1.5	29	8.6	45	13.4	54	16.2	169	50.6	111	33.2	98	29.0
White non-Hisp	132	-	a	2	a	7	5.3	-	a	6	4.5	14	10.8	27	20.8	66	50.8	37	28.5	2	a
Black non-Hisp	53	-	a	-	a	2	a	4	a	8	15.1	9	17.0	8	15.4	24	46.2	20	38.5	20	37.7
Other non-Hisp	30	-	a	-	a	1	a	-	a	3	a	4	a	4	a	19	63.3	7	23.3	9	30.0
Hispanic	122	-	a	4	a	16	13.1	1	a	11	9.0	18	14.8	15	12.4	59	48.8	47	38.8	67	54.9
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a	-	a	-	a
New Milford	240	-	a	-	a	6	2.5	2	a	15	6.3	19	7.9	16	6.7	81	34.0	141	59.2	37	15.5
White non-Hisp	205	-	a	-	a	4	a	1	a	12	5.9	13	6.4	11	5.4	73	35.8	120	58.8	13	6.3
Black non-Hisp	7	-	a	-	a	-	a	-	a	-	a	3	a	2	a	-	a	4	a	4	a
Other non-Hisp	15	-	a	-	a	1	a	1	a	1	a	1	a	-	a	5	33.3	10	66.7	12	80.0
Hispanic	12	-	a	-	a	1	a	-	a	2	a	2	a	3	a	3	a	6	50.0	7	58.3
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Newtown	169	-	a	-	a	3	a	1	a	11	6.5	10	5.9	15	9.0	46	27.5	106	63.5	24	14.2
White non-Hisp	153	-	a	-	a	2	a	1	a	10	6.5	9	5.9	14	9.3	41	27.2	96	63.6	15	9.8
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Other non-Hisp	8	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	5	62.5	5	62.5
Hispanic	7	-	a	-	a	1	a	-	a	1	a	1	a	1	a	1	a	5	71.4	3	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a
Norfolk	6	-	a	-	a	1	a	-	a	-	a	-	a	1	a	2	a	3	a	-	a
White non-Hisp	6	-	a	-	a	1	a	-	a	-	a	-	a	1	a	2	a	3	a	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Branford	101	-	a	-	a	-	a	1	a	9	8.9	7	7.0	15	15.0	47	47.0	38	38.0	8	7.9
White non-Hisp	91	-	a	-	a	-	a	1	a	7	7.7	5	5.6	10	11.1	43	47.8	37	41.1	2	a
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a
Other non-Hisp	3	-	a	-	a	-	a	-	a	2	a	-	a	-	a	2	a	1	a	2	a
Hispanic	5	-	a	-	a	-	a	-	a	-	a	2	a	4	a	1	a	-	a	4	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Canaan	27	-	a	1	a	2	a	-	a	3	a	2	a	3	a	8	42.1	8	42.1	2	a
White non-Hisp	22	-	a	1	a	2	a	-	a	3	a	1	a	2	a	5	35.7	7	50.0	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a
Unk Race/Ethn	4	-	a	-	a	-	a	-	a	-	a	1	a	-	a	3	a	1	a	-	a
North Haven	181	-	a	1	a	2	a	1	a	4	a	11	6.1	35	20.1	76	43.7	63	36.2	25	13.9
White non-Hisp	155	-	a	-	a	1	a	-	a	2	a	9	5.9	29	19.6	64	43.2	55	37.2	8	5.2
Black non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	1	a
Other non-Hisp	15	-	a	-	a	-	a	1	a	2	a	1	a	5	33.3	6	40.0	4	a	13	86.7
Hispanic	8	-	a	1	a	1	a	-	a	-	a	1	a	1	a	5	62.5	2	a	3	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Stonington	45	-	a	-	a	1	a	-	a	1	a	2	a	2	a	23	51.1	20	44.4	1	a
White non-Hisp	42	-	a	-	a	1	a	-	a	1	a	1	a	1	a	21	50.0	20	47.6	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	-	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Norwalk	1,177	1	a	12	1.0	42	3.6	17	1.4	80	6.8	202	17.3	317	27.5	534	46.3	302	26.2	531	45.3
White non-Hisp	525	-	a	-	a	1	a	3	a	25	4.8	39	7.5	127	25.0	239	47.0	143	28.1	90	17.3
Black non-Hisp	138	-	a	4	a	10	7.2	5	3.6	16	11.6	30	21.9	44	32.4	56	41.2	36	26.5	41	29.7
Other non-Hisp	114	-	a	-	a	2	a	1	a	11	9.6	7	6.1	33	29.2	53	46.9	27	23.9	91	79.8
Hispanic	398	1	a	8	2.0	29	7.3	8	2.0	28	7.0	125	31.6	113	28.6	186	47.1	96	24.3	309	77.6
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	-	a
Norwich	524	1	a	10	1.9	46	8.8	11	2.1	57	10.9	77	14.7	89	17.1	241	46.3	191	36.7	142	27.3
White non-Hisp	293	-	a	7	2.4	20	6.8	7	2.4	33	11.3	36	12.3	52	17.9	138	47.4	101	34.7	10	3.4
Black non-Hisp	79	1	a	1	a	8	10.1	2	a	14	17.7	16	20.3	18	22.8	28	35.4	33	41.8	41	51.9
Other non-Hisp	53	-	a	-	a	2	a	-	a	-	a	11	20.8	3	a	25	48.1	24	46.2	38	73.1
Hispanic	99	-	a	2	a	16	16.2	2	a	10	10.1	14	14.1	16	16.2	50	50.5	33	33.3	53	53.5
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Lyme	51	-	a	-																	

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}			PRENATAL CARE						FOREIGN-BORN MOTHERS ^h				
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT		Low BWT		TIMING (Late ^e or None)		ADEQUACY (APNCU Index)			No.	%			
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.			%		
Orange	95	-	a	-	a	4	a	-	a	2	a	5	5.3	16	17.2	40	43.0	37	39.8	29	30.5
White non-Hisp	75	-	a	-	a	4	a	-	a	2	a	3	a	10	13.7	32	43.8	31	42.5	14	18.7
Black non-Hisp	3	-	a	-	a	-	a	-	a	-	a	1	a	1	a	2	a	-	a	2	a
Other non-Hisp	14	-	a	-	a	-	a	-	a	-	a	1	a	4	a	5	35.7	5	35.7	11	78.6
Hispanic	3	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	89	-	a	1	a	2	a	1	a	5	5.6	6	6.7	18	20.5	34	38.6	36	40.9	4	a
White non-Hisp	82	-	a	1	a	2	a	1	a	4	a	3	a	16	19.8	30	37.0	35	43.2	3	a
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	2	a	2	a	-	a	-	a	-	a
Other non-Hisp	1	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a	-	a	-	a
Hispanic	4	-	a	-	a	-	a	-	a	1	a	1	a	-	a	3	a	1	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plainfield	165	-	a	5	3.0	14	8.5	3	a	12	7.3	10	6.1	10	6.2	52	32.3	99	61.5	8	4.8
White non-Hisp	149	-	a	3	a	12	8.1	3	a	12	8.1	9	6.1	9	6.2	41	28.1	96	65.8	5	3.4
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	-	a
Other non-Hisp	4	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	2	a	1	a
Hispanic	8	-	a	2	a	2	a	-	a	-	a	1	a	1	a	6	75.0	1	a	2	a
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Plainville	164	-	a	-	a	4	a	-	a	15	9.1	21	13.0	39	24.1	77	47.5	46	28.4	26	15.9
White non-Hisp	140	-	a	-	a	4	a	-	a	12	8.6	19	13.8	33	23.9	66	47.8	39	28.3	14	10.0
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a
Other non-Hisp	4	-	a	-	a	-	a	-	a	-	a	-	a	2	a	2	a	-	a	3	a
Hispanic	17	-	a	-	a	-	a	-	a	3	a	2	a	3	a	8	47.1	6	35.3	8	47.1
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Plymouth	100	-	a	1	a	2	a	3	a	5	5.0	15	15.0	15	15.0	35	35.0	50	50.0	7	7.0
White non-Hisp	92	-	a	-	a	1	a	3	a	4	a	12	13.0	13	14.1	33	35.9	46	50.0	4	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	7	-	a	1	a	1	a	-	a	1	a	3	a	2	a	2	a	3	a	3	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pomfret	23	-	a	-	a	1	a	2	a	3	a	-	a	2	a	7	33.3	12	57.1	1	a
White non-Hisp	21	-	a	-	a	1	a	-	a	1	a	-	a	2	a	7	33.3	12	57.1	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	2	-	a	-	a	-	a	2	a	2	a	-	a	-	a	-	a	-	a	-	a
Portland	100	-	a	1	a	2	a	-	a	7	7.0	7	7.0	28	28.0	47	47.0	25	25.0	11	11.1
White non-Hisp	89	-	a	-	a	1	a	-	a	7	7.9	6	6.7	24	27.0	42	47.2	23	25.8	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	1	a	2	a
Hispanic	9	-	a	1	a	1	a	-	a	-	a	-	a	3	a	5	55.6	1	a	7	77.8
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Preston	39	-	a	-	a	1	a	-	a	3	a	5	12.8	11	28.9	15	39.5	12	31.6	3	a
White non-Hisp	33	-	a	-	a	1	a	-	a	1	a	-	a	8	24.2	14	42.4	11	33.3	2	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	-	a
Other non-Hisp	4	-	a	-	a	-	a	-	a	2	a	3	a	2	a	-	a	1	a	1	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	-	a	-	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prospect	77	-	a	1	a	2	a	3	a	10	13.0	5	6.6	8	10.7	35	46.7	32	42.7	6	7.8
White non-Hisp	71	-	a	1	a	2	a	2	a	8	11.3	5	7.1	8	11.6	32	46.4	29	42.0	4	a
Black non-Hisp	1	-	a	-	a	-	a	1	a	1	a	-	a	-	a	-	a	1	a	1	a
Other non-Hisp	2	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a	1	a	-	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Putnam	128	-	a	2	a	9	7.0	1	a	10	7.9	10	7.9	17	13.9	30	24.6	75	61.5	13	10.2
White non-Hisp	118	-	a	2	a	9	7.6	-	a	7	5.9	8	6.8	15	12.8	28	23.9	74	63.2	10	8.5
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	2	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a	1	a
Unk Race/Ethn	6	-	a	-	a	-	a	1	a	3	a	1	a	1	a	2	a	-	a	-	a
Redding	44	-	a	-	a	-	a	1	a	4	a	2	a	3	a	17	38.6	24	54.5	4	a
White non-Hisp	41	-	a	-	a	-	a	1	a	3	a	1	a	3	a	16	39.0	22	53.7	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	3	-	a	-	a	-	a	-	a	1	a	1	a	-	a	1	a	2	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ridgefield	153	-	a	-	a	-	a	-	a	4	a	6	3.9	13	8.6	59	39.1	79	52.3	30	19.6
White non-Hisp	130	-	a	-	a	-	a	-	a	4	a	6	4.6	12	9.4	48	37.5	68	53.1	16	12.3
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Other non-Hisp	13	-	a	-	a	-	a	-	a	-	a	-	a	1	a	7	53.8	5	38.5	10	76.9
Hispanic	9	-	a	-	a	-	a	-	a	-	a	-	a	3	a	6	66.7	3	a	3	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rocky Hill	183	-	a	-	a	3	a	3	a	15	8.2	13	7.1	47	25.7	67	36.6	69	37.7	89	48.6
White non-Hisp	94	-	a	-	a	2	a	3	a	6	6.4	5	5.3	25	26.6	37	39.4	32	34.0	16	17.0
Black non-Hisp	7	-	a	-	a	-	a	-	a	-	a	-	a	2	a	2	a	3	a	5	71.4
Other non-Hisp	65	-	a	-	a	1	a	-	a	8	12.3	6	9.2	14	21.5	23	35.4	28	43.1	60	92.3
Hispanic	16	-	a	-	a	-	a	-	a	1	a	2	a	6	37.5	4	a	6	37.5	7	43.8
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Roxbury	7	-	a	-	a	-	a	1	a	2	a	1	a	-	a	5	83.3	1	a	2	a
White non-Hisp	7	-	a	-	a	-	a	1	a	2	a	1	a	-	a	5	83.3	1	a	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}				PRENATAL CARE						FOREIGN-BORN MOTHERS ^h			
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT		Low BWT		TIMING (Late ^e or None)		ADEQUACY (APNCU Index)							
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%			No.	%
Salem	37	-	a	-	a	2	a	-	a	3	a	5	13.5	6	16.2	19	51.4	12	32.4	-	a
White non-Hisp	35	-	a	-	a	2	a	-	a	3	a	5	14.3	5	14.3	18	51.4	12	34.3	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	-	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salisbury	17	-	a	-	a	-	a	-	a	-	a	2	a	3	a	6	40.0	6	40.0	3	a
White non-Hisp	16	-	a	-	a	-	a	-	a	-	a	2	a	3	a	6	42.9	5	35.7	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scotland	15	-	a	-	a	1	a	-	a	-	a	2	a	2	a	4	a	8	57.1	-	a
White non-Hisp	14	-	a	-	a	1	a	-	a	-	a	2	a	2	a	4	a	8	57.1	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a
Seymour	146	-	a	2	a	3	a	3	a	8	5.5	8	5.6	23	16.4	64	45.7	53	37.9	18	12.4
White non-Hisp	121	-	a	2	a	3	a	2	a	5	4.1	5	4.2	19	16.4	53	45.7	44	37.9	8	6.6
Black non-Hisp	5	-	a	-	a	-	a	-	a	1	a	1	a	1	a	3	a	1	a	2	a
Other non-Hisp	8	-	a	-	a	-	a	-	a	-	a	1	a	3	a	2	a	3	a	5	62.5
Hispanic	11	-	a	-	a	-	a	1	a	2	a	-	a	-	a	6	54.5	5	45.5	3	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	-	a
Sharon	13	-	a	-	a	-	a	-	a	-	a	-	a	3	a	3	a	7	53.8	2	a
White non-Hisp	12	-	a	-	a	-	a	-	a	-	a	-	a	3	a	3	a	6	50.0	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shelton	304	-	a	4	a	12	3.9	4	a	27	8.9	19	6.3	66	22.0	118	39.3	116	38.7	63	20.7
White non-Hisp	229	-	a	2	a	6	2.6	3	a	20	8.7	15	6.6	51	22.7	92	40.9	82	36.4	21	9.2
Black non-Hisp	14	-	a	1	a	3	a	1	a	2	a	-	a	-	a	7	50.0	7	50.0	6	42.9
Other non-Hisp	29	-	a	-	a	-	a	-	a	2	a	3	a	6	20.7	10	34.5	13	44.8	23	79.3
Hispanic	32	-	a	1	a	3	a	-	a	3	a	1	a	9	28.1	9	28.1	14	43.8	13	40.6
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sherman	18	-	a	-	a	1	a	-	a	-	a	1	a	-	a	4	a	12	75.0	4	a
White non-Hisp	17	-	a	-	a	1	a	-	a	-	a	1	a	-	a	4	a	12	75.0	3	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simsbury	164	-	a	-	a	1	a	3	a	11	6.7	11	6.7	57	35.2	53	32.7	52	32.1	25	15.3
White non-Hisp	135	-	a	-	a	1	a	3	a	8	5.9	8	5.9	46	34.1	45	33.3	44	32.6	10	7.4
Black non-Hisp	5	-	a	-	a	-	a	-	a	1	a	-	a	3	a	-	a	2	a	3	a
Other non-Hisp	17	-	a	-	a	-	a	-	a	2	a	2	a	6	37.5	6	37.5	4	a	11	68.8
Hispanic	5	-	a	-	a	-	a	-	a	-	a	1	a	2	a	2	a	1	a	1	a
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Somers	59	-	a	-	a	-	a	1	a	5	8.5	4	a	7	12.7	30	54.5	18	32.7	6	10.2
White non-Hisp	44	-	a	-	a	-	a	1	a	5	11.4	4	a	7	16.3	19	44.2	17	39.5	3	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	1	a	3	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	12	-	a	-	a	-	a	-	a	-	a	-	a	-	a	9	100.0	-	a	-	a
Southbury	98	-	a	-	a	1	a	1	a	10	10.2	7	7.1	8	8.2	34	34.7	56	57.1	16	16.3
White non-Hisp	87	-	a	-	a	1	a	1	a	8	9.2	5	5.7	8	9.2	29	33.3	50	57.5	9	10.3
Black non-Hisp	3	-	a	-	a	-	a	-	a	1	a	1	a	-	a	1	a	2	a	2	a
Other non-Hisp	4	-	a	-	a	-	a	-	a	1	a	1	a	-	a	2	a	2	a	3	a
Hispanic	4	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	2	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Southington	321	-	a	1	a	7	2.2	7	2.2	17	5.3	39	12.2	65	20.4	158	49.5	96	30.1	50	15.6
White non-Hisp	275	-	a	-	a	5	1.8	6	2.2	12	4.4	33	12.1	59	21.6	129	47.3	85	31.1	22	8.0
Black non-Hisp	6	-	a	-	a	-	a	-	a	-	a	-	a	1	a	4	a	1	a	5	83.3
Other non-Hisp	16	-	a	-	a	-	a	-	a	1	a	2	a	2	a	6	37.5	8	50.0	12	75.0
Hispanic	22	-	a	1	a	2	a	1	a	2	a	4	a	3	a	17	77.3	2	a	9	40.9
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	2	a	-	a	-	a	2	a	-	a	-	a
South Windsor	220	-	a	1	a	6	2.7	3	a	10	4.5	20	9.1	64	29.1	94	42.7	62	28.2	60	27.4
White non-Hisp	154	-	a	1	a	5	3.2	1	a	4	a	12	7.8	47	30.5	65	42.2	42	27.3	14	9.2
Black non-Hisp	5	-	a	-	a	1	a	-	a	-	a	1	a	4	a	1	a	-	a	2	a
Other non-Hisp	44	-	a	-	a	-	a	1	a	4	a	7	15.9	9	20.5	21	47.7	14	31.8	38	86.4
Hispanic	14	-	a	-	a	-	a	1	a	2	a	-	a	3	a	5	35.7	6	42.9	5	35.7
Unk Race/Ethn	3	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	-	a	1	a
Sprague	34	-	a	-	a	-	a	-	a	1	a	1	a	1	a	22	64.7	11	32.4	3	a
White non-Hisp	31	-	a	-	a	-	a	-	a	1	a	1	a	1	a	19	61.3	11	35.5	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	3	a	-	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stafford	95	-	a	2	a	7	7.4	1	a	9	9.5	6	6.5	19	20.9	40	44.0	32	35.2	2	a
White non-Hisp	83	-	a	2	a	6	7.2	1	a	8	9.6	6	7.5	19	24.1	32	40.5	28	35.4	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	-	a	-	a
Unk Race/Ethn	9	-	a	-	a	1	a	-	a	1	a	-	a	-	a	5	55.6	4	a	-	a

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}				PRENATAL CARE							FOREIGN-BORN MOTHERS ^h		
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT		Low BWT		TIMING (Late ^e or None)		ADEQUACY (APNCU Index)			No.	%			
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.			%		
Stamford	1,831	-	a	16	0.9	51	2.8	16	0.9	151	8.3	260	14.4	646	36.9	668	38.2	436	24.9	999	55.1
White non-Hisp	784	-	a	2	a	3	a	7	0.9	56	7.1	82	10.5	247	33.3	297	40.0	198	26.7	209	27.1
Black non-Hisp	221	-	a	4	a	18	8.1	5	2.3	35	15.8	46	21.4	98	46.7	70	33.3	42	20.0	101	45.7
Other non-Hisp	298	-	a	-	a	1	a	1	a	17	5.7	34	11.7	109	38.2	101	35.4	75	26.3	266	90.5
Hispanic	523	-	a	10	1.9	28	5.4	3	a	43	8.2	97	18.9	191	37.4	200	39.1	120	23.5	422	81.0
Unk Race/Ethn	5	-	a	-	a	1	a	-	a	-	a	1	a	1	a	-	a	1	a	1	a
Sterling	35	-	a	-	a	-	a	1	a	4	a	2	a	2	a	5	14.7	27	79.4	1	a
White non-Hisp	32	-	a	-	a	-	a	-	a	3	a	2	a	1	a	5	15.6	26	81.3	1	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	2	-	a	-	a	-	a	1	a	1	a	-	a	1	a	-	a	-	a	-	a
Stonington	121	-	a	1	a	5	4.1	1	a	4	a	12	9.9	14	11.6	62	51.2	45	37.2	12	9.9
White non-Hisp	110	-	a	1	a	5	4.5	1	a	4	a	10	9.1	10	9.1	58	52.7	42	38.2	4	a
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Other non-Hisp	7	-	a	-	a	-	a	-	a	-	a	1	a	2	a	2	a	3	a	6	85.7
Hispanic	2	-	a	-	a	-	a	-	a	-	a	1	a	2	a	-	a	-	a	1	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	-	a	1	a
Stratford	515	-	a	6	1.2	27	5.2	3	a	36	7.0	58	11.3	128	25.3	224	44.3	154	30.4	110	21.4
White non-Hisp	302	-	a	2	a	7	2.3	1	a	15	5.0	24	8.0	67	22.5	144	48.3	87	29.2	25	8.3
Black non-Hisp	85	-	a	1	a	9	10.6	2	a	11	12.9	17	20.5	25	30.9	25	30.9	31	38.3	29	34.5
Other non-Hisp	27	-	a	-	a	1	a	-	a	2	a	2	a	6	23.1	14	53.8	6	23.1	17	63.0
Hispanic	101	-	a	3	a	10	9.9	-	a	8	7.9	15	14.9	30	29.7	41	40.6	30	29.7	39	38.6
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Suffield	75	-	a	1	a	4	a	1	a	4	a	7	9.5	13	17.8	37	50.7	23	31.5	7	9.3
White non-Hisp	48	-	a	1	a	4	a	1	a	4	a	6	12.8	10	21.3	24	51.1	13	27.7	2	a
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	1	a	2	a
Other non-Hisp	5	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	2	a	3	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	20	-	a	-	a	-	a	-	a	-	a	2	a	2	a	10	52.6	7	36.8	-	a
Thomaston	54	-	a	-	a	1	a	-	a	2	a	4	a	6	11.1	26	48.1	22	40.7	4	a
White non-Hisp	49	-	a	-	a	1	a	-	a	2	a	2	a	6	12.2	23	46.9	20	40.8	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	1	a	-	a	2	a	1	a	2	a
Hispanic	2	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a	1	a	2	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thompson	85	-	a	1	a	4	a	2	a	11	12.9	2	a	11	15.1	23	31.5	39	53.4	7	8.2
White non-Hisp	48	-	a	1	a	2	a	-	a	5	10.4	2	a	6	12.5	11	22.9	31	64.6	2	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	4	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	1	a
Hispanic	3	-	a	-	a	1	a	-	a	-	a	-	a	2	a	2	a	1	a	3	a
Unk Race/Ethn	30	-	a	-	a	1	a	2	a	6	20.0	-	a	5	26.3	9	47.4	5	26.3	1	a
Tolland	116	-	a	-	a	3	a	-	a	14	12.1	15	12.9	32	27.6	48	41.4	36	31.0	10	8.6
White non-Hisp	108	-	a	-	a	2	a	-	a	11	10.2	13	12.0	28	25.9	46	42.6	34	31.5	6	5.6
Black non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	1	a
Other non-Hisp	4	-	a	-	a	-	a	-	a	1	a	1	a	1	a	1	a	2	a	3	a
Hispanic	1	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a
Unk Race/Ethn	2	-	a	-	a	1	a	-	a	2	a	1	a	1	a	1	a	-	a	-	a
Torrington	374	-	a	10	2.7	26	7.0	5	1.3	29	7.8	40	10.7	58	15.7	172	46.6	139	37.7	72	19.3
White non-Hisp	271	-	a	6	2.2	19	7.1	2	a	18	6.7	21	7.8	41	15.4	129	48.5	96	36.1	8	3.0
Black non-Hisp	6	-	a	1	a	1	a	-	a	-	a	3	a	3	a	2	a	1	a	-	a
Other non-Hisp	22	-	a	-	a	1	a	3	a	4	a	4	a	3	a	8	36.4	11	50.0	11	50.0
Hispanic	73	-	a	3	a	5	6.8	-	a	7	9.6	11	15.1	10	13.7	33	45.2	30	41.1	53	72.6
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	1	a	-	a
Trumbull	271	-	a	1	a	5	1.8	2	a	17	6.3	16	5.9	60	22.5	116	43.4	91	34.1	56	20.7
White non-Hisp	218	-	a	-	a	4	a	1	a	10	4.6	9	4.1	47	21.7	100	46.1	70	32.3	23	10.6
Black non-Hisp	10	-	a	1	a	1	a	-	a	1	a	2	a	3	a	2	a	4	a	5	55.6
Other non-Hisp	22	-	a	-	a	-	a	1	a	6	27.3	1	a	2	a	10	45.5	10	45.5	20	90.9
Hispanic	20	-	a	-	a	-	a	-	a	-	a	4	a	8	44.4	3	a	7	38.9	8	40.0
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Union	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	-	a
White non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	-	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vernon	351	-	a	2	a	14	4.0	4	a	27	7.7	44	12.6	79	22.6	148	42.3	123	35.1	76	21.7
White non-Hisp	237	-	a	-	a	6	2.5	2	a	12	5.1	29	12.2	53	22.4	104	43.9	80	33.8	17	7.2
Black non-Hisp	27	-	a	-	a	1	a	1	a	5	18.5	6	23.1	7	26.9	12	46.2	7	26.9	10	37.0
Other non-Hisp	47	-	a	-	a	1	a	1	a	4	a	5	10.6	12	25.5	17	36.2	18	38.3	35	74.5
Hispanic	37	-	a	2	a	6	16.2	-	a	6	16.2	4	a	7	18.9	14	37.8	16	43.2	13	35.1
Unk Race/Ethn	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	1	a
Voluntown	22	-	a	-	a	-	a	-	a	-	a	4	a	2	a	11	50.0	9	40.9	1	a
White non-Hisp	20	-	a	-	a	-	a</														

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}				PRENATAL CARE						FOREIGN-BORN MOTHERS ^h			
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT		Low BWT		TIMING (Late ^e or None)		ADEQUACY (APNCU Index)			No.	%			
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%		
Other non-Hisp	72	-	a	2	a	5	6.9	1	a	6	8.3	14	19.7	10	14.1	27	38.0	34	47.9	36	50.0
Hispanic	614	3	a	38	6.2	91	14.8	6	1.0	55	9.0	164	26.8	106	17.4	196	32.2	307	50.4	284	46.4
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	1	a
Waterford	142	-	a	1	a	4	a	2	a	14	9.9	10	7.2	16	11.8	72	52.9	48	35.3	17	12.0
White non-Hisp	124	-	a	-	a	2	a	1	a	11	8.9	7	5.7	13	10.8	62	51.7	45	37.5	10	8.1
Black non-Hisp	4	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	2	a	1	a
Other non-Hisp	5	-	a	-	a	-	a	-	a	-	a	2	a	2	a	2	a	1	a	3	a
Hispanic	8	-	a	1	a	2	a	1	a	3	a	1	a	1	a	5	83.3	-	a	3	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Watertown	163	-	a	1	a	6	3.7	3	a	15	9.2	10	6.1	18	11.1	61	37.7	83	51.2	14	8.6
White non-Hisp	153	-	a	1	a	6	3.9	3	a	14	9.2	9	5.9	17	11.1	58	37.9	78	51.0	10	6.5
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	1	a	1	a	-	a	1	a	3	a
Hispanic	5	-	a	-	a	-	a	-	a	1	a	-	a	-	a	2	a	3	a	1	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a
Westbrook	43	-	a	1	a	3	a	1	a	4	a	7	16.7	14	35.9	10	25.6	15	38.5	13	30.2
White non-Hisp	33	-	a	1	a	3	a	1	a	4	a	5	15.6	12	40.0	5	16.7	13	43.3	5	15.2
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Hispanic	8	-	a	-	a	-	a	-	a	-	a	1	a	2	a	5	62.5	1	a	7	87.5
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	-	a
West Hartford	589	-	a	14	2.4	21	3.6	8	1.4	38	6.5	50	8.5	169	28.8	232	39.6	185	31.6	151	25.7
White non-Hisp	397	-	a	3	a	5	1.3	5	1.3	19	4.8	22	5.6	123	31.1	160	40.4	113	28.5	43	10.9
Black non-Hisp	44	-	a	2	a	3	a	-	a	2	a	5	11.4	17	38.6	18	40.9	9	20.5	17	38.6
Other non-Hisp	70	-	a	-	a	-	a	1	a	8	11.4	12	17.4	17	24.6	28	40.6	24	34.8	53	75.7
Hispanic	74	-	a	9	12.2	13	17.6	1	a	8	10.8	9	12.2	12	16.2	26	35.1	36	48.6	37	50.0
Unk Race/Ethn	4	-	a	-	a	-	a	1	a	1	a	2	a	-	a	-	a	3	a	1	a
West Haven	666	-	a	9	1.4	38	5.7	11	1.7	55	8.3	95	14.7	129	20.3	265	41.8	240	37.9	247	37.1
White non-Hisp	283	-	a	1	a	12	4.2	2	a	21	7.4	33	12.0	52	19.5	121	45.3	94	35.2	50	17.7
Black non-Hisp	145	-	a	-	a	9	6.2	6	4.1	16	11.0	18	12.9	27	19.4	57	41.0	55	39.6	53	36.6
Other non-Hisp	44	-	a	-	a	4	a	-	a	3	a	6	14.0	10	24.4	21	51.2	10	24.4	27	61.4
Hispanic	192	-	a	8	4.2	13	6.8	3	a	15	7.9	36	19.1	40	21.5	65	34.9	81	43.5	116	60.4
Unk Race/Ethn	2	-	a	-	a	-	a	-	a	-	a	2	a	-	a	1	a	-	a	1	a
Weston	63	-	a	-	a	1	a	1	a	5	7.9	6	9.7	13	21.7	29	48.3	18	30.0	11	18.0
White non-Hisp	56	-	a	-	a	1	a	1	a	5	8.9	6	10.9	12	22.6	25	47.2	16	30.2	7	13.0
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	4	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	2	a	3	a
Hispanic	3	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	-	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westport	190	-	a	1	a	1	a	1	a	8	4.2	20	10.5	37	21.1	91	52.0	47	26.9	34	18.0
White non-Hisp	164	-	a	1	a	1	a	1	a	6	3.7	18	11.0	32	21.3	78	52.0	40	26.7	23	14.1
Black non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	-	a	2	a	1	a	1	a
Other non-Hisp	16	-	a	-	a	-	a	-	a	1	a	1	a	3	a	10	62.5	3	a	10	62.5
Hispanic	6	-	a	-	a	-	a	-	a	1	a	-	a	2	a	1	a	3	a	-	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a
Wethersfield	265	-	a	-	a	3	a	6	2.3	19	7.2	17	6.4	79	29.9	97	36.7	88	33.3	65	24.6
White non-Hisp	218	-	a	-	a	2	a	6	2.8	14	6.4	13	6.0	66	30.4	81	37.3	70	32.3	41	18.9
Black non-Hisp	9	-	a	-	a	-	a	-	a	-	a	1	a	2	a	4	a	3	a	4	a
Other non-Hisp	13	-	a	-	a	-	a	-	a	1	a	-	a	4	a	5	38.5	4	a	11	84.6
Hispanic	25	-	a	-	a	1	a	-	a	4	a	3	a	7	28.0	7	28.0	11	44.0	9	36.0
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willington	48	-	a	-	a	-	a	-	a	4	a	7	15.6	9	20.0	21	46.7	15	33.3	16	33.3
White non-Hisp	34	-	a	-	a	-	a	-	a	4	a	7	20.6	8	23.5	16	47.1	10	29.4	3	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	11	-	a	-	a	-	a	-	a	-	a	-	a	-	a	5	50.0	5	50.0	10	90.9
Hispanic	3	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	3	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wilton	108	-	a	-	a	1	a	-	a	5	4.6	10	9.3	24	23.1	52	50.0	28	26.9	21	19.6
White non-Hisp	91	-	a	-	a	1	a	-	a	4	a	9	9.9	22	25.0	42	47.7	24	27.3	9	10.0
Black non-Hisp	2	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a
Other non-Hisp	11	-	a	-	a	-	a	-	a	1	a	-	a	1	a	7	63.6	3	a	8	72.7
Hispanic	3	-	a	-	a	-	a	-	a	-	a	-	a	1	a	2	a	-	a	3	a
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	-	a
Winchester	93	-	a	1	a	6	6.5	1	a	9	9.7	15	16.9	16	18.4	38	43.7	33	37.9	11	11.8
White non-Hisp	83	-	a	-	a	5	6.0	1	a	8	9.6	14	17.7	14	18.2	34	44.2	29	37.7	4	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	3	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a	1	a	1	a
Hispanic	6	-	a	1	a	1	a	-	a	1	a	1	a	1	a	2	a	3	a	6	100.0
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a
Windham	303	-	a	4	a	32	10.6	5	1.7	21	6.9	53	17.5	66	21.8	142	46.9	95	31.4	117	38.6
White non-Hisp	111	-	a	-	a	4	a	-	a	3	a	13	11.7	21	18.9	63	56.8	27	24.3	5	4.5
Black non-Hisp	13	-	a	-	a	1	a	-	a	2	a	2	a	4	a	3	a	6	46.2	6	46.2
Other non-Hisp	11	-	a	-	a	1	a	-	a	1	a	2	a	4	a	5	45.5				

Connecticut Department of Public Health

GEOGRAPHIC AREA	TOTAL BIRTHS	BIRTHS TO TEENAGERS						LOW BIRTHWEIGHT BIRTHS ^{c,d}				PRENATAL CARE						FOREIGN-BORN MOTHERS ^h			
		<15 yrs		<18 yrs		<20 yrs		Very Low BWT		Low BWT		TIMING (Late ^e or None)		ADEQUACY (APNCU Index)							
		No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%		
Woodbury	66	-	a	-	a	-	a	2	a	6	9.1	6	9.2	4	a	21	32.3	40	61.5	8	12.1
White non-Hisp	61	-	a	-	a	-	a	2	a	6	9.8	5	8.3	3	a	19	31.7	38	63.3	6	9.8
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Hispanic	4	-	a	-	a	-	a	-	a	-	a	1	a	1	a	2	a	1	a	1	a
Unk Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Woodstock	44	-	a	-	a	2	a	-	a	-	a	3	a	1	a	17	43.6	21	53.8	4	a
White non-Hisp	33	-	a	-	a	1	a	-	a	-	a	2	a	1	a	13	39.4	19	57.6	3	a
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	a	-	a	-	a	-	a	-	a	-	a	-	a	-	a	1	a	1	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	10	-	a	-	a	1	a	-	a	-	a	1	a	-	a	4	a	1	a	-	a
Unknown CT Town	1	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	-	a
White non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unk Race/Ethn	1	-	a	-	a	-	a	-	a	-	a	1	a	-	a	-	a	-	a	-	a

NOTES:

Starting with 2007 births, the reported birthweight (BWT) and gestational age (GAGE) values have been modified using the National Vital Statistics System data quality edits published by the National Center for Health Statistics (NCHS). Since NCHS makes these edits prior to publishing US natality statistics, adopting NCHS edits assures that published DPH statistics more closely match the published NCHS state-level statistics. The quality assurance edits for GAGE include 1) changing the GAGE range to 17-47 weeks; 2) applying a series of consistency checks between BWT, GAGE based on mother's report of last menstrual period (LMP), and clinical estimate of GAGE; and 3) imputing GAGE using values from records with similar BWT and race/ethnicity for births where month and year of LMP is known but day of LMP is unknown. The imputation process used by NCHS to impute unknown GAGE values cannot be precisely reproduced at the state level; however, DPH staff developed an analytic process to approximate it.

^a Percentages were not calculated for less than five events because of the high degree of variability associated with small numbers. Denominators used for calculating percentages exclude records with missing data (i.e., denominator = total births minus unknowns).

^b A dash (-) represents the quantity zero.

^c In 2012, BWT was recoded to 'unknown' for 7 records where BWT values were inconsistent with both clinical and LMP-based estimates of gestational age.

^d Very low birthweight is defined as less than 1,500 grams. Low birthweight is defined as less than 2,500 grams.

^e Late prenatal care is defined as prenatal care beginning in the second or third trimester of pregnancy.

^f Non-adequate prenatal care comprises intermediate and inadequate prenatal care based on the Adequacy of Prenatal Care Utilization (APNCU) Index.

^g Mother's Race/Ethnicity represents mutually exclusive groups.

^h Foreign-born status is determined using the mother's self-reported country of birth. Denominators used for calculating percentages exclude records with missing or unknown country of birth.

TABLE 5
CONNECTICUT RESIDENT FETAL DEATHS, 2012
 Birthweight and Gestational Age by Mother's Race and Hispanic Ethnicity,
 Sex, Place of Delivery, Gestational Age, Plurality, and Mother's Age^{a,b}

	TOTAL DEATHS	BIRTHWEIGHT (Grams)							% Very Low BWT <1500g	% Low BWT <2500g	GESTATIONAL AGE			% PRE-MATURE ^c
		< 500	500-999	1000-1499	1500-2499	2500-3499	3500+	UN-KNOWN			17-36 WKS	37+ WKS	UN-KNOWN	
MOTHER'S RACE & ETHNICITY^d														
MOTHER'S RACE/ETHNICITY	183	66	37	15	21	15	10	19	72.0	84.8	152	31	-	83.1
White non-Hispanic	66	22	15	6	9	6	4	4	69.4	83.9	51	15	-	77.3
Black non-Hispanic	32	11	9	2	1	4	-	5	81.5	85.2	28	4	-	87.5
Other non-Hispanic	12	4	1	2	2	-	2	1	63.6	81.8	10	2	-	83.3
Hispanic	54	20	7	3	8	4	4	8	65.2	82.6	45	9	-	83.3
Unknown Race/Ethn	19	9	5	2	1	1	-	1	88.9	94.4	18	1	-	94.7
MOTHER'S RACE	183	66	37	15	21	15	10	19	72.0	84.8	152	31	-	83.1
White	124	42	22	11	17	11	8	13	67.6	82.9	100	24	-	80.6
Black	43	18	12	2	2	4	-	5	84.2	89.5	39	4	-	90.7
Other	14	5	2	2	2	-	2	1	69.2	84.6	12	2	-	85.7
Unknown	2	1	1	-	-	-	-	-	a	a	1	1	-	a
MOTHER'S ETHNICITY	183	66	37	15	21	15	10	19	72.0	84.8	152	31	-	83.1
Non-Hispanic	110	37	25	10	12	10	6	10	72.0	84.0	89	21	-	80.9
Hispanic	54	20	7	3	8	4	4	8	65.2	82.6	45	9	-	83.3
Unknown	19	9	5	2	1	1	-	1	88.9	94.4	18	1	-	94.7
SEX														
MALE	96	38	17	6	9	11	5	10	70.9	81.4	80	16	-	83.3
White non-Hispanic	36	15	7	3	4	4	1	2	73.5	85.3	31	5	-	86.1
Black non-Hispanic	19	7	4	-	-	3	-	5	78.6	78.6	16	3	-	84.2
Other non-Hispanic	4	1	-	1	-	-	1	1	a	a	3	1	-	a
Hispanic	28	10	4	2	4	3	3	2	61.5	76.9	22	6	-	78.6
Unknown Race/Ethn	9	5	2	-	1	1	-	-	77.8	88.9	8	1	-	88.9
FEMALE	85	28	20	9	12	4	5	7	73.1	88.5	70	15	-	82.4
White non-Hispanic	30	7	8	3	5	2	3	2	64.3	82.1	20	10	-	66.7
Black non-Hispanic	13	4	5	2	1	1	-	-	84.6	92.3	12	1	-	92.3
Other non-Hispanic	8	3	1	1	2	-	1	-	62.5	87.5	7	1	-	87.5
Hispanic	25	10	3	1	4	1	1	5	70.0	90.0	22	3	-	88.0
Unknown Race/Ethn	9	4	3	2	-	-	-	-	100.0	100.0	9	-	-	100.0
UNKNOWN	2	-	-	-	-	-	-	2	b	b	2	-	-	a
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	1	b	b	1	-	-	a
Unknown Race/Ethn	1	-	-	-	-	-	-	1	b	b	1	-	-	a
PLACE OF DELIVERY														
IN-HOSPITAL	181	65	36	15	21	15	10	19	71.6	84.6	150	31	-	82.9
White non-Hispanic	66	22	15	6	9	6	4	4	69.4	83.9	51	15	-	77.3
Black non-Hispanic	32	11	9	2	1	4	-	5	81.5	85.2	28	4	-	87.5
Other non-Hispanic	12	4	1	2	2	-	2	1	63.6	81.8	10	2	-	83.3
Hispanic	52	19	6	3	8	4	4	8	63.6	81.8	43	9	-	82.7
Unknown Race/Ethn	19	9	5	2	1	1	-	1	88.9	94.4	18	1	-	94.7
HOME BIRTH	1	-	1	-	-	-	-	-	a	a	1	-	-	a
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	1	-	-	-	-	-	a	a	1	-	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OTHER & UNKNOWN	1	1	-	-	-	-	-	-	a	a	1	-	-	a
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	1	-	-	-	-	-	-	a	a	1	-	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GESTATIONAL AGE														
20-27 WEEKS	108	62	31	1	-	1	-	13	98.9	98.9	108	-	-	100.0
White non-Hispanic	36	21	12	-	-	-	-	3	100.0	100.0	36	-	-	100.0
Black non-Hispanic	23	11	7	-	-	1	-	4	94.7	94.7	23	-	-	100.0
Other non-Hispanic	5	4	1	-	-	-	-	-	100.0	100.0	5	-	-	100.0
Hispanic	29	18	6	-	-	-	-	5	100.0	100.0	29	-	-	100.0
Unknown Race/Ethn	15	8	5	1	-	-	-	1	100.0	100.0	15	-	-	100.0
28-31 WEEKS	22	2	5	12	-	-	-	3	100.0	100.0	22	-	-	100.0
White non-Hispanic	8	-	2	5	-	-	-	1	100.0	100.0	8	-	-	100.0
Black non-Hispanic	4	-	2	2	-	-	-	-	a	a	4	-	-	a
Other non-Hispanic	2	-	-	2	-	-	-	-	a	a	2	-	-	a
Hispanic	6	1	1	2	-	-	-	2	a	a	6	-	-	100.0
Unknown Race/Ethn	2	1	-	1	-	-	-	-	a	a	2	-	-	a

Connecticut Department of Public Health

	TOTAL DEATHS	BIRTHWEIGHT (Grams)							% Very Low BWT <1500g	% Low BWT <2500g	GESTATIONAL AGE			% PRE-MATURE ⁵
		< 500	500-999	1000-1499	1500-2499	2500-3499	3500+	UN-KNOWN			17-36 WKS	37+ WKS	UN-KNOWN	
32-35 WEEKS	15	-	-	2	12	1	-	-	a	93.3	15	-	-	100.0
White non-Hispanic	5	-	-	1	4	-	-	-	a	100.0	5	-	-	100.0
Black non-Hispanic	1	-	-	-	1	-	-	-	a	a	1	-	-	a
Other non-Hispanic	2	-	-	-	2	-	-	-	a	a	2	-	-	a
Hispanic	6	-	-	1	4	1	-	-	a	83.3	6	-	-	100.0
Unknown Race/Ethn	1	-	-	-	1	-	-	-	a	a	1	-	-	a
36 WEEKS	7	-	-	-	4	1	-	2	b	a	7	-	-	100.0
White non-Hispanic	2	-	-	-	1	1	-	-	a	a	2	-	-	a
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	1	-	-	-	-	-	-	1	b	b	1	-	-	a
Hispanic	4	-	-	-	3	-	-	1	b	a	4	-	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37-39 WEEKS	24	2	1	-	4	10	6	1	a	30.4	-	24	-	a
White non-Hispanic	10	1	1	-	3	4	1	-	a	50.0	-	10	-	a
Black non-Hispanic	3	-	-	-	-	2	-	1	b	b	-	3	-	a
Other non-Hispanic	1	-	-	-	-	-	1	-	a	a	-	1	-	a
Hispanic	9	1	-	-	1	3	4	-	a	a	-	9	-	a
Unknown Race/Ethn	1	-	-	-	-	1	-	-	a	a	-	1	-	a
40+ WEEKS	7	-	-	-	1	2	4	-	a	a	-	7	-	a
White non-Hispanic	5	-	-	-	1	1	3	-	a	a	-	5	-	a
Black non-Hispanic	1	-	-	-	-	1	-	-	a	a	-	1	-	a
Other non-Hispanic	1	-	-	-	-	-	1	-	a	a	-	1	-	a
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PLURALITY														
SINGLETONS	168	58	33	15	19	15	10	18	70.7	83.3	139	29	-	82.7
White non-Hispanic	63	21	13	6	9	6	4	4	67.8	83.1	50	13	-	79.4
Black non-Hispanic	29	9	9	2	-	4	-	5	83.3	83.3	25	4	-	86.2
Other non-Hispanic	12	4	1	2	2	-	2	1	63.6	81.8	10	2	-	83.3
Hispanic	47	16	6	3	7	4	4	7	62.5	80.0	38	9	-	80.9
Unknown Race/Ethn	17	8	4	2	1	1	-	1	87.5	93.8	16	1	-	94.1
MULTIPLE BIRTHS	14	8	3	-	2	-	-	1	84.6	100.0	12	2	-	85.7
White non-Hispanic	3	1	2	-	-	-	-	-	a	a	1	2	-	a
Black non-Hispanic	3	2	-	-	1	-	-	-	a	a	3	-	-	a
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	7	4	1	-	1	-	-	1	83.3	100.0	7	-	-	100.0
Unknown Race/Ethn	1	1	-	-	-	-	-	-	a	a	1	-	-	a
UNKNOWN	1	-	1	-	-	-	-	-	a	a	1	-	-	a
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	1	-	1	-	-	-	-	-	a	a	1	-	-	a
MOTHER'S AGE														
LESS THAN 15 YRS	1	-	1	-	-	-	-	-	a	a	1	-	-	a
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	1	-	-	-	-	-	a	a	1	-	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 YRS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16 YRS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17 YRS	3	2	-	-	1	-	-	-	a	a	3	-	-	a
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	1	-	-	1	-	-	-	a	a	2	-	-	a
Unknown Race/Ethn	1	1	-	-	-	-	-	-	a	a	1	-	-	a

Connecticut Department of Public Health

	TOTAL DEATHS	BIRTHWEIGHT (Grams)							% Very Low BWT <1500g	% Low BWT <2500g	GESTATIONAL AGE			% PRE-MATURE ^e
		< 500	500-999	1000-1499	1500-2499	2500-3499	3500+	UN-KNOWN			17-36 WKS	37+ WKS	UN-KNOWN	
18 YRS	3	1	-	-	-	1	-	1	a	a	2	1	-	a
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	2	-	-	-	-	1	-	1	b	b	1	1	-	a
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	1	-	-	-	-	-	-	a	a	1	-	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19 YRS	6	3	-	-	1	1	-	1	a	a	5	1	-	83.3
White non-Hispanic	2	1	-	-	-	1	-	-	a	a	1	1	-	a
Black non-Hispanic	1	-	-	-	-	-	-	1	b	b	1	-	-	a
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	3	2	-	-	1	-	-	-	a	a	3	-	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-24 YRS	26	14	3	3	3	2	-	1	80.0	92.0	24	2	-	92.3
White non-Hispanic	8	4	1	1	2	-	-	-	75.0	100.0	8	-	-	100.0
Black non-Hispanic	7	4	1	1	-	-	-	1	100.0	100.0	7	-	-	100.0
Other non-Hispanic	2	2	-	-	-	-	-	-	a	a	2	-	-	a
Hispanic	9	4	1	1	1	2	-	-	66.7	77.8	7	2	-	77.8
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-29 YRS	57	15	17	3	4	5	5	8	71.4	79.6	47	10	-	82.5
White non-Hispanic	21	5	6	1	1	3	4	1	60.0	65.0	14	7	-	66.7
Black non-Hispanic	11	3	5	-	1	1	-	1	80.0	90.0	10	1	-	90.9
Other non-Hispanic	4	-	1	1	1	-	-	1	a	a	4	-	-	a
Hispanic	16	5	3	1	-	1	1	5	81.8	81.8	14	2	-	87.5
Unknown Race/Ethn	5	2	2	-	1	-	-	-	a	100.0	5	-	-	100.0
30-34 YRS	42	16	8	6	5	3	1	3	76.9	89.7	35	7	-	83.3
White non-Hispanic	15	6	3	3	2	1	-	-	80.0	93.3	13	2	-	86.7
Black non-Hispanic	6	3	-	1	-	1	-	1	a	a	4	2	-	a
Other non-Hispanic	2	-	-	1	-	-	1	-	a	a	1	1	-	a
Hispanic	11	4	2	1	3	-	-	1	70.0	100.0	10	1	-	90.9
Unknown Race/Ethn	8	3	3	-	-	1	-	1	85.7	85.7	7	1	-	87.5
35-39 YRS	36	11	6	3	6	3	4	3	60.6	78.8	27	9	-	75.0
White non-Hispanic	15	5	4	1	3	1	-	1	71.4	92.9	11	4	-	73.3
Black non-Hispanic	4	1	2	-	-	1	-	-	a	a	4	-	-	a
Other non-Hispanic	3	1	-	-	1	-	1	-	a	a	2	1	-	a
Hispanic	10	2	-	-	2	1	3	2	a	a	6	4	-	60.0
Unknown Race/Ethn	4	2	-	2	-	-	-	-	a	a	4	-	-	a
40-44 YRS	8	3	2	-	1	-	-	2	83.3	100.0	7	1	-	87.5
White non-Hispanic	5	1	1	-	1	-	-	2	a	a	4	1	-	a
Black non-Hispanic	1	-	1	-	-	-	-	-	a	a	1	-	-	a
Other non-Hispanic	1	1	-	-	-	-	-	-	a	a	1	-	-	a
Hispanic	1	1	-	-	-	-	-	-	a	a	1	-	-	a
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45+ YRS	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	-	-	-	-	-	-	-	-	-	-	-	-	-	-
UNKNOWN	1	1	-	-	-	-	-	-	a	a	1	-	-	a
White non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown Race/Ethn	1	1	-	-	-	-	-	-	a	a	1	-	-	a

NOTES:

^a Percentages were not calculated for less than five events because of the high degree of variability associated with small numbers. Denominators used for calculating percentages exclude records with missing data (i.e., denominator = total births minus unknowns).

^b A dash (-) represents the quantity zero.

^c "Premature" refers to fetal deaths of less than 37 weeks gestation when gestational age was known.

^d Mother's Race/Ethnicity represents mutually exclusive groups.

TABLE 6
CONNECTICUT RESIDENT FETAL DEATHS, 2012
 Cause of Death by Mother's Race and Hispanic Ethnicity and by Gestational Age^{a,b}

ICD-10 CODE AND CAUSE OF DEATH	TOTAL DEATHS	MOTHER'S RACE/ETHNICITY ^c						GESTATIONAL AGE			
		WHITE		BLACK		OTHER		UN-KNOWN	20-36 WKS	37+ WKS	UN-KNOWN
		HISP	NON-HISP	HISP	NON-HISP	HISP	NON-HISP				
TOTAL: ALL CAUSES	183	66	32	12	54	19	152	31	-	-	
P00-P96 Perinatal conditions											
P00 Fetus affected by maternal conditions unrelated to pregnancy	4	-	3	-	-	1	4	-	-	-	
P01 Fetus affected by maternal complications of pregnancy	4	1	-	-	3	-	4	-	-	-	
P02 Fetus affected by complications of placenta, cord and membranes	25	14	3	-	6	2	20	5	-	-	
P03 Fetus affected by other labor, delivery complications	2	-	1	-	1	-	2	-	-	-	
P05 Slow fetal growth and fetal malnutrition	3	1	1	-	1	-	2	1	-	-	
P07 Disorders related to short gestation and low birthweight	34	10	7	2	10	5	34	-	-	-	
P20-P21 Intrauterine hypoxia and birth asphyxia	5	1	2	-	2	-	4	1	-	-	
P23-P28 Other respiratory conditions originating in the perinatal period	-	-	-	-	-	-	-	-	-	-	
P29 Cardiovascular disorders originating in perinatal period	4	2	2	-	-	-	2	2	-	-	
P35-P39 Infections specific to the perinatal period	1	-	-	-	1	-	1	-	-	-	
P61 Other perinatal hematological disorders	1	-	-	-	-	1	1	-	-	-	
P80-P83 Conditions involving fetus integument & temperature regulation	1	-	-	-	-	1	1	-	-	-	
P90-P96 Other disorders originating in perinatal period	81	32	9	7	27	6	62	19	-	-	
Q00-Q99 Congenital malformations, deformations, & chromosomal abnormalities											
Q00 Anencephaly and similar malformations	-	-	-	-	-	-	-	-	-	-	
Q05 Spina bifida	-	-	-	-	-	-	-	-	-	-	
Q01-Q02,Q04,Q06-Q07 Other congenital malformations of nervous system	-	-	-	-	-	-	-	-	-	-	
Q24 Other congenital malformation of the heart	1	-	-	-	1	-	-	1	-	-	
Q30-Q34 Congenital malformation of respiratory system	-	-	-	-	-	-	-	-	-	-	
Q60-Q64 Congenital malformation of urinary system	-	-	-	-	-	-	-	-	-	-	
Q68 Other congenital musculoskeletal deformities	1	-	-	-	-	-	-	-	-	-	
Q90,Q91 Chromosomal abnormalities	3	1	1	1	-	-	3	-	-	-	
Q89 Other congenital malformations	-	-	-	-	-	-	-	-	-	-	
R95-R99 Other ill-defined and unknown causes of mortality	12	4	3	2	1	2	10	2	-	-	
All Other Causes^d											

NOTES:

- ^a Fetal deaths are deaths of fetuses after 20 or more weeks of gestation.
- ^b A dash (-) represents the quantity zero.
- ^c Mother's Race/Ethnicity represents mutually exclusive groups.
- ^d There was 1 records with unknown cause of death.

TABLE 7
 CONNECTICUT RESIDENT INFANT, NEONATAL, AND POSTNEONATAL DEATHS, 2012
 Deaths by Infant's Race and Ethnicity for Counties, Health Districts, and Towns^{a,b}

GEOGRAPHIC AREA	INFANT DEATHS (1-364 DAYS)						NEONATAL DEATHS (1-27 DAYS)						POSTNEONATAL DEATHS (28-364 DAYS)					
	TOTAL DEATHS	INFANT'S RACE & ETHNICITY					TOTAL DEATHS	INFANT'S RACE & ETHNICITY					TOTAL DEATHS	INFANT'S RACE & ETHNICITY				
		WHITE	BLACK	OTHER	HIS- PANIC	WHITE		BLACK	OTHER	HIS- PANIC	WHITE	BLACK		OTHER	HIS- PANIC			
CONNECTICUT	192	113	59	4	57	150	92	43	2	43	42	21	16	2	14			
COUNTY:																		
Fairfield County	39	19	13	-	18	35	17	11	-	16	4	2	2	-	2			
Hartford County	67	38	26	3	20	52	32	19	1	14	15	6	7	2	6			
Litchfield County	14	14	-	-	-	12	12	-	-	-	2	2	-	-	-			
Middlesex County	3	2	1	-	-	3	2	1	-	-	-	-	-	-	-			
New Haven County	49	25	17	1	16	35	20	10	1	11	14	5	7	-	5			
New London County	13	10	2	-	2	8	6	2	-	1	5	4	-	-	1			
Tolland County	3	3	-	-	-	1	1	-	-	-	2	2	-	-	-			
Windham County	2	2	-	-	1	2	2	-	-	1	-	-	-	-	-			
HEALTH DISTRICT:																		
Bristol-Burlington	5	5	-	-	1	5	5	-	-	1	-	-	-	-	-			
Central Connecticut	5	5	-	-	-	5	5	-	-	-	-	-	-	-	-			
Chatham	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-			
Chesprocott	3	3	-	-	-	2	2	-	-	-	1	1	-	-	-			
CT River Area	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
East Shore	3	2	1	-	-	2	1	1	-	-	1	1	-	-	-			
Eastern Highlands	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-			
Farmington Valley	7	6	1	-	1	7	6	1	-	1	-	-	-	-	-			
Ledge Light	5	4	-	-	2	3	3	-	-	1	2	1	-	-	1			
Naugatuck Valley	3	3	-	-	-	3	3	-	-	-	-	-	-	-	-			
Newtown	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-			
North Central	4	4	-	-	1	3	3	-	-	1	1	1	-	-	-			
Northeast	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-			
Plainville-Southngtn	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-			
Pomperaug	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-			
Quinnipiack Valley	3	2	1	-	1	2	2	-	-	-	1	-	1	-	1			
Torrington Area	10	10	-	-	-	8	8	-	-	-	2	2	-	-	-			
Trumbull-Monroe	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Uncas Regional	7	5	2	-	-	4	2	2	-	-	3	3	-	-	-			
W Hrtfd-Bloomfield	4	2	1	1	-	4	2	1	1	-	-	-	-	-	-			
Weston-Westport	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
TOWN:																		
Andover	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Ansonia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Ashford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Avon	2	1	1	-	-	2	1	1	-	-	-	-	-	-	-			
Barkhamsted	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Beacon Falls	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Berlin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Bethany	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Bethel	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Bethlehem	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-			
Bloomfield	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-			
Bolton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Bozrah	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Branford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Bridgeport	22	9	10	-	12	19	8	8	-	10	3	1	2	-	2			
Bridgewater	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Bristol	5	5	-	-	1	5	5	-	-	1	-	-	-	-	-			
Brookfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Brooklyn	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Burlington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Canaan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Canterbury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Canton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Chaplin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Cheshire	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Chester	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Clinton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Colchester	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-			
Colebrook	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Columbia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Cornwall	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Coventry	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Cromwell	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Danbury	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-			
Darien	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Deep River	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Derby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Durham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Eastford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			

Connecticut Department of Public Health

GEOGRAPHIC AREA	INFANT DEATHS (1-364 DAYS)					NEONATAL DEATHS (1-27 DAYS)					POSTNEONATAL DEATHS (28-364 DAYS)				
	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC
		WHITE	BLACK	OTHER			WHITE	BLACK	OTHER			WHITE	BLACK	OTHER	
East Granby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
East Haddam	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
East Hampton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
East Hartford	8	2	6	-	2	6	1	5	-	1	2	1	1	-	1
East Haven	2	1	1	-	-	1	-	1	-	-	1	1	-	-	-
East Lyme	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Easton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Windsor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ellington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Essex	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Fairfield	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Farmington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Glastonbury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Goshen	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Granby	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich	1	1	-	-	1	1	1	-	-	1	-	-	-	-	-
Griswold	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
Groton	3	3	-	-	1	2	2	-	-	1	1	1	-	-	-
Guilford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Haddam	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hamden	1	-	1	-	1	-	-	-	-	-	1	-	1	-	1
Hampton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hartford	21	10	10	1	10	15	7	8	-	8	6	3	2	1	2
Hartland	1	1	-	-	1	1	1	-	-	1	-	-	-	-	-
Harwinton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hebron	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Kent	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Killingly	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Killingworth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lebanon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ledyard	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Lisbon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Litchfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lyme	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Madison	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manchester	2	1	1	-	1	1	1	-	-	1	1	-	1	-	-
Mansfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Marlborough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meriden	6	4	2	-	2	5	3	2	-	2	1	1	-	-	-
Middlebury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Middlefield	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Middletown	2	1	1	-	-	2	1	1	-	-	-	-	-	-	-
Milford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Monroe	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Montville	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Morris	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Naugatuck	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Britain	9	5	4	-	5	5	3	2	-	2	4	2	2	-	3
New Canaan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Fairfield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Hartford	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-
New Haven	21	7	9	-	10	16	6	6	-	8	5	1	3	-	2
Newington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New London	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
New Milford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Newtown	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Norfolk	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Branford	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
North Canaan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Haven	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Stonington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Norwalk	6	2	1	-	4	6	2	1	-	4	-	-	-	-	-
Norwich	6	4	2	-	-	4	2	2	-	-	2	2	-	-	-
Old Lyme	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Saybrook	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Orange	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plainfield	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Plainville	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plymouth	3	3	-	-	-	2	2	-	-	-	1	1	-	-	-
Pomfret	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Preston	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prospect	2	2	-	-	-	1	1	-	-	-	1	1	-	-	-
Putnam	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Redding	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-

Connecticut Department of Public Health

GEOGRAPHIC AREA	INFANT DEATHS (1-364 DAYS)					NEONATAL DEATHS (1-27 DAYS)					POSTNEONATAL DEATHS (28-364 DAYS)				
	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	NEONATAL'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	POSTNEONATAL'S RACE & ETHNICITY			HIS- PANIC
		WHITE	BLACK	OTHER			WHITE	BLACK	OTHER			WHITE	BLACK	OTHER	
Ridgefield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rocky Hill	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Roxbury	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Salem	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Salisbury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scotland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Seymour	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Sharon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shelton	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-
Sherman	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Simsbury	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-
Somers	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Southbury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Southington	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-
South Windsor	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1
Sprague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stafford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stamford	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
Sterling	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stonington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford	3	2	1	-	-	3	2	1	-	-	-	-	-	-	-
Suffield	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Thomaston	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thompson	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tolland	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
Torrington	4	4	-	-	-	4	4	-	-	-	-	-	-	-	-
Trumbull	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Union	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vernon	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
Voluntown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wallingford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Warren	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waterbury	6	3	2	-	2	3	2	1	-	-	3	1	1	-	2
Waterford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watertown	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
Westbrook	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Hartford	3	2	-	1	-	3	2	-	1	-	-	-	-	-	-
West Haven	6	3	2	1	1	4	3	-	1	1	2	-	2	-	-
Weston	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westport	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wethersfield	5	5	-	-	-	5	5	-	-	-	-	-	-	-	-
Willington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wilton	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Winchester	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Windham	1	1	-	-	1	1	1	-	-	1	-	-	-	-	-
Windsor	3	-	3	-	-	2	-	2	-	-	1	-	1	-	-
Windsor Locks	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Wolcott	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Woodbridge	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-
Woodbury	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Woodstock	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Unknown CT Town	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTES:

^a A dash (-) represents the quantity zero.

^b Race and ethnicity as reported here are not mutually exclusive groups. Individuals identifying themselves as "Hispanic" can be of any race and are counted in the race breakdown as either "white," "black," or "other". "Other" refers to cases where a self-reported race is something other than "white" or "black" but is not "unknown". For reporting purposes, only the main components of race and only the Hispanic component of ethnicity are shown; counts for those of unknown race or ethnicity are omitted. Consequently, the race and/or the ethnicity components do not sum to the total number of events. Overall, there are 16 infant deaths with unknown race and 1 with unknown ethnicity.

TABLE 8
CONNECTICUT RESIDENT INFANT, NEONATAL, AND POSTNEONATAL DEATHS, 2012
Cause of Death by Infant's Race and Ethnicity^{a,b}

ICD-10 CODE AND CAUSE OF DEATH	INFANT DEATHS (1-364 DAYS)					NEONATAL DEATHS (1-27 DAYS)					POSTNEONATAL DEATHS (28-364 DAYS)				
	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC	TOTAL DEATHS	INFANT'S RACE & ETHNICITY			HIS- PANIC
		WHITE	BLACK	OTHER			WHITE	BLACK	OTHER			WHITE	BLACK	OTHER	
ALL CAUSES^c	192	113	59	4	57	150	92	43	2	43	42	21	16	2	14
A00-B99 Certain infectious and parasitic diseases	3	1	2	-	2	-	-	-	-	-	3	1	2	-	2
C00-C97 Malignant neoplasms	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
G00-G98 Diseases of the nervous system	4	3	1	-	-	2	2	-	-	-	2	1	1	-	-
I00-I99 Disease of the circulatory system	2	1	-	-	1	-	-	-	-	-	2	1	-	-	1
J00-J98 Diseases of the respiratory system	3	2	1	-	-	-	-	-	-	-	3	2	1	-	-
Q00-Q99 Congenital malformations	29	18	5	3	9	20	12	5	1	7	9	6	-	2	2
Q00-Q07 Anencephalus,hydrocephalus, spina bifida, other congenital anomalies of nervous system	3	1	2	-	-	2	-	2	-	-	1	1	-	-	-
Q20-Q28 Congenital malformation of the circulatory system	8	4	-	3	1	2	1	-	1	-	6	3	-	2	1
Q30-Q34 Congenital malformation of respiratory system	4	2	1	-	1	4	2	1	-	1	-	-	-	-	-
Q60-Q64 Congenital malformation of urinary system	3	2	1	-	2	3	2	1	-	2	-	-	-	-	-
Q90-Q91 Down's, Edward's and Patau's syndrome	2	2	-	-	2	2	2	-	-	2	-	-	-	-	-
Q10-Q18,Q86-Q89 Other and unspecified congenital anomalies	3	3	-	-	1	2	2	-	-	-	1	1	-	-	1
P00-P96 Certain conditions originating in the perinatal period	123	73	40	-	34	121	73	38	-	33	2	-	2	-	1
P00-P04 Fetus and newborn affected by maternal factors and by complications of pregnancy, labor and delivery	22	16	3	-	10	22	16	3	-	10	-	-	-	-	-
P01 Fetus and newborn affected by maternal complications of pregnancy	13	9	3	-	4	13	9	3	-	4	-	-	-	-	-
P01.0-P01.3 Incompetent cervix; premature rupture of membranes/oligohydramnios/polyhydramnios	11	8	2	-	3	11	8	2	-	3	-	-	-	-	-
P01.5 Fetus and newborn affected by multiple pregnancy	1	1	-	-	1	1	1	-	-	1	-	-	-	-	-
P01.2-P01.4,P01.6-P01.9 Other maternal complications of pregnancy	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
P02 Fetus and newborn affected by complications of placenta, cord, membranes	9	7	-	-	6	9	7	-	-	6	-	-	-	-	-
P07 Disorders relating to short gestation and low birth weight, not elsewhere classified	58	31	20	-	11	58	31	20	-	11	-	-	-	-	-
P20-P21 Intrauterine hypoxia and birth asphyxia	4	3	1	-	2	4	3	1	-	2	-	-	-	-	-
P22 Respiratory distress of newborn	5	3	2	-	3	5	3	2	-	3	-	-	-	-	-
P23-P28 Other respiratory conditions in perinatal period	5	2	3	-	2	3	2	1	-	1	2	-	2	-	1
P28.0-P28.1 Atelectasis	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
P36 Bacterial sepsis of newborn	3	3	-	-	1	3	3	-	-	1	-	-	-	-	-
R00-R99 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	19	10	8	-	7	2	2	-	-	1	17	8	8	-	6
R95 Sudden infant death syndrome	15	7	7	-	6	1	1	-	-	-	14	6	7	-	6
V01-X59 Accidents (unintentional injuries)	2	1	1	-	2	-	-	-	-	-	2	1	1	-	2

NOTES:

^a A dash (-) represents the quantity zero.

^b Race and ethnicity as reported here are not mutually exclusive groups. Individuals identifying themselves as "Hispanic" can be of any race and are counted in the race breakdown as either "white," "black," or "other". "Other" refers to cases where a self-reported race is something other than "white" or "black" but is not "unknown". For reporting purposes, only the main components of race and only the Hispanic component of ethnicity are shown; counts for those of unknown race or ethnicity are omitted. Consequently, the race and/or the ethnicity components do not sum to the total number of events. Overall, there were 16 infant deaths with unknown race and 1 with unknown ethnicity.

^c Cause of death was unknown for 4 infant deaths.

TABLE 9
CONNECTICUT RESIDENT DEATHS, 2012
 Selected Causes of Death^a by Decedent's Age, Sex, Race, and Hispanic Ethnicity^b

CAUSE OF DEATH (ICD 10th Revision)	TOTAL	AGE AT DEATH ^c															Unknown			
		<5	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74		75-79	80-84	85+
TOTAL, ALL CAUSES^d																				
All Races/Ethnicities	29321	222	40	24	77	171	175	214	227	397	700	1133	1359	1699	1922	2204	2833	4144	11777	3
Male	14038	129	18	15	58	120	125	156	162	240	434	733	818	1008	1117	1258	1445	1951	4248	3
Female	15282	92	22	9	19	51	50	58	65	157	266	400	541	691	805	946	1388	2193	7529	-
White non-Hisp	25545	91	28	18	46	98	109	135	147	253	513	863	1093	1364	1606	1839	2456	3770	11113	3
Male	12071	55	12	12	31	69	75	98	103	150	336	571	672	814	947	1059	1265	1770	4029	3
Female	13474	36	16	6	15	29	34	37	44	103	177	292	421	550	659	780	1191	2000	7084	-
Black non-Hisp	2036	57	3	3	15	42	25	31	33	70	85	141	156	184	183	209	205	202	392	-
Male	974	31	1	2	12	30	19	21	21	38	37	73	73	97	100	111	96	96	116	-
Female	1061	25	2	1	3	12	6	10	12	32	48	68	83	87	83	98	109	106	276	-
Other non-Hisp	298	5	3	-	2	8	6	4	8	3	12	14	21	21	23	36	45	36	51	-
Male	157	4	1	-	2	5	3	3	7	1	8	8	13	12	9	19	24	17	21	-
Female	141	1	2	-	-	3	3	1	1	2	4	6	8	9	14	17	21	19	30	-
Hispanic	1315	67	6	3	12	21	29	44	35	66	83	105	79	121	102	110	116	122	194	-
Male	759	37	4	1	12	14	25	34	29	49	49	76	54	78	56	62	51	59	69	-
Female	556	30	2	2	-	7	4	10	6	17	34	29	25	43	46	48	65	63	125	-
A04,A07-A09 Certain other intestinal infections																				
All Races/Ethnicities	139	3	-	-	-	-	-	-	-	-	-	2	3	4	8	9	16	22	72	-
Male	51	2	-	-	-	-	-	-	-	-	-	1	1	3	2	6	6	9	21	-
Female	88	1	-	-	-	-	-	-	-	-	-	1	2	1	6	3	10	13	51	-
White non-Hisp	127	-	-	-	-	-	-	-	-	-	-	2	2	3	5	9	15	22	69	-
Male	49	-	-	-	-	-	-	-	-	-	-	1	1	3	2	6	6	9	21	-
Female	78	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	9	13	48	-
Black non-Hisp	8	1	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	2	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	8	1	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	2	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
A16-A19 Tuberculosis																				
All Races/Ethnicities	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A16 Respiratory Tuberculosis																				
All Races/Ethnicities	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

A40-A41 Septicemia																				
All Races/Ethnicities	543	-	1	-	1	1	1	2	-	4	14	16	17	24	47	43	61	80	231	-
Male	252	-	1	-	1	-	-	2	-	1	7	9	10	15	26	22	30	32	96	-
Female	289	-	-	-	-	1	1	-	-	3	7	7	7	9	21	21	29	48	135	-
White non-Hisp	472	-	1	-	1	1	1	1	-	2	11	10	14	19	39	35	48	73	216	-
Male	221	-	1	-	1	-	-	1	-	1	6	6	10	12	23	17	23	29	91	-
Female	251	-	-	-	-	1	1	-	-	1	5	4	4	7	16	18	25	44	125	-
Black non-Hisp	43	-	-	-	-	-	-	-	-	1	-	2	2	4	7	6	8	5	8	-
Male	20	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	6	2	3	-
Female	23	-	-	-	-	-	-	-	-	1	-	2	2	2	4	2	2	3	5	-
Other non-Hisp	5	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1	1	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-
Hispanic	21	-	-	-	-	-	-	1	-	1	2	3	-	1	1	2	3	1	6	-
Male	9	-	-	-	-	-	-	1	-	-	-	2	-	1	-	1	1	1	2	-
Female	12	-	-	-	-	-	-	-	-	1	2	1	-	-	1	1	2	-	4	-
B15-B19 Viral Hepatitis																				
All Races/Ethnicities	68	-	-	-	-	-	-	-	-	3	7	10	16	18	4	3	2	3	2	-
Male	43	-	-	-	-	-	-	-	-	1	2	8	12	13	2	2	1	1	1	-
Female	25	-	-	-	-	-	-	-	-	2	5	2	4	5	2	1	1	2	1	-
White non-Hisp	48	-	-	-	-	-	-	-	-	5	8	12	11	11	2	3	2	3	2	-
Male	31	-	-	-	-	-	-	-	-	1	6	10	8	8	1	2	1	1	1	-
Female	17	-	-	-	-	-	-	-	-	4	2	2	3	3	1	1	1	2	1	-
Black non-Hisp	7	-	-	-	-	-	-	-	-	1	-	-	3	1	2	-	-	-	-	-
Male	4	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	12	-	-	-	-	-	-	-	-	2	2	2	1	5	-	-	-	-	-	-
Male	7	-	-	-	-	-	-	-	-	1	1	2	-	3	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-
B20-B24 Human immunodeficiency virus (HIV) disease																				
All Races/Ethnicities	81	-	-	-	1	2	2	1	1	8	11	20	13	13	8	1	-	-	-	-
Male	47	-	-	-	-	2	2	-	1	3	7	11	8	7	5	1	-	-	-	-
Female	34	-	-	-	1	-	-	1	-	5	4	9	5	6	3	-	-	-	-	-
White non-Hisp	24	-	-	-	-	-	-	-	1	2	5	5	3	7	-	1	-	-	-	-
Male	18	-	-	-	-	-	-	-	1	1	5	4	2	4	-	1	-	-	-	-
Female	6	-	-	-	-	-	-	-	-	1	-	1	1	3	-	-	-	-	-	-
Black non-Hisp	39	-	-	-	1	2	1	1	-	3	3	10	6	6	6	-	-	-	-	-
Male	21	-	-	-	-	2	1	-	-	-	-	6	4	3	5	-	-	-	-	-
Female	18	-	-	-	1	-	-	1	-	3	3	4	2	3	1	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	18	-	-	-	-	-	1	-	-	3	3	5	4	-	2	-	-	-	-	-
Male	8	-	-	-	-	-	1	-	-	2	2	1	2	-	-	-	-	-	-	-
Female	10	-	-	-	-	-	-	-	-	1	1	4	2	-	2	-	-	-	-	-
Other & unspecified infections & parasitic diseases & sequelae																				
All Races/Ethnicities	93	1	-	-	1	-	-	-	-	1	2	6	5	9	4	12	12	17	23	-
Male	51	-	-	-	1	-	-	-	-	1	1	3	4	6	2	8	6	8	11	-
Female	42	1	-	-	-	-	-	-	-	-	1	3	1	3	2	4	6	9	12	-
White non-Hisp	75	-	-	-	1	-	-	-	-	1	1	4	2	9	4	9	8	17	19	-
Male	43	-	-	-	1	-	-	-	-	1	-	2	2	6	2	7	5	8	9	-
Female	32	-	-	-	-	-	-	-	-	-	1	2	-	3	2	2	3	9	10	-
Black non-Hisp	7	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	1	-	2	-
Male	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-
Female	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	10	1	-	-	-	-	-	-	-	1	-	2	-	-	2	2	-	2	-	-
Male	4	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-
Female	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-

C00-C97 Malignant neoplasms																				
All Races/Ethnicities	6672	6	5	4	2	8	14	22	34	77	160	338	453	659	786	789	864	953	1498	-
Male	3339	3	2	3	1	3	6	10	14	31	71	179	224	341	452	413	457	483	646	-
Female	3281	3	3	1	1	3	8	12	18	44	85	155	229	314	330	372	405	458	840	-
White non-Hisp	5755	3	2	3	2	5	11	12	20	55	117	265	368	538	677	676	754	848	1399	-
Male	2909	1	1	2	1	3	3	6	7	22	56	142	187	284	392	355	405	428	614	-
Female	2846	2	1	1	1	2	8	6	13	33	61	123	181	254	285	321	349	420	785	-
Black non-Hisp	493	1	1	1	-	-	2	4	6	9	18	40	50	71	62	60	55	51	62	-
Male	220	1	-	1	-	-	2	1	3	4	6	17	14	29	32	29	26	34	21	-
Female	273	-	1	-	-	-	-	3	3	5	12	23	36	42	30	31	29	17	41	-
Other non-Hisp	105	1	1	-	-	1	-	-	3	2	4	5	11	8	9	19	22	14	5	-
Male	52	1	-	-	-	-	-	-	3	1	2	2	6	3	4	11	8	8	3	-
Female	53	-	1	-	-	1	-	-	-	1	2	3	5	5	5	8	14	6	2	-
Hispanic	267	1	1	-	-	-	1	6	3	9	17	24	24	38	34	30	31	28	20	-
Male	158	-	1	-	-	-	1	3	1	4	7	18	17	25	24	18	18	13	8	-
Female	109	1	-	-	-	-	-	3	2	5	10	6	7	13	10	12	13	15	12	-
C00-C14 Lip, oral cavity and pharynx cancer																				
All Races/Ethnicities	83	-	-	-	-	1	-	-	-	-	3	8	12	5	12	4	9	15	14	-
Male	59	-	-	-	-	-	-	-	-	-	2	6	8	4	12	3	5	11	8	-
Female	24	-	-	-	-	1	-	-	-	-	1	2	4	1	-	1	4	4	6	-
White non-Hisp	68	-	-	-	-	-	-	-	-	-	2	4	12	5	10	3	8	12	12	-
Male	48	-	-	-	-	-	-	-	-	-	1	4	8	4	10	2	4	8	7	-
Female	20	-	-	-	-	-	-	-	-	-	1	-	4	1	-	1	4	4	5	-
Black non-Hisp	10	-	-	-	-	-	-	-	-	-	1	2	-	-	2	-	-	3	2	-
Male	8	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	3	1	-
Female	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-
Other non-Hisp	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Hispanic	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
Male	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15 Oesophagus cancer																				
All Races/Ethnicities	168	-	-	-	-	-	-	-	-	2	3	7	11	29	17	18	32	20	29	-
Male	135	-	-	-	-	-	-	-	-	1	3	7	9	27	15	16	24	15	18	-
Female	33	-	-	-	-	-	-	-	-	1	-	-	2	2	2	2	8	5	11	-
White non-Hisp	149	-	-	-	-	-	-	-	-	2	2	7	10	27	15	16	27	16	27	-
Male	119	-	-	-	-	-	-	-	-	1	2	7	8	25	13	14	19	13	17	-
Female	30	-	-	-	-	-	-	-	-	1	-	-	2	2	2	2	8	3	10	-
Black non-Hisp	10	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	1	-
Male	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Other non-Hisp	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	6	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	1	-
Male	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
C16 Stomach cancer																				
All Races/Ethnicities	148	-	-	-	-	-	-	-	-	1	8	11	7	13	15	20	12	26	35	-
Male	89	-	-	-	-	-	-	-	-	-	5	7	6	11	10	11	10	14	15	-
Female	55	-	-	-	-	-	-	-	-	1	3	4	1	2	5	9	2	8	20	-
White non-Hisp	111	-	-	-	-	-	-	-	-	1	6	7	6	9	10	14	9	18	31	-
Male	68	-	-	-	-	-	-	-	-	4	5	5	9	9	7	5	8	11	14	-
Female	43	-	-	-	-	-	-	-	-	1	2	2	1	-	3	9	1	7	17	-
Black non-Hisp	17	-	-	-	-	-	-	-	-	-	2	3	-	1	2	2	1	3	3	-
Male	8	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	-	2	-	-
Female	9	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	1	1	3	-
Other non-Hisp	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-
Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Hispanic	11	-	-	-	-	-	-	-	-	-	1	1	2	2	2	2	2	-	1	-
Male	9	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	2	-	1	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-

Connecticut Department of Public Health

C18-C21 Colorectal cancer																				
All Races/Ethnicities	537	-	-	-	-	1	1	4	3	10	20	31	38	50	57	47	65	72	138	-
Male	259	-	-	-	-	1	-	1	2	4	7	16	22	27	33	20	38	32	56	-
Female	272	-	-	-	-	-	1	3	1	6	11	15	16	23	24	27	27	40	78	-
White non-Hisp	451	-	-	-	-	1	1	3	3	10	14	24	29	39	43	42	57	63	122	-
Male	224	-	-	-	-	1	-	1	2	4	7	13	16	22	24	20	32	29	53	-
Female	227	-	-	-	-	-	1	2	1	6	7	11	13	17	19	22	25	34	69	-
Black non-Hisp	48	-	-	-	-	-	-	-	-	-	2	3	7	7	10	2	6	4	7	-
Male	21	-	-	-	-	-	-	-	-	-	-	-	4	2	6	-	5	3	1	-
Female	27	-	-	-	-	-	-	-	-	-	2	3	3	5	4	2	1	1	6	-
Other non-Hisp	10	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	2	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	2	-
Hispanic	22	-	-	-	-	-	-	1	-	-	2	4	1	3	3	1	1	3	3	-
Male	13	-	-	-	-	-	-	-	-	-	-	3	1	3	3	-	1	-	2	-
Female	9	-	-	-	-	-	-	1	-	-	2	1	-	-	-	1	-	3	1	-
C22 Liver cancer																				
All Races/Ethnicities	267	1	-	-	-	-	1	-	4	5	4	20	35	35	35	31	40	22	34	-
Male	192	1	-	-	-	-	1	-	1	2	3	17	26	25	29	23	30	14	20	-
Female	67	-	-	-	-	-	-	-	1	1	1	1	9	8	6	8	10	8	14	-
White non-Hisp	199	-	-	-	-	-	-	-	1	2	2	13	23	18	29	24	36	19	32	-
Male	146	-	-	-	-	-	-	-	-	1	2	13	18	14	24	18	27	11	18	-
Female	53	-	-	-	-	-	-	-	1	1	-	-	5	4	5	6	9	8	14	-
Black non-Hisp	23	-	-	-	-	-	1	-	-	-	3	4	8	-	1	3	1	1	1	-
Male	18	-	-	-	-	-	1	-	-	-	2	3	6	-	1	2	1	1	1	-
Female	5	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-
Other non-Hisp	9	1	-	-	-	-	-	-	1	-	1	-	1	1	1	1	-	1	1	-
Male	7	1	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	1	1	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
Hispanic	28	-	-	-	-	-	-	-	-	1	1	2	7	6	4	3	3	1	-	-
Male	21	-	-	-	-	-	-	-	-	1	-	2	5	4	3	3	2	1	-	-
Female	7	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	1	-	-	-
C25 Pancreatic cancer																				
All Races/Ethnicities	473	-	-	-	-	-	-	-	-	2	10	19	34	45	58	57	65	86	97	-
Male	209	-	-	-	-	-	-	-	-	1	6	12	19	27	30	20	29	39	26	-
Female	260	-	-	-	-	-	-	-	-	1	4	7	15	18	28	37	34	47	69	-
White non-Hisp	400	-	-	-	-	-	-	-	-	-	7	16	27	30	53	48	54	79	86	-
Male	180	-	-	-	-	-	-	-	-	-	4	9	17	18	29	16	27	36	24	-
Female	220	-	-	-	-	-	-	-	-	-	3	7	10	12	24	32	27	43	62	-
Black non-Hisp	40	-	-	-	-	-	-	-	-	1	2	1	4	8	3	5	4	4	8	-
Male	15	-	-	-	-	-	-	-	-	1	1	1	-	5	-	1	2	2	2	-
Female	25	-	-	-	-	-	-	-	-	-	1	-	4	3	3	4	2	2	6	-
Other non-Hisp	11	-	-	-	-	-	-	-	1	-	-	-	1	2	1	2	3	1	-	-
Male	6	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	1	-	-
Female	5	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	3	-	-	-
Hispanic	18	-	-	-	-	-	-	-	-	1	2	2	5	5	1	2	2	2	1	-
Male	8	-	-	-	-	-	-	-	-	1	2	1	2	2	1	1	-	-	-	-
Female	10	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	2	2	1	-
C32 Larynx cancer																				
All Races/Ethnicities	34	-	-	-	-	-	-	-	-	-	4	5	4	4	4	8	6	1	2	-
Male	26	-	-	-	-	-	-	-	-	-	4	4	4	4	4	6	4	-	-	-
Female	8	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	1	2	-
White non-Hisp	24	-	-	-	-	-	-	-	-	-	3	3	2	2	4	6	3	1	2	-
Male	18	-	-	-	-	-	-	-	-	-	3	2	2	2	4	5	2	-	-	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	-
Black non-Hisp	8	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	3	-	-	-
Male	6	-	-	-	-	-	-	-	-	-	1	-	2	2	-	1	2	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

C33-C34 Trachea, bronchus & lung cancer																				
All Races/Ethnicities	1645	-	-	-	-	-	-	3	3	7	28	71	132	174	242	234	212	247	292	-
Male	841	-	-	-	-	-	-	1	2	2	19	41	64	85	149	125	94	130	129	-
Female	802	-	-	-	-	-	-	2	1	5	9	30	68	89	93	107	118	117	163	-
White non-Hisp	1476	-	-	-	-	-	-	3	1	5	26	59	109	153	219	206	186	228	281	-
Male	749	-	-	-	-	-	-	1	-	1	17	32	55	74	132	110	83	118	126	-
Female	727	-	-	-	-	-	-	2	1	4	9	27	54	79	87	96	103	110	155	-
Black non-Hisp	98	-	-	-	-	-	-	-	1	2	2	7	17	14	13	14	13	8	7	-
Male	42	-	-	-	-	-	-	-	1	1	2	4	4	5	8	6	5	4	2	-
Female	56	-	-	-	-	-	-	-	-	1	-	3	13	9	5	8	8	4	5	-
Other non-Hisp	20	-	-	-	-	-	-	-	1	-	-	1	2	1	-	3	7	5	-	-
Male	13	-	-	-	-	-	-	-	1	-	-	1	2	-	-	3	3	3	-	-
Female	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	2	-	-
Hispanic	49	-	-	-	-	-	-	-	-	-	-	4	4	6	10	9	6	6	4	-
Male	37	-	-	-	-	-	-	-	-	-	-	4	3	6	9	6	3	5	1	-
Female	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	1	3	-
C43 Skin cancer																				
All Races/Ethnicities	99	-	-	-	-	-	-	1	-	2	2	9	5	8	13	12	10	20	17	-
Male	60	-	-	-	-	-	-	-	-	1	-	6	2	5	12	4	6	14	10	-
Female	39	-	-	-	-	-	-	1	-	1	2	3	3	3	1	8	4	6	7	-
White non-Hisp	95	-	-	-	-	-	-	1	-	2	2	9	5	7	12	12	10	18	17	-
Male	57	-	-	-	-	-	-	-	-	1	-	6	2	5	11	4	6	12	10	-
Female	38	-	-	-	-	-	-	1	-	1	2	3	3	2	1	8	4	6	7	-
Black non-Hisp	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other non-Hisp		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50 Breast cancer																				
All Races/Ethnicities	492	-	-	-	-	-	1	1	4	16	24	32	45	62	54	42	44	54	113	-
Male	13	-	-	-	-	-	-	-	-	-	-	1	2	-	1	3	3	-	3	-
Female	475	-	-	-	-	-	1	1	4	16	24	30	44	60	53	39	41	52	110	-
White non-Hisp	429	-	-	-	-	-	1	-	2	11	15	26	35	45	50	39	42	51	112	-
Male	13	-	-	-	-	-	-	-	-	-	-	1	2	-	1	3	3	-	3	-
Female	416	-	-	-	-	-	1	-	2	11	15	26	34	43	49	36	39	51	109	-
Black non-Hisp	40	-	-	-	-	-	-	1	2	2	3	3	8	15	2	1	2	1	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	40	-	-	-	-	-	-	1	2	2	3	3	8	15	2	1	2	1	-	-
Other non-Hisp	8	-	-	-	-	-	-	-	-	-	2	1	2	1	1	1	-	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	8	-	-	-	-	-	-	-	-	-	2	1	2	1	1	1	-	-	-	-
Hispanic	11	-	-	-	-	-	-	-	-	3	4	-	-	1	1	1	-	-	1	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	11	-	-	-	-	-	-	-	-	3	4	-	-	1	1	1	-	-	1	-
C53 Cervical cancer																				
All Races/Ethnicities	40	-	-	-	-	-	-	1	2	2	7	8	2	3	3	5	3	1	3	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	40	-	-	-	-	-	-	1	2	2	7	8	2	3	3	5	3	1	3	-
White non-Hisp	28	-	-	-	-	-	-	-	2	2	3	7	1	2	1	4	2	1	3	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	28	-	-	-	-	-	-	-	2	2	3	7	1	2	1	4	2	1	3	-
Black non-Hisp	5	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Hispanic	6	-	-	-	-	-	-	1	-	-	2	1	-	-	1	-	1	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	6	-	-	-	-	-	-	1	-	-	2	1	-	-	1	-	1	-	-	-

C54-C55 Cancer of corpus uteri & uterus, parts unspecified																					
All Races/Ethnicities	127	-	-	-	-	-	-	-	-	2	7	11	18	14	21	15	16	23	-		
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Female	123	-	-	-	-	-	-	-	-	2	7	11	18	14	19	15	14	23	-		
White non-Hisp	92	-	-	-	-	-	-	-	-	2	4	8	15	11	16	6	11	19	-		
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Female	92	-	-	-	-	-	-	-	-	2	4	8	15	11	16	6	11	19	-		
Black non-Hisp	18	-	-	-	-	-	-	-	-	-	1	2	1	2	3	5	-	4	-		
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Female	18	-	-	-	-	-	-	-	-	-	1	2	1	2	3	5	-	4	-		
Other non-Hisp	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	-	-		
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Female	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	-	-		
Hispanic	8	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	2	-	-		
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Female	8	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	2	-	-		
C56 Ovarian cancer																					
All Races/Ethnicities	164	-	-	-	-	-	-	-	-	2	1	7	16	12	17	19	25	16	11	38	-
Age-specific		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	164	-	-	-	-	-	-	-	-	2	1	7	16	12	17	19	25	16	11	38	-
White non-Hisp	148	-	-	-	-	-	-	-	-	2	1	5	14	9	17	18	21	16	10	35	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	148	-	-	-	-	-	-	-	-	2	1	5	14	9	17	18	21	16	10	35	-
Black non-Hisp	12	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	2	-	1	3	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	12	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	2	-	1	3	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Hispanic	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-
C61 Prostate cancer																					
All Races/Ethnicities	299	-	-	-	-	-	-	-	-	-	3	5	20	23	33	48	55	112	-	-	-
Male	297	-	-	-	-	-	-	-	-	-	3	5	20	23	33	48	53	112	-	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hisp	252	-	-	-	-	-	-	-	-	-	3	4	18	18	23	38	43	105	-	-	-
Male	252	-	-	-	-	-	-	-	-	-	3	4	18	18	23	38	43	105	-	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hisp	35	-	-	-	-	-	-	-	-	-	-	-	2	4	8	7	8	6	-	-	-
Male	35	-	-	-	-	-	-	-	-	-	-	-	2	4	8	7	8	6	-	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	9	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	1	-	-	-
Male	9	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	1	-	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64,C65 Kidney and renal pelvis cancer																					
All Races/Ethnicities	119	-	-	-	-	-	1	-	-	-	1	3	5	9	13	9	14	20	16	28	-
Male	85	-	-	-	-	-	-	-	-	-	1	3	5	7	8	8	13	13	9	18	-
Female	34	-	-	-	-	-	1	-	-	-	-	-	2	5	1	1	7	7	10	-	-
White non-Hisp	111	-	-	-	-	-	1	-	-	-	1	2	4	9	10	9	14	20	15	26	-
Male	80	-	-	-	-	-	-	-	-	-	1	2	4	7	7	8	13	13	8	17	-
Female	31	-	-	-	-	-	1	-	-	-	-	-	2	3	1	1	7	7	9	-	-
Black non-Hisp	5	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	1	-
Male	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Male	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

C67 Bladder cancer																				
All Races/Ethnicities	218	-	-	-	-	-	-	-	-	-	1	5	5	14	23	31	33	26	80	-
Male	143	-	-	-	-	-	-	-	-	-	1	2	2	11	14	23	21	20	49	-
Female	73	-	-	-	-	-	-	-	-	-	-	3	3	3	9	8	12	6	29	-
White non-Hisp	200	-	-	-	-	-	-	-	-	-	1	5	4	9	22	30	31	25	73	-
Male	136	-	-	-	-	-	-	-	-	-	1	2	2	7	14	23	20	20	47	-
Female	64	-	-	-	-	-	-	-	-	-	-	3	2	2	8	7	11	5	26	-
Black non-Hisp	8	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	-	3	-
Male	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-
Other non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Hispanic	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-
C70-C72 Cancer of meninges, brain & other parts of the central nervous system																				
All Races/Ethnicities	168	2	2	-	-	1	2	2	4	6	8	13	16	24	26	15	20	13	14	-
Male	91	1	1	-	-	-	-	-	4	5	7	10	11	8	16	9	8	7	4	-
Female	71	1	1	-	-	1	2	2	-	1	1	3	5	14	6	6	12	6	10	-
White non-Hisp	146	1	1	-	-	1	2	1	2	5	7	12	13	22	18	15	20	13	13	-
Male	80	-	1	-	-	-	-	-	2	4	6	9	9	8	14	9	8	7	3	-
Female	66	1	-	-	-	1	2	1	-	1	1	3	4	14	4	6	12	6	10	-
Black non-Hisp	7	1	-	-	-	-	-	1	1	-	1	1	-	-	2	-	-	-	-	-
Male	5	1	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Other non-Hisp	3	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Male	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	6	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	1	-
Male	4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
C81 Hodgkin's disease																				
All Races/Ethnicities	12	-	-	-	-	-	-	1	1	1	-	2	-	-	3	3	-	-	1	-
Male	8	-	-	-	-	-	-	1	-	1	-	2	-	-	2	2	-	-	-	-
Female	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-
White non-Hisp	9	-	-	-	-	-	-	1	1	1	-	1	-	-	2	2	-	-	1	-
Male	6	-	-	-	-	-	-	1	-	1	-	1	-	-	1	2	-	-	-	-
Female	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-
Black non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-C85 Non-Hodgkin's lymphoma																				
All Races/Ethnicities	229	-	-	-	-	-	2	2	1	7	2	10	7	22	14	24	19	47	72	-
Male	129	-	-	-	-	-	1	2	1	3	1	8	4	15	11	16	11	22	34	-
Female	100	-	-	-	-	-	1	-	-	4	1	2	3	7	3	8	8	25	38	-
White non-Hisp	205	-	-	-	-	-	1	-	-	4	1	7	7	21	12	22	16	45	69	-
Male	115	-	-	-	-	-	-	-	-	1	-	6	4	15	9	15	10	22	33	-
Female	90	-	-	-	-	-	1	-	-	3	1	1	3	6	3	7	6	23	36	-
Black non-Hisp	10	-	-	-	-	-	-	-	1	1	-	1	-	-	2	1	1	-	3	-
Male	5	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	1	-
Female	5	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	2	-
Other non-Hisp	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Hispanic	11	-	-	-	-	-	1	2	-	2	1	2	-	1	-	-	-	2	-	-
Male	8	-	-	-	-	-	1	2	-	2	1	2	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-

C90 Multiple Myeloma																				
All Races/Ethnicities	137	-	-	-	-	-	-	-	-	2	2	9	4	11	12	12	19	22	44	-
Male	67	-	-	-	-	-	-	-	-	2	1	6	2	6	6	6	11	10	17	-
Female	70	-	-	-	-	-	-	-	-	-	1	3	2	5	6	6	8	12	27	-
White non-Hisp	107	-	-	-	-	-	-	-	-	2	-	6	2	9	7	8	16	18	39	-
Male	57	-	-	-	-	-	-	-	-	2	-	4	2	5	5	4	11	9	15	-
Female	50	-	-	-	-	-	-	-	-	-	-	2	-	4	2	4	5	9	24	-
Black non-Hisp	21	-	-	-	-	-	-	-	-	1	3	1	-	-	5	3	2	1	5	-
Male	7	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	-	-	2	-
Female	14	-	-	-	-	-	-	-	-	1	1	1	-	-	4	1	2	1	3	-
Other non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Hispanic	7	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	2	-	-
Male	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	-	-
C91-C95 Leukemia																				
All Races/Ethnicities	292	1	2	-	1	2	5	3	2	1	5	6	9	17	26	37	46	57	72	-
Male	176	-	1	-	1	2	3	2	-	1	5	4	5	13	20	22	33	32	32	-
Female	114	1	1	-	-	-	2	1	2	-	-	2	4	4	6	15	13	23	40	-
White non-Hisp	254	-	1	-	1	2	4	-	1	-	5	4	9	15	26	31	39	49	67	-
Male	154	-	-	-	1	2	2	-	-	-	5	3	5	11	20	20	28	27	30	-
Female	100	-	1	-	-	-	2	-	1	-	-	1	4	4	6	11	11	22	37	-
Black non-Hisp	16	-	-	-	-	-	1	2	-	-	-	2	-	1	-	3	1	2	4	-
Male	8	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	1	1	2	-
Female	8	-	-	-	-	-	-	1	-	-	-	1	-	-	-	3	-	1	2	-
Other non-Hisp	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Hispanic	17	1	1	-	-	-	1	1	1	-	-	-	-	1	-	1	5	4	1	-
Male	12	-	1	-	-	-	-	1	-	1	-	-	-	1	-	1	3	4	-	-
Female	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-
D00-D48 In situ neoplasms, benign neoplasms & neoplasms of unknown behavior																				
All Races/Ethnicities	218	-	-	-	1	-	1	-	1	-	2	3	11	8	16	17	31	43	84	-
Male	101	-	-	-	1	-	1	-	1	-	2	2	4	4	7	10	16	18	35	-
Female	113	-	-	-	-	-	-	-	-	-	-	1	7	4	9	7	15	21	49	-
White non-Hisp	201	-	-	-	1	-	1	-	1	-	2	1	10	8	14	15	31	35	82	-
Male	99	-	-	-	1	-	1	-	1	-	2	-	4	4	7	10	16	18	35	-
Female	102	-	-	-	-	-	-	-	-	-	-	1	6	4	7	5	15	17	47	-
Black non-Hisp	10	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	2	2	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Female	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	2	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
D50-D64 Anemias																				
All Races/Ethnicities	79	-	-	2	-	-	-	-	2	-	4	-	2	2	2	2	5	12	46	-
Male	31	-	-	-	-	-	-	-	-	-	2	-	1	-	2	1	2	7	16	-
Female	48	-	-	2	-	-	-	-	2	-	2	-	1	2	-	1	3	5	30	-
White non-Hisp	70	-	-	1	-	-	-	-	1	-	2	-	2	2	2	1	5	11	43	-
Male	28	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	6	16	-
Female	42	-	-	1	-	-	-	-	1	-	1	-	1	2	-	1	3	5	27	-
Black non-Hisp	7	-	-	1	-	-	-	-	1	-	2	-	-	-	-	1	-	1	1	-
Male	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-
Female	4	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-

E10-E14 Diabetes mellitus																				
All Races/Ethnicities	629	-	-	-	1	-	1	3	4	9	27	25	42	54	49	62	63	106	183	-
Male	329	-	-	-	1	-	1	3	4	3	17	17	25	35	27	34	33	49	80	-
Female	300	-	-	-	-	-	-	-	-	6	10	8	17	19	22	28	30	57	103	-
White non-Hisp	492	-	-	-	1	-	-	1	3	6	19	13	28	40	35	42	51	89	164	-
Male	266	-	-	-	1	-	-	1	3	2	14	9	19	26	22	26	28	44	71	-
Female	226	-	-	-	-	-	-	-	-	4	5	4	9	14	13	16	23	45	93	-
Black non-Hisp	88	-	-	-	-	-	1	1	1	1	6	7	9	10	7	13	6	12	14	-
Male	42	-	-	-	-	-	1	1	1	-	2	5	4	5	3	7	3	4	6	-
Female	46	-	-	-	-	-	-	-	-	1	4	2	5	5	4	6	3	8	8	-
Other non-Hisp	7	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	1	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Female	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	1	-
Hispanic	42	-	-	-	-	-	-	1	-	2	1	4	4	4	7	5	5	5	4	-
Male	20	-	-	-	-	-	-	1	-	1	-	3	2	4	2	1	2	1	3	-
Female	22	-	-	-	-	-	-	-	-	1	1	1	2	-	5	4	3	4	1	-
E40-E64 Nutritional deficiencies																				
All Races/Ethnicities	27	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	5	16	-
Male	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	5	-
Female	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	11	-
White non-Hisp	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	4	14	-
Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	4	-
Female	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	10	-
Black non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hispanic	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
F10.2 Alcohol dependence syndrome																				
All Races/Ethnicities	26	-	-	-	-	-	1	-	-	2	3	3	4	4	5	3	-	-	1	-
Male	20	-	-	-	-	-	-	-	-	1	2	3	3	4	4	3	-	-	-	-
Female	6	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	-	-	1	-
White non-Hisp	21	-	-	-	-	-	1	-	-	2	3	1	4	3	4	2	-	-	1	-
Male	15	-	-	-	-	-	-	-	-	1	2	1	3	3	3	2	-	-	-	-
Female	6	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	-	-	1	-
Black non-Hisp	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-
Male	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
G00,G03 Meningitis																				
All Races/Ethnicities	5	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Male	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Female	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hisp	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Male	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hisp	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

G20-G21 Parkinson's disease																									
All Races/Ethnicities	247	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	5	7	14	31	70	116	-	
Male	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	3	13	18	45	54	-	
Female	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	4	1	13	23	62	-	
White non-Hisp	224	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	5	4	14	28	63	106	-	
Male	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	13	15	41	51	-	
Female	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	1	13	22	55	-	
Black non-Hisp	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	-	
Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	
Other non-Hisp	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	
Hispanic	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	5	-	
Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	-	
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	
G30 Alzheimer's disease																									
All Races/Ethnicities	841	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	8	9	26	59	119	615	-
Male	233	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	13	22	36	153	-
Female	606	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	13	37	81	462	-	
White non-Hisp	792	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	8	7	26	51	107	588	-
Male	221	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	13	20	32	147	-
Female	571	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	13	31	75	441	-	
Black non-Hisp	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	15	-	
Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	
Female	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	11	-	
Other non-Hisp	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	
Hispanic	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	4	11	-	
Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	
Female	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	9	-	
I00-I78 Major cardiovascular diseases																									
All Races/Ethnicities	9118	3	3	3	5	10	11	28	38	85	148	319	355	428	467	583	754	1358	4518	2					
Male	4260	2	2	2	1	5	8	22	24	54	110	232	241	289	299	357	381	652	1577	2					
Female	4768	1	1	1	2	5	3	6	10	29	36	75	106	131	160	216	367	700	2919	-					
White non-Hisp	8044	1	1	2	2	4	5	20	17	46	106	241	270	329	381	468	647	1237	4265	2					
Male	3753	1	-	2	-	4	5	16	14	27	84	188	191	231	251	298	334	604	1501	2					
Female	4291	-	1	-	2	-	-	4	3	19	22	53	79	98	130	170	313	633	2764	-					
Black non-Hisp	596	-	-	-	-	4	2	4	11	24	22	43	47	51	48	70	65	60	145	-					
Male	282	-	-	-	-	1	-	3	6	16	14	25	27	29	29	38	30	21	43	-					
Female	314	-	-	-	-	3	2	1	5	8	8	18	20	22	19	32	35	39	102	-					
Other non-Hisp	75	-	1	-	-	-	-	1	2	-	3	3	6	7	4	7	7	8	26	-					
Male	41	-	1	-	-	-	-	1	2	-	3	3	6	4	3	5	3	2	8	-					
Female	34	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	4	6	18	-					
Hispanic	313	2	1	1	1	2	4	3	4	13	15	20	24	33	26	28	29	47	60	-					
Male	184	1	1	-	1	-	3	2	2	11	9	16	17	25	16	16	14	25	25	-					
Female	129	1	-	1	-	2	1	1	2	2	6	4	7	8	10	12	15	22	35	-					
I00-I09,I11,I13,I20-I51 Diseases of heart																									
All Races/Ethnicities	7289	2	1	2	4	8	9	25	28	67	125	270	302	357	384	489	589	1091	3534	2					
Male	3544	1	1	1	1	4	8	20	19	45	94	198	210	247	251	299	310	543	1290	2					
Female	3661	1	-	1	1	4	1	5	7	20	29	60	84	102	125	180	273	542	2226	-					
White non-Hisp	6454	1	-	1	1	3	5	19	16	38	94	204	234	274	318	392	504	997	3351	2					
Male	3139	1	-	1	-	3	5	15	14	25	76	160	168	200	212	249	273	502	1233	2					
Female	3315	-	-	-	1	-	-	4	2	13	18	44	66	74	106	143	231	495	2118	-					
Black non-Hisp	447	-	-	-	-	4	1	4	7	18	16	34	37	41	36	56	49	48	96	-					
Male	224	-	-	-	-	1	-	3	3	12	9	22	24	24	24	31	24	18	29	-					
Female	223	-	-	-	-	3	1	1	4	6	7	12	13	17	12	25	25	30	67	-					
Other non-Hisp	60	-	-	-	-	-	-	1	2	-	2	3	4	6	3	7	6	3	23	-					
Male	33	-	-	-	-	-	-	1	2	-	2	3	4	3	2	5	3	1	7	-					
Female	27	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	3	2	16	-					
Hispanic	244	1	1	1	1	1	3	1	1	9	11	17	19	28	19	24	24	37	46	-					
Male	148	-	1	-	1	-	3	1	-	8	7	13	14	20	13	14	10	22	21	-					
Female	96	1	-	1	-	1	-	-	1	1	4	4	5	8	6	10	14	15	25	-					

I00-I09 Acute rheumatic fever & chronic rheumatic heart disease																									
All Races/Ethnicities	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	-	6	3	12	-
Male	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	5	-
Female	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	5	1	7	-
White non-Hisp	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	5	3	12	-
Male	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	5	-
Female	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	4	1	7	-
Black non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I11 Hypertensive heart disease																									
All Races/Ethnicities	239	-	-	-	-	1	1	1	6	8	8	24	14	18	16	19	16	21	86	-	-	-	-	-	-
Male	103	-	-	-	-	-	1	1	5	3	4	14	9	11	13	9	6	5	22	-	-	-	-	-	-
Female	132	-	-	-	-	1	-	-	1	5	4	8	5	7	1	10	10	16	64	-	-	-	-	-	-
White non-Hisp	195	-	-	-	-	-	-	1	5	5	6	15	11	11	11	14	14	18	84	-	-	-	-	-	-
Male	79	-	-	-	-	-	-	1	4	3	3	10	6	6	10	5	4	5	22	-	-	-	-	-	-
Female	116	-	-	-	-	-	-	-	1	2	3	5	5	5	1	9	10	13	62	-	-	-	-	-	-
Black non-Hisp	33	-	-	-	-	-	-	-	1	2	1	6	3	6	2	5	2	3	2	-	-	-	-	-	-
Male	20	-	-	-	-	-	-	-	1	-	-	4	3	4	2	4	2	-	-	-	-	-	-	-	-
Female	13	-	-	-	-	-	-	-	-	2	1	2	-	2	-	1	-	3	2	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	7	-	-	-	-	1	1	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
Male	4	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
I13 Hypertensive heart and renal disease																									
All Races/Ethnicities	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	11	-	-	-	-	-	-
Male	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	-	-	-	-	-	-
Female	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	8	-	-	-	-	-	-
White non-Hisp	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	11	-	-	-	-	-	-
Male	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	-	-	-	-	-	-
Female	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	8	-	-	-	-	-	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
I20-I25 Ischemic heart disease																									
All Races/Ethnicities	4009	-	-	-	-	-	2	6	8	27	66	144	182	218	230	292	338	604	1890	-	-	-	-	-	2
Male	2085	-	-	-	-	-	2	3	6	19	52	118	137	152	162	185	183	325	739	-	-	-	-	-	2
Female	1908	-	-	-	-	-	-	3	2	8	14	24	45	64	68	107	155	277	1141	-	-	-	-	-	-
White non-Hisp	3607	-	-	-	-	-	2	5	6	15	54	114	146	170	196	235	305	563	1794	-	-	-	-	-	2
Male	1867	-	-	-	-	-	2	3	5	9	47	95	112	125	138	154	167	301	707	-	-	-	-	-	2
Female	1740	-	-	-	-	-	-	2	1	6	7	19	34	45	58	81	138	262	1087	-	-	-	-	-	-
Black non-Hisp	221	-	-	-	-	-	-	1	1	8	7	17	21	21	19	32	22	22	50	-	-	-	-	-	-
Male	112	-	-	-	-	-	-	-	-	6	3	13	12	10	13	14	9	13	19	-	-	-	-	-	-
Female	109	-	-	-	-	-	-	1	1	2	4	4	9	11	6	18	13	9	31	-	-	-	-	-	-
Other non-Hisp	31	-	-	-	-	-	-	-	1	-	-	2	3	5	2	6	3	1	8	-	-	-	-	-	-
Male	20	-	-	-	-	-	-	-	1	-	-	2	3	3	2	5	1	-	3	-	-	-	-	-	-
Female	11	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	5	-	-	-	-	-	-
Hispanic	134	-	-	-	-	-	-	-	-	4	5	9	12	20	13	19	8	16	28	-	-	-	-	-	-
Male	86	-	-	-	-	-	-	-	-	4	2	8	10	14	9	12	6	11	10	-	-	-	-	-	-
Female	48	-	-	-	-	-	-	-	-	-	3	1	2	6	4	7	2	5	18	-	-	-	-	-	-

Connecticut Department of Public Health

I10,I12 Essential hypertension & hypertensive renal disease																					
All Races/Ethnicities	284	-	-	-	-	-	-	-	1	2	2	9	12	17	12	13	17	42	157	-	
Male	110	-	-	-	-	-	-	-	-	2	2	7	8	6	5	9	8	17	46	-	
Female	174	-	-	-	-	-	-	-	1	-	-	2	4	11	7	4	9	25	111	-	
White non-Hisp	249	-	-	-	-	-	-	-	1	-	-	8	7	14	9	9	13	38	150	-	
Male	94	-	-	-	-	-	-	-	1	-	-	6	5	5	4	7	7	16	43	-	
Female	155	-	-	-	-	-	-	-	-	-	-	2	2	9	5	2	6	22	107	-	
Black non-Hisp	27	-	-	-	-	-	-	-	1	1	1	-	4	2	3	3	4	2	6	-	
Male	12	-	-	-	-	-	-	-	-	1	1	-	2	-	1	2	1	1	3	-	
Female	15	-	-	-	-	-	-	-	1	-	-	-	2	2	2	1	3	1	3	-	
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Hispanic	7	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	1	1	-	
Male	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	
I46.0 Cardiac arrest																					
All Races/Ethnicities	797	-	-	-	-	2	-	1	2	3	8	16	46	43	55	52	62	73	118	316	-
Male	373	-	-	-	-	-	-	1	2	1	6	10	30	21	40	29	29	39	52	113	-
Female	370	-	-	-	-	-	-	-	-	-	2	4	10	18	9	17	23	30	62	195	-
White non-Hisp	650	-	-	-	-	-	-	1	-	-	4	10	36	34	40	36	41	57	105	286	-
Male	324	-	-	-	-	-	-	1	-	-	3	7	28	19	33	23	23	33	48	106	-
Female	326	-	-	-	-	-	-	-	-	-	1	3	8	15	7	13	18	24	57	180	-
Black non-Hisp	51	-	-	-	-	-	-	-	-	-	1	1	2	3	5	7	9	7	4	12	-
Male	25	-	-	-	-	-	-	-	-	-	-	1	-	1	4	4	6	4	2	3	-
Female	26	-	-	-	-	-	-	-	-	1	-	2	2	1	3	3	3	3	2	9	-
Other non-Hisp	13	-	-	-	-	-	-	1	1	-	2	1	-	-	-	1	-	1	1	5	-
Male	9	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	1	1	2	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-
Hispanic	29	-	-	-	-	-	-	-	1	-	3	1	1	2	4	2	2	4	4	5	-
Male	15	-	-	-	-	-	-	-	1	-	3	-	1	1	3	2	-	1	1	2	-
Female	14	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	3	3	3	-
I50.0 Congestive heart failure																					
All Races/Ethnicities	641	-	-	-	-	-	-	1	2	-	-	1	3	5	11	14	25	39	103	437	-
Male	245	-	-	-	-	-	-	1	2	-	-	1	-	4	7	7	17	15	49	142	-
Female	394	-	-	-	-	-	-	-	-	-	-	3	1	4	7	7	8	22	54	295	-
White non-Hisp	591	-	-	-	-	-	-	-	-	-	-	-	4	10	11	24	28	96	418	-	-
Male	226	-	-	-	-	-	-	-	-	-	-	-	3	7	5	16	12	45	138	-	-
Female	365	-	-	-	-	-	-	-	-	-	-	-	1	3	6	8	16	51	280	-	-
Black non-Hisp	23	-	-	-	-	-	-	-	2	-	-	1	2	-	-	2	-	4	2	10	-
Male	8	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	2	1	1	-
Female	15	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	2	1	9	-
Other non-Hisp	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-
Hispanic	19	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	1	5	4	4	-
Male	11	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	1	3	3	-
Female	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	1	1	1	-
I60-I69 Cerebrovascular disease																					
All Races/Ethnicities	1261	1	2	1	1	1	2	2	2	8	10	18	31	32	44	56	63	113	192	683	-
Male	475	1	1	1	-	-	1	-	2	4	4	11	19	16	31	32	38	46	78	190	-
Female	780	-	1	-	-	1	1	2	-	2	6	7	12	16	13	24	25	67	114	489	-
White non-Hisp	1092	-	1	1	1	1	1	-	1	1	4	11	24	21	33	41	50	97	172	633	-
Male	407	-	-	1	-	-	1	-	1	-	-	7	17	12	22	25	32	38	74	177	-
Female	685	-	1	-	-	1	-	-	-	1	4	4	7	9	11	16	18	59	98	456	-
Black non-Hisp	98	-	-	-	-	-	1	-	-	2	3	3	7	5	6	8	11	10	9	33	-
Male	34	-	-	-	-	-	-	-	-	2	2	2	2	-	4	3	5	4	1	9	-
Female	64	-	-	-	-	-	1	-	-	1	1	5	5	2	5	6	6	6	8	24	-
Other non-Hisp	13	-	1	-	-	-	-	-	-	-	1	-	2	1	1	-	-	1	3	3	-
Male	7	-	1	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	1	-	-
Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-
Hispanic	52	1	-	-	-	-	1	1	1	3	3	3	-	4	4	6	2	5	8	10	-
Male	27	1	-	-	-	-	-	-	1	2	2	1	-	2	4	3	1	4	3	3	-
Female	25	-	-	-	-	-	1	1	-	1	1	2	-	2	-	3	1	1	5	7	-

I64 Stroke, not specified as infarction																				
All Races/Ethnicities	647	-	-	-	-	-	-	-	1	-	4	10	10	17	19	29	61	103	393	-
Male	225	-	-	-	-	-	-	-	1	-	2	5	6	13	12	16	20	44	106	-
Female	420	-	-	-	-	-	-	-	-	-	2	5	4	4	7	13	41	59	285	-
White non-Hisp	576	-	-	-	-	-	-	-	-	-	2	8	7	13	11	23	55	88	369	-
Male	205	-	-	-	-	-	-	-	-	-	1	5	6	10	8	14	19	41	101	-
Female	371	-	-	-	-	-	-	-	-	-	1	3	1	3	3	9	36	47	268	-
Black non-Hisp	45	-	-	-	-	-	-	-	1	-	-	2	2	2	3	6	5	7	17	-
Male	11	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	1	4	-
Female	34	-	-	-	-	-	-	-	-	-	-	2	2	1	2	4	4	6	13	-
Other non-Hisp	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-
Hispanic	18	-	-	-	-	-	-	-	-	-	2	-	1	2	4	-	-	5	4	-
Male	8	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	2	1	-
Female	10	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	3	3	-
I70 Atherosclerosis																				
All Races/Ethnicities	64	-	-	-	-	-	-	-	1	-	2	1	1	1	2	5	9	42	-	
Male	25	-	-	-	-	-	-	-	1	-	2	-	-	1	2	2	3	14	-	
Female	39	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	6	28	-	
White non-Hisp	58	-	-	-	-	-	-	-	-	-	1	1	1	1	2	4	8	40	-	
Male	21	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	14	-	
Female	37	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	6	26	-	
Black non-Hisp	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	
Male	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Other non-Hisp		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	
Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
I71 Aortic aneurysm and dissection																				
All Races/Ethnicities	124	-	-	-	-	-	-	1	-	4	3	5	6	5	8	9	17	16	50	-
Male	64	-	-	-	-	-	-	-	-	2	3	5	5	2	6	4	9	6	22	-
Female	60	-	-	-	-	-	-	1	-	2	-	-	1	3	2	5	8	10	28	-
White non-Hisp	111	-	-	-	-	-	-	-	-	3	1	3	6	4	8	9	17	14	46	-
Male	57	-	-	-	-	-	-	-	-	1	1	3	5	2	6	4	9	5	21	-
Female	54	-	-	-	-	-	-	-	-	2	-	-	1	2	2	5	8	9	25	-
Black non-Hisp	7	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	3	-
Male	4	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	5	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	1	-
Male	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-
I72-I78 Other diseases of arteries, arterioles and capillaries																				
All Races/Ethnicities	95	-	-	-	-	-	-	-	1	1	-	1	2	4	6	7	13	8	52	-
Male	41	-	-	-	-	-	-	-	1	-	-	-	2	3	4	5	6	5	15	-
Female	54	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	7	3	37	-
White non-Hisp	79	-	-	-	-	-	-	-	-	-	-	1	3	4	6	12	8	45	-	
Male	34	-	-	-	-	-	-	-	-	-	-	1	2	3	4	6	5	13	-	
Female	45	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	3	32	-	
Black non-Hisp	13	-	-	-	-	-	-	1	1	-	1	1	1	1	-	1	-	6	-	
Male	5	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	1	-	
Female	8	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	5	-	
Other non-Hisp		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	

Connecticut Department of Public Health

J10-J18 Influenza and Pneumonia																				
All Races/Ethnicities	564	1	2	-	1	-	1	1	2	1	12	9	15	15	20	24	47	96	317	-
Male	262	-	1	-	1	-	-	-	2	1	5	5	11	10	9	12	20	45	140	-
Female	292	1	1	-	-	-	1	1	-	-	7	2	2	3	11	12	25	51	175	-
White non-Hisp	497	1	-	-	1	-	-	1	1	1	9	6	11	10	17	17	37	87	298	-
Male	237	-	-	-	1	-	-	-	1	1	3	5	9	8	8	10	17	40	134	-
Female	260	1	-	-	-	-	-	1	-	-	6	1	2	2	9	7	20	47	164	-
Black non-Hisp	31	-	-	-	-	-	1	-	-	-	-	-	2	2	2	4	3	5	12	-
Male	13	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	1	2	3	-
Female	18	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	2	3	9	-
Other non-Hisp	7	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	1	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Female	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-
Hispanic	19	-	2	-	-	-	-	1	-	3	-	-	-	-	-	2	4	3	4	-
Male	9	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	1	2	2	-
Female	10	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	3	1	2	-
J10-J11 Influenza																				
All Races/Ethnicities	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
White non-Hisp	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
J12-J18 Pneumonia																				
All Races/Ethnicities	558	1	2	-	1	-	1	1	2	1	12	9	15	15	20	24	47	96	311	-
Male	259	-	1	-	1	-	-	-	2	1	5	5	11	10	9	12	20	45	137	-
Female	289	1	1	-	-	-	1	1	-	-	7	2	2	3	11	12	25	51	172	-
White non-Hisp	491	1	-	-	1	-	-	1	1	1	9	6	11	10	17	17	37	87	292	-
Male	234	-	-	-	1	-	-	-	1	1	3	5	9	8	8	10	17	40	131	-
Female	257	1	-	-	-	-	-	1	-	-	6	1	2	2	9	7	20	47	161	-
Black non-Hisp	31	-	-	-	-	-	1	-	-	-	-	-	2	2	2	4	3	5	12	-
Male	13	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	1	2	3	-
Female	18	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	2	3	9	-
Other non-Hisp	7	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	1	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Female	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-
Hispanic	19	-	2	-	-	-	-	1	-	3	-	-	-	-	-	2	4	3	4	-
Male	9	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	1	2	2	-
Female	10	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	3	1	2	-
J40-J47 Chronic lower respiratory diseases																				
All Races/Ethnicities	1378	-	-	-	-	3	-	1	2	3	10	24	48	54	103	135	207	258	530	-
Male	616	-	-	-	-	2	-	1	1	-	3	11	24	31	51	68	106	117	201	-
Female	760	-	-	-	-	1	-	-	1	3	7	13	24	23	52	67	101	141	327	-
White non-Hisp	1278	-	-	-	-	1	-	-	1	2	5	17	44	46	99	118	191	244	510	-
Male	574	-	-	-	-	-	-	-	1	-	2	10	23	27	49	59	97	110	196	-
Female	704	-	-	-	-	1	-	-	-	2	3	7	21	19	50	59	94	134	314	-
Black non-Hisp	66	-	-	-	-	1	-	-	1	1	4	6	3	3	3	8	12	11	13	-
Male	26	-	-	-	-	1	-	-	-	-	1	1	1	1	2	4	7	5	3	-
Female	40	-	-	-	-	-	-	-	1	1	3	5	2	2	1	4	5	6	10	-
Other non-Hisp	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	3	-
Male	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-
Hispanic	24	-	-	-	-	1	-	1	-	-	1	1	1	4	-	7	3	3	2	-
Male	12	-	-	-	-	1	-	1	-	-	-	-	-	2	-	5	1	2	-	-
Female	12	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	2	1	2	-

J43 Emphysema																				
All Races/Ethnicities	80	-	-	-	-	1	-	-	-	-	-	1	-	2	11	8	16	15	26	-
Male	45	-	-	-	-	1	-	-	-	-	-	1	-	-	6	5	14	5	13	-
Female	35	-	-	-	-	-	-	-	-	-	-	-	-	2	5	3	2	10	13	-
White non-Hisp	76	-	-	-	-	-	-	-	-	-	-	1	-	2	11	7	14	15	26	-
Male	43	-	-	-	-	-	-	-	-	-	-	1	-	-	6	5	13	5	13	-
Female	33	-	-	-	-	-	-	-	-	-	-	-	-	2	5	2	1	10	13	-
Black non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
J45-J46 Asthma																				
All Races/Ethnicities	39	-	-	-	-	2	-	1	2	1	6	7	1	4	2	2	3	2	6	-
Male	14	-	-	-	-	1	-	1	1	-	1	2	-	2	2	1	2	-	1	-
Female	25	-	-	-	-	1	-	-	1	1	5	5	1	2	-	1	1	2	5	-
White non-Hisp	21	-	-	-	-	1	-	-	1	-	2	3	1	2	2	1	2	1	5	-
Male	8	-	-	-	-	-	-	-	1	-	-	1	-	1	2	-	2	-	1	-
Female	13	-	-	-	-	1	-	-	-	-	2	2	1	1	-	1	-	1	4	-
Black non-Hisp	12	-	-	-	-	1	-	-	1	1	3	3	-	1	-	-	1	1	-	-
Male	3	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Female	9	-	-	-	-	-	-	-	1	1	2	2	-	1	-	-	1	1	-	-
Other non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Hispanic	4	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-
Male	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
J69 Pneumonitis due to solids and liquids																				
All Races/Ethnicities	372	-	-	-	-	-	1	1	-	6	3	3	9	6	18	22	28	53	222	-
Male	200	-	-	-	-	-	-	1	-	6	1	3	7	2	12	12	15	27	114	-
Female	172	-	-	-	-	-	1	-	-	2	2	-	2	4	6	10	13	26	108	-
White non-Hisp	348	-	-	-	-	-	1	1	-	4	3	3	8	5	14	18	26	50	215	-
Male	188	-	-	-	-	-	-	1	-	4	1	3	6	2	10	9	14	25	113	-
Female	160	-	-	-	-	-	1	-	-	2	-	2	3	3	4	9	12	25	102	-
Black non-Hisp	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-
Other non-Hisp	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-
Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Hispanic	14	-	-	-	-	-	-	-	-	2	-	-	1	1	-	3	1	2	4	-
Male	6	-	-	-	-	-	-	-	-	2	-	-	1	-	-	2	-	1	-	-
Female	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	-
K25-K28 Peptic ulcer																				
All Races/Ethnicities	28	-	-	-	-	-	-	-	-	-	-	2	3	-	4	2	2	6	9	-
Male	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	6	-
Female	15	-	-	-	-	-	-	-	-	-	-	2	3	-	2	-	1	4	3	-
White non-Hisp	25	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	2	6	9	-
Male	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	6	-
Female	12	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	4	3	-
Black non-Hisp	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

K40-K46 Hernia																					
All Races/Ethnicities	23	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	2	1	16	-	
Male	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	5	-	
Female	14	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	11	-	
White non-Hisp	23	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	2	1	16	-	
Male	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	5	-	
Female	14	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	11	-	
Black non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
K70,K73-K74 Chronic liver disease and cirrhosis																					
All Races/Ethnicities	330	-	-	-	-	-	4	6	6	14	28	53	47	42	36	31	27	16	20	-	
Male	194	-	-	-	-	-	3	3	5	7	19	35	33	26	21	17	12	6	7	-	
Female	134	-	-	-	-	-	1	3	1	7	9	18	14	16	13	14	15	10	13	-	
White non-Hisp	267	-	-	-	-	-	3	4	3	12	21	39	45	33	23	30	25	14	15	-	
Male	157	-	-	-	-	-	3	2	2	6	13	25	31	21	14	17	11	6	6	-	
Female	110	-	-	-	-	-	-	2	1	6	8	14	14	12	9	13	14	8	9	-	
Black non-Hisp	10	-	-	-	-	-	1	1	-	-	-	2	-	2	2	-	1	-	1	-	
Male	5	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	
Female	5	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	1	-	
Other non-Hisp	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Female	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	
Hispanic	48	-	-	-	-	-	-	1	3	2	6	12	2	7	8	1	1	2	3	-	
Male	31	-	-	-	-	-	-	-	1	3	1	6	10	2	3	5	-	-	-	-	
Female	17	-	-	-	-	-	-	-	-	1	-	2	-	4	3	1	1	2	3	-	
K70 Alcoholic liver disease																					
All Races/Ethnicities	111	-	-	-	-	-	2	3	6	6	17	25	19	12	10	7	2	1	1	-	
Male	77	-	-	-	-	-	1	-	5	3	12	19	14	6	7	7	1	1	1	-	
Female	34	-	-	-	-	-	1	3	1	3	5	6	5	6	3	-	1	-	-	-	
White non-Hisp	95	-	-	-	-	-	1	2	3	5	14	22	19	11	7	7	2	1	1	-	
Male	65	-	-	-	-	-	1	-	2	3	9	16	14	5	5	7	1	1	1	-	
Female	30	-	-	-	-	-	-	2	1	2	5	6	5	6	2	-	1	-	-	-	
Black non-Hisp	4	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	
Female	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Other non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
Hispanic	11	-	-	-	-	-	-	-	3	1	3	3	-	-	1	-	-	-	-	-	
Male	10	-	-	-	-	-	-	-	3	-	3	3	-	-	1	-	-	-	-	-	
Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
N00-N07,N17-N19,N25-N27 Nephritis, nephrotic syndrome, nephrosis																					
All Races/Ethnicities	567	2	-	-	-	-	1	3	-	1	3	10	12	14	18	37	56	56	93	261	-
Male	268	2	-	-	-	-	-	2	-	-	3	5	8	9	9	19	30	30	43	108	-
Female	297	-	-	-	-	-	1	1	-	1	-	5	4	5	9	18	26	26	50	151	-
White non-Hisp	465	2	-	-	-	-	-	2	-	1	2	3	6	11	10	24	41	40	76	247	-
Male	218	2	-	-	-	-	-	2	-	-	2	2	5	8	4	11	22	21	35	104	-
Female	247	-	-	-	-	-	-	-	-	1	-	1	1	3	6	13	19	19	41	143	-
Black non-Hisp	73	-	-	-	-	-	1	1	-	-	-	6	1	3	6	7	9	14	15	10	-
Male	39	-	-	-	-	-	-	-	-	-	-	2	-	1	5	5	6	9	7	4	-
Female	34	-	-	-	-	-	1	1	-	-	-	4	1	2	1	2	3	5	8	6	-
Other non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	25	-	-	-	-	-	-	-	-	1	1	5	-	2	6	5	2	1	2	-	-
Male	9	-	-	-	-	-	-	-	-	1	1	3	-	-	3	1	-	-	-	-	-
Female	16	-	-	-	-	-	-	-	-	-	-	2	-	2	3	4	2	1	2	-	-

N10-N12,N13.6,N15.1 Infections of kidney																			
All Races/Ethnicities	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	
White non-Hisp	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	
Black non-Hisp		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other non-Hisp		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
N40 Hyperplasia of prostate																			
All Races/Ethnicities	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	
Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
White non-Hisp	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	
Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Black non-Hisp	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Other non-Hisp		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hispanic		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Male		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Female		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Q00-Q99 Congenital anomalies																			
All Races/Ethnicities	75	36	-	-	-	1	1	-	1	-	5	3	7	9	4	1	-	3	4
Male	48	23	-	-	-	1	1	-	1	-	3	3	1	7	3	-	-	2	3
Female	27	13	-	-	-	-	-	-	-	-	2	-	6	2	1	1	-	1	1
White non-Hisp	52	17	-	-	-	-	-	-	1	-	5	3	7	9	2	1	-	3	4
Male	32	10	-	-	-	-	-	-	1	-	3	3	1	7	2	-	-	2	3
Female	20	7	-	-	-	-	-	-	-	-	2	-	6	2	-	1	-	1	1
Black non-Hisp	8	5	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-
Male	5	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Female	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Other non-Hisp	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	12	11	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	9	8	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V01-X59,Y85-Y86 Accidents (unintentional injuries)																			
All Races/Ethnicities	1357	12	3	6	31	75	70	72	71	72	102	96	83	63	47	58	65	120	310
Male	845	8	2	4	21	54	52	60	61	52	77	67	52	38	31	40	31	66	128
Female	502	4	1	2	8	21	18	12	10	18	25	29	29	25	16	18	32	54	180
White non-Hisp	1116	4	1	4	19	53	49	48	49	48	86	72	67	57	44	48	57	114	295
Male	677	3	1	3	11	39	35	39	40	34	69	50	43	35	29	31	28	64	122
Female	439	1	-	1	8	14	14	9	9	14	17	22	24	22	15	17	29	50	173
Black non-Hisp	97	2	1	1	3	10	5	7	6	11	7	12	9	4	1	5	3	4	6
Male	69	1	-	1	3	8	4	7	6	9	2	8	6	2	1	4	2	2	3
Female	28	1	1	-	-	2	1	-	-	2	5	4	3	2	-	1	1	2	3
Other non-Hisp	18	-	-	-	1	2	3	1	3	1	1	1	-	1	-	1	2	1	-
Male	11	-	-	-	1	1	2	1	2	-	-	1	-	1	-	1	1	-	-
Female	7	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	1	1	-
Hispanic	116	6	1	1	6	10	13	16	13	10	8	11	5	1	2	4	1	1	7
Male	88	4	1	-	6	6	11	13	13	9	6	8	3	-	1	4	-	-	3
Female	28	2	-	1	-	4	2	3	-	1	2	3	2	1	1	-	1	1	4

Motor vehicle accidents^e																				
All Races/Ethnicities	281	1	1	3	20	35	26	18	20	17	16	15	25	21	15	10	7	16	15	-
Male	199	1	-	3	13	26	21	15	20	13	14	11	15	12	11	3	3	13	5	-
Female	78	-	1	-	5	9	5	3	-	4	2	4	8	9	4	7	4	3	10	-
White non-Hisp	205	-	-	3	9	22	15	11	10	14	14	12	16	19	15	9	6	15	15	-
Male	145	-	-	3	4	17	12	9	10	11	13	9	12	11	11	2	3	13	5	-
Female	60	-	-	-	5	5	3	2	-	3	1	3	4	8	4	7	3	2	10	-
Black non-Hisp	28	1	1	-	2	6	3	2	4	1	-	2	3	1	-	1	1	-	-	-
Male	20	1	-	-	2	5	2	2	4	1	-	1	1	-	-	1	-	-	-	-
Female	8	-	1	-	-	1	1	-	-	-	-	1	2	1	-	-	1	-	-	-
Other non-Hisp	6	-	-	-	1	1	1	-	1	-	-	1	-	1	-	-	-	-	-	-
Male	4	-	-	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
Female	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	38	-	-	-	6	6	7	5	5	2	2	-	4	-	-	-	-	1	-	-
Male	30	-	-	-	6	4	7	4	5	1	1	-	2	-	-	-	-	-	-	-
Female	8	-	-	-	-	2	-	1	-	1	1	-	2	-	-	-	-	1	-	-
W00-W19 Falls																				
All Races/Ethnicities	335	1	-	-	1	1	-	1	2	4	7	6	10	9	10	24	31	67	161	-
Male	173	-	-	-	1	-	-	1	2	3	5	4	7	7	7	19	13	34	70	-
Female	160	1	-	-	-	1	-	-	-	1	2	2	3	2	3	5	18	33	89	-
White non-Hisp	311	-	-	-	1	-	-	-	-	4	7	6	10	8	9	19	31	64	152	-
Male	160	-	-	-	1	-	-	-	-	3	5	4	7	7	6	14	13	33	67	-
Female	151	-	-	-	-	-	-	-	-	1	2	2	3	1	3	5	18	31	85	-
Black non-Hisp	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	5	-
Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-
Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-
Other non-Hisp	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Hispanic	11	1	-	-	-	1	-	1	2	-	-	-	-	1	1	2	-	-	2	-
Male	7	-	-	-	-	-	-	1	2	-	-	-	-	-	1	2	-	-	1	-
Female	4	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-
W32-W34 Accidental discharge of firearm																				
All Races/Ethnicities	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Male	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
White non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Black non-Hisp	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W65-W74 Accidental drowning and submersion																				
All Races/Ethnicities	37	2	-	2	1	5	4	3	1	4	3	1	2	1	4	-	2	-	2	-
Male	25	-	-	1	1	5	4	3	1	2	1	1	1	-	1	-	2	-	2	-
Female	10	2	-	1	-	-	-	-	-	-	2	-	1	1	3	-	-	-	-	-
White non-Hisp	24	1	-	-	-	2	2	2	1	1	3	1	2	1	4	-	2	-	2	-
Male	16	-	-	-	-	2	2	2	1	1	1	1	1	-	1	-	2	-	2	-
Female	8	1	-	-	-	-	-	-	-	-	2	-	1	1	3	-	-	-	-	-
Black non-Hisp	6	-	-	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Male	6	-	-	1	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

X00 Exposure to uncontrolled fire in building or structure																				
All Races/Ethnicities	21	-	-	1	1	2	-	-	1	2	-	2	1	5	-	1	-	2	3	-
Male	7	-	-	-	-	1	-	-	1	1	-	1	-	2	-	1	-	-	-	-
Female	14	-	-	1	1	1	-	-	-	1	-	1	1	3	-	-	-	2	3	-
White non-Hisp	19	-	-	1	1	2	-	-	1	1	-	1	1	5	-	1	-	2	3	-
Male	5	-	-	-	-	1	-	-	1	-	-	-	-	2	-	1	-	-	-	-
Female	14	-	-	1	1	1	-	-	-	1	-	1	1	3	-	-	-	2	3	-
Black non-Hisp	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X40-X49 Accidental poisoning & exposure to noxious substances †																				
All Races/Ethnicities	386	-	-	-	8	29	38	47	43	35	64	57	33	10	6	4	2	1	8	1
Male	275	-	-	-	6	20	26	38	33	27	46	38	21	7	4	3	1	1	3	1
Female	111	-	-	-	2	9	12	9	10	8	18	19	12	3	2	1	1	-	5	-
White non-Hisp	299	-	-	-	8	25	30	33	36	21	50	43	28	8	4	2	1	1	8	1
Male	209	-	-	-	6	18	20	26	27	15	39	27	16	5	3	2	-	1	3	1
Female	90	-	-	-	2	7	10	7	9	6	11	16	12	3	1	-	1	-	5	-
Black non-Hisp	36	-	-	-	-	1	1	4	1	7	7	6	4	2	1	1	1	-	-	-
Male	26	-	-	-	-	-	1	4	1	6	2	4	4	2	1	-	1	-	-	-
Female	10	-	-	-	-	1	-	-	-	1	5	2	-	-	-	1	-	-	-	-
Other non-Hisp	5	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-
Male	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
Hispanic	46	-	-	-	-	2	6	10	5	6	6	8	1	-	1	1	-	-	-	-
Male	38	-	-	-	-	1	4	8	5	6	5	7	1	-	-	1	-	-	-	-
Female	8	-	-	-	-	1	2	2	-	-	1	1	-	-	1	-	-	-	-	-
X60-X84,Y87.0,X85-Y09,Y87.1,Y35,Y89.0 Intentional Injuries																				
All Races/Ethnicities	505	-	20	2	27	48	40	39	36	53	62	49	38	30	20	16	13	7	5	-
Male	376	-	8	2	22	38	33	30	28	43	45	36	24	24	13	11	11	6	2	-
Female	127	-	12	-	5	10	7	9	8	10	15	13	14	6	7	5	2	1	3	-
White non-Hisp	367	-	18	1	13	17	21	23	26	35	49	47	34	26	20	14	12	7	4	-
Male	265	-	8	1	10	12	16	17	19	28	38	35	21	20	13	10	10	6	1	-
Female	102	-	10	-	3	5	5	6	7	7	11	12	13	6	7	4	2	1	3	-
Black non-Hisp	63	-	-	-	10	20	8	6	3	8	3	1	3	1	-	-	-	-	-	-
Male	53	-	-	-	8	17	8	6	3	6	2	-	2	1	-	-	-	-	-	-
Female	10	-	-	-	2	3	-	-	-	2	1	1	1	-	-	-	-	-	-	-
Other non-Hisp	13	-	1	-	1	5	2	2	-	-	-	-	-	1	-	1	-	-	-	-
Male	8	-	-	-	1	4	1	1	-	-	-	-	-	1	-	-	-	-	-	-
Female	5	-	1	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Hispanic	60	-	1	1	3	6	9	8	7	10	8	1	1	2	-	1	1	-	1	-
Male	50	-	-	1	3	5	8	6	6	9	5	1	1	2	-	1	1	-	1	-
Female	10	-	1	-	-	1	1	2	1	1	3	-	-	-	-	-	-	-	-	-
X60-X84,Y87.0 Suicide																				
All Races/Ethnicities	357	-	-	1	15	20	21	25	28	44	48	42	33	26	20	13	12	7	2	-
Male	268	-	-	1	11	13	17	20	21	34	38	33	21	21	13	8	10	6	1	-
Female	89	-	-	-	4	7	4	5	7	10	10	9	12	5	7	5	2	1	1	-
White non-Hisp	308	-	-	1	12	13	17	18	24	33	43	40	31	24	20	11	12	7	2	-
Male	234	-	-	1	9	9	14	14	18	26	35	32	20	19	13	7	10	6	1	-
Female	74	-	-	-	3	4	3	4	6	7	8	8	11	5	7	4	2	1	1	-
Black non-Hisp	13	-	-	-	1	3	1	2	-	4	-	1	1	-	-	-	-	-	-	-
Male	7	-	-	-	-	2	1	2	-	2	-	-	-	-	-	-	-	-	-	-
Female	6	-	-	-	1	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-
Other non-Hisp	9	-	-	-	1	3	2	1	-	-	-	-	-	1	-	1	-	-	-	-
Male	5	-	-	-	1	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Female	4	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Hispanic	27	-	-	-	1	1	1	4	4	7	5	1	1	1	-	1	-	-	-	-
Male	22	-	-	-	1	-	1	4	3	6	3	1	1	1	-	1	-	-	-	-
Female	5	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

X85-Y09,Y87.1,Y35,Y89.0 Homicide & Legal Intervention																				
All Races/Ethnicities	148	-	20	1	12	28	19	14	8	9	14	7	5	4	-	3	1	-	3	-
Male	108	-	8	1	11	25	16	10	7	9	7	3	3	3	-	3	1	-	1	-
Female	38	-	12	-	1	3	3	4	1	-	5	4	2	1	-	-	-	-	2	-
White non-Hisp	59	-	18	-	1	4	4	5	2	2	6	7	3	2	-	3	-	-	2	-
Male	31	-	8	-	1	3	2	3	1	2	3	3	1	1	-	3	-	-	-	-
Female	28	-	10	-	-	1	2	2	1	-	3	4	2	1	-	-	-	-	2	-
Black non-Hisp	50	-	-	-	9	17	7	4	3	4	3	-	2	1	-	-	-	-	-	-
Male	46	-	-	-	8	15	7	4	3	4	2	-	2	1	-	-	-	-	-	-
Female	4	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other non-Hisp	4	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	3	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	33	-	1	1	2	5	8	4	3	3	3	-	-	1	-	-	1	-	1	-
Male	28	-	-	1	2	5	7	2	3	3	2	-	-	1	-	-	1	-	1	-
Female	5	-	1	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-
X85-Y09,Y87.1 Homicide																				
All Races/Ethnicities	148	-	20	1	12	28	19	14	8	9	14	7	5	4	-	3	1	-	3	-
Male	108	-	8	1	11	25	16	10	7	9	7	3	3	3	-	3	1	-	1	-
Female	38	-	12	-	1	3	3	4	1	-	5	4	2	1	-	-	-	-	2	-
White non-Hisp	59	-	18	-	1	4	4	5	2	2	6	7	3	2	-	3	-	-	2	-
Male	31	-	8	-	1	3	2	3	1	2	3	3	1	1	-	3	-	-	-	-
Female	28	-	10	-	-	1	2	2	1	-	3	4	2	1	-	-	-	-	2	-
Black non-Hisp	50	-	-	-	9	17	7	4	3	4	3	-	2	1	-	-	-	-	-	-
Male	46	-	-	-	8	15	7	4	3	4	2	-	2	1	-	-	-	-	-	-
Female	4	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other non-Hisp	4	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	3	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	33	-	1	1	2	5	8	4	3	3	3	-	-	1	-	-	1	-	1	-
Male	28	-	-	1	2	5	7	2	3	3	2	-	-	1	-	-	1	-	1	-
Female	5	-	1	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-
X93-X95 Homicide by discharge of firearm																				
All Races/Ethnicities	111	-	20	1	9	23	17	10	6	4	12	3	2	1	-	1	1	-	1	-
Male	78	-	8	1	8	20	14	8	5	4	6	-	1	1	-	1	1	-	-	-
Female	31	-	12	-	1	3	3	2	1	-	4	3	1	-	-	-	-	-	1	-
White non-Hisp	40	-	18	-	1	3	3	2	1	1	5	3	1	-	-	1	-	-	1	-
Male	17	-	8	-	1	2	1	1	-	1	2	-	-	-	-	1	-	-	-	-
Female	23	-	10	-	-	1	2	1	1	-	3	3	1	-	-	-	-	-	1	-
Black non-Hisp	42	-	-	-	7	16	6	4	3	2	3	-	1	-	-	-	-	-	-	-
Male	38	-	-	-	6	14	6	4	3	2	2	-	1	-	-	-	-	-	-	-
Female	4	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other non-Hisp	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	24	-	1	1	1	3	8	3	2	1	2	-	-	1	-	-	1	-	-	-
Male	21	-	-	1	1	3	7	2	2	1	2	-	-	1	-	-	1	-	-	-
Female	3	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Y10-Y34,Y87.2,Y89.9 Events of Undetermined Intent																				
All Races/Ethnicities	11	-	-	-	1	1	2	2	-	1	2	-	2	-	-	-	-	-	-	-
Male	7	-	-	-	1	1	1	2	-	-	1	-	1	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-
White non-Hisp	7	-	-	-	-	1	-	1	-	1	2	-	2	-	-	-	-	-	-	-
Male	4	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
Black non-Hisp	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Y40-Y84,Y88 Complications of medical & surgical care																							
All Races/Ethnicities	30	-	-	-	1	-	-	-	-	-	-	-	1	-	-	2	2	1	1	5	10	7	-
Male	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	4	2	-
Female	19	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	6	5	-
White non-Hisp	26	-	-	-	1	-	-	-	-	-	-	-	1	-	-	2	1	1	-	4	9	7	-
Male	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	3	2	-
Female	16	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	6	5	-
Black non-Hisp	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Other non-Hisp	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Firearm deaths ^a																							
All Races/Ethnicities	223	-	-	20	2	11	28	23	19	13	14	27	15	12	9	10	7	8	4	1	1	-	-
Male	179	-	-	8	2	10	24	19	14	12	12	21	12	9	9	10	5	8	4	-	-	-	-
Female	42	-	-	12	-	1	4	4	5	1	2	4	3	3	-	-	-	2	-	-	1	-	-
White non-Hisp	142	-	-	18	1	2	6	8	10	6	9	20	15	11	7	10	7	7	4	1	1	-	-
Male	109	-	-	8	1	2	5	5	6	5	7	17	12	8	7	10	5	7	4	-	-	-	-
Female	33	-	-	10	-	-	1	3	4	1	2	3	3	3	-	-	-	2	-	-	1	-	-
Black non-Hisp	46	-	-	-	-	7	18	7	4	3	3	3	-	1	-	-	-	-	-	-	-	-	-
Male	41	-	-	-	-	6	15	7	4	3	3	2	-	1	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Other non-Hisp	4	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hispanic	29	-	-	1	1	1	3	8	4	4	2	2	-	-	2	-	-	1	-	-	-	-	-
Male	26	-	-	-	1	1	3	7	3	4	2	2	-	-	2	-	-	1	-	-	-	-	-
Female	3	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcohol-induced deaths ^b																							
All Races/Ethnicities	179	-	-	-	-	-	5	7	10	10	24	35	31	19	17	15	3	1	1	2	1	-	-
Male	127	-	-	-	-	-	2	3	8	6	18	26	22	12	13	14	1	1	1	1	-	-	-
Female	50	-	-	-	-	-	3	4	2	4	6	9	7	7	4	1	2	-	-	1	-	-	-
White non-Hisp	146	-	-	-	-	-	3	5	5	8	21	28	28	17	13	13	2	1	2	1	2	-	-
Male	103	-	-	-	-	-	1	2	4	5	15	20	21	10	10	12	1	1	1	1	-	-	-
Female	43	-	-	-	-	-	2	3	1	3	6	8	7	7	3	1	1	-	-	1	-	-	-
Black non-Hisp	12	-	-	-	-	-	1	1	-	-	-	2	1	2	2	2	1	-	-	-	-	-	-
Male	9	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Other non-Hisp	3	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Hispanic	16	-	-	-	-	-	1	1	4	2	3	4	-	-	1	-	-	-	-	-	-	-	-
Male	14	-	-	-	-	-	1	1	4	1	3	3	-	-	1	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-

Connecticut Department of Public Health

Drug-induced deaths ⁱ																				
All Races/Ethnicities	431	-	-	-	9	31	38	46	47	42	70	69	36	16	9	5	3	3	6	1
Male	289	-	-	-	7	20	26	37	36	30	46	46	19	9	5	3	1	1	2	1
Female	142	-	-	-	2	11	12	9	11	12	24	23	17	7	4	2	2	2	4	-
White non-Hisp	339	-	-	-	9	26	30	31	42	25	54	56	31	13	7	3	2	3	6	1
Male	223	-	-	-	7	18	20	26	31	17	38	35	15	6	4	2	-	-	1	2
Female	116	-	-	-	2	8	10	5	11	8	16	21	16	7	3	1	2	2	4	-
Black non-Hisp	38	-	-	-	-	1	1	5	1	8	7	6	3	3	1	1	1	-	-	-
Male	27	-	-	-	-	-	1	5	1	6	2	4	3	3	1	-	-	1	-	-
Female	11	-	-	-	-	1	-	-	-	2	5	2	-	-	-	1	-	-	-	-
Other non-Hisp	7	-	-	-	-	2	1	1	-	1	1	-	1	-	-	-	-	-	-	-
Male	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-
Hispanic	47	-	-	-	-	2	6	9	4	8	8	7	1	-	1	1	-	-	-	-
Male	37	-	-	-	-	1	4	6	4	7	6	7	1	-	-	1	-	-	-	-
Female	10	-	-	-	-	1	2	3	-	1	2	-	-	-	1	-	-	-	-	-

NOTES:

^a Totals for age groups and racial/ethnic groups represent total deaths from all causes combined; however, only selected causes of death are itemized in this table. A listing of all Connecticut deaths by ICD-10 code, age, sex, and race/ethnicity is available from the CT DPH, Health Statistics and Surveillance, Statistics Analysis & Reporting unit as Supplement Table B. A dash (-) represents the quantity zero.

^b Beginning with the 2011 report, race and ethnicity are reported here using mutually exclusive groups. Individuals identifying themselves as "Hispanic" can be of any race. For reporting purposes, only "White non-Hisp", "Black non-Hisp", "Other non-Hisp", and "Hispanic" are shown; counts for those of unknown race and ethnicity are omitted. There were 30 records with unknown race, 5 records with unknown ethnicity, and 97 records with both unknown race and unknown ethnicity.

^c There were 3 records where age was unknown and 1 record where sex was unknown.

^d Cause of death was unknown for 237 decedents.

^e The category "Motor vehicle accidents" includes codes V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2.

^f The category "Poisoning" includes deaths resulting from accidental drug/medication overdose, and accidental poisoning by alcohol, cleaning agents, paints, solvents, agricultural/horticultural chemicals (insecticides, herbicides, fungicides, etc.), corrosives and caustics, foodstuffs and plants, metals, and gases (including carbon monoxide and motor vehicle exhaust).

^g The category "Fire arm deaths" includes codes W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0.

^h The category "Alcohol-induced deaths" includes codes F10,G31.2,G62.1,I42.6,K29.2,K70,R78.0,X45,X65,Y15.

ⁱ The category "Drug-induced deaths" includes codes F11.0-F11.5,F11.4-F11.9,F12.0-F12.5,F12.7-F12.9,F13.0-F13.5,F13.7-F13.9,F14.0-F14.5,F14.7,F14.9,F15.0-F15.5,F15.7-F15.9, F16.0-F16.5,F16.7-F16.9,F17.0,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-F18.9,F19.0-F19.5,F19.7-F19.9,X40-X44,X60-X64,X85,Y10-Y14.

TABLE 10
CONNECTICUT RESIDENT DEATHS, 2012
Top Five Leading Causes of Death^a by Age and Sex

CAUSE OF DEATH (ICD-10th Revision)	BOTH SEXES COMBINED				MALES				FEMALES			
	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group
TOTAL-ALL AGES^a	--	29,321	816.7	100.0	--	14,038	802.2	100.0	--	15,282	830.3	100.0
TOTAL, ALL CAUSES	--	29,321	816.7	100.0	--	14,038	802.2	100.0	--	15,282	830.3	100.0
I00-I09,I11,I13,I20-I51 Diseases of heart	1	7,247	201.8	24.7	1	3,569	204.0	25.4	1	3,678	199.8	24.1
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		28	0.8	0.1		10	0.6	0.1		18	1.0	0.1
... I11 Hypertensive heart disease		237	6.6	0.8		105	6.0	0.7		132	7.2	0.9
... I13 Hypertensive heart and renal disease		17	0.5	0.1		8	0.5	0.1		9	0.5	0.1
... I20-I25 Ischemic heart disease		4,001	111.4	13.6		2,090	119.4	14.9		1,911	103.8	12.5
... I26-I51 Other heart diseases		2,964	82.6	10.1		1,356	77.5	9.7		1,608	87.4	10.5
C00-C97 Malignant neoplasms	2	6,646	185.1	22.7	2	3,353	191.6	23.9	2	3,293	178.9	21.5
... C00-C14 Lip, oral & pharynx cancer		83	2.3	0.3		59	3.4	0.4		24	1.3	0.2
... C18-C21 Colorectal cancer		534	14.9	1.8		261	14.9	1.9		273	14.8	1.8
... C25 Pancreatic cancer		471	13.1	1.6		210	12.0	1.5		261	14.2	1.7
... C33-C34 Trachea, bronchus & lung cancer		1,644	45.8	5.6		841	48.1	6.0		803	43.6	5.3
... C43 Skin cancer		99	2.8	0.3		60	3.4	0.4		39	2.1	0.3
... C50 Breast cancer		490	13.6	1.7		13	0.7	0.1		477	25.9	3.1
... C53 Cervical cancer		40	1.1	0.1						40	2.2	0.3
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		125	3.5	0.4						125	6.8	0.8
... C56 Ovarian cancer		164	4.6	0.6						164	8.9	1.1
... C61 Prostate cancer		298	8.3	1.0		298	17.0	2.1				
... C67 Bladder cancer		217	6.0	0.7		144	8.2	1.0		73	4.0	0.5
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		165	4.6	0.6		92	5.3	0.7		73	4.0	0.5
... C91-C95 Leukemia		291	8.1	1.0		177	10.1	1.3		114	6.2	0.7
J40-J47 Chronic lower respiratory diseases	3	1,377	38.4	4.7	4	617	35.3	4.4	4	760	41.3	5.0
... J45-J46 Asthma		39	1.1	0.1		14	0.8	0.1		25	1.4	0.2
V01-X59,Y85-Y86 Accidents (unintentional injuries)	4	1,352	37.7	4.6	3	848	48.5	6.0				
... Motor vehicle accidents ^a		279	7.8	1.0		201	11.5	1.4				
... W00-W19 Falls		334	9.3	1.1		174	9.9	1.2				
... W32-W34 Accidental discharge of firearms		2	0.1	0.0		2	0.1	0.0				
... W65-W74 Accidental drowning and submersion		36	1.0	0.1		25	1.4	0.2				
... X00-X09 Accidental exposure to smoke, fire & flames		21	0.6	0.1		7	0.4	0.0				
... X40-X49 Accidental poisoning & exposure to noxious substances		386	10.8	1.3		275	15.7	2.0				
I60-I69 Cerebrovascular disease	5	1,258	35.0	4.3	5	476	27.2	3.4	3	782	42.5	5.1
G30 Alzheimer's disease									5	606	32.9	4
<1 YEAR OLD												
TOTAL, ALL CAUSES	--	192	5.3	100	--	107	5.8	100	--	84	4.7	100
P07 Disorders relating to short gestation and unspecified low birthweight	1	58	1.6	30.2	1	35	1.9	32.7	1	22	1.2	26.2
Q00-Q99 Congenital anomalies	2	29	0.8	15.1	2	17	0.9	15.9	2	12	0.7	14.3
R95 Sudden infant death syndrome	3	15	0.4	7.8	3	12	0.6	11.2	5	3	0.2	3.6
P01 Fetus/Newborn affected by maternal complications of pregnancy	4	13	0.4	6.8	4	9	0.5	8.4	4	4	0.2	4.8
P02 Fetus/Newborn Affected by complications of placenta	5	9	0.2	4.7	5	4	0.2	3.7	3	5	0.3	6
1-4 YEARS OLD												
TOTAL, ALL CAUSES	--	30	19.1	100	--	22	27.4	100	--	8	10.4	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	9	5.7	30	1	7	8.7	31.8	1	2	2.6	25
... Motor vehicle accidents ^a		1	0.6	3.3		1	1.2	4.5				
... W00-W19 Falls		1	0.6	3.3						1	1.3	12.5
... W65-W74 Accidental drowning and submersion		1	0.6	3.3						1	1.3	12.5
Q00-Q99 Congenital anomalies	2	7	4.5	23.3	2	6	7.5	27.3	3	1	1.3	12.5
C00-C97 Malignant neoplasms	3	5	3.2	16.7	3	3	3.7	13.6	1	2	2.6	25
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		1	0.6	3.3		1	1.2	4.5				
... C91-C95 Leukemia		1	0.6	3.3						1	1.3	12.5
I00-I09,I11,I13,I20-I51 Diseases of heart	4	1	0.6	3.3					3	1	1.3	12.5
... I26-I51 Other heart diseases		1	0.6	3.3						1	1.3	12.5
J10-J18 Influenza and Pneumonia	4	1	0.6	3.3					3	1	1.3	12.5
... J12-J18 Pneumonia		1	0.6	3.3						1	1.3	12.5
N00-N07,N17-N19,N25-N27 Nephritis, nephrotic syndrome, nephrosis					4	1	1.2	4.5				
5-9 YEARS OLD												
TOTAL, ALL CAUSES	--	40	18.3	100	--	18	16.2	100	--	22	20.6	100
X85-Y09,Y87.1 Homicide	1	20	9.2	50	1	8	7.2	44.4	1	12	11.3	54.5
... X93-X95 Homicide by discharge of firearm		20	9.2	50		8	7.2	44.4		12	11.3	54.5
C00-C97 Malignant neoplasms	2	5	2.3	12.5	2	2	1.8	11.1	2	3	2.8	13.6
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		2	0.9	5		1	0.9	5.6		1	0.9	4.5
... C91-C95 Leukemia		2	0.9	5		1	0.9	5.6		1	0.9	4.5
V01-X59,Y85-Y86 Accidents (unintentional injuries)	3	3	1.4	7.5	2	2	1.8	11.1	3	1	0.9	4.5
... Motor vehicle accidents ^a		1	0.5	2.5						1	0.9	4.5
I60-I69 Cerebrovascular disease	4	2	0.9	5					3	1	0.9	4.5
J10-J18 Influenza and Pneumonia	4	2	0.9	5					3	1	0.9	4.5
... J12-J18 Pneumonia		2	0.9	5						1	0.9	4.5
A40-A41 Septicemia					4	1	0.9	5.6				
G00,G03 Meningitis					4	1	0.9	5.6				
10-14 YEARS OLD												
TOTAL, ALL CAUSES	--	24	10.2	100	--	15	12.5	100	--	9	7.9	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	6	2.6	25	1	4	3.3	26.7	1	2	1.7	22.2
... Motor vehicle accidents ^a		3	1.3	12.5		3	2.5	20				
... W65-W74 Accidental drowning and submersion		2	0.9	8.3		1	0.8	6.7		1	0.9	11.1
... X00-X09 Accidental exposure to smoke, fire & flames		1	0.4	4.2						1	0.9	11.1
C00-C97 Malignant neoplasms	2	4	1.7	16.7	2	3	2.5	20	3	1	0.9	11.1
D50-D64 Anemias	3	2	0.9	8.3					1	2	1.7	22.2
I00-I09,I11,I13,I20-I51 Diseases of heart	3	2	0.9	8.3	3	1	0.8	6.7	3	1	0.9	11.1
... I26-I51 Other heart diseases		2	0.9	8.3		1	0.8	6.7		1	0.9	11.1
I60-I69 Cerebrovascular disease	5	1	0.4	4.2	3	1	0.8	6.7				
X60-X84,Y87.0 Suicide					3	1	0.8	6.7				
Y40-Y84,Y88 Complications of medical & surgical care									3	1	0.9	11.1

Connecticut Department of Public Health

CAUSE OF DEATH (ICD-10th Revision)	BOTH SEXES COMBINED				MALES				FEMALES			
	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group
15-19 YEARS OLD												
TOTAL, ALL CAUSES	--	77	30.1	100	--	58	44.4	100	--	19	15.2	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	30	11.7	39	1	22	16.8	37.9	1	8	6.4	42.1
... Motor vehicle accidents ^a		19	7.4	24.7		14	10.7	24.1		5	4	26.3
... W00-W19 Falls		1	0.4	1.3		1	0.8	1.7				
... W65-W74 Accidental drowning and submersion		1	0.4	1.3		1	0.8	1.7				
... X00-X09 Accidental exposure to smoke, fire & flames		1	0.4	1.3						1	0.8	5.3
... X40-X49 Accidental poisoning & exposure to noxious substances		8	3.1	10.4		6	4.6	10.3		2	1.6	10.5
X60-X84,Y87.0 Suicide	2	15	5.9	19.5	2	11	8.4	19	2	4	3.2	21.1
X85-Y09,Y87.1 Homicide	3	12	4.7	15.6	2	11	8.4	19				
... X93-X95 Homicide by discharge of firearm		9	3.5	11.7		8	6.1	13.8				
I00-I09,I11,I13,I20-I51 Diseases of heart	4	3	1.2	3.9					3	2	1.6	10.5
... I26-I51 Other heart diseases		3	1.2	3.9						2	1.6	10.5
C00-C97 Malignant neoplasms	5	2	0.8	2.6	4	1	0.8	1.7	4	1	0.8	5.3
... C91-C95 Leukemia		1	0.4	1.3		1	0.8	1.7				
A40-A41 Septicemia		1	0.4	1.3	4	1	0.8	1.7				
B20-B24 Human immunodeficiency virus (HIV) disease									4	1	0.8	5.3
20-24 YEARS OLD												
TOTAL, ALL CAUSES	--	171	74.7	100	--	120	101	100	--	51	46.3	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	75	32.8	43.9	1	54	45.5	45	1	21	19.1	41.2
... Motor vehicle accidents ^a		35	15.3	20.5		26	21.9	21.7		9	8.2	17.6
... W00-W19 Falls		1	0.4	0.6						1	0.9	2
... W32-W34 Accidental discharge of firearms		1	0.4	0.6		1	0.8	0.8				
... W65-W74 Accidental drowning and submersion		5	2.2	2.9		5	4.2	4.2				
... X00-X09 Accidental exposure to smoke, fire & flames		2	0.9	1.2		1	0.8	0.8		1	0.9	2
... X40-X49 Accidental poisoning & exposure to noxious substances		29	12.7	17		20	16.8	16.7		9	8.2	17.6
X85-Y09,Y87.1 Homicide	2	28	12.2	16.4	2	25	21.1	20.8	4	3	2.7	5.9
... X93-X95 Homicide by discharge of firearm		23	10	13.5		20	16.8	16.7		3	2.7	5.9
X60-X84,Y87.0 Suicide	3	20	8.7	11.7	3	13	10.9	10.8	2	7	6.4	13.7
I00-I09,I11,I13,I20-I51 Diseases of heart	4	8	3.5	4.7	4	4	3.4	3.3	3	4	3.6	7.8
... I11 Hypertensive heart disease		1	0.4	0.6						1	0.9	2
... I26-I51 Other heart diseases		7	3.1	4.1		4	3.4	3.3		3	2.7	5.9
C00-C97 Malignant neoplasms	5	7	3.1	4.1	4	4	3.4	3.3	4	3	2.7	5.9
... C00-C14 Lip, oral & pharynx cancer		1	0.4	0.6						1	0.9	2
... C18-C21 Colorectal cancer		1	0.4	0.6		1	0.8	0.8				
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		1	0.4	0.6						1	0.9	2
... C91-C95 Leukemia		2	0.9	1.2		2	1.7	1.7				
25-34 YEARS OLD												
TOTAL, ALL CAUSES	--	389	89.5	100	--	281	129	100	--	108	49.8	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	142	32.7	36.5	1	112	51.4	39.9	1	30	13.8	27.8
... Motor vehicle accidents ^a		44	10.1	11.3		36	16.5	12.8		8	3.7	7.4
... W00-W19 Falls		1	0.2	0.3		1	0.5	0.4				
... W65-W74 Accidental drowning and submersion		7	1.6	1.8		7	3.2	2.5				
... X40-X49 Accidental poisoning & exposure to noxious substances		85	19.6	21.9		64	29.4	22.8		21	9.7	19.4
X60-X84,Y87.0 Suicide	2	46	10.6	11.8	2	37	17	13.2	3	9	4.2	8.3
C00-C97 Malignant neoplasms	3	36	8.3	9.3	5	16	7.3	5.7	2	20	9.2	18.5
... C18-C21 Colorectal cancer		5	1.2	1.3		1	0.5	0.4		4	1.8	3.7
... C33-C34 Trachea, bronchus & lung cancer		3	0.7	0.8		1	0.5	0.4		2	0.9	1.9
... C43 Skin cancer		1	0.2	0.3						1	0.5	0.9
... C50 Breast cancer		2	0.5	0.5						2	0.9	1.9
... C53 Cervical cancer		1	0.2	0.3						1	0.5	0.9
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		4	0.9	1						4	1.8	3.7
... C91-C95 Leukemia		8	1.8	2.1		5	2.3	1.8		3	1.4	2.8
I00-I09,I11,I13,I20-I51 Diseases of heart	4	34	7.8	8.7	3	28	12.9	10	5	6	2.8	5.6
... I11 Hypertensive heart disease		2	0.5	0.5		2	0.9	0.7				
... I20-I25 Ischemic heart disease		8	1.8	2.1		5	2.3	1.8		3	1.4	2.8
... I26-I51 Other heart diseases		24	5.5	6.2		21	9.6	7.5		3	1.4	2.8
X85-Y09,Y87.1 Homicide	5	33	7.6	8.5	4	26	11.9	9.3	4	7	3.2	6.5
... X93-X95 Homicide by discharge of firearm		27	6.2	6.9		22	10.1	7.8		5	2.3	4.6
35-44 YEARS OLD												
TOTAL, ALL CAUSES	--	624	136.1	100	--	402	179.7	100	--	222	94.6	100
V01-X59,Y85-Y86 Accidents (unintentional injuries)	1	142	31	22.8	1	113	50.5	28.1	2	29	12.4	13.1
... Motor vehicle accidents ^a		37	8.1	5.9		33	14.8	8.2		4	1.7	1.8
... W00-W19 Falls		6	1.3	1		5	2.2	1.2		1	0.4	0.5
... W32-W34 Accidental discharge of firearms		1	0.2	0.2		1	0.4	0.2				
... W65-W74 Accidental drowning and submersion		4	0.9	0.6		3	1.3	0.7		1	0.4	0.5
... X00-X09 Accidental exposure to smoke, fire & flames		3	0.7	0.5		2	0.9	0.5		1	0.4	0.5
... X40-X49 Accidental poisoning & exposure to noxious substances		78	17	12.5		60	26.8	14.9		18	7.7	8.1
C00-C97 Malignant neoplasms	2	109	23.8	17.5	4	47	21	11.7	1	62	26.4	27.9
... C18-C21 Colorectal cancer		13	2.8	2.1		6	2.7	1.5		7	3	3.2
... C25 Pancreatic cancer		2	0.4	0.3		1	0.4	0.2		1	0.4	0.5
... C33-C34 Trachea, bronchus & lung cancer		10	2.2	1.6		4	1.8	1		6	2.6	2.7
... C43 Skin cancer		2	0.4	0.3		1	0.4	0.2		1	0.4	0.5
... C50 Breast cancer		20	4.4	3.2						20	8.5	9
... C53 Cervical cancer		4	0.9	0.6						4	1.7	1.8
... C56 Ovarian cancer		3	0.7	0.5						3	1.3	1.4
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		10	2.2	1.6		9	4	2.2		1	0.4	0.5
... C91-C95 Leukemia		3	0.7	0.5		1	0.4	0.2		2	0.9	0.9
I00-I09,I11,I13,I20-I51 Diseases of heart	3	93	20.3	14.9	2	65	29.1	16.2	3	28	11.9	12.6
... I11 Hypertensive heart disease		14	3.1	2.2		8	3.6	2		6	2.6	2.7
... I20-I25 Ischemic heart disease		35	7.6	5.6		25	11.2	6.2		10	4.3	4.5
... I26-I51 Other heart diseases		44	9.6	7.1		32	14.3	8		12	5.1	5.4
X60-X84,Y87.0 Suicide	4	72	15.7	11.5	3	55	24.6	13.7	4	17	7.2	7.7
K70,K73-K74 Chronic liver disease and cirrhosis	5	20	4.4	3.2								
... K70 Alcoholic liver disease		12	2.6	1.9								
I60-I69 Cerebrovascular disease									5	9	3.8	4.1
X85-Y09,Y87.1 Homicide					5	16	7.2	4				
... X93-X95 Homicide by discharge of firearm						9	4	2.2				

Connecticut Department of Public Health

CAUSE OF DEATH (ICD-10th Revision)	BOTH SEXES COMBINED				MALES				FEMALES			
	Rank ^c	No. Deaths	Age-specific Death Rate ^a per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^a per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^a per 100,000	Percent within Age/Sex Group
45-54 YEARS OLD												
TOTAL, ALL CAUSES	--	1,833	323.5	100	--	1,167	422.8	100	--	666	229.2	100
C00-C97 Malignant neoplasms	1	494	87.2	27	2	252	91.3	21.6	1	242	83.3	36.3
... C00-C14 Lip, oral & pharynx cancer		11	1.9	0.6		8	2.9	0.7		3	1	0.5
... C18-C21 Colorectal cancer		50	8.8	2.7		24	8.7	2.1		26	8.9	3.9
... C25 Pancreatic cancer		29	5.1	1.6		18	6.5	1.5		11	3.8	1.7
... C33-C34 Trachea, bronchus & lung cancer		99	17.5	5.4		60	21.7	5.1		39	13.4	5.9
... C43 Skin cancer		11	1.9	0.6		6	2.2	0.5		5	1.7	0.8
... C50 Breast cancer		55	9.7	3						55	18.9	8.3
... C53 Cervical cancer		15	2.6	0.8						15	5.2	2.3
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		9	1.6	0.5						9	3.1	1.4
... C56 Ovarian cancer		23	4.1	1.3						23	7.9	3.5
... C61 Prostate cancer		3	0.5	0.2		3	1.1	0.3				
... C67 Bladder cancer		6	1.1	0.3		3	1.1	0.3		3	1	0.5
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		21	3.7	1.1		17	6.2	1.5		4	1.4	0.6
... C91-C95 Leukemia		11	1.9	0.6		9	3.3	0.8		2	0.7	0.3
I00-I09,I11,I13,I20-I51 Diseases of heart	2	388	68.5	21.2	1	296	107.2	25.4	2	92	31.7	13.8
... I11 Hypertensive heart disease		31	5.5	1.7		19	6.9	1.6		12	4.1	1.8
... I20-I25 Ischemic heart disease		209	36.9	11.4		171	62	14.7		38	13.1	5.7
... I26-I51 Other heart diseases		148	26.1	8.1		106	38.4	9.1		42	14.5	6.3
V01-X59,Y85-Y86 Accidents (unintentional injuries)	3	198	34.9	10.8	3	144	52.2	12.3	3	54	18.6	8.1
... Motor vehicle accidents ^b		31	5.5	1.7		25	9.1	2.1		6	2.1	0.9
... W00-W19 Falls		13	2.3	0.7		9	3.3	0.8		4	1.4	0.6
... W65-W74 Accidental drowning and submersion		4	0.7	0.2		2	0.7	0.2		2	0.7	0.3
... X00-X09 Accidental exposure to smoke, fire & flames		2	0.4	0.1		1	0.4	0.1		1	0.3	0.2
... X40-X49 Accidental poisoning & exposure to noxious substances		121	21.4	6.6		84	30.4	7.2		37	12.7	5.6
X60-X84,Y87.0 Suicide	4	90	15.9	4.9	4	71	25.7	6.1				
K70,K73-K74 Chronic liver disease and cirrhosis	5	81	14.3	4.4	5	54	19.6	4.6	4	27	9.3	4.1
... K70 Alcoholic liver disease		42	7.4	2.3		31	11.2	2.7		11	3.8	1.7
J40-J47 Chronic lower respiratory diseases									5	20	6.9	3
... J45-J46 Asthma										10	3.4	1.5
55-64 YEARS OLD												
TOTAL, ALL CAUSES	--	3,058	654.2	100	--	1,826	809	100	--	1,232	509.6	100
C00-C97 Malignant neoplasms	1	1,110	237.4	36.3	1	567	251.2	31.1	1	543	224.6	44.1
... C00-C14 Lip, oral & pharynx cancer		17	3.6	0.6		12	5.3	0.7		5	2.1	0.4
... C18-C21 Colorectal cancer		88	18.8	2.9		49	21.7	2.7		39	16.1	3.2
... C25 Pancreatic cancer		79	16.9	2.6		46	20.4	2.5		33	13.6	2.7
... C33-C34 Trachea, bronchus & lung cancer		306	65.5	10		149	66	8.2		157	64.9	12.7
... C43 Skin cancer		13	2.8	0.4		7	3.1	0.4		6	2.5	0.5
... C50 Breast cancer		107	22.9	3.5		3	1.3	0.2		104	43	8.4
... C53 Cervical cancer		5	1.1	0.2						5	2.1	0.4
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		29	6.2	0.9						29	12	2.4
... C56 Ovarian cancer		29	6.2	0.9						29	12	2.4
... C61 Prostate cancer		25	5.3	0.8		25	11.1	1.4				
... C67 Bladder cancer		19	4.1	0.6		13	5.8	0.7		6	2.5	0.5
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		39	8.3	1.3		20	8.9	1.1		19	7.9	1.5
... C91-C95 Leukemia		26	5.6	0.9		18	8	1		8	3.3	0.6
I00-I09,I11,I13,I20-I51 Diseases of heart	2	651	139.3	21.3	2	462	204.7	25.3	2	189	78.2	15.3
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		5	1.1	0.2		1	0.4	0.1		4	1.7	0.3
... I11 Hypertensive heart disease		32	6.8	1		20	8.9	1.1		12	5	1
... I20-I25 Ischemic heart disease		399	85.4	13		290	128.5	15.9		109	45.1	8.8
... I26-I51 Other heart diseases		215	46	7		151	66.9	8.3		64	26.5	5.2
V01-X59,Y85-Y86 Accidents (unintentional injuries)	3	145	31	4.7	3	91	40.3	5	3	54	22.3	4.4
... Motor vehicle accidents ^b		45	9.6	1.5		28	12.4	1.5		17	7	1.4
... W00-W19 Falls		19	4.1	0.6		14	6.2	0.8		5	2.1	0.4
... W65-W74 Accidental drowning and submersion		3	0.6	0.1		1	0.4	0.1		2	0.8	0.2
... X00-X09 Accidental exposure to smoke, fire & flames		6	1.3	0.2		2	0.9	0.1		4	1.7	0.3
... X40-X49 Accidental poisoning & exposure to noxious substances		43	9.2	1.4		28	12.4	1.5		15	6.2	1.2
J40-J47 Chronic lower respiratory diseases	4	102	21.8	3.3					4	47	19.4	3.8
... J45-J46 Asthma		5	1.1	0.2						3	1.2	0.2
E10-E14 Diabetes mellitus	5	96	20.5	3.1	4	60	26.6	3.3	5	36	14.9	2.9
K70,K73-K74 Chronic liver disease and cirrhosis					5	59	26.1	3.2				
... K70 Alcoholic liver disease						20	8.9	1.1				
65-74 YEARS OLD												
TOTAL, ALL CAUSES	--	4,126	1465.1	100	--	2,375	1818.3	100	--	1,751	1159.6	100
C00-C97 Malignant neoplasms	1	1,571	557.8	38.1	1	865	662.3	36.4	1	706	467.5	40.3
... C00-C14 Lip, oral & pharynx cancer		16	5.7	0.4		15	11.5	0.6		1	0.7	0.1
... C18-C21 Colorectal cancer		104	36.9	2.5		53	40.6	2.2		51	33.8	2.9
... C25 Pancreatic cancer		115	40.8	2.8		50	38.3	2.1		65	43	3.7
... C33-C34 Trachea, bronchus & lung cancer		475	168.7	11.5		274	209.8	11.5		201	133.1	11.5
... C43 Skin cancer		25	8.9	0.6		16	12.2	0.7		9	6	0.5
... C50 Breast cancer		96	34.1	2.3		4	3.1	0.2		92	60.9	5.3
... C53 Cervical cancer		8	2.8	0.2						8	5.3	0.5
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		34	12.1	0.8						34	22.5	1.9
... C56 Ovarian cancer		44	15.6	1.1						44	29.1	2.5
... C61 Prostate cancer		56	19.9	1.4		56	42.9	2.4				
... C67 Bladder cancer		54	19.2	1.3		37	28.3	1.6		17	11.3	1
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		39	13.8	0.9		25	19.1	1.1		14	9.3	0.8
... C91-C95 Leukemia		63	22.4	1.5		42	32.2	1.8		21	13.9	1.2
I00-I09,I11,I13,I20-I51 Diseases of heart	2	864	306.8	20.9	2	558	427.2	23.5	2	306	202.6	17.5
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		2	0.7	0		1	0.8	0		1	0.7	0.1
... I11 Hypertensive heart disease		34	12.1	0.8		23	17.6	1		11	7.3	0.6
... I13 Hypertensive heart and renal disease		2	0.7	0		1	0.8	0		1	0.7	0.1
... I20-I25 Ischemic heart disease		522	185.4	12.7		347	265.7	14.6		175	115.9	10
... I26-I51 Other heart diseases		304	107.9	7.4		186	142.4	7.8		118	78.1	6.7
J40-J47 Chronic lower respiratory diseases	3	238	84.5	5.8	3	119	91.1	5	3	119	78.8	6.8
... J45-J46 Asthma		4	1.4	0.1		3	2.3	0.1		1	0.7	0.1
I60-I69 Cerebrovascular disease	4	119	42.3	2.9	5	70	53.6	2.9	5	49	32.4	2.8

Connecticut Department of Public Health

CAUSE OF DEATH (ICD-10th Revision)	BOTH SEXES COMBINED				MALES				FEMALES			
	Rank ^a	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group	Rank ^c	No. Deaths	Age-specific Death Rate ^b per 100,000	Percent within Age/Sex Group
E10-E14 Diabetes mellitus	5	111	39.4	2.7					4	50	33.1	2.9
V01-X59,Y85-Y86 Accidents (unintentional injuries)					4	71	54.4	3				
... Motor vehicle accidents ^d						14	10.7	0.6				
... W00-W19 Falls						26	19.9	1.1				
... W65-W74 Accidental drowning and submersion						1	0.8	0				
... X00-X09 Accidental exposure to smoke, fire & flames						1	0.8	0				
... X40-X49 Accidental poisoning & exposure to noxious substances						7	5.4	0.3				
75-84 YEARS OLD												
TOTAL, ALL CAUSES	--	6,977	4282.3	100	--	3,396	5007.5	100	--	3,581	3765.2	100
C00-C97 Malignant neoplasms	1	1,810	1110.9	25.9	1	945	1393.4	27.8	1	865	909.5	24.2
... C00-C14 Lip, oral & pharynx cancer		24	14.7	0.3		16	23.6	0.5		8	8.4	0.2
... C18-C21 Colorectal cancer		137	84.1	2		70	103.2	2.1		67	70.4	1.9
... C25 Pancreatic cancer		150	92.1	2.1		69	101.7	2		81	85.2	2.3
... C33-C34 Trachea, bronchus & lung cancer		459	281.7	6.6		224	330.3	6.6		235	247.1	6.6
... C43 Skin cancer		30	18.4	0.4		20	29.5	0.6		10	10.5	0.3
... C50 Breast cancer		97	59.5	1.4		3	4.4	0.1		94	98.8	2.6
... C53 Cervical cancer		4	2.5	0.1						4	4.2	0.1
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		30	18.4	0.4						30	31.5	0.8
... C56 Ovarian cancer		27	16.6	0.4						27	28.4	0.8
... C61 Prostate cancer		102	62.6	1.5		102	150.4	3				
... C67 Bladder cancer		59	36.2	0.8		41	60.5	1.2		18	18.9	0.5
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		33	20.3	0.5		15	22.1	0.4		18	18.9	0.5
... C91-C95 Leukemia		102	62.6	1.5		66	97.3	1.9		36	37.9	1
I00-I09,I11,I13,I20-I51 Diseases of heart	2	1,674	1027.5	24	2	856	1262.2	25.2	2	818	860.1	22.8
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		9	5.5	0.1		3	4.4	0.1		6	6.3	0.2
... I11 Hypertensive heart disease		37	22.7	0.5		11	16.2	0.3		26	27.3	0.7
... I13 Hypertensive heart and renal disease		4	2.5	0.1		4	5.9	0.1				
... I20-I25 Ischemic heart disease		941	577.6	13.5		509	750.5	15		432	454.2	12.1
... I26-I51 Other heart diseases		683	419.2	9.8		329	485.1	9.7		354	372.2	9.9
J40-J47 Chronic lower respiratory diseases	3	465	285.4	6.7	3	223	328.8	6.6	3	242	254.4	6.8
... J45-J46 Asthma		5	3.1	0.1		2	2.9	0.1		3	3.2	0.1
I60-I69 Cerebrovascular disease	4	305	187.2	4.4	4	124	182.8	3.7	4	181	190.3	5.1
V01-X59,Y85-Y86 Accidents (unintentional injuries)	5	184	112.9	2.6	5	97	143	2.9				
... Motor vehicle accidents ^d		23	14.1	0.3		16	23.6	0.5				
... W00-W19 Falls		98	60.1	1.4		47	69.3	1.4				
... W65-W74 Accidental drowning and submersion		2	1.2	0		2	2.9	0.1				
... X00-X09 Accidental exposure to smoke, fire & flames		2	1.2	0								
... X40-X49 Accidental poisoning & exposure to noxious substances		3	1.8	0		2	2.9	0.1				
G30 Alzheimer's disease									5	118	124.1	3.3
85+ YEARS OLD												
TOTAL, ALL CAUSES	--	11,777	13357.5	100	--	4,248	14849	100	--	7,529	12641	100
I00-I09,I11,I13,I20-I51 Diseases of heart	1	3,525	3998	29.9	1	1,294	4523.2	30.5	1	2,231	3745.8	29.6
... I00-I09 Acute rheumatic fever & chronic rheumatic heart disease		12	13.6	0.1		5	17.5	0.1		7	11.8	0.1
... I11 Hypertensive heart disease		86	97.5	0.7		22	76.9	0.5		64	107.5	0.9
... I13 Hypertensive heart and renal disease		11	12.5	0.1		3	10.5	0.1		8	13.4	0.1
... I20-I25 Ischemic heart disease		1,885	2138	16		741	2590.2	17.4		1,144	1920.8	15.2
... I26-I51 Other heart diseases		1,531	1736.5	13		523	1828.2	12.3		1008	1692.4	13.4
C00-C97 Malignant neoplasms	2	1,492	1692.2	12.7	2	648	2265.1	15.3	2	844	1417.1	11.2
... C00-C14 Lip, oral & pharynx cancer		14	15.9	0.1		8	28	0.2		6	10.1	0.1
... C18-C21 Colorectal cancer		136	154.3	1.2		57	199.2	1.3		79	132.6	1
... C25 Pancreatic cancer		96	108.9	0.8		26	90.9	0.6		70	117.5	0.9
... C33-C34 Trachea, bronchus & lung cancer		292	331.2	2.5		129	450.9	3		163	273.7	2.2
... C43 Skin cancer		17	19.3	0.1		10	35	0.2		7	11.8	0.1
... C50 Breast cancer		113	128.2	1		3	10.5	0.1		110	184.7	1.5
... C53 Cervical cancer		3	3.4	0						3	5	0
... C54-C55 Cancer of corpus uteri & uterus, parts unspecified		23	26.1	0.2						23	38.6	0.3
... C56 Ovarian cancer		38	43.1	0.3						38	63.8	0.5
... C61 Prostate cancer		112	127	1		112	391.5	2.6				
... C67 Bladder cancer		79	89.6	0.7		50	174.8	1.2		29	48.7	0.4
... C70-C72 Cancer of meninges, brain & other parts of the central nervous system		14	15.9	0.1		4	14	0.1		10	16.8	0.1
... C91-C95 Leukemia		72	81.7	0.6		32	111.9	0.8		40	67.2	0.5
I60-I69 Cerebrovascular disease	3	681	772.4	5.8	4	191	667.6	4.5	3	490	822.7	6.5
G30 Alzheimer's disease	4	615	697.5	5.2	5	153	534.8	3.6	4	462	775.7	6.1
J40-J47 Chronic lower respiratory diseases	5	529	600	4.5	3	202	706.1	4.8	5	327	549	4.3
... J45-J46 Asthma		6	6.8	0.1		1	3.5	0		5	8.4	0.1
UNKNOWN AGE												
TOTAL, ALL CAUSES	--	3		100	--	3		100				
I00-I09,I11,I13,I20-I51 Diseases of heart	1	2		66.7	1	2		66.7				
... I20-I25 Ischemic heart disease		2		66.7		2		66.7				
V01-X59,Y85-Y86 Accidents (unintentional injuries)	2	1		33.3	2	1		33.3				
... X40-X49 Accidental poisoning & exposure to noxious substances		1		33.3		1		33.3				

NOTES:

^a The leading causes of death are ranked by sex within each age category. When a major cause-of-death group ranks among the top five, counts and rates for selected cause-of-death subgroups also are given. The causes are listed in rank order based on the "Both Sexes Combined" column, followed by the "Male" and "Female" columns. There were 237 death records including 4 infant death records where the cause of death was unknown. There were 3 records where age was unknown and 1 record where sex was unknown.

^b Age-specific death rates and crude death rates were calculated per 100,000 population using 2012 population counts (Table 1) as the denominators. Rates for persons under 1 year of age were the exception; for this group, rates were calculated per 1,000 live births. Denominators for the 1-4 year age group were derived by subtracting 2010 resident births of known sex from the population figure for the 0-4 year age group. Crude death rates were used for persons of all ages combined because this grouping is not age-specific.

^c Within a given age/sex category, causes of death having the same number of deaths were assigned the same rank. As a result, fewer than five numerical ranks may be assigned in a given age/sex group, and/or more than five causes of death may receive ranks. Where a cause of death is not ranked for all three sex categories within a given age group, unranked counts are shown in parenthesis to allow comparisons to be made.

^d For the Total All Ages category, records with unknown sex but known age are included in the calculation of the "Both Sexes" columns.

^e The category "Motor vehicle accidents" includes codes V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.1,V82.0-V82.1,V83-V86, V87.0-V87.8,V88.0-V88.8,V89.0, and V89.2.

TABLE 11
 Statistical Analysis of Birth Outcomes and Their Risk Factors, Infant Mortality and Fetal Mortality
 at the State, Health District, and Town Levels for Connecticut, 2012

GEOGRAPHIC AREA	2012			Significantly Different from Reference Group ^{ab} (p<0.01)	2011 Percent	Significant Change 2011-2012 ^{ab} (p<0.05)
	No. Events	Denominator	Percent			
LOW BIRTHWEIGHT						
<i>Connecticut</i>	2,873	36,493	7.9	n.s.	7.7	n.s.
<i>Health District</i>						
None	-	-	-	-	-	-
<i>Town</i>						
East Hartford	78	689	11.3	Higher	11.3	n.s.
Hartford	219	1,970	11.1	Higher	10.9	n.s.
New Britain	105	1,044	10.1	Higher	8.7	n.s.
New Haven	188	1,906	9.9	Higher	8.4	n.s.
New Milford	15	238	6.3	n.s.	12.5	Decrease
South Windsor	10	220	4.5	n.s.	9.8	Decrease
VERY LOW BIRTHWEIGHT						
<i>Connecticut</i>	536	36,493	1.5	n.s.	1.5	n.s.
<i>Health District</i>						
Quinnipiack Valley	9	887	1.0	n.s.	2.5	Decrease
<i>Town</i>						
Hartford	54	1,970	2.7	Higher	2.9	n.s.
Meriden	20	786	2.5	n.s.	1.1	Increase
New Milford	2	238	0.8	n.s.	4.4	Decrease
Southington	7	320	2.2	n.s.	0.3	Increase
Stamford	13	1,826	0.7	Lower	1.5	Decrease
TEEN BIRTHS						
<i>Connecticut</i>	1,910	36,509	5.2	Lower	5.5	n.s.
<i>Health District</i>						
Central Connecticut	17	844	2.0	Lower	2.8	n.s.
Chatham	10	588	1.7	Lower	2.0	n.s.
Chesprocott	4	355	1.1	Lower	2.0	n.s.
East Shore	15	581	2.6	Lower	2.0	n.s.
Eastern Highlands	13	521	2.5	Lower	2.5	n.s.
Farmington Valley	9	785	1.1	Lower	1.8	n.s.
Northeast	59	812	7.3	Higher	5.5	n.s.
Plainville-Southngtn	11	484	2.3	Lower	2.8	n.s.
Pomperaug	3	253	1.2	Lower	1.5	n.s.
Quinnipiack Valley	23	886	2.6	Lower	4.2	n.s.
Trumbull-Monroe	4	398	1.0	Lower	0.3	n.s.
Uncas Regional	65	913	7.1	Higher	7.3	n.s.
Weston-Westport	2	252	0.8	Lower	0.4	n.s.
<i>Town</i>						
Bridgeport	178	2,122	8.4	Higher	10.6	Decrease
East Hartford	56	690	8.1	Higher	7.3	n.s.
Fairfield	2	476	0.4	Lower	1.2	n.s.
Farmington	2	203	1.0	Lower	1.9	n.s.
Glastonbury	2	231	0.9	Lower	0.4	n.s.
Greenwich	6	680	0.9	Lower	0.5	n.s.
Hartford	249	1,975	12.6	Higher	13.0	n.s.
Meriden	76	786	9.7	Higher	7.5	n.s.
New Britain	117	1,044	11.2	Higher	13.3	n.s.
New Haven	196	1,910	10.3	Higher	9.4	n.s.
Norwich	46	523	8.8	Higher	9.3	n.s.
Stamford	51	1,828	2.8	Lower	2.8	n.s.
Trumbull	4	271	1.5	Lower	0.4	n.s.
Wallingford	5	353	1.4	Lower	1.9	n.s.
Waterbury	139	1,525	9.1	Higher	11.2	n.s.
Wethersfield	3	267	1.1	Lower	3.1	n.s.
Windham	32	302	10.6	Higher	14.8	n.s.

Connecticut Department of Public Health

GEOGRAPHIC AREA	2012				2011 Percent	Significant Change 2011-2012 ^{ab} (p<0.05)
	No. Events	Denominator	Percent	Significantly Different from		
				Reference Group ^{ab} (p<0.01)		
LATE OR NO PRENATAL CARE						
<i>Connecticut</i>	4,756	36,174	13.1	Higher	13.0	n.s.
<i>Health District</i>						
Central Connecticut	72	840	8.6	Lower	11.0	n.s.
Chatham	43	585	7.4	Lower	6.3	n.s.
Chesprocott	25	354	7.1	Lower	8.5	n.s.
East Shore	40	570	7.0	Lower	8.8	n.s.
Farmington Valley	58	781	7.4	Lower	9.1	n.s.
Naugatuck Valley	122	1,195	10.2	Lower	8.3	n.s.
Northeast	45	791	5.7	Lower	7.8	n.s.
Pomperaug	19	252	7.5	Lower	6.8	n.s.
Quinnipiack Valley	88	878	10.0	Lower	10.6	n.s.
Torrington Area	107	1,050	10.2	Lower	9.4	n.s.
Trumbull-Monroe	23	397	5.8	Lower	4.9	n.s.
W Hrtfd-Bloomfield	76	759	10.0	n.s.	13.8	Decrease
<i>Town</i>						
Bridgeport	346	2,110	16.4	Higher	21.6	Decrease
Danbury	145	1,089	13.3	n.s.	17.2	Decrease
East Haven	15	237	6.3	Lower	10.5	n.s.
Fairfield	27	475	5.7	Lower	4.6	n.s.
Greenwich	92	678	13.6	n.s.	7.3	Increase
Hartford	394	1,955	20.2	Higher	22.0	n.s.
Meriden	141	781	18.1	Higher	14.6	n.s.
Middletown	49	555	8.8	Lower	8.8	n.s.
Milford	34	436	7.8	Lower	6.7	n.s.
Naugatuck	46	359	12.8	n.s.	8.2	Increase
New Britain	187	1,039	18.0	Higher	19.6	n.s.
New Haven	437	1,871	23.4	Higher	22.3	n.s.
New Milford	17	237	7.2	Lower	6.3	n.s.
Norwalk	202	1,169	17.3	Higher	16.3	n.s.
Shelton	20	303	6.6	Lower	4.8	n.s.
Trumbull	17	270	6.3	Lower	5.3	n.s.
Waterbury	350	1,513	23.1	Higher	15.5	Increase
West Hartford	50	582	8.6	Lower	12.3	Decrease
West Haven	95	648	14.7	n.s.	19.5	Decrease
Wethersfield	18	266	6.8	Lower	9.1	n.s.
NON-ADEQUATE PRENATAL CARE (APNCU Index)						
<i>Connecticut</i>	8,371	35,718	23.4	Higher	22.2	Increase
<i>Health District</i>						
Central Connecticut	247	839	29.4	Higher	29.7	n.s.
Chatham	129	580	22.2	n.s.	17.4	Increase
Chesprocott	52	349	14.9	Lower	17.4	n.s.
East Shore	124	558	22.2	n.s.	15.7	Increase
Eastern Highlands	114	515	22.1	n.s.	16.3	Increase
Farmington Valley	248	779	31.8	Higher	27.7	n.s.
Ledge Light	189	1,342	14.1	Lower	14.6	n.s.
Naugatuck Valley	212	1,185	17.9	Lower	15.6	n.s.
Northeast	77	755	10.2	Lower	10.5	n.s.
Plainville-Southngtn	106	480	22.1	n.s.	30.6	Decrease
Pomperaug	30	251	12.0	Lower	8.3	n.s.
Quinnipiack Valley	168	868	19.4	Lower	17.4	n.s.
Torrington Area	149	1,036	14.4	Lower	14.7	n.s.
Uncas Regional	133	905	14.7	Lower	14.3	n.s.
W Hrtfd-Bloomfield	245	759	32.3	Higher	27.7	n.s.

Connecticut Department of Public Health

GEOGRAPHIC AREA	2012			Significantly Different from Reference Group ^{ab} (p<0.01)	2011 Percent	Significant Change 2011-2012 ^{ab} (p<0.05)
	No. Events	Denominator	Percent			
<i>Town</i>						
Branford	55	227	24.2	n.s.	14.2	Increase
Bridgeport	711	2,096	33.9	Higher	36.5	n.s.
Danbury	124	1,083	11.4	Lower	11.8	n.s.
East Hartford	197	670	29.4	Higher	24.8	n.s.
Fairfield	122	464	26.3	n.s.	16.1	Increase
Groton	88	625	14.1	Lower	14.6	n.s.
Hartford	530	1,943	27.3	Higher	26.5	n.s.
Manchester	184	744	24.7	n.s.	20.3	Increase
Middletown	97	554	17.5	Lower	19.6	n.s.
Naugatuck	50	358	14.0	Lower	13.3	n.s.
New Britain	410	1,035	39.6	Higher	37.0	n.s.
Newington	80	250	32.0	Higher	33.4	n.s.
New London	54	334	16.2	Lower	15.6	n.s.
New Milford	14	236	5.9	Lower	7.8	n.s.
Norwalk	316	1,152	27.4	Higher	23.6	Increase
Norwich	88	520	16.9	Lower	18.6	n.s.
Southington	65	318	20.4	n.s.	28.5	Decrease
South Windsor	64	220	29.1	n.s.	16.4	Increase
Stamford	646	1,750	36.9	Higher	32.2	Increase
Torrington	58	369	15.7	Lower	14.4	n.s.
Waterbury	262	1,508	17.4	Lower	19.3	n.s.
West Hartford	169	582	29.0	Higher	27.3	n.s.
Windsor	85	261	32.6	Higher	30.5	n.s.
PREMATURITY^c						
<i>Connecticut</i>	3,601	36,476	9.9	Lower	10.2	n.s.
<i>Health District</i>						
Eastern Highlands	53	520	10.2	n.s.	6.2	Increase
<i>Town</i>						
East Hartford	101	688	14.7	Higher	13.3	n.s.
Groton	41	635	6.5	Lower	9.1	n.s.
Hartford	251	1,974	12.7	Higher	13.4	n.s.
Milford	50	442	11.3	n.s.	7.3	Increase
New Britain	128	1,042	12.3	Higher	13.0	n.s.
New Haven	226	1,909	11.8	Higher	11.9	n.s.
Newington	18	251	7.2	n.s.	13.7	Decrease
New Milford	19	238	8.0	n.s.	14.3	Decrease
West Haven	87	667	13.0	Higher	11.8	n.s.
SMOKING DURING PREGNANCY						
<i>Connecticut</i>	1,654	36,468	4.5	Lower	4.6	n.s.
<i>Health District</i>						
Bristol-Burlington	62	740	8.4	Higher	6.7	n.s.
Farmington Valley	19	785	2.4	Lower	1.8	n.s.
North Central	138	1,596	8.6	Higher	8.7	n.s.
Northeast	104	807	12.9	Higher	10.2	n.s.
Quinnipiack Valley	17	886	1.9	Lower	2.0	n.s.
Torrington Area	111	1,060	10.5	Higher	9.8	n.s.
Trumbull-Monroe	2	398	0.5	Lower	0.5	n.s.
Uncas Regional	109	912	12.0	Higher	11.9	n.s.
W Hrtfd-Bloomfield	7	764	0.9	Lower	1.0	n.s.
Weston-Westport	2	252	0.8	Lower	1.8	n.s.

Connecticut Department of Public Health

GEOGRAPHIC AREA	2012				2011 Percent	Significant Change 2011-2012 ^{ab} (p<0.05)
	No. Events	Denominator	Percent	Significantly Different from		
				Reference Group ^{ab} (p<0.01)		
<i>Town</i>						
Ansonia	19	219	8.7	Higher	10.6	n.s.
Bridgeport	54	2,122	2.5	Lower	2.3	n.s.
Bristol	61	653	9.3	Higher	7.4	n.s.
Danbury	22	1,092	2.0	Lower	2.1	n.s.
Enfield	34	390	8.7	Higher	6.9	n.s.
Fairfield	2	476	0.4	Lower	0.2	n.s.
Glastonbury	1	231	0.4	Lower	1.6	n.s.
Greenwich	1	678	0.1	Lower	0.2	n.s.
Hamden	8	610	1.3	Lower	1.4	n.s.
Meriden	58	785	7.4	Higher	6.4	n.s.
Middletown	40	555	7.2	Higher	4.6	n.s.
New Britain	96	1,044	9.2	Higher	8.7	n.s.
New Haven	112	1,904	5.9	Higher	7.3	n.s.
Norwalk	19	1,176	1.6	Lower	1.9	n.s.
Norwich	70	522	13.4	Higher	13.9	n.s.
Stamford	9	1,826	0.5	Lower	0.4	n.s.
Stratford	11	515	2.1	Lower	2.3	n.s.
Torrington	64	373	17.2	Higher	14.2	n.s.
Trumbull	0	271	0.0	Lower	0.4	n.s.
Vernon	33	350	9.4	Higher	11.3	n.s.
Waterbury	110	1,522	7.2	Higher	7.3	n.s.
West Hartford	6	585	1.0	Lower	1.3	n.s.
West Haven	25	667	3.7	n.s.	7.4	Decrease
Windham	32	302	10.6	Higher	10.6	n.s.
INFANT MORTALITY (per 1,000 live births)						
Connecticut	192	36,512	5.26	n.s.	5.2	n.s.
<i>Health District</i>						
None	-	-	-	-	-	-
<i>Town</i>						
Bridgeport	22	2,122	10.37	Higher	4.87	Increase
Hartford	21	1,975	10.63	Higher	12.71	n.s.
New Haven	21	1,910	10.99	Higher	6.22	n.s.
Stamford	1	1,828	0.55	Lower	2.82	n.s.
Wethersfield	5	267	18.73	Higher	0.0	n.s.
FETAL MORTALITY (per 1,000 live births+fetal deaths)						
Connecticut	183	36,695	4.99	Lower	5.58	n.s.
<i>Health District</i>						
None	-	-	-	-	-	-
<i>Town</i>						
none	-	-	-	-	-	-

NOTES:

^a The reference group used for comparison with Connecticut statistics is the U.S. whenever appropriate U.S. figures are available. The reference group used for comparison with the local sub-state regions is the State of Connecticut. By 2008, several states had transitioned from the 1989 Revision of the U.S. Certificate of Live Birth to the 2003 Revision of the U.S. Certificate of Live Birth. As a result of this change, 2009 birth statistics are not directly comparable between all states. The U.S. figures used here are derived from states using the 1989 Revision of the U.S. Certificate of Live Birth which are consistent with the data collection methods used in Connecticut. U.S. figures were not available.

^b A "n.s." signifies that the difference was not statistically significant at p< 0.05. A "n/a" indicates that the comparison was not applicable.

^c Starting with 2007 births, the reported birth weight (BWT) and gestational age (GAGE) values have been modified using the National Vital Statistics System data quality edits published by the National Center for Health Statistics (NCHS). Since NCHS makes these edits prior to publishing US natality statistics, adopting NCHS edits assures that published DPH statistics more closely match the published NCHS state-level statistics. The quality assurance edits for GAGE include 1) expanding the GAGE range to 17-47 weeks; 2) applying a series of consistency checks between BWT, GAGE based on mother's report of last menstrual period (LMP), and clinical estimate of GAGE; and 3) imputing GAGE using values from records with similar BWT and race/ethnicity for births where month and year of LMP is known but day of LMP is unknown. The imputation process used by NCHS to impute unknown GAGE values cannot be precisely reproduced at the state level; however, DPH staff developed an analytic process to approximate it.

TABLE 12
 Statistical Analysis of Birth Outcomes and Their Risk Factors
 for Racial and Ethnic Groups for Connecticut, 2012

RACE/ETHNICITY	2012				Significantly Different from White-NH ^a ($p < 0.01$)	2011 Percent	Significant Change 2011-2012 ^a ($p < 0.05$)
	No. Events	Denominator	Percent				
LOW BIRTHWEIGHT							
White, non-Hispanic	1,322	20,664	6.4	n.a.	6.5	n.s.	
Black, non-Hispanic	565	4,588	12.3	Higher	11.8	n.s.	
Hispanic	702	7,941	8.8	Higher	7.9	Increase	
VERY LOW BIRTHWEIGHT							
White, non-Hispanic	223	20,664	1.1	n.a.	1.2	n.s.	
Black, non-Hispanic	140	4,588	3.1	Higher	3.2	n.s.	
Hispanic	131	7,941	1.6	Higher	1.5	n.s.	
TEEN BIRTHS							
White, non-Hispanic	509	20,664	2.5	n.a.	2.3	n.s.	
Black, non-Hispanic	370	4,594	8.1	Higher	9.7	Decrease	
Hispanic	958	7,945	12.1	Higher	12.3	n.s.	
LATE OR NO PRENATAL CARE							
White, non-Hispanic	1,881	20,513	9.2	n.a.	8.8	n.s.	
Black, non-Hispanic	933	4,525	20.6	Higher	20.9	n.s.	
Hispanic	1,526	7,883	19.4	Higher	19.4	n.s.	
NON-ADEQUATE PRENATAL CARE (APNCU Index)							
White, non-Hispanic	4,214	20,241	20.8	n.a.	19.2	Increase	
Black, non-Hispanic	1,330	4,472	29.7	Higher	28.5	n.s.	
Hispanic	2,093	7,842	26.7	Higher	26.2	n.s.	
PREMATURITY^b							
White, non-Hispanic	1,784	20,653	8.6	n.a.	9.0	n.s.	
Black, non-Hispanic	589	4,592	12.8	Higher	14.1	n.s.	
Hispanic	908	7,939	11.4	Higher	10.6	n.s.	
SMOKING DURING PREGNANCY							
White, non-Hispanic	1,128	20,654	5.5	n.a.	5.5	n.s.	
Black, non-Hispanic	183	4,588	4	Lower	5.0	Decrease	
Hispanic	289	7,936	3.6	Lower	3.4	n.s.	
INFANT MORTALITY (per 1,000 live births)							
White, non-Hispanic	74	20,666	3.58	n.a.	3.75	n.s.	
Black, non-Hispanic	55	4,594	11.97	Higher	9.83	n.s.	
Hispanic	57	7,945	7.17	Higher	5.95	n.s.	
FETAL MORTALITY (per 1,000 live births + fetal deaths)							
White, non-Hispanic	66	20,732	3.18	Lower	4.16	n.s.	
Black, non-Hispanic	32	4,626	6.92	Higher	10.57	n.s.	
Hispanic	54	7,999	6.75	Higher	4.39	Increase	

NOTES:

^a A "n.s." signifies that the difference was not statistically significant. A "n/a" indicates that the comparison was not

^b Starting with 2007 births, the reported birth weight (BWT) and gestational age (GAGE) values have been modified using the National Vital Statistics System data quality edits published by the National Center for Health Statistics (NCHS). Since NCHS makes these edits prior to publishing US natality statistics, adopting NCHS edits assures that published DPH statistics more closely match the published NCHS state-level statistics. The quality assurance edits for GAGE include 1) expanding the GAGE range to 17-47 weeks; 2) applying a series of consistency checks between BWT, GAGE based on mother's report of last menstrual period (LMP), and clinical estimate of GAGE; and 3) imputing GAGE using values from records with similar BWT and race/ethnicity for births where month and year of LMP is known but day of LMP is unknown. The imputation process used by NCHS to impute unknown GAGE values cannot be precisely reproduced at the state level.

TABLE 13
CONNECTICUT TEEN BIRTH RATES, 2008-2012
 Statistical Comparison of Town-State Teen Birth Rates (Ages 15-19)

GEOGRAPHIC AREA	BIRTHS TO MOTHERS 15-19 YEARS ^a	FEMALE POP. 15-19 YEARS ^b	BIRTH RATE PER 1,000 POPULATION ^c	SINGLE TOWN-STATE COMPARISON ^d	MULTIPLE TOWN-STATE COMPARISON ^e
CONNECTICUT	11,579	616,058	18.8		
Andover	1	610	1.6	<i>f</i>	<i>f</i>
Ansonia	72	3,255	22.1	n.s.	n.s.
Ashford	8	700	11.4	<i>f</i>	<i>f</i>
Avon	2	3,035	0.7	Lower	Lower
Barkhamsted	1	720	1.4	<i>f</i>	<i>f</i>
Beacon Falls	7	935	7.5	n.s.	n.s.
Berlin	16	2,915	5.5	Lower	Lower
Bethany	2	940	2.1	Lower	Lower
Bethel	17	3,115	5.5	Lower	Lower
Bethlehem	3	725	4.1	<i>f</i>	<i>f</i>
Bloomfield	74	2,955	25.0	n.s.	n.s.
Bolton	3	765	3.9	<i>f</i>	<i>f</i>
Bozrah	4	425	9.4	<i>f</i>	<i>f</i>
Branford	23	3,675	6.3	Lower	Lower
Bridgeport	1,249	27,615	45.2	Higher	Higher
Bridgewater	-	185	0.0	<i>f</i>	<i>f</i>
Bristol	180	8,340	21.6	n.s.	n.s.
Brookfield	8	2,895	2.8	Lower	Lower
Brooklyn	21	1,325	15.8	n.s.	n.s.
Burlington	8	1,485	5.4	Lower	Lower
Canaan	-	145	0.0	<i>f</i>	<i>f</i>
Canterbury	11	875	12.6	n.s.	n.s.
Canton	5	1,430	3.5	Lower	Lower
Chaplin	8	325	24.6	<i>f</i>	<i>f</i>
Cheshire	12	4,305	2.8	Lower	Lower
Chester	5	525	9.5	<i>f</i>	<i>f</i>
Clinton	19	1,905	10.0	Lower	n.s.
Colchester	26	2,830	9.2	Lower	Lower
Colebrook	3	215	14.0	<i>f</i>	<i>f</i>
Columbia	2	1,035	1.9	Lower	Lower
Cornwall	-	210	0.0	<i>f</i>	<i>f</i>
Coventry	12	1,860	6.5	Lower	Lower
Cromwell	15	1,980	7.6	Lower	Lower
Danbury	287	12,760	22.5	Higher	n.s.
Darien	1	3,775	0.3	Lower	Lower
Deep River	9	595	15.1	<i>f</i>	<i>f</i>
Derby	45	1,830	24.6	n.s.	n.s.
Durham	4	1,365	2.9	Lower	Lower
Eastford	2	230	8.7	<i>f</i>	<i>f</i>
East Granby	4	690	5.8	<i>f</i>	<i>f</i>
East Haddam	11	1,395	7.9	Lower	n.s.
East Hampton	17	1,965	8.7	Lower	n.s.
East Hartford	294	8,145	36.1	Higher	Higher
East Haven	61	4,075	15.0	n.s.	n.s.
East Lyme	18	2,785	6.5	Lower	Lower
Easton	1	1,440	0.7	Lower	Lower
East Windsor	37	1,530	24.2	n.s.	n.s.
Ellington	12	2,300	5.2	Lower	Lower
Enfield	102	6,265	16.3	n.s.	n.s.
Essex	2	750	2.7	<i>f</i>	<i>f</i>
Fairfield	25	13,420	1.9	Lower	Lower
Farmington	18	3,755	4.8	Lower	Lower
Franklin	-	305	0.0	<i>f</i>	<i>f</i>
Glastonbury	11	5,565	2.0	Lower	Lower
Goshen	1	410	2.4	<i>f</i>	<i>f</i>

TABLE 13
CONNECTICUT TEEN BIRTH RATES, 2008-2012
 Statistical Comparison of Town-State Teen Birth Rates (Ages 15-19)

GEOGRAPHIC AREA	BIRTHS TO MOTHERS 15-19 YEARS ^a	FEMALE POP. 15-19 YEARS ^b	BIRTH RATE PER 1,000 POPULATION ^c	SINGLE TOWN-STATE COMPARISON ^d	MULTIPLE TOWN-STATE COMPARISON ^e
CONNECTICUT	11,579	616,058	18.8		
Granby	9	1,890	4.8	Lower	Lower
Greenwich	27	9,340	2.9	Lower	Lower
Griswold	40	2,120	18.9	n.s.	n.s.
Groton	145	5,065	28.6	Higher	Higher
Guilford	3	3,420	0.9	Lower	Lower
Haddam	10	1,175	8.5	Lower	n.s.
Hamden	135	14,795	9.1	Lower	Lower
Hampton	1	255	3.9	<i>f</i>	<i>f</i>
Hartford	1,577	29,175	54.1	Higher	Higher
Hartland	1	325	3.1	<i>f</i>	<i>f</i>
Harwinton	3	875	3.4	Lower	n.s.
Hebron	6	1,605	3.7	Lower	Lower
Kent	3	425	7.1	<i>f</i>	<i>f</i>
Killingly	85	2,650	32.1	Higher	Higher
Killingworth	4	1,055	3.8	Lower	Lower
Lebanon	8	1,225	6.5	Lower	n.s.
Ledyard	21	2,480	8.5	Lower	Lower
Lisbon	12	805	14.9	n.s.	n.s.
Litchfield	5	1,445	3.5	Lower	Lower
Lyme	-	265	0.0	<i>f</i>	<i>f</i>
Madison	3	3,450	0.9	Lower	Lower
Manchester	188	8,155	23.1	Higher	n.s.
Mansfield	17	15,560	1.1	Lower	Lower
Marlborough	3	850	3.5	Lower	n.s.
Meriden	382	10,025	38.1	Higher	Higher
Middlebury	1	1,185	0.8	Lower	Lower
Middlefield	5	600	8.3	<i>f</i>	<i>f</i>
Middletown	125	8,375	14.9	Lower	n.s.
Milford	52	7,040	7.4	Lower	Lower
Monroe	2	3,495	0.6	Lower	Lower
Montville	49	2,790	17.6	n.s.	n.s.
Morris	1	380	2.6	<i>f</i>	<i>f</i>
Naugatuck	73	5,140	14.2	n.s.	n.s.
New Britain	707	14,660	48.2	Higher	Higher
New Canaan	-	3,885	0.0	Lower	Lower
New Fairfield	7	2,645	2.6	Lower	Lower
New Hartford	7	1,135	6.2	Lower	n.s.
New Haven	1,114	29,235	38.1	Higher	Higher
Newington	37	4,085	9.1	Lower	Lower
New London	180	7,045	25.6	Higher	Higher
New Milford	37	4,460	8.3	Lower	Lower
Newtown	16	4,785	3.3	Lower	Lower
Norfolk	2	235	8.5	<i>f</i>	<i>f</i>
North Branford	11	2,165	5.1	Lower	Lower
North Canaan	10	470	21.3	<i>f</i>	<i>f</i>
North Haven	13	3,475	3.7	Lower	Lower
North Stonington	6	655	9.2	<i>f</i>	<i>f</i>
Norwalk	251	11,090	22.6	Higher	n.s.
Norwich	261	6,585	39.6	Higher	Higher
Old Lyme	6	1,230	4.9	Lower	Lower
Old Saybrook	3	1,445	2.1	Lower	Lower
Orange	7	2,210	3.2	Lower	Lower
Oxford	7	1,780	3.9	Lower	Lower
Plainfield	71	2,695	26.3	Higher	n.s.
Plainville	27	2,635	10.2	Lower	n.s.

TABLE 13
CONNECTICUT TEEN BIRTH RATES, 2008-2012
 Statistical Comparison of Town-State Teen Birth Rates (Ages 15-19)

GEOGRAPHIC AREA	BIRTHS TO MOTHERS 15-19 YEARS ^a	FEMALE POP. 15-19 YEARS ^b	BIRTH RATE PER 1,000 POPULATION ^c	SINGLE TOWN-STATE COMPARISON ^d	MULTIPLE TOWN-STATE COMPARISON ^e
CONNECTICUT	11,579	616,058	18.8		
Plymouth	27	2,040	13.2	n.s.	n.s.
Pomfret	5	775	6.5	f	f
Portland	15	1,330	11.3	n.s.	n.s.
Preston	4	780	5.1	f	f
Prospect	6	1,530	3.9	Lower	Lower
Putnam	42	1,385	30.3	Higher	n.s.
Redding	3	1,440	2.1	Lower	Lower
Ridgefield	2	4,525	0.4	Lower	Lower
Rocky Hill	14	2,325	6.0	Lower	Lower
Roxbury	1	300	3.3	f	f
Salem	2	725	2.8	f	f
Salisbury	2	460	4.3	f	f
Scotland	6	225	26.7	f	f
Seymour	19	2,695	7.1	Lower	Lower
Sharon	2	380	5.3	f	f
Shelton	55	5,585	9.8	Lower	Lower
Sherman	2	630	3.2	f	f
Simsbury	8	4,330	1.8	Lower	Lower
Somers	8	1,535	5.2	Lower	Lower
Southbury	4	2,875	1.4	Lower	Lower
Southington	58	6,330	9.2	Lower	Lower
South Windsor	23	4,250	5.4	Lower	Lower
Sprague	18	560	32.1	n.s.	n.s.
Stafford	32	1,785	17.9	n.s.	n.s.
Stamford	281	15,635	18.0	n.s.	n.s.
Sterling	7	640	10.9	f	f
Stonington	27	2,395	11.3	Lower	n.s.
Stratford	158	8,025	19.7	n.s.	n.s.
Suffield	11	2,485	4.4	Lower	Lower
Thomaston	8	1,320	6.1	Lower	n.s.
Thompson	20	1,410	14.2	n.s.	n.s.
Tolland	12	2,275	5.3	Lower	Lower
Torrington	138	4,915	28.1	Higher	Higher
Trumbull	13	5,700	2.3	Lower	Lower
Union	-	120	0.0	f	f
Vernon	100	3,995	25.0	Higher	n.s.
Voluntown	1	405	2.5	f	f
Wallingford	52	6,665	7.8	Lower	Lower
Warren	1	190	5.3	f	f
Washington	1	455	2.2	f	f
Waterbury	979	20,325	48.2	Higher	Higher
Waterford	25	3,115	8.0	Lower	Lower
Watertown	21	3,575	5.9	Lower	Lower
Westbrook	9	930	9.7	n.s.	n.s.
West Hartford	119	11,175	10.6	Lower	Lower
West Haven	226	11,525	19.6	n.s.	n.s.
Weston	2	2,210	0.9	Lower	Lower
Westport	3	4,660	0.6	Lower	Lower
Wethersfield	25	3,560	7.0	Lower	Lower
Willington	8	880	9.1	n.s.	n.s.
Wilton	1	3,210	0.3	Lower	Lower
Winchester	46	1,785	25.8	n.s.	n.s.
Windham	221	7,295	30.3	Higher	Higher
Windsor	88	4,585	19.2	n.s.	n.s.
Windsor Locks	33	1,935	17.1	n.s.	n.s.

TABLE 13
CONNECTICUT TEEN BIRTH RATES, 2008-2012
 Statistical Comparison of Town-State Teen Birth Rates (Ages 15-19)

GEOGRAPHIC AREA	BIRTHS TO MOTHERS 15-19 YEARS ^a	FEMALE POP. 15-19 YEARS ^b	BIRTH RATE PER 1,000 POPULATION ^c	SINGLE TOWN-STATE COMPARISON ^d	MULTIPLE TOWN-STATE COMPARISON ^e
CONNECTICUT	11,579	616,058	18.8		
Wolcott	23	3,065	7.5	Lower	Lower
Woodbridge	2	1,680	1.2	Lower	Lower
Woodbury	2	1,450	1.4	Lower	Lower
Woodstock	3	1,395	2.2	Lower	Lower

NOTES:

^a Births to CT residents aged 15-19 years. These figures includes births that occurred in states other than CT.

^b The population values used for rate denominators are from the 4/1/2010 US Census.

^c Birth rates are calculated as births to mothers 15-19 years per 1,000 female population 15-19 years.

^d "Single town-state comparison" results are valid for making a single town-state rate comparison. Comparison results are only displayed where differences are statistically significant at $p < .01$.

^e "Multiple town-state comparison" results are valid for evaluating town-state rate comparisons for all towns that could be evaluated. The statistical adjustment for multiple comparisons reduces the chance of reporting a false-positive result. These town-state comparison results are only displayed where differences are statistically significant at $p < .05$, after adjusting for multiple comparisons.

^f State-town comparisons were not made for towns with fewer than 15 births unless the number of expected births was greater than or equal to 15. These exclusions were made because the rates were considered unreliable. The consideration of "expected counts" in defining this threshold allows us to evaluate stable, low town rates which are based on large denominators and small numerators.