



NOTES:

- 1. This reinforcement shall be designed for seismic forces.**
- 2. The rear face of the stem shall be battered if additional width at the base of the stem is required. The minimum batter shall be 1H:12V. Maintain a uniform top of batter elevation.**



DESIGN INFORMATION

1. Designer shall determine the size of the outlet pipe and shall connect it to the roadway drainage system. Minimum size shall be 12".



SECTION A
3.1.2a

DESIGN INFORMATION

1. The rear face of the stem shall be battered if additional width at the base of the stem is required. The minimum batter shall be 1H:12V. Maintain a uniform top of batter elevation.


**CONNECTICUT
BRIDGE DESIGN
MANUAL**

PEDESTAL TYPE ABUTMENT
SECTION A

Issue Date: 10/03

Revision Date:

Plate Number:
3.1.2b



SECTION B
3.1.2a

DESIGN INFORMATION

1. The rear face of the stem shall be battered if additional width at the base of the stem is required. The minimum batter shall be 1H:12V. Maintain a uniform top of batter elevation.


**CONNECTICUT
BRIDGE DESIGN
MANUAL**

PEDESTAL TYPE ABUTMENT
SECTION B


Issue Date: 10/03

Revision Date:

Plate Number:
3.1.2c



SECTION C
3.1.2a



SECTION D
3.1.2a

DESIGN INFORMATION

1. Ties to be designed in accordance with AASHTO requirements.


**CONNECTICUT
BRIDGE DESIGN
MANUAL**

PEDESTAL TYPE ABUTMENT
PEDESTAL REINFORCEMENT


Issue Date: 10/03

Revision Date:

Plate Number:
3.1.2d




SECTION E
3.1.2a




NOTES:


1. Material for access door and frame shall conform to the requirements of AASHTO M270 Grade 50.
2. Frame and door assembly shall be galvanized in accordance with ASTM A123 after fabrication.




**ADDITIONAL REINFORCING
AT ACCESS DOOR**




SECTION A
3.1.3a




VIEW D




SECTION B




SECTION E



WELD DETAIL




LATCH DETAIL C




NOTES:

1. For slab information not shown, see Section 6.
2. For approach slab details, see Section 6.



DETAIL A




TYPICAL SECTION THROUGH ABUTMENT AT BEARING

NOTES:

1. Cut bituminous overlay with $\frac{3}{8}$ " wide by $1\frac{3}{4}$ " deep kerf and fill with pourable sealant. To be paid for under the item "Sawing and Sealing Joints in Bituminous Pavement".

DESIGN INFORMATION:

- 2. *The approach slab and cheekwall reinforcement shall be designed to resist longitudinal and transverse seismic forces.*
- 3. *Elastomeric Bearing shall be designed according to Section 14 of the AASHTO specifications.*



TYPICAL SECTION THROUGH ABUTMENT AT BEARING

NOTES:

1. For details of joint device, see Section 7

DESIGN INFORMATION:

- 2. The backwall and cheekwall shall be designed to resist longitudinal and transverse seismic forces.**
- 3. Elastomeric Bearing shall be designed according to Section 14 of the AASHTO specifications.**
- 4. This detail should be used only with the express permission of the Department. In most cases, approach slabs shall be used as detailed on Plate 3.1.5. See Article 5.8, Section I for warrants for use.**


**CONNECTICUT
BRIDGE DESIGN
MANUAL**

ABUTMENT DETAILS FOR
PRECAST CONCRETE
DECK UNITS WITHOUT
APPROACH SLAB

Issue Date: 10/03


Revision Date: 01/05

Plate Number:
3.1.6




DESIGN INFORMATION

- 1. Plans should show either 4" weepholes or 6" structure underdrain. See Division I.**
- 2. Horizontal spacing and invert elevations of weepholes at the front face of abutment shall be shown on the abutment elevation views on the plans.**
- 3. 6" CCM Structure Underdrain and 6" CCM Outlet for Underdrain shall be included as Bridge Pay Items.**



DESIGN INFORMATION


- 1. Plans should show either 4" weepholes or 6" structure underdrain. See Division I.**
- 2. Horizontal spacing and invert elevations of extended weepholes at the front face of abutment shall be shown on the abutment elevation views on the plans.**
- 3. 6" CCM Structure Underdrain and 6" CCM Outlet for Underdrain shall be included as Bridge Pay Items.**



SECTION A
3.1.2a

DESIGN INFORMATION

- 1. Plan should show either 4" weephole or 6" structure underdrain. See Section I.**
- 2. Horizontal spacing and invert locations of weepholes shall be shown on the abutment elevation views on the plans.**




NOTES:

Forms shall be unoled, held in place accurately by template, and removed after concrete has hardened. Anchor bolts shall be set accurately and grouted with non-shrink grout. The cost of furnishing and installing forms to be included in the item "Class F Concrete".

DESIGN INFORMATION

Designer to determine the exact location of forms in relation to reinforcement and, if necessary, respace or add extra rows of reinforcing. Forms are to be used primarily at piers but may also be used elsewhere at the discretion of the designer.



DESIGN INFORMATION

- 1. The rear face of the stem shall be battered if additional width at the base of the stem is required. The minimum batter shall be 1H:12V. Maintain a uniform top of batter elevation.**
- 2. This dimension may be increased to follow finished grade.**

**CONNECTICUT
BRIDGE DESIGN
MANUAL**


**FLARED TYPE WINGWALL
OR RETAINING WALL**

Issue Date: 10/03

Revision Date:

Plate Number:
3.4.1

*For parapet details, See
Plate Nos. 3.4.3 & 3.4.4*



DESIGN INFORMATION

1. *This reinforcement shall be designed for seismic forces.*
2. *The rear face of the stem shall be battered if additional width at the base of the stem is required. The minimum batter shall be 1H:12V. Maintain a uniform top of batter elevation.*



**CONNECTICUT
BRIDGE DESIGN
MANUAL**

**U - TYPE WINGWALL OR
RETAINING
WALL WITH SLOPED CURB**

Issue Date: 10/03

Revision Date:

Plate Number:
3.4.2



Rustication Detail



**CONNECTICUT
BRIDGE DESIGN
MANUAL**

**STANDARD WINGWALL PARAPET
(32" HIGH)**

Issue Date: 10/03

Revision Date:

Plate Number:
3.4.3



Rustication Detail

**CONNECTICUT
BRIDGE DESIGN
MANUAL**


**STANDARD WINGWALL PARAPET
(42" HIGH)**

Issue Date: 10/03

Revision Date:

Plate Number:
3.4.4

***For parapet details,
See Plate No. 3.4.6***



DESIGN INFORMATION

1. *This reinforcement shall be designed for seismic forces.*
2. *The rear face of the stem shall be battered if additional width at the base of the stem is required. The minimum batter shall be 1H:12V. Maintain a uniform top of batter elevation.*


**CONNECTICUT
BRIDGE DESIGN
MANUAL**

**U-TYPE WINGWALL
OR RETAINING
WALL WITH SIDEWALK**

Issue Date: 10/03


Revision Date: 01/05

Plate Number:
3.4.5





DESIGN INFORMATION

- * *with protective fence*
- ** *with pedestrian railing*



Rustication Detail






**CONNECTICUT
BRIDGE DESIGN
MANUAL**


**CONCRETE BARRIER WALL
(42" HIGH)**

Issue Date:	10/03
Revision Date:	
Plate Number:	3.4.8



**Note: For Plan Notes, see plate 3.4.12.
For Design Guidelines, see plate 3.4.11.**

CONNECTICUT BRIDGE DESIGN MANUAL	TYPICAL SECTION PREFABRICATED MODULAR WALL (SLOPING BACKFILL)	Issue Date: 10/03
		Revision Date: 3/09
		Plate Number: 3.4.9a



Note: For Plan Notes, see plate 3.4.12.
For Design Guidelines, see plate 3.4.11.


**CONNECTICUT
BRIDGE DESIGN
MANUAL**

**TYPICAL SECTION
MECHANICALLY STABILIZED
EARTH WALL (SLOPING BACKFILL)**

Issue Date: 10/03

Revision Date: 3/09

Plate Number:
3.4.9b




**Note: For Plan Notes, see plate 3.4.12.
For Design Guidelines, see plate 3.4.11.**

**CONNECTICUT
BRIDGE DESIGN
MANUAL**

**TYPICAL SECTION
CAST-IN-PLACE
REINFORCED CONCRETE
(SLOPING BACKFILL)**

Issue Date:	10/03
Revision Date:	3/09
Plate Number:	3.4.9c




Note: For Plan Notes, see plate 3.4.12.
 For Design Guidelines, see plate 3.4.11.

**CONNECTICUT
 BRIDGE DESIGN
 MANUAL**


**TYPICAL SECTION
 PREFABRICATED MODULAR
 WALL (LEVEL BACKFILL)**

Issue Date:	10/03
Revision Date:	3/09
Plate Number:	3.4.10a



**Note: For Plan Notes, see plate 3.4.12.
For Design Guidelines, see plate 3.4.11.**

CONNECTICUT BRIDGE DESIGN MANUAL	TYPICAL SECTION MECHANICALLY STABILIZED EARTH WALL (LEVEL BACKFILL)	Issue Date: 10/03
		Revision Date: 3/09
		Plate Number: 3.4.10b



Note: For Plan Notes see plate 3.4.12.
For Design Guidelines, see plate 3.4.11.

DESIGN GUIDELINES:

- 1. The Proprietary Walls shall be designed, detailed, and constructed in accordance with the special provision "Retaining Wall (Site No._)".**
- 2. Proprietary walls shall not be designed for seismic forces.**
- 3. Wall height (H) for Mechanically Stabilized Earth Wall and Prefabricated Modular Wall sections shall be the same as for the Cast-in-Place Reinforced Concrete Wall type sections. Wall height (H) is equal to the distance measured from the bottom footing elevation to the finished grade.**
- 4. Pay limits for Mechanically Stabilized Earth Wall and Prefabricated Modular Wall sections shall be the same as for the Cast-in-Place Reinforced Concrete Wall Type section. The Designer shall determine all dimensions associated with the pay limits and show these dimensions on the plans. All horizontal pay limits are measured from the front face of the Cast-In-Place Concrete Wall.**
 - ⓑ Dimension shall be equal to 2'-0" plus the toe length.**
 - ⓐ Dimension ,as a minimum, shall be equal to (0.8)H plus 2'-0".**
- 5. If a Cast-in-place Reinforced Concrete wall alternate is not provided, the Engineer shall provide detailing and reinforcement of the parapet section above the gutter lines.**
- 6. Provide for surface drainage if necessary. Extent and details of ditch to be determined by the highway Engineer.**

**CONNECTICUT
BRIDGE DESIGN
MANUAL**

**DESIGN INFORMATION
FOR ALTERNATE WALLS**

Issue Date: 10/03

Revision Date: 3/09

Plate Number:
3.4.11

PLAN NOTES:

1. The Contractor shall select, design, (for proprietary walls only) and construct one of the following wall options in accordance with the special provision "Retaining Wall (Site No. _)".

(List of appropriate wall manufacturers)
2. The maximum factored bearing resistance = ()
3. VACANT
4. Temporary Earth Retaining System below pay limits and any tiebacks and bracing associated with same shall be included in the lump sum cost of the wall.
5. Details shown on this sheet are not specific. The Contractor's Designer shall modify each section for each specific site.
6. Light standard anchorages, junction boxes, and rigid metal conduit shall be included in the lump sum pay item "Retaining Wall (Site No. ____)".
7. The detailing and reinforcement of the parapet section above the gutter line shall be as shown for the Cast-In-Place Reinforced Concrete Wall section or as detailed elsewhere on the plans.
8. Reinforcing to have 2" cover except where shown otherwise.
9. All dimensions are specified with the applicable units of measurement.
10. Any additional pervious structure backfill required outside this limit shall also be included in the lump sum price.


**CONNECTICUT
BRIDGE DESIGN
MANUAL**

**PLAN NOTES
FOR ALTERNATE WALLS**

Issue Date: 10/03

Revision Date: 12/19

Plate Number:
3.4.12



Note: For Plan Notes, see plate No. 3.4.14.

CONNECTICUT BRIDGE DESIGN MANUAL	TYPICAL SECTION EMBANKMENT WALL	Issue Date: 10/03
		Revision Date: 3/09
		Plate Number: 3.4.13

PLAN NOTES:

1. The Embankment Wall shall be designed, detailed and constructed in accordance with the special provision "Embankment Wall (Site No.)".
2. Temporary Earth Retaining System below pay limits and any tiebacks and bracing associated with the sheet piling shall be included in the lump sum cost of the wall.
3. Details shown on this sheet are not specific. The Contractor's Designer should modify the section for each specific site.
4. The Contractor shall select, design (for proprietary walls only) and construct one of the wall options as listed in the special provision "Embankment Wall (Site No.)".
5. The color of the dry cast block shall be ()
6. Any additional pervious structure backfill required outside this limit shall also be included in the lump sum price.

**CONNECTICUT
BRIDGE DESIGN
MANUAL**


**PLAN NOTES
FOR EMBANKMENT WALLS**

Issue Date: 10/03

Revision Date: 3/09

Plate Number:
3.4.14

NOTE: If necessary, provide for surface drainage. Extent and details of ditch to be determined by the Highway Designer.



Slope line except where undisturbed material protrudes within this area.

DESIGN INFORMATION

1. Plan should show either 4" weephole or Ø6" structure underdrain. See Division 1.
2. Horizontal spacing and invert locations of weepholes shall be shown on the wingwall elevation views on the plans.
3. Ø6" CCM Structure Underdrain and Ø 6" CCM Outlet for Underdrain shall be included as Bridge Pay Items.

**CONNECTICUT
BRIDGE DESIGN
MANUAL**


**FLARED WINGWALL OR RETAINING
WALL - DRAINAGE
AND BACKFILL REQUIREMENTS**

Issue Date: 10/03

Revision Date:

Plate Number:


3.5.1



DESIGN INFORMATION

1. Plan should show either 4" weep hole or Ø6" structure underdrain. See Division I.
2. Horizontal spacing and invert locations of weep holes shall be shown on the wingwall elevation views on the plans.
3. Ø6" CCM Structure Underdrain and Ø 6" CCM Outlet for Underdrain shall be included as Bridge Pay Items.

Slope line except where undisturbed material obtrudes within this area



DESIGN INFORMATION:

- 1. Expansion joints shall be provided at intervals not exceeding 90'.**
- 2. Contraction joints shall be provided at intervals not exceeding 30'.**
- 3. All joints in abutments shall be located approximately midway between members.**
- 4. At embankment abutments, contraction joints shall be changed to construction joints.**

NOTES:

JOINTS: *The Designer shall include the following notes as appropriate:*

Joint seal to extend from top of footing to top of backwall and horizontally along top of backwall. (**Abutments**)

Joint seal to extend from top of footing to top of parapet and horizontally along this joint to outside face of parapet and horizontally along this joint to the outside face of wall. (**U - Type wings or Retaining walls with parapets**)

Joint seal to extend from top of footing to top of wall. (**Retaining Walls**)

Joint seal to extend from top of footing to top of wall. For the joints between the flared wings and superstructure, the joint seal shall extend from top of abutment backwall to top of wing. (**Flared wingwall**)

REINFORCEMENT:

No reinforcement shall pass through expansion or contraction joints.

Reinforcement shall pass through construction joints.

**CONNECTICUT
BRIDGE DESIGN
MANUAL**


**VERTICAL STEM
JOINT DETAILS**

Issue Date: 10/03

Revision Date:

Plate Number:


3.6.1



5'-0" Toe of slope at this point when "H" is less than 15'-0".

Toe of slope at this point when "H" is greater than 15'-0".

NOTE: Dimensions "D" and "X" shall depend upon the competence and the height of the rock encountered and as recommended by the Geotechnical Engineer.




**CONNECTICUT
BRIDGE DESIGN
MANUAL**


TYPICAL EMBANKMENT
ABUTMENT NORMAL SECTION
($H \leq 5'-0''$)

Issue Date: 10/03

Revision Date:

Plate Number:
3.6.3





**CONNECTICUT
BRIDGE DESIGN
MANUAL**


TYPICAL EMBANKMENT
ABUTMENT NORMAL SECTION
(H > 8'-0")

Issue Date: 10/03


Revision Date:

Plate Number:

3.6.5




STEPPED FOOTING - 2'-0"



STEPPED FOOTING - 3'-0" to (T + 6")

DESIGN INFORMATION:

1. *The minimum step considered should be 2'-0".*
2. *Steps should be increased in 1'-0" increments.*



STEPPED FOOTING > (T + 6")