



# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, March 2018



Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. Eleven\* (11) of the 38 ED facilities participating in EpiCenter were sending data for less than 75% of the days in the specified three-month time frame.

\*Charlotte Hungerford Emergency Care Winsted; Danbury Hospital; Lawrence + Memorial Hospital; Lawrence + Memorial Pequot Freestanding ED; Middlesex Marlborough Medical Center; Middlesex Shoreline Medical Center; New Milford Hospital; Norwalk Hospital; Plainfield Emergency Care Center; Yale New Haven Children's Hospital; Yale New Haven Shoreline Medical Center


# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, April 2018



Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. Eleven\* (11) of the 38 ED facilities participating in EpiCenter were sending data for less than 75% of the days in the specified three-month time frame.

\*Charlotte Hungerford Emergency Care Winsted; Danbury Hospital; Lawrence + Memorial Hospital; Lawrence + Memorial Pequot Freestanding ED; Middlesex Marlborough Medical Center; Middlesex Shoreline Medical Center; New Milford Hospital; Norwalk Hospital; Plainfield Emergency Care Center; Yale New Haven Children's Hospital; Yale New Haven Shoreline Medical Center


# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, May 2018



Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. Nine\* (9) of the 38 ED facilities participating in EpiCenter were sending data for less than 75% of the days in the specified three-month time frame.

\*Charlotte Hungerford Emergency Care Winsted; Danbury Hospital; Lawrence + Memorial Pequot Freestanding ED; Middlesex Marlborough Medical Center; Middlesex Shoreline Medical Center; New Milford Hospital; Norwalk Hospital; Plainfield Emergency Care Center; Sharon Hospital


# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, June 2018



Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. Nine\* (9) of the 38 ED facilities participating in EpiCenter were sending data for less than 75% of the days in the specified three-month time frame.

\*Charlotte Hungerford Emergency Care Winsted; Danbury Hospital; Lawrence + Memorial Pequot Freestanding ED; Middlesex Marlborough Medical Center; Middlesex Shoreline Medical Center; New Milford Hospital; Norwalk Hospital; Plainfield Emergency Care Center; Sharon Hospital


# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, July 2018



Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. Please note, these data are preliminary; caution should be used when interpreting these results. Six\* (6) of the 38 ED facilities participating in EpiCenter were sending data for less than 75% of the days in the specified three-month time frame.

\*Charlotte Hungerford Emergency Care Winsted; Lawrence + Memorial Pequot Freestanding ED; Middlesex Marlborough Medical Center; Middlesex Shoreline Medical Center; Plainfield Emergency Care Center; Sharon Hospital


# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, August 2018



Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. Six\* (6) of the 38 ED facilities participating in EpiCenter were sending data for less than 75% of the days in the specified three-month time frame.

\*Charlotte Hungerford Emergency Care Winsted; Lawrence + Memorial Pequot Freestanding ED; Middlesex Marlborough Medical Center; Middlesex Shoreline Medical Center; Plainfield Emergency Care Center; Sharon Hospital


# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, September 2018



Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. Five\* (5) of the 38 ED facilities participating in EpiCenter were sending data for less than 75% of the days in the specified three-month time frame.

\*Lawrence + Memorial Pequot Freestanding ED; Middlesex Marlborough Medical Center; Middlesex Shoreline Medical Center; Plainfield Emergency Care Center; Sharon Hospital

# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, October 2018




Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. Please note, these data are preliminary; caution should be used when interpreting these results. Two\* (2) of the 38 ED facilities participating in EpiCenter were sending data for less than 75% of the days in the specified three-month time frame.

\*Griffin Hospital; Sharon Hospital




# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, November 2018



Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. Please note, these data are preliminary; caution should be used when interpreting these results. Two\* (2) of the 38 ED facilities participating in EpiCenter were sending data for less than 75% of the days in the specified three-month time frame.

\*Griffin Hospital; Sharon Hospital


# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, December 2018



Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. Please note, these data are preliminary; caution should be used when interpreting these results. Two\* (2) of the 38 ED facilities participating in EpiCenter were sending data for less than 75% of the days in the specified three-month time frame.

\*Griffin Hospital; Sharon Hospital


# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, January 2019



Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. Two\* (2) of the 38 ED facilities participating in EpiCenter were sending data for less than 75% of the days in the specified three-month time frame.

\*Griffin Hospital; Sharon Hospital

# 3-Month Rolling Average Rate per 100,000 Population and Count of ED Visits for “Suspected Heroin Overdose” Syndrome in Connecticut, by County of Residence, February 2019



Data source is the Connecticut Department of Public Health EpiCenter Syndromic Surveillance System. <sup>x</sup> Rates were not calculated for counties with fewer than 20 total visits over the 3-month period due to the instability of rates. Please note, these data are preliminary; caution should be used when interpreting these results. Two\* (2) of the 38 ED facilities participating in EpiCenter were sending data for less than 75% of the days in the specified three-month time frame.

\*Griffin Hospital; Sharon Hospital