

Approximate Equipment Weights and Dimensions

<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>	<u>Approx. Dimensions</u>			
Truck Mounted Hydraulic Cranes			<u>Travel Height</u>	<u>Length</u>	<u>Width</u>	<u>Lift Capacity</u>
			(w/ outriggers)			
Grove	TMS500E	62,000	11' 3"	36' 11"	20'	39.4 tons
Grove	TMS700E	80,707	11' 9"	44' 5"	20'	49.2 tons
Grove	TMS760E	89,420	11' 9"	44' 6"	20'	53.5 tons
Grove	TMS800E	109,200	11' 2"	49' 8"	(no info)	71.4 tons
Grove	TMS900E	116,791	11' 10"	42' 10"	24'	80.3 tons
Link Belt	HTC-11100	113,940	11' 10"	47' 1"	30' 1"	89.2 tons
Link Belt	HTC-8640 SL	65,712	11' 6.6"	43' 6.3"	20' 6.25"	35.7 tons
Link Belt	HTC-8650 Series II	78,000	11' 6"	43' 6"	24'	44.6 tons
Link Belt	HTC-8660	83,151	11' 5"	46' 7"	22' 6"	53.5 tons
Link Belt	HTC-8660 Series II	65,712	11' 6.6"	43' 6.3"	20' 6.25"	44.6 tons
Link Belt	HTC-8670	89,448	11' 7"	45' 7"	26'	62.5 tons
Link Belt	HTC-8670 LB	91,720	11' 7"	48' 7"	26'	62.5 tons
Link Belt	HTC-8675	76,187	11' 7"	45' 7"	26'	66.9 tons
Kobelco	CK 1000	175,000	10' 11"	40'	16' 10"	89.2 tons
Kobelco	CK 1000 II	179,700	10' 11"	40'	16' 10"	89.2 tons
Kobelco	CK 800 III	106,530	10' 10"	40'	16' 3"	71.3 tons

Approximate Equipment Weights and Dimensions

Manufacturer	Model	Approx. Weight (Lbs.)	Approx. Dimensions			
			Travel Height	Length	Width	Lift Capacity
Truck Mounted Hydraulic Cranes						
Liebherr	HS 833 HD	72,500	10' 8"	28' 1"	13' 5"	31.2 tons
Liebherr	LR 1200	462,966	13' 7"	37' 9"	22' 9"	216.5 tons
Link Belt	108 HYLAB 5	96,830	11' 2.5"	38' 6"	14' 2"	49.2 tons
Link Belt	348 HS	461,486	13' 6"	40' 1.6"	26' 2"	267.8 tons
Link Belt	LS 308H Series II	185,702	11' 3.9"	28' 9"	17' 6"	98.2 tons
Manitowoc	1000	124,390	10' 10"	40' 0"	16' 10"	89.2 tons
Manitowoc	8500	155,487	11' 4"	39' 11"	16' 3"	75.9 tons
Manitowoc	180	105,551	11' 8"	38' 11"	15' 10"	71.4 tons
Manitowoc	222	152,043	11' 8"	28' 0"	16' 10"	89.5 tons

Approximate Equipment Weights and Dimensions

			Compiled by CR Feb. 2008			
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>	<u>Approx. Dimensions</u>			
Wheel Mounted Hydraulic Excavators			<u>Travel Height</u>	<u>Length</u>	<u>Width</u>	<u>Reach</u>
			(w/outriggers)			
Caterpillar	M313C	28,880	10' 3"	26' 7"	12' 0"	28' 10"
Caterpillar	M322D	44,092	10' 10"	31' 8"	13' 0"	34' 5"
Deere	180CW	41,447	10' 2"	30' 9"	12' 2"	31' 3"
Deere	210CW	45,400	10' 2"	29' 7"	12' 2"	33' 4"
Gradall	XL 3300	36,970	11' 5"	24' 6"	10' 6"	28' 1"
Gradall	XL 4300 II	44,260	12' 10"	24' 7"	11' 3"	30' 9"
Hitachi	ZAXIS 180W	41,447	10' 2"	30' 9"	12' 2"	31' 3"
Hitachi	ZAXIS 210W	45,400	10' 2"	29' 7"	12' 2"	33' 4"
Komatsu	PW 170 ES-6	37,589	10' 10"	28' 0"	12' 4"	29' 5"
Komatsu	PW 200-7	46,694	10' 7"	31' 6"	12' 4"	33' 0"
Komatsu	PW 220-7	49,472	10' 8"	31' 6"	12' 11"	33' 0"
Liebherr	A900C	35,384	10' 4"	28' 1"	12' 1"	28' 7"
Liebherr	A904C	39,900	10' 6"	29' 8"	12' 2"	30' 4"
Liebherr	A914B	41,900	10' 6"	28' 6"	13' 2"	27' 9"
Liebherr	A924B	46,750	10' 6"	31' 0"	13' 11"	30' 0"
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>	<u>Approx. Dimensions</u>			

Approximate Equipment Weights and Dimensions

Crawler Mounted Hydraulic Excavators				<u>Travel Height</u>	<u>Length</u>	<u>Width</u>	<u>Reach</u>
					(w/outriggers)		
Bobcat	442	16,538		8' 11"	19' 9"	7' 8"	13' 11"
Case	CX130	27,057		9' 0"	24' 10"	8' 6"	26' 8"
Case	CX130B	28,184		No info			
Case	CX135	29,631		9' 0"	23' 9"	8' 6"	26' 6"
Case	CX160B	37,700		9' 9"	27' 8"	8' 6"	30' 10"
Case	CX210B	47,400		9' 9"	30' 10"	10' 6"	31' 11"
Case	CX225	53,223		9' 9"	29' 0"	10' 6"	31' 11"
Case	CX240B	55,120		10' 4"	32' 7"	11' 1"	33' 1"
Case	CX800	175,210		15' 9"	47' 1"	14' 4"	45' 5"
Caterpillar	307C	15,895		9' 1"	19' 11"	7' 6"	22' 1"
Caterpillar	315C	36,160		9' 5"	27' 11"	8' 2"	28' 8"
Caterpillar	320D	44,700		9' 11"	31' 0"	No info	32' 1"
Caterpillar	330DL	79,700		11' 11"	36' 9"	11' 1"	38' 5"
Caterpillar	5110B	280,900		15' 9"	28' 1"	17' 9"	44' 3"
Caterpillar	5230B	723,400		24' 6"	33' 10"	24' 8"	56' 5"
Deere	120C	28,840		9' 0"	25' 0"	8' 6"	27' 10"
Deere	160D LC	39,980		10' 2"	28' 2"	8' 10"	30' 1"
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>		<u>Approx. Dimensions</u>			

Approximate Equipment Weights and Dimensions

Crawler Mounted Hydraulic Excavators (con't)				<u>Travel Height</u>	<u>Length</u>	<u>Width</u>	<u>Reach</u>
					(w/outriggers)		
Deere	200D LC	49,940		9' 8"	31' 3"	10' 6"	32' 0"
Deere	240D LC	54,654		10' 4"	33' 6"	11' 1"	34' 11"
Deere	350D LC	77,970		11' 10"	36' 5"	11' 1"	38' 3"
Deere	450D LC	106,180		11' 5"	39' 1"	12' 5"	40' 3"
Deere	650D LC	152,190		14' 8"	43' 4"	13' 9"	44' 8"
Deere	850D LC	185,874		15' 9"	48' 8"	14' 3"	48' 0"
Gradall	XL 3200	34,660		10' 6"	24' 6"	8' 6"	27' 7"
Gradall	XL 4200 II	43,220		10' 9"	27' 3"	10' 6"	30' 2"
Gradall	XL 5200	52,760		11' 10"	30' 10"	9' 6"	34' 4"
Hitachi	EX1200-5	242,500		18' 9"	53' 1"	17' 11"	49' 3"
Hitachi	EX3600-5	767,000		25' 5"	No info	29' 7"	57' 9"
Hitachi	ZAXIS 200LC-3	47,015		9' 8"	31' 3"	10' 6"	32' 0"
Hitachi	ZAXIS 240LC-3	54,654		10' 4"	33' 6"	11' 1"	34' 11"
Hitachi	ZAXIS 350LC-3	77,269		11' 10"	36' 5"	11' 1"	38' 3"
Hitachi	ZAXIS 600LC	129,190		13' 11"	42' 5"	13' 1"	42' 11"
Kobelco	115 SRDZ	31,750		9' 3"	25' 10"	8' 6"	26' 11"
Kobelco	200 SRLC	48,500		10' 1"	26' 11"	10' 6"	28' 10"
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>		<u>Approx. Dimensions</u>			

Approximate Equipment Weights and Dimensions

Crawler Mounted Hydraulic Excavators (con't)				<u>Travel Height</u>	<u>Length</u>	<u>Width</u>	<u>Reach</u>
					(w/outriggers)		
Kobelco	SK 330 LC	77,800		11' 0"	36' 9"	11' 2"	36' 2"
Kobelco	SK 480 LC	108,045		11' 6"	39' 4"	12' 0"	38' 10"
Komatsu	PC 120-6	26,522		8' 11"	24' 11"	8' 2"	26' 10"
Komatsu	PC 1250-8	234,790		19' 10"	52' 7"	17' 7"	49' 3"
Liebherr	R 312	32,407		9' 8"	24' 3"	8' 6"	26' 5"
Liebherr	R 996	1,452,800		32' 0"	74' 1"	27' 1"	65' 7"
Link Belt	130 LX	27,100		9' 0"	24' 7"	8' 6"	26' 8"
Link Belt	460 LX	102,956		11' 10"	39' 2"	11' 11"	38' 7"
Link Belt	800 LX	178,133		15' 9"	47' 1"	13' 11"	45' 5"
Volvo	EC 140 BLC	29,990		9' 3"	24' 9"	8' 6"	26' 10"
Volvo	EC 210 BLR	51,200		10' 4"	42' 0"	10' 6"	51' 7"
Volvo	EC 290 C	66,390		10' 10"	34' 2"	11' 1"	34' 5"
Volvo	EC 460 BLC	105,580		12' 0"	39' 7"	11' 11"	38' 8"
Volvo	EC 700 BLC	148,800		14' 5"	43' 5"	14' 1"	43' 3"

Approximate Equipment Weights and Dimensions

			Compiled by CRU	Feb. 2008		
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>	<u>Approx. Dimensions</u>			
4-WD Articulated Wheel Loaders			<u>L X W X H</u>	<u>Bkt Raised H</u>	<u>Bkt Capacity</u>	
Case (smallest)	121E	10,849	17' 10" X 6' 8" X 9' 3"	13' 10"	1.05 C.Y.	Note: There are more Case loaders between these sizes.
Case (mid-size)	621E	27,406	23' 9" X 8' 6" X 11' 2"	16' 2"	2.56 C.Y.	
Case (largest)	921E	50,622	28' 10" X 10' 5" X 12' 2"	19' 2"	5.75 C. Y.	
Caterpillar	904B	9,810	15' 6" X 5' 10" X 7' 10"	7' 10"	0.8 C.Y.	
Caterpillar	914G	16,262	20' 5" X 7' 10.5" X 10' 2"	14' 5"	1.7 C.Y.	
Caterpillar	924H	25,644	23' 5" X 8' 4" X 10' 7"	17'	2.4 C.Y.	
Caterpillar	930G	29,170	24' 10" X 8' 4" X 10' 9"	17' 9"	3.25 C.Y.	
Caterpillar	950H	40,435	26' 2" X 9' 7" X 11' 4"	17' 10"	4 C.Y.	
Caterpillar	966G Series II	50,236	28' 9" X 10' 7" X 11' 9"	18' 9"	5 C.Y.	
Caterpillar	990H	171,642	41' 2" X 14' 7" X 16' 8"	26' 7"	11.25 C.Y.	
Caterpillar	992G	210,424	51' 2" X 15' 10" X 18' 4"	30' 11"	16 C.Y.	
Caterpillar	IT14G	17,771	21' 1" X 7' 11" X 10' 2"	15' 9"	1.7 C.Y.	
Caterpillar	IT62H	42,770	27' 11" X 9' 6" X 11' 4"	18' 4"	4.25 C.Y.	
Daewoo	MEGA 160	18,960	20' 10" X 8' X 10' 5"	10' 5"	2.1 C.Y.	
Daewoo	MEGA 200TC-V	25,700	23' 10" X 9' X 10' 8"	15' 2"	2.5 C.Y.	
Daewoo	MEGA 500-V	65,700	30' 7" X 11' 2" X 12' 10"	12' 10"	6.3 C.Y.	
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>	<u>Approx. Dimensions</u>			

Approximate Equipment Weights and Dimensions

4-WD Articulated Wheel Loaders			L X W X H	Bkt Raised H	Bkt Capacity	
Deere	244J	11,552	17' 4" X 6' 3" X 8' 11"	8' 11"	1 C.Y.	Note: There are more Hyundai loaders between these sizes.
Deere	544J	28,332	24' 7" X 8' 4" X 10' 8"	10' 8"	3 C.Y.	
Deere	844J	68,320	31' 6" X 11' 4" X 12' 4"	12' 4"	7.25 C.Y.	
Hyundai	HL730-7	21,400	22' 6" X 8' X 10' 4"	15' 9"	2.4 C.Y.	
Hyundai	HL730XTD-7	21,830	23' 7" X 8' X 10' 4"	16' 10"	2.4 C.Y.	
Hyundai	HL740TM-7A	26,680	24' 9" X 8' 4" X 10' 8"	16' 11"	2.6 C.Y.	
Hyundai	HL757TM-7	31,530	25' 2" X 9' X 10' 10"	17' 6"	3.3 C.Y.	
Hyundai	HL760-7	39,460	26' 5" X 9' 6" X 11' 3"	18' 2"	4 C.Y.	
Hyundai	HL770XTD-7	51,920	29' 10" X 10' 2" X 11' 8"	20' 9"	5.2 C.Y.	
Hyundai	HL780-7A	64,600	32' 0" X 11' 4" X 12' 6"	20' 3"	6.7 C.Y.	
Ingersoll Rand	WL-350	11,240	16' 3" X 6' 1" X 8' 9"	8' 9"	1.2 C.Y.	
Ingersoll Rand	WL-440	13,230	17' 5" X 6' 5" X 9' 1"	9' 1"	1.4 C.Y.	
Kawasaki	115Z V	98,440	35' 4" X 12' 4" X 13' 8"	13' 8"	8.5 C.Y.	
Kawasaki	60Z V	20,010	21' 11" X 8' 0.5" X 10' 3"	10' 3"	2.2 C.Y.	
Kawasaki	80Z V	38,875	26' 7" X 9' 2" X 11' 3"	11' 3"	4.2 C.Y.	
Kawasaki	95Z V-2	68,780	30' 5" X 10' 7" X 12' 4"	12' 4"	7 C.Y.	
Komatsu	WA100M-5	15,123	19' 3" X 7' 3" X 9' 5"	14' 9"	1.6 C.Y.	
Komatsu	WA180-3	20,816	20' 11" X 8' X 10' 2"	15' 5"	2.1 C.Y.	
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>	<u>Approx. Dimensions</u>			

Approximate Equipment Weights and Dimensions

4-WD Articulated Wheel Loaders			<u>L X W X H</u>	<u>Bkt Raised H</u>	<u>Bkt Capacity</u>
Komatsu	WA250-5PT	27,459	24' 0" X 8' 10" X 10' 8"	17' 0"	2.5 C.Y.
Komatsu	WA380-5	38,879	26' 8" X 9' 6" X 11' 1"	18' 4"	4.3 C.Y.
Komatsu	WA450-6	49,780	29' 6" X 10' 5" X 11' 6"	11' 6"	5.5 C.Y.
Komatsu	WA500-6	71,760	32' 2" X 11' 2" X 12' 5"	21' 1"	7.3 C.Y.
Komatsu	WA75-3	10,670	17' 8" X 16' 5" X 8' 8"	13' 5"	1.04 C.Y.
Komatsu	WA900-3	236,340	47' 4" X 15' 10" X 17' 4"	31' 9"	17 C.Y.
Kubota	R420	7,450	13' 10" X 5' 2" X 8' 3"	11' 6"	0.5 C.Y.
Kubota	R520	8,980	15' 5" X 6' X 8' 6"	13' 9"	0.75 C.Y.
Liebherr	L506	10,132	17' 0" X 5' 11" X 9' 5"	12' 11"	0.92 C.Y.
Liebherr	L509	12,136	17' 1" X 6' 11" X 8' 11"	13' 1"	1.31 C.Y.
Liebherr	L524	22,266	22' 5" X 8' 2" X 10' 4"	10' 4"	2.62 C.Y.
Liebherr	L542 2PLUS1	29,366	23' 8" X 8' 2" X 10' 8"	17' 3"	3.5 C.Y.
Liebherr	L580 2PLUS2	54,190	30' 6" X 10' 1" X 11' 8"	20' 1"	6.5 C.Y.
Liebherr	L586 2PLUS2	69,181	32' 7" X 11' 2" X 12' 3"	21' 4"	7.2 C.Y.
Link-Belt	L125	24,912	22' 3" X 7' 8" X 10' 8"	16' 8"	2.6 C.Y.
New Holland	LW110B TC	23,096	22' 7" X 8' 1" X 10' 9"	16' 0"	2 C.Y.
New Holland	W110 TC	23,537	22' 1" X 8' 1" X 10' 9"	16' 4"	2 C.Y.
New Holland	W80 TC	12,727	18' 8" X 6' 11" X 9' 3"	9' 3"	1.44 C.Y.
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>	<u>Approx. Dimensions</u>		

Approximate Equipment Weights and Dimensions

4-WD Articulated Wheel Loaders			<u>L X W X H</u>	<u>Bkt Raised H</u>	<u>Bkt Capacity</u>		
Terex	SKL 160H	20,283	21' 11" X 7' 6.5" X 9' 11"	9' 11"	2.1 C.Y.		
Terex	SKL 834	11,240	16' 3" X 6' 1" X 8' 9"	8' 9"	1.2 C.Y.		
Terex	TL 120	15,656	18' 5" X 6' 11" X 9' 1"	9' 1"	1.6 C.Y.		
Terex	TXL 160-1	18,960	21' 5" X 8' X 10' 5"	10' 5"	2.1 C.Y.		
Terex	TXL 400-2	49,604	28' 9" X 10' 6" X 11' 7"	11' 7"	5.1 C.Y.		
Volvo	L110E	40,850	26' 3" X 9' 5" X 11' 0"	18' 1"	3.8 C.Y.		
Volvo	L150E	51,100	28' 4" X 9' 10" X 11' 9"	19' 6"	5.25 C.Y.		
Volvo	L220E	69,230	29' 11" X 11' 2" X 12' 3"	21' 6"	7.3 C.Y.		
Volvo	L350F	109,820	36' 1" X 13' X 13' 9"	24' 6"	8.6 C.Y.		
Volvo	L60E	25,490	23' 8" X 8' 2" X 10' 6"	16' 7"	2.2 C.Y.		
Volvo	L90F	33,040	24' 7" X 8' 8" X 10' 9"	17' 7"	3.3 C.Y.		

Approximate Equipment Weights and Dimensions

			Compiled by Ceb. 2008					
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>	<u>Approx. Dimensions</u>					
			<u>Cut Width</u>	<u>Depth</u>	<u># Teeth</u>	<u>Length X Height</u>	<u>Discharge Conveyor</u>	
Wheel Mounted Pavement Millers							<u>W X L</u>	<u>Front or Rear</u>
Dynapac	PL 350S	6,175	14"	4"	36	10' 9" X 7' 9"	None	N/A
Roadtec	RW-400	50,145	60"	12"	Variable	43' X 14' 8"	32" X Variable	No info
CMI Terex	PR-100	18,900	14"	12"	Variable	No info	No info	No info
CMI Terex	PR-160	20,000	24"	12"	60	11' 11" X 9' 6"	No info	No info
CMI Terex	PR-205	No info	24"	12"	No info	No info	No info	No info
Wirtgen	W100	31,416	39"	12"	No info	No info	No info	No info
Wirtgen	W1000	36,161	40"	10"	96	35' X 16' 5" max	20" X 25' 9"	Rear
Wirtgen	W1000F	38,471	40"	10"	102	44' 2" X 18' 1" max	24" X 26' 11"	Front
Wirtgen	W1000L	30,490	40"	10"	92	33' 3" X 20' max	16" X 23' 7"	Rear
Wirtgen	W100F	43,652	39"	13"	Variable	No info	No info	No info
Wirtgen	W1200F	40,565	47"	12"	115	44' 2" X 18' 1" max	24" X 26' 11"	Front
Wirtgen	120F	45,636	47"	13"	Variable	No info	No info	No info
Wirtgen	W1300F	41,293	52"	12"	123	44' 2" X 18' 1" max	24" X 26' 11"	Front
Wirtgen	W130F	46,518	51"	13"	Variable	No info	No info	No info
Wirtgen	W35	5,842	14"	2"	36	9' X 6'	None	N/A
Wirtgen	W35DC	10,031	14"	4"	36	13' X 6'	10" X 55.7"	No info
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>	<u>Approx. Dimensions</u>					

Approximate Equipment Weights and Dimensions

			Cut Width	Depth	# Teeth	Length X Height	Discharge Conveyor	
Crawler Mounted Pavement Millers							W X L	Front or Rear
Bomag	BM 1000/30	39,242	39"	12"	104	36' 11" X 15' 10"	24" X 6' 11"	No info
Bomag	BM 1200/30	39,831	47"	12"	116	41' X 15' 10"	24" X 24' 3"	No info
Bomag	BM 1300/30	40,124	51"	12"	124	15' 10" H	24" X 24' 3"	No info
Bomag	BM 2000/50	59,304	78"	12"	168	13' 1" H	31" X 24' 11"	No info
Bomag	BM 2000/60	63,934	78"	12"	168	14' 9" H	31" X 24' 11"	No info
Bomag	MP 1000	39,500	39"	12"	104	41' X 15' 10"	24" X 24' 3"	No info
Bomag	MP 2100	69,500	78"	12"	2,100	46' 0" X 14' 9"	31" X 24' 11"	No info
CMI Terex	PR-1050	120,500	150"	12"	287	53' 4" X 11' 8"	42" X 25' 0"	No info
CMI Terex	PR-300BT	41,500	48"	12"	Variable	No info	No info	No info
CMI Terex	PR-600	84,000	86"	14"	185	51' 7" X 15' 11"	42" X 25' 0"	No info
CMI Terex	PR-800-7	83,050	84"	12"	176	49' 6" X 16' 6"	36" X 25' 0"	No info
CMI Terex	PR-860	87,500	84"	12"	170	49' 6" X 10' 3.5"	36" X 25' 0"	No info
CMI Terex	PR-950	93,000	86"	15"	Variable	55' 7" X 10' 6"	No info	No info
Caterpillar	PM-102	38,810	40"	12"	98	35' 1" X 11' 2" max	23" X 20' 6"	No info
Caterpillar	PM-200	68,135	79"	12"	178	45' 7" X 12' 7" max	31" X Var. L	No info
Caterpillar	PM-201	86,360	83"	12"	190	49' 5" X 16' 6" max	36" X 27' 3"	No info
Caterpillar	PM-565B	73,500	82"	12"	170	49' 5" X 16' 6" max	36" X 22' 4"	No info
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>	<u>Approx. Dimensions</u>					

Approximate Equipment Weights and Dimensions

			Cut Width	Depth	# Teeth	Length X Height	Discharge Conveyor		
Crawler Mounted Pavement Millers (con't)							W X L	Front or Rear	
Dynapac	2100S	74,736	83"	12"	170	49' 6" X 16' 1"	31" X 26' 9"	No info	
Dynapac	PL 2000LS	67,681	79"	13"	167	49' 6" X 16' 1"	31" X 26' 9"	No info	
Dynapac	PL 2000S	73,854	79"	13"	166	49' 6" X 10' 2"	31" X 26' 9"	No info	
Marini	MP1000	39,500	40"	12"	104	43' 6" L	No info	No info	
Marini	MP2100	69,500	79"	12"	174	46' 1" L	31" X 24' 11"	No info	
Roadtec	RX-110	130,000	120"	6"	No info	No info	No info	No info	
Roadtec	RX-400	48,600	48"	12"	No info	40' 10" X 14' 0"	24" W	No info	
Roadtec	RX-500	58,000	86"	13"	No info	45' 8" X 15' 4" max	32" X 20' 3"	No info	
Roadtec	RX-700	80,800	86"	14"	No info	52' 9" X 14' 7"	36" X 20' 8"	No info	
Roadtec	RX-900	93,600	150"	14"	No info	14' 10" H	42" X 20' 6"	No info	
TEREX Roadbuilding	PR-330T	41,500	48"	12"	No info	36' 3" X 9' 3"	No info	No info	
Wirtgen	W1000 FT	41,337	39"	12"	102	44' 2" X 18' 1" max	24" X 26' 11"	No info	
Wirtgen	W2200 2.2M	96,342	87"	14"	186	55' 1" X 15' 9" max	43" X 28' 3"	No info	
Wirtgen	W100 F	43,652	39"	13"	No info	No info	No info	No info	
Wirtgen	W1200 F	43,431	47"	12"	115	44' 2" X 18' 1" max	24" X 26' 11"	No info	
Wirtgen	W1200 FT FCS	37,920	48"	12"	115	41' 7" X 18' 1" max	24" X 26' 11"	No info	
Wirtgen	W120 F	45,636	47"	13"	No info	No info	No info	No info	
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>	<u>Approx. Dimensions</u>						

Approximate Equipment Weights and Dimensions

				Cut Width	Depth	# Teeth	Length X Height	Discharge Conveyor	
Crawler Mounted Pavement Millers (con't)								W X L	Front or Rear
Wirtgen	W120 FT FCS	45,636		47"	13"	No info	No info	No info	No info
Wirtgen	W1300 FT	44,203		52"	12"	123	44' 2" X 18' 1" max	24" X 26' 11"	No info
Wirtgen	W130 F	46,518		51"	13"	121	No info	No info	No info
Wirtgen	W1500	55,953		59"	12"	128	46' 7" X 14' 9" max	31" X 27' 11"	No info
Wirtgen	W1900	58,819		79"	12"	168	46' 7" X 14' 9" max	31" X 27' 11"	No info
Wirtgen	W2000	66,139		79"	13"	162	48' 7" X 15' 6" max	32" X 28' 1"	No info
Wirtgen	W2000 2.2M	66,139		79"	13"	162	48' 7" X 15' 6" max	32" X 28' 1"	No info
Wirtgen	W2100 2.2M	80,028		79"	13"	168	53' 2" X 16' 2" max	39" X 28' 3"	No info
Wirtgen	W2200 3.8M	96,358		87"	14"	186	55' 1" X 15' 9" max	43" X 28' 3"	No info

Approximate Equipment Weights and Dimensions

			Compiled by CRU	Feb. 2008
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>	<u>Approx. Dimensions</u>	<u>Vibratory?</u>
			<u>L X W X H</u>	<u>Y or N</u>
Crawler Mounted Asphalt Pavers			W = max screed width	
Barber-Greene	BG-225C	37,725	20' 0" X 20' 2" X 10' 1"	N
Barber-Greene	BG-2455C	40,150	21' 7" X 24' 2" X 11' 1"	N
Barber-Greene	BG-2455D	45,130	15' 8" X 24' 2" X 11' 8"	N
Barber-Greene	BG-245C	38,900	21' 7" X 24' 2" X 11' 1"	N
Blaw-Knox	3020	16,934	13' 2" X 15' 0" X 6' 2"	Y
Blaw-Knox	PF-4410	31,500	17' 2" X 25' 0" X 10' 3"	N
Blaw-Knox	PF-6110	44,596	? X 26' 0" X ?	N
Caterpillar	AP-1050B	39,100	21' 7" X 30' 0" X 11' 1"	N
Caterpillar	AP-1055B	40,150	21' 7" X 24' 0" X 11' 1"	N
Caterpillar	AP-650B	32,765	20' 0" X 20' 0" X 10' 9"	?
Caterpillar	AP-655D	39,849	16' 3" X 20' 2" X 12' 7"	Y
Dynapac	F25C	37,620	20' 11" X 23' 0" X 9' 7"	Y
Dynapac	F30C	40,609	21' 3" X 26' 3" X 9' 6"	N
Dynapac	F30CR	44,100	21' 4" X 24' 0" X 9' 6"	N
Roadtec	RP-155	33,220	18' 6" X 20' 0" X 10' 7"	N
Roadtec	RP-195	43,000	20' 1" X 24' 0" X 11' 10"	N
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>	<u>Approx. Dimensions</u>	<u>Vibratory?</u>

Approximate Equipment Weights and Dimensions

			<u>L X W X H</u>	<u>Y or N</u>
Crawler Mounted Asphalt Pavers (con't)			W = max screed width	
Roadtec	SP-200	62,500	No info	No info
Wheel Mounted Asphalt Pavers				
Barber-Greene	BG-230	32,500	21' 4" X 20' 0" X 9' 11"	N
Barber-Greene	BG-230D	35,310	22' 10" X 20' 2" X 11' 0"	N
Barber-Greene	BG-240C	35,800	20' 7" X 30' 0" X 11' 1"	N
Barber-Greene	BG-260C	38,200	22' 2" X 30' 0" X 11' 1"	N
Barber-Greene	BG-260D	39,670	23' 9" X 30' 0" X 9' 3"	N
Blaw-Knox	PF-150	15,290	15' 3" X 13' 0" X 9' 9"	Y
Blaw-Knox	PF-161	23,000	17' 2" X 19' 0" X 10' 0"	Y
Blaw-Knox	PF-2181	27,650	18' 8" X 21' 0" X 10' 4"	N
Blaw-Knox	PF-3172	29,870	18' 9" X 21' 0" X 10' 4"	N
Blaw-Knox	PF-3200	32,700	21' 10" X 30' 0" X 10' 4"	N
Blaw-Knox	PF-6160	40,352	? X 26' 0" X 11' 10"	N
Blaw-Knox	PF-6170	40,652	? X 26' 0" X 11' 10"	N
Caterpillar	AP-1000B	37,800	22' 2" X 30' 0" X 11' 1"	N
Caterpillar	AP-1000D	39,760	23' 9" X 24' 2" X 11' 10"	N
Caterpillar	AP-800D	35,310	22' 10" X ? X 11' 0"	N
Caterpillar	AP-900B	35,800	22' 2" X 30' 0" X 11' 1"	N
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>	<u>Approx. Dimensions</u>	<u>Vibratory?</u>

Approximate Equipment Weights and Dimensions

				<u>L X W X H</u>	<u>Y or N</u>
<i>Wheel Mounted Asphalt Pavers (con't)</i>				W = max screed width	
Dynapac	F25W	37,485		21' 4" X 23' 0" X 9' 7"	N
Dynapac	F30W	42,997		21' 4" X 24' 0" X 9' 3"	N
Roadtec	RP-150	30,040		18' 11" X 20' 0" X 11' 9"	N
Roadtec	RP-190	40,000		21' 2" X 24' 0" X 11' 9"	N
Roadtec	SP-100B	30,010		19' 11" X 20' 0" X 9' 4"	N

Approximate Equipment Weights and Dimensions

				Compiled by CRU	May 2009
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>		<u>Approx. Dimensions</u>	<u>Vibratory?</u>
				(L X W X H or as noted)	
	Combination Rollers				
Ammann	AV75K	15,763		104" wide	Yes
	AV95K	19,400		104" wide	Yes
Bomag	BW120AC-4	5,247		97.4" X 50.2" X 70.9"	Yes
	BW130AC (disc. 1991)	8,746		(no info)	No
	BW151AC	14,396		(no info)	Yes
	BW151AC-4	18,408		181.5" X 72.4" X 91.3"	Yes
	BW161AC-4	21,605		181.5" X 72.4" X 91.3"	Yes
Caterpillar	CB-224D (disc. 2001)	4,895		(no info)	
	CB-225D (disc. 2004)	5,265		(no info)	
	CB-335D (disc. 2004)	7,800		(no info)	
Dynapac	CC102C	5,070		96" X 46" X 69"	Yes
	CC122C	5,360		96" X 52" X 69"	Yes
	CC142C	9,260		107" X 57" X 73"	Yes
	CC222C (disc. 2004)	17,380		(no info)	
	CC222C HF	17,380		169" X 57" X 83"	Yes
	CC422C	23,595		195" X 71" X 85"	Yes

Approximate Equipment Weights and Dimensions

				Compiled by CRU	May 2009
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>		<u>Approx. Dimensions</u>	<u>Vibratory?</u>
	CC522C	27,340		200" X 82" X 88"	Yes
	CC722C	48,510		223" X 96" X 104"	Yes
Hamm	HD 10VT	4,894		96.6" X 42" X 93.8"	Yes
	HD 110K	19,753		181.1" X 71.3" X 117.7"	Yes
	HD 12VT	5,379		96.6" X 50" X 93.8"	Yes
	HD 13VT	7,771		112.4" X 54.6" X 101.8"	Yes
	HD 14VT	8,322		112.4" X 57.8" X 101.8"	Yes
	HD 70K	14,782		171" X 63.4" X 114.6"	Yes
	HD 75K	15,597		171" X 71" X 115"	Yes
	HD 90K	18,342		181.1" X 71.3" X 90.2"	Yes
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>		<u>Approx. Dimensions</u> (L X W X H or as noted)	<u>Vibratory?</u>
	Combination Rollers				
Ingersoll Rand	CR 22 (disc. 2001)	4,900		(no info)	
	CR 24 (disc. 2007)	5,742		101" X 51.7" X 67.5"	Yes
	CR 30 (disc. 2007)	6,566		101" X 56.4" X 71.9"	Yes
	CR 32 (disc. 2001)	6,145		(no info)	
	CR 70 (disc. 2007)	13,300		176" X 63.3" X 111.5"	Yes
	CR 80 (disc. 1996)	17,415		(no info)	

Approximate Equipment Weights and Dimensions

				Compiled by CRU	May 2009
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>		<u>Approx. Dimensions</u>	<u>Vibratory?</u>
	CR 94 (disc. 1995)	20,725		(no info)	
Komatsu	JV100CWA (disc. 1989)	21,390		(no info)	
	JV80CA (disc. 1989)	17,000		(no info)	
Rammax	AR16K	3,417		88.5" X 37" X 65"	Yes
	AR23K	5,070		(no info)	
	AR26K	5,511		(no info)	
	AR40K	7,937		(no info)	
Sakai	GW750 (disc. 2007)	2,058		179" X 87" X 120"	Yes
	GW750-2	20,370		179" X 87" X 119"	Yes
	TG25 (disc. 1992)	5,510		(no info)	
	TW100 (disc. 2003)	22,930		(no info)	
	TW25 (disc. 1992)	5,190		(no info)	
	TW320-1	6,031		104" X 52" X 96"	Yes
	TW330-1	6,135		104" X 56" X 96"	Yes
	TW350 (disc. 2006)	5,620		103" X 51" X 96"	Yes
	TW352 (disc. 2007)	5,820		105" X 51" X 96"	Yes
	TW41 (disc. 1992)	7,940		(no info)	

Approximate Equipment Weights and Dimensions

			Compiled by CRU	May 2009
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>	<u>Approx. Dimensions</u>	<u>Vibratory?</u>
	TW500 (disc. 2006)	8,070	122" X 55" X 103"	Yes
	TW502 (disc. 2007)	7,800	122" X 55" X 103"	Yes
	TW650 (disc. 2004)	14,330	157" X 64" X 100"	Yes
	TW70C (disc. 1997)	12,670	(no info)	
	TW750 (disc. 1999)	17,640	(no info)	
<u>Manufacturer</u>	<u>Model</u>	<u>Approx. Weight (Lbs.)</u>	<u>Approx. Dimensions</u>	<u>Vibratory?</u>
			(L X W X H or as noted)	
	Single Drum Rollers			
Ammann	AC110-2	25,520	216.5" X 89.8" X 118.1"	Yes
	AC70-2	16,720	191.7" X 72.8" X 112.8"	Yes
Bomag	BW 124D (disc. 2002)	5,957	(no info)	
	BW 124D H-3	7,275	131.9" X 51.6" X 94.5"	Yes